AI-powered food waste management platform

"AI-powered food waste prevention and redistribution platform that predicts crop surplus, connects farmers with hotels and hostels, forecasts food preparation quantities to prevent excess cooking, and redirects unavoidable surplus food to NGOs and charities. The goal is to prevent food waste at its source and redistribute remaining surplus efficiently." *Generated by LeapSpace*

AI-Powered Food Waste Prevention and Redistribution at a Glance

Key Findings Table

Theme	Key finding	Relevant setting	Citations
Prevention-first design	The strongest evidence supports preventing surplus upstream with forecasting, then redistributing only unavoidable excess through matching and routing systems.	Farms, kitchens, donation networks	[1] [2] [3] [4] [5] [6] [7] [8]
Farm-side prediction	AI can forecast yield and harvest timing using weather, soil, elevation, sensor, and satellite data; this supports earlier planning, though most studies predict yield rather than surplus directly.	Farm and field operations	[1] [9] [10] [11] [12]
Hospitality forecasting	Evidence supports AI for hospitality demand forecasting and kitchen waste monitoring, but direct meal-level hotel/hostel forecasting evidence is thin.	Hotels, hostels, HORECA, catering	[4] [5] [13] [14] [15] [16]
Redistribution logic	Donation systems most often optimize around distance, urgency, perishability, recipient capacity, time windows, cost, and fairness.	NGOs, food banks, charities, volunteers	[6] [17] [18] [19] [20] [21]

Theme	Key finding	Relevant setting	Citations
Platform architecture	Real systems exist for donation coordination, traceability, notifications, live tracking, and modular matching, but not convincingly for a full farm-to-hospitality-to-NGO integrated platform with end-to-end outcome data.	Digital platforms	[17] [22] [23] [24] [25]
Impact evidence	Reported waste reductions exist, but methods differ: 23-51% reductions in AI waste-tracking HORECA sites, 14-52% fewer wasted meals in catering forecasts, 30% lower kitchen waste in one IKEA case, 60% lower post-harvest losses with AI cold storage, and 20% less transport-related waste with ML logistics.	Farms, kitchens, logistics	[5] [26] [27] [28] [29] [30]
Main bottleneck	Data quality, interoperability, privacy, digital readiness, and traceability are the main deployment constraints across all modules.	Cross-system	[31] [32] [33] [34] [35] [36] [37]

Direct Answer

A practical evidence-based platform should be built as a **staged prevention-first system**:

1. **Predict farm yield/harvest windows and infer surplus risk** from weather, soil, topography, sensor, and optionally satellite data;
2. **Forecast hospitality demand and kitchen production** using bookings, occupancy, events, weather, and feedback from waste-tracking;
3. **Route unavoidable surplus** through an NGO/charity redistribution engine that matches by expiry, distance, urgency, volume, capacity, and transport constraints [1] [4] [5] [6] [11] [17].

The evidence is **strong for the individual modules** but **weak for a single deployed platform** that already integrates all requested functions—crop surplus prediction, farmer-to-hotel matching, meal forecasting, and NGO redistribution—with quantified end-to-end results [17] [22] [23] [25].

The most defensible product strategy is therefore:

- use **farm forecasting** for early surplus-risk alerts rather than claiming direct surplus prediction from day one [10] [12];
- use **hotel/hostel occupancy and booking signals as proxies** for meal production forecasting because direct hotel meal-forecasting evidence is limited [14] [15] [16];
- support **two downstream channels**: commercial diversion for saleable surplus and charity donation for unavoidable excess, because these workflows appear to follow different decision rules [25] [38] [39];
- build the platform around **shared traceability, inventory, expiry, and transaction data**, since data infrastructure is the main cross-cutting bottleneck [32] [33] [36] [37].

Confidence level: High - the prevention-first architecture and modular design are strongly and repeatedly supported across the evidence base [2] [4] [6] [8].

Study Scope

This report covers evidence on:

- **Farm prediction**: AI yield and harvest-timing models, especially 2018-2025 comparative and deployment-oriented work [1] [10] [11];
- **Hospitality forecasting**: hotel demand forecasting, catering prediction, and kitchen waste-monitoring deployments [4] [5] [13] [27];
- **Redistribution**: donor-recipient matching, routing, scheduling, fairness, and perishability-aware logistics [6] [21] [40];
- **Platform systems**: donation apps, modular redistribution systems, traceability layers, and live operations infrastructure [17] [22] [24] [41];
- **Deployment constraints**: data quality, privacy, interoperability, traceability, governance, and scaling requirements [34] [35] [36] [42].

Assumptions & Limitations

- Most farm studies predict **yield or harvest timing**, not surplus directly, so surplus-risk estimation is partly an inference from forecasted production and expected demand [12] [43].
- Most hospitality studies focus on **rooms, bookings, occupancy, prices, or cancellations**, not meal counts or cooking quantities in hotels/hostels [14] [16] [44].
- Redistribution literature is stronger on **optimization models** than on rigorous head-to-head tests of AI matching versus manual coordination [6] [17] [45].
- Outcome measures are inconsistent across studies, limiting direct comparison of overall platform impact [5] [27] [29] [30].

Suggested Further Research

- Run **end-to-end pilots** that measure prevented waste and redistributed surplus across farm, hospitality, and NGO stages in one system [22] [25].
- Build and validate **meal-level forecasting** specifically for hotels and hostels, not just occupancy or bookings [14] [16].
- Convert yield forecasts into **explicit surplus-risk models** by combining expected harvest with buyer demand and donation capacity [12] [46].
- Compare **commercial resale vs charity donation** rules using common metrics such as freshness, fill rate, cost, fairness, and pickup speed [25] [47].
- Develop **standardized multi-site datasets** with traceability and audit logs to support reproducible deployment [36] [37] [48].

Full Report

Foundational Context

A food-waste platform of the kind described has two distinct aims: **prevention at source** and **redistribution of unavoidable surplus**. The evidence consistently treats these as complementary but not interchangeable. Prevention comes first because avoiding overproduction or overcooking is preferable to donating excess after it is created [8]. Redistribution is then the next-best pathway for still-edible food that remains [7] [8].

That creates a three-layer logic:

1. **Forecast likely surplus before it exists** on farms and in kitchens [2] [3] [4].
2. **Reallocate marketable surplus** where possible to paying buyers such as hotels, hostels, caterers, or other food-service operators [38] [39].
3. **Donate unavoidable excess** through NGO, charity, and food-bank networks using time- and perishability-sensitive logistics [6] [17] [22].

Taken together, these findings suggest that the platform's value is less about one model and more about **coordinating decisions across stages with shared data and traceable workflows** [49] [50] [51].

Confidence level: High - this framing is directly supported by both food-waste hierarchy and platform evidence [8].

Introduction and Platform Scope

The requested platform is best understood as an **end-to-end decision-support and coordination system**. Upstream modules estimate harvest timing and likely production volume; midstream modules estimate hospitality demand to prevent excess preparation; downstream modules allocate remaining food through sale or donation channels [8] [17] [23].

Existing system papers show that platforms can already connect donors, recipients, volunteers, and administrators using role-specific interfaces, matching engines, maps, notifications, and tracking [17] [22] [52]. What is not yet well demonstrated is a single deployment linking **farm surplus prediction, hospitality procurement, kitchen forecasting, and charity routing** in one measured operational loop [17] [22] [23].

Predicting Farm Surplus and Harvest Timing

Model families and input data

Farm-side AI studies repeatedly show that crop yield and harvest timing can be forecast from combinations of **meteorological, soil, elevation, management, and sensor data** [1] [9]. Reported model families include **Random Forest, Extra Trees, XGBoost, ANN, DNN, CNN/LSTM, LightGBM, and transformer-like hybrids** [11] [53] [54] [55] [56] [57] [58].

Examples include:

- an ANN using meteorological data and harvest records that estimated persimmon peak harvest date within about three days [1];
- XGBoost improving field-scale yield prediction when elevation was added [1];
- a DNN outperforming five other AI models using a July-August feature window and enabling forecast availability about a month before harvest [10];
- a LightGBM+TCN hybrid combining static variables such as soil texture, fertilizer, and topography with temporal weather and soil-moisture signals [11];
- a Random Forest-based fused system using satellite vegetation indices, chlorophyll, GPS-tagged soil/crop data, and growing-degree-day tracking [59].

These studies indicate that **multimodal inputs** tend to be associated with stronger performance than single-source inputs [11] [59].

Forecast performance and early warning value

Comparative evidence suggests that machine learning often outperforms classical or mechanistic baselines, but performance depends on crop, horizon, and data richness [31] [60]. One review cites a county-level corn-yield ensemble with better RRMSE than APSIM at planting and maturity, while a rice study reported out-of-sample performance up to R2 0.82 for planning-oriented rolling forecasts [60] [61].

The key operational benefit is **earlier warning**. Forecasts available at the beginning of September for later harvests, or harvest-date estimation with only a few days' error, can support decisions on labor, buyers, storage, and distribution [1] [10]. However, the studies generally stop at yield or timing accuracy; they do not directly measure "surplus windows" or waste from delayed harvest for perishables [12] [60] [61].

Operational implications for surplus prevention

Farm AI is repeatedly framed as a means to **reduce overproduction, minimize agricultural waste, and improve allocation of harvest and logistics resources** [2] [3] [62]. Predictive harvest scheduling can also identify more profitable harvest windows from seasonal patterns and pricing data [63].

Inferred: for the proposed platform, the most defensible farm module is not a pure "surplus predictor" but a **surplus-risk engine** that combines forecast yield with expected buyer demand, quality grade, storage capacity, and distance-to-market constraints. This inference aligns with the evidence but is not directly evaluated as such in the supplied studies [12] [46].
Confidence level: Medium - strong evidence exists for yield/timing forecasting, but direct surplus prediction evidence is limited [12].

Forecasting Food Preparation Demand in Hospitality

Forecast signals and model choices

Hospitality forecasting studies show that AI can use **advance bookings, tourist arrivals, competitor prices, exchange rates, local events, weather, and search/social signals** to improve hotel demand prediction [13] [15] [44] [64] [65] [66]. These outputs support staffing, pricing, and broader resource planning [67] [68].

However, the retrieved literature does **not** directly show hotel or hostel studies forecasting meal counts or kitchen production quantities [14] [15] [44] [69] [70]. The closest evidence comes from cancellation and occupancy forecasting, which can improve estimation of net demand and therefore may indirectly inform meal preparation [69].

Evidence on waste reduction in kitchens

There is better direct evidence for **AI in kitchen waste reduction** than for hotel meal forecasting itself. A digital-twin food-production case used AI demand forecasting to align production with demand, with XGBoost achieving MAPE 16.37% [4]. In real HORECA deployments, AI-based waste tracking reduced food waste by 23-51% across several sites, though one Swiss hotel worsened by 13%, and wasted-food cost per meal fell by up to 39% [5]. Other cited cases include a Thai hotel with zero food waste and large purchasing savings, though the excerpt does not tie this specifically to forecasting, and an IKEA kitchen-monitoring case with 30% reduction in one year [26] [71].

A separate machine-learning study using real daily records from three catering services estimated 14-52% fewer wasted meals by comparing model forecasts to actual demand and to the caterers' own estimates [27].

Model comparison for short-horizon demand

Short-horizon demand studies generally support **machine-learning or ensemble methods over simple classical baselines**, especially when demand is seasonal or affected by events [70] [72]. Still, no model dominates everywhere. Deep learning can perform well with complex temporal structure, but lighter models may outperform it when data are limited or more structured [73] [74] [75] [76]. Classical autoregressive models can miss event spikes unless enriched with exogenous variables such as public events, weather, or location [74] [77].

For an MVP, the evidence supports forecasting kitchen demand from **occupancy, bookings, events, weather, and historical covers**, then using measured waste as a feedback loop to recalibrate production rules [4] [13] [27] [69].

Confidence level: Medium - strong evidence supports hospitality forecasting and kitchen waste monitoring, but direct hotel/hostel meal forecasting evidence is sparse [16] [27].

Redistributing Unavoidable Surplus Food

Matching logic and optimization objectives

Redistribution research is relatively mature in its operational logic. Donation systems match food using variables such as **distance, urgency, food type, recipient capacity, expiry date, shelf life, transport cost, nutritional value, and demand rates** [6] [17] [20] [78] [79].

Platform examples include:

- **FeedBridge**, using ML-based donor-recipient matching plus chatbot coordination [17];
- **Serve Surplus**, using quantity and expiration suitability [80];
- **Zerobite**, tracking expiry and pickup logistics [41];
- a smart donation platform forecasting higher-demand regions to improve logistics efficiency [24].

Optimization papers are more explicit than platform papers about objectives: maximize total distribution, improve fill rate, incorporate fairness/equity, and balance cost, nutritional value, and freshness [18] [19] [20].

Routing, pickup, and last-mile delivery

Routing studies model **pickup scheduling, last-mile delivery, vehicle capacity, working-hour limits, uncertainty, and perishable-food time windows** [40] [81] [82] [83]. To preserve freshness and reliability, some designs allow replenishment trips while still serving households on time [21] [40] [84]. To improve equity and efficiency, models combine cost minimization with terms for delivered units, transfer time, or evenness of service across agencies [21] [85] [86] [87] [88].

This means the redistribution engine should not be a simple “nearest NGO” rule. The literature supports a **multi-objective scheduler** that accounts for perishability, urgency, fairness, and delivery reliability simultaneously [21] [88].

Learning-based versus rule-based coordination

A notable asymmetry appears in the evidence. Operations-research models for routing and allocation are well specified and comparatively mature [45] [89] [90]. By contrast, many AI-enabled donation platforms mention machine-learning matching without fully disclosing objective functions or comparative benchmarks [17]. One AI system adds YOLO-based edibility analysis and GNN-based waste prediction with 97% classification accuracy, but direct comparisons against manual coordination on match rate or pickup speed are not reported [6].

Confidence level: High - the logistics and optimization logic is well supported; the superiority of learning-based matching over simpler rules is less rigorously shown [6] [17] [45].

End-to-End Platform Architecture

Core modules and system functions

The strongest platform papers describe modular systems with:

- donor and recipient registration,
- NGO verification,
- listing and request posting,
- matching engines,
- spoilage or expiry tracking,
- maps and routing,
- notifications,
- live tracking,

- delivery confirmation,
- chatbot or admin coordination [17] [22] [24] [41].

DAANSETU provides real-time donor-NGO connection, demand forecasting, matching, and traceability [22]. FeedBridge links donors, food banks, volunteers, and administrators, and adds spoilage detection, maps, notifications, and chatbot support [17]. The Waste Food Management and Donation Application uses higher-demand-region forecasting, logistics streamlining, irregularity detection, and live tracking [24]. ADCATER comes closest to a broader supply-chain concept by connecting farmers, suppliers, kitchens, wholesalers, and caterers with IoT, computer vision, forecasting, and traceability modules [23].

Data architecture and technology stack

System papers describe **multi-sided data flows** from food producers or donors to recipients, with volunteers or logistics teams closing the loop [91] [92] [93]. Supporting infrastructure includes mobile apps, web apps, dashboards, IoT sensors, inventory and shelf-life systems, and real-time analytics [32] [33] [92] [93]. Real-time and historical data jointly support demand estimation, nearby matching, and rerouting before expiry [32] [46] [94].

Taken together, these findings suggest that the platform's technical core should be a **shared operational data layer** rather than disconnected models [32] [95].

Traceability and trust layers

Traceability is increasingly central. The literature positions it as an integral logistics capability requiring standardized information flow and transformation records [96] [97] [98]. Newer architectures extend this with blockchain, QR codes, RFID, and permissioned access to improve transparency and farm-to-fork verification [99] [100] [101]. Broader reviews link AI, IoT, and blockchain to faster identification of contamination sources and safer redistribution [51] [102] [103] [104].

Confidence level: High - traceability and food safety are strongly recurring design requirements [41] [51] [99].

Deployment Outcomes and Real-World Constraints

Quantified waste reduction outcomes

Real-world impact evidence exists, but it is fragmented. Examples include:

- 23-51% reductions in AI waste-tracking HORECA deployments, measured as per-meal waste using real-time computer-vision systems [5];
- 14-52% fewer wasted meals in three catering services using ML forecasts against actual demand and human estimates [27];
- 30% less food waste in an IKEA kitchen case [26];

- 60% lower post-harvest losses with AI cold storage and 20% less transport-related waste with ML logistics [28];
- 14.8% per-store reductions in commercial AI food-waste prevention deployments referenced in broader outcome summaries [29] [30].

These findings support the claim that AI can reduce waste materially, but the baselines and measurement methods differ too much to infer a single expected effect size for an integrated platform [5] [27] [29] [30].

Implementation barriers

Across modules, the same constraints recur: **privacy and cybersecurity, fragmented data, sparse ground truth, implementation cost, weak digital readiness, and legacy-system integration problems** [34] [35] [46] [105] [106]. Integration is especially difficult when real-time IoT or sensor capture is required but existing workflows remain manual or incompatible [35] [107].

Field-oriented studies also note volatility in market demand and forecasting error as practical threats to deployment reliability [28].

Data quality and scalability requirements

Reliable deployment repeatedly depends on:

- real-time environmental and inventory data [30] [108];
- image recognition and computer vision for quality and waste detection [109] [110] [111];
- standardized, harmonized, and time-synchronized datasets [36] [48] [103] [112];
- auditable data flows and external validation [95] [113].

This is the clearest system-level lesson: the key bottleneck is not lack of model types, but lack of **operationally usable, interoperable data** [36] [37].

Confidence level: High - constraints and data requirements are among the most consistent findings across the evidence [33] [35] [36].

Design Implications

What the evidence suggests for platform design

An evidence-aligned design would prioritize:

1. **Prevention-first decisioning**
   Use farm and kitchen forecasts to avoid surplus creation before activating donation workflows [2] [4] [8].

2. **Two-channel surplus handling**
   Separate rules for commercial diversion and charity donation, because these channels prioritize different factors: price and deal attractiveness in commercial flows versus urgency, fairness, and eligibility in charitable flows [25] [38] [39].

3. **Surplus scoring instead of single-threshold rules**
   Score items by shelf life, quality, demand probability, transport radius, and recipient capacity, then assign them to resale or donation accordingly.
   Inferred: this design follows from the difference between commercial and charitable workflows, but is not directly evaluated in one supplied study [20] [25].
   Confidence level: Low - plausible synthesis, not direct evidence.

4. **Traceability by default**
   Record expiry, provenance, transformations, pickup confirmation, and delivery outcomes for safety and trust [51] [96] [99].

5. **Human-compatible workflows**
   Use mobile/web interfaces, notifications, and simple role-based modules so that farmers, kitchen staff, NGO coordinators, and volunteers can act quickly without heavy data-entry burden [17] [24] [79].

6. **Progressive deployment strategy**
   Start with modular deployment: first kitchen forecasting plus donation coordination, or farm forecasting plus buyer matching, then integrate additional modules as data quality improves [17] [23] [35].

Conclusion

The evidence supports the **feasibility of the platform concept at the component level**. Farm AI can forecast harvest timing and yield early enough to support surplus-risk planning [1] [10]. Hospitality AI can improve demand estimation and, together with waste tracking, reduce overproduction [4] [5] [27]. Redistribution systems can efficiently match and route unavoidable surplus to charities using capacity-, freshness-, urgency-, and fairness-aware logic [6] [20] [21].

What the literature does **not** yet provide is strong proof of a fully integrated real-world platform combining all these functions with end-to-end quantified outcomes [17] [22] [23] [25]. The best practical interpretation is therefore to build the product as an **integrated data and decision layer over proven modules**, rather than assuming one unified AI system is already validated in the field [42] [49] [50].

Overall confidence level: High - the modular architecture and prevention-first logic are strongly grounded; **Medium** for end-to-end deployment expectations because the evidence for fully integrated systems remains limited [8] [22] [25].

References

1. Okayama, A., Yamamoto, A., Matsuno, Y., Kimura, M. (2025) Machine Learning for Precision Agriculture: Predicting Persimmon Peak Harvest Dates and Yield Using Meteorological Data. *AgriEngineering*. https://doi.org/10.3390/agriengineering7060180
2. Paria, A., Das, R. (2026) Integrating Artificial Intelligence in Climate-Aware Yield Forecasting for Sustainable Precision Agriculture. *Harnessing AI to Reshape the Future of Agriculture*. https://doi.org/10.1007/978-3-032-12118-9_20
3. Rajkumar, M., Ananth Kumar, T.A., Kanimozhi, P., (...), Shekhar Patra, S.S. (2025) Sustainable Farming with AI-Driven Yield Prediction Models and Real-Time IoT Sensor Data. *2025 6th International Conference for Emerging Technology, INCET 2025*. https://doi.org/10.1109/INCET64471.2025.11140303
4. Lucantoni, L., Croci, S., Mazzuto, G., (...), Perenzoni, S. (2025) Demand Forecasting Tool Driving the Digital Twin of a Perishable Food Process. *IEEE/CAA Journal of Automatica Sinica*. https://doi.org/10.1109/JAS.2025.125591
5. Sigala, E.G., Gerwin, P., Chroni, C., (...), Lasaridi, K. (2025) Reducing food waste in the HORECA sector using AI-based waste-tracking devices. *Waste Management*. https://doi.org/10.1016/j.wasman.2025.02.044
6. Sekar, K., Dheepa, T., Ambeth Kumar, V.D., (...), Harish Kannan, B. (2026) AI-Based Food Quality Detection and Donation Optimization Using Object Detection and Graph Learning. *Proceedings of 3rd International Conference on Electronics, Computing, Communication and Control Technology: AI-Driven Smart Electronics and Next-Generation Communication Technologies, ICECCC 2026*. https://doi.org/10.1109/ICECCC70334.2026.11633148
7. Teigiserova, D.A., Hamelin, L., Thomsen, M. (2020) Towards transparent valorization of food surplus, waste and loss: Clarifying definitions, food waste hierarchy, and role in the circular economy. *Science of the Total Environment*. https://doi.org/10.1016/j.scitotenv.2019.136033
8. Papargyropoulou, E., Lozano, R., Steinberger, J., (...), Ujang, Z.B. (2014) The food waste hierarchy as a framework for the management of food surplus and food waste. *Journal of Cleaner Production*. https://doi.org/10.1016/j.jclepro.2014.04.020
9. Graceline Jasmine, S., Gabriel Joshua, R., Lourdeena, J.S., (...), Benin, R. (2025) Optimizing Sowing Dates and Crop Yield with Predictive Models. *5th IEEE International Conference on Innovations in Power and Advanced Computing Technologies, i-PACT 2025*. https://doi.org/10.1109/i-PACT65952.2025.11307998
10. Kim, N., Ha, K.-J., Park, N.-W., (...), Lee, Y.-W. (2019) A comparison between major artificial intelligence models for crop yield prediction: Case study of the midwestern United States, 2006–2015. *ISPRS International Journal of Geo-Information*. https://doi.org/10.3390/ijgi8050240

11. Ganeshmoorthy, S., Gogulnath, P., Jayaprathap, N., (...), Lavan, K. (2025) Intelligent Agricultural Data Mining System for Crop Yield Prediction and Resource Optimization using LightGBM and Temporal Convolutional Networks. *Proceedings of 5th International Conference on Evolutionary Computing and Mobile Sustainable Networks, ICECMSN 2025*. https://doi.org/10.1109/ICECMSN68058.2025.11382997

12. Bueechi, E., Fischer, M., Crocetti, L., (...), Dorigo, W. (2023) Crop yield anomaly forecasting in the Pannonian basin using gradient boosting and its performance in years of severe drought. *Agricultural and Forest Meteorology*. https://doi.org/10.1016/j.agrformet.2023.109596

13. Rekiek, S., Jebari, H., Reklaoui, K. (2024) Prediction of Booking Trends and Customer Demand in the Tourism and Hospitality Sector Using AI-Based Models: A Case Study of Major Hotel Chain. *International Journal of Advanced Computer Science and Applications*. https://doi.org/10.14569/IJACSA.2024.0151043

14. Godolja, M., Sinani, A. (2024) Assessing Hotel Reservation Forecasting Models to Inform Dynamic Pricing Strategies. *International Scientific-Business Conference LIMEN Leadership, Innovation, Management and Economics: Integrated Politics of Research*. https://doi.org/10.31410/LIMEN.2024.309

15. Phumchusri, N., Ungtrakul, P. (2020) Hotel daily demand forecasting for high-frequency and complex seasonality data: a case study in Thailand. *Journal of Revenue and Pricing Management*. https://doi.org/10.1057/s41272-019-00221-6

16. Pereira, L.N. (2016) An introduction to helpful forecasting methods for hotel revenue management. *International Journal of Hospitality Management*. https://doi.org/10.1016/j.ijhm.2016.07.003

17. Chandana, S., Sooda, G., Patil, A., Manonmani, S. (2025) FeedBridge: An AI-Powered Platform for Sustainable Food Redistribution. *Proceedings of IEEE International Conference for Women in Innovation, Technology and Entrepreneurship, ICWITE 2025*. https://doi.org/10.1109/ICWITE64848.2025.11307073

18. Sengul Orgut, I., Ivy, J.S., Uzsoy, R., Hale, C. (2018) Robust optimization approaches for the equitable and effective distribution of donated food. *European Journal of Operational Research*. https://doi.org/10.1016/j.ejor.2018.02.017

19. Liang, J., Lyu, G. (2022) From Efficiency to Fairness: Design of Allocation Rules for Food Bank Operations. *Proceedings - Winter Simulation Conference*. https://doi.org/10.1109/WSC57314.2022.10015366

20. Ghahremani-Nahr, J., Kian, R., Ghaderi, A. (2025) A food upcycling model by food bank collection-distribution networks. *Socio-Economic Planning Sciences*. https://doi.org/10.1016/j.seps.2025.102247

21. Salami, M.S., Li, K., Hajibabai, L. (2026) Anticipatory Monte Carlo tree search–based optimization for stochastic dynamic routing with time windows. *Computer-Aided Civil and Infrastructure Engineering*. https://doi.org/10.1016/j.cacaie.2026.100024

22. Patil, L., Patil, D.H., Hadole, P., (...), Jadhav, A. (2025) 'DAANSETU' a Machine Learning-Based Platform for Enhancing NGO-Donor Interactions. *2025 2nd International Conference on Integration of Computational Intelligent System, ICICIS 2025*. https://doi.org/10.1109/ICICIS65613.2025.11371300

23. Suciu, G., Pop, I., Pasat, A., (...), Suciu, I. (2021) Digital Solutions for Smart Food Supply Chain. *2021 IEEE 27th International Symposium for Design and Technology in Electronic Packaging, SIITME 2021 - Conference Proceedings*. https://doi.org/10.1109/SIITME53254.2021.9663672

24. Chakraborty, S., Sharma, A., Raj, S., Singh, N. (2025) A Smart Waste Food Management and Donation Platform Leveraging Machine Learning and Web Technologies. *Lecture Notes in Networks and Systems*. https://doi.org/10.1007/978-981-96-7134-2_39

25. de Almeida Oroski, F., da Silva, J.M. (2023) Understanding food waste-reducing platforms: A mini-review. *Waste Management and Research*. https://doi.org/10.1177/0734242X221135248

26. Onyeaka, H., Akinsemolu, A., Miri, T., (...), Ugwa, C. (2025) Artificial intelligence in food system: Innovative approach to minimizing food spoilage and food waste. *Journal of Agriculture and Food Research*. https://doi.org/10.1016/j.jafr.2025.101895

27. Rodrigues, M., Miguéis, V., Freitas, S., Machado, T. (2024) Machine learning models for short-term demand forecasting in food catering services: A solution to reduce food waste. *Journal of Cleaner Production*. https://doi.org/10.1016/j.jclepro.2023.140265

28. Olawale, R.A., Olawumi, M.A., Oladapo, B.I. (2025) Sustainable farming with machine learning solutions for minimizing food waste. *Journal of Stored Products Research*. https://doi.org/10.1016/j.jspr.2025.102611

29. Olawale, R.A., Olawumi, M.A., Oladapo, B.I. (2025) Sustainable farming with machine learning solutions for minimizing food waste. *Journal of Stored Products Research*. https://doi.org/10.1016/j.jspr.2025.102611

30. Onyeaka, H., Akinsemolu, A., Miri, T., (...), Ugwa, C. (2025) Artificial intelligence in food system: Innovative approach to minimizing food spoilage and food waste. *Journal of Agriculture and Food Research*. https://doi.org/10.1016/j.jafr.2025.101895

31. Leukel, J., Zimpel, T., Stumpe, C. (2023) Machine learning technology for early prediction of grain yield at the field scale: A systematic review. *Computers and Electronics in Agriculture*. https://doi.org/10.1016/j.compag.2023.107721

32. Ali Zaidi, A.A., Jilani, A., Asif, M., (...), Khan, S.Z. (2026) The AI revolution in sustainable food processing: From process optimization to a circular bioeconomy. *Food and Bioproducts Processing*. https://doi.org/10.1016/j.fbp.2026.05.013

33. Olawale, R.A., Olawumi, M.A., Oladapo, B.I. (2025) Sustainable farming with machine learning solutions for minimizing food waste. *Journal of Stored Products Research*. https://doi.org/10.1016/j.jspr.2025.102611

34. Yang, Z., Wang, W.Z., Chen, Y., (...), Deveci, M. (2026) Analyzing barriers to AI-HI integration for food loss and waste reduction: A multi-actor study of food supply chains. *International Journal of Production Economics*. https://doi.org/10.1016/j.ijpe.2026.110146

35. https://www.sciencedirect.com/science/article/pii/S266299842500580X

36. Arun, A.P., Sreenivasan, N., Charanya, A.R., (...), Mudbidre, R. (2025) AIoT for Smart Food Monitoring: A Review of Sensing Technologies, Edge Intelligence, and Real-Time Quality Prediction Systems. *2025 9th International Conference on Computational System and Information Technology for Sustainable Solutions, CSITSS 2025*. https://doi.org/10.1109/CSITSS67709.2025.11294444

37. Islam, F.A.S. (2026) AI-Driven Frameworks and Sensor-Robotic Networks for Urban Waste Management: A Systematic Review Toward Sustainable Smart Cities. *Pakistan Journal of Analytical and Environmental Chemistry*. https://doi.org/10.21743/pjaec/2026/550747ap

38. Jensen, J.D. (2025) Food Waste Prevention and Economic Incentives to Redistribute Surplus Foods from Food Retailing. *Journal of Food Products Marketing*. https://doi.org/10.1080/10454446.2025.2584844

39. Lin, Z.A., Legendre, T.S., Ding, A. (2026) Designing demand: consumer value construction in food rescue apps. *International Journal of Contemporary Hospitality Management*. https://doi.org/10.1108/IJCHM-04-2025-0626

40. Li, K., Niwunhella, H., Hajibabai, L., Hajbabaie, A. (2026) Cross-formulation transfer learning for pickup and delivery with time windows via graph neural networks. *Computer-Aided Civil and Infrastructure Engineering*. https://doi.org/10.1016/j.cacaie.2026.100188

41. Cinthuja, K., Subramani, K., Jeyamohan, H., (...), Amrin Joshiga, A. (2025) Zerobite: A Real-Time Food Donation and Waste Management System. *Proceedings of 6th International Conference on IoT Based Control Networks and Intelligent Systems, ICICNIS 2025*. https://doi.org/10.1109/ICICNIS66685.2025.11315648

42. Misra, N.N., Dixit, Y., Al-Mallahi, A., (...), Martynenko, A. (2022) IoT, Big Data, and Artificial Intelligence in Agriculture and Food Industry. *IEEE Internet of Things Journal*. https://doi.org/10.1109/JIOT.2020.2998584

43. Wolfert, S., van Wassenaer, L., Verdouw, C., Bogaardt, M.-J. (2017) Big Data in Smart Farming – A review. *Agricultural Systems*. https://doi.org/10.1016/j.agsy.2017.01.023

44. Lee, M., Mu, X., Zhang, Y. (2020) A MACHINE LEARNING APPROACH TO IMPROVING FORECASTING ACCURACY OF HOTEL DEMAND: A COMPARATIVE ANALYSIS OF NEURAL NETWORKS AND TRADITIONAL MODELS. *Issues in Information Systems*. https://doi.org/10.48009/1_iis_2020_12-21

45. Rivera, A.F., Smith, N.R., Ruiz, A. (2023) A systematic literature review of food banks' supply chain operations with a focus on optimization models. *Journal of Humanitarian Logistics and Supply Chain Management*. https://doi.org/10.1108/JHLSCM-09-2021-0087

46. Girotto, Francesca, Beggio, Giovanni (2025) From burden to backbone: the regenerative potential of food waste through digital, biological, and technological innovation. *Frontiers in Nutrition*. https://doi.org/10.3389/fnut.2025.1675732

47. Nurgazina, J., Reiner, G. (2026) Opportunities of digital solutions for addressing food donation challenges. *Journal of Responsible Technology*. https://doi.org/10.1016/j.jrt.2026.100173

48. Chen, Z., Zhang, G., Zhang, F. (2026) Multimodal AI for Real-Time Food Safety and Quality: From Sensors to Foundation Models, Edge Deployment, and Regulation. *Food Science and Nutrition*. https://doi.org/10.1002/fsn3.71534

49. Amiri, A. (2026) Leveraging Artificial Intelligence for Enhanced Food Security: Innovations in Farm and Warehouse Management. *Journal of Food Quality*. https://doi.org/10.1155/jfq/2405451

50. Korcari, A., Saridi, M., Koumpoti, A., Anastasiadis, F. (2026) AI-Driven Demand Planning: A Systematic Review of Adoption, Barriers and Strategic Implications. *Administrative Sciences*. https://doi.org/10.3390/admsci16060260

51. Hamidy, S.M., Erik, A., Kuvvetli, Y., Gökşen, G. (2025) Artificial intelligence and machine learning for food safety and traceability. *Artificial Intelligence in Food Science: Transforming Food and Bioprocess Development*. https://doi.org/10.1016/B978-0-443-26468-9.00046-1

52. Sudha, D.K.S.N., Rajamohan, N., Priya, C.H., (...), Ramasamy, G. (2026) Food Donation and Redistribution System Using Database. *Advanced Transportation Systems in the Field of Engineering and Technology: Volume 2*. https://doi.org/10.1201/9781042005376-98

53. Bibi, M., Saif-Ur-Rehman, Mahmood, K., Shoukat, R.S. (2023) An Intelligent Decision Support System for Crop Yield Prediction Using Machine Learning and Deep Learning Algorithms. *Proceedings of the Pakistan Academy of Sciences: Part A*. https://doi.org/10.53560/PPASA(60-3)825

54. Srivastava, A., Pandey, A., Agrahari, D., Sharma, V.S. (2025) AI-Driven Crop Yield Prediction with State-Level Customization. *Proceedings of 2025 8th International Conference on Emerging Technologies in Computer Engineering: Advances in Computing, Healthcare and Smart Systems, ICETCE 2025*. https://doi.org/10.1109/ICETCE66848.2025.11388721

55. Khudair, B.S., Abd, N.N., Furaijl, H.B., (...), Khalaf, G.A. (2025) DESIGN A NOVEL FRAMEWORK FOR SMART AGRICULTURE PREDICTION USING MACHINE LEARNING. *International Journal of Ecosystems and Ecology Science*. https://doi.org/10.31407/ijees15.314

56. Goel, M., Pandey, M. (2024) Crop Yield Prediction Using AI: A Review. *2024 2nd International Conference on Disruptive Technologies, ICDT 2024*. https://doi.org/10.1109/ICDT61202.2024.10489432

57. Kariya, J., Mudholkar, P. (2026) Comparative Evaluation of Machine Learning Models for Sustainable Crop Yield Prediction toward SDG 2: Zero Hunger. *Proceedings - 2026 International Conference on Innovations in Computational Intelligence, ICICI 2026*. https://doi.org/10.1109/ICICI68867.2026.11564913

58. Gowsic, K., Ashwini, A., Sankar, M.A., Balamurugan, R. (2025) Enhanced Crop Yield Predictions Amid Climate Change to Improve Agriculture With SwinTrans-Att Based Model. *Proceedings of International Conference on Visual Analytics and Data Visualization, ICVADV 2025*. https://doi.org/10.1109/ICVADV63329.2025.10960928

59. Ramkumar, G., Pushpa Rani, P.B., Khafajeh, H., (...), Reddy, U. (2025) Predictive Modelling of Farms and Crop Growth through Satellite and Remote Sensing Data Processing using Ensemble Learning Algorithms. *2025 3rd International Conference on Sustainable Computing and Smart Systems, ICSCSS 2025*. https://doi.org/10.1109/ICSCSS64956.2025.11500920

60. Pei, J., Tan, S., Zou, Y., (...), Huang, J. (2025) The role of phenology in crop yield prediction: Comparison of ground-based phenology and remotely sensed phenology. *Agricultural and Forest Meteorology*. https://doi.org/10.1016/j.agrformet.2024.110340

61. de Clercq, D., Mahdi, A. (2024) Feasibility of machine learning-based rice yield prediction in India at the district level using climate reanalysis and remote sensing data. *Agricultural Systems*. https://doi.org/10.1016/j.agsy.2024.104099

62. Kumar, N., Kaur, K., Kaur, A., Sharma, C. (2024) Revolutionizing Crop Yield Prediction with Machine Learning: A Sustainable Approach to Minimizing Agricultural Waste. *2024 International Conference on Cybernation and Computation, CYBERCOM 2024*. https://doi.org/10.1109/CYBERCOM63683.2024.10803268

63. Sable, N.P., Kumar Shukla, V.K., Mahalle, P.N., Khedkar, V. (2025) Optimizing agricultural yield: a predictive model for profitable crop harvesting based on market dynamics. *Frontiers in Computer Science*. https://doi.org/10.3389/fcomp.2025.1567333

64. Ekka, B., Verma, R., Chande, K., (...), Wong, L.S. (2025) Predictive Analytics: Demand Forecasting in Hotel Industry through Machine Learning. *2025 Asian Conference on Communication and Networks, ASIANComNet 2025*. https://doi.org/10.1109/ASIANComNet68615.2025.11579544

65. Huang, L., Li, C., Zheng, W. (2023) Daily hotel demand forecasting with spatiotemporal features. *International Journal of Contemporary Hospitality Management*. https://doi.org/10.1108/IJCHM-12-2021-1505

66. Ampountolas, A., Legg, M.P. (2021) A segmented machine learning modeling approach of social media for predicting occupancy. *International Journal of Contemporary Hospitality Management*. https://doi.org/10.1108/IJCHM-06-2020-0611

67. Shavanthappa, S., Sateeshchandra, N.G., Satish, Y.M., Al Tamimi, H.S. (2026) AI Applications in Hospitality: Impacts on Service Quality, Employee Experience, and Customer Satisfaction. *Knowledge and Process Management*. https://doi.org/10.1002/kpm.70088

68. Saini, K., Renu, n. (2024) The AI revolution is reshaping the hospitality industry. *Hotel and Travel Management in the AI Era*. https://doi.org/10.4018/979-8-3693-7898-4.ch024

69. Antonio, N., de Almeida, A., Nunes, L. (2019) Big Data in Hotel Revenue Management: Exploring Cancellation Drivers to Gain Insights Into Booking Cancellation Behavior. *Cornell Hospitality Quarterly*. https://doi.org/10.1177/1938965519851466

70. Pereira, L.N., Cerqueira, V. (2022) Forecasting hotel demand for revenue management using machine learning regression methods. *Current Issues in Tourism*. https://doi.org/10.1080/13683500.2021.1999397

71. Srijuntrapun, P., Sukwong, P., Marshall, A. (2022) The role of food waste hierarchy as Thai hotels seek to fulfill their corporate social responsibility. *Heliyon*. https://doi.org/10.1016/j.heliyon.2022.e11201

72. Oliveira, F.B., Silva-Filho, M.W., Barbosa, G.A., (...), Miranda, P.B.C. (2025) Machine Learning and Time Series Analysis to Forecast Hotel Room Prices. *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*. https://doi.org/10.1007/978-3-031-79035-5_25

73. Ahmed, A.F., Mohammed, O.S., Khan, N.T., (...), Mohammed, A. (2026) Improving Forecast Accuracy for Retail Supply Chains Using ARIMA and Machine Learning Approaches. *Transportation Research Procedia*. https://doi.org/10.1016/j.trpro.2026.04.024

74. Kamola, M., Arabas, P. (2020) Improving Time-Series Demand Modeling in Hospitality Business by Analytics of Public Event Datasets. *IEEE Access*. https://doi.org/10.1109/ACCESS.2020.2980501

75. Jessica, Suryasari, u. (2024) An Ensemble Approach Combining LSTM and Random Forest for Forecasting Product Stock Expenditure in Retail. *2024 International Conference on Information Technology Systems and Innovation, ICITSI 2024 - Proceedings*. https://doi.org/10.1109/ICITSI65188.2024.10929351

76. Khalid, A.M., Vaghela, C.R., Soni, J.V. (2026) Inventory-Centric Forecasting: A Comparative Evaluation of Machine Learning and Deep Learning Models for Retail Demand Planning. *2026 International Conference on Intelligent and Sustainable Electronics and Computing Technologies, INSECT 2026*. https://doi.org/10.1109/INSECT68872.2026.11663889

77. Dudla, D.A., Rao, B.T., Rangaswamy, B., Meghana, K. (2025) An Efficient Approach for Food Demand Forecasting Using an Ensemble Technique and Statistical Analysis. *Lecture Notes of the Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering, LNICST*. https://doi.org/10.1007/978-3-031-77075-3_6

78. Maleki Vishkaei, B., De Giovanni, P. (2026) Smart food-sharing platforms for social sustainability: a heuristic algorithm approach. *International Transactions in Operational Research*. https://doi.org/10.1111/itor.13543

79. Bharani, S., Mohanraj, E., Sujith, M., Vinothkumar, P. (2024) Optimizing Surplus Food Management: A User-Centric Application Approach. *2nd International Conference on Emerging Trends in Information Technology and Engineering, ic-ETITE 2024*. https://doi.org/10.1109/ic-ETITE58242.2024.10493353

80. Vijay, K., Dhanush Ishwar, D., Thilak Kumar, V., (...), Ujjain, S. (2025) Serve Surplus: A Smart Food Redistribution Platform for Reducing Urban Food Waste and Combating Hunger. *Proceedings of 3rd International Conference on Sustainable Computing and Data Communication Systems, ICSCDS 2025*. https://doi.org/10.1109/ICSCDS65426.2025.11167510

81. Mandal, J., Mitra, R., Gupta, V.K., (...), Tiwari, M.K. (2021) Optimal allocation of near-expiry food in a retailer-foodbank supply network with economic and environmental considerations: An aggregator's perspective. *Journal of Cleaner Production*. https://doi.org/10.1016/j.jclepro.2021.128481

82. Pérez, E., Marthak, Y.V., Méndez Mediavilla, F.A. (2023) Analysis and forecast of donations at domestic hunger relief organizations impacted by natural disasters. *Socio-Economic Planning Sciences*. https://doi.org/10.1016/j.seps.2022.101470

83. Davis, L.B., Jiang, S.X., Morgan, S.D., (...), Terry, J.R. (2016) Analysis and prediction of food donation behavior for a domestic hunger relief organization. *International Journal of Production Economics*. https://doi.org/10.1016/j.ijpe.2016.07.020

84. Atik, Asya, Li, Kuangying, Hajibabai, Leila, Hajbabaie, Ali (2025) Integrated column generation for volunteer-based delivery assignment and route optimization. *Computer-Aided Civil and Infrastructure Engineering*. https://doi.org/10.1111/mice.13439

85. Mostajabdaveh, M., Salman, F.S., Gutjahr, W.J. (2025) A branch-and-price algorithm for fast and equitable last-mile relief aid distribution. *European Journal of Operational Research*. https://doi.org/10.1016/j.ejor.2025.01.032

86. Alegoz, M., Acar, M., Salman, F.S. (2024) Value of sorting and recovery in post-disaster relief aid distribution. *Omega (United Kingdom)*. https://doi.org/10.1016/j.omega.2023.102946

87. Erdem, M. (2025) Sustainable post-disaster humanitarian logistics network design: A real-case study with consecutive disaster risks. *Computers and Industrial Engineering*. https://doi.org/10.1016/j.cie.2025.111358

88. Sengul Orgut, I., Ivy, J.S., Uzsoy, R., Hale, C. (2018) Robust optimization approaches for the equitable and effective distribution of donated food. *European Journal of Operational Research*. https://doi.org/10.1016/j.ejor.2018.02.017

89. Davis, L.B., Sengul, I., Ivy, J.S., (...), Miles, L. (2014) Scheduling food bank collections and deliveries to ensure food safety and improve access. *Socio-Economic Planning Sciences*. https://doi.org/10.1016/j.seps.2014.04.001

90. Eisenhändler, O., Tzur, M. (2019) The humanitarian pickup and distribution problem. *Operations Research*. https://doi.org/10.1287/opre.2018.1751

91. Talwar, S., Dhir, A., Taheri, P.B., Kaur, P. (2026) Why do hospitality and food service businesses use food sharing platforms? A social practice perspective on surplus food redistribution to reduce food waste. *International Journal of Hospitality Management*. https://doi.org/10.1016/j.ijhm.2026.104563

92. Alnajdawi, R., Clark, A., Gaber, T. (2026) A digital circular food system: A systematic review and novel conceptual framework. *Cleaner Environmental Systems*. https://doi.org/10.1016/j.cesys.2026.100509

93. Kilemile, Warren, Vulla, Kelvin E., Mihafu, Fabian, Chandrasekaran, Vidhya (2025) Transforming Food Systems: A Review of Sustainable Approaches to Minimize Food Loss and Waste. *Food Science and Nutrition*. https://doi.org/10.1002/fsn3.71167
94. https://www.sciencedirect.com/science/article/pii/S2730598826003508
95. Mia, N. (2026) Artificial intelligence-driven meat freshness evaluation: integrating sensing technologies, machine learning, and intelligent monitoring systems. *Food Bioscience*. https://doi.org/10.1016/j.fbio.2026.109843
96. Regattieri, A., Gamberi, M., Manzini, R. (2007) Traceability of food products: General framework and experimental evidence. *Journal of Food Engineering*. https://doi.org/10.1016/j.jfoodeng.2006.10.032
97. Bosona, T., Gebresenbet, G. (2013) Food traceability as an integral part of logistics management in food and agricultural supply chain. *Food Control*. https://doi.org/10.1016/j.foodcont.2013.02.004
98. Olsen, P., Borit, M. (2018) The components of a food traceability system. *Trends in Food Science and Technology*. https://doi.org/10.1016/j.tifs.2018.05.004
99. Baralla, G., Pinna, A., Corrias, G. (2019) Ensure traceability in european food supply chain by using a blockchain system. *Proceedings - 2019 IEEE/ACM 2nd International Workshop on Emerging Trends in Software Engineering for Blockchain, WETSEB 2019*. https://doi.org/10.1109/WETSEB.2019.00012
100. Kamilaris, A., Fonts, A., Prenafeta-Boldú, F.X. (2019) The rise of blockchain technology in agriculture and food supply chains. *Trends in Food Science and Technology*. https://doi.org/10.1016/j.tifs.2019.07.034
101. Feng, H., Wang, X., Duan, Y., (...), Zhang, X. (2020) Applying blockchain technology to improve agri-food traceability: A review of development methods, benefits and challenges. *Journal of Cleaner Production*. https://doi.org/10.1016/j.jclepro.2020.121031
102. Djafar, M.J., Elmatsani, H.M., Munarso, S.J., (...), Lanjar, L. (2026) Smart Packaging 4.0: A Bibliometric Analysis of Sensor Integration, Food Safety, and Sustainability in Food Packaging Systems. *Scientific World Journal*. https://doi.org/10.1155/tswj/3181510
103. Uzunov, R., Angeleska, A. (2026) Artificial intelligence (AI) in food safety and quality: New approach, advantages, and disadvantages. *Italian Journal of Food Science*. https://doi.org/10.15586/ijfs.v38i2.3525
104. Eerapagula, R., Sangeetha, V.J., Kushwaha, P., Mahato, A.K. (2026) Future Trends, Challenges, and Opportunities. *Artificial Intelligence Application in Food, Nutrition, Agriculture, and Biotechnology*. https://doi.org/10.1201/9781003687719-15
105. Singh, D. (2025) Harnessing Artificial Intelligence to Safeguard Food Quality and Safety. *Journal of Food Protection*. https://doi.org/10.1016/j.jfp.2025.100621
106. Tagkopoulos, I., Brown, S.F., Liu, X., (...), David Youtsey, G. (2022) Special report: AI Institute for next generation food systems (AIFS). *Computers and Electronics in Agriculture*. https://doi.org/10.1016/j.compag.2022.106819

107. Bhuiyan, M.N.I., Rahman, M.S., Rahman, M.M. (2027) Toward autonomous food preservation through essential oil-based nanoformulations coupled with AI and foodomics for real-time safety and shelf-life prediction. *Food Control*. https://doi.org/10.1016/j.foodcont.2026.112455

108. Pang, G. (2026) Artificial Intelligence and Machine Learning for Predictive Food Safety. *Food Safety in the Digital Age*. https://doi.org/10.1002/9781394362660.ch07

109. Bisht, A., Hussain, M., Zhou, X., (...), Jin, Z. (2026) Transforming food systems with artificial intelligence and machine learning: innovations, challenges and future directions in food safety, quality, and nutrition. *Clean Technologies and Environmental Policy*. https://doi.org/10.1007/s10098-026-03579-5

110. Kılıç, A., Hendek, M., Uslu, D. (2026) Bibliometric analysis of artificial intelligence applications in food quality control and safety. *Ukrainian Food Journal*. https://doi.org/10.24263/2304-974X-2026-15-2-17

111. Krisnanmoorthy, J., Fernando, Y. (2026) From detection chains to prevention trends: An AI governance framework for terrestrial and marine food-safety systems. *Trends in Food Science and Technology*. https://doi.org/10.1016/j.tifs.2026.105576

112. Rawat, P.S., Singh, S. (2026) Data Sources and Sensors in Agriculture and Food Systems. *Artificial Intelligence Application in Food, Nutrition, Agriculture, and Biotechnology*. https://doi.org/10.1201/9781003687719-3

113. Bittsánszky, A., Bilicki, V., Sudár, G., (...), Tóth, A.J. (2026) Artificial Intelligence in Postharvest Food Safety Control of Animal-Source Foods: Evidence Thresholds, Validation, and Regulatory Applicability. *Veterinary Sciences*. https://doi.org/10.3390/vetsci13060574