```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Stray Care - Helping Stray Animals</title>
  <!-- Leaflet CSS for maps -->
  <link rel="stylesheet" href="https://unpkg.com/leaflet@1.9.4/dist/leaflet.css" />
  <!-- Font Awesome for icons -->
  <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.0/css/all.min.css">
  <style>
    /* Reset and base styles */
    * {
     margin: 0;
     padding: 0;
     box-sizing: border-box;
    }
    body {
      font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
      line-height: 1.6;
      color: #333;
      background-color: #f0f7ff;
    }
    .container {
      width: 100%;
      max-width: 1200px;
     margin: 0 auto;
     padding: 0 20px;
    }
    /* Header styles */
    header {
      background: linear-gradient(135deg, #3b82f6 0%, #06b6d4 100%);
      color: white;
      padding: 1rem;
      position: sticky;
      top: 0;
      z-index: 50;
      box-shadow: 0 2px 10px rgba(0, 0, 0, 0.1);
    .header-container {
      display: flex;
      justify-content: space-between;
     align-items: center;
    }
```

```
.logo {
  display: flex;
  align-items: center;
 gap: 10px;
 text-decoration: none;
 color: white;
}
.logo img {
 width: 50px;
 height: 50px;
 border-radius: 50%;
}
.logo-text {
 font-size: 1.5rem;
 font-weight: bold;
}
.nav-desktop {
 display: none;
@media (min-width: 768px) {
  .nav-desktop {
    display: block;
  .mobile-menu-button {
    display: none;
  }
}
.nav-list {
 display: flex;
  list-style: none;
 gap: 1.5rem;
}
.nav-link {
 display: flex;
  align-items: center;
  gap: 5px;
 color: rgba(255, 255, 255, 0.9);
 text-decoration: none;
 transition: color 0.3s;
}
.nav-link:hover {
 color: rgba(255, 255, 255, 0.7);
}
```

```
.nav-link.active {
  color: white;
  font-weight: 600;
}
.user-controls {
  display: none;
@media (min-width: 768px) {
  .user-controls {
    display: flex;
    align-items: center;
    gap: 1rem;
 }
}
.sign-in-link {
  color: rgba(255, 255, 255, 0.9);
 text-decoration: none;
}
.sign-in-link:hover {
  color: white;
.sign-up-link {
  background-color: rgba(255, 255, 255, 0.1);
  padding: 0.5rem 1rem;
  border-radius: 0.375rem;
  color: white;
  text-decoration: none;
  backdrop-filter: blur(4px);
}
.sign-up-link:hover {
  background-color: rgba(255, 255, 255, 0.2);
}
.mobile-menu-button {
  background: none;
  border: none;
  color: white;
 font-size: 1.5rem;
 cursor: pointer;
}
.mobile-menu {
  display: none;
```

```
background-color: white;
  margin-top: 1rem;
  border-radius: 0.5rem;
  box-shadow: 0 4px 6px rgba(0, 0, 0, 0.1);
  padding: 1rem;
.mobile-menu.active {
 display: block;
.mobile-nav-list {
  list-style: none;
 margin-bottom: 1rem;
.mobile-nav-item {
 margin-bottom: 0.5rem;
.mobile-nav-link {
  display: flex;
  align-items: center;
  gap: 0.5rem;
  padding: 0.5rem 0;
 color: #333;
 text-decoration: none;
}
.mobile-nav-link:hover {
  color: #3b82f6;
}
.mobile-user-controls {
  padding-top: 1rem;
  border-top: 1px solid #eee;
}
/* Button styles */
.btn {
  display: inline-flex;
  align-items: center;
  justify-content: center;
  gap: 0.5rem;
  padding: 0.5rem 1rem;
  border-radius: 0.375rem;
  font-weight: 500;
  cursor: pointer;
  transition: background-color 0.3s, color 0.3s;
  text-decoration: none;
```

```
border: none;
 font-size: 0.875rem;
}
.btn-primary {
  background-color: #3b82f6;
 color: white;
}
.btn-primary:hover {
 background-color: #2563eb;
}
.btn-outline {
  background-color: transparent;
  border: 1px solid #d1d5db;
 color: #374151;
}
.btn-outline:hover {
 background-color: #f3f4f6;
.btn-block {
 display: block;
 width: 100%;
}
/* Image slider styles */
.image-slider {
  position: relative;
 width: 100%;
 height: 500px;
  overflow: hidden;
  border-radius: 0.75rem;
 margin-bottom: 2rem;
}
.slide {
  position: absolute;
 width: 100%;
 height: 100%;
 opacity: 0;
 transition: opacity 1s ease-in-out;
.slide.active {
 opacity: 1;
```

```
.slide img {
 width: 100%;
 height: 100%;
 object-fit: cover;
.slide-overlay {
  position: absolute;
  bottom: 0;
  left: 0;
  right: 0;
  background: linear-gradient(to bottom, transparent, rgba(0, 0, 0, 0.7));
 padding: 1.5rem;
 color: white;
}
.slide-overlay h2 {
  font-size: 1.5rem;
 margin-bottom: 0.5rem;
.slider-nav {
  position: absolute;
  bottom: 1rem;
  left: 50%;
  transform: translateX(-50%);
 display: flex;
 gap: 0.5rem;
.slider-dot {
 width: 0.5rem;
  height: 0.5rem;
  border-radius: 50%;
  background-color: rgba(255, 255, 255, 0.5);
  cursor: pointer;
 transition: all 0.3s;
}
.slider-dot.active {
 width: 1rem;
  border-radius: 0.25rem;
 background-color: white;
}
.slider-btn {
  position: absolute;
  top: 50%;
  transform: translateY(-50%);
  background-color: rgba(0, 0, 0, 0.3);
```

```
color: white;
  border: none;
  width: 2.5rem;
  height: 2.5rem;
  border-radius: 50%;
  font-size: 1.25rem;
 cursor: pointer;
  display: flex;
  align-items: center;
  justify-content: center;
 transition: background-color 0.3s;
}
.slider-btn:hover {
 background-color: rgba(0, 0, 0, 0.5);
.slider-btn-prev {
  left: 1rem;
.slider-btn-next {
  right: 1rem;
/* Section styles */
section {
 margin-bottom: 3rem;
.section-title {
  font-size: 2rem;
  font-weight: 700;
 margin-bottom: 1.5rem;
 color: #0369a1;
}
.gradient-text {
  background: linear-gradient(135deg, #3b82f6 0%, #06b6d4 100%);
  -webkit-background-clip: text;
  background-clip: text;
  color: transparent;
}
.text-center {
 text-align: center;
/* Card styles */
.card {
```

```
background-color: white;
  border-radius: 0.5rem;
  box-shadow: 0 4px 6px rgba(0, 0, 0, 0.1);
 overflow: hidden;
}
.card-header {
  padding: 1rem;
  border-bottom: 1px solid #f3f4f6;
}
.card-title {
  font-size: 1.25rem;
  font-weight: 600;
  display: flex;
  align-items: center;
 gap: 0.5rem;
}
.card-content {
  padding: 1rem;
.card-footer {
  padding: 1rem;
  border-top: 1px solid #f3f4f6;
/* Grid and flex layouts */
.grid {
  display: grid;
  gap: 1.5rem;
}
@media (min-width: 768px) {
  .grid-cols-2 {
    grid-template-columns: repeat(2, 1fr);
}
@media (min-width: 1024px) {
  .grid-cols-3 {
    grid-template-columns: repeat(3, 1fr);
  }
}
.flex {
 display: flex;
```

```
.flex-col {
  flex-direction: column;
.items-center {
  align-items: center;
.justify-between {
  justify-content: space-between;
.gap-2 {
 gap: 0.5rem;
.gap-4 {
 gap: 1rem;
/* Form styles */
.form-group {
 margin-bottom: 1rem;
}
.input {
 width: 100%;
  padding: 0.5rem;
  border: 1px solid #d1d5db;
 border-radius: 0.375rem;
 font-size: 0.875rem;
}
.input:focus {
  outline: none;
  border-color: #3b82f6;
  box-shadow: 0 0 0 2px rgba(59, 130, 246, 0.3);
}
/* Tab styles */
.tabs {
  margin-bottom: 2rem;
.tab-list {
  display: flex;
  border-bottom: 1px solid #e5e7eb;
 margin-bottom: 1rem;
}
```

```
.tab {
  padding: 0.5rem 1rem;
  cursor: pointer;
 border-bottom: 2px solid transparent;
 transition: all 0.3s;
}
.tab.active {
 border-bottom-color: #3b82f6;
 color: #3b82f6;
.tab-content {
 display: none;
.tab-content.active {
 display: block;
/* Map styles */
#map {
 height: 400px;
 width: 100%;
 border-radius: 0.5rem;
}
/* Message styles */
.message-list {
 height: 300px;
 overflow-y: auto;
}
.message {
  padding: 1rem;
  border-radius: 0.5rem;
 margin-bottom: 1rem;
}
.message-user {
 background-color: #e0f2fe;
 margin-left: 2rem;
}
.message-other {
 background-color: #f9fafb;
 margin-right: 2rem;
}
.message-sender {
```

```
font-weight: 600;
 margin-bottom: 0.25rem;
.message-text {
 color: #4b5563;
/* Toast notification styles */
.toast-container {
 position: fixed;
 top: 1rem;
 right: 1rem;
 z-index: 1000;
}
.toast {
  background-color: white;
  color: #333;
  padding: 0.75rem 1rem;
  border-radius: 0.375rem;
  box-shadow: 0 4px 6px rgba(0, 0, 0, 0.1);
 margin-bottom: 0.5rem;
 display: flex;
  align-items: center;
 gap: 0.5rem;
 animation: slideIn 0.3s ease-out, fadeOut 0.3s ease-in 2.7s forwards;
}
.toast-success {
 border-left: 4px solid #10b981;
}
.toast-error {
 border-left: 4px solid #ef4444;
.toast-info {
 border-left: 4px solid #3b82f6;
@keyframes slideIn {
 from {
    transform: translateX(100%);
    opacity: 0;
  }
 to {
   transform: translateX(0);
    opacity: 1;
  }
```

```
}
@keyframes fadeOut {
  from {
    opacity: 1;
  }
 to {
    opacity: 0;
  }
}
/* Chatbot styles */
.chatbot {
  position: fixed;
  bottom: 1rem;
  right: 1rem;
  z-index: 50;
}
.chatbot-button {
  width: 3rem;
  height: 3rem;
  border-radius: 50%;
  background-color: #3b82f6;
  color: white;
  display: flex;
  align-items: center;
  justify-content: center;
  cursor: pointer;
 box-shadow: 0 4px 6px rgba(0, 0, 0, 0.1);
}
.chatbot-window {
  position: absolute;
  bottom: 4rem;
  right: 0;
  width: 300px;
  background-color: white;
  border-radius: 0.5rem;
  box-shadow: 0 4px 6px rgba(0, 0, 0, 0.1);
  overflow: hidden;
  display: none;
.chatbot-window.active {
  display: block;
.chatbot-header {
  background-color: #3b82f6;
```

```
color: white;
  padding: 0.75rem;
  display: flex;
  justify-content: space-between;
 align-items: center;
.chatbot-close {
  background: none;
  border: none;
  color: white;
  cursor: pointer;
 font-size: 1rem;
}
.chatbot-messages {
  height: 250px;
  overflow-y: auto;
  padding: 0.75rem;
}
.chatbot-message {
  padding: 0.5rem;
  border-radius: 0.375rem;
 margin-bottom: 0.5rem;
 max-width: 80%;
}
.chatbot-message-bot {
  background-color: #f3f4f6;
 margin-right: auto;
}
.chatbot-message-user {
  background-color: #e0f2fe;
 margin-left: auto;
.chatbot-input-container {
  padding: 0.75rem;
  border-top: 1px solid #e5e7eb;
  display: flex;
 gap: 0.5rem;
}
.chatbot-input {
  flex-grow: 1;
  padding: 0.5rem;
  border: 1px solid #d1d5db;
  border-radius: 0.375rem;
```

```
font-size: 0.875rem;
}
.chatbot-send {
  background-color: #3b82f6;
  color: white;
  border: none;
  border-radius: 0.375rem;
  padding: 0.5rem;
 cursor: pointer;
/* Utility classes */
.mb-1 {
 margin-bottom: 0.25rem;
.mb-2 {
 margin-bottom: 0.5rem;
.mb-4 {
 margin-bottom: 1rem;
.mb-8 {
 margin-bottom: 2rem;
.mt-2 {
 margin-top: 0.5rem;
.mt-4 {
 margin-top: 1rem;
.w-full {
 width: 100%;
.text-green {
  color: #10b981;
.text-yellow {
  color: #f59e0b;
.text-gray {
```

```
color: #6b7280;
   }
 </style>
</head>
<body>
 <!-- Header -->
 <header>
   <div class="container header-container">
     <a href="#" class="logo">
       <img
src="https://hebbkx1anhila5yf.public.blob.vercel-storage.com/Blue Retro Animals Pe
ts_Logo-removebg-preview-Hp48SBWnWC7zZIwbRz5gmxpjGoEebQ.png" alt="Stray Care Logo">
       <span class="logo-text">Stray Care</span>
     </a>
     <!-- Desktop Navigation -->
     <nav class="nav-desktop">
       <a href="#" class="nav-link active"><i class="fas fa-home"></i></i>
Home</a>
         <a href="#" class="nav-link"><i class="fas fa-hand-holding-heart"></i>
Help Center</a>
         <a href="#" class="nav-link"><i class="fas fa-heart"></i>
Adoption</a>
         <a href="#" class="nav-link"><i class="fas fa-dollar-sign"></i>
Donation</a>
         <a href="#" class="nav-link"><i class="fas fa-users"></i> Join</a>
Community</a>
         <a href="#" class="nav-link"><i class="fas fa-user"></i>
Profile</a>
       </nav>
     <!-- Desktop User Controls -->
     <div class="user-controls">
       <a href="#" class="sign-in-link">Sign In</a>
       <a href="#" class="sign-up-link">Sign Up</a>
     </div>
     <!-- Mobile Menu Button -->
     <button class="mobile-menu-button" id="mobileMenuButton">
       <i class="fas fa-bars"></i></i>
     </button>
   </div>
   <!-- Mobile Menu -->
   <div class="container">
     <div class="mobile-menu" id="mobileMenu">
```

```
<a href="#" class="mobile-nav-link"><i class="fas fa-home"></i> Home</a>
         <a href="#" class="mobile-nav-link"><i class="fas</pre>
fa-hand-holding-heart"></i> Help Center</a>
         <a href="#" class="mobile-nav-link"><i class="fas fa-heart"></i></i>
Adoption</a>
         <a href="#" class="mobile-nav-link"><i class="fas fa-dollar-sign"></i></i>
Donation</a>
         <a href="#" class="mobile-nay-link"><i class="fas fa-users"></i> Join
Community</a>
         <a href="#" class="mobile-nav-link"><i class="fas fa-user"></i></i>
Profile</a>
         <div class="mobile-user-controls">
         <a href="#" class="btn btn-outline btn-block mb-2">Sign In</a>
         <a href="#" class="btn btn-primary btn-block">Sign Up</a>
       </div>
     </div>
   </div>
 </header>
 <!-- Main Content -->
 <main class="container" style="padding-top: 2rem; padding-bottom: 2rem;">
   <!-- Image Slider -->
   <section>
     <div class="image-slider" id="imageSlider">
       <div class="slide active">
         <img
src="https://hebbkx1anhila5yf.public.blob.vercel-storage.com/image-R8xq2fQ5xkg4TmUHy
4hovZ3NnXm6Jb.png" alt="Stray dogs drinking milk">
         <div class="slide-overlay">
          <h2>Help Us Feed Stray Animals</h2>
          Join our mission to provide food and care for stray animals in
need.
         </div>
       </div>
       <div class="slide">
         <img
src="https://hebbkx1anhila5yf.public.blob.vercel-storage.com/image-RYaxpqnt6I14AN1h8
UMNZEI5Br4X0X.png" alt="Feeding stray dogs at night">
```

```
<div class="slide-overlay">
            <h2>Every Animal Deserves Care</h2>
            Your support can make a difference in the lives of stray animals.
          </div>
        </div>
        <div class="slide">
src="https://hebbkx1anhila5yf.public.blob.vercel-storage.com/image-hBM6soknX7mFANvmT
b1dbS6cl50juA.png" alt="Feeding multiple stray dogs">
         <div class="slide-overlay">
            <h2>Together We Can Help Them</h2>
            Volunteer, donate, or adopt to support our cause.
         </div>
        </div>
        <button class="slider-btn slider-btn-prev" id="sliderPrev">
          <i class="fas fa-chevron-left"></i></i>
        </button>
        <button class="slider-btn slider-btn-next" id="sliderNext">
          <i class="fas fa-chevron-right"></i></i>
        </button>
        <div class="slider-nav" id="sliderNav">
          <span class="slider-dot active" data-index="0"></span>
          <span class="slider-dot" data-index="1"></span>
          <span class="slider-dot" data-index="2"></span>
        </div>
     </div>
   </section>
   <!-- Welcome Section -->
    <section class="text-center mb-8">
      <h1 class="gradient-text" style="font-size: 2.5rem; font-weight: 700;</pre>
margin-bottom: 1rem;">Welcome to Stray Care</h1>
      Helping stray animals find
food, shelter, and care.
   </section>
   <!-- Find Nearby Hotels Section -->
   <section>
      <h2 class="section-title">Find Nearby Hotels with Food</h2>
      <div class="mb-4 flex flex-col gap-4" style="margin-bottom: 2rem;">
        <div style="display: flex; gap: 1rem; flex-wrap: wrap;">
          <input type="text" id="locationInput" placeholder="Enter your location"</pre>
class="input" style="flex: 1; min-width: 200px;">
         <button id="searchButton" class="btn btn-primary" style="display: flex;</pre>
align-items: center;">
           <i class="fas fa-search" style="margin-right: 0.5rem;"></i> Find Nearby
Hotels
         </button>
       </div>
     </div>
```

```
<div class="tabs">
        <div class="tab-list">
          <div class="tab active" data-tab="list">List View</div>
          <div class="tab" data-tab="map">Map View</div>
        </div>
        <div class="tab-content active" id="listTab">
          <div class="grid grid-cols-3" id="hotelsList">
            <!-- Hotel cards will be dynamically inserted here -->
          </div>
        </div>
        <div class="tab-content" id="mapTab">
          <div id="map"></div>
          <div id="selectedHotelCard" style="margin-top: 1rem; display:</pre>
none;"></div>
        </div>
      </div>
    </section>
    <!-- Messages Section -->
    <section>
      <h2 class="section-title">Messages</h2>
      <div class="card">
        <div class="card-header">
          <div class="card-title">Recent Messages</div>
        </div>
        <div class="card-content">
          <div class="message-list" id="messageList">
            <!-- Messages will be dynamically inserted here -->
          </div>
        </div>
        <div class="card-footer">
          <div style="display: flex; gap: 0.5rem;">
            <input type="text" id="messageInput" placeholder="Type a message..."</pre>
class="input" style="flex-grow: 1;">
            <button id="sendMessageButton" class="btn btn-primary">
              <i class="fas fa-paper-plane"></i></i>
            </button>
          </div>
        </div>
      </div>
    </section>
    <!-- How You Can Help Section -->
    <section>
      <h2 class="section-title">How You Can Help</h2>
      <div class="grid grid-cols-3">
        <div class="card">
```

```
<div class="card-header">
            <div class="card-title">
              <i class="fas fa-dollar-sign"></i> Donate
            </div>
          </div>
          <div class="card-content">
            Your donations help us provide food and medical care to stray
animals.
          </div>
          <div class="card-footer">
            <a href="#" class="btn btn-primary btn-block">Donate Now</a>
          </div>
        </div>
        <div class="card">
          <div class="card-header">
            <div class="card-title">
              <i class="fas fa-users"></i> Volunteer
            </div>
          </div>
          <div class="card-content">
            Join our team of volunteers and make a difference in the lives of
stray animals.
          </div>
          <div class="card-footer">
            <a href="#" class="btn btn-primary btn-block">Join Us</a>
          </div>
        </div>
        <div class="card">
          <div class="card-header">
            <div class="card-title">
              <i class="fas fa-heart"></i> Adopt
            </div>
          </div>
          <div class="card-content">
            Give a loving home to a stray animal and change their life
forever.
          </div>
          <div class="card-footer">
            <a href="#" class="btn btn-primary btn-block">Adopt a Pet</a>
          </div>
        </div>
      </div>
    </section>
    <!-- Animal Icons -->
    <div style="display: flex; justify-content: center; gap: 2rem; margin-top:</pre>
3rem;">
      <i class="fas fa-cat" style="font-size: 3rem; color: #3b82f6;"></i></i>
```

```
<i class="fas fa-dog" style="font-size: 3rem; color: #3b82f6;"></i></i>
    </div>
  </main>
  <!-- Chatbot -->
  <div class="chatbot">
    <div class="chatbot-button" id="chatbotButton">
      <i class="fas fa-comment"></i></i></or>
    </div>
    <div class="chatbot-window" id="chatbotWindow">
      <div class="chatbot-header">
        <div>Stray Care Support</div>
        <button class="chatbot-close" id="chatbotClose">
          <i class="fas fa-times"></i></i>
        </button>
      <div class="chatbot-messages" id="chatbotMessages">
        <div class="chatbot-message chatbot-message-bot">
          Hello! How can I help you today?
        </div>
      <div class="chatbot-input-container">
        <input type="text" class="chatbot-input" id="chatbotInput" placeholder="Type</pre>
a message...">
        <button class="chatbot-send" id="chatbotSend">
          <i class="fas fa-paper-plane"></i></i>
        </button>
      </div>
    </div>
  </div>
  <!-- Toast Container -->
  <div class="toast-container" id="toastContainer"></div>
  <!-- Leaflet JS for maps -->
  <script src="https://unpkg.com/leaflet@1.9.4/dist/leaflet.js"></script>
  <script>
    // Data
    const hotels = [
      { name: "Hotel Taj", food: "5 kg", status: "Available", lat: 18.9217, lng:
72.8332 },
      { name: "Grand Hyatt", food: "3 kg", status: "Processing", lat: 19.0748, lng:
72.8856 },
      { name: "The Oberoi", food: "7 kg", status: "Available", lat: 18.9265, lng:
72.8213 },
      { name: "Marriott", food: "4 kg", status: "Collected", lat: 19.1071, lng:
72.8227 },
      { name: "The Westin", food: "6 kg", status: "Available", lat: 19.1187, lng:
72.8478 },
```

```
{ name: "Four Seasons", food: "2 kg", status: "Processing", lat: 18.9942, lng:
72.8236 },
    ];
    const messages = [
      { name: "Hotel Taj", message: "We have 5kg of food available for collection."
},
      { name: "Grand Hyatt", message: "Your collection request has been approved."
},
      { name: "The Oberoi", message: "New food available for collection." },
    1;
    // DOM Elements
    const mobileMenuButton = document.getElementById('mobileMenuButton');
    const mobileMenu = document.getElementById('mobileMenu');
    const imageSlider = document.getElementById('imageSlider');
    const sliderPrev = document.getElementById('sliderPrev');
    const sliderNext = document.getElementById('sliderNext');
    const sliderNav = document.getElementById('sliderNav');
    const slides = imageSlider.querySelectorAll('.slide');
    const locationInput = document.getElementById('locationInput');
    const searchButton = document.getElementById('searchButton');
    const hotelsList = document.getElementById('hotelsList');
    const tabs = document.querySelectorAll('.tab');
    const tabContents = document.querySelectorAll('.tab-content');
    const messageList = document.getElementById('messageList');
    const messageInput = document.getElementById('messageInput');
    const sendMessageButton = document.getElementById('sendMessageButton');
    const chatbotButton = document.getElementById('chatbotButton');
    const chatbotWindow = document.getElementById('chatbotWindow');
    const chatbotClose = document.getElementById('chatbotClose');
    const chatbotMessages = document.getElementById('chatbotMessages');
    const chatbotInput = document.getElementById('chatbotInput');
    const chatbotSend = document.getElementById('chatbotSend');
    const toastContainer = document.getElementById('toastContainer');
    const mapContainer = document.getElementById('map');
    const selectedHotelCard = document.getElementById('selectedHotelCard');
    // Initialize Map
    let map = null;
    let markers = [];
    let selectedHotel = null;
    function initMap() {
      if (!map) {
       map = L.map('map').setView([19.076, 72.8777], 12);
        L.tileLayer('https://{s}.tile.openstreetmap.org/{z}/{x}/{y}.png', {
          attribution: '© <a
href="https://www.openstreetmap.org/copyright">OpenStreetMap</a> contributors'
        }).addTo(map);
```

```
}
  // Clear existing markers
  markers.forEach(marker => map.removeLayer(marker));
  markers = [];
  // Add new markers
  hotels.forEach(hotel => {
    const marker = L.marker([hotel.lat, hotel.lng]).addTo(map);
   marker.bindPopup()
      <strong>${hotel.name}</strong><br>
      Food: ${hotel.food}<br>
      Status: ${hotel.status}
   marker.on('click', () => {
      handleMarkerClick(hotel);
    });
   markers.push(marker);
 });
}
// Mobile Menu Toggle
mobileMenuButton.addEventListener('click', () => {
  mobileMenu.classList.toggle('active');
});
// Image Slider
let currentSlide = 0;
const totalSlides = slides.length;
function showSlide(index) {
  slides.forEach(slide => slide.classList.remove('active'));
  const dots = sliderNav.querySelectorAll('.slider-dot');
  dots.forEach(dot => dot.classList.remove('active'));
  currentSlide = (index + totalSlides) % totalSlides;
  slides[currentSlide].classList.add('active');
 dots[currentSlide].classList.add('active');
}
sliderPrev.addEventListener('click', () => {
  showSlide(currentSlide - 1);
});
sliderNext.addEventListener('click', () => {
  showSlide(currentSlide + 1);
});
// Initialize slider dots
sliderNav.querySelectorAll('.slider-dot').forEach(dot => {
```

```
dot.addEventListener('click', () => {
       const index = parseInt(dot.getAttribute('data-index'));
       showSlide(index);
     });
   });
   // Auto slide
   setInterval(() => {
     showSlide(currentSlide + 1);
   }, 5000);
   // Tab Switching
   tabs.forEach(tab => {
     tab.addEventListener('click', () => {
       const tabName = tab.getAttribute('data-tab');
       tabs.forEach(t => t.classList.remove('active'));
       tabContents.forEach(content => content.classList.remove('active'));
       tab.classList.add('active');
       document.getElementById(`${tabName}Tab`).classList.add('active');
       if (tabName === 'map') {
         setTimeout(() => {
           initMap();
         }, 100);
     });
   });
   // Render Hotel Cards
   function renderHotelCards() {
     hotelsList.innerHTML = '';
     hotels.forEach(hotel => {
       const card = document.createElement('div');
       card.className = 'card';
       card.innerHTML = `
         <div class="card-header">
           <div class="card-title">${hotel.name}</div>
         </div>
         <div class="card-content">
           Available food: ${hotel.food}
           === 'Processing' ? 'yellow' : 'gray'}">
             Status: ${hotel.status}
           </div>
         <div class="card-footer">
           <div class="flex flex-col gap-2">
```

```
<button class="btn btn-outline message-hotel-btn"</pre>
data-hotel="${hotel.name}">
               <i class="fas fa-comment"></i> Message
             </button>
             <button class="btn btn-primary collect-food-btn"</pre>
data-hotel="${hotel.name}" ${hotel.status !== 'Available' ? 'disabled' : ''}>
               Collect Food
             </button>
           </div>
         </div>
       hotelsList.appendChild(card);
     });
     // Add event listeners to buttons
     document.querySelectorAll('.message-hotel-btn').forEach(btn => {
       btn.addEventListener('click', () => {
         const hotelName = btn.getAttribute('data-hotel');
         addMessage('You', `Hello ${hotelName}, I would like to collect food.`);
       });
     });
     document.querySelectorAll('.collect-food-btn').forEach(btn => {
       btn.addEventListener('click', () => {
         const hotelName = btn.getAttribute('data-hotel');
         handleCollectFood(hotelName);
       });
     });
   // Handle marker click
   function handleMarkerClick(hotel) {
     selectedHotel = hotel;
     showToast('info', `Selected ${hotel.name}`);
     selectedHotelCard.style.display = 'block';
     selectedHotelCard.innerHTML =
       <div class="card">
         <div class="card-header">
           <div class="card-title">${hotel.name}</div>
         </div>
         <div class="card-content">
           Available food: ${hotel.food}
           === 'Processing' ? 'yellow' : 'gray'}">
             Status: ${hotel.status}
           </div>
         <div class="card-footer">
           <div class="flex flex-col gap-2">
```

```
<button id="mapMessageBtn" class="btn btn-outline">
                <i class="fas fa-comment"></i> Message
              </button>
              <button id="mapCollectBtn" class="btn btn-primary" ${hotel.status !==</pre>
'Available' ? 'disabled' : ''}>
               Collect Food
              </button>
            </div>
         </div>
       </div>
     document.getElementById('mapMessageBtn').addEventListener('click', () => {
       addMessage('You', `Hello ${hotel.name}, I would like to collect food.`);
     });
     document.getElementById('mapCollectBtn').addEventListener('click', () => {
       handleCollectFood(hotel.name);
     });
   }
   // Handle collect food
   function handleCollectFood(hotelName) {
     showToast('success', `Food collection request sent to ${hotelName}`);
     // Update hotel status
     hotels.forEach(hotel => {
       if (hotel.name === hotelName) {
         hotel.status = 'Processing';
       }
     });
     // Re-render hotel cards and update map
     renderHotelCards();
     if (map) {
       initMap();
     }
     // Update selected hotel card if visible
     if (selectedHotel && selectedHotel.name === hotelName) {
       selectedHotel.status = 'Processing';
       handleMarkerClick(selectedHotel);
     }
   }
   // Render Messages
   function renderMessages() {
     messageList.innerHTML = '';
     messages.forEach(msg => {
```

```
const messageDiv = document.createElement('div');
        messageDiv.className = `message ${msg.name === 'You' ? 'message-user' :
'message-other'}`;
        messageDiv.innerHTML = `
          <div class="message-sender">${msg.name}</div>
          <div class="message-text">${msg.message}</div>
          ${msg.name !== 'You' ? `
            <div class="flex justify-end mt-2">
              <button class="btn btn-outline reply-btn"</pre>
data-name="${msg.name}">Reply</button>
            </div>
            : ''}
        messageList.appendChild(messageDiv);
      });
      // Scroll to bottom
      messageList.scrollTop = messageList.scrollHeight;
      // Add event listeners to reply buttons
      document.querySelectorAll('.reply-btn').forEach(btn => {
        btn.addEventListener('click', () => {
          const name = btn.getAttribute('data-name');
          addMessage('You', `Hello ${name}, thank you for the information.`);
        });
     });
    // Add Message
    function addMessage(name, message) {
      messages.push({ name, message });
      renderMessages();
      if (name === 'You') {
        // Simulate response
        setTimeout(() => {
          messages.push({
            name: 'Hotel Support',
            message: 'Thank you for your message. We\'ll get back to you shortly.'
          });
          renderMessages();
        }, 1000);
      }
    }
    // Search Button
    searchButton.addEventListener('click', () => {
      const location = locationInput.value.trim();
```

```
if (!location) {
    showToast('error', 'Please enter a location');
    return;
  }
  showToast('success', `Searching for hotels near ${location}`);
 // In a real app, this would filter hotels based on location
});
// Send Message
sendMessageButton.addEventListener('click', sendMessage);
messageInput.addEventListener('keypress', (e) => {
  if (e.key === 'Enter') {
    sendMessage();
});
function sendMessage() {
  const message = messageInput.value.trim();
  if (!message) return;
  addMessage('You', message);
 messageInput.value = '';
}
// Chatbot
chatbotButton.addEventListener('click', () => {
  chatbotWindow.classList.add('active');
});
chatbotClose.addEventListener('click', () => {
  chatbotWindow.classList.remove('active');
});
chatbotSend.addEventListener('click', sendChatbotMessage);
chatbotInput.addEventListener('keypress', (e) => {
  if (e.key === 'Enter') {
    sendChatbotMessage();
 }
});
function sendChatbotMessage() {
  const message = chatbotInput.value.trim();
  if (!message) return;
  // Add user message
  const userMessageDiv = document.createElement('div');
  userMessageDiv.className = 'chatbot-message chatbot-message-user';
  userMessageDiv.textContent = message;
  chatbotMessages.appendChild(userMessageDiv);
```

```
chatbotInput.value = '';
      // Scroll to bottom
      chatbotMessages.scrollTop = chatbotMessages.scrollHeight;
      // Simulate bot response
      setTimeout(() => {
        const botMessageDiv = document.createElement('div');
        botMessageDiv.className = 'chatbot-message chatbot-message-bot';
        botMessageDiv.textContent = getChatbotResponse(message);
        chatbotMessages.appendChild(botMessageDiv);
        // Scroll to bottom
        chatbotMessages.scrollTop = chatbotMessages.scrollHeight;
      }, 1000);
    function getChatbotResponse(message) {
      const lowerMessage = message.toLowerCase();
      if (lowerMessage.includes('hello') || lowerMessage.includes('hi') ||
lowerMessage.includes('hey')) {
        return 'Hello! How can I help you today?';
      }
      if (lowerMessage.includes('help') || lowerMessage.includes('support') ||
lowerMessage.includes('assist')) {
        return 'I can help you with food collection, medical emergencies, donations,
and more. What do you need assistance with?';
      }
      if (lowerMessage.includes('food') || lowerMessage.includes('collect') ||
lowerMessage.includes('waste')) {
        return 'You can find nearby hotels with available food on our home page.
Would you like me to guide you through the process?';
      if (lowerMessage.includes('medical') || lowerMessage.includes('emergency') ||
lowerMessage.includes('vet')) {
        return 'For medical emergencies, please visit our Medical Help page or call
our 24/7 helpline at 9833684434.';
      }
      if (lowerMessage.includes('donate') || lowerMessage.includes('donation') ||
lowerMessage.includes('money')) {
        return 'Thank you for considering a donation! You can find various NGOs on
our Donation page. Would you like me to direct you there?';
      }
```

```
return 'I\'m not sure how to help with that. Would you like to speak with a
human representative?';
    // Toast Notifications
    function showToast(type, message) {
      const toast = document.createElement('div');
      toast.className = `toast toast-${type}`;
      toast.innerHTML = `
        <i class="fas fa-${type === 'success' ? 'check-circle' : type === 'error' ?</pre>
      <span>${message}</span>
`;
'exclamation-circle' : 'info-circle'}"></i>
      toastContainer.appendChild(toast);
      // Remove toast after 3 seconds
      setTimeout(() => {
        toast.remove();
     }, 3000);
    // Initialize
    renderHotelCards();
    renderMessages();
    // Document ready
    document.addEventListener('DOMContentLoaded', () => {
      // Initialize first tab
     tabs[0].click();
   });
  </script>
</body>
</html>
```