

Lab 2: Agile Backlog Creation & Sprint Simulation in Jira

Problem Statement-Academic Elective Bidding & Allocation System

Darshan S Govekar · PES1UG24AM355 · AIML - F

Figure 1: Jira Company-managed Scrum Project Created




Figure 2 : Jira Backlog with Epics and User Stories




Figure 3 : Story point assignment




Figure 4: Sprint 1 Active Sprint Board




Figure 5 : Sprint 1 Burndown Chart




Figure 6 : Sprint 2 Active Sprint Board





Figure 7 : Sprint 2 Burndown Chart



(The burndown chart shows a brief spike because I accidentally dragged tasks back to "To Do" instead of "Done" before quickly correcting the error.)

Reflection Questions:

1. Did your estimations reflect the actual effort?

Mostly yes. The Fibonacci Story Points helped us effectively distinguish smaller validation tasks from the much more complex allocation-solver work. Because both sprints were run as instructor-directed one-hour simulations, the actual time spent clicking through Jira does not fully represent real-world software development effort. However, the relative point estimates accurately reflected the varying complexity and uncertainty of the tasks.

2. Was your backlog well-prioritized?

Yes, the backlog prioritization strictly followed the logical flow of the elective system. Core features like student bidding, credit validation, the bidding window, and timetable-conflict checks were correctly marked as High priority because they are absolute prerequisites before a valid bid can be allocated. Secondary features, such as results notification and manual Registrar overrides, were appropriately marked as Medium priority because they occur only after the core bidding and automated allocation flows are complete.

3. How did your simulated sprint align with your plan?

The simulated sprints aligned exactly with the initial plan. Sprint 1 successfully encompassed all the student-facing bidding functions, while Sprint 2 tackled the backend allocation, results, and exception handling. During the execution, every single User Story was systematically progressed from "To Do" to "In Progress" and finally to "Done" before the sprint was officially completed, mirroring an authentic Agile workflow.

4. What insights did the burndown chart give about your team's capacity?

The Burndown Chart provided a clear visual of how the remaining Story Points actively reduced as work was sequentially moved to the Done column. The stair-step drops on the chart proved that the team was capable of completing the selected scope within the defined simulation window. However, because this was a compressed one-hour class exercise, the chart primarily serves as a proof-of-concept for tracking relative progress, rather than providing a true measurement of production velocity.