

Lab 8,9: Intercept routes

Step 1: Create pages folder inside app

Then create about, contact, home, login...

```
import React from 'react'

function HomePage() {
  return (
    <div>
      This is home page
    </div>
  )
}

export default HomePage
```

Step 2: Create login page: /app/login/login.tsx

```
import React from 'react'

function LoginPage() {
  return (
    <div>
      This is main login page
    </div>
  )
}

export default LoginPage
```

Step 3: Create (..)login inside pages folder

```
import React from 'react'

function LoginInsidePages() {
  return (
    <div>
      This is a login inside pages
    </div>
  )
}

export default LoginInsidePages
```

Step 4: Modify layout page.

Add following:

```
<Link href="/pages/home">Home</Link> &nbsp;
    <Link href="/pages/about">About</Link> &nbsp;
    <Link href="/pages/contact">Contact</Link> &nbsp;
    <Link href="/login">Login</Link> &nbsp;
    <br/>
```

Prg2:

Create api folder inside app or api\students\route.tsx

```
export async function GET() {  
  // return "Hello world"  
  return Response.json({name:'arjun',age:123})  
}  
  
export async function POST() {  
  // return "Hello world"  
  return Response.json({name:'arjun',age:123})  
}
```

Create api\students\[id]\route.tsx folder

```
import { NextRequest } from "next/server";  
  
export async function GET(_req: NextRequest,{ params }: { params: { id: string  
})) {  
  // return "Hello world"  
  console.log(params)  
  return Response.json({name:'arjun',age:123})  
}
```