

## **Assignments (CSS and CSS 3) - 2**

### **Q-1. What are the benefits of using CSS?**

Cascading Style Sheets (CSS) is a fundamental technology for web development that offers several benefits:

- Faster Page Speed. More code means slower page speed. ...
- Better User Experience. CSS not only makes web pages easy on the eye, it also allows for user-friendly formatting. ...
- Quicker Development Time. ...
- Easy Formatting Changes. ...
- Compatibility Across Devices.
- Separation of Content and Style. One of the most significant advantages of CSS is its ability to separate content from presentation

### **Q-2 : - What are the disadvantages of CSS?**

#### **Disadvantages of CSS**

- Cross-Browser Issues and Browser Compatibility. CSS might not always look the same across different web browsers. ...
- Learning Curve. ...
- Security Concerns. ...
- Complex Layouts and Limited Layout Control. ...
- File Size and Performance Impact. ...
- Over-Specificity and Overriding Styles. ...
- Maintenance Challenges.

### **Q-3 :- What is the difference between CSS2 and CSS3?**

CSS (Cascading Style Sheets) has evolved over the years, with CSS2 and CSS3 representing significant milestones in its development. Here are the key differences between CSS2 and CSS3:

**Selectors:** CSS3 introduced new and more advanced selectors that allow for more precise targeting of HTML elements. Examples include attribute

selectors, :nth-child pseudo-classes, and the :not() selector. This enhanced selector support provides greater flexibility in styling elements.

**Box Model:** CSS3 introduced the box-sizing property, which allows developers to control how the box model calculates an element's width and height, making it easier to manage layout.

**Media Queries:** Media queries in CSS3 enable responsive web design. Developers can apply different styles based on factors like screen size, device orientation, and resolution, making it easier to create websites that adapt to various devices and screen sizes.

**Flexible Box Layout (Flexbox):** CSS3 introduced the Flexbox layout model, which simplifies the creation of complex layouts, particularly for aligning and distributing space among items within a container. It's especially useful for creating responsive designs.

**Grid Layout:** CSS3 Grid Layout is another advanced layout module that allows developers to create two-dimensional grid-based layouts. It provides precise control over rows and columns, making it easier to create complex and responsive grid structures.

**Transitions and Animations:** CSS3 introduced the transition and animation properties, enabling the creation of smooth transitions between states and complex animations without relying on JavaScript or Flash.

**Multiple Backgrounds:** CSS3 allows multiple background images to be applied to an element, each with its own positioning and properties, providing more design possibilities.

**Text Effects:** CSS3 includes properties for creating text shadows, gradients, and custom fonts, giving designers more control over typography.

**Transformations:** CSS3 introduced 2D and 3D transformations, such as scaling, rotating, skewing, and translating elements. These transformations enable the creation of visually appealing effects and animations.

**Border Radius:** CSS3 introduced the border-radius property, allowing for the creation of rounded corners on elements, which was challenging to achieve with CSS2.

**Box Shadow and Text Shadow:** CSS3 added properties for creating drop shadows on elements, both for boxes and text, enhancing the design possibilities.

**RGBA Colors:** CSS3 introduced the ability to specify colors using RGBA (Red, Green, Blue, Alpha) values, allowing for the adjustment of an element's transparency.

CSS3 represents a significant advancement over CSS2, offering more powerful layout options, enhanced styling capabilities, and improved support for responsive design. It has become the standard for modern web development, enabling developers to create more sophisticated and visually appealing websites.

#### **Q-4 :- Name a few CSS style components**

CSS consists of various style components or properties that control the appearance and layout of HTML elements. Here are a few common CSS style components:

**The major components of a CSS style are as follows:**

- **Selector:** HTML element name, id name, class name.
- **Property:** It's like an attribute such as background color, font-size, position, text-align, color, border etc.
- **Values:** Which defines property or values allocate for properties

#### **Q-5 :- What do you understand by CSS opacity?**

In CSS, opacity refers to the degree of transparency or how "see-through" an element is. It is controlled using the `opacity` property, which accepts values between 0 and 1, with 0 being completely transparent (invisible) and 1 being completely opaque (fully visible). Values between 0 and 1 represent varying degrees of translucency.

Example:

```
```css
div {
    background-color: red;
    opacity: 0.5; /* Makes the div and its contents 50% transparent */
}
```
```

The `opacity` property is commonly used for creating subtle visual effects, such as fading elements in and out during animations or making background elements partially transparent to reveal content beneath. Keep in mind that when you change an element's opacity, it affects its interaction with other elements and can make it difficult or impossible to interact with, as it may not respond to user clicks or hover events in the same way as a fully opaque element.

## Q-6 :- How can the background color of an element be changed?

To add background color in HTML, use the CSS background-color property. Set it to the color name or code you want and place it inside a style attribute. Then add this style attribute to an HTML element, like a table, heading, div, or span tag.

Here are some examples:

1. Changing the background color of a specific HTML element (e.g., a `div`):

```
```css
div {
    background-color: blue;
}
```
```

2. Changing the background color of an element with a specific class:

```
```css
.my-class {
    background-color: green;
}
```
```

3. Changing the background color of an element with a specific ID:

```
```css
#my-id {
    background-color: yellow;
}
```
```

## **Q-7 :- How can image repetition of the backup be controlled?**

In CSS, you can control the repetition of a background image using the `background-repeat` property. This property allows you to specify whether and how an image should repeat both horizontally and vertically within its containing element.

```
<!DOCTYPE html>
<html>
<head>
<style>
body {
    background-image: url("gradient_bg.png");
}
</style>
</head>
```

```
<body>

<h1>Hello World!</h1>

<p>Strange background image...</p>

</body>

</html>
```

## Q-8 :- What is the use of the background-position property?

The `background-position` property in CSS is used to control the placement or positioning of a background image within its containing element. It specifies where the top-left corner of the background image should be positioned relative to the top-left corner of the element. This property allows you to achieve various visual effects and control the alignment of background images.

```
<!DOCTYPE html>

<html>

<head>

<style>

body {

    background-image: url('w3css.gif');

    background-repeat: no-repeat;

    background-attachment: fixed;

    background-position: center top;

}

</style>

</head>

<body>
```

<h1>The background-position Property</h1>

<p>Here, the background image will be positioned centered at top.</p>

</body>

</html>

## Q-9 :- Which property controls the image scroll in the background?

The property that controls the scrolling behavior of a background image in CSS is the `background-attachment` property. This property determines whether the background image scrolls with the content of an element or remains fixed in its position relative to the viewport.

The background-attachment property sets whether a background image scrolls with the rest of the page, or is fixed.

<!DOCTYPE html>

<html>

<head>

<style>

body {

background-image: url("img\_tree.gif");

background-repeat: no-repeat;

background-attachment: scroll;

}

</style>

</head>

<body>

<p>The background-image scrolls with the page. Try to scroll down.</p>

<p>The background-image scrolls with the page. Try to scroll down.</p>

<p>The background-image scrolls with the page. Try to scroll down.</p>

<p>The background-image scrolls with the page. Try to scroll down.</p>

<p>The background-image scrolls with the page. Try to scroll down.</p>

<p>The background-image scrolls with the page. Try to scroll down.</p>

</body>

</html>

## Q-10 :- Why should background and color be used as separate properties?

The background property is a complex property in CSS, and if it is combined with color, the complexity will further increase. Color is an inherited property while the background is not.

Using `background` and `color` as separate properties in CSS is essential because they serve different purposes and control different aspects of an element's style.

In summary, using `background` and `color` as separate properties is a best practice in CSS because it promotes clarity, modularity, reusability, and accessibility while allowing for precise control over an element's visual presentation.

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<style>
```

```
body {
```

```
    background-color: #92a8d1;
```

```
}
```

```
</style>
```

```
</head>
```

```
<body>
```



```
<p>The background color can be specified with a hexadecimal value.</p>
```

```
</body>
```

```
</html>
```

## Q-11 :- How to center block elements using CSS1?

Center block elements using margin property: We need to specify the margin from left and right such that it looks centered. We do not need to do this manually, we have one property value “auto” which will automatically set the margin such that our block element is placed in the center.

Margin is a property that tells how to align a remaining space. So for centering the element you must set left-margin to auto and right-margin to auto. The below examples represent how to center block-level elements. Example 1: Here a single element (div) is centered inside the body.

```
<!DOCTYPE html>
<html>
<head>
<style>
.center {
  margin: auto;
  width: 60%;
  border: 3px solid #73AD21;
  padding: 10px;
}
</style>
</head>
```

```
<body>
```

```
<h2>Center Align Elements</h2>
```

```
<p>To horizontally center a block element (like div), use  
margin: auto;</p>
```

```
<div class="center">
```

```
<p>Hello World!</p>
```

```
</div>
```

```
</body>
```

```
</html>
```

## Q- 12 : - How to maintain the CSS specifications?

The CSS specifications are maintained by the World Wide Web Consortium (W3C). Internet media type (MIME type) text/css is registered for use with CSS by RFC 2318 (March 1998).

Maintaining CSS specifications and ensuring that they stay up to date and consistent across a project or organization is crucial for web development. Here are some best practices for maintaining CSS specifications effectively:

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<h1 style="color:blue;">A Blue Heading</h1>
```

```
<p style="color:red;">A red paragraph.</p>
```

```
</body>
```

```
</html>
```

### **Q-13:- What are the ways to integrate CSS as a web page?**

CSS may be added to HTML in three different ways. To style a single HTML element on the page, use Inline CSS in a style attribute. By adding CSS to the head section of our HTML document, we can embed an internal stylesheet. We can also connect to an external stylesheet that separates our CSS from our HTML.

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<h1 style="color:blue;">A Blue Heading</h1>
```

```
<p style="color:red;">A red paragraph.</p>
```

```
</body>
```

```
</html>
```

### **Q-14 :- What is embedded style sheets?**

An embedded style sheet is declared within the <head> element of an XHTML document. It applies to the whole document, rather than just one element. Each style declaration (or CSS rule) gets applied to everything in the document that matches that rule.

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<style>
```

```
body {
```

```
    background-image: url('w3css.gif');
```

```
    background-repeat: no-repeat;
```

```
background-attachment: fixed;
background-position: center top;
}
</style>
</head>
<body>

<h1>The background-position Property</h1>

<p>Here, the background image will be positioned centered at top.</p>

</body>
</html>
```

## Q-15 :- What are the external style sheets?

External style sheets are a way to separate the presentation (the styling) of a web page from its content (the HTML structure). They are a fundamental component of web development and are used to apply consistent and easily maintainable styles to multiple web pages. Here's an overview of external style sheets:

An external style sheet is a separate CSS file that can be accessed by creating a link within the head section of the webpage. Multiple webpages can use the same link to access the stylesheet. The link to an external style sheet is placed within the head section of the page.

```
<!DOCTYPE html>
<html>
<head>
<link rel="stylesheet" href="mystyle.css">
</head>
<body>

<h1>This is a heading</h1>
```

```
<p>This is a paragraph.</p>
```

```
</body>
```

```
</html>
```

## Q-16 :- What are the advantages and disadvantages of using external style sheets?

Using external style sheets in web development comes with various advantages and disadvantages. Understanding these can help you make informed decisions about when and how to use external style sheets. Here's a breakdown of the pros and cons:

**External style sheets are preferred in web development for several reasons:**

- **Modularity and Maintainability:** By using external style sheets, you separate your CSS code from your HTML code. ...
- **Consistency:** External style sheets allow you to maintain a consistent look and feel across your entire website.

## Q-17 :- What is the meaning of the CSS selector?

In CSS (Cascading Style Sheets), a selector is a pattern or expression that is used to select and target HTML elements on a web page. Once selected, these elements can be styled or manipulated using CSS rules. Selectors are a fundamental part of CSS and play a crucial role in specifying which elements should receive particular styles.

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<style>
```

```
p {
```

```
  text-align: center;
```

```
  color: red;
```

```
}  
</style>  
</head>  
<body>  
  
<p>Every paragraph will be affected by the style.</p>  
<p id="para1">Me too!</p>  
<p>And me!</p>  
  
</body>  
</html>
```

## Q-18 :- What are the media types allowed by CSS?

CSS (Cascading Style Sheets) allows you to define styles for different media types, which helps in creating responsive designs that adapt to various output devices and environments. CSS supports several media types that you can target with your styles. Here are some of the most commonly used media types in CSS:

```
<!DOCTYPE html>  
<html>  
<head>  
<style>  
body {  
    background-color: pink;  
}  
  
@media screen and (min-width: 480px) {  
    body {  
        background-color: lightgreen;
```

```

    }
}
</style>
</head>
<body>

<h1>Resize the browser window to see the effect!</h1>

<p>The media query will only apply if the media type is screen and the
viewport is 480px wide or wider.</p>

</body>
</html>

```

## Q-19 :- What is the rule set?

In CSS (Cascading Style Sheets), a rule set, often referred to simply as a "rule," is a fundamental structure used to define how HTML elements should be styled. A rule set consists of two main parts: a selector and a declaration block. Here's an explanation of each part:

Element Type Selector:

```

p {
    /* Styles for all <p> elements */
}

```

- Class Selector:

```

.highlight {
    /* Styles for elements with class "highlight" */
}

```

- ID Selector:

```

#header {
    /* Styles for the element with ID "header" */
}

```

```
}
```

- Attribute Selector:

```
a[target="_blank"] {  
    /* Styles for <a> elements with a "target" attribute set to "_blank" */  
}
```

- Pseudo-class Selector:

```
a:hover {  
    /* Styles for <a> elements when hovered over */  
}
```

Multiple rule sets can be defined in a CSS file, and they are typically grouped together to organize the styling instructions for different parts of a web page. The browser applies these styles based on the matching selectors and their associated declaration blocks, resulting in the desired visual presentation of HTML elements on the web page.

Rule sets are at the core of CSS, allowing web developers to control the layout, typography, colors, and other visual aspects of their web pages.