

: Multiple Choice Questions:

1. Constructor is special member function because its name is same as the _____ name.	
A. object	B. variable
C. function	D. class
2. _____ is/are the types of constructor.	
A. Default	B. Copy
C. Parameterized	D. All of Above
3. _____ is used to free/destroy the memory occupied by the objects.	
A. Constructor	B. Destructor
C. Delete	D. None of Above
4. A constructor that accepts _____ parameters is called the default constructor.	
A. One	B. No
C. Two	D. Three
5. Destructor has the same name as the constructor and it is preceded by _____.	
A. !	B. ?
C. ~	D. \$
6. Which constructor function is designed to copy objects of the same class type?	
A. Create constructor	B. Object constructor
C. Dynamic constructor	D. Copy constructor
7. A Constructor that does not have any parameters is called _____ Constructor.	
A. Custom	B. Dynamic
C. Static	D. Default
8. If default constructor is not defined, then how the objects of the class will be created?	
A. The compiler will generate error	B. Error will occur at run-time.
C. Compiler provides its default constructor to build the object	D. None of these
9. What is an array of objects?	
A. An array of instances of class represented by single name	B. An array of instances of class represented by more than one name
C. An array of instances which have more than 2 instances	D. An array of instances which have different types
10. Which among the following is a mandatory condition for array of objects?	
A. All the objects should be of different class	B. All the objects should be of same program classes
C. All the objects should be of same class	D. All the objects should have different data

11. If an array of objects is of size 10 and a data value have to be retrieved from 5th object then_____syntax should be used.	
A. Array_Name[4].data_variable_name;	B. Data_Type Array_Name[4].data_variable_name;
C. Array_Name[4].data_variable_name .value;	D. Array_Name[4].data_variable_name(value);
12. Object without name is known as_____.	
A. nameless object	B. live object
C. constant object	D. default object
13. Objects created dynamically with their data members initialized during creation are known as_____Objects.	
A. nameless	B. live
C. constant	D. default
14. _____Constructor contains an object as argument.	
A. Default	B. Copy
C. Parameterized	D. None of Above
15. Which of the following is not a valid argument passing mechanism in C++?	
A. Pass by value	B. Pass by address
C. Pass by reference	D. Pass by selection
16. Which among the following is correct definition for static member functions?	
A. Functions created to allocate constant values to each object	B. Functions made to maintain single copy of member functions for all objects
C. Functions created to define the static members	D. Functions made to manipulate static programs
17. The static member functions _____	
A. Have access to all the members of a class	B. Have access to only constant members of a class
C. Have access to only the static members of a class	D. Have direct access to all other class members also
18. The static member functions _____	
A. Can be called using class name	B. Can be called using program name
C. Can be called directly	D. Can't be called outside the function
19. Which keyword should be used to declare static variables?	
A. static	B. stat
C. common	D. const
20. Which is the correct syntax for declaring static data member?	
A. static memberName dataType;	B. dataType static memberName;
C. memberName static dataType;	D. static dataType memberName;

: Short Question:

1. Define constructor and write characteristics of constructor.
2. Define Default Constructor with example.
3. What is Parameterized constructor? Give Example
4. What is Constructor Overloading? Give Example
5. What is Static Data Member? Give Example.
6. What is Static Member Function? Give Example.
7. Define destructor and give its example.
8. Define constant and live objects.
9. Define nameless and arrays of objects.
10. Define Destructor with example.

: Long Questions:

1. What do you mean by constructors? Explain the use of constructors in C++ with example.
2. How many types of constructors we can create in C++ programs and also write few characteristics of constructor.
3. Explain constructor overloading with example.
4. Explain following in detail with example.
 - a. Default Constructor
 - b. Parameterized constructor
 - c. Constructor Overloading
 - d. Copy constructor
5. Explain Copy constructor with example.
6. Explain destructors with an example.
7. Write a short note on Static and Non-Static members.
8. Explain constant objects with proper example.
9. Explain nameless objects with proper example.
10. Explain live objects with proper example.
11. Explain Destructor with example.
12. Differentiate between Constructor and Destructor.
13. How you can create arrays of objects? Give an example and explain it.