Network Toll Solution

AVC (Automatic Vehicle Classifier)

The AVC (Automatic Vehicle Classification) Classifier by Network Toll Solution Pvt Ltd is an advanced solution designed to accurately identify and classify vehicles on highways, toll plazas, and urban roads. The system utilizes cutting-edge technologies such as sensors, imaging systems, and intelligent algorithms to detect vehicle characteristics like length, height, and axle configuration. Engineered for high precision and real-time performance, the AVC Classifier ensures seamless toll operations, efficient traffic management, and reliable data collection. It significantly reduces manual errors, enhances revenue assurance, and supports smart transportation infrastructure. The system is robust, scalable, and suitable for integration with modern ITS (Intelligent Transportation Systems) environments.



Network Toll Solution Pvt. Ltd
Corporate Office: Unit No. 1008, Tower 3, Aastha Green, Sector 4, Greater Noida West, 201306
Website: www.networktoll.com Email: sales@networktoll.com Contact: +919289757018

Network Toll Solution

Technical Specification


Detection Distance	0.1m~6m (reflectivity 1.8%) / 0.1m~10m (reflectivity 10%) / 0.1m~30m (reflectivity 90%)
Working Angular	320°
Working Principle	PRT (pulse ranging technology)
Laser Class	Class 1 (IEC60825-1:2014)
Laser Wavelength	905nm
Pulse Time	5ns
Sampling Rate	144 kHz
Scanning Frequency	10Hz, 20Hz can be set
Ambient Light Immunity	<100000 Lux
Measurement Accuracy	±20mm
Repeatability	±20mm
Angular Resolution	0.02°–0.5° (adjustable)
Measurement Resolution	1mm
Power Supply	DC 10V~30V
Working Current	90 mA
Rated Consumption	<3W
Interface	3 NPN input, output signal of red/area/orange faulty signal
Network Interface	Ethernet TCP/UDP output
Indicator LED	Green
Output Indicator	Red, yellow, orange
Ambient Temperature	-10°C~65°C

Network Toll Solution

Network Toll Solution Pvt. Ltd
Corporate Office: Unit No. 1008, Tower 3, Aastha Green, Sector 4, Greater Noida West, 201306
Website: www.networktoll.com Email: sales@networktoll.com Contact: +919289757018


Network Toll Solution


Ambient Working Humidity	<80%RH
Storage Temperature	-25°C~70°C
Protection Rate	IP65
Material	Aluminum alloy (base)
Vibration Resistance	10Hz–1000Hz, 5g
Shock Resistance	50g, 3ms, 5000 impacts
Product Size	60*60*83.5mm
Wire Length	2m ethernet + power + IO



Network Toll Solution Pvt. Ltd
Corporate Office: Unit No. 1008, Tower 3, Aastha Green, Sector 4, Greater Noida West, 201306
Website: www.networktoll.com Email: sales@networktoll.com Contact: +919289757018

Network Toll Solution





Network Toll Solution Pvt. Ltd
Corporate Office: Unit No. 1008, Tower 3, Aastha Green, Sector 4, Greater Noida West, 201306
Website: www.networktoll.com Email: sales@networktoll.com Contact: +919289757018