

WEB:	WWW. YEAHUI-CHINA. COM	E-Mail:	INFO@YEAHUI-CHINA.COM
TEL:	0086-755-27667600	FAX:	0086-755-27666367

Edition	DATE	DESCRIPTION	DESIGN	APPROVAL
1.0	2021-7-9	WM1302SM-2P M Panel connector	TXJ	





SPECIFICATIONS			
2Pin male connector			
Rating voltage	500V		
Insulation resistance	2000m Ω		
Rating current	13A		
Contact resistance	2.5mΩ		
Mechanical operation	≥500 mating cycles		
Waterproof connector rating	IP67		
Operating temperature	-25°C ~ +85°C		

WM1302SM-2P M Panel connector

SPEC

with blue cap

Item

TESTING

1Pc

QTY

Remark

1. 100% open & Short testing & Miss Wire

2. Contact Resistance: $<1\,\Omega$

3. Insulation Resistance: $\geq 2M \Omega$

4. Dielectronic Strength: 300VDC

5. This product is RoHS(Directive EU 2015/863) Compliant.

	Pinout

P1 WM1302SM-2P male

UL1015-18AWG Black open

	YEAHUI		Name	WM1302SM-2P M Panel connector		nnector
			Customer			
	DWG	TXJ	Pary NO.		REV.	1.0
	Check		Date	2021-07-9	N.W.	
	Aprd		DWG NO.	YH439-019	Unit	MM