


A screenshot of the Visual Studio Code editor interface. The top menu bar includes File, Edit, Selection, View, Go, Run, Terminal, and Help. The breadcrumb navigation shows the path: IntroToComputing Project > index.html > html > head > link. The editor displays the content of index.html with the following code:

```
1 <!DOCTYPE html>
2
3 <html lang="en">
4
5 <head>
6
7   <title> My Portfolio Project </title>
8   <link rel="icon" type="image/x-icon" href="images/logo.png">
9   <link rel="stylesheet" href="style.css">
10
11 </head>
12
```



A screenshot of the Visual Studio Code editor interface. The top menu bar includes File, Edit, Selection, View, Go, Run, Terminal, and Help. The breadcrumb navigation shows the path: IntroToComputing Project > # style.css > \*. The editor displays the content of style.css with the following code:

```
1 * {
2   margin: 0;
3   padding: 0;
4   box-sizing: border-box;
5   font-family: 'Poppins', sans-serif;
6 }
7
8 .header {
9   position: fixed;
10  top: 0;
11  left: 0;
12  width: 100%;
13  padding: 50px 10%;
14  background: transparent;
15  display: flex;
16  justify-content: space-between;
17  align-items: center;
18  z-index: 100;
19 }
20
```