

Milestone-E Manual Testing

Preparation, execution and reconciliation of documented SauceDemo workflows

1 Document details

Field	Recorded value
Prepared by	Darvin Anorma Mangampo
Assessment period	17-23 September 2026 (UTC+08:00)
Repository	selenium-saucedemo-remediation
Application	SauceDemo https://www.saucedemo.com
Execution record	19 variations across TC01 to TC09 RES-001 to RES-019
Document date	24 September 2026

2 Purpose and completed outcome

Milestone-E records the preparation, execution and reconciliation of documented manual checks against SauceDemo. It completed 19 variations across sign-in, products, sorting, cart, checkout and session controls. All 19 met their supported expected results on the first documented attempt. Milestones A to C documented the inherited repository, restored the maintained build path and established the updated technical foundation. Milestone-D then confirmed that the project could open a browser and reach SauceDemo without entering credentials or exercising a business flow. Milestone-E began from that readiness checkpoint and documented separate manual functional execution.

The work covers sign-in, product information, sorting, cart changes, checkout information, checkout cancellation, displayed amount comparison, order completion, receipt generation, application-state reset and logout. The publication describes the completed Milestone-E work. The supporting workbooks retain the detailed test cases and test data. They also preserve the execution results and the links between each result and its evidence.

3 Completed scope and reconciled outcomes

Case group	Variations	Initial result	Result reference
TC01	1 Standard account	1 Pass	RES-001
TC02	1 Locked-out account	1 Pass	RES-002
TC03	1 Product identity and displayed price	1 Pass	RES-003
TC04	4 Name and price sorting	4 Pass	RES-004 to RES-007
TC05	1 Two selected products	1 Pass	RES-008
TC06	1 Removal across screens	1 Pass	RES-009
TC07	4 Required fields and cancellation	4 Pass	RES-010 to RES-013
TC08	4 Amounts, cancellation, completion and receipt	4 Pass	RES-014 to RES-017
TC09	2 Reset and logout	2 Pass	RES-018 to RES-019

Reconciliation result: 19 performed, 19 Pass, 0 Fail, 0 Blocked, 0 Not Run and 0 excluded. Every result was attempt1. No material observation or repeat run was required.

4 Test cases and data

The case workbook records the case and data preparation completed for this milestone. It groups the performed scope by functional area and records the included functions, data, starting states, actions, expected results, supporting information and end or reset steps. Repeated Case IDs represent separate variations or checkpoints within the same group. These case and data records make the checks repeatable without claiming ownership of a client test-design process or organisation-wide test strategy.

Area	Checks included	Case reference
Sign-in	Standard access and locked-out account rejection	TC01-TC02
Products	Product identity, displayed price and four advertised sort orders	TC03-TC04
Cart	Two-product addition and removal across Cart and Products	TC05-TC06
Checkout information	Three required-field omissions and cancellation from the information page	TC07
Checkout and completion	Amounts, overview cancellation, completion and generated receipt	TC08
Session controls	Reset App State and Logout	TC09

Test data used

ID	Documented use	Cases
D01	standard_user with the public demo password displayed on the sign-in page	TC01, TC03-TC09
D02	locked_out_user with the public demo password displayed on the sign-in page	TC02
D03	Checkout entries Demo, Tester and postal code 12345	TC07-TC08
D04	One Sauce Labs Backpack and one Sauce Labs Bike Light	TC03, TC05-TC09
D05	Three TC07 variations, each leaving one named checkout field empty	TC07

Catalog names and prices were compared within the same run. The checks did not assume that public demo values would remain permanently fixed.

5 Execution method

All documented runs used ENV-01 (the identifier for the documented execution environment: Windows, Firefox 156.0 in Private Browsing, targeting <https://www.saucedemo.com>). Firefox Private Browsing reduced interference from previously stored cookies, saved sessions and browsing data. It was not treated as proof of a clean starting state. The signed-out state and empty cart were confirmed or restored for every applicable case.

The actual outcome was compared with the supported expected result for each variation. Evidence was captured at the checkpoint needed to show the result. Screenshots therefore support the documented outcomes but do not represent every individual click. The generated order receipt was retained as a PDF and was also opened for a readable visual record.

Observed behaviour alone was not treated as proof of correctness. Each Pass or Fail decision required a stated expected result supported by identified information or reasoning. A check without adequate support would have been narrowed or excluded. No listed case remained unsupported at closure.

At closure, the case and execution workbooks were reconciled for listed rows, statuses, evidence, observations and repeat runs. This was the result evaluation for the documented manual scope. It was not a peer or client approval gate and did not assess business acceptance, release readiness or production suitability.

6 Starting point, basis and scope boundary

The inherited repository connects Milestone-E to the remediation documented in the earlier milestones. Its original Automation Practice flows and test logic were not used to define the SauceDemo cases or their expected results. SauceDemo was chosen as the public browser-based application for the manual testing because it provides browser-based workflows that were repeated during the documented Milestone-E runs.

The documented coverage includes sign-in and product checks. It also covers sorting and cart activity before continuing through checkout and session controls. The Milestone-E test cases and data were prepared specifically for these SauceDemo functions.

No client-issued requirements specification or client-approved test plan applies to this work. Expected results were limited to public demo-account information, visible interface labels and messages, consistency between related application views, and calculations using displayed values. These sources support the stated checks without creating requirements on behalf of Sauce Labs.

The functional boundary consists of the 19 variations documented in the case workbook across TC01 to TC09. Every listed row was reconciled as performed, Not Run or excluded with a reason. The completed records show 19 performed and no Not Run or excluded rows.

6.1 Account coverage and supporting information

Account coverage was limited to `standard_user` for the documented functional workflows and `locked_out_user` for the access-rejection check. The official Sauce Labs source lists the additional demo accounts and contains implementation branches associated with `problem_user`, `performance_glitch_user`, `error_user` and `visual_user`. The repository README documents the application's technical setup, testing processes and deployment. It also describes end-to-end testing and a visual snapshot process. However, the README and repository documentation reviewed do not present a separate persona requirements specification or a complete acceptance matrix defining the expected results for every account-specific condition. They also do not publish persona-specific performance acceptance thresholds or an approved visual comparison baseline for evaluating those additional accounts.

The source code shows how some account-specific conditions are produced. For example, it introduces a processing delay for `performance_glitch_user` and changes aspects of sorting or presentation for other accounts. These implementation details describe what the application has been programmed to do, but they do not independently establish whether every resulting behaviour should be accepted as correct. Differences between accounts could be explored and documented as observations against an identified comparison account. Assigning Pass or Fail would require a defined test objective and an expected result supported by suitable information. Performance evaluation would additionally require an acceptance threshold, while visual evaluation would require an identified comparison baseline and acceptance rule. Milestone-E did not establish those additional objectives or criteria, so it makes no test-result or quality claim about the demo accounts outside the documented scope.

6.2 Proportionate testing scope

Milestone-E used a bounded and traceable set of 19 variations across nine case groups. These checks exercised the principal workflow through sign-in, products, sorting, cart, checkout and session controls, together with a documented locked-out-account access-rejection check. Each retained variation could be evaluated using public application information, visible interface responses, consistency between related views or calculations using displayed values.

An exhaustive matrix combining every demo account, browser, product selection, input value and navigation path would have required a broader testing objective and additional risk priorities, acceptance criteria, performance thresholds and visual baselines. Increasing the number of checks without establishing those inputs would have expanded the volume of testing without providing an equally supportable basis for its conclusions. The recorded outcomes therefore apply only to the documented variations and do not imply coverage of the untested accounts, combinations or behaviours.

The completed scope did not include exhaustive browser or demo-persona coverage, security testing, performance testing, accessibility assessment, API or database testing, enterprise integration, real payment or fulfilment, or release approval. Functions, combinations and behaviours not represented by the 19 case rows remain outside Milestone-E.

Milestone-E does not extend the earlier automation implementation. It documents manual functional outcomes in Firefox. The performed cases and their evidence may provide input for later automation work, while automation construction and automated execution remain outside this milestone.

6.3 Approach and inputs for case and data preparation

Milestone-E kept its case and data preparation proportionate to the documented scope of SauceDemo, a public demonstration application. Public account information and visible interface content provided the starting inputs. Expected results were also supported by comparisons between related screens and calculations using displayed values. Any assumptions used were stated in the test documentation.

This work did not include a separate formal Test Plan or Test Basis. There was no client-governed requirements pack, and no formal planning or approval authority applied to the work.

The cases and data were therefore prepared from information and decisions that could be supported directly by those available inputs.

The work demonstrated in Milestone-E began with preparing test cases and data from the information available for SauceDemo. It then covered manual execution and checking the documented workflows. Investigation, evidence preparation and reporting formed part of the same work.

In client projects, case preparation may draw on supplied specifications, test-design documents, matrices or business-process flows. Those client materials were not available for this public application. The Milestone-E cases were therefore based on the public and visible sources identified earlier, without claiming authorship of client artefacts that did not exist for this work.

The record begins with the Test Information, Test Data and Test Cases worksheets because they provide the information needed to perform and assess each check. Every retained case states the required data and starting state. It also documents the actions, expected result, supporting information and end or reset step.

For each execution, the Results worksheet identifies the case performed and records the actual outcome. It also records the assigned status and links the corresponding evidence.

An observation or repeat run would link back to the original result when required.

Case and data preparation, completeness checking and outcome comparison were documented directly in the Test Information, Test Data, Test Cases and Test Execution worksheets. No separate formal test design, test review or release evaluation artefact was produced. The records identify the documented scope, available inputs, starting states, actions, supported expected results, reset steps and observed outcomes. These checks produced a coherent record of the manual testing completed. The record was not a formally reviewed baseline and did not represent client or peer approval. It also did not establish business acceptance or approve the application for release.

7 Activity record

Activity	Work completed	Documented result
M-E-A1	Prepared the application information, scope boundary and D01 to D05 test data.	The test-information and data worksheets define the public inputs used by the cases.
M-E-A2	Prepared 19 manual case variations across TC01 to TC09.	Each row records its data, starting state, steps, expected result, support and reset action.
M-E-A3	Performed the cases and captured screenshot and receipt evidence.	RES-001 to RES-019 record 19 initial Pass results from 22 September 2026.
M-E-A4	Reconciled the scope, outcomes, observations, repeat runs and publication material.	No omitted row, material observation or repeat run remained after reconciliation.

8 Evidence and traceability

The Results worksheet contains 33 evidence references resolving to 32 unique files: 31 PNG screenshots and one generated PDF receipt. The TC08 overview image is referenced by both RES-016 and RES-017 because the completed order and its receipt were compared with the same-run overview. The figures in this publication are representative. The execution workbook retains the complete mapping.

Authentication and product evidence




Figure 1. TC02 locked-out account: the sign-in page remained open and displayed the expected rejection message (RES-002).




Figure 2. TC03 product detail: the Backpack identity, description and \$29.99 price matched the Products entry (RES-003).

9 Product sorting and cart evidence

TC04 used the currently displayed names and numeric prices. Adjacent entries were compared in the order shown instead of relying only on the first or last product. TC05 then compared the selected products and prices between Products and Cart.




Figure 3. TC04 price sorting: the selected low-to-high order shows non-decreasing displayed prices (RES-006).




Figure 4. TC05 cart: one Backpack and one Bike Light remained at the Products-page prices, with a cart count of two (RES-008).

10 Cart removal and checkout validation evidence

TC06 checked cart agreement after removal in Cart and again after removal on Products. TC07 treated each required-field omission as a separate run with the other two fields populated from D03.




Figure 5. TC06 removal: Cart contained no product entries and displayed no item count after both removals (RES-009).




Figure 6. TC07 required field: omitting First Name kept the information page open and produced the expected message (RES-010).

11 Checkout amounts and completion evidence

The two-item overview preserved the same product names and prices documented in Cart. The displayed arithmetic was checked directly: $\$29.99 + \$9.99 = \$39.98$, and $\$39.98 + \$3.20 \text{ tax} = \$43.18$. No tax rate was assumed.




Figure 7. TC08 overview: the two product prices, Item total, Tax and Total support the same-run amount comparison (RES-016 and RES-017).




Figure 8. TC08 completion: the thank-you message and Generate PDF order control were visible, with no cart item count (RES-016).

12 Generated receipt evidence

The generated one-page receipt showed Ship To details for Demo Tester and postal code 12345. It listed Sauce Labs Backpack at \$29.99 and Sauce Labs Bike Light at \$9.99, with Item total \$39.98, Tax \$3.20 and Total \$43.18. These values matched the information entered and the same-run overview.




Figure 9. TC08 receipt: Ship To details, products, prices and totals matched the same-run overview (RES-017).

The PDF viewer screenshot was captured before the downloaded receipt was moved from Downloads to the Evidence folder. The receipt itself is retained there as `swag-labs-order-2026-09-22_07-30-04.pdf` and is linked to RES-017.

13 Reset App State evidence

TC09 created a visible selected state with the two D04 products, used the menu action Reset App State, and then inspected Cart. The selected products and cart count were cleared.




Figure 10. TC09 reset before state: Backpack and Bike Light were selected and the cart count showed two (RES-018).




Figure 11. TC09 reset result: Cart had no product entries and the indicator displayed no count (RES-018).

14 Logout evidence

The final session-control variation signed in with D01, opened the application menu while signed in and selected Logout. The resulting page displayed Username, Password and Login, while Products was no longer open.




Figure 12. TC09 logout: the sign-in page reopened in the signed-out state with the Username, Password and Login controls visible (RES-019).

15 Material observations and limits

No material mismatch, blocker or unresolved execution issue was identified. The Observations worksheet therefore contains no material observation for RES-001 to RES-019, and the Repeat Runs worksheet contains no later attempt.

- The results apply to the 19 documented variations executed in one Firefox 156.0 Private Browsing environment on 22 September 2026.
- The expected results rely on public and visible application information rather than client-approved requirements.
- Testing used only the `standard_user` and `locked_out_user` accounts. The application source shows account-specific conditions for the other demo accounts, but the source alone does not establish how the resulting behaviour should be judged. Extending coverage to those accounts would require separate test objectives and supported acceptance criteria. Performance evaluation would also need defined thresholds, while visual evaluation would require suitable comparison baselines. These were not established within Milestone-E, and the documented results do not apply to the other demo accounts.
- The evidence supports the documented checkpoints but does not establish that every possible workflow, data combination, navigation path or browser environment was tested.
- The Pass results do not establish business acceptance, release readiness or defect-free operation.
- Automation implementation remained outside Milestone-E.
- SauceDemo is maintained by a third party. No outcome was attributed to a developer, and no fix-verification claim was made because no relevant application change or failed result was identified.

16 Completed activities and responsibility boundary

The completed activities comprised application and scope preparation, test-data preparation, case preparation, manual execution, screenshot and receipt capture, outcome comparison, reconciliation and final reporting. These activities show how test cases and data were prepared for SauceDemo. They also show how the documented workflows were checked through manual execution. Evidence handling and reporting complete the record.

Previous documented experience provides professional context for these methods. It does not bring client authority or confidential client material into this publication. The work makes no claim to authorship of client business requirements or authority to approve application behaviour. It does not represent responsibility for an organisation-wide test strategy. Business acceptance and production-release decisions are also outside this work. No confidential client application, process or data is reproduced.

This publication uses representative evidence to explain the completed testing. The supporting workbooks and Test Summary remain separate public documents because each serves a different purpose. The case workbook contains the detailed preparation items. The execution workbook provides complete traceability between results and evidence, while the Test Summary records the reconciled outcomes.

17 Conclusion

Milestone-E completed 19 manual variations across nine SauceDemo case groups. Every variation met its supported expected result on its first documented attempt. The reconciled record contains 19 Pass results, no Fail, Blocked or Not Run result, no exclusion, no material observation and no repeat run.

The completed work provides a traceable manual-testing record for the documented SauceDemo functions. The coverage begins with sign-in and continues through product, cart and checkout activity. Session controls are also included. Each performed check can be followed from its case definition to the documented result and supporting evidence.

The conclusions are limited to the documented environment and execution period. They do not establish complete application coverage or suitability for production use. The performed cases and evidence provide documented manual inputs for any later automation work.

18 Publication artefacts

The public package contains five primary documents. The Evidence folder accompanies the execution workbook and contains the screenshots and receipt referenced by its Results worksheet. It supports that workbook but is not counted as a sixth primary document in the publication package.

- Milestone-E Manual Testing.pdf - consolidated Milestone-E publication.
- Milestone-E Test Cases and Data.xlsx - application information, test data and 19 case rows.
- Milestone-E Test Execution.xlsx - ENV-01, RES-001 to RES-019, observations and repeat-run records.
- Milestone-E Test Summary.docx - completed testing summary and reconciled outcomes.
- README.md - concise package overview and relative links.

References

- **SauceDemo:** <https://www.saucedemo.com>
- **Sauce Labs sample-app-web repository:** official application source and README reviewed for account-implementation context. The source was not treated as an independent acceptance specification: <https://github.com/saucelabs/sample-app-web>
- **Project repository:** <https://github.com/DarvinAnormaMangampo/selenium-saucedemo-remediation>
- **Milestone-D Automation Readiness:** the preceding browser-readiness publication retained in the project repository.