

Milestone-G Repeat Runs and Result Analysis

Three executions of the published maintained suite | 5 October 2026

1 Document details

Field	Value
Prepared by	Darvin Anorma Mangampo
Assessment period	4-7 October 2026 (UTC+08:00)
Run date	5 October 2026
Source commit	5a4a02378360805f8a2aed6ac22243d58e9eb6c3
Suite	One Milestone-D readiness method and AUT-F01 through AUT-F06
Result	Three commands. All 21 method executions passed.
Document date	7 October 2026

2 Purpose and starting point

Milestone-F documented one full passing run of its six SauceDemo methods. The source was uncommitted at the time, so its checksum file identified the tested version. Milestone-G used the published commit above. In each of the three runs, I ran seven methods: the six Milestone-F SauceDemo tests and the Milestone-D login-page readiness check. I compared their first-attempt outcomes using the same source code. Milestone-F's single passing run showed the outcome on that occasion, but it could not show whether the methods would give the same first-attempt outcomes across later runs.

At the time of Milestone-A, the inherited suite had an existing retry mechanism and code that could write to the tracked workbook. Milestone-B established a separate TestNG lane without that retry code. Milestone-C restored the Java build, and Milestone-D added Chrome readiness. The documented manual outcomes from Milestone-E supplied the basis for the six Milestone-F workflows. Milestone-G repeated this defined suite. No new workflow was added.

3 Method and comparison conditions

The worktree was clean before each command. All three ran commit 5a4a023 with the same Gradle tasks and flags. Each command used `--rerun-tasks` and `--no-build-cache`, so Gradle did not reuse earlier task output. Retry had already been off in the maintained lane since Milestone-B. Each expected method appeared once in the Gradle JUnit-style XML for every run.

The machine ran Windows 11 with Java 21. Gradle was version 8.14.5. Chrome was 154.0.8037.98, compared with 154.0.8037.58 in the verified Milestone-F run. ChromeDriver was 154.0.8037.92 in each Milestone-G run. The repeat runs also checked the suite in the newer Chrome version. All seven methods executed and passed there. These results do not isolate the effect of the Chrome version change or establish whether SauceDemo changed.

3.1 Repeat runs and regression testing

Regression testing checks whether a change has affected existing behaviour (ISTQB CTFL v4.0.1, section 2.2.3). In Milestone-G I compared first-attempt outcomes from one published suite. Chrome's version had changed since Milestone-F, but these commands did not isolate the effect of that change or verify an identified SauceDemo change. I therefore report and perform them as repeat runs.

4 Activity record

Activity	Work performed	Outcome
M-G-A1	Checked the published commit and clean worktree. I recorded both workbook hashes and the tool versions before run 1.	The source and seven-method scope were fixed for comparison.
M-G-A2	Ran the forced Gradle command three times and kept each command attempt with its timestamped output.	Each command returned exit code 0, meaning Gradle reported success. Four XML files from each run show that all seven methods executed and passed.
M-G-A3	Read the XML method results against the console output. I checked the workbook hashes after every run.	All 21 method executions passed. No outcome changed.
M-G-A4	Prepared focused logs and XML copies with the README and this report.	The evidence files are grouped by the three run IDs.

5 Execution results

Run	Start	Timestamped ID	Passed / executed	Fail / skip / not run	Exit	Build time
1	20:35:57	20261005-203603-404	7 / 7	0 / 0 / 0	0	1m 4s
2	21:46:30	20261005-214636-568	7 / 7	0 / 0 / 0	0	1m 3s
3	22:11:35	20261005-221141-448	7 / 7	0 / 0 / 0	0	1m 1s

All starts were on 5 October 2026 (UTC+08:00). Build time is the Gradle duration, separate from the XML suite times. The final BUILD line and the captured exit code agreed with the XML in every run.

5.1 Result by method

Method	Run 1	Run 2	Run 3
Milestone-D readiness	Pass (1)	Pass (1)	Pass (1)
AUT-F01 standard sign-in	Pass (1)	Pass (1)	Pass (1)
AUT-F02 locked-out sign-in	Pass (1)	Pass (1)	Pass (1)
AUT-F03 cart changes	Pass (1)	Pass (1)	Pass (1)
AUT-F04 required first name	Pass (1)	Pass (1)	Pass (1)
AUT-F05 price sorting	Pass (1)	Pass (1)	Pass (1)
AUT-F06 two-item checkout	Pass (1)	Pass (1)	Pass (1)

The number in parentheses is the actual method execution count in that run. The grid holds 21 first-attempt passes. Milestone-F's separate deliberate-failure run had already checked that a failed assertion reached the result and saved a browser image. Milestone-G had no failed method to classify.

6 Result analysis

No test outcome varied across the three runs. Run 2 started 1 hour 10 minutes 33 seconds after run 1. The next start was 25 minutes 5 seconds later. After run 1 passed, Copy-Item failed while copying its generated folder to the local evidence folder. I completed the copy with robocopy before run 2. I reviewed and saved each run before starting the next command, so the runs were not back to back. All three original attempts remain in the run record.

The CheckoutTests XML suite time was 27.568 seconds in run 1, 6.855 seconds in run 2 and 27.605 seconds in run 3. Both checkout methods passed once in each run. These are test execution times, not measured SauceDemo response times. I recorded the difference, but the tests did not measure which checkout step took longer.

7 Integrity and evidence

At the start of Milestone-A, existing code in the inherited suite could write to testdata.xlsx. The maintained lane excludes that listener. I checked the two protected workbooks before run 1, after each run and again on 6 October. Their full SHA-256 values stayed the same at every check.

Workbook	SHA-256
testdata.xlsx	9ECECF817507E4762A560DD1BFDA6C563B79648114B4121C1C54906CFDA07B9C
backup-testdata.xlsx	A09FB992C49034F0465F5ECEA42628F1EA9BB6C7668F1523789B2FBD0F5366A2

The repository evidence is under Milestone-G/Execution Results/. The run folders are:

run-1-20261005-203603-404/

run-2-20261005-214636-568/

run-3-20261005-221141-448/

Each folder holds one repeat-run.log and four XML files linked from the README. The full generated build folders remain in the local checkout. The publication copies replace the local repository path and computer name with generic labels. A second XML parse confirmed that the method names, counts, outcomes and times matched the retained originals.

Milestone-G repeated the same seven methods on the published commit to see whether their first-attempt results matched. Each repeat-run.log shows the Gradle command and its timestamped output folder. It also keeps the final BUILD line and the exit code captured after the command. The four XML files from each run show which methods executed, their outcomes and XML execution times in seconds. I used them to confirm one execution per method in each run and checked the totals against the console result.

Each run also saved ten successful browser checkpoint images in its local timestamped folder. An image shows the page state at one checkpoint. It cannot establish that all seven methods ran once or that the full command passed. Milestone-F already publishes browser checkpoint images for the six SauceDemo workflows, so the thirty Milestone-G images remain with the full local run folders. The screenshot paths in the logs refer to that generated output. No Milestone-G method failed, so there was no failure image to include.

8 Scope and limitations

The result covers three Chrome executions on one Windows machine. The start-time gaps limit any conclusion about consecutive operation. The live SauceDemo site could change between commands, and these records do not show when a site change was deployed. Three passing runs cannot rule out an intermittent failure later.

The remaining eleven Milestone-E variations were outside these automated repeat runs. This activity did not exercise another browser or the inherited AutomationPractice suite. The XML times were not treated as performance results. No client sign-off or release decision was part of this activity.

9 Conclusion

In my earlier employment, I maintained and executed Java Selenium scripts for smoke and regression testing. I also examined automation results and failure logs when reporting test status. In Milestone-G I compared the same seven methods across repeated runs of one published commit. The XML and logs show 21 first-attempt passes on 5 October 2026. The workbooks stayed unchanged. This is evidence of suite execution and result analysis within the local conditions stated above.