

Milestone-A: Baseline Assessment

Review and bounded execution of an inherited Selenium repository

1 Document details

Field	Recorded value
Prepared by	Darvin Anorma Mangampo
Assessment period	5–7 September 2026 (UTC+08:00)
Repository	selenium-saucedemo-remediation
Document date	09 September 2026

2 Purpose

This report captures Milestone-A's starting point and the boundaries of the diagnostic work. It provides a fixed baseline, describes the original environment, and records the checks made before execution began. These records distinguish conditions already present in the repository from later changes.

The review covers failure propagation, retry behavior, the code paths that access and can write to the tracked workbook, and the way the default runner is assembled in the inherited Java and Selenium setup. It records one bounded compilation attempt and its dependency-resolution outcome. Because compilation did not pass the required gate, test execution was not attempted. Workbook fingerprints and repository state were captured before the attempt and checked again afterwards.

The memorandum keeps the original timestamps, Git anchors, signed change records, and stated limits. These help reconstruct what happened and the rationale behind the decisions made at that time. While diagnostic work for Milestone-A was completed, no result of an application test was produced. The Gradle wrapper started in the isolated environment; compilation stopped during dependency resolution before any tests were run.

3 Repository origin and change boundary

The baseline commit contains the inherited source, configuration and repository history examined here. The signed baseline tag fixes that state for later comparison. I did not modify any inherited source or runtime configuration during the baseline review or bounded assessment. The first repository change after the baseline was the separate .gitignore-only commit shown below.

Boundary	Recorded position
Inherited source boundary	Signed tag inherited-baseline-2026-09-05 resolves to 4929e146a856d3b9ca2f04f5fda2eb014f599aa4.
Runtime and source changes	None during the baseline, environment, static-review or bounded-execution activities.
First repository change	Commit 47f56f01cf2434e20c598b971c660cbdbde4bd7d modifies only .gitignore.
Assessment boundary	Milestone-A records the baseline review, compilation diagnosis and integrity checks; it contains no application-test result.

The limits of this boundary. A signed boundary supports provenance and makes it easier to trace later changes. However, on its own, it doesn't denote who wrote the complete history, owns the repository, assures the quality and security of the software, or if the software functions correctly.

4 Chronology with original timestamps

Where commands produced timestamps, the chronology keeps them. The tagged-source review and the integrity checks after the compilation attempt did not print capture times in the terminal, so their original screenshot file timestamps are used.

Recorded timestamp	Event
2026-09-05T09:18:05+08:00	Signed annotated inherited-baseline tag created.
2026-09-05T15:24:26+08:00	Tracked before-image and workbook SHA-256 captured.
2026-09-05T17:48:42+08:00	Original host and command-path environment captured.
2026-09-05T20:18:19+08:00 to 21:00:52+08:00	Tagged-source integrity review screenshots recorded, ending with the final repository safety check.
2026-09-06T18:36:15.6195806+08:00 to 18:36:16.6311194+08:00	Gradle wrapper version check completed in the disposable clone.
2026-09-06T18:41:28.5402486+08:00 to 18:41:53.0652240+08:00	Single bounded compileTestJava attempt completed.
2026-09-06T19:13:53+08:00 to 19:17:02+08:00	Workbook, disposable-clone and real-repository integrity checks recorded after the bounded compilation attempt.
2026-09-07T08:42:39+08:00	Signed .gitignore-only repository documentation commit created.

5 Baseline identity and provenance

The inherited state was locked down first. Only after that did any repository change begin. The tag and the commit are the source anchors for later comparison. The workbook hash is the byte-level anchor for the tracked test-data file.

Field	Recorded value
Baseline tag	inherited-baseline-2026-09-05
Baseline commit	4929e146a856d3b9ca2f04f5fda2eb014f599aa4
Workbook SHA-256	9ECECF817507E4762A560DD1BFDA6C563B79648114B4121C1C54906CFDA07B9C
Tracked repository files	79
Required baseline files checked	10 of 10 present
Initial worktree	Clean

The before-image covers tracked content reachable from the recorded commit together with the stated checks. It excludes ignored files, untracked local files and host state. File presence does not establish correctness, relevance, executability or compatibility. A clean standard Git status does not enumerate ignored files, and the workbook hash does not establish the quality of its contents.

6 Original environment

The host information was captured before the isolated Java environment was used for the bounded assessment. Keeping host observations separate from repository findings avoids treating an unavailable command as a source defect.

Field	Recorded value
Captured at	2026-09-05T17:48:42+08:00
Timezone	Taipei Standard Time; UTC+08:00
Operating system	Microsoft Windows 11 Home Single Language; 10.0.26200; build 26200; 64-bit
Git	2.55.0.windows.5
Browser observation	Google Chrome 152.0.7977.77
Java command path	java and javac were not resolvable in the captured PowerShell session
Inherited wrapper	Four expected wrapper paths present; Gradle 6.6.1 declared

CommandNotFoundException establishes only that PowerShell could not resolve the Java commands in the captured session; it does not explain why. The browser record does not prove default-browser selection or WebDriver compatibility. The four wrapper files and declared Gradle version do not prove wrapper-file authenticity, a successful Gradle download, successful wrapper startup or compatibility with the JDK.

7 Inherited integrity findings

The tagged source shows four automation integrity conditions, with three associated observations on classification and provenance. The configuration shows what the inherited setup allows; it does not show whether any of those behaviors occurred during the recorded attempt.

Material condition	Testing significance	Runtime boundary
Gradle test task sets ignoreFailures = true.	The process may fail to propagate a genuine test failure to CI or the operator.	The setting was identified in source; no failing test executed to observe process-level propagation.
A retry analyser is assigned globally; the inherited retry limit is one.	A first-attempt failure may be obscured in stability reporting.	The retry setting was identified in configuration; no runtime retry count was observed.
The listener writes results through FileOutputStream to tracked testdata.xlsx.	Normal execution may alter a tracked input and reduce repeatability.	The write path was identified in source; no listener execution occurred during the bounded attempt.
The main runner combines POC, WebAPI and WebAPP suites.	The default run mixes a deliberate failure, an obsolete API target and unrelated scopes.	Runner composition was identified statically; the configured suites were not executed.

Supporting observations

- The original ignore rules kept the public logs and screenshots out of normal tracking. That was put right later, and only as a tracking-policy change.
- The Excel helper contains code that can access and write to the tracked workbook. Static review did not establish an Excel-backed TestNG DataProvider for supplying test input, so the inherited project is not described here as proven data-driven execution.
- The inherited README and Travis files still carry the original upstream identity. They help show where the project came from, and they sit outside the change boundary.

Limits of static inspection. Reading the code shows what the tagged configuration allows. It does not prove that a failure was hidden, a retry occurred, the workbook changed or any Selenium test ran. It also does not establish that the external site caused these conditions. The bounded attempt did not reach a stage where those runtime behaviors could be confirmed.

8 Bounded compilation assessment

I ran the check in a clean detached clone using an isolated AdoptOpenJDK 14 and Gradle user home kept outside the repository. I wanted to limit the scope of this test to get one compatibility result to help with diagnosis without having to run the inherited suite in the real repository.

Field	Recorded value
Execution location	Clean disposable clone; real repository protected
Runtime	Gradle 6.6.1 on AdoptOpenJDK 14.0.2+12
Command	gradlew.bat --no-daemon --console=plain compileTestJava --stacktrace
Started	2026-09-06T18:41:28.5402486+08:00
Finished	2026-09-06T18:41:53.0652240+08:00
Timeout	900 seconds; TimedOut=False
Process result	TimedOut=False; ExitCode=1; BUILD FAILED in 23s
Classification	Build dependency resolution
Unresolved module 1	net.andreinc.mockneat:mockneat:0.3.9
Unresolved module 2	org.apache.commons.io:commonsIO:2.5.0

Scope of this result. This result describes one particular run of compileTestJava using the inherited build and the isolated environment described above. It shows that dependency resolution failed to proceed past this point to allow the execution of any tests. This result does not show defective test logic, a browser result, a problem on the website, or a failure of the application.

9 Test execution decision

Decision field	Recorded result	Reason
Compilation	FAILED	compileTestJava returned exit code 1 during dependency resolution.
Test eligibility	NOT_ELIGIBLE	Successful compilation was the mandatory gate.
Test execution	NOT_ATTEMPTED	The test command was deliberately withheld after the failed gate.
Available test counts	NOT_APPLICABLE	The lifecycle never reached a valid test-execution stage.

A note on reporting. Not applicable does not mean zero tests, skipped tests or failed tests. It should not be reported that way. There is no valid pass or fail result for the application, because no Selenium or TestNG test ran.

10 Workbook and repository integrity

I compared the tracked workbook fingerprint before and after the bounded attempt. The two values matched exactly, and the real repository stayed unchanged. For this attempt, the checks establish that no workbook change was observed; they do not close the source-level write risk.

Integrity check	Recorded observation	Interpretation
Workbook before	9ECECF817507E4762A560DD1BFDA6C563B79648114B4121C1C54906CFDA07B9C	Recorded byte-level fingerprint before the bounded attempt.
Workbook after	9ECECF817507E4762A560DD1BFDA6C563B79648114B4121C1C54906CFDA07B9C	Same fingerprint after the bounded attempt.
Disposable clone status	Unchanged	No visible repository change observed in the clone.
Real repository status	Unchanged	Execution was isolated from the working repository.

Limits of these checks. Matching hashes show only that the file was byte-for-byte identical at the two observation points; they do not establish whether its contents are correct. A clean Git status does not list ignored files. The unchanged result applies to this attempt and the two repositories checked. Because no tests or listeners ran, the workbook-write risk identified in the source remains unresolved.

11 Repository documentation setup

A separate signed commit (47f56f01cf2434e20c598b971c660cbdbde4bd7d) changed only .gitignore. It added narrow tracking exceptions for .txt and .log files under public-evidence/logs and .png files under public-evidence/screenshots. Generated build output, caches and bulk reports remained ignored. I pushed the commit to origin/master; the remote commit matched the local one, and GitHub showed the signature as verified.

Item	Recorded outcome
Changed path	.gitignore was the only changed, staged and committed path.
Generated material	Representative build, cache and bulk-report paths remained ignored.
Signature and remote	Embedded SSH signature present; GitHub verification valid; origin/master matched locally.
Final state	Working tree clean; only .gitignore differed from the baseline.

This commit changed only what the repository tracks. It did not touch the source code, the dependencies, the runner configuration, the test data or any runtime result.

12 Limitations

Milestone-A documents the inherited baseline and the diagnostic work carried out within the defined scope. It captures the conditions of the repository, the compilation result, and the integrity checks described in this document.


Application-level testing was not performed in Milestone-A because compilation stopped during dependency resolution. As a result, this document does not report any executed manual cases, browser results, functional automation, regression measurements or application-level defect findings.

The configuration notes describe what the inherited setup allows. They do not describe whether any of it was executed while the code was running. The workbook comparisons affirm that the file was the same at the two points in time that they were checked. They do not evaluate if the file contents are correct.

13 Supporting screenshots

The screenshots below show the baseline state, original environment, inherited configuration, compilation result, and the integrity checks performed after the compilation attempt.

Baseline and original environment



```

PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation>
PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation> '=== INHERITED BEFORE-IMAGE INTEGRITY SUMMARY ==='
=== INHERITED BEFORE-IMAGE INTEGRITY SUMMARY ===
PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation> "CAPTURED_AT=$capturedAt"
CAPTURED_AT=2026-09-05 15:24:26 +08:00
PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation> "BASELINE_TAG=$baselineTag"
BASELINE_TAG=inherited-baseline-2026-09-05
PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation> "EXPECTED_SHA=$baselineSha"
EXPECTED_SHA=4929e1d6a856d3b9ca2f04f5fda2eb01f599aad
PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation> "CURRENT_HEAD=$currentHead"
CURRENT_HEAD=4929e1d6a856d3b9ca2f04f5fda2eb01f599aad
PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation> "TAG_TARGET=$tagTarget"
TAG_TARGET=4929e1d6a856d3b9ca2f04f5fda2eb01f599aad
PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation> "TREE_SHA=$treeSha"
TREE_SHA=743f7b39c5f228cc5f342ece23eaf9ab98881
PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation> "TRACKED_FILES=$trackedFileCount"
TRACKED_FILES=79
PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation> "INHERITED_COMMITS=$commitCount"
INHERITED_COMMITS=93
PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation> "REQUIRED_FILES=$presentCount/$(($requiredFiles.Count) PRESENT"
REQUIRED_FILES=10/10 PRESENT
PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation> "WORKBOOK_SHA256=$workbookSha"
WORKBOOK_SHA256=FECE01376E762A560C18F04C3637764B1144121C1C4966CDA0780C
PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation> "WORKTREE=$worktreeState"
WORKTREE=CLEAN
PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation>

```

Figure 1. Baseline identity, tracked-tree summary and workbook fingerprint.

```

PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation>
PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation> '=== JAVA PRE-INSTALL CHECK ==='
=== JAVA PRE-INSTALL CHECK ===
PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation> java -version
java : The term 'java' is not recognized as the name of a cmdlet, function, script file, or operable program. Check the spelling of the name, or if a path was included, verify that the path is correct and
try again.
At line:1 char:1
+ java -version
+ ~~~~~
+ CategoryInfo          : ObjectNotFound: (java:String) [], CommandNotFoundException
+ FullyQualifiedErrorId : CommandNotFoundException

PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation> $javaSucceeded = $?
PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation> "JAVA_COMMAND_SUCCEEDED=$javaSucceeded"
JAVA_COMMAND_SUCCEEDED=False
PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation> javac -version
javac : The term 'javac' is not recognized as the name of a cmdlet, function, script file, or operable program. Check the spelling of the name, or if a path was included, verify that the path is correct and
try again.
At line:1 char:1
+ javac -version
+ ~~~~~
+ CategoryInfo          : ObjectNotFound: (javac:String) [], CommandNotFoundException
+ FullyQualifiedErrorId : CommandNotFoundException

PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation> $javacSucceeded = $?
PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation> "JAVAC_COMMAND_SUCCEEDED=$javacSucceeded"
JAVAC_COMMAND_SUCCEEDED=False
PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation>
PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation> git status --short --branch
## master...origin/master
PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation>

```

Figure 2. Java and javac command-path results before isolated Java setup.

Failure propagation and retry

```

PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation> '=== EXEC-001 GRADLE TEST FAILURE CONFIGURATION ==='
=== EXEC-001 GRADLE TEST FAILURE CONFIGURATION ===
PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation> git grep -n -C 2 -F 'ignoreFailures = true' inherited-baseline-2026-09-05 -- build.gradle
inherited-baseline-2026-09-05 build.gradle:97: //If u want to use TestNGRunner you have to disable all suites
inherited-baseline-2026-09-05 build.gradle:98: {
inherited-baseline-2026-09-05 build.gradle:99:     ignoreFailures = true
inherited-baseline-2026-09-05 build.gradle:100:     useTestNG()
inherited-baseline-2026-09-05 build.gradle:101: }
PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation>

```

Figure 3. Tagged build configuration showing ignoreFailures enabled.

```

PS C:\Users\darvi> Set-Location -LiteralPath 'C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation'
PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation> '=== STAB-001 GLOBAL RETRY CONFIGURATION ==='
=== STAB-001 GLOBAL RETRY CONFIGURATION ===
PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation> git grep -n -F 'TestNGAnnotationTransformer|setRetryAnalyzer|retryLimit = 1|return true' inherited-baseline-2026-09-05 -- 'src/test/resources/xml_runners/main_runner/TestNG-Runner.xml' 'src/test/java/com/build.listeners/TestNGAnnotationTransformer.java' 'src/test/java/com/build.listeners/TestNGRetry.java'
inherited-baseline-2026-09-05 src/test/resources/xml_runners/main_runner/TestNG-Runner.xml:8: <listener class-name="com.build.listeners.TestNGAnnotationTransformer"/>
inherited-baseline-2026-09-05 src/test/java/com/build.listeners/TestNGAnnotationTransformer.java:18: public class TestNGAnnotationTransformer implements IAnnotationTransformer {
inherited-baseline-2026-09-05 src/test/java/com/build.listeners/TestNGAnnotationTransformer.java:19:     annotation.setRetryAnalyzer(TestNGRetry.class);
inherited-baseline-2026-09-05 src/test/java/com/build.listeners/TestNGRetry.java:28:     int retryLimit = 1;
inherited-baseline-2026-09-05 src/test/java/com/build.listeners/TestNGRetry.java:29:     return true;
inherited-baseline-2026-09-05 src/test/resources/xml_runners/main_runner/TestNG-Runner.xml:8: <listener class-name="com.build.listeners.TestNGAnnotationTransformer"/>
PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation>

```

Figure 4. Tagged retry analyser and global transformer configuration.

Workbook write path and runner scope

```

PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation> '=== DATA-001 TRACKED WORKBOOK WRITE PATH ==='
=== DATA-001 TRACKED WORKBOOK WRITE PATH ===
PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation> git grep -n -f 'excelEnvironment.setCellData' inherited-baseline-2026-09-05 -- 'src/test/java/com/build.listeners/TestNGListener.java'
inherited-baseline-2026-09-05:src/test/java/com/build.listeners/TestNGListener.java:62:    excelEnvironment.setCellData(excelEnvironment.getExcelRowNumber(), "PASSED", EXCEL_TC_RESULT_COLUMN);
inherited-baseline-2026-09-05:src/test/java/com/build.listeners/TestNGListener.java:63:    excelEnvironment.setCellData(excelEnvironment.getExcelRowNumber(), MessageBuilder.getTestDescription(iTestResult),
EXCEL_TC_NAME_COLUMN);
inherited-baseline-2026-09-05:src/test/java/com/build.listeners/TestNGListener.java:70:    excelEnvironment.setCellData(excelEnvironment.getExcelRowNumber(), "FAILED", EXCEL_TC_RESULT_COLUMN);
inherited-baseline-2026-09-05:src/test/java/com/build.listeners/TestNGListener.java:71:    excelEnvironment.setCellData(excelEnvironment.getExcelRowNumber(), MessageBuilder.getTestDescription(iTestResult),
EXCEL_TC_NAME_COLUMN);
inherited-baseline-2026-09-05:src/test/java/com/build.listeners/TestNGListener.java:96:    excelEnvironment.setCellData(excelEnvironment.getExcelRowNumber(), "FAILED", EXCEL_TC_RESULT_COLUMN);
inherited-baseline-2026-09-05:src/test/java/com/build.listeners/TestNGListener.java:101:    excelEnvironment.setCellData(excelEnvironment.getExcelRowNumber(), "PASSED", EXCEL_TC_RESULT_COLUMN);
inherited-baseline-2026-09-05:src/test/java/com/build.listeners/TestNGListener.java:103:    excelEnvironment.setCellData(excelEnvironment.getExcelRowNumber(), scenario.getName(), EXCEL_TC_NAME_COLUMN);
PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation> git grep -n -A 9 -F 'testDataExcelPath = getCurrentPath()' inherited-baseline-2026-09-05 -- 'src/test/java/com/buildSettings/ExcelEnv
ironment.java'
inherited-baseline-2026-09-05:src/test/java/com/buildSettings/ExcelEnvironment.java:106:    testDataExcelPath = getCurrentPath()
inherited-baseline-2026-09-05:src/test/java/com/buildSettings/ExcelEnvironment.java:107:    + File.separator
inherited-baseline-2026-09-05:src/test/java/com/buildSettings/ExcelEnvironment.java:108:    + "src"
inherited-baseline-2026-09-05:src/test/java/com/buildSettings/ExcelEnvironment.java:109:    + File.separator
inherited-baseline-2026-09-05:src/test/java/com/buildSettings/ExcelEnvironment.java:110:    + "test"
inherited-baseline-2026-09-05:src/test/java/com/buildSettings/ExcelEnvironment.java:111:    + File.separator
inherited-baseline-2026-09-05:src/test/java/com/buildSettings/ExcelEnvironment.java:112:    + "resources"
inherited-baseline-2026-09-05:src/test/java/com/buildSettings/ExcelEnvironment.java:113:    + File.separator
inherited-baseline-2026-09-05:src/test/java/com/buildSettings/ExcelEnvironment.java:114:    + "files"
inherited-baseline-2026-09-05:src/test/java/com/buildSettings/ExcelEnvironment.java:115:    + File.separator;
PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation> git grep -n -A 3 -F 'FileOutputStream fileOut' inherited-baseline-2026-09-05 -- 'src/test/java/com/buildSettings/ExcelEnvironment.java'
inherited-baseline-2026-09-05:src/test/java/com/buildSettings/ExcelEnvironment.java:175:    FileOutputStream fileOut = new FileOutputStream(testDataExcelPath + TEST_DATA_EXCEL_FILE_NAME);
inherited-baseline-2026-09-05:src/test/java/com/buildSettings/ExcelEnvironment.java:176:    excelWorkbook.write(fileOut);
inherited-baseline-2026-09-05:src/test/java/com/buildSettings/ExcelEnvironment.java:177:    fileOut.flush();
inherited-baseline-2026-09-05:src/test/java/com/buildSettings/ExcelEnvironment.java:178:    fileOut.close();
PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation> git ls-tree -p --name-only inherited-baseline-2026-09-05 -- 'src/test/resources/files/testdata.xlsx'
src/test/resources/files/testdata.xlsx
PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation> |

```

Figure 5. Tagged listener and helper paths capable of writing to the tracked workbook.

```

PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation> '=== RUN-001 DEFAULT RUNNER COMPOSITION ==='
=== RUN-001 DEFAULT RUNNER COMPOSITION ===
PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation> git grep -n -C 3 -E 'suites .*TestNG-Runner.xml' inherited-baseline-2026-09-05 -- build.gradle
inherited-baseline-2026-09-05:build.gradle:99:    useTestNG()
inherited-baseline-2026-09-05:build.gradle:100:    {
inherited-baseline-2026-09-05:build.gradle:101:        dependsOn cleanTest
inherited-baseline-2026-09-05:build.gradle:102:        suites 'src/test/resources/xml_runners/main_runner/TestNG-Runner.xml'
inherited-baseline-2026-09-05:build.gradle:103:    }
inherited-baseline-2026-09-05:build.gradle:104:    systemProperties System.properties
inherited-baseline-2026-09-05:build.gradle:105:}
PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation> git grep -n -F 'suite-file path' inherited-baseline-2026-09-05 -- 'src/test/resources/xml_runners/main_runner/TestNG-Runner.xml'
inherited-baseline-2026-09-05:src/test/resources/xml_runners/main_runner/TestNG-Runner.xml:8:    <suite-file path=" ../TestNG-POC.xml"/>
inherited-baseline-2026-09-05:src/test/resources/xml_runners/main_runner/TestNG-Runner.xml:9:    <suite-file path=" ../TestNG-WebAPI.xml"/>
inherited-baseline-2026-09-05:src/test/resources/xml_runners/main_runner/TestNG-Runner.xml:10:    <suite-file path=" ../TestNG-WebApp.xml"/>
PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation> git grep -n -F 'Assert.fail()' inherited-baseline-2026-09-05 -- 'src/test/java/tests/POC/POC_Tests.java'
inherited-baseline-2026-09-05:src/test/java/tests/POC/POC_Tests.java:10:    Assert.fail();
PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation> git grep -n -F 'automationpractice.com' inherited-baseline-2026-09-05 -- 'src/test/java/tests/webAPI/API_Tests.java'
inherited-baseline-2026-09-05:src/test/java/tests/webAPI/API_Tests.java:11:    return RestAssured.baseURI = "http://automationpractice.com/";
inherited-baseline-2026-09-05:src/test/java/tests/webAPI/API_Tests.java:13:    @Description(" [API] [1] As a user I would like to check availability of automationpractice.com")
inherited-baseline-2026-09-05:src/test/java/tests/webAPI/API_Tests.java:14:    @Test(description = "[API] [1] I would like to check availability of automationpractice.com",
PS C:\Users\darvi\OneDrive\Documents\GitHub\selenium-saucedemo-remediation> |

```

Figure 6. Tagged default runner combining POC, WebAPI and WebAPP suites.

Compilation and subsequent integrity checks

```

PS C:\Users\darv\> ActivityCompilationDisplay
=== INHERITED COMPILATION OUTCOME ===
EXECUTION_SCOPE=DISPOSABLE_CLONE
BASELINE_TAG=inherited-baseline-2026-09-05
CLONE_HEAD=929e146a56d39ca2f84f5fda2eb814f599aa1
EXPECTED_BASELINE_SHA=929e146a56d39ca2f84f5fda2eb814f599aa1
BASELINE_SHA_MATCH=True
EXECUTED_COMMAND=C:\Users\darv\AppData\Local\Activity95-20260906-173457\disposable-clone\gradlew.bat --no-daemon --consoleplain compileTestJava --stacktrace
WORKING_DIRECTORY=C:\Users\darv\AppData\Local\Activity95-20260906-173457\disposable-clone
JAVA_HOME=C:\Users\darv\AppData\Local\Activity95-20260906-173457\jdk\jdk-14.0.2\12
GRADLE_USER_HOME=C:\Users\darv\AppData\Local\Activity95-20260906-173457\gradle-user-home
STARTED_AT=2026-09-06T18:41:28.5062085+08:00
FINISHED_AT=2026-09-06T18:41:53.0652248+08:00
TIMEOUT_SECONDS=900
TIMED_OUT=False
PROCESS_EXIT_CODE=1
COMPILE_GRADLE_OUTCOME=BUILD FAILED in 23s
TASK_OUTCOME=compileTestJava FAILED
--- DEPENDENCY RESOLUTION FINDINGS ---
> Could not find net.andreinc.mockneat:mockneat:0.3.9.
> Could not find org.apache.commons.io:commons-io:2.5.0.
Cause 1: org.gradle.internal.resolve.ModuleVersionNotFoundException: Could not find net.andreinc.mockneat:mockneat:0.3.9.
Cause 2: org.gradle.internal.resolve.ModuleVersionNotFoundException: Could not find org.apache.commons.io:commons-io:2.5.0.
COMPILE_SUCCEEDED=False
TEST_ELIGIBILITY=NOT_ELIGIBLE
TEST_EXECUTION=NOT_ATTEMPTED
AVAILABLE_TEST_COUNTS=NOT_APPLICABLE
PRINCIPAL_OUTCOME=BUILD_DEPENDENCY
DIAGNOSTIC_RESULT=SUFFICIENT
PS C:\Users\darv\>

```

Figure 7. Bounded compilation result and closed test gate.

```

PS C:\Users\darv\> ActivityWorkbookDisplay
=== DISPOSABLE WORKBOOK INTEGRITY CHECK ===
EXECUTION_SCOPE=DISPOSABLE_CLONE
WORKBOOKSRC=test/resources/files/testdata.xlsx
WORKBOOK_SHA256_BEFORE=RECEIVED17507E4762A5680D1BFD6C56387968B11B01121C1C54996CFDA07B9C
WORKBOOK_SHA256_AFTER=RECEIVED17507E4762A5680D1BFD6C56387968B11B01121C1C54996CFDA07B9C
WORKBOOK_HASH_UNCHANGED=True
WORKBOOK_GIT_STATUS=UNCHANGED
VISIBLE_REPOSITORY_CHANGE_COUNT=0
PS C:\Users\darv\>

```

Figure 8. Matching workbook hashes and unchanged disposable-clone status after the attempt.

Reproducible source references

- [Signed inherited baseline](#)
- [Inherited baseline commit](#)
- [Gradle failure propagation](#)
- [Retry analyser](#)
- [Tracked workbook write helper](#)
- [Default runner composition](#)
- [Signed tracking-policy commit](#)

14 Conclusion

- **Milestone-A outcome: diagnostically sufficient baseline assessment with no application-test result.**

The bounded assessment did not reach test execution in the inherited project. Compilation stopped during dependency resolution, before any test ran. Static source review separately identified configuration that could suppress failures, a retry setting applied globally, code paths capable of writing to the tracked workbook, and a default runner that combined the POC, WebAPI and WebAPP suites. These findings form part of the inherited baseline and remain outside the outcome of this assessment. No application-level pass or fail result is claimed.

Milestone-A closes with the inherited boundary intact and the tracked workbook unchanged at the recorded observation points. The available result classifies the build failure as a dependency-resolution outcome. Build restoration, manual testing, functional automation and regression checks are outside this baseline assessment.