

Software Requirements Specification

Project: Issue and Defect Tracking System in SAP
Document type: Software Requirements Specification (SRS)
Language: English
Status: Draft v1.4 Last updated: 2026-07-11 Prepared for: SAP490 project delivery, mentor review, implementation evidence, and QA test design Document style: Traditional SRS outline with ISO/IEC/IEEE 29148-style requirement quality, traceability, and verification discipline

1. Document Control

1.1 Version History

Version	Date	Author	Reviewer	Change Summary	Approval Status
v1.0	2026-06-02	IDTS Project Team	Mentor / Supervisor	Initial SRS created from BRD v1.1, BA baseline, diagrams, PM plan, and SAP490 guidance.	Draft
v1.1	2026-06-03	IDTS Project Team	Mentor / Supervisor	Updated user classes and functional requirements to the MVP role baseline: Tester, Developer, and PM. Reporter and Admin are deferred as separate roles.	Draft
v1.2	2026-07-10	IDTS Project Team	Mentor / Supervisor	Synced the implemented attachment and optional advisory-AI baseline, with explicit human-	Draft

Version	Date	Author	Reviewer	Change Summary	Approval Status
				review, privacy, and no-workflow-authority constraints.	
v1.3	2026-07-11	IDTS Project Team	Mentor / Supervisor	Replaced the review-facing system-context source block with a rendered, traceable figure and Diagram Pack reference.	Draft
v1.4	2026-07-11	IDTS Project Team	Mentor / Supervisor	Replaced review figures with editable draw.io sources and added architecture/d ata-model figures for formal technical review.	Draft

1.2 Review and Sign-Off

Role	Name	Responsibility	Status	Date
Prepared by	IDTS Project Team	Prepare and maintain SRS	Drafted	2026-06-02
Reviewed by	Mentor / Supervisor	Review requirement completeness and SAP490 fit	Pending	TBD
Approved by	Mentor / Supervisor	Approve SRS baseline for FRS, test design,	Pending	TBD

Role	Name	Responsibility	Status	Date
Project owner	Team / PM	and implementation	Pending	TBD
		Confirm MVP requirement priority		

1.3 Document Purpose

This SRS defines the software-level requirements for the Issue and Defect Tracking System in SAP (IDTS). It translates the approved business direction into verifiable system requirements for SAP CAP, OData V4, Fiori Elements/SAPUI5, SQLite local development, and PostgreSQL shared-QA operation.

This SRS uses a traditional SRS outline for readability and aligns requirement quality, traceability, and verification with ISO/IEC/IEEE 29148-style requirements engineering and the SAP490 hybrid delivery context. It does not claim strict certification against the official standard.

1.4 Intended Audience

Audience	Use of this SRS
Mentor / Supervisor	Review project requirement completeness and SAP490 alignment.
BA / PM	Maintain scope, traceability, open questions, and release priority.
Backend CAP Developer	Implement CDS model, service projections, actions, handlers, validations, audit, and notification records.
Fiori/UI5 Developer	Implement List Report/Object Page, value helps, actions, messages, and UI behavior.
QA / Tester	Derive functional, integration, and UAT test cases.

2. Product Scope

IDTS shall support defect reporting and tracking in an SAP software testing context. The system shall let Tester, Developer, and PM users create, classify, assign, review, request information, reject with follow-up, progress, resolve, retest, close, reopen, comment, audit, notify, and monitor bugs.

IDTS may offer similar-bug, classification, summary, and Smart Assign explanations as optional advisory AI. These suggestions are review-only, disabled by default until approved private configuration is supplied, and never replace CAP authorization, validation, assignment, or lifecycle decisions.

IDTS shall not become a full Jira, SAP Cloud ALM, SAP Solution Manager, ServiceNow, source-code management, CI/CD, code review, sprint planning, or mandatory AI root cause analysis platform.

3. References and Source Documents

Source	Purpose
docs/ba/brd/brd.en.md	Primary BRD source for business objectives, scope, requirements, risks, and traceability.
IDTS-SUMMARY.md	Canonical business summary and core flows.
IDTS-Business-Rule.md	Canonical business rules.
IDTS-PROJECT-SCOPE-SAP01.md	Canonical project scope.
docs/project-context.md	Current project context and handover baseline.
docs/ba/01-mvp-scope.md	MVP and out-of-scope baseline.
docs/ba/03-status-transition-matrix.md	Status transition and nextProcessor rules.
docs/ba/04-requirement-backlog.md	Requirement backlog and acceptance criteria.
docs/ba/05-data-dictionary.md	Conceptual data expectations.
docs/ba/06-authorization-matrix.md	Role and action permissions.
docs/ba/07-fiori-ux-requirements.md	Fiori UX expectations.
docs/ba/discovery/idts-63-ai-assistance-guardrails.md	Approved advisory-AI scope, privacy, safety, and human-review constraints.
docs/diagrams/	Existing use case, workflow, status, data, audit, and notification diagrams.
docs/knowledge/sap490-deliverable-guidance.md	SAP490 deliverable interpretation for CAP/Fiori.

4. Product Context

4.1 System Context

IDTS is a SAP CAP Node.js application exposed through OData V4 and consumed by a SAP Fiori Elements/SAPUI5 frontend. Local development uses SQLite and the shared-QA environment uses PostgreSQL. Endpoints and credentials are private configuration and shall not be hardcoded.




Figure 13. SRS System Context. IDTS Diagram Pack; editable master is maintained as a draw.io file with the project artifacts.

4.1.1 CAP/Fiori Architecture

This figure separates the browser UI, custom authentication, CAP OData service, workflow handlers, data model, and external delivery/storage adapters. It is a system view, not a deployment credential or endpoint specification.




Figure 02. CAP and Fiori Architecture. IDTS Diagram Pack; editable master is maintained as a draw.io file with the project artifacts.

4.1.2 Conceptual Data Model

This conceptual view explains the business relationships used for classification, assignment, history, notifications, attachments, and duplicate links. The CDS schema remains the implementation source of truth.




Figure 09. Conceptual IDTS Data Model. IDTS Diagram Pack; editable master is maintained as a draw.io file with the project artifacts.

4.2 User Classes

User class	Main responsibilities
Tester	Create, classify, update, assign, reassign, provide information, retest, close, and reopen bugs where allowed.
Developer	Review assigned bugs, request information, reject unsuitable assignment or classification, progress, resolve, and comment.
PM	Monitor all bugs, workload, overdue items, queues, rejected follow-up, nextProcessor, and escalation risks.

Reporter and Admin are not separate MVP user classes. Tester performs internal reporting responsibilities, while lightweight administrative responsibilities are handled by Tester or PM where authorized.

4.3 Operating Environment

Area	Requirement baseline
Backend	SAP CAP Node.js.
API	OData V4.
Frontend	Fiori Elements List Report/Object Page as

Area	Requirement baseline
	default; SAPUI5 extensions only when needed.
Local database	SQLite.
Shared-QA database	PostgreSQL; the long-term hosting/migration decision remains tracked separately.
Authentication / authorization	Custom CAP authentication with role-based behavior; SAP BTP/XSUAA is not required for the current environment.

5. Assumptions, Constraints, and Dependencies

5.1 Assumptions

ID	Assumption
ASM-001	SAP Module is optional because not every IDTS defect belongs to a SAP functional module.
ASM-002	Application Component and Defect Category are required for assignment filtering.
ASM-003	Component Category is the valid pair of Application Component and Defect Category.
ASM-004	Developer Responsibility maps Developers to Component Categories and optionally to SAP Modules.
ASM-005	Notification records are delivered through the configured Brevo API when enabled; delivery failure must not roll back the business workflow.
ASM-006	Attachment metadata is stored with the business record and attachment content is stored through the configured object storage.
ASM-007	BRD v1.2 is the business baseline for this SRS.

5.2 Constraints

ID	Constraint
CON-001	The solution shall stay within SAP490 MVP scope and shall not become a full ALM or project management system.
CON-002	The system shall not hardcode SAP BTP, HANA Cloud, PostgreSQL, email, webhook, or private endpoints.

ID	Constraint
CON-003	The system shall not store credentials, tokens, passwords, or service keys in repository files.
CON-004	Backend validation shall enforce business-critical rules; UI-only validation is not sufficient.
CON-005	Fiori implementation should prefer annotation-driven Fiori Elements before custom SAPUI5.

5.3 Dependencies

ID	Dependency	Impact
DEP-001	Mentor acceptance of SAP CAP/Fiori as SAP490 coding deliverable	May affect final report mapping.
DEP-002	Stable CDS model and service projections	Required before stable Fiori value helps and actions.
DEP-003	Confirm PM reassignment authority	Determines whether PM can directly assign/reassign or only request reassignment.
DEP-004	Confirm notification channel for MVP	Determines whether notification records are enough or external delivery is required.

6. Requirement Identification

SRS requirements use stable IDs:

Prefix	Area
SRS-FR-BUG	Bug creation and duplicate support
SRS-FR-CLASS	Classification
SRS-FR-ASSIGN	Assignment and Developer Responsibility
SRS-FR-STATUS	Status lifecycle
SRS-FR-COMMENT	Comments
SRS-FR-AUDIT	History and audit
SRS-FR-NOTIF	Notification records
SRS-FR-PM	PM monitoring
SRS-DATA	Data requirements
SRS-IF	Interface and UI requirements
SRS-NFR	Non-functional requirements

Priorities use MoSCoW: Must, Should, Could, Won't for MVP.

Verification methods:

Method	Meaning
Inspection	Review documents, data model, generated metadata, records, UI annotations, or stored data.
Demonstration	Manually demonstrate a Fiori or CAP flow.
Test	Execute manual or automated test cases with expected results.
Analysis	Evaluate derived output such as workload, overdue state, traceability, or queue logic.

7. Functional Software Requirements

7.1 Bug Reporting and Duplicate Support

ID	Source	Requirement Statement	Priority	Verification	Trace To
SRS-FR-BUG-001	BRD-BR-001, REQ-BUG-001	IDTS shall allow Tester users to create a bug report with title, description, priority, severity, environment, reproduction steps, actual result, expected result, SAP Module when relevant, Application Component, Defect Category, optional test references, and optional evidence metadata.	Must	Demonstration and test	FRS-BUG-001

ID	Source	Requirement Statement	Priority	Verification	Trace To
SRS-FR-BUG-002	BR-RULE-001, BR-05	IDTS shall validate mandatory bug fields before submit and reject submission when required data is missing.	Must	Test	FRS-BUG-001
SRS-FR-BUG-003	BR-RULE-002, REQ-BUG-002	IDTS shall provide search and filter support before creating a new bug so Tester users can identify similar open or closed bugs.	Must	Demonstration	FRS-BUG-002
SRS-FR-BUG-004	REQ-DUP-001	IDTS should support duplicate, similar, or related bug links after MVP core creation works.	Should	Inspection and demonstration	FRS-BUG-002
SRS-FR-BUG-005	BR-RULE-011	IDTS shall prevent free editing of closed bugs and shall require reopen when processing must continue.	Must	Test	FRS-STATUS-004

7.2 Classification

ID	Source	Requirement Statement	Priority	Verification	Trace To
SRS-FR-CLASS-001	BRD-BR-003, BR-RULE-003	IDTS shall distinguish SAP Module, Application Component, and Defect Category as separate classification concepts.	Must	Inspection and demonstration	FRS-CLASS-001
SRS-FR-CLASS-002	BR-42, REQ-CLS-001	IDTS shall treat SAP Module as optional business context and shall allow pure IDTS bugs to leave it empty.	Must	Test	FRS-CLASS-001
SRS-FR-CLASS-003	BR-42, REQ-CLS-001	IDTS shall require Application Component and Defect Category for bug submission.	Must	Test	FRS-CLASS-001
SRS-FR-CLASS-004	Data Dictionary	IDTS shall resolve a valid Component Category from the selected Application Component and Defect Category pair.	Must	Test	FRS-CLASS-001
SRS-FR-CLASS-005	Fiori UX Requirements	IDTS should support	Should	Demonstration	FRS-UX-001

ID	Source	Requirement Statement	Priority	Verification	Trace To
		dependent value help for Application Component and Defect Category in the Fiori create/edit flow.		n	

7.3 Assignment and Pending Assignment

ID	Source	Requirement Statement	Priority	Verification	Trace To
SRS-FR-ASSIGN-001	BRD-BR-004, BR-RULE-005, REQ-ASSIGN-001	IDTS shall filter Developer candidates by active Developer Responsibility for the selected Component Category and optional SAP Module.	Must	Test and demonstration	FRS-ASSIGN-001
SRS-FR-ASSIGN-002	BR-RULE-006	IDTS shall allow only one main Developer assignee for a bug at a time.	Must	Test	FRS-ASSIGN-001
SRS-FR-ASSIGN-003	BRD-BR-005, REQ-ASSIGN-002	IDTS shall allow a valid bug to be submitted as Pending Assignment when no suitable Developer is selected.	Must	Test	FRS-ASSIGN-002
SRS-FR-	BR-11, REQ-	IDTS shall	Must	Inspection	FRS-

ID	Source	Requirement Statement	Priority	Verification	Trace To
ASSIGN-004	REJECT-001	treat reassignment as an action and history event, not as a primary status.		and test	ASSIGN-003
SRS-FR-ASSIGN-005	BR-10, REQ-WORKLOAD-001	IDTS should provide workload warning or workload visibility before assignment when enough data exists.	Should	Demonstration and analysis	FRS-PM-001

7.4 Developer Review and Status Lifecycle

ID	Source	Requirement Statement	Priority	Verification	Trace To
SRS-FR-STATUS-001	BRD-BR-006, REQ-DEV-001	IDTS shall allow an assigned Developer to move an assigned bug to In Review.	Must	Test	FRS-DEV-001
SRS-FR-STATUS-002	BRD-BR-006, REQ-INFO-001	IDTS shall allow an assigned Developer to request more information with a required reason.	Must	Test	FRS-INFO-001
SRS-FR-STATUS-003	BRD-BR-007, BRD-BR-008, DEC-008	IDTS shall allow an assigned Developer to reject an unsuitable	Must	Test	FRS-REJECT-001

ID	Source	Requirement Statement	Priority	Verification	Trace To
		assignment or wrong classification only when a rejection reason and follow-up owner are recorded.			
SRS-FR-STATUS-004	BR-RULE-008, BR-RULE-009	IDTS shall treat Rejected as a follow-up status, not a terminal state, and shall allow follow-up transitions to Assigned or Pending Assignment after correction.	Must	Test	FRS-REJECT-001
SRS-FR-STATUS-005	REQ-DEV-001	IDTS shall allow Developer users to move valid reviewed bugs to In Progress and later to Resolved.	Must	Test	FRS-DEV-001
SRS-FR-STATUS-006	BRD-BR-009, BR-44	IDTS shall support Retest Required between Resolved and Closed when verification is needed.	Must	Test	FRS-STATUS-002
SRS-FR-	BRD-BR-009	IDTS shall	Must	Test	FRS-

ID	Source	Requirement Statement	Priority	Verification	Trace To
STATUS-007		allow Tester/PM users to close accepted resolved bugs or reopen bugs when the issue still exists.			STATUS-003
SRS-FR-STATUS-008	Status Transition Matrix	IDTS shall validate critical status transitions in backend logic according to the status transition matrix.	Must	Test	FRS-STATUS-005
SRS-FR-STATUS-009	BR-RULE-007, REQ-NEXTP-001	IDTS shall automatically maintain nextProcessor based on status, assignee, and action rules.	Must	Test and inspection	FRS-NEXTP-001

7.5 Comments, Audit, and Notifications

ID	Source	Requirement Statement	Priority	Verification	Trace To
SRS-FR-COMMENT-001	BRD-BR-010, REQ-COMMENT-001	IDTS shall allow authorized Tester, Developer, and PM users to add comments to a bug.	Must	Demonstration and test	FRS-COMMENT-001
SRS-FR-COMMENT-002	BR-RULE-012	IDTS shall not change bug status directly from	Must	Test	FRS-COMMENT-001

ID	Source	Requirement Statement	Priority	Verification	Trace To
		a comment.			
SRS-FR-AUDIT-001	BRD-BR-011, REQ-HISTORY-001	IDTS shall write history logs for create, edit, assign, reassign, status change, request information, reject, resolve, retest, close, reopen, attachment, comment, and key notification events.	Must	Inspection and test	FRS-AUDIT-001
SRS-FR-AUDIT-002	BR-32	IDTS shall store actor, role, timestamp, action type, old value, new value, and reason when available in history logs.	Must	Inspection	FRS-AUDIT-001
SRS-FR-NOTIF-001	BRD-BR-012, BR-29	IDTS shall create notification records for assigned, reassigned, information request, bug update, rejected, overdue, resolved,	Must	Inspection and test	FRS-NOTIF-001

ID	Source	Requirement Statement	Priority	Verification	Trace To
SRS-FR-NOTIF-002	BR-30	retest, and closed events when applicable. IDTS should keep external notification delivery pluggable and shall not hardcode channel endpoints.	Should	Inspection	FRS-NOTIF-001

7.6 PM Monitoring

ID	Source	Requirement Statement	Priority	Verification	Trace To
SRS-FR-PM-001	BRD-BR-013, REQ-PM-001	IDTS shall allow PM users to view all bugs and filter by status, priority, severity, SAP Module, Application Component, Defect Category, assignee, nextProcessor, date fields, and overdue state.	Must	Demonstration	FRS-PM-001
SRS-FR-PM-002	BR-21	IDTS shall provide workload visibility by Developer using assigned and open bug	Must	Analysis and demonstration	FRS-PM-001

ID	Source	Requirement Statement	Priority	Verification	Trace To
SRS-FR-PM-003	BR-23	counts. IDTS shall expose Pending Assignment, Need More Information, Retest Required, Rejected follow-up, and Overdue queues for PM monitoring.	Must	Demonstration	FRS-PM-001
SRS-FR-PM-004	BR-22	IDTS shall allow PM users to comment or request reassignment; direct reassignment by PM shall depend on an explicit authorization decision.	Must	Inspection and test	FRS-PM-002

7.7 Optional Advisory AI

ID	Source	Requirement Statement	Priority	Verification	Trace To
SRS-FR-AI-001	DISC-002	IDTS may provide similar-bug, classification, bug/handoff summary, and Smart Assign explanation suggestions only as	Should	Test and demonstration	FRS-AI-001

ID	Source	Requirement Statement	Priority	Verification	Trace To
		reviewable advisory output.			
SRS-FR-AI-002	DISC-002	AI output shall not create, edit, assign, reclassify, transition, close, reopen, or otherwise mutate a bug; the normal authorized action remains the only decision path.	Must	Test	FRS-AI-001
SRS-FR-AI-003	DISC-002	AI requests, responses, audit records, and user-visible failures shall exclude credentials, tokens, private endpoints, attachment bytes, raw provider output, and unnecessary personal data.	Must	Inspection and test	FRS-AI-001

8. Data Requirements

ID	Entity / Data Area	Requirement Statement	Priority	Verification
SRS-DATA-001	Bugs	IDTS shall store a unique technical ID and a human-	Must	Inspection

ID	Entity / Data Area	Requirement Statement	Priority	Verification
		readable bugNumber for every bug.		
SRS-DATA-002	Bugs	IDTS shall store status, priority, severity, environment, reproduction steps, actual result, expected result, reporter, assignee when assigned, and nextProcessor when applicable.	Must	Inspection
SRS-DATA-003	Bugs	IDTS shall store optional testCaseRef and testRunRef without implementing a full test management module.	Must	Inspection
SRS-DATA-004	Classification	IDTS shall store SAPModules, ApplicationComponents, DefectCategories, ComponentCategories, and DeveloperResponsibilities as maintainable master data or value-help data.	Must	Inspection
SRS-DATA-005	Responsibility	IDTS shall store active/inactive state for Developer profiles and responsibility	Must	Test

ID	Entity / Data Area	Requirement Statement	Priority	Verification
		mappings to prevent inactive Developers from being selected.		
SRS-DATA-006	Comments	IDTS shall store comment content, author, author role, timestamp, and parent bug reference.	Must	Inspection
SRS-DATA-007	Attachments	IDTS should store attachment metadata including file name, media type, storage reference, uploader, and timestamp.	Should	Inspection
SRS-DATA-008	Notifications	IDTS shall store notification event type, recipient, channel where known, delivery status, timestamp, and parent bug reference.	Must	Inspection
SRS-DATA-009	HistoryLogs	IDTS shall store history logs as bug-owned audit records.	Must	Inspection

9. External Interface and UI Interface Requirements

9.1 OData Interface

ID	Requirement Statement	Priority	Verification
SRS-IF-ODATA-001	IDTS shall expose core bug tracking	Must	Inspection and compile

ID	Requirement Statement	Priority	Verification
	data through OData V4 services suitable for Fiori Elements consumption.		
SRS-IF-ODATA-002	IDTS shall expose value-help data required for SAP Module, Application Component, Defect Category, Component Category, Developer, priority, severity, and status selection.	Must	Inspection and demonstration
SRS-IF-ODATA-003	IDTS shall expose actions or update operations for business-critical status transitions when simple field updates are not sufficient to enforce rules.	Should	Inspection and test

9.2 Fiori UI Interface

ID	Requirement Statement	Priority	Verification
SRS-IF-UI-001	IDTS shall use Fiori Elements List Report/Object Page as the default user interface for bug management.	Must	Demonstration
SRS-IF-UI-002	The List Report shall show key columns for bugNumber, title, status, priority, severity, SAP Module, Application Component, Defect Category, assignee, nextProcessor, due date, and update date	Must	Demonstration

ID	Requirement Statement	Priority	Verification
	where available.		
SRS-IF-UI-003	The Object Page shall group fields into Bug Details, Classification, Assignment, Reproduction, Comments, Attachments, History, Notifications, and PM Monitoring sections where implemented.	Must	Demonstration
SRS-IF-UI-004	UI actions shall be visible only when appropriate for role and status, while backend validation shall remain authoritative.	Must	Test
SRS-IF-UI-005	The UI shall show Rejected bugs with rejection reason, nextProcessor, and available follow-up actions.	Must	Demonstration

10. Non-Functional Requirements

ID	Category	Requirement Statement	Priority	Verification
SRS-NFR-SEC-001	Security	IDTS shall enforce role-based permissions for create, edit, assign, reject, resolve, close, reopen, monitoring, and administrative actions.	Must	Test
SRS-NFR-	Auditability	IDTS shall	Must	Inspection

ID	Category	Requirement Statement	Priority	Verification
AUD-001		preserve an audit trail for important lifecycle changes.		
SRS-NFR-INT-001	Data integrity	IDTS shall enforce required fields, valid classification pairs, valid assignee responsibility, and allowed status transitions.	Must	Test
SRS-NFR-USE-001	Usability	IDTS shall provide clear Fiori labels and value helps for SAP Module, Application Component, Defect Category, Assignee, and Next Processor.	Must	Demonstration
SRS-NFR-USE-002	Accessibility	IDTS should follow SAP Fiori accessibility and message handling guidance for forms, tables, validation messages, and status indicators.	Should	Inspection
SRS-NFR-PERF-001	Performance	IDTS shall support responsive search, filter, create, and status update behavior for educational and demo-scale	Must	Demonstration

ID	Category	Requirement Statement	Priority	Verification
SRS-NFR-MAINT-001	Maintainability	data. IDTS shall keep classification, value-help, and Developer Responsibility data maintainable rather than hardcoded in handlers.	Must	Inspection
SRS-NFR-CONF-001	Configuration	IDTS shall keep environment-specific values outside source code and shall not commit credentials or private endpoints.	Must	Inspection
SRS-NFR-LOC-001	Localization	User-facing UI text should be prepared for i18n during implementation.	Should	Inspection

11. Traceability Matrix

BRD Requirement	SRS Requirement IDs	FRS Target
BRD-BR-001 Structured bug reporting	SRS-FR-BUG-001, SRS-FR-BUG-002, SRS-DATA-001, SRS-DATA-002	FRS-BUG-001
BRD-BR-002 Duplicate checking	SRS-FR-BUG-003, SRS-FR-BUG-004	FRS-BUG-002
BRD-BR-003 Classification	SRS-FR-CLASS-001 to SRS-FR-CLASS-005, SRS-DATA-004	FRS-CLASS-001, FRS-UX-001
BRD-BR-004 Developer assignment	SRS-FR-ASSIGN-001, SRS-FR-ASSIGN-002, SRS-DATA-005	FRS-ASSIGN-001
BRD-BR-005 Pending Assignment	SRS-FR-ASSIGN-003, SRS-FR-PM-003	FRS-ASSIGN-002

BRD Requirement	SRS Requirement IDs	FRS Target
BRD-BR-006 Developer review	SRS-FR-STATUS-001, SRS-FR-STATUS-002, SRS-FR-STATUS-005	FRS-DEV-001, FRS-INFO-001
BRD-BR-007 Controlled rejection	SRS-FR-STATUS-003, SRS-FR-STATUS-004	FRS-REJECT-001
BRD-BR-008 Rejected follow-up	SRS-FR-STATUS-003, SRS-FR-STATUS-004, SRS-FR-STATUS-009	FRS-REJECT-001, FRS-NEXTP-001
BRD-BR-009 Status lifecycle	SRS-FR-STATUS-006 to SRS-FR-STATUS-008	FRS-STATUS-002 to FRS-STATUS-005
BRD-BR-010 Comments	SRS-FR-COMMENT-001, SRS-FR-COMMENT-002	FRS-COMMENT-001
BRD-BR-011 History log	SRS-FR-AUDIT-001, SRS-FR-AUDIT-002	FRS-AUDIT-001
BRD-BR-012 Notification records	SRS-FR-NOTIF-001, SRS-FR-NOTIF-002	FRS-NOTIF-001
BRD-BR-013 PM monitoring	SRS-FR-PM-001 to SRS-FR-PM-004	FRS-PM-001, FRS-PM-002

12. Verification Approach

Area	Verification approach
Requirements review	Review SRS against BRD, BA backlog, status matrix, authorization matrix, and project scope.
CAP model and service	Run CAP compile and inspect generated OData metadata when implementation exists.
Backend rules	Use manual or automated tests for required fields, assignment, status transition, Rejected follow-up, nextProcessor, history, and authorization.
Fiori behavior	Demonstrate List Report/Object Page creation, value helps, actions, validation messages, and semantic status indicators.
PM monitoring	Demonstrate filters, queues, workload, overdue state, and nextProcessor views with seed/demo data.
DOCX deliverable	Confirm Markdown tables render as true Word tables in generated DOCX.

13. Open Issues

ID	Open Issue	Owner	Impact
OI-SRS-001	Confirm whether PM can directly assign/reassign in MVP or only request reassignment.	Team / Mentor	Authorization and Fiori action visibility.
OI-SRS-002	Confirm notification delivery scope for MVP.	Team / Mentor	Whether notification records are enough.
OI-SRS-003	Confirm attachment storage approach.	Team / Mentor	File storage design and test evidence handling.
OI-SRS-004	Confirm overdue thresholds by priority/severity.	Team / PM	PM dashboard and escalation logic.
OI-SRS-005	Confirm SAP490 acceptance of CAP/Fiori artifacts as SAP Coding deliverables.	Team / Mentor	Final report structure and evidence mapping.

14. Glossary

Term	Meaning
SAP Module	Optional SAP business context such as FI, MM, SD, CO, PP, or HCM.
Application Component	The app, screen, service, or feature area where the bug appears.
Defect Category	The defect type or technical layer such as Fiori/UI5, CAP backend, database, authorization, integration, workflow, notification, or reporting.
Component Category	A valid Application Component and Defect Category pair.
Developer Responsibility	Mapping that defines which Developer can handle a Component Category and optional SAP Module.
Assignee	The main Developer responsible for technical handling of the bug.
nextProcessor	The current action owner or queue. It does not replace assignee.
Rejected	Follow-up status used when assignment or

Term	Meaning
	classification is unsuitable. It must have reason and next action.
Retest Required	Verification status between Resolved and Closed.
OData V4	API protocol used by CAP service and consumed by Fiori Elements.