

# HINOKI GLOBAL CONCEPTS INC.

154 A Narra St. Fortune Village 6, Parada, Valenzuela City  
TEL NOS. 3463085, 4430693 E-MAIL :[hinoki\\_hgci@outlook.com](mailto:hinoki_hgci@outlook.com)  
Website : [hinokiwoodworking.weebly.com](http://hinokiwoodworking.weebly.com)

March 5, 2021

DOST – MIMAROPA PSTC-Romblon

Trunkline : (02) 837-2071 loc.2092  
Telefax : (02) 837-3755  
Cell. Nos. : 0917-892-4778 (Globe) /  
0908-892-6883 (Smart)

Attention : Ms. Mae Angelica F. Famini

Re : Proposal for Bamboo Processing Equipment

Dear Sir/Madam,

We are pleased to submit herewith our technical specification for the Bamboo machines and technical expertise for the design, fabrication and installation of hereunder described project as per specification submitted.

Item No.	Description	No. Of Unit	Unit Amount
1	Twin Rip Saw	1	200,000.00

Procedures :

- Hinoki shall submit quotation and preliminary design upon client's confirmation of order.
- All specification and pages of quotation must be counter signed by the client. Once signed, this quotation will serve as the binding contract between Hinoki and the client.

Terms and conditions :

- Contract had been signed and machines specifications have been approved by client. Changes in design and specifications after confirmation shall be billed separately.
- Production and installation lead time is within 60-90 days from receipt of Purchase order.
- Machine installation and product demonstration.
- Inclusive of VAT.

Validity : This quotation is subject for confirmation within 30 days from date thereof

Warranty      One year within designed usage and specification.

Thank you for inquiring with us. We hope to have quoted within your requirements. Should this quotation meet your approval, please affix your signature on the space below. And if you have queries or questions, feel free to contact the undersigned at (632) 3463085, 4430693.

Submitted by :



**Joycelin Huang**  
**Hinoki Global Concepts Inc.**

Conforme :

\_\_\_\_\_

# HINOKI GLOBAL CONCEPTS INC.

154 A Narra St. Fortune Village 6, Parada, Valenzuela City  
TEL NOS. 3463085, 4430693 E-MAIL :[hinoki\\_hgci@outlook.com](mailto:hinoki_hgci@outlook.com)  
Website : [hinokiwoodworking.weebly.com](http://hinokiwoodworking.weebly.com)



## TWIN RIP SAW

MODEL	LOCALLY FABRICATED
Brand	HINOKI
Motor	3HP, 1PH rating capacity Voltage : 220V, 60Hz
Blade	12” dia x 40TCT (2 pcs)
Adjustable Blade	1, 1.5 and 2”
Capacity	1,200 slats/day

# HINOKI GLOBAL CONCEPTS INC.

154 A Narra St. Fortune Village 6, Parada, Valenzuela City  
TEL NOS. 3463085, 4430693 E-MAIL :[hinoki\\_hgci@outlook.com](mailto:hinoki_hgci@outlook.com)  
Website : [hinokiwoodworking.weebly.com](http://hinokiwoodworking.weebly.com)

October 17, 2020

Department of Science and Technology – Mimaropa Region

Trunkline : (02) 837-2071 loc.2092  
Telefax : (02) 837-3755  
Cell. Nos. : 0917-892-4778 (Globe) /  
0908-892-6883 (Smart)

Attention : Ms. Marcelina V. Servañez

Re : Proposal for Bamboo Processing Equipment

Dear Sir/Madam,

We are pleased to submit herewith our technical specification for the Bamboo machines and technical expertise for the design, fabrication and installation of hereunder described project as per specification submitted.

Item No.	Description	No. Of Unit	Unit Amount
1	Twin Rip Saw	1	150,000.00
2	Sliding Compound Miter Saw	1	45,000.00
3	MIG welding machine	1	35,000.00
4	MIG/TIG/MMA-250 Welding Machine	1	75,000.00
5	Diesel Generator	1	65,000.00

Procedures :

- Hinoki shall submit quotation and preliminary design upon client's confirmation of order.
- All specification and pages of quotation must be counter signed by the client. Once signed, this quotation will serve as the binding contract between Hinoki and the client.

Terms and conditions :

- Contract had been signed and machines specifications have been approved by client. Changes in design and specifications after confirmation shall be billed separately.
- Production and installation lead time is within 60-90 days from receipt of Purchase order.
- Machine installation and product demonstration.
- Inclusive of VAT.

Validity : This quotation is subject for confirmation within 30 days from date thereof

Warranty     One year within designed usage and specification.

Thank you for inquiring with us. We hope to have quoted within your requirements. Should this quotation meet your approval, please affix your signature on the space below. And if you have queries or questions, feel free to contact the undersigned at (632) 3463085, 4430693.

Submitted by :



**Joycelin Huang**  
**Hinoki Global Concepts Inc.**

Conforme :

\_\_\_\_\_

# HINOKI GLOBAL CONCEPTS INC.

154 A Narra St. Fortune Village 6, Parada, Valenzuela City  
TEL NOS. 3463085, 4430693 E-MAIL :[hinoki\\_hgci@outlook.com](mailto:hinoki_hgci@outlook.com)  
Website : [hinokiwoodworking.weebly.com](http://hinokiwoodworking.weebly.com)



## TWIN RIP SAW

MODEL	LOCALLY FABRICATED
Brand	HINOKI
Motor	3HP, 1PH rating capacity Voltage : 220V, 60Hz
Blade	12” dia x 40TCT (2 pcs)
Adjustable Blade	1, 1.5 and 2”
Capacity	1,200 slats/day
Length of carriage	2.4 meters

# HINOKI GLOBAL CONCEPTS INC.

154 A Narra St. Fortune Village 6, Parada, Valenzuela City  
TEL NOS. 3463085, 4430693 E-MAIL :[hinoki\\_hgci@outlook.com](mailto:hinoki_hgci@outlook.com)  
Website : [hinokiwoodworking.weebly.com](http://hinokiwoodworking.weebly.com)



## **SLIDING COMPOUND MITER SAW**

**Steady heavy duty cut on sturdy 4 point base.**

- 9 positive stops for common angles.
- Bevel cuts 0-45degrees left.

### **Specifications:**

Continuous rating Input: 1,650W

Max cutting capacity: at 0 degrees : 98x153mm (3-7/8"x6")

at 45 degrees : 70x149mm (2-3/4"x5-7/8")

Blade diameter: 305mm (12")

No load speed (rpm): 4,000

Dimensions (L x W x H): 674x610x607mm (26-1/2"x24"x23-7/8")

Net Weight: 16.8kg (37.0lbs)

# HINOKI GLOBAL CONCEPTS INC.

154 A Narra St. Fortune Village 6, Parada, Valenzuela City  
TEL NOS. 3463085, 4430693 E-MAIL :[hinoki\\_hgci@outlook.com](mailto:hinoki_hgci@outlook.com)  
Website : [hinokiwoodworking.weebly.com](http://hinokiwoodworking.weebly.com)



## MIG WELDING MACHINE WITH COMPLETE ACCESSORIES

### *2-in-1 Welding Application MIG-ARC*

Voltage	1 Phase AC220V
Frequency (Hz)	50/60
Rated Input Current	37.5
Output Current (A)	MIG: 40-200   ARC: 30-165
Output Voltage (V)	24
Duty Cycle	60%
Power Factor	0.73
Efficiency %	80%
Wire Machine	Built In
Wire Speed (m/min)	3-13
Post Flow (s)	1.0±0.5
Wire Diameter (mm)	0.8/1.0
Suitable Thickness (mm)	More than 0.8

**Inclusions:**  
Mig Torch Assembly, Ground Clamp, Electrode Holder



# HINOKI GLOBAL CONCEPTS INC.

154 A Narra St. Fortune Village 6, Parada, Valenzuela City  
TEL NOS. 3463085, 4430693 E-MAIL :[hinoki\\_hgci@outlook.com](mailto:hinoki_hgci@outlook.com)  
Website : [hinokiwoodworking.weebly.com](http://hinokiwoodworking.weebly.com)



## MIG/TIG/MMA-250 welding machine

Inverter dc 2 in 1 mig mma lift tig welding machine

1. Input voltage: 220V 50/60HZ
2. Rated input capacity: 6.1KVA
3. Power factor: 0.93
4. No-load voltage: 16-22
5. Current range: 40-160A
6. Rated duty cycle: 60%
7. Protection degree: IP21S
8. Welding wire : 0.6-0.8mm
9. Weight: 13.5kgs
10. Dimension: 43\*21\*35cm"

# HINOKI GLOBAL CONCEPTS INC.

154 A Narra St. Fortune Village 6, Parada, Valenzuela City  
TEL NOS. 3463085, 4430693 E-MAIL :[hinoki\\_hgci@outlook.com](mailto:hinoki_hgci@outlook.com)  
Website : [hinokiwoodworking.weebly.com](http://hinokiwoodworking.weebly.com)



## Diesel Generator

### Specifications

Rated voltage(V):220-240  
Rated frequency(Hz):60  
Phase:Single  
Max.output(kW):5.0  
Rated output(kW):4.5  
Rated speed(rpm):3600  
Engine:Diesel 9.0HP  
Displacement(ml):418  
Cooling system:Air-cooled  
Starting system:Electric+Recoil  
Copper coil alternator  
Fuel tank(L):16  
Dry weight(Kg):102

# HINOKI GLOBAL CONCEPTS INC.

154 A Narra St. Fortune Village 6, Parada, Valenzuela City  
TEL NOS. 3463085, 4430693 E-MAIL :[hinoki\\_hgci@outlook.com](mailto:hinoki_hgci@outlook.com)  
Website : [hinokiwoodworking.weebly.com](http://hinokiwoodworking.weebly.com)

September 16, 2020

Department of Science and Technology  
Romblon Provincial Office

MARCELINA V. SERVANEZ  
**Provincial Science and Technology Director**

Re : Proposal for Bamboo Processing Equipment

Dear Sir/Madam,

We are pleased to submit herewith our technical specification for the Bamboo machines and technical expertise for the design, fabrication and installation of hereunder described project as per specification submitted.

Item No.	Description	No. Of Unit	Unit Amount
1	Pole Cutter w/ one unit extra blade	1	50,000.00
2	Bamboo Splitter w/ one set of blades 6 7 8 10 11 12 13 14	1	356,500.00
3	Bamboo Slicer w/ one unit extra blade	1	238,000.00
4	Thickness Planer	1	230,000.00

Procedures :

- Hinoki shall submit quotation and preliminary design upon client’s confirmation of order.
- All specification and pages of quotation must be counter signed by the client. Once signed, this quotation will serve as the binding contract between Hinoki and the client.

Terms and conditions :

- Contract had been signed and machines specifications have been approved by client. Changes in design and specifications after confirmation shall be billed separately.
- Production and installation lead time is within 60-90 days from receipt of Purchase order.
- Machine installation and product demonstration.
- Inclusive of VAT.
- FOB Romblon

Validity : This quotation is subject for confirmation within 30 days from date thereof

Warranty     One year within designed usage and specification.

Thank you for inquiring with us. We hope to have quoted within your requirements. Should this quotation meet your approval, please affix your signature on the space below. And if you have queries or questions, feel free to contact the undersigned at (632) 3463085, 4430693.

Submitted by :



**Joycelin Huang**  
**Hinoki Global Concepts Inc.**

Conforme :

\_\_\_\_\_

# HINOKI GLOBAL CONCEPTS INC.

154 A Narra St. Fortune Village 6, Parada, Valenzuela City  
TEL NOS. 3463085, 4430693 E-MAIL :[hinoki\\_hgci@outlook.com](mailto:hinoki_hgci@outlook.com)  
Website : [hinokiwoodworking.weebly.com](http://hinokiwoodworking.weebly.com)



## BAMBOO POLE CUTTER

Motor	2HP, 1 PH rating capacity Voltage : 220V, 60Hz (optional 3 phase)
Blade	14" dia x 80TCT
Capacity	1pole/minute
Bamboo diameter	Maximum 6" diameter

# HINOKI GLOBAL CONCEPTS INC.

154 A Narra St. Fortune Village 6, Parada, Valenzuela City  
TEL NOS. 3463085, 4430693 E-MAIL :[hinoki\\_hgci@outlook.com](mailto:hinoki_hgci@outlook.com)  
Website : [hinokiwoodworking.weebly.com](http://hinokiwoodworking.weebly.com)



## BAMBOO SPLITTER

Dimensions	3000 x 850 x 1200mm
Motor	1.5hp, 1PH, 220volts
Weight	630 kgs.
Inclusive Accessories	10 splitter cutterhead x1

- This machine is used for dissecting the round bamboo section into certain width pieces. Bamboo stick is pushed against the round cutterhead and is dissected according to the number of splitter knives in the cutter head.
- Optional Additional Accessories: 5 to 14 splitter knives cutter head.
- Can be supplied in 220 volts upon client’s advice.

# HINOKI GLOBAL CONCEPTS INC.

154 A Narra St. Fortune Village 6, Parada, Valenzuela City  
TEL NOS. 3463085, 4430693 E-MAIL :hinoki\_hgci@outlook.com  
Website : hinokiwoodworking.weebly.com



## BAMBOO SLICER MACHINE

MODEL	:	CYM-003
WIDTH OF BAMBOO	:	0-33 MM
THICKNESS OF BAMBOO	:	0-20 MM
SLICING THICKNESS	:	3-17 MM
FEEDING SPEED	:	100- 320 FT/MIN
MOTOR	:	1 HP , SINGLE PHASE
		220 VOLTS
MACHINE SIZE	:	18" X 18" X 35"
PACKING SIZE	:	21" X 21" X 40"

# HINOKI GLOBAL CONCEPTS INC.

154 A Narra St. Fortune Village 6, Parada, Valenzuela City  
TEL NOS. 3463085, 4430693 E-MAIL :[hinoki\\_hgci@outlook.com](mailto:hinoki_hgci@outlook.com)  
Website : [hinokiwoodworking.weebly.com](http://hinokiwoodworking.weebly.com)



## THICKNESS PLANER

MODEL	AN-20
Brand	HINOKI
Motor	3PH, 3HP, 220V, 5400 revolutions/min, Voltage : 60Hz TEFC copper wire stator
Cutterhead	80 to 100 mmdia x 450mm to 510 Length
# of Knives	3 high speed steel HSS
Feeding speed	13.5 m/min
Spindle speed	4500rpm to 5200 rpm
Max planing depth	4mm
Workingwidth	400mmto 510mm
Max Working Thickness	150mm