

INDUSTRIAL SYSTEMS PROVIDER, INC.

TO:

DEPARTMENT OF SCIENCE AND TECHNOLOGY

Occidental Mindoro Provincial Science an Technology Center GF Blessings I Building, F.Y Manalo Ave. Barangay Pag-asa, San Jose 5100 Occidental Mindoro QUOTATION

Quotation No.:

DISPI22-51834

Date:

6/27/22

Price Validity:

30 Days

Delivery:

30-60 Days

Attn: Mr. Antonio Delos Santos Jr.

Project Assistant II

We are pleased to submit our offer of Lot Price Quotation.

Autoclave/17 Liters Fermentation Tank/1,000L, Stainless Steel/Glass window/dispensing faucet. Heavy Duty Osteorizer/Blender/220v/1L Inoculating Chamber/ Glass type/ 2 ft x 3ft x 3ft Stainless Table/200 cm x 100 cm Disintegrator, 25000 pm, 200 v 2500 kg capacity Our Offer: Autoclave, Brand: BIOBASE, Model: BKM-ZIBN (18 liters) FABRICATED FERMENTATION TANK OPTION1 FABRICATED FERMENTATION TANK CAPACITY: 1000 LITERS MATERIAL: 3MMT-304 STAINLESS STEEL TANK DIMENSION: 1D 950mm X H 1524mm Total height: 2133.5mm OPTION2 FERMENTATION TANK FLOATING LIP TYPE, Made in China Floated did Cylindrical shell/Slope or Conical bottom Supporting legs, Cooling jackel, Pump with pressure gauge, Manual windlase, Lifting am, Broadings valve, Bottom retungular door or side oval door, Sampling valve, Thermacher Inde/ Outel, Total outlet, Total outlet, Heavy Duty Osteorizer/Blender/220v/1L Otter Professional Series Blender, perfect for heavy duty professional series Blender, Food Chopper + Oster Professional Series Blender, perfect for heavy duty professional series Glender with All-Metall Drive? Other Professional Series Blender, Food Chopper + Oster Professional Series Blender, Professional series (Prower) - 600w (Speed) - 2-speed toggle switch (Promer) - 25.5 x 21.5 x 35 cm (Promer) - 25.5 x 21.5 x 35 cm	ITEM	DESCRIPTION	QTY	UNIT	UNIT PRICE	AMOUNT
Fermentation Tank/ 1,000L, Stainless Steel/Glass window/dispensing faucet. Heavy Duty Osteorizer/Blender/220v/1L Inoculating Chamber/ Glass type/ 2ft x 3ft x 3ft Stainless Table/200 on x 100 cm Disintegrator, 25000 rpm, 200 v 2500 kg capacity Our Offer: Autoclave, Brand: BIOBASE, Model: BKM-218N (18 liters) FABRICATED FERMENTATION TANK OPTION! FABRICATED FERMENTATION TANK CAPACITY: 1000 LITERS MATERIAL: 3MMT – 304 STAINLESS STEEL TANK DIMENSION: 10950mm XH 1524mm Total height: 2133.6mm OPTION 2 FERMENTATION TANK FLOATING LIP TYPE, Made in China Floated lid Cylindrical shell/Slope or Conical bottom Supporting lega, Cooling jacket, Pump with pressure gauge, Minutul windlass, Liting arm, Breatiling valve, Bottom reclamacide offer or side oval door, Sampling valve, Thermoneter Inled/Outlet, Total outlet, Drain outlet Heavy Duty Osteorizer/Blender/220v/1L Heavy Duty Osteorizer/Blender/220v/1L Steer Professional Series Blender, perfect for heavy duty professional use! - [Power] - 6000 - [Speed] - 2-speed toggle switch - [Function] - Confinuous (switch up) and controlled/pulse (press switch down) blending - [Dumbitty] - Exclusive All-Metal Drive* system - [Blade] - High performance ico-crashing stainless steel blade - [Capacity] - 5-cup (1,52L) hear-resistant glass jar - [Dimensional] - 2.5 x 2.1 5 x 3.5 cm 4 Streit Brook and the coulton Chamber In unit 93,500.00 PHP 93,500.00						
Heavy Duty Osteorizer/Blender/220v/1L Inoculating Chamber/ Glass type/ 2ft x 3ft x 3ft Stainless Table/200 cm x 100 cm Disintegrator, 25000 rpm, 200 v 2500 kg capacity Davi Offer: Autoclave, Brand: BIOBASE, Model: BKM-Z18N (18 liters) FABRICATED FERMENTATION TANK OPTION 1 FABRICATED FERMENTATION TANK CAPACITY: 1000 LITERS MATERIAL: 3MMT – 304 STAINLESS STEEL TANK DIMENSION: ID 950mm X H 1524mm Total height: 2133.6mm OPTION 2 FERMENTATION TANK FLOATING IJP TYPE, Made in China Floated lid Cylindrical shell/Slope or Conical bottom Supporting legs, Cooling jacket, Pump with pressure gauge, Manual windlass, Litting ann, Breating wave, Detom reclangular door or side oval door, Sampling valve, Themometer land/ Dutel. Tool outsel, Drain outset Heavy Duty Osteorizer/Blender/220v/1L Oster Professional Series Blender with All-Metal Driver™ System, 600 watts, Blender Shaker, Grinder, Food Chopper + Oster Professional Series Blender, perfect for heavy duty professional use! —[Fower] – 600W —[Speed] – 2-speed toggle switch —[Function] – Continuous (switch up) and controlled/pulse (press switch down) blending —[Durability] – Exchaive All-Metal Driver™ system —[Blade] – High performance ice-crushing stainless steel blade —[Capacity] – S-cup (1,52L) heast-resistant glass jar —[Dimensional] – 2-5. x 21.5 x 35 cm 4 Streile hootsubton Chamber 1 unit 93,500.00 PHP 93,500.00	1	Autoclave/ 17 Liters				
Heavy Duty Osteorizer/Blender/220v/1L Inoculating Chamber/ Glass type/ 2ft x 3ft x 3ft Stainless Table/200 cm x 100 cm Disintegrator, 25000 rpm, 200 v 2500 kg capacity Disintegrator, 25000 rpm, 200 v 2500 kg capacity Our Offer.	,	Fermentation Tank/ 1,000L, Stainless Steel/Glass window/dispensing faucet.		1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Inoculating Chamber/ Glass type/ 2ft x 3ft x 3ft	2					
Stainless Table/2/00 cm x 100 cm Disintegrator, 25000 rpm, 200 v 2500 kg capacity Our Offer. Autoclave, Brand: BIOBASE, Model: BKM-ZISN (18 liters) FABRICATED FERMENTATION TANK OPTION1 FABRICATED FERMENTATION TANK CAPACITY: 1000 LITERS MATERIAL: 3MMT – 304 STAINLESS STEEL TANK DIMENSION: ID 950mm X H 1524mm Total height: 2133.6mm OPTION2 FERMENTATION TANK FLOATING LIP TYPE, Made in China Floated lid Cylindrical shell/Slope or Conical bottom Supporting leas, Cooling jacket, Pump with pressure gauge, Manual windlass, Lifting am, Breathing valve, Botten rectangular door or side oval door, Sampling valve, Themsometer Taled Outlet, Total outlet, Drain outlet Heavy Duty Osteorizer/Blender/220v/IL Heavy Duty Osteorizer/Blender/220v/IL Oster Professional Series Blender, perfect for heavy duty professional use! - [Power] – 600w - [Speed] – 2-speed toggle switch - [Function] – Continuous (switch up) and controlled/pulse (press switch down) blending - [Durability] – Exclusive All-Metal Drive TM system - [Blade] – High performance ico-crushing stainless steel blade - [Capacity] – S-cup (I, SZL) hear-resistant glass jar - [Dimensions] – 25.5 x 21.5 x 35 cm Similes as steel blade - [Capacity] – S-cup (I, SZL) hear-resistant glass jar - [Dimensions] – 25.5 x 21.5 x 35 cm 4 Sterile Inoculation Chamber						
Disintegrator, 25000 rpm, 200 v 2500 kg capacity Our Offer. Autoclave, Brand: BIOBASE, Model: BKM-ZISN (18 liters) FABRICATED FERMENTATION TANK OPTION 1 FABRICATED FERMENTATION TANK CAPACITY: 1000 LITERS MATERIAL: 3MMT – 304 STAINLESS STEEL TANK DIMENSION: ID 950mm X H 1524mm Total height: 2133.6mm OPTION 2 FERMENTATION TANK FLOATING LIP TYPE, Made in China Floated lid Cylindrical shell/Slope or Conical bottom Supporting legx, Cooling jacket, Pump with pressure gauge, Manual windlass, Lifting arm, Breatting valve, Bottom rectangular door or side oval door, Sampling valve, Thermometer Incl. Cymin culted Heavy Duty Osteorizer/Blender/220v/IL Heavy Duty Osteorizer/Blender/220v/IL Oster Professional Series Blender with All-Metal Drive™ System, 600 watts, Blender Shaker, Grinder, Food Chopper + Oster Professional Series Blender, perfect for heavy duty professional use! - [Fower] − 600w - [Speed] − 2-speed toggle switch - [Function] − Continuous (switch up) and controlled/pulse (press switch down) blending - [Durability] − Exclusive All-Metal Drive™ system - [Blade] − High performance ice-crushing stainless steel blade - [Capacity] − S-cup (1.521) heat-resistant glass jar - [Dimensions] − 25.5 x 21.5 x 35 cm 4 Sterile Inoculation Chamber 1 unit 93,500.00 PHP 93,500.00 PHP 93,500.00						
Our Offer: Autoclave, Brand: BIOBASE, Model: BKM-ZI8N (18 liters) FABRICATED FERMENTATION TANK OPTION 1 FABRICATED FERMENTATION TANK CAPACITY: 1000 LITERS MATERIAL: 3MMT - 304 STAINLESS STEEL TANK DIMENSION: 1D 950mm X H 1524mm Total height: 2133.6mm OPTION 2 FERMENTATION TANK FLOATING LIP TYPE, Made in China Floated lid Cylindrical shell/Slope or Conical bottom Supporting legs, Cooling jacket, Pump with pressure gauge, Manual windlass, Litting arm, Breathing valve, Bottom restangular door or side oval door, Sampling valve, Thermometer Inde/ Outdet, Total outlet, Drain outlet Heavy Duty Osteorizer/Blender/220v/IL Oster Professional Series Blender with All-Metal Drive TM System, 600 watts, Blender Shaker, Grinder, Food Chopper + Oster Professional Series Blender, perfect for heavy duty professional use! - [Power] - 600w - [Speed] - 2-speed toggle switch - [Function] - Continuous (switch up) and controlled/pulse (press switch down) blending - [Durability] - Exclusive All-Metal Drive TM system - [Blade] - High performance ico-crushing stainless steel blade - [Capacity] - 5-cup (1.521, heat-resistant glass jar - [Dimensions] - 25.5 x 21.5 x 35 cm 4 Sterile Inoculation Chamber 1 unit 93,500.00 PHP 93,500.00						
Autoclave, Brand: BIOBASE, Model: BKM-Z18N (18 liters) FABRICATED FERMENTATION TANK OPTION 1 FABRICATED FERMENTATION TANK CAPACITY: 1000 LITERS MATERIAL: 3MMT – 304 STAINLESS STEEL TANK DIMENSION: 1D 950mm X H 1524mm Total height: 2133.6mm OPTION 2 FERMENTATION TANK FLOATING LIP TYPE, Made in China Floated lid Cylindrical shell/Slope or Conical bottom Supporting legs, Cooling jacket, Pump with pressure gauge, Manual windlass, Litting arm, Breathing valve, Bottom rectangular door or side oval door, Sampling valve, Thermometer Inlet/ Outlet, Total outlet, Drain outlet Heavy Duty Osteorizer/Blender/220v/IL Heavy Duty Osteorizer/Blender/220v/IL Oster Professional Series Blender with All-Metal Drive™ System, 600 watts, Blender Shaker, Grinder, Food Chopper + Oster Professional Series Blender, perfect for heavy duty professional use! - [Power] - 600w - [Speed] - 2-speed toggle switch - [Function] - Continuous (switch up) and controlled/pulse (press switch down) blending - [Durability] - Exclusive All-Metal Drive™ system - [Blade] - High performance ice-crushing stainless steel blade - [Capacity] - S-cup (1.52L) heat-resistant glass jar - [Dimensions] - 25.5 x 21.5 x 35 cm 4 Sterile Insoculation Chamber 1 unit 93,500.00 PHP 95,000.00 PHP 1,100,000.00 PHP 1,100,000.00 PHP 1,100,000.00 PHP 1,500,000.00 PHP 1,100,000.00 PHP 1,500,000.00 PHP 95,000.00 PHP 95,000.00 PHP 95,000.00 PHP 95,000.00 PHP 95,0	6	Disintegrator, 25000 rpm, 200 V 2500 kg capacity				
Autoclave, Brand: BIOBASE, Model: BKM-Z18N (18 liters) FABRICATED FERMENTATION TANK OPTION 1 FABRICATED FERMENTATION TANK CAPACITY: 1000 LITERS MATERIAL: 3MMT – 304 STAINLESS STEEL TANK DIMENSION: 1D 950mm X H 1524mm Total height: 2133.6mm OPTION 2 FERMENTATION TANK FLOATING LIP TYPE, Made in China Floated lid Cylindrical shell/Slope or Conical bottom Supporting legs, Cooling jacket, Pump with pressure gauge, Manual windlass, Litting arm, Breathing valve, Bottom rectangular door or side oval door, Sampling valve, Thermometer Inlet/ Outlet, Total outlet, Drain outlet Heavy Duty Osteorizer/Blender/220v/IL Heavy Duty Osteorizer/Blender/220v/IL Oster Professional Series Blender with All-Metal Drive™ System, 600 watts, Blender Shaker, Grinder, Food Chopper + Oster Professional Series Blender, perfect for heavy duty professional use! - [Power] - 600w - [Speed] - 2-speed toggle switch - [Function] - Continuous (switch up) and controlled/pulse (press switch down) blending - [Durability] - Exclusive All-Metal Drive™ system - [Blade] - High performance ice-crushing stainless steel blade - [Capacity] - S-cup (1.52L) heat-resistant glass jar - [Dimensions] - 25.5 x 21.5 x 35 cm 4 Sterile Insoculation Chamber 1 unit 93,500.00 PHP 95,000.00 PHP 1,100,000.00 PHP 1,100,000.00 PHP 1,100,000.00 PHP 1,500,000.00 PHP 1,100,000.00 PHP 1,500,000.00 PHP 95,000.00 PHP 95,000.00 PHP 95,000.00 PHP 95,000.00 PHP 95,0		0				
FABRICATED FERMENTATION TANK OPTION 1 FABRICATED FERMENTATION TANK CAPACITY: 1000 LITERS MATERIAL: 3MMT – 304 STAINLESS STEEL TANK DIMENSION: ID 950mm X H 1524mm Total height: 213.5mm OPTION 2 FERMENTATION TANK FLOATING LIP TYPE, Made in China Floated lid Cylindrical shell/Slope or Conical bottom Supporting legs, Cooling jacket, Pump with pressure gauge, Manual windlass, Lifting arm, Breathing valve, Bottom rectangular door or side oval door, Sampling valve, Thermometer Inde/ Outlet, Total outlet, Drain outlet Heavy Duty Osteorizer/Blender/220v/1L Ster Professional Series Blender with All-Metal Drive TM System, 600 watts, Blender Shaker, Grinder, Food Chopper + Oster Professional Series Blender, perfect for heavy duty professional use! - [Power] – 600w - [Speed] – 2-speed toggle switch - [Function] – Confinaous (switch up) and controlled/pulse (press switch down) blending - [Durability] – Exclusive All-Metal Drive TM system - [Blade] – High performance ice-crushing stainless steel blade - [Capacity] – Seup (L52L) heat-resistant glass jar - [Dimensions] – 25.5 x 21.5 x 35 cm 4 Sterile Incoulation Chamber 1 unit 93,500.00 PHP 1,100,000.00 PHP 1,100,000.00 PHP 1,100,000.00 PHP 1,500,000.00 PHP 1,500,000.00	1		1	unit	95,000.00	PHP 95,000.00
PHP 1,100,000.00 FABRICATED FERMENTATION TANK CAPACITY: 1000 LITERS MATERIAL: 3MMT = 304 STAINLESS STEEL. TANK DIMENSION: ID 950mm X H 1524mm Total height: 2133.6mm OPTION 2 FERMENTATION TANK FLOATING LIP TYPE, Made in China Floated lid Cylindrical shell/Slope or Conical bottom Supporting legs, Cooling jacket, Pump with pressure gauge, Manual windlass, Lifting arm, Breathing valve, Bottom rectangular door or side oval door, Sampling valve, Thernometer Intel/ Outel, Total outlet, Drain outlet Heavy Duty Osteorizer/Blender/220v/1L 3 Heavy Duty Osteorizer/Blender/220v/1L Oster Professional Series Blender with All-Metal Drive™ System, 600 watts, Blender Shaker, Grinder, Food Chopper + Oster Professional Series Blender, perfect for heavy duty professional use! - [Power] − 600w - [Speed] − 2-speed toggle switch - [Function] − Continuous (switch up) and controlled/pulse (press switch down) blending - [Durability] − Exclusive All-Metal Drive™ system - [Blade] − High performance ice-crushing stainless steel blade - (Capacity) − 5-cup (1.52L) heat-resistant glass jar - [Dimensions] − 25.5 x 21.5 x 35 cm 4 Sterile Incoulation Chamber 1 unit 93,500.00 PHP 1,100,000.00 PHP 1,100,000.00 PHP 1,500,000.00						
FABRICATED FERMENTATION TANK CAPACITY: 1000 LITERS MATERIAL: 3MMT = 304 STAINLESS STEEL TANK DIMENSION: ID 950mm X H 1524mm Total height: 2133.6mm OPTION 2 FERMENTATION TANK FLOATING LIP TYPE, Made in China Floated lid Cylindrical shell/Slope or Conical bottom Supporting legs, Cooling jacket, Pump with pressure gauge, Manual windlass, Litting am, Breatling valve, Bottom retengular door or side oval door, Sampling valve, Thermometer Inlet/ Outlet, Total outlet, Drain outlet Heavy Duty Osteorizer/Blender/220v/IL Oster Professional Series Blender with All-Metal Drive™ System, 600 watts, Blender Shaker, Grinder, Food Chopper + Oster Professional Series Blender, perfect for heavy duty professional use! - [Power] − 600w - [Speed] − 2-speed toggle switch - [Function] − Continuous (switch up) and controlled/pulse (press switch down) blending - [Durability] − Exclusive All-Metal Drive™ system - [Blade] − High performance ice-crushing stainless steel blade - [Capacity] − S-cup (1.52L) heat-resistant glass jar - [Dimensions] − 25.5 x 21.5 x 35 cm 4 Sterile Incoulation Chamber 1 unit 93,500.00 PHP 1,500,000.00 PHP	2		1		550,000,00	DHD 1 100 000 00
CAPACITY: 1000 LITERS MATERIAL: 3MMT – 304 STAINLESS STEEL TANK DIMENSION: ID 950mm X H 1524mm Total height: 2133.6mm OPTION 2 FERMENTATION TANK FLOATING LIP TYPE, Made in China Floated lid Cylindrical shell/Slope or Conical bottom Supporting legs, Cooling jacket, Pump with pressure gauge, Manual windlass, Lifting am, Breathing valve, Bottom retangular door or side oval door, Sampling valve, Thermometer Inlet/ Outlet, Total outlet, Drain outlet Heavy Duty Osteorizer/Blender/220v/IL Oster Professional Series Blender with All-Metal Drive™ System, 600 watts, Blender Shaker, Grinder, Food Chopper + Oster Professional Series Blender, perfect for heavy duty professional use! - [Power] - 600w - [Speed] - 2-speed toggle switch - [Function] - Continuous (switch up) and controlled/pulse (press switch down) blending - [Durability] - Exclusive All-Metal Drive™ system - [Blade] - High performance ice-crushing stainless steel blade - [Capacity] - 5-cup (1.52L) heat-resistant glass jar - [Dimensions] - 25.5 x 21.5 x 35 cm Sterile Incoulation Chamber 1 unit 93,500.00 PHP 93,500.00		사용 및 등의 경우 전 경우	2	units	330,000.00	1111 1,100,000.00
MATERIAL: 3MMT – 304 STAINLESS STEEL TANK DIMENSION: ID 950mm X H 1524mm Total height: 2133.6mm OPTION 2 FERMENTATION TANK FLOATING LIP TYPE, Made in China Floated lid Cylindrical shell/Slope or Conical bottom Supporting legs, Cooling jacket, Pump with pressure gauge, Manual windlass, Lifting arm, Breathing valve, Bottom rectangular door or side oval door, Sampling valve, Thermometer Inlet/ Outlet, Total outlet, Drain outlet Heavy Duty Osteorizer/Blender/220v/1L Oster Professional Series Blender with All-Metal Drive™ System, 600 watts, Blender Shaker, Grinder, Food Chopper + Oster Professional Series Blender, perfect for heavy duty professional use! - [Power] − 600w - [Speed] − 2-speed toggle switch - [Function] − Continuous (switch up) and controlled/pulse (press switch down) blending - [Durability] − Exclusive All-Metal Drive™ system - [Blade] − High performance ice-crushing stainless steel blade - [Capacity] − 5-cup (1.52L) heat-resistant glass jar - [Dimensions] − 25.5 x 21.5 x 35 cm Sterile Inoculation Chamber 1 unit 93,500.00 PHP 1,500,000.00 PHP 93,500.00 PHP 93,500.00						
TANK DIMENSION: ID 950mm X H 1524mm Total height: 2133.6mm OPTION 2 FERMENTATION TANK FLOATING LIP TYPE, Made in China Floated lid Cylindrical shell/Slope or Conical bottom Supporting legs, Cooling jackel, Pump with pressure gauge, Manual windlass, Lifting arm, Breathing valve, Bottom rectangular door or side oval door, Sampling valve, Thermometer Inlet/Outlet, Total outlet, Drain outlet Heavy Duty Osteorizer/Blender/220v/IL Heavy Duty Osteorizer/Blender/220v/IL Oster Professional Series Blender with All-Metal Drive™ System, 600 watts, Blender Shaker, Grinder, Food Chopper + Oster Professional Series Blender, perfect for heavy duty professional use! - [Power] − 600w - [Speed] − 2-speed toggle switch - [Function] − Continuous (switch up) and controlled/pulse (press switch down) blending - [Durability] − Exclusive All-Metal Drive™ system - [Blade] − High performance ice-crushing stainless steel blade - [Capacity] − 5-cup (1.52L) heat-resistant glass jar - [Dimensions] − 25.5 x 21.5 x 35 cm Sterile Inoculation Chamber 1 unit 93,500.00 PHP 1,500,000.00 PHP 1,500,000.00 PHP 1,500,000.00 PHP 1,500,000.00 PHP 1,500,000.00 PHP 1,500,000.00 PHP 93,500.00 PHP 93,500.00	-	Annahment a series				
Total height: 2133.6mm OPTION 2 FERMENTATION TANK FLOATING LIP TYPE, Made in China Floated lid Cylindrical shell/Slope or Conical bottom Supporting legs, Cooling jacket, Pump with pressure gauge, Manual windlass, Lifting arm, Breathing valve, Bottom rectangular door or side oval door, Sampling valve, Thermometer Inled/Outlet, Total outlet, Drain outlet Heavy Duty Osteorizer/Blender/220v/11. 1 unit 12,000.00 PHP 12,000.00 PHP 12,000.00 PHP 12,000.00 PHP 12,000.00 PHP 12,000.00 PHP 13,000.00 PHP 13,000.0						
PHP 1,500,000.00 FERMENTATION TANK FLOATING LIP TYPE, Made in China Floated lid Cylindrical shell/Slope or Conical bottom Supporting legs, Cooling jacket, Pump with pressure gauge, Manual windlass, Lifting arm, Breathing valve, Bottom rectangular door or side oval door, Sampling valve, Thermometer Inlet/Outlet, Total outlet, Drain outlet Heavy Duty Osteorizer/Blender/220v/IL 3 Heavy Duty Osteorizer/Blender/220v/IL Oster Professional Series Blender with All-Metal Drive™ System, 600 watts, Blender Shaker, Grinder, Food Chopper + Oster Professional Series Blender, perfect for heavy duty professional use! - [Power] − 600w - [Speed] − 2-speed toggle switch - [Function] − Continuous (switch up) and controlled/pulse (press switch down) blending - [Durability] − Exclusive All-Metal Drive™ system - [Blade] − High performance ice-crushing stainless steel blade - [Capacity] − 5-cup (1.52L) heat-resistant glass jar - [Dimensions] − 25.5 x 21.5 x 35 cm 4 Sterile Inoculation Chamber 1 unit 750,000.00 PHP 1,500,000.00						
FERMENTATION TANK FLOATING LIP TYPE, Made in China Floated lid Cylindrical shell/Slope or Conical bottom Supporting legs, Cooling jacket, Pump with pressure gauge, Manual windlass, Lifting arm, Breathing valve, Bottom rectangular door or side oval door, Sampling valve, Thermometer Inlet/Outlet, Total outlet, Drain outlet Heavy Duty Osteorizer/Blender/220v/1L 3 Heavy Duty Osteorizer/Blender/220v/1L Oster Professional Series Blender with All-Metal Drive TM System, 600 watts, Blender Shaker, Grinder, Food Chopper + Oster Professional Series Blender, perfect for heavy duty professional use! [Power] – 600w [Speed] – 2-speed toggle switch [Function] – Continuous (switch up) and controlled/pulse (press switch down) blending [Durability] – Exclusive All-Metal Drive TM system [Blade] – High performance ice-crushing stainless steel blade [Capacity] – 5-cup (1.52L) heat-resistant glass jar [Dimensions] – 25.5 x 21.5 x 35 cm 4 Sterile Inoculation Chamber			2	units	750,000.00	PHP 1,500,000.00
Cylindrical shell/Slope or Conical bottom Supporting legs, Cooling jacket, Pump with pressure gauge, Manual windlass, Lifting ann, Breathing valve, Bottom rectangular door or side oval door, Sampling valve, Thermometer Inlet/ Outlet, Total ontlet, Drain outlet Heavy Duty Osteorizer/Blender/220v/1L 3 Heavy Duty Osteorizer/Blender/220v/1L Oster Professional Series Blender with All-Metal Drive™ System, 600 watts, Blender Shaker, Grinder, Food Chopper + Oster Professional Series Blender, perfect for heavy duty professional use! - [Power] − 600w - [Speed] − 2-speed toggle switch - [Function] − Continuous (switch up) and controlled/pulse (press switch down) blending - [Durability] − Exclusive All-Metal Drive™ system - [Blade] − High performance ice-crushing stainless steel blade - [Capacity] − 5-cup (1.52L) heat-resistant glass jar - [Dimensions] − 25.5 x 21.5 x 35 cm 4 Sterile Inoculation Chamber	1	FERMENTATION TANK FLOATING LIP TYPE, Made in China				
Supporting legs, Cooling jacket, Pump with pressure gauge, Manual windlass, Lifting arm, Breathing valve, Bottom rectangular door or side oval door, Sampling valve, Thermometer Inlet/Outlet, Total outlet, Drain outlet Heavy Duty Osteorizer/Blender/220v/1L 3 Heavy Duty Osteorizer/Blender/220v/1L Oster Professional Series Blender with All-Metal Drive TM System, 600 watts, Blender Shaker, Grinder, Food Chopper + Oster Professional Series Blender, perfect for heavy duty professional use! - [Power] - 600w - [Speed] - 2-speed toggle switch - [Function] - Continuous (switch up) and controlled/pulse (press switch down) blending - [Durability] - Exclusive All-Metal Drive TM system - [Blade] - High performance ice-crushing stainless steel blade - [Capacity] - 5-cup (1.52L) heat-resistant glass jar - [Dimensions] - 25.5 x 21.5 x 35 cm 4 Sterile Inoculation Chamber						
Lifting arm, Breathing valve, Bottom rectangular door or side oval door, Sampling valve, Thermometer Inlet/Outlet, Total outlet, Drain outlet Heavy Duty Osteorizer/Blender/220v/1L 3 Heavy Duty Osteorizer/Blender/220v/1L Oster Professional Series Blender with All-Metal Drive™ System, 600 watts, Blender Shaker, Grinder, Food Chopper + Oster Professional Series Blender, perfect for heavy duty professional use! - [Power] - 600w - [Speed] - 2-speed toggle switch - [Function] - Continuous (switch up) and controlled/pulse (press switch down) blending - [Durability] - Exclusive All-Metal Drive™ system - [Blade] - High performance ice-crushing stainless steel blade - [Capacity] - 5-cup (1.52L) heat-resistant glass jar - [Dimensions] - 25.5 x 21.5 x 35 cm 4 Sterile Inoculation Chamber 1 unit 93,500.00 PHP 93,500.00		Cylindrical shell/Slope or Conical bottom				
valve, Thermometer Inlet/ Outlet, Total outlet, Drain outlet Heavy Duty Osteorizer/Blender/220v/1L 3 Heavy Duty Osteorizer/Blender/220v/1L Oster Professional Series Blender with All-Metal Drive TM System, 600 watts, Blender Shaker, Grinder, Food Chopper + Oster Professional Series Blender, perfect for heavy duty professional use! - [Power] - 600w - [Speed] - 2-speed toggle switch - [Function] - Continuous (switch up) and controlled/pulse (press switch down) blending - [Durability] - Exclusive All-Metal Drive TM system - [Blade] - High performance ice-crushing stainless steel blade - [Capacity] - 5-cup (1.52L) heat-resistant glass jar - [Dimensions] - 25.5 x 21.5 x 35 cm 4 Sterile Inoculation Chamber		Supporting legs, Cooling jacket, Pump with pressure gauge, Manual windlass,				
Heavy Duty Osteorizer/Blender/220v/1L Heavy Duty Osteorizer/Blender/220v/1L Oster Professional Series Blender with All-Metal Drive TM System, 600 watts, Blender Shaker, Grinder, Food Chopper + Oster Professional Series Blender, perfect for heavy duty professional use! - [Power] - 600w - [Speed] - 2-speed toggle switch - [Function] - Continuous (switch up) and controlled/pulse (press switch down) blending - [Durability] - Exclusive All-Metal Drive TM system - [Blade] - High performance ice-crushing stainless steel blade - [Capacity] - 5-cup (1.52L) heat-resistant glass jar - [Dimensions] - 25.5 x 21.5 x 35 cm 4 Sterile Inoculation Chamber 1 unit 12,000.00 PHP 12,000.00 PHP 12,000.00 PHP 12,000.00 PHP 93,500.00		valve. Thermometer Inlet/ Outlet, Total outlet, Drain outlet				
Oster Professional Series Blender with All-Metal Drive™ System, 600 watts, Blender Shaker, Grinder, Food Chopper + Oster Professional Series Blender, perfect for heavy duty professional use! - [Power] - 600w - [Speed] - 2-speed toggle switch - [Function] - Continuous (switch up) and controlled/pulse (press switch down) blending - [Durability] - Exclusive All-Metal Drive™ system - [Blade] - High performance ice-crushing stainless steel blade - [Capacity] - 5-cup (1.52L) heat-resistant glass jar - [Dimensions] - 25.5 x 21.5 x 35 cm 4 Sterile Inoculation Chamber 1 unit 93,500.00						1
watts, Blender Shaker, Grinder, Food Chopper + Oster Professional Series Blender, perfect for heavy duty professional use! - [Power] - 600w - [Speed] - 2-speed toggle switch - [Function] - Continuous (switch up) and controlled/pulse (press switch down) blending - [Durability] - Exclusive All-Metal Drive TM system - [Blade] - High performance ice-crushing stainless steel blade - [Capacity] - 5-cup (1.52L) heat-resistant glass jar - [Dimensions] - 25.5 x 21.5 x 35 cm 4 Sterile Inoculation Chamber 1 unit 93,500.00 PHP 93,500.00	3	Heavy Duty Osteorizer/Blender/220v/1L	1	unit	12,000.00	PHP 12,000.00
Oster Professional Series Blender, perfect for heavy duty professional use! - [Power] - 600w - [Speed] - 2-speed toggle switch - [Function] - Continuous (switch up) and controlled/pulse (press switch down) blending - [Durability] - Exclusive All-Metal Drive TM system - [Blade] - High performance ice-crushing stainless steel blade - [Capacity] - 5-cup (1.52L) heat-resistant glass jar - [Dimensions] - 25.5 x 21.5 x 35 cm 4 Sterile Inoculation Chamber 1 unit 93,500.00						
heavy duty professional use! - [Power] - 600w - [Speed] - 2-speed toggle switch - [Function] - Continuous (switch up) and controlled/pulse (press switch down) blending - [Durability] - Exclusive All-Metal Drive TM system - [Blade] - High performance ice-crushing stainless steel blade - [Capacity] - 5-cup (1.52L) heat-resistant glass jar - [Dimensions] - 25.5 x 21.5 x 35 cm 4 Sterile Inoculation Chamber 1 unit 93,500.00 PHP 93,500.00		watts, Blender Shaker, Grinder, Food Chopper +				
- [Power] - 600w - [Speed] - 2-speed toggle switch - [Function] - Continuous (switch up) and controlled/pulse (press switch down) blending - [Durability] - Exclusive All-Metal Drive TM system - [Blade] - High performance ice-crushing stainless steel blade - [Capacity] - 5-cup (1.52L) heat-resistant glass jar - [Dimensions] - 25.5 x 21.5 x 35 cm 4 Sterile Inoculation Chamber 1 unit 93,500.00						
- [Speed] - 2-speed toggle switch - [Function] - Continuous (switch up) and controlled/pulse (press switch down) blending - [Durability] - Exclusive All-Metal Drive TM system - [Blade] - High performance ice-crushing stainless steel blade - [Capacity] - 5-cup (1.52L) heat-resistant glass jar - [Dimensions] - 25.5 x 21.5 x 35 cm 4 Sterile Inoculation Chamber 1 unit 93,500.00 PHP 93,500.00	1					
- [Function] - Continuous (switch up) and controlled/pulse (press switch down) blending - [Durability] - Exclusive All-Metal Drive™ system - [Blade] - High performance ice-crushing stainless steel blade - [Capacity] - 5-cup (1.52L) heat-resistant glass jar - [Dimensions] - 25.5 x 21.5 x 35 cm 4 Sterile Inoculation Chamber 1 unit 93,500.00 PHP 93,500.00		- [Power] - 600w				
controlled/pulse (press switch down) blending - [Durability] - Exclusive All-Metal Drive TM system - [Blade] - High performance ice-crushing stainless steel blade - [Capacity] - 5-cup (1.52L) heat-resistant glass jar - [Dimensions] - 25.5 x 21.5 x 35 cm 4 Sterile Inoculation Chamber 1 unit 93,500.00 PHP 93,500.00		- [Speed] - 2-speed toggie switch - [Superior] - Continuous (switch up) and				
(press switch down) blending - [Durability] - Exclusive All-Metal Drive TM system - [Blade] - High performance ice-crushing stainless steel blade - [Capacity] - 5-cup (1.52L) heat-resistant glass jar - [Dimensions] - 25.5 x 21.5 x 35 cm 4 Sterile Inoculation Chamber 1 unit 93,500.00 PHP 93,500.00					8	
- [Blade] - High performance ice-crushing stainless steel blade - [Capacity] - 5-cup (1.52L) heat-resistant glass jar - [Dimensions] - 25.5 x 21.5 x 35 cm Sterile Inoculation Chamber 1 unit 93,500.00 PHP 93,500.00	1	(press switch down) blending				
Stainless steel blade - [Capacity] - 5-cup (1.52L) heat-resistant glass jar - [Dimensions] - 25.5 x 21.5 x 35 cm 1 unit 93,500.00 PHP 93,500.00		- [Durability] - Exclusive All-Metal Drive™ system		-		
- [Capacity] - 5-cup (1.52L) heat-resistant glass jar - [Dimensions] - 25.5 x 21.5 x 35 cm 4 Sterile Inoculation Chamber 1 unit 93,500.00 PHP 93,500.00	1				d	
- [Dimensions] - 25.5 x 21.5 x 35 cm 4 Sterile Inoculation Chamber 1 unit 93,500.00 PHP 93,500.00		stainless steel blade	1			
4 Sterile Inoculation Chamber 1 unit 93,500.00 PHP 93,500.00		- [Capacity] - 5-cap (1.522) incar-resistant glass jui				
	1	1	1	unit	93,500.00	PHP 93,500.00
	7	Brand: Biobase, Model: Model: JP-JXZ-2 (double-sided)				

-					
X.	Dimensions: 1000x900x600 Operating area size: 1000x860x580 Voltage: 220V Fluorescent light: 20Wx1 UV: 20Wx2 Ozone generator: 200-300mg/h	4	. mida	25 000 00	DAID 140 000 00
5	Stainless Table	4	units	35,000.00	PHP 140,000.00
	•Ehbricated stainless steel table •∏2MMT 202 material •Hairline finished •200cm x 100cm x 76.2cm •With bottom shelve				
6	High-Speed Universal Disintegrator	1	unit	25,000.00	PHP 25,000.00
	Model No. 1000A, Speed: 25000r/min, Voltage: 220v/50 Hz Power (KW): 2.4 KW, Dimension: 280x280x450mm, Output: 1kg/time Note: (VAT-Inclusive)				
		<u></u>		TOTAL	

Thank you

DIAMOND INDUSTRIAL SYSTEMS PROVIDER INC.

Accepted By:

Mr. Albert N. Enriquez

Authorized Signature

ez Al-G

Customer's Stamp and Authorized Signature



BIOBASE AUTOCLAVE Model –BKMZ18 (18 liters)

BIOBASE®

Autoclave

Autoclaves are for sterilizing widely used in microbiology, medicine, podiatry, tattooing, body piercing, veterinary science, mycology, dentistry, and prosthetics fabrication. They vary in size and function depending on the substance to be sterilized.

Table Top Autoclave Class N Series







BKM-Z12N





BKM-Z18N/24N

Product Function:

- Adopting European N standard, thermodynamic gravity guarantees elimination of cold air from the cavity and makes sure that reaches the optimal effect of sterilization.
- * Specially design for dental clinic field, simply and efficiently.
- * Microprocessor control, LED display and modularized panel for easy operation.
- Automatic malfunction detection system makes easy maintaining.



Technical Parameters:

Model	BKM-Z12N	BKM-Z18N	BKM-Z24N			
Capacity	12L	18L	24L			
Chamber Size(mm)	φ200*360	φ245*350	ф245*450			
Sterilization Class	Class N (according to I	N 13060 standard)				
Sterilization Temp.	121°C, 134°C					
Orying Procedure	Heat drying					
Display	LED display					
er versker men til fil fram i forste framsker er star er vilke framsker en skrivet som fil fra framsker er skr	Temperature: 1°C					
Control Precision	Pressure: 0.1bar					
and the second transfer of the second se	Hand lock door					
	Relief valve in case of over pressure					
Safety System	Pressure or temperature over load protection					
	Alarm for system failure	e, finish reminding				
Tray Holder	nuetra sustante de la composition de l hell	occumente de Autoria de primero e primero de marcilla de Autoria de Autoria de Autoria de Autoria de Autoria d				
	SUS304					
	Max working pressure: 2,3bar					
Chamber	Min working pressure: 1.1bar					
	Max temperature: 145°C					
Ambient Temp.	5-40°C					
Noise	Control of the con					
Power	1600W for 220V, 1200W for 110V					
Power Supply Standard: 220V±10%, 50/60Hz; Optional: 110V±10%, 50/60Hz, Wiring Method:						
External Size(W*D*H)mm	560*450*400	560*450*400 670*450*400				
Package Size(W*D*H)mm	650*515*470	5-470 650-515-470 760-515-470				
Gross Weight(kg)	38	40.5	45.5			



HEAVY DUTY OSTERIZER/BLENDER

Oster Professional Series Blender with

All-Metal Drive™

System, 600 watts, Blender Shaker, Grinder,

Food Chopper +

Oster Professional Series Blender, perfect for heavy duty professional use!

- [Power] 600w
- [Speed] 2-speed toggle switch
- [Function] Continuous (switch up) and controlled/pulse (press switch down) blending
- [Durability] Exclusive All-Metal Drive™ system
- [Blade] High performance ice-crushing stainless steel blade
- [Capacity] 5-cup (1.52L) heat-resistant glass jar
- [Dimensions] 25.5 x 21.5 x 35 cm





BIOBASE Sterile Inoculation Chamber

Model: JP-JXZ-2 (double-sided)

Dimensions: 1000x900x600

Operating area size: 1000x860x580

Voltage: 220V

Fluorescent light: 20Wx1

UV: 20Wx2

Ozone generator: 200-300mg/h





STAINLESS STEEL TABLE

- Fabricated stainless steel table
- 1.2MMT 202 material
- Hairline finished
- 200cm x 100cm x 76.2cm
- With bottom shelve





DESINTEGRATOR

High-Speed Universal Disintegrator used for grinding and mineral herbal medicine pharmaceutical multipurpose disintegrator

Name	High-Speed Universal Disintegrator 1000A 25000r/min				
Model No.					
Speed					
Voltage	220V/50Hz				
Power(KW)	2.4KW				
Dimensions(mm)	280*280*450mm				
Output	1kg/Time				



Netzyhizum

DEPARTMENT OF SCIENCE AND TECHNOLOGY - MIMAROPA Region 4th Fl. DOST-PTRI Bldg., Gen. Santos Ave., Bicutan, Taguig City

REQUEST FOR QUOTATION

RFQ No.:				SUPPLIER DETAILS (please till out)			
Date of Request:				Business Name: RS Welding Shop			
Deadline for	submission of quote:				Address: Barangay Magbay, San Jose, Occidental Mindoro		
					And the second s		
Area of Deli	very:			Tel/Fax N	Tel/Fax No. and e-Mail Add.:		
Occidental Mindoro State College - Murtha Campus				Quoted By:			
Please quote	e your best price for the item/items enumerat	ed below and send to the address abo	ove or thru	(ALLANY SAMSON			
	837-3755 e-mail: procurement.dost4b@gmail			Print Name and Signature / Position			
Item No.	Description	Please indicate brand name (if applicable)	Quantity	Unit	Unit Price	Total Amount	
1	Fermentation Tank/1,000 L, Stainless steel/	Glass window/dispensing faucet	2	unit	(0,000·-	100,000.	
				Total (00,000. –			
Terms and (
1. As a government agency, DOST-MIMAROPA shall deal only with PhilGEPS registered suppliers/contractors;							
2. Quoted prices must be inclusive of 12% VAT (if VAT-registered) and other duties due;							
3. DOST-MIMAROPA shall withheld 5% withhelding tax for VAT-registered while 3% for non-VAT suppliers for goods and services. We will also withheld 2% for services and 1%							
for goods as expanded withholding tax; 4. All quotations shall be firm and valid for a period of at least thirty (30) days from the date of receipt of quotation and shall be binding upon the supplier within the period;							
5. Only bids submitted on or before the time and date specified with prices therein quoted will be considered. DOST-MIMAROPA reserves the right to post-qualify any supplier							
and/or reject submitted quotations.							
6. Purchase Order/ Contract shall be awarded to the lowest evaluated responsive bid; delivered items are subject to inspection, with payment processing to commence only after							
acceptance by the supply/property custodian; and,							
7. Terms of payment within 15-30 calendar days from date of acceptance.							
				gennous			
BENEDICTO BATILES JR				NOTED BY: MARIA ETHELWILDA G. CORONACION			
CANVASSER				Supply Property Custodian			