

TripJack- Flights 2D Barcode User Guide

Objective

The Ministry of Civil Aviation has mandated airlines to issue air tickets with barcodes to quicken the flow of passengers at airport entry gates. In order to implement this order, Tripjack has implemented 2D Barcode on the Flight tickets.

In an effort to provide a better level of customer services and enhanced operations and security at all Airports we will require that all our API partners include a Barcode of the booking reference in all their communications Itinerary to the customers.

Implementation

Instructions to Generate Bar Code on Itinerary

- The suggested text should be “Your Airlines Reference:” followed by the code.
- This should have a 10 pixel margin at top and at right to ensure that codes do not overflow page.
- Difference between 2 barcodes should be 50 pixels.
- Below is the sample screenshot for your reference

Booking Time: Feb 5, 2023 12:51 AM

Booking ID: TGS114420060474

Booking Status: **CONFIRMED**

Deepanshu Bhatta

Email: deepanshu.bhatta@tripjack.com

Phone: 8881865469

Address: E-425 Kamla Nagar

Vistara

5SNMRA

Airline PNR

Flight Detail

Please verify flight timings & terminal info with the airline

Flight	Fare Type	Class	Type	Departing	Arriving	Duration
UK - 115 Vistara	NA	Premium Economy	Refundable	Tue, 21 Feb '23, 23:45 Delhi, 3 Delhi Intl airport	Wed, 22 Feb '23, 08:20 Singapore, 3 Changi Intl Arpt	6h 5m

Passenger Details

Sr	Name & FF	Sector	PNR & Ticket No.	Baggage Check-in Cabin	Meal, Seat & Other Preference	Document Id
1	Mr FSGVSGVS DSGSDG (A)	DEL-SIN	5SNMRA (2281095029808)	35KG	NA	
2	Mr GSD GSDGDSG (A)	DEL-SIN	5SNMRA (2281095029809)	35KG	NA	

- Bar code is not required for Infant

- Syntax to create the PNR Barcode:**

<Format Code><Number of Legs Encoded><Passenger Name><Electronic Ticket Indicator><Operating carrier PNR Code><From City Airport Code><To City Airport Code><Operating carrier Designator><Flight Number><Date of Fight (Julian Date)><Compartment Code><Seat Number><Check-in Sequence Number><Passenger Status><Field Size of variable>

Barcode Example: M1SRIVASTAVA/PANKAJ ABC123 DELBOM6E 0112

226Y00000000 000

String details are as follows:

Element Description	Field Size	Unique/Repeated	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Format Code	1	U	M																			
Number of Legs Encoded	1	U	1																			
Passenger Name	20	U	S	R	I	V	A	S	T	A	V	A	/	P	A	N	K	A	J			
Electronic Ticket Indicator	1	U																				
Operating carrier PNR Code	7	R	A	B	C	1	2	3														
From City Airport Code	3	R	D	E	L																	
To City Airport Code	3	R	B	O	M																	
Operating carrier Designator	3	R	6	E																		
Flight Number	5	R	6	1	1	2																
Date of Fight (Julian Date)	3	R	2	2	6																	
Compartment Code	1	R	Y																			
Seat Number	4	R	0	0	1	A																
Check-in Sequence Number	5	R	0	0	2	5																
Passenger Status	1	R	0																			
Field Size of variable	2	R	0	9																		

Element Description	Field Size	Remarks
Format Code	1	Default → M
Number of Legs Encoded	1	Default →1
Passenger Name	20	Syntax: <Last Name>/<FirstName><MiddleName> Trimmed to 20 Character in case more than 20 Right padded with space in case less than 20 character
Electronic Ticket Indicator	1	Use Blank space

Operating carrier PNR Code	7	This has been to 7 Character, in case less than 7 this has to be right padded. Ex: ABCDEF as "ABCDEF".
From City Airport Code	3	Departure Station code

To City Airport Code	3	Arrival Station code
Operating carrier Designator	3	For Eg; → "6E " , "G8" etc. This has to be 3 characters in case less than it should be right padded.
Flight Number	5	This has to be 5 character in case less than 5 it should be right padded. Ex: 1 will be as "0001 " 11 will be as "0011 " 111 will be as "0111 " 1111 will be as "1111 " 11111 will be as "11111"
Date of Fight (Julian Date)	3	You will need to convert to JulianDate. Refer to http://www.longpelaexpertise.com/toolsJulian.php#:~:text=Today's%20date%20is%2008%2DFeb,Today's%20Julian%20Date%20is%2023039%20. Consider the last 3 digits of the "Converted value" For eg; For the date 01-May-23, Julian Date is 23121 Hence Date of Flight will be 121
Compartment Code	1	Default → Y

Seat Number	4	Default → "0000"
Check-in Sequence Number	5	Default → "00000"
Passenger Status	1	Default → 0
Field Size of variable	2	Default → 00

- **Barcode needs to be generated journey wise for each individual passenger.**

For Instance, Consider the following scenario:

Mr. A and Mr. B have booked a return flight Del-Mum-Del with travel dates as 9th Feb(Onwards) and 12th Feb(Return).

Then as per the new implementation, the ticket copy will have 4 barcodes:

1. Barcode for Mr. A for Del-Mum journey
2. Barcode for Mr. B for Del-Mum journey
3. Barcode for Mr.A for Mum-Del journey
4. Barcode for Mr. B for Mum-Del journey