

Flight Search

1. Endpoint Overview

- **WebSocket entry point:** <https://dev-api.unimonitravel.com/flights/ws>
- **STOMP request destination:** `/app/search`
- **STOMP response topic:** `/topic/search/{correlationId}`
 - Replace `{correlationId}` with the same value you send in the request body.
- **Test page:** <https://dev-api.unimonitravel.com/flights/test/search>

2. JavaScript Reference Implementation

```
<script src="https://cdn.jsdelivr.net/npm/sockjs-client@1/dist/sockjs.min.js"></script>
<script src="https://cdn.jsdelivr.net/npm/stompjs@2.3.3/lib/stomp.min.js"></script>
<script>
  const WS_URL = 'https://dev-api.unimonitravel.com/flights/ws'; // WebSocket endpoint
  const REQUEST_DEST = '/app/search'; // STOMP destination for requests
  const RESPONSE_TOPIC_PREFIX = '/topic/search/'; // Response topic base

  let stompClient;
  let subscription;

  function connect() {
    const socket = new SockJS(WS_URL);
    stompClient = Stomp.over(socket);
    stompClient.debug = null;
    stompClient.connect({}, () => console.log('Connected'), err => console.error('Error',
err));
  }

  function disconnect() {
    if (subscription) subscription.unsubscribe();
    if (stompClient) stompClient.disconnect(() => console.log('Disconnected'));
  }

  function sendSearch(request) {
    if (!stompClient?.connected) return console.warn('Connect first');
    if (!request.correlationId) return console.warn('correlationId required');

    if (subscription) subscription.unsubscribe();
    const topic = RESPONSE_TOPIC_PREFIX + request.correlationId;
    subscription = stompClient.subscribe(topic, msg => {
      console.log('Response:', JSON.parse(msg.body));
    });
  }
}
```

```

stompClient.send(REQUEST_DEST, {}, JSON.stringify(request));
console.log('Request sent:', request);
}

// Example usage:
connect();

// sendSearch({
  correlationId: '0e334d01-df34-463b-96f3-7a200183afb5',
  channel: 'WEB',
  deviceContext: {
    deviceId: 'DEVICE-12345-ABC',
    .....
    // Provide full request body
  }
});
</script>

```

3. Flow Summary

- Connect – call connect() once your page loads; wait for console log “Connected.”
- Prepare request – build JSON with unique correlationId and required flight fields.
- Send & subscribe – call sendSearch(request). The function:
 - Subscribes to /topic/search/{correlationId} for that request.
 - Send the JSON to /app/search.
- Handle responses – the subscription callback receives the final search response JSON.
- Cleanup – call disconnect() when done.

4. Notes

- This sample omits authentication for clarity. When security is added, the handshake process stays the same; only the initial login changes.
- Use a fresh correlationId per request so each subscription is unique.

5. Request Body:

```

{
  "correlationId": "0e334d01-df34-463b-96f3-7a200183afb5",
  "channel": "WEB",
  "deviceContext": {
    "deviceId": "DEVICE-12345-ABC",
    "deviceName": "iPhone13Pro",
    "ipAddress": "192.168.1.100"
  },
  "userContext": {
    "userCode": "U12345",

```

```

    "branchCode": "KL40",
    "partyCode": "NA",
    "businessChannel": "B2A",
    "userEmail": "user@mail.com"
  },
  "requestContent": {
    "tripType": "ONE_WAY", // ONE_WAY, ROUND_TRIP, MULTI_CITY
    "routes": [
      {
        "origin": "AMM",
        "destination": "SHJ",
        "departureDate": "2025-12-01",
        "returnDate": "2025-12-02" // only needed for ROUND_TRIP
      }
    ],
    "travellers": {
      "ADT": 1,
      "CHD": 0,
      "INF": 0
    },
    "cabinClass": "ECONOMY", // Optional
    "supplierCodes": [ // Optional
      "AIRARABIA"
    ],
    "preferences": { // Optional
      "travellerFareTypes": [
        "SRC"
      ]
    },
    "isInternational": true
  },
  "messageType": "SEARCH_REQUEST"
}

```

6. Response Body:

```

{
  "success": true,
  "correlationId": "0e334d01-df34-463b-96f3-7a200183afb5",
  "channel": "WEB",
  "deviceContext": {
    "deviceId": "DEVICE-12345-ABC",
    "deviceName": "iPhone13Pro",
    "ipAddress": "192.168.1.100"
  },
}

```

```
"userContext": {
  "userCode": "U12345",
  "branchCode": "KL40",
  "partyCode": "NA",
  "businessChannel": "B2A",
  "userEmail": "user@mail.com"
},
"supplierCode": "AIRARABIA",
"timestamp": "2025-11-26T10:55:26.898Z",
"responseContent": {
  "tripType": "ONE_WAY",
  "routes": [
    {
      "origin": "AMM",
      "destination": "SHJ",
      "flightOptions": [
        {
          "flightOptionId": "46dd0e48-1905-45b7-a186-cd0ce904b230",
          "segments": [
            {
              "segmentRph": "995533",
              "airline": {
                "code": "G6",
                "name": "Air Arabia"
              },
              "departure": {
                "airportCode": "AMM",
                "dateTime": "2025-12-01T03:55:00",
                "terminal": "Terminal-1"
              },
              "arrival": {
                "airportCode": "SHJ",
                "dateTime": "2025-12-01T05:00:00",
                "terminal": "Terminal-2"
              },
              "flightNumber": "104",
              "aircraftType": "A320-174",
              "duration": "PT1H5M",
              "layover": "PT15M"
            }
          ]
        }
      ],
      "fares": [
        {
          "fareId": "0e334d01-df34-463b-96f3-7a200183afb5",
          "cabinClass": "ECONOMY",
          "fareType": "FLEXI",
          "totalFareBreakdown": {
```

```
"currency": "INR",
"baseFare": 10000,
"taxes": [
  {
    "code": "GST",
    "amount": 300
  }
],
"surcharges": [
  {
    "code": "Surcharge",
    "amount": 300
  }
],
"fees": [
  {
    "code": "Fee",
    "amount": 300
  }
],
"discounts": [
  {
    "code": "Discount",
    "amount": 300
  }
],
"totalFare": 11200
},
"travellerFares": [
  {
    "travellerType": "ADT",
    "count": 2,
    "fareBreakdown": {
      "currency": "INR",
      "baseFare": 10000,
      "taxes": [
        {
          "code": "GST",
          "amount": 300
        }
      ],
      "surcharges": [
        {
          "code": "Surcharge",
          "amount": 300
        }
      ]
    }
  }
],
```

```

        "fees": [
            {
                "code": "Fee",
                "amount": 300
            }
        ],
        "discounts": [
            {
                "code": "Discount",
                "amount": 300
            }
        ],
        "totalFare": 11200
    },
    "baggageAllowance": {
        "checked": {
            "maxPieces": 1,
            "maxWeight": 10,
            "unit": "KG"
        },
        "cabin": {
            "maxPieces": 1,
            "maxWeight": 10,
            "unit": "KG"
        },
        "totalWeight": 20
    }
},
    "refundable": true,
    "hasPriceBreakDown": true
}
],
    "journeyDuration": "PT1H5M",
    "numberOfStops": 0
}
]
}
],
"markups": [
    {
        "code": "General",
        "type": "AMOUNT",
        "value": 300,
        "applicable": "ALL"
    }
]
],

```

```
    "isComplete": true -- response waiting flag - false : continue the response
  },
  "messageType": "SEARCH_RESPONSE"
}
```

7. Error Response:

```
{
  "success": false,
  "errorCode": "NO_FLIGHTS_FOUND",
  "errorMessage": "No flights available for the given criteria",
  "correlationId": "0e334d01-df34-463b-96f3-7a200183afb5",
  "channel": "WEB",
  "deviceContext": {
    "deviceId": "DEVICE-12345-ABC",
    "deviceName": "iPhone13Pro",
    "ipAddress": "192.168.1.100"
  },
  "userContext": {
    "userCode": "U12345",
    "branchCode": "KL40",
    "partyCode": "NA",
    "businessChannel": "B2A",
    "userEmail": "user@mail.com"
  },
  "supplierCode": "AIRARABIA",
  "timestamp": "2025-11-26T10:55:26.898Z",
  "messageType": "SEARCH_RESPONSE"
}
```