

Quick Start

Learn how Atlas' API instantly connects you to 150+ LCC's:

The integration is a simple four-step process:



Get Atlas Sandbox Credentials

Request access to ATRIP and the Sandbox API credentials or the API key can be self-created by accessing "Profile" > "My Profile" > "Customer Information".

Click on "Generate" and the sandbox credentials will be automatically created.

The API credentials or key contain two items: **x-atlas-client-id** and **x-atlas-client-secret**.

The API Key is used to authenticate your API requests. Any request that doesn't include an API key will return an error. Please add them to the header of each post request.

Tip: We've put together a Postman Collection that contains all of the requests you'll need to follow along with this guide; please download it [here](#).


Please right click on the above link and click "Open link in new window". The

file will start downloading.

How to Issue a Ticket

As a travel seller, your goal is to help your customers find the best flight routes at affordable prices. So, let's look at how Atlas API can help you achieve this with minimal development to your existing booking and reservation system.

The booking process is relatively simple, as illustrated:



1. Search

Create an order request to search for flights.

To build an order, you'll need to provide passenger information and itinerary

details. Your customers need to enter information such as the number of passengers, origin, destination and travel dates. The ticket fare for passengers under 12 is different, so you need to mention the number of infants or child passengers below 12.

Once the request is submitted, we send the search parameters to our robust search cache. The cache will respond with real-time offers in <0.5 sec for partner airlines operating flights between the source and destination cities on the requested date. Atlas algorithm can process over 5000 queries per second (QPS). By default, search returns the lowest fare. At the same time, it also returns information about free and paid baggage, as well as fare rules. There is no need to call a separate interface to query the refund and change rules.

Here's how the function works:

- [Search](#)

Please record the `routingIdentifier` for each routing offer.

Tip: Please note that all system times, apart from flight times, are in GMT+8 (Singapore Timezone). The timezone conversion needs to be handled at the client's end as per the applicable location. This is a very basic and simple technical task.

2. Verify

The offers returned as a result of the search query will have detailed information about the flight, such as departure and arrival time, the number of layovers, flight number, and fare. Once the user selects a flight of their choice, the fare and flight information are verified.

Obtain the `routingIdentifier` for the selected routing and send it with the verification request.

- [Verify](#)

3. Seat Availability

The usage scenario of the Seat Availability interface is that after verify, it allows passengers to select suitable seats. It supports returning the information of available seats and prices for the fare after verification . After a seat is selected, you can place an order by passing in the corresponding product code under the `AncillaryElement`.

- [Seat Availability](#)

4. Order

The user is now one step away from making a booking with you. They need to enter their full name, gender, birth date, nationality, credit card details and billing address.

Reference the `sessionId` recorded from the verification response and send it along with the order request with passenger details and ancillary selections with `productCode` of each `ancillaryProductElement`.

As soon as they submit their details, they will see the detailed itinerary and ancillary information, PNR number, and information on cancellation, change and refunds.

- [Order](#)

5. Pay

Atlas supports two options for payment:

- Atlas to settle payment with the airline (deposit)
- You can directly pay the airline (VCC pass-through)

If you choose the first option, you pay the total ticket amount plus the technical service fee to Atlas, and Atlas will settle the payment with the airlines on your behalf.

If you choose the second option, we will send your credit card information along with the `IssueTicket` request to the airline. In this case, we will deduct

the technical service fee from your account with Atlas. Several airlines support the pass-through option, for which we have added the `supportCreditTransPayment` function in the routing element. Reference the `orderNo` from the order response when sending the payment request.

- [Payment](#)

Please note that the Atlas Fare Guarantee is only applicable for the transactions done with "deposit" mode of payment. The Atlas Fare Guarantee is not applicable for VCC pass-through mode of payment. For transactions using the customer VCC pass-through, since we do not provide fare guarantee, we may fail booking in some cases. The error codes related to the failed bookings can be found [\[here\]](#) ([.atlas-api-documentation/api-reference/overview/errors.md](#))

6. Ticket Notification Webhook

Atlas uses webhooks to automatically notify partner agencies when there is a change in flight schedule for any of their orders. You can then inform your customers of the change.

Please follow the steps [here](#) to register your webhooks and start receiving notifications.

In case of any changes, you will receive `order.ticketed` notification on your server. You can process this information and act on it as needed.

- [Ticketing Complete Notification](#)

How to Book Ancillary Post-booking

Currently, we only support the purchase of baggage after the ticket is issued.

Other products will be supported in the future.

1. Search Ancillary

If the ticket has been issued for a completed order and the flight has not yet departed, you can still add ancillary products to the order. Currently, it is possible to add baggage allowance after ticket issuance by calling the Search Ancillary interface to query available ancillary products.

- [Search Ancillary](#)

2. Order Ancillary

After selecting the desired ancillary product from the returned results of the

Search Ancillary interface, you can use the Order Ancillary interface to make a reservation. Submit the product code returned from the search phase along with passenger information for the reservation. [If you want to pay for the add-ancillary order, please call the pay function as same as the ticketing orders.](#)

- [Order Ancillary](#)

How to Manage Refunds

After the ticket issuance is completed, if your user requests a refund, you can also complete the entire refund process through the Atlas API, including refund quotation, make a refund, and query refund status. Using the API interface for refunds replaces manual operations on the official website, which will greatly improve efficiency.

1. Refund Quotation

Suppose there is a need for a refund; you need to provide the order number of the ticket to be refunded, passenger information, and specify the refund type (voluntary or involuntary). Then, request the Refund Quotation API. The returned results will provide detailed refund policies and the amount of refund penalties.

- [Refund Quotation](#)

2. Make a Refund

If you confirm the need for a refund, provide the order ID, PNR, and the refund offer ID returned from the Refund Quotation API, and then request the Make a Refund API. Once the request is initiated, Atlas will start requesting a refund from the airline. Please make sure to request this interface only after confirming the decision to proceed with the refund.

- [Make a Refund](#)

3. Query Refund Status

After making a refund, if you need to check the status and progress of the refund order, you can use the Query Refund Status API. The required parameters are PNR,orderid, and the refund code returned from the Make a Refund API. There are four refund status types: Submitted (The customer has submitted to Atlas), Airline processing (Submitted to airline by Atlas), Refunded, and Rejected. If the refund status is rejected, you can check the detailed reason for rejection in the cancelReason node.

- [Query Refund Status](#)

How to Access Cache

This interface provides cached data on flight route changes or additions, presented in the form of data packages. The data is divided into units according to the airline, departure-arrival city pair, and departure date, containing flight and price information, with a time window of 1 hour. New users need to accumulate data for 12 hours, and during daily use, regularly download and update local data. It is applicable for flight ticket reservation systems to obtain the latest flight dynamics in real-time, facilitating flight inquiries, reservations, and inventory management.

- [Cache Data Feed](#)

Others

The above are the core functions of our API. For the full API list, please refer to the following table. You can access more information through our API document.

[API documents](#)

- **Shopping and Ticketing**
 - Search
 - Real-time Search
 - Verify
 - Get Offer
 - Seat Availability
 - Order
 - Payment
 - Retrieve Booking
 - RegenerateOrder
 - Stop Ticket Issuance
 - Order List

- **Post Ticketing Service**
 - **Search Ancillary**
 - **Order Ancillary**
 - **Refund Quotation**
 - **Make a Refund**
 - **Query Refund Status**
 - **PNR Claim**
- **Notifications by Webhook**
 - **Register Webhook**
 - **Ticketing Complete Notification**
 - **Schedule Change Notification**
 - **Airline Status Update Notification**
 - **Incident Notification**
 - **Email Notification**