

LIVE INVENTORY API

Technical Guide

Version 1.01

24th June 2025

Developed by

Liya Lima Solution

Beltola, Karoiguri, Pub Salpara, Rupahi, Nagaon (Assam) 782125

Table of Contents

Sl. No.	Particulars	Page No.
1	Overview	3
2	Departure City List	4
3	Arrival City List	5
4	Sector List	6
5	Onward Date List	7
6	Return Date List	8
7	Search Flight	9
8	Fare Quote	16
9	Book flight	18
10	Booking Details	21

Overview

This document describes Live Inventory API, which can be integrated into various applications (Web app, Mobile app etc).

It is intended specially for developers and other team members to help them know how the Live Inventory API Service works. This guide provides all the required information to integrate this Live Inventory API.

We strongly recommended that you read the complete guide before integration. This is RESTful service which communicates only in JSON Format. All the APIs can be communicated using POST method.

This guide explains the use of each method, what support we are providing to use the API efficiently, how to access the resources provided by Liya Lima Solution. The document assumes that you are familiar with web services technology. Still if you face any issue or any concern you can reach us on the below contact details:

Concerned person: Moudut Mahabur Rahman

Email ID: liyalimasoution@gmail.com

Phone number : +91 9401877341

DEPARTURE CITY LIST

It will give you the list of Departure Cities.

Service URL (REST) to be used:

https://api.liyalimasolution.com/v1/api/dep_city

Request Data

Seq.	Element	Format	Comment	Remarks
1	trip_type	STRING	0: oneway, 1: return	Mandatory
2	end_user_ip	STRING	Public Server IP	Mandatory
3	token	STRING	As provided	Mandatory

Response Data

Seq.	Element	Format	Comment	Remarks
1	airport_name	STRING	Name of the Airport	Mandatory
2	airport_code	STRING	Airport code	Mandatory
3	city_name	STRING	Name of the Departure City	Mandatory
4	city_code	STRING	Departure city code	Mandatory

Request Example:

```
{
  "trip_type": "0",
  "end_user_ip": "183.13.13.107",
  "token": "....."
}
```

Response Example:

```
{
  "airport_name": "Indira Gandhi International",
  "airport_code": "DEL",
  "city_name": "Delhi",
  "city_code": "DEL"
}
```

ARRIVAL CITY LIST

It will give you the list of Arrival Cities.

Service URL (REST) to be used:

https://api.liyalimasolution.in/v1/arr_city

Request Data

Seq.	Element	Format	Comment	Remarks
1	trip_type	STRING	0: oneway, 1: return	Mandatory
2	city_code	STRING	Departure city code from Departure City List	Mandatory
3	end_user_ip	STRING	Public Server IP	Mandatory
4	token	STRING	As provided	Mandatory

Response Data

Seq.	Element	Format	Comment	Remarks
1	airport_name	STRING	Name of the Airport	Mandatory
2	airport_code	STRING	Airport code	Mandatory
3	city_name	STRING	Name of the Arrival City	Mandatory
4	city_code	STRING	Arrival city code	Mandatory

Request Example:

```
{
  "trip_type": 0,
  "city_code": "DEL",
  "end_user_ip": "183.13.13.107",
  "token": "....."
}
```

Response Example:

```
{
  "airport_name": "Netaji S C Bose International",
  "airport_code": "CCU",
  "city_name": "Kolkata",
  "city_code": "CCU"
}
```

SECTOR CITY LIST

This API will return the sector list based on selected trip type.

Service URL (REST) to be used:

https://api.liyalimasolution.in/v1/sector_list

Request Data

Seq.	Element	Format	Comment	Remarks
1	trip_type	STRING	0: oneway, 1: return	Mandatory
2	end_user_ip	STRING	Public Server IP	Mandatory
3	token	STRING	As provided	Mandatory

Response Data

Seq.	Element	Format	Comment	Remarks
1	origin	STRING	Origin City Code	Mandatory
2	destination	STRING	Destination City Code	Mandatory

Request Example:

```
{
  "trip_type": 0,
  "end_user_ip": "183.13.13.107",
  "token": "....."
}
```

Response Example:

```
{
  "origin": "DEL",
  "destination": "BOM"
}
```

ONWARD DATE LIST

This API will return a list of available onward travel dates.

Service URL (REST) to be used:

https://api.liyalimasolution.in/v1/onward_date

Request Data

Seq.	Element	Format	Comment	Remarks
1	origin	STRING	Origin city code	Mandatory
2	destination	STRING	Destination city code	Mandatory
3	end_user_ip	STRING	Public Server IP	Mandatory
4	token	STRING	As provided	Mandatory

Response Data

Seq.	Element	Format	Comment	Remarks
1	onward_date	DATE	Date format YYYY-MM-DD	Mandatory

Request Example:

```
{  
  "origin": "DEL",  
  "destination": "BOM",  
  "end_user_ip": "183.13.13.107",  
  "token": "....."  
}
```

Response Example:

```
{  
  "onward_date": "2025-07-01"  
}
```

RETURN DATE LIST

This API will return a list of available return travel dates.

Service URL (REST) to be used:

https://api.liyalimasolution.in/v1/return_date

Request Data

Seq.	Element	Format	Comment	Remarks
1	origin	STRING	Origin city code	Mandatory
2	destination	STRING	Destination city code	Mandatory
3	onward_date	DATE	Format: YYYY-MM-DD	Mandatory
4	end_user_ip	STRING	Public Server IP	Mandatory
5	token	STRING	As provided	Mandatory

Response Data

Seq.	Element	Format	Comment	Remarks
1	return_date	DATE	Date format YYYY-MM-DD	Mandatory

Request Example:

```
{
  "origin": "DEL",
  "destination": "BOM",
  "onward_date": "2025-07-01",
  "end_user_ip": "183.13.13.107",
  "token": "....."
}
```

Response Example:

```
{
  "return_date": "2025-07-10"
}
```

FLIGHT SEARCH

This API will return flight availability data based on selected criteria.

Service URL (REST) to be used:

https://api.liyalimasolution.in/v1/search_flight

Request Data

Seq.	Element	Format	Comment	Remarks
1	dep_city_code	STRING	Origin city code (e.g. DEL) Mandatory	Mandatory
2	arr_city_code	STRING	Destination city code (e.g. BOM)	Mandatory
3	trip_type	INTEGER	0: one-way, 1: return	Mandatory
4	onward_date	STRING	Date of departure in yyyy-MM-dd format	Mandatory
5	return_date	STRING	Date of return (if any) in yyyy-MM-dd format	Optional
6	adult	INTEGER	Number of adults. 1 adult is mandatory	Mandatory
7	children	INTEGER	Number of children	Mandatory
8	infant	INTEGER	Number of infants. Infants cannot be more than adults	Mandatory
9	end_user_ip	STRING	Public Server IP	Mandatory
10	token	STRING	As provided	Mandatory

Response D

Seq.	Element	Format	Comment	Remarks
1	id	INTEGER	Flight id number	Mandatory
2	flight_number	STRING	Flight number	Mandatory
3	airline_name	STRING	Airline name for onward & return (if applicable)	Mandatory
4	airlines_logo	STRING	Name of the airline logo for onward & return (if applicable)	Mandatory
5	airline_code	STRING	Airline IATA code for onward & return (if applicable)	Mandatory

6	dep_city_name	STRING	Departure city name	Mandatory
7	dep_airport_name	STRING	Departure airport name	Mandatory
8	dep_city_code	STRING	Departure city code	Mandatory
9	dep_airport_code	STRING	Departure airport code	Mandatory
10	dep_terminal_no	STRING	Departure airport terminal number	Optional
11	onward_date	STRING	Departure date	Mandatory
12	dep_time	STRING	Departure time in 24 hour format	Mandatory
13	arr_city_name	STRING	Arrival city name	Mandatory
14	arr_city_code	STRING	Arrival city code	Mandatory
15	arr_airport_name	STRING	Arrival airport name	Mandatory
16	arr_airport_code	STRING	Arrival airport code	Mandatory
17	arr_terminal_no	STRING	Arrival airport terminal number	Optional
18	arr_date	STRING	Arrival date	Mandatory
19	arr_time	STRING	Arrival time	Mandatory
20	trip_type	INTEGER	0: One-Way, 1: Return	Mandatory
21	check_in_baggage_adult	INTEGER	Adult check-in baggage allowed	Mandatory
22	check_in_baggage_children	INTEGER	Children check-in baggage allowed	Mandatory
23	check_in_baggage_infant	INTEGER	Infant check-in baggage allowed	Mandatory
24	cabin_baggage_adult	INTEGER	Adult cabin baggage allowed	Mandatory
25	cabin_baggage_children	INTEGER	Children cabin baggage allowed	Mandatory
26	cabin_baggage_infant	INTEGER	Infant cabin baggage allowed	Mandatory

27	available_seats	INTEGER	Total number of seats available	Mandatory
28	total_payable_price	INTEGER	Total price to be paid for the quantity of seats selected	Mandatory
29	per_ticket_avg_price	STRING	Average ticket price i.e. total payable price / total seats required	Mandatory
30.1	base_fare	INTEGER	Base fare per adult / children	Optional
30.2	fee_taxes	INTEGER	Fees & Taxes per adult / children	Optional
30.3	infant_base_price	INTEGER	Base fare per infant	Optional
31.1	name	STRING	Name of the owner of the inventory	Mandatory
31.2	company_name	STRING	Company name	Mandatory
31.3	website	STRING	Website	Mandatory
31.4	email_id	STRING	Owner email ID	Mandatory
31.5	mobile	STRING	Owner mobile number	Mandatory
31.6	share_id	STRING	Unique inventory share id between the user and you	Mandatory
32.1	city_name	STRING	Name of layover city	Optional
32.2	city_code	STRING	City code of layover city	Optional
32.3	stop_duration	STRING	Layover duration in minutes	Optional
33	return_flight_number	STRING	Return flight number	Optional
34	return_departure_date	STRING	Return departure date	Optional
35	return_departure_city_name	STRING	Return departure city name	Optional
36	return_departure_city_code	STRING	Return departure city code	
37	return_departure_airport_name	STRING	Return departure city airport	Optional

38	return_departure_airport_code	STRING	Return departure airport code	Optional
39	return_departure_terminal_no	STRING	Return departure airport terminal number	Optional
40	return_departure_time	STRING	Return departure time	Optional
41	return_arrival_date	STRING	Return arrival date	Optional
42	return_arrival_city_name	STRING	Return arrival city name	Optional
43	return_arrival_city_code	STRING	Return arrival city code	
44	return_arrival_airport_name	STRING	Return arrival airport name	Optional
45	return_arrival_airport_code	STRING	Return arrival airport code	Optional
46	return_arrival_terminal_no	STRING	Return arrival airport terminal number	Optional
47	return_arrival_time	STRING	Return arrival time	Optional
48.1	city_name	STRING	Name of layover city	Optional

Request Sample:

```
{
  "end_user_ip": "183.13.13.107",
  "token": ".....",
  "dep_city_code": "JAI", "arr_city_code": "CCU",
  "trip_type": "1", "onward_date": "2025-06-24",
  "return_date": "2025-06-29", "adult": 2, "children": 0, "infant": 0
}
```

Response Sample:

```
{
  "errorCode": 0, "data": [
    {
```

```
"id": 62,  
"flight_number": "6E 223",  
"airline_name": "IndiGo Airlines",  
"airlines_logo": "IndiGoAirlines.png",  
"airline_code": "6E",  
"dep_city_name": "Jaipur",  
"dep_city_code": "JAI",  
"dep_airport_name": "Jaipur International Airport",  
"dep_airport_code": "JAI",  
"dep_terminal_no": "1A",  
"onward_date": "2025-08-14",  
"dep_time": "10:15",  
"arr_city_name": "Kolkata",  
"arr_city_code": "CCU",  
"arr_airport_name": "Netaji S C Bose International",  
"arr_airport_code": "CCU",  
"arr_terminal_no": "2B",  
"arr_date": "2025-06-24",  
"arr_time": "13:50",  
"trip_type": "1",  
"check_in_baggage_adult": 15,  
"check_in_baggage_children": 15,  
"check_in_baggage_infant": 0,  
"cabin_baggage_adult": 7,  
"cabin_baggage_children": 7,  
"total_available_seats": 5,  
"cabin_baggage_infant": 7,  
"total_payable_price": 2000,  
"per_ticket_avg_price": 1000,  
"stop_data": [  
{
```

```
"city_name": "Delhi",
"city_code": "DEL",
"stop_duration": "30"
}
],
"return_flight_data": {
"return_flight_number": "6E 854",
"return_dep_date": "2025-06-26",
"return_dep_city_name": "Kolkata",
"return_dep_city_code": "CCU",
"return_dep_airport_name": "Netaji S C Bose International",
"return_dep_airport_code": "CCU",
"return_dep_terminal_no": "3A",
"return_dep_time": "16:25",
"return_arr_date": "2025-06-27T00:00:00.000Z",
"return_arr_city_name": "Jaipur",
"return_arr_city_code": "JAI",
"return_arr_airport_name": "Jaipur International Airport",
"return_arr_airport_code": "JAI",
"return_arr_terminal_no": "1B",
"return_arr_time": "19:00"
},
"return_stop_data": [
{
"city_name": "Agra",
"city_code": "AGR",
"stop_duration": "10"
}
],
"international_flight_staus": 0,
"balance": 170764
```

```
}  
],  
"booking_token_id": ".....",  
}
```

CONFIDENTIAL

FARE QUOTE

This method is not mandatory to be called for the booking, but it is highly recommended. It is required to re-price the selected itinerary. This is required to make sure that we have the updated price including tax because in some cases, the fare provided at the time of search may change.

Service URL (REST) to be used:

https://api.liyalimasolution.in/v1/fare_quote

Request Data

Seq.	Element	Format	Comment / Remarks
1	id	INTEGER	Flight ID - Mandatory
2	onward_date	STRING	Departure date in yyyy-MM-dd format - Mandatory
3	adult_children	INTEGER	Number of adults & children travelling - Mandatory
4	infant	INTEGER	Number of infants travelling - Mandatory
5	end_user_ip	STRING	Public server IP - Mandatory
6	token	STRING	As provided - Mandatory

Response Data

Seq.	Element	Format	Comment / Remarks
1	id	INTEGER	Flight ID - Mandatory
2	available_seats	INTEGER	Total seats available for adult & children - Mandatory
3	total_amount	INTEGER	Total amount to be paid - Mandatory
4	errorCode	INTEGER	Code corresponding to error - Mandatory
5	errorMessage	STRING	Contains error message - Optional

Request Sample:

```
{
  "end_user_ip": "183.13.13.107",
  "token": "....."
,
  "id": 48,
  "onward_date": "2025-06-16",
  "adult_children": 2,
  "infant": 2
}
```

Response Sample:

```
{  
  "errorCode": 0,  
  "data": {  
    "id": 48,  
    "available_seats": 9,  
    "total_amount": 400  
  }  
}
```

BOOK FLIGHT

This method is called to create a booking. If all the data is submitted as required, you will get a Reference ID. Using this ID get the booking details.

Service URL (REST) to be used:

https://api.liyalimasolution.in/v1/book_flight

Request Data

Seq.	Element	Format	Comment	Remarks
1	id	INTEGER	Flight ID	Mandatory
2	onward_date	STRING	Departure date in yyyy-MM-dd format	Mandatory
3	adult	INTEGER	Number of adult travelling	Mandatory
4	children	INTEGER	Number of children travelling	Mandatory
5	infant	INTEGER	Number of infants travelling	Mandatory
6	total_book_seats	INTEGER	Total number of travelers	Mandatory
7	total_amount	INTEGER	Total amount	Mandatory
8	contact_name	STRING	Contact person name	Mandatory
9	contact_email	STRING	Contact person email	Mandatory
10	contact_number	STRING	Contact person number	Mandatory
11	return_date	STRING	Return date in yyyy-MM-dd format	Mandatory
12	flight_traveller_details		Travellers info list	Mandatory
12.1	gender	STRING	Mr, Mrs, Miss, Ms & Mstr should be used	Mandatory
12.2	first_name	STRING	Traveller first name	Mandatory
12.3	middle_name	STRING	Traveller middle name	Mandatory
12.4	last_name	STRING	Traveller last name	Mandatory
12.5	age	INTEGER	Traveller age	Mandatory
12.6	passport_no	STRING	Traveller passport number	Optional

12.7	passport_expire_date	STRING	Traveller passport expiry	Optional
12.8	dob	STRING	Traveller date of birth	Mandatory
12.9	ticket_price	INTEGER	Individual ticket price	Mandatory
13	booking_token_id	STRING	Booking token ID to be echoed back from Search response	Mandatory
14	end_user_ip	STRING	Public Server IP	Mandatory
15	token	STRING	As provided	Mandatory

Response Data

Seq.	Element	Format	Comment	Remarks
1	reference_id	STRING	Booking reference id	Mandatory
2	errorCode	INTEGER	Code corresponding to the error	Mandatory

Request Sample:

```
{
  "id": 62,
  "departure_date": "2025-09-24",
  "adult": 2,
  "children": 0,
  "infant": 0,
  "total_book_seats": "2",
  "total_amount": 2000,
  "contact_name": "John",
  "contact_email": "john@gmail.com",
  "contact_number": "1234567890",
  "return_date": "2025-09-26",
  "flight_traveller_details": [
    {
      "gender": "Mr",
      "first_name": "John",
      "middle_name": "",
      "last_name": "doe",
      "age": 20,
      "passport_no": "",
      "passport_expire_date": ""
    }
  ]
}
```

```
"dob": "1999-01-09T18:30:00.000Z",
"ticket_price": 1000
},
{
  "gender": "Mrs",
  "first_name": "Alessia",
  "middle_name": "",
  "last_name": "Sara",
  "age": 20,
  "passport_no": "",
  "passport_expire_date": "",
  "dob": "1999-01-09T18:30:00.000Z",
  "ticket_price": 1000
}
],
"booking_token_id": ".....",
"end_user_ip": "183.13.13.107",
"token": "....."
}
```

Response Sample:

```
{
  "errorCode": 0,
  "data": {
    "reference_id": "62vkDTE1644826018897"
  }
}
```

BOOKING DETAILS

This method returns the booked ticket. It can be used immediately after Book Flight API. It can also be used to get booking details of the ticket booked in the past.

Service URL (REST) to be used:

https://api.liyalimasolution.in/v1/booking_details

Request Data

Seq.	Element	Format	Comment	Remarks
1	reference_id	STRING	Booking reference ID to be echoed back from Book Flight response	Mandatory
2	end_user_ip	STRING	Public Server IP	Mandatory
3	token	STRING	As provided	Mandatory

Response Data

Seq.	Element	Format	Comment	Remarks
1	reference_id	STRING	Booking reference id	Mandatory
2	onward_date	STRING	Departure date	Mandatory
3	return_date	STRING	Return date	Optional
4	adult	INTEGER	Number of adult traveler	Mandatory
5	children	INTEGER	Number of child traveler	Mandatory
6	infant	INTEGER	Number of infant traveler	Mandatory
7	total_book_seats	INTEGER	Total travelers	Mandatory
8	seat_book_status	BOOLEAN	true: booked, false: not booked/cancelled	Mandatory
9	payment_status	STRING	true: deducted from balance, false: not deducted from balance	Mandatory
10	special_Information	STRING	Disclaimer by the owner of the inventory	Mandatory
11	booking_date	STRING	Booking date	Mandatory
12	total_amount	INTEGER	Total amount paid by you	Mandatory
13	return_flight	INTEGER	0: one way, 1: return	Mandatory

14	infant_price	INTEGER	Infant fare	Mandatory
15	contact_name	STRING	Contact person name	Mandatory
16	contact_email	STRING	Contact person email	Mandatory
17	contact_number	STRING	Contact person number	Mandatory
18	onward & return			
18.1	depearture_city_name	STRING	Departure city name	Mandatory
18.2	depearture_city_code	STRING	Departure city code	Mandatory
18.3	arrival_city_name	STRING	Arrival city name	Mandatory
18.4	arrival_city_code	STRING	Arrival city code	Mandatory
18.5	departure_date	STRING	Departure date	Mandatory
18.6	departure_time	STRING	Departure time in 24 hours format	Mandatory
18.7	departure_terminal_no_id	STRING	Departure airport terminal number	Mandatory
18.8	arrival_date	STRING	Arrival date	Mandatory
18.9	arrival_time	STRING	Arrival time in 24 hours format	Mandatory
18.10	arrival_terminal_no_id	STRING	Arrival airport terminal number	Mandatory
18.11	stop_count	INTEGER	Number of stops	Mandatory
18.12	airline_name	STRING	Airline name	Mandatory

Request Sample

```
{
  "reference_id": "62vkDTE1644826018897",
  "end_user_ip": "183.13.13.107",
  "token": "....."
}
```

Response Sample:

```
{
  "replyCode": 0,
  "data": {
    "reference_id": "62vkDTE1644826018897",
    "onward_date": "2025-09-24",
    "return_date": "2025-09-26",
  }
}
```

```
"adult": 2,
"children": 0,
"infant": 0,
"total_book_seats": 2,
"seat_book_status": true,
"payment_status": true,
"special_Information": "- All Guests, including children and infants, must present valid
identification at check-in.\n- Check-in begins 2 hours prior to the flight for seat
assignment and closes 45 minutes prior to the scheduled departure.\n- Please contact
airlines for Terminal Queries.\n- Non-Cancellable & Non-Refundable.\n- Please check
the figures / timings as they may change time to time without any notice to the
passenger.\n- We are not be responsible for any flight delay/cancellation from airline's
end.\n- Name changes are not permitted for any flights.",
"booking_date": "2025-06-24",
"total_amount": 2000,
"return_flight": 1,
"infant_price": 1000,
"contact_name": "john",
"contact_email": "john@gmail
com",
"contact_number": "1234567890",
"onward": {
"depeparture_city_name": "Jaipur",
"depeparture_city_code": "JAI",
"arrival_city_name": "Kolkata",
"arrival_city_code": "CCU",
"departure_date": "2025-06-24",
"departure_time": "10:15",
"departure_terminal_no_id": "1A",
"arrival_date": "2025-02-25",
"arrival_time": "13:50",
"arrival_terminal_no_id": "2B",
"stop_count": 1,
"airline_name": "IndiGo Airlines",
"airline_code": "6E",
"airline_number": "6E 223",
"airline_logo": "IndiGoAirlines.png"
},
"return": {
"depeparture_city_name": "Kolkata",
"depeparture_city_code": "CCU",
"arrival_city_name": "Jaipur",
"arrival_city_code": "JAI",
"return_date": "2025-06-29",
"return_departure_time": "16:25",
"return_arrival_time": "19:00",
"return_departure_terminal_no": "3A",
```

```
"return_arrival_terminal_no": "1B",
"return_stop_count": 1,
"airline_name": "IndiGo Airlines",
"airline_code": "6E",
"airline_number": "6E 854",
"airline_logo": "IndiGoAirlines.png"
},
"price_breakup": {
"adult_children_base_price": "500",
"adult_children_fees_taxes": "500",
"infant_base_price": 500
},
"baggage": {
"checkin_baggages_adult": 15,
"checkin_baggages_children": 15,
"checkin_baggages_infant": 0,
"cabin_baggages_adult": 7,
"cabin_baggages_children": 7,
"cabin_baggages_infant": 7,
"disclaimer": "Subject to airline rules. Please confirm with the airlines beforehand"
},
"travellers": [
{
"first_name": "Taylor",
"middle_name": "",
"last_name": "Brear",
"ticket_price": 1000,
"gender": "Mrs",
"dob": null,
"status": true,
"ticket_cancel_at": null,
"age": 20,
"passport_no": "",
"passport_expire_date": null
}
],
"flight_stop_details": [
{
"city_name": "Delhi",
"city_code": "DEL",
"stop_duration": "30"
}
],
"return_flight_stop_details": [
{
"city_name": "Agra",
"city_code": "AGR",
```

```
"stop_duration": "10"  
}  
],  
"seller_info": {  
  "company_name": "Liyalima Solution",  
  "email": " liyalimasolution@gmail.com",  
  "mobile": "9401877341",  
  "token": "....."  
}  
},  
"imgBasePath": "https://api.liyalimasolution.in/uploads/airlines"  
}
```