



Front-end Advanced

Training Exam

Document Code	25e-BM/HR/HDCV/FSOFT
Version	1.1
Effective Date	20/11/2012

Hanoi, mm/yyyy

RECORD OF CHANGES

No	Effective Date	Change Description	Reason	Reviewer	Approver

Contents

Problem Description:	Error! Bookmark not defined.
Problem 01: Get all users	Error! Bookmark not defined.
Problem 02: Get all albums	Error! Bookmark not defined.
Problem 03: Promise	6
Problem 04: async/await	6
Problem_05: Algorithm	6
Technical Requirements:	6

	<table><tr><td>CODE:</td><td>FEA.Practice.T101</td></tr><tr><td>TYPE:</td><td>Exam</td></tr><tr><td>LOC:</td><td>N/A</td></tr><tr><td>DURATION:</td><td>150 minutes</td></tr></table>	CODE:	FEA.Practice.T101	TYPE:	Exam	LOC:	N/A	DURATION:	150 minutes
CODE:	FEA.Practice.T101								
TYPE:	Exam								
LOC:	N/A								
DURATION:	150 minutes								

Working tools and delivery requirements

- **Working tools:** Visual Studio Code
- **Delivery:** Source code and test results in a compressed archive (zip extension). Make sure to add your account to compressed archive.

Technical Requirements

- Follow the standard naming and coding convention.
- Use Bootstrap to style the application.


Photo Gallery App


Create a photo gallery app that allows users to select a user from a dropdown menu, and then displays all of the albums and photos associated with that user.

- To retrieve all users: <https://jsonplaceholder.typicode.com/users>
- To retrieve all albums belonging to a user with an ID of **x**:
<https://jsonplaceholder.typicode.com/users/x/albums>
- To retrieve all photos belonging to an album with an ID of **y**:
<https://jsonplaceholder.typicode.com/albums/y/photos>

Expected Output:







Problem 01: Promise

Implement "Photo Gallery" using **Promise** style

Problem 02: async/await

Implement "Photo Gallery" using **async/await** style

Problem 03: Algorithm

Given an integer **n**. Write a function called **makeDigitZero()** that takes **n** as parameter. Each steps, the value of **n** is changed, we can subtract **n** from a value which is equal to one of the digits in **n**.

Calculate the minimum number of steps so that **n = 0**.

Example:

- **n** = 27. Output **makeDigitZero(n)** = 5.
- Explain: 27 -> 20 -> 18 -> 10 -> 9 -> 0.

Input/Output:

- [input] Integer **n**
 $0 \leq n \leq 10^6$
- [Output] Integer
Minimum number of steps to get **n = 0**.

Technical Requirements:

- Must NOT use any additional library