Shotten Totten project report

Baptiste Buvron, Soudarsane TILLAI, ericluo-lab, Marin Bouanchaud, Dashstrom



2023-06-18

SchottenTotten



Gameplay in Schotten Totten resembles simultaneous play of nine separate hands of poker, but where each hand has only three cards in it. There are nine "boundary" stones between players at the start of the game. Players vie to win five of the stones, or three adjacent ones, to win the game.

Download

git clone https://github.com/Dashstrom/SchottenTotten

Build requirements on Windows

Install Visual Studio Build Tools 2019 from visual studio.microsoft.com Dont forget to add the "C++ Clang tools for Windows".

- 1. Add C:\Program Files (x86)\Microsoft Visual Studio\2019\BuildTools\VC\Tools\
 Llvm\x64\bin to PATH
- 2. Set VCINSTALLDIR to C:\Program Files (x86)\Microsoft Visual Studio\2019\
 BuildTools\VC

Download the Windows QT installer at qt.io

- 1. Make a personal installation and install Qt6.5 MSVC version and CMAKE.
- 2. Add C:\Qt\Tools\CMake_64\bin and C:\Qt\6.5.0\msvc2019_64\bin to your PATH

You can now build the project with:

```
cmake -B build -DCMAKE_BUILD_TYPE=Release; cmake --build build --config Release
.\build\Release\SchottenTotten.exe
```

Completion requirements:

Just add C:\Qt\6.5.0\msvc2019_64\include, C:\Qt\6.5.0\msvc2019_64\include\QtCore and C:\Qt\6.5.0\msvc2019_64\include\QtWidgets to your include path in your favorite IDE.

Build requirements on MacOS

Install brew

```
/bin/bash -c "$(curl -fsSL https://raw.githubusercontent.com/Homebrew/install/
HEAD/install.sh)"
```

Install cmake and qt6:

brew install cmake qt6

Add the following to ~/.zshrc or ~/.bashrc:

export PATH="/opt/homebrew/opt/cmake/bin:/opt/homebrew/opt/qt6/bin:\$PATH"

Build and run with:

cmake -B build -DCMAKE_BUILD_TYPE=Release; cmake --build build --config Release
./build/SchottenTotten.app/Contents/MacOS/SchottenTotten

Install commit requirements

Setup precommit for autoformat.

```
pip install pre-commit cpplint clang-format pre-commit install
```

Build README.md as PDF (Linux only)


Run the next command and follow the instructions.

./docs/build.sh

Demo video

You get watch a demo here.

UML



Explanations

We chose to create GameModel and GameRobot Model because it is the view that makes the player play. GameRobotModel plays instead of view.

We created rules on the stones to be able to possibly remove rules later, as could have been the case in the tactical variant.

We chose to make an abstract class for the maps in anticipation of the tactical variant.