# **Python For Data Science** Cheat Sheet Matplotlib

Learn Python Interactively at www.DataCamp.com



## Matplotlib

Matplotlib is a Python 2D plotting library which produces publication-quality figures in a variety of hardcopy formats and interactive environments across platforms.



# Prepare The Data

Also see Lists & NumPy

```
>>> import numpy as np
>>> x = np.linspace(0, 10, 100)
>>> v = np.cos(x)
>>> z = np.sin(x)
```

### 2D Data or Images

```
>>> data = 2 * np.random.random((10, 10))
>>> data2 = 3 * np.random.random((10, 10))
>>> Y, X = np.mgrid[-3:3:100j, -3:3:100j]
>>> U = -1 - X**2 + Y
>>> V = 1 + X - Y**2
>>> from matplotlib.cbook import get sample data
>>> img = np.load(get sample data('axes grid/bivariate normal.npy'))
```

### Create Plot

```
>>> import matplotlib.pyplot as plt
```

```
>>> fig = plt.figure()
>>> fig2 = plt.figure(figsize=plt.figaspect(2.0))
```

#### Axes

All plotting is done with respect to an Axes. In most cases, a subplot will fit your needs. A subplot is an axes on a grid system.

```
>>> fig.add axes()
>>> ax1 = fig.add subplot(221) # row-col-num
>>> ax3 = fig.add subplot(212)
>>> fig3, axes = plt.subplots(nrows=2,ncols=2)
>>> fig4, axes2 = plt.subplots(ncols=3)
```

### Plot Anatomy & Workflow

Plot Anatomy

# Axes/Subplot Y-axis Figure X-axis **☆○○+ ☞** ◎ **■**

#### Workflow

```
The basic steps to creating plots with matplotlib are:
       1 Prepare data 2 Create plot 3 Plot 4 Customize plot 5 Save plot 6 Show plot
```

```
>>> import matplotlib.pyplot as plt
>>> x = [1,2,3,4]
>>> y = [10, 20, 25, 30]
>>> fig = plt.figure() < Step 2
>>> ax = fig.add subplot(111) < Step 3
>>> ax.plot(x, y, color='lightblue', linewidth=3) Step 3, 4
>>> ax.scatter([2,4,6],
                [5, 15, 25],
                color='darkgreen',
                marker='^')
>>> ax.set xlim(1, 6.5)
>>> plt.savefig('foo.png')
>>> plt.show()
```

# Customize Plot

#### Colors, Color Bars & Color Maps

>>> pit.piot(x, x, x, x^^2, x, x^^3)
>>> ax.plot(x, y, alpha = 0.4)
>>> ax.plot(x, y, c='k')
>>> fig.colorbar(im, orientation='horizontal')
>>> im = ax.imshow(img,
cmap='seismic')

#### Markers

```
>>> fig, ax = plt.subplots()
>>> ax.scatter(x,y,marker=".")
>>> ax.plot(x,y,marker="o")
```

```
>>> plt.plot(x,y,linewidth=4.0)
>>> plt.plot(x,y,ls='solid')
>>> plt.plot(x,y,ls='--')
>>> plt.plot(x,y,'--',x**2,y**2,'-.')
>>> plt.setp(lines,color='r',linewidth=4.0)
```

### Text & Annotations

```
>>> ax.text(1,
            -2.1,
            'Example Graph',
           style='italic')
>>> ax.annotate("Sine",
                 xy = (8, 0),
                 xycoords='data'
                 xytext = (10.5, 0),
                 textcoords='data',
                 arrowprops=dict(arrowstyle="->",
                              connectionstyle="arc3"),)
```

#### Mathtext

```
Limits, Legends & Layouts
```

>>> ax.margins(x=0.0,y=0.1)

Limits & Autoscaling

```
>>> ax.axis('equal')
                                                            Set the aspect ratio of the plot to 1
>>> ax.set(xlim=[0,10.5],ylim=[-1.5,1.5])
                                                            Set limits for x-and v-axis
                                                            Set limits for x-axis
>>> ax.set xlim(0,10.5)
 Leaends
>>> ax.set(title='An Example Axes',
                                                            Set a title and x-and y-axis labels
             vlabel='Y-Axis',
             xlabel='X-Axis')
>>> ax.legend(loc='best')
                                                            No overlapping plot elements
```

#### >>> ax.xaxis.set(ticks=range(1,5), Manually set x-ticks

ticklabels=[3,100,-12,"foo"]) >>> ax.tick params(axis='y', direction='inout', length=10)

>>> plt.title(r'\$sigma i=15\$', fontsize=20)

### Subplot Spacing

```
>>> fig3.subplots adjust(wspace=0.5,
                         hspace=0.3,
                         left=0.125,
                         right=0.9,
                         top=0.9,
                         bottom=0.1)
>>> fig.tight_layout()
Axis Spines
```

Make y-ticks longer and go in and out

Add padding to a plot

# Adjust the spacing between subplots

>>>	ax1.spines['top'].set visible(False)
>>>	<pre>ax1.spines['bottom'].set_position(('outward',10))</pre>

### Fit subplot(s) in to the figure area

### Make the top axis line for a plot invisible Move the bottom axis line outward

# Plotting Routines

```
>>> fig, ax = plt.subplots()
>>> lines = ax.plot(x,y)
>>> ax.scatter(x,y)
>>> axes[0,0].bar([1,2,3],[3,4,5])
>>> axes[1,0].barh([0.5,1,2.5],[0,1,2])
>>> axes[1,1].axhline(0.45)
>>> axes[0,1].axvline(0.65)
>>> ax.fill(x,y,color='blue')
>>> ax.fill between(x,y,color='yellow')
```

Draw points with lines or markers connecting them Draw unconnected points, scaled or colored Plot vertical rectangles (constant width) Plot horiontal rectangles (constant height)

Draw a horizontal line across axes Draw a vertical line across axes Draw filled polygons Fill between v-values and o

#### Vector Fields

	axes[0,1].arrow(0,0,0.5,0.5) axes[1,1].quiver(y,z)	Add an arrow to the axe Plot a 2D field of arrows
>>>	axes[0,1].streamplot(X,Y,U,V)	Plot a 2D field of arrows

### Data Distributions

>>> ax1.hist(y) >>> ax3.boxplot(y) >>> ax3.violinplot(z)	Plot a histogram Make a box and whisker plot Make a violin plot
--	---

### 2D Data or Images

>>> fig, ax = plt.subplots()

>>>	im =	ax.imshow(img,
		cmap='gist earth',
		interpolation='nearest'
		vmin=-2,
		vmax=2)

Colormapped or RGB arrays

>>>	axes2[0].pcolor(data2)
>>>	axes2[0].pcolormesh(data)
>>>	CS = plt.contour(Y,X,U)
>>>	axes2[2].contourf(data1)
>>>	aves2[2]= av clahel(CS)

Pseudocolor plot of 2D array Pseudocolor plot of 2D array Plot contours Plot filled contours Label a contour plot

### **Save Plot**

Save figures >>> plt.savefig('foo.png') Save transparent figures >>> plt.savefig('foo.png', transparent=True)

# Show Plot

>>> plt.show()

### Close & Clear

>>> plt.cla()	Clear an axis
>>> plt.clf()	Clear the entire figure
>>> plt.close()	Close a window

### **DataCamp Learn Python for Data Science Interactively**

