

Intelligent Data Analysis - Homework 1.2

Panagiotis Michalopoulos, Javier de la Rua, Michail Gongolidis,
Ignacio Rodriguez, Daniel Minguez

October 24th, 2018

1 Basic exploration of a dataset

1.1 Introduction

1.2 Descriptive statistics

1.2.1 Questions

- a) Choose a quantitative variable and explore its distribution in terms of descriptive measures of center, dispersion, skewness and kurtosis. Is a normal model a plausible one for its distribution? If the answer is no, can you think of a transformation of the variable that improves normality. Are there any outliers?
- b) Choose two quantitative variables and describe its joint bivariate distribution. Does it seem to be Normal? Are there any outliers?
- c) Choose a subset of 4 or 5 quantitative variables and explore linear relationships

2 Permutation tests

2.1 Choose a subset of 4 or 5 quantitative variables and explore linear relationships

- a) R matrix of pairwise correlations
- b) Matrix of partial correlations
- c) Coefficient of determination (function `r2multv()` we define in R)
- d) The determinant of R (correlation matrix) as an overall measure of linear relationships.
- e) An eigenanalysis of matrix R, looking for really small eigenvalues.

2.2 Repeat the analysis deleting the values for three customers that left a tip greater than 30% of the bill. These generous customers seem to be outliers.