

New Analytics Pages Help

The newer Analytics pages add in-memory analysis for pivots, variance, data quality, ranking, regression, time summaries, outliers, chart recommendations, audit summaries, map readiness, cohorts, funnels, Pareto classes, drift checks, KPI calculations, and data dictionaries. Results can be reviewed, linked back to source records, sent to AI, and exported where supported.

Page	Main input	Main output
Analytics Dashboard	Current report data	Tiles and previews
Pivot	Row, column, value, aggregation	Cross-tab report
Variance	Base, compare, group, value	Change and contribution
Comparison Reports	Periods, groups, queries, or files	Base vs compare
Profiling	Every field	Type/count/blanks/distinct/min/max
Data Quality	Report data	Missing, duplicate, invalid, suspicious rows
Ranking	Category/group and value	Top/bottom/average ranks
Regression	X and Y fields	Equation and predictions
Trends	Equation and X value	Interactive prediction chart
Time Based Summaries	Date and value fields	Day/week/month/quarter/year summaries
Time Series	Date, value, window	Moving averages and rolling totals
Outlier Flagging	Row and value fields	Outlier records
Correlation Threshold	Numeric fields and threshold	Filtered correlation pairs
Chart Recommendations	Category/date/value fields	Recommended charts and dashboards
Audit Summaries	Fields and options	How each result was produced
Map Readiness	Possible coordinate fields	Map quality and KML readiness
Cohort Analysis	Entity, date, value, period	Cohort retention and activity
Funnel Analysis	Stage, order, value	Drop-off and conversion
ABC Pareto Analysis	Dimension, value, aggregate	A/B/C contribution classes
Data Drift Analysis	Compare field and two segments	Distribution shift
KPI Builder	Dimension, numerator, denominator	Calculated KPI by group
Data Dictionary	Field group and examples	Field documentation and recommended use

Analytics Dashboard

A tile dashboard that previews available analysis pages for the current report and adapts paging to the browser size.

Typical screen area

Current report data | Browser size | Selected report | AI | Help | Export

Inputs. Current report data; Browser size; Selected report

Model / algorithm. Builds small previews from current report fields and uses responsive paging to show more tiles when space allows.

Output. Dashboard tiles for analytics, statistics, charts, AI, regression, time, outlier, and map readiness pages.

Sample result.

Tile	Preview	Open
Pivot	Cross-tab sample	Open
Regression	Equation sample	Open

Shortcuts. Use this as the starting point for analysis selection.

Pivot / Cross Tab

Builds pivot-style cross-tab reports with row fields, column fields, value fields, and aggregation options.

Typical screen area

Row field | Column field | Value field | Aggregation | AI | Help | Export

Inputs. Row field; Column field; Value field; Aggregation

Model / algorithm. Groups data by row and column fields and aggregates the value field using sum, count, average, min, or max.

Output. Cross-tab grid with row labels, dynamic columns, totals, and AI-ready grid data.

Sample result.

Region	Online	Retail	Total
West	12000	8200	20200
East	9400	10100	19500

Shortcuts. Use Pivot when you need matrix-style totals by two dimensions.

Variance Analysis

Compares base and compare values, calculates percentage change, variance, contribution to total, and group-level changes.

Typical screen area

Row field | Compare field | Value field | Base/compare selections | AI | Help | Export

Inputs. Row field; Compare field; Value field; Base/compare selections
Model / algorithm. Calculates base total, compare total, variance, percent change, and contribution share.
Output. Grid with base, compare, variance, percent change, contribution, and linked records.

Sample result.

Group	Base	Compare	Variance	% Change
West	10000	12500	2500	25%
East	8000	7600	-400	-5%

Shortcuts. Records links open the filtered source rows in ShowReport.

Comparison Reports

Compares two periods, groups, locations, queries, or imported files.

Typical screen area

Comparison type | Base selector/query/file | Compare selector/query/file | Group/value fields | AI | Help | Export

Inputs. Comparison type; Base selector/query/file; Compare selector/query/file; Group/value fields

Model / algorithm. Builds comparable base and compare tables, groups them, and calculates difference and percent change.

Output. Base records, compare records, base value, compare value, variance, and record links.

Sample result.

Group	Base Records	Compare Records	Variance
Product A	45	51	1200
Product B	28	20	-850

Shortcuts. For two imported files, choose files with comparable columns so grouped values can be matched.

Data Profiling

Automatically profiles every field in the report or imported dataset.

Typical screen area

Current report data or imported data | AI | Help | Export

Inputs. Current report data or imported data

Model / algorithm. Scans each column and calculates data type, count, blanks, distinct values, min, max, average, and standard deviation where applicable.

Output. One row per field with profile metrics.

Sample result.

Field	Type	Count	Blanks	Distinct
Sales	Number	1000	0	923
OrderDate	Date	1000	2	356

Shortcuts. Use before deeper analysis to understand field quality and numeric/date readiness.

Data Quality

Finds missing values, duplicate records, invalid dates, out-of-range numbers, inconsistent categories, and suspicious text values.

Typical screen area

Current report data | Optional selected fields/rules | AI | Help | Export

Inputs. Current report data; Optional selected fields/rules
Model / algorithm. Applies quality rules and creates row filters for affected records.
Output. Quality check, field, count, severity, and links to affected records.

Sample result.

Check	Field	Count	Severity
Missing values	Customer	12	Medium
Invalid dates	ShipDate	3	High

Shortcuts. Click Count to open the affected source records.

Ranking Analysis

Ranks categories, customers, products, departments, locations, or other dimensions by top, bottom, or average values.

Typical screen area

Category/group field | Value field | Rank type | Group field optional | AI | Help | Export

Inputs. Category/group field; Value field; Rank type; Group field optional
Model / algorithm. Groups records, calculates total/bottom/average as requested, sorts ranks, and links record counts.
Output. Rank, category, value, group value when selected, records, and record links.

Sample result.

Rank	Category	Top Value	Records
1	West	124000	88
2	East	118000	79

Shortcuts. Use Average rank type to compare typical value rather than total volume.

Regression Analysis

Explains and predicts how one value changes when another value changes, including more complex equations and logistic probability where supported.

Typical screen area

X field(s) | Y field | Equation type | Predict Y when X is | AI | Help | Export

Inputs. X field(s); Y field; Equation type; Predict Y when X is
Model / algorithm. Fits selected equation type to the data, hides zero coefficient terms, and calculates predicted Y.
Output. Equation, R-squared/fit notes, predicted value, records link, and Trends link.

Sample result.

Group	Equation	Predicted Y	Records
All	$Y = 4.851 * \text{pow}(X, 0.8333)$	8.64	120
Yes/No	$P = 1 / (1 + \exp(...))$	0.72	95

Shortcuts. Open Trends to explore the equation interactively.

Trends

Shows an interactive equation chart with a selected X value and predicted Y value.

Typical screen area

Equation | X value | Optional subtitle values from Regression | AI | Help | Export

Inputs. Equation; X value; Optional subtitle values from Regression

Model / algorithm. Parses supported math functions including pow, exp, ln, and log, draws the curve, and updates the selected point when clicked.

Output. Chart, selected point, Excel export, PDF export, and records link when available.

Sample result.

Equation	X	Y
$Y = 10 + 2 * X * X$	2	18
$Y = 4 + 2 * e^X$	1	9.44

Shortcuts. Use zoom and scroll bars to inspect different chart ranges.

Time Based Summaries

Summarizes values by day, week, month, quarter, or year when date fields exist.

Typical screen area

Date field | Value field | Date aggregation | AI | Help | Export

Inputs. Date field; Value field; Date aggregation

Model / algorithm. Groups records into selected date periods and calculates counts and totals.

Output. Period, records, total, average, min, max, and links to period records.

Sample result.

Period	Records	Total	Average
2026-Q1	220	450000	2045
2026-Q2	180	390000	2167

Shortcuts. Use quarter/year for management summaries and day/week for operational detail.

Time Series

Calculates moving averages and rolling totals for time-series style reports.

Typical screen area

Date field | Value field | Date aggregation | Number of time periods | AI | Help | Export

Inputs. Date field; Value field; Date aggregation; Number of time periods

Model / algorithm. Orders periods by date and calculates rolling totals and moving averages across the selected window.

Output. Period, records, value, moving average, rolling total, and record links.

Sample result.

Period	Value	Moving Avg	Rolling Total
Jan	100	100	100
Feb	120	110	220

Shortcuts. Number of time periods controls the rolling window size.

Outlier Flagging

Flags outliers based on standard deviation, percentage difference, or configurable business rules.

Typical screen area

Row field | Value field | Outlier method | Threshold | AI | Help | Export

Inputs. Row field; Value field; Outlier method; Threshold

Model / algorithm. Calculates normal range and flags records/groups beyond the selected threshold.

Output. Row value, actual value, expected/range value, outlier note, and record links.

Sample result.

Row	Value	Method	Outlier Note
Order 1001	9999	Std Dev	High outlier
Order 1044	1	Percent Diff	Low outlier

Shortcuts. Click row/record links to inspect source rows behind each outlier.

Correlation Threshold

Filters correlations to focus only on numeric field pairs above or below a selected threshold.

Typical screen area

Numeric fields | Threshold | Direction/filter | AI | Help | Export

Inputs. Numeric fields; Threshold; Direction/filter

Model / algorithm. Calculates correlations between numeric field pairs and returns pairs matching the selected threshold.

Output. Field 1, Field 2, correlation value, strength, and note.

Sample result.

Field 1	Field 2	Correlation	Strength
Sales	Profit	0.88	Strong
Discount	Margin	-0.63	Moderate negative

Shortcuts. Use this when the full correlation grid is too noisy.

Chart Recommendations

Builds recommended charts from category, date, and value fields and can create dashboards from selected/current-page recommendations.

Typical screen area

Category field(s) | Value field(s) | Date field | Search/filter/check boxes | AI | Help | Export

Inputs. Category field(s); Value field(s); Date field; Search/filter/check boxes

Model / algorithm. Generates eligible field combinations, assigns priority, validates chart support for multi-value selections, and builds chart links.

Output. Recommended chart, fields, priority, open chart/data link, dashboard checkbox, and dashboard creation result.

Sample result.

Chart	Fields	Priority	Dashboard
Column	Region / Sales	Highest	Checked
Line	OrderDate / Revenue	High	Checked

Shortcuts. Use Reset to clear search and selections; Create Dashboard uses current page selections.

Audit Summaries

Shows which report fields, filters, thresholds, and aggregation options produced each analytical result.

Typical screen area

Selected analytical page options | Report fields | Thresholds/aggregation settings | AI | Help | Export

Inputs. Selected analytical page options; Report fields; Thresholds/aggregation settings

Model / algorithm. Collects analysis settings and summarizes the lineage of each result.

Output. Field, option, value, effect, and audit note.

Sample result.

Item	Setting	Value	Effect
Value Field	Sales	Selected	Used for totals
Threshold	2 Std Dev	Selected	Outlier rule

Shortcuts. Use this to explain how an analytical result was produced.

Map Readiness

Checks whether report data is ready for map use and suggests possible coordinate fields.

Typical screen area

Current report data | Detected latitude/longitude fields | Location/category fields | AI | Help | Export

Inputs. Current report data; Detected latitude/longitude fields; Location/category fields

Model / algorithm. Searches for coordinate-like fields, excludes ID/index fields, validates missing/duplicate/out-of-range coordinates, and estimates KML readiness.

Output. Readiness summary, suggested coordinate fields, missing/invalid/duplicate counts, and record links.

Sample result.

Check	Suggested Fields	Records	Status
Latitude/Longitude	Lat, Long	980	Good
Invalid range	Lat, Long	2	Review

Shortcuts. Use before Map Report to avoid map crashes and bad coordinates.

Cohort Analysis

Groups records by first activity period and measures later-period activity, retention, record counts, and value.

Typical screen area

Entity field | Date field | Value field | Period | Search | AI | Help | Export

Inputs. Entity field; Date field; Value field; Period grain; Search text

Model / algorithm. Finds the first period for each entity, assigns that entity to a cohort, groups later records by cohort period and activity period, counts active entities and records, summarizes value, and calculates retention percent against the original cohort size.

Output. Cohort Period, Activity Period, Period Number, Entities, Records, Value, Retention %, and record links to the activity-period source rows.

Sample result.

Cohort Period	Activity Period	Entities	Records	Retention %
2026-01	2026-01	120	310	100%
2026-01	2026-02	84	190	70%

Shortcuts. Use Cohort when you need to see whether customers, members, products, or cases remain active after their first period.

Funnel Analysis

Analyzes ordered statuses or process stages and shows counts, drop-off, conversion percentage, and optional value by stage.

Typical screen area

Stage field | Value field | Stage order | Search | AI | Help | Export

Inputs. Stage field; Optional value field; Optional comma-separated stage order; Search text

Model / algorithm. Counts records and value by stage, applies the user-defined stage order when provided, calculates drop-off from the previous stage, and calculates conversion percent from the first stage.

Output. Step, Stage, Records, Value, Drop Off, Conversion %, and record links for each stage.

Sample result.

Step	Stage	Records	Drop Off	Conversion %
1	Lead	500	0	100%
2	Qualified	320	180	64%

Shortcuts. Use Funnel to find where records leave a sales, service, approval, recruiting, or operations process.

ABC Pareto Analysis

Classifies dimensions into A, B, and C groups by cumulative contribution to total value.

Typical screen area

Dimension field | Value field | Aggregate | Search | AI | Help | Export

Inputs. Dimension field; Value field; Aggregate option; Search text

Model / algorithm. Aggregates selected value by dimension, sorts dimensions from largest to smallest contribution, calculates share and cumulative share, then assigns A through roughly 80%, B through roughly 95%, and C for the remaining tail.

Output. Dimension, Records, Value, Share %, Cumulative %, ABC Class, and record links for each dimension.

Sample result.

Dimension	Records	Value	Cumulative %	ABC Class
Product A	140	450000	62%	A
Product B	88	135000	81%	B

Shortcuts. Use ABC/Pareto to see which customers, products, regions, departments, or categories drive most of the value.

Data Drift Analysis

Compares field distributions between two selected segments such as periods, groups, locations, or other categories.

Typical screen area

Compare field | Segment field | Base value | Compare value | Search | AI | Help | Export

Inputs. Compare field; Segment field; Base value; Compare value; Search text

Model / algorithm. Counts each compare-field value in the base and compare segments, converts counts to share percentages, and calculates percentage-point drift between the two segments.

Output. Field Value, Base Records, Compare Records, Base Share %, Compare Share %, Drift Points, and links to base and compare records.

Sample result.

Field Value	Base Records	Compare Records	Base Share %	Drift Points
Online	210	280	42%	8.5
Retail	190	150	38%	-6.2

Shortcuts. Use Data Drift to find when a report population changes shape between periods, sources, locations, or groups.

KPI Builder

Creates simple calculated business indicators from numeric fields and groups them by a selected dimension.

Typical screen area

Dimension field | Operation | Numerator field | Denominator field | Search | AI | Help | Export

Inputs. Dimension field; Numerator field; Denominator field; Operation: ratio, difference, sum, or product; Search text Model / algorithm. Sums numerator and denominator values for each dimension, applies the selected operation, and calculates a KPI value for each group.

Output. Dimension, Records, Numerator, Denominator, Operation, KPI Value, and record links for each dimension.

Sample result.

Dimension	Records	Numerator	Denominator	KPI Value
West	120	240000	8000	30
East	95	171000	5700	30

Shortcuts. Use KPI Builder to create report-specific measures such as revenue per unit, cost per case, rate, difference, or product of two totals.

Data Dictionary

Generates field-level documentation with detected type, examples, blanks, distinct values, summaries, and recommended analytical use.

Typical screen area

Field group | Examples | Search | AI | Help | Export

Inputs. Field group: all, numeric, date, or text; Number of examples; Optional field-name search text

Model / algorithm. Scans each selected field, detects numeric/date/text behavior, counts blanks and distinct values, captures examples, and calculates numeric min, max, average, and standard deviation where applicable.

Output. Field, Detected Type, Records, Blanks, Distinct Values, Min, Max, Average, Std Dev, Examples, Recommended Use, and source-data record links.

Sample result.

Field	Detected Type	Blanks	Distinct Values	Recommended Use
Sales	Numeric	0	923	Measure / KPI
OrderDate	Date	2	356	Time grouping

Shortcuts. Use Data Dictionary to document report fields before sharing, exporting, or sending analysis context to AI.