

# Problems with American Community Survey

Dan Price

2021-12-27

## Preliminaries – very broad

In the effort to create a simulated Harris County - Sam City - we tried to work with the American Community Survey (ACS) from the US Census Bureau. The decennial census is broken into small groups and gives the answers provided by respondents to the household questionnaires in block groups. In the intervening years, the ACS provides estimates for the same categories. When we began this process, the 2020 census hadn't been completed, although we will talk about how to integrate it later. Our first task was to see whether the ACS estimates could help us. Block group data is the smallest unit made available to the public and is made available for some ACS tables, but we ran into the problem at the tract level, which is comprised of from 1 to 4 block groups, and the block group totals aggregate correctly into the tracts. (<https://www.census.gov/programs-surveys/geography/about/glossary.html>) Using our libraries (Census\_Data.R and workflow.R) we were able to save the appropriate data locally. I reproduce the code, below, for completeness' sake, but there's no need to follow it closely. Using the three tracts that we had selected because we were familiar with the areas and they represented demographic variability, we wanted to look at the distribution of females by age, and then by race. When aggregating by tract. For the 2010 decennial census, these are women by age (with some overlap in age categories).

```
dec_sex_by_age_race_data_from_census_10 <-  
  censusData_byGroupName(censusdir, vintage="2010", state, censuskey,  
    groupname = "P12", county_num = "201",  
    block="block_group", api_type="dec/sf1", path_suff="est.csv")  
  
## [1] "found folder ~/Downloads/UH_OneDrive/OneDrive - University Of Houston/Social Network H  
## [1] "Reading file from ~/Downloads/UH_OneDrive/OneDrive - University Of Houston/Social Netw  
  
SAR_2010 <- as.data.table(dec_sex_by_age_race_data_from_census_10)  
#all the designations have 0 in them except totals for all races  
F_SAR_2010 <- SAR_2010[str_detect(label, "Female") & !str_detect(concept, "0")]  
F3_SAR_2010 <- F_SAR_2010[order(label),  
  list(`label`, `48_201_312200_1`, `48_201_312200_2`, `48_201_312200_3`,  
    `48_201_310300_1`, `48_201_310300_2`, `48_201_310300_3`,  
    `48_201_310300_4`, `48_201_310300_5`, `48_201_310300_6`,  
    `48_201_411900_1`, `48_201_411900_2`, `48_201_411900_3`)]  
  
#add summary columns
```

```

F3_SAR_2010$`48201312200` <- as.integer(F3_SAR_2010$`48_201_312200_1`) +
  as.integer(F3_SAR_2010$`48_201_312200_2`) +
  as.integer(F3_SAR_2010$`48_201_312200_3`)
F3_SAR_2010$`48201310300` <- as.integer(F3_SAR_2010$`48_201_310300_1`) +
  as.integer(F3_SAR_2010$`48_201_310300_2`) +
  as.integer(F3_SAR_2010$`48_201_310300_3`) +
  as.integer(F3_SAR_2010$`48_201_310300_4`) +
  as.integer(F3_SAR_2010$`48_201_310300_5`) +
  as.integer(F3_SAR_2010$`48_201_310300_6`)
F3_SAR_2010$`48201411900` <- as.integer(F3_SAR_2010$`48_201_411900_1`) +
  as.integer(F3_SAR_2010$`48_201_411900_2`) +
  as.integer(F3_SAR_2010$`48_201_411900_3`)

F3s_SAR_2010 <- F3_SAR_2010[order(label),
  list(`label`, `48201312200`, `48201310300`, `48201411900`)]

```

F3s\_SAR\_2010

##		label	48201312200	48201310300	48201411900
## 1:	Total!!Female		1019	2274	1773
## 2:	Total!!Female!!10 to 14 years		61	124	58
## 3:	Total!!Female!!15 to 17 years		45	75	35
## 4:	Total!!Female!!18 and 19 years		40	54	13
## 5:	Total!!Female!!20 years		12	35	12
## 6:	Total!!Female!!21 years		12	25	18
## 7:	Total!!Female!!22 to 24 years		45	122	120
## 8:	Total!!Female!!25 to 29 years		66	233	182
## 9:	Total!!Female!!30 to 34 years		65	188	151
## 10:	Total!!Female!!35 to 39 years		55	156	124
## 11:	Total!!Female!!40 to 44 years		71	144	105
## 12:	Total!!Female!!45 to 49 years		69	138	108
## 13:	Total!!Female!!5 to 9 years		63	147	69
## 14:	Total!!Female!!50 to 54 years		90	165	153
## 15:	Total!!Female!!55 to 59 years		57	162	167
## 16:	Total!!Female!!60 and 61 years		24	36	58
## 17:	Total!!Female!!62 to 64 years		29	59	82
## 18:	Total!!Female!!65 and 66 years		19	50	49
## 19:	Total!!Female!!67 to 69 years		25	43	59
## 20:	Total!!Female!!70 to 74 years		23	58	49
## 21:	Total!!Female!!75 to 79 years		27	36	33
## 22:	Total!!Female!!80 to 84 years		13	28	27
## 23:	Total!!Female!!85 years and over		26	32	34
## 24:	Total!!Female!!Under 5 years		82	164	67
##		label	48201312200	48201310300	48201411900

If we further restrict the display to Black females

```

BF_SAR_2010 <- SAR_2010[str_detect(label,"Female")&str_detect(concept,"BLACK")]
BF3_SAR_2010 <- BF_SAR_2010[order(label),
                             list(`label`, `concept`, `48_201_312200_1`, `48_201_312200_2`,
                                   `48_201_312200_3`,
                                   `48_201_310300_1`, `48_201_310300_2`, `48_201_310300_3`,
                                   `48_201_310300_4`, `48_201_310300_5`, `48_201_310300_6`,
                                   `48_201_411900_1`, `48_201_411900_2`, `48_201_411900_3`)]

#add summary columns
BF3_SAR_2010$`48201312200` <- as.integer(BF3_SAR_2010$`48_201_312200_1`) +
  as.integer(BF3_SAR_2010$`48_201_312200_2`) +
  as.integer(BF3_SAR_2010$`48_201_312200_3`)
BF3_SAR_2010$`48201310300` <- as.integer(BF3_SAR_2010$`48_201_310300_1`) +
  as.integer(BF3_SAR_2010$`48_201_310300_2`) +
  as.integer(BF3_SAR_2010$`48_201_310300_3`) +
  as.integer(BF3_SAR_2010$`48_201_310300_4`) +
  as.integer(BF3_SAR_2010$`48_201_310300_5`) +
  as.integer(BF3_SAR_2010$`48_201_310300_6`)
BF3_SAR_2010$`48201411900` <- as.integer(BF3_SAR_2010$`48_201_411900_1`) +
  as.integer(BF3_SAR_2010$`48_201_411900_2`) +
  as.integer(BF3_SAR_2010$`48_201_411900_3`)

BF3s_SAR_2010 <- BF3_SAR_2010[order(label),
                               list(`label`, `concept`, `48201312200`, `48201310300`, `48201411900`)]
BF3s_SAR_2010

```

```

##                                label
## 1:                            Total!!Female
## 2:      Total!!Female!!10 to 14 years
## 3:      Total!!Female!!15 to 17 years
## 4:      Total!!Female!!18 and 19 years
## 5:            Total!!Female!!20 years
## 6:            Total!!Female!!21 years
## 7:      Total!!Female!!22 to 24 years
## 8:      Total!!Female!!25 to 29 years
## 9:      Total!!Female!!30 to 34 years
## 10:     Total!!Female!!35 to 39 years
## 11:     Total!!Female!!40 to 44 years
## 12:     Total!!Female!!45 to 49 years
## 13:      Total!!Female!!5 to 9 years
## 14:     Total!!Female!!50 to 54 years
## 15:     Total!!Female!!55 to 59 years
## 16:     Total!!Female!!60 and 61 years
## 17:     Total!!Female!!62 to 64 years
## 18:     Total!!Female!!65 and 66 years
## 19:     Total!!Female!!67 to 69 years
## 20:     Total!!Female!!70 to 74 years
## 21:     Total!!Female!!75 to 79 years

```

```

## 22:    Total!!Female!!80 to 84 years
## 23: Total!!Female!!85 years and over
## 24:    Total!!Female!!Under 5 years
##
##                                label
##                                concept 48201312200 48201310300
##  1: SEX BY AGE (BLACK OR AFRICAN AMERICAN ALONE)           814           93
##  2: SEX BY AGE (BLACK OR AFRICAN AMERICAN ALONE)           47            4
##  3: SEX BY AGE (BLACK OR AFRICAN AMERICAN ALONE)           30            5
##  4: SEX BY AGE (BLACK OR AFRICAN AMERICAN ALONE)           28            1
##  5: SEX BY AGE (BLACK OR AFRICAN AMERICAN ALONE)           11            1
##  6: SEX BY AGE (BLACK OR AFRICAN AMERICAN ALONE)           10            3
##  7: SEX BY AGE (BLACK OR AFRICAN AMERICAN ALONE)           31            2
##  8: SEX BY AGE (BLACK OR AFRICAN AMERICAN ALONE)           47            8
##  9: SEX BY AGE (BLACK OR AFRICAN AMERICAN ALONE)           42            8
## 10: SEX BY AGE (BLACK OR AFRICAN AMERICAN ALONE)           35           12
## 11: SEX BY AGE (BLACK OR AFRICAN AMERICAN ALONE)           61            7
## 12: SEX BY AGE (BLACK OR AFRICAN AMERICAN ALONE)           60           13
## 13: SEX BY AGE (BLACK OR AFRICAN AMERICAN ALONE)           40            4
## 14: SEX BY AGE (BLACK OR AFRICAN AMERICAN ALONE)           83            8
## 15: SEX BY AGE (BLACK OR AFRICAN AMERICAN ALONE)           51            5
## 16: SEX BY AGE (BLACK OR AFRICAN AMERICAN ALONE)           23            0
## 17: SEX BY AGE (BLACK OR AFRICAN AMERICAN ALONE)           25            1
## 18: SEX BY AGE (BLACK OR AFRICAN AMERICAN ALONE)           18            1
## 19: SEX BY AGE (BLACK OR AFRICAN AMERICAN ALONE)           25            0
## 20: SEX BY AGE (BLACK OR AFRICAN AMERICAN ALONE)           21            2
## 21: SEX BY AGE (BLACK OR AFRICAN AMERICAN ALONE)           27            1
## 22: SEX BY AGE (BLACK OR AFRICAN AMERICAN ALONE)           13            1
## 23: SEX BY AGE (BLACK OR AFRICAN AMERICAN ALONE)           26            3
## 24: SEX BY AGE (BLACK OR AFRICAN AMERICAN ALONE)           60            3
##
##                                concept 48201312200 48201310300
## 48201411900
##  1:           32
##  2:           0
##  3:           0
##  4:           0
##  5:           0
##  6:           0
##  7:           1
##  8:           7
##  9:           6
## 10:           3
## 11:           4
## 12:           2
## 13:           1
## 14:           2
## 15:           1
## 16:           2
## 17:           1

```

```
## 18:      0
## 19:      2
## 20:      0
## 21:      0
## 22:      0
## 23:      0
## 24:      0
##      48201411900
```

But if we look at the 2017 estimates at the tract level

```
sex_by_age_race_data_from_census_17 <-
  censusData_byGroupName(censusedir, vintage, state, censuskey,
    groupname = "B01001", county_num = "201",
    block="tract", api_type="acs/acs5", path_suff="est.csv")
```

```
## [1] "found folder ~/Downloads/UH_OneDrive/OneDrive - University Of Houston/Social Network H
## [1] "Reading file from ~/Downloads/UH_OneDrive/OneDrive - University Of Houston/Social Netw
```

```
SAR_2017 <- as.data.table(sex_by_age_race_data_from_census_17)
#all the designations have o in them except totals for all races
F_SAR_2017 <- SAR_2017[str_detect(label,"Female")&!str_detect(concept,"0")]
F3_SAR_2017 <- F_SAR_2017[order(label),
  list(`label`, `48201312200`, `48201310300`, `48201411900`)]
F3_SAR_2017
```

##		label	48201312200	48201310300
## 1:	Estimate!!Total:!!Female:		908	2212
## 2:	Estimate!!Total:!!Female:!!10 to 14 years		1	133
## 3:	Estimate!!Total:!!Female:!!15 to 17 years		11	36
## 4:	Estimate!!Total:!!Female:!!18 and 19 years		24	28
## 5:	Estimate!!Total:!!Female:!!20 years		41	0
## 6:	Estimate!!Total:!!Female:!!21 years		11	20
## 7:	Estimate!!Total:!!Female:!!22 to 24 years		43	117
## 8:	Estimate!!Total:!!Female:!!25 to 29 years		50	265
## 9:	Estimate!!Total:!!Female:!!30 to 34 years		48	192
## 10:	Estimate!!Total:!!Female:!!35 to 39 years		68	132
## 11:	Estimate!!Total:!!Female:!!40 to 44 years		24	129
## 12:	Estimate!!Total:!!Female:!!45 to 49 years		134	40
## 13:	Estimate!!Total:!!Female:!!5 to 9 years		71	161
## 14:	Estimate!!Total:!!Female:!!50 to 54 years		53	106
## 15:	Estimate!!Total:!!Female:!!55 to 59 years		79	199
## 16:	Estimate!!Total:!!Female:!!60 and 61 years		19	68
## 17:	Estimate!!Total:!!Female:!!62 to 64 years		30	91
## 18:	Estimate!!Total:!!Female:!!65 and 66 years		9	27
## 19:	Estimate!!Total:!!Female:!!67 to 69 years		30	120

```
## 20: Estimate!!Total:!!Female:!!70 to 74 years 21 64
## 21: Estimate!!Total:!!Female:!!75 to 79 years 6 90
## 22: Estimate!!Total:!!Female:!!80 to 84 years 19 30
## 23: Estimate!!Total:!!Female:!!85 years and over 24 5
## 24: Estimate!!Total:!!Female:!!Under 5 years 92 159
## label 48201312200 48201310300
## 48201411900
## 1: 1559
## 2: 41
## 3: 20
## 4: 0
## 5: 18
## 6: 0
## 7: 53
## 8: 94
## 9: 115
## 10: 44
## 11: 139
## 12: 160
## 13: 39
## 14: 115
## 15: 158
## 16: 45
## 17: 67
## 18: 59
## 19: 71
## 20: 91
## 21: 85
## 22: 17
## 23: 19
## 24: 109
## 48201411900
```

```
BF_SAR_2017 <- SAR_2017[str_detect(label,"Female")&str_detect(concept,"BLACK")]
BF3_SAR_2017 <- BF_SAR_2017[order(label),
                             list(`label`, `48201312200`, `48201310300`, `48201411900`)]
BF3_SAR_2017
```

```
## label 48201312200 48201310300
## 1: Estimate!!Total:!!Female: 814 130
## 2: Estimate!!Total:!!Female:!!10 to 14 years 1 0
## 3: Estimate!!Total:!!Female:!!15 to 17 years 11 0
## 4: Estimate!!Total:!!Female:!!18 and 19 years 24 0
## 5: Estimate!!Total:!!Female:!!20 to 24 years 84 0
## 6: Estimate!!Total:!!Female:!!25 to 29 years 50 58
## 7: Estimate!!Total:!!Female:!!30 to 34 years 48 25
## 8: Estimate!!Total:!!Female:!!35 to 44 years 83 9
```

```
## 9: Estimate!!Total:!!Female:!!45 to 54 years 164 0
## 10: Estimate!!Total:!!Female:!!5 to 9 years 71 0
## 11: Estimate!!Total:!!Female:!!55 to 64 years 121 14
## 12: Estimate!!Total:!!Female:!!65 to 74 years 51 0
## 13: Estimate!!Total:!!Female:!!75 to 84 years 18 0
## 14: Estimate!!Total:!!Female:!!85 years and over 24 0
## 15: Estimate!!Total:!!Female:!!Under 5 years 64 24
## 48201411900
## 1: 0
## 2: 0
## 3: 0
## 4: 0
## 5: 0
## 6: 0
## 7: 0
## 8: 0
## 9: 0
## 10: 0
## 11: 0
## 12: 0
## 13: 0
## 14: 0
## 15: 0
```

```
err_sex_by_age_race_data_from_census_17 <-
  censusData_byGroupName(censusdir, vintage, state, censuskey,
    groupname = "B01001", county_num = "201",
    block="tract", api_type="acs/acs5", path_suff="err.csv")
```

```
## [1] "found folder ~/Downloads/UH_OneDrive/OneDrive - University Of Houston/Social Network H
## [1] "Reading file from ~/Downloads/UH_OneDrive/OneDrive - University Of Houston/Social Netw
```

```
errSAR_2017 <- as.data.table(err_sex_by_age_race_data_from_census_17)
errF_SAR_2017 <- errSAR_2017[str_detect(label,"Female")&!str_detect(concept,"0")]
errF3_SAR_2017 <- errF_SAR_2017[order(label),
  list(`label`, `48201312200`, `48201310300`, `48201411900`)]
errF3_SAR_2017
```

```
## label 48201312200 48201310300
## 1: Margin of Error:!!Female: 223 257
## 2: Margin of Error:!!Female:!!10 to 14 years 4 76
## 3: Margin of Error:!!Female:!!15 to 17 years 20 55
## 4: Margin of Error:!!Female:!!18 and 19 years 39 33
## 5: Margin of Error:!!Female:!!20 years 51 14
## 6: Margin of Error:!!Female:!!21 years 16 31
## 7: Margin of Error:!!Female:!!22 to 24 years 44 76
```

## 8:	Margin of Error:!!Female:!!25 to 29 years	42	118
## 9:	Margin of Error:!!Female:!!30 to 34 years	50	70
## 10:	Margin of Error:!!Female:!!35 to 39 years	59	72
## 11:	Margin of Error:!!Female:!!40 to 44 years	33	93
## 12:	Margin of Error:!!Female:!!45 to 49 years	64	40
## 13:	Margin of Error:!!Female:!!5 to 9 years	63	107
## 14:	Margin of Error:!!Female:!!50 to 54 years	41	69
## 15:	Margin of Error:!!Female:!!55 to 59 years	52	95
## 16:	Margin of Error:!!Female:!!60 and 61 years	23	49
## 17:	Margin of Error:!!Female:!!62 to 64 years	33	60
## 18:	Margin of Error:!!Female:!!65 and 66 years	10	32
## 19:	Margin of Error:!!Female:!!67 to 69 years	21	69
## 20:	Margin of Error:!!Female:!!70 to 74 years	22	47
## 21:	Margin of Error:!!Female:!!75 to 79 years	12	82
## 22:	Margin of Error:!!Female:!!80 to 84 years	23	28
## 23:	Margin of Error:!!Female:!!85 years and over	25	17
## 24:	Margin of Error:!!Female:!!Under 5 years	72	82
##	label 48201312200 48201310300		
##	48201411900		
## 1:	274		
## 2:	38		
## 3:	30		
## 4:	14		
## 5:	27		
## 6:	14		
## 7:	58		
## 8:	61		
## 9:	71		
## 10:	34		
## 11:	134		
## 12:	82		
## 13:	48		
## 14:	109		
## 15:	79		
## 16:	48		
## 17:	57		
## 18:	56		
## 19:	58		
## 20:	105		
## 21:	52		
## 22:	27		
## 23:	29		
## 24:	66		
##	48201411900		

```
errBF_SAR_2017 <- errSAR_2017[str_detect(label,"Female")&str_detect(concept,"BLACK")]
errBF3_SAR_2017 <- errBF_SAR_2017[order(label),
```



```
list(`label`, `48201312200`, `48201310300`, `48201411900`)]
errBF3_SAR_2017
```

```
##                                label 48201312200 48201310300
## 1:                        Margin of Error:!!Female:           222           80
## 2:      Margin of Error:!!Female:!!10 to 14 years             4           14
## 3:      Margin of Error:!!Female:!!15 to 17 years            20           14
## 4:      Margin of Error:!!Female:!!18 and 19 years           39           14
## 5:      Margin of Error:!!Female:!!20 to 24 years            67           14
## 6:      Margin of Error:!!Female:!!25 to 29 years            42           58
## 7:      Margin of Error:!!Female:!!30 to 34 years            50           29
## 8:      Margin of Error:!!Female:!!35 to 44 years            66           16
## 9:      Margin of Error:!!Female:!!45 to 54 years            70           14
## 10:      Margin of Error:!!Female:!!5 to 9 years              63           14
## 11:      Margin of Error:!!Female:!!55 to 64 years            62           20
## 12:      Margin of Error:!!Female:!!65 to 74 years            29           14
## 13:      Margin of Error:!!Female:!!75 to 84 years            20           14
## 14:      Margin of Error:!!Female:!!85 years and over          25           14
## 15:      Margin of Error:!!Female:!!Under 5 years             77           26
##      48201411900
## 1:           14
## 2:           14
## 3:           14
## 4:           14
## 5:           14
## 6:           14
## 7:           14
## 8:           14
## 9:           14
## 10:          14
## 11:          14
## 12:          14
## 13:          14
## 14:          14
## 15:          14
```

```
sex_by_age_race_data_from_census_18 <-
  censusData_byGroupName(censusdir, vintage="2018", state, censuskey,
    groupname = "B01001", county_num = "201",
    block="tract", api_type="acs/acs5", path_suff="est.csv")
```

```
## [1] "found folder ~/Downloads/UH_OneDrive/OneDrive - University Of Houston/Social Network Hy
## [1] "Reading file from ~/Downloads/UH_OneDrive/OneDrive - University Of Houston/Social Netw
```

```

SAR_2018 <- as.data.table(sex_by_age_race_data_from_census_18)
#all the designations have o in them except totals for all races
F_SAR_2018 <- SAR_2018[str_detect(label,"Female")&!str_detect(concept,"0")]
F3_SAR_2018 <- F_SAR_2018[order(label),
                           list(`label`, `48201312200`, `48201310300`, `48201411900`)]
F3_SAR_2018

```

```

##                                label 48201312200 48201310300
## 1:                        Estimate!!Total!!Female           991           2176
## 2:      Estimate!!Total!!Female!!10 to 14 years             32             82
## 3:      Estimate!!Total!!Female!!15 to 17 years             25            109
## 4:      Estimate!!Total!!Female!!18 and 19 years            19             45
## 5:      Estimate!!Total!!Female!!20 years                   9              0
## 6:      Estimate!!Total!!Female!!21 years                   9             20
## 7:      Estimate!!Total!!Female!!22 to 24 years             32            123
## 8:      Estimate!!Total!!Female!!25 to 29 years             23            182
## 9:      Estimate!!Total!!Female!!30 to 34 years             80            164
## 10:     Estimate!!Total!!Female!!35 to 39 years            118            244
## 11:     Estimate!!Total!!Female!!40 to 44 years             24            163
## 12:     Estimate!!Total!!Female!!45 to 49 years            117             63
## 13:      Estimate!!Total!!Female!!5 to 9 years             109            166
## 14:     Estimate!!Total!!Female!!50 to 54 years             64            140
## 15:     Estimate!!Total!!Female!!55 to 59 years             68            134
## 16:     Estimate!!Total!!Female!!60 and 61 years            18             44
## 17:     Estimate!!Total!!Female!!62 to 64 years            40             74
## 18:     Estimate!!Total!!Female!!65 and 66 years            12             16
## 19:     Estimate!!Total!!Female!!67 to 69 years            42             76
## 20:     Estimate!!Total!!Female!!70 to 74 years            25             80
## 21:     Estimate!!Total!!Female!!75 to 79 years            10             47
## 22:     Estimate!!Total!!Female!!80 to 84 years            18             36
## 23: Estimate!!Total!!Female!!85 years and over             11             23
## 24:      Estimate!!Total!!Female!!Under 5 years            86            145
##                                label 48201312200 48201310300
##      48201411900
## 1:              1440
## 2:              39
## 3:              0
## 4:              0
## 5:              0
## 6:              0
## 7:              71
## 8:              61
## 9:             154
## 10:             34
## 11:             172
## 12:             105
## 13:             13

```

```
## 14:      90
## 15:     172
## 16:     108
## 17:      51
## 18:      36
## 19:      74
## 20:      79
## 21:      58
## 22:      15
## 23:      35
## 24:      73
##      48201411900
```

```
BF_SAR_2018 <- SAR_2018[str_detect(label,"Female")&str_detect(concept,"BLACK")]
BF3_SAR_2018 <- BF_SAR_2018[order(label),
                             list(`label`, `48201312200`, `48201310300`, `48201411900`)]
BF3_SAR_2018
```

```
##              label 48201312200 48201310300
## 1:      Estimate!!Total!!Female      786      133
## 2: Estimate!!Total!!Female!!10 to 14 years      6      0
## 3: Estimate!!Total!!Female!!15 to 17 years     11      0
## 4: Estimate!!Total!!Female!!18 and 19 years     19      0
## 5: Estimate!!Total!!Female!!20 to 24 years     41      0
## 6: Estimate!!Total!!Female!!25 to 29 years     23     49
## 7: Estimate!!Total!!Female!!30 to 34 years     80     22
## 8: Estimate!!Total!!Female!!35 to 44 years     88     20
## 9: Estimate!!Total!!Female!!45 to 54 years    160      0
## 10: Estimate!!Total!!Female!!5 to 9 years      84      0
## 11: Estimate!!Total!!Female!!55 to 64 years   120      8
## 12: Estimate!!Total!!Female!!65 to 74 years    75      0
## 13: Estimate!!Total!!Female!!75 to 84 years    22      0
## 14: Estimate!!Total!!Female!!85 years and over  11      0
## 15: Estimate!!Total!!Female!!Under 5 years    46     34
##      48201411900
## 1:      54
## 2:      0
## 3:      0
## 4:      0
## 5:      0
## 6:      0
## 7:      0
## 8:      0
## 9:      0
## 10:     0
## 11:     54
## 12:      0
```

```
## 13:      0
## 14:      0
## 15:      0
```

Look at how errors correlate across years

```
err_sex_by_age_race_data_from_census_18 <-
  censusData_byGroupName(censusdir, vintage="2018", state, censuskey,
    groupname = "B01001", county_num = "201",
    block="tract", api_type="acs/acs5", path_suff="err.csv")

## [1] "found folder ~/Downloads/UH_OneDrive/OneDrive - University Of Houston/Social Network Hy
## [1] "Reading file from ~/Downloads/UH_OneDrive/OneDrive - University Of Houston/Social Netw
```

```
errSAR_2018 <- as.data.table(err_sex_by_age_race_data_from_census_18)
errF_SAR_2018 <- errSAR_2018[str_detect(label, "Female") & !str_detect(concept, "0")]
errF3_SAR_2018 <- errF_SAR_2018[order(label),
  list(`label`, `48201312200`, `48201310300`, `48201411900`)]
errF3_SAR_2018
```

```
##              label 48201312200 48201310300
## 1:      Margin of Error!!Female      260      290
## 2:      Margin of Error!!Female!!10 to 14 years      27      60
## 3:      Margin of Error!!Female!!15 to 17 years      27      90
## 4:      Margin of Error!!Female!!18 and 19 years      29      57
## 5:      Margin of Error!!Female!!20 years      13      13
## 6:      Margin of Error!!Female!!21 years      13      31
## 7:      Margin of Error!!Female!!22 to 24 years      40      82
## 8:      Margin of Error!!Female!!25 to 29 years      24      84
## 9:      Margin of Error!!Female!!30 to 34 years      69      67
## 10:      Margin of Error!!Female!!35 to 39 years      55      87
## 11:      Margin of Error!!Female!!40 to 44 years      31     101
## 12:      Margin of Error!!Female!!45 to 49 years      58      50
## 13:      Margin of Error!!Female!!5 to 9 years      57     125
## 14:      Margin of Error!!Female!!50 to 54 years      49      81
## 15:      Margin of Error!!Female!!55 to 59 years      47      74
## 16:      Margin of Error!!Female!!60 and 61 years      23      37
## 17:      Margin of Error!!Female!!62 to 64 years      40      47
## 18:      Margin of Error!!Female!!65 and 66 years      12      25
## 19:      Margin of Error!!Female!!67 to 69 years      26      56
## 20:      Margin of Error!!Female!!70 to 74 years      26      55
## 21:      Margin of Error!!Female!!75 to 79 years      12      52
## 22:      Margin of Error!!Female!!80 to 84 years      23      30
## 23:      Margin of Error!!Female!!85 years and over      12      30
## 24:      Margin of Error!!Female!!Under 5 years      70      83
##              label 48201312200 48201310300
```

```

##      48201411900
##  1:      222
##  2:      35
##  3:      13
##  4:      13
##  5:      13
##  6:      13
##  7:      59
##  8:      57
##  9:      74
## 10:      33
## 11:     139
## 12:      85
## 13:      23
## 14:      95
## 15:      69
## 16:      97
## 17:      51
## 18:      39
## 19:      55
## 20:      91
## 21:      44
## 22:      25
## 23:      40
## 24:      45
##      48201411900

```

Look at how the margin of error numbers compare between 2017-2018

```
errF3_SAR_2018[,2:4]-errF3_SAR_2017[,2:4]
```

```

##      48201312200 48201310300 48201411900
##  1:      37      33      -52
##  2:      23     -16      -3
##  3:       7      35     -17
##  4:     -10      24      -1
##  5:    -38      -1     -14
##  6:      -3       0      -1
##  7:      -4       6       1
##  8:    -18    -34      -4
##  9:      19      -3       3
## 10:      -4      15      -1
## 11:      -2       8       5
## 12:      -6      10       3
## 13:      -6      18     -25
## 14:       8      12     -14
## 15:      -5     -21     -10

```

```
## 16:      0      -12      49
## 17:      7      -13      -6
## 18:      2       -7     -17
## 19:      5     -13      -3
## 20:      4       8     -14
## 21:      0     -30      -8
## 22:      0       2      -2
## 23:     -13      13      11
## 24:      -2       1     -21
##      48201312200 48201310300 48201411900
```

```
errBF_SAR_2018 <- errSAR_2018[str_detect(label,
  "Female")&str_detect(concept,"BLACK")]
errBF3_SAR_2018 <- errBF_SAR_2018[order(label,
  list(`label`, `48201312200`, `48201310300`, `48201411900`))]
errBF3_SAR_2018
```

```
##                                label 48201312200 48201310300
## 1:      Margin of Error!!Female           222           72
## 2:      Margin of Error!!Female!!10 to 14 years           9           13
## 3:      Margin of Error!!Female!!15 to 17 years          15           13
## 4:      Margin of Error!!Female!!18 and 19 years          29           13
## 5:      Margin of Error!!Female!!20 to 24 years          43           13
## 6:      Margin of Error!!Female!!25 to 29 years          24           58
## 7:      Margin of Error!!Female!!30 to 34 years          69           25
## 8:      Margin of Error!!Female!!35 to 44 years          61           22
## 9:      Margin of Error!!Female!!45 to 54 years          72           13
## 10:      Margin of Error!!Female!!5 to 9 years           58           13
## 11:      Margin of Error!!Female!!55 to 64 years          65           14
## 12:      Margin of Error!!Female!!65 to 74 years          36           13
## 13:      Margin of Error!!Female!!75 to 84 years          23           13
## 14:      Margin of Error!!Female!!85 years and over         12           13
## 15:      Margin of Error!!Female!!Under 5 years          57           31
##      48201411900
## 1:      85
## 2:      13
## 3:      13
## 4:      13
## 5:      13
## 6:      13
## 7:      13
## 8:      13
## 9:      13
## 10:      13
## 11:      85
## 12:      13
## 13:      13
```

```
## 14:      13
## 15:      13
```

Look at how the margin of error numbers compare between 2017-2018

```
errBF3_SAR_2018[,2:4]-errBF3_SAR_2017[,2:4]
```

```
##      48201312200 48201310300 48201411900
## 1:           0          -8          71
## 2:           5          -1          -1
## 3:          -5          -1          -1
## 4:         -10          -1          -1
## 5:        -24          -1          -1
## 6:        -18           0          -1
## 7:         19          -4          -1
## 8:          -5           6          -1
## 9:           2          -1          -1
## 10:          -5          -1          -1
## 11:           3          -6          71
## 12:           7          -1          -1
## 13:           3          -1          -1
## 14:        -13          -1          -1
## 15:        -20           5          -1
```

for females and using the Census' guide for calculating standard error Standard Error = Margin of Error / Z, where Z = 1.645 for census products after 2005.

```
errF3_SAR_2018[,2:4]/1.645
```

```
##      48201312200 48201310300 48201411900
## 1: 158.054711 176.291793 134.954407
## 2: 16.413374 36.474164 21.276596
## 3: 16.413374 54.711246 7.902736
## 4: 17.629179 34.650456 7.902736
## 5: 7.902736 7.902736 7.902736
## 6: 7.902736 18.844985 7.902736
## 7: 24.316109 49.848024 35.866261
## 8: 14.589666 51.063830 34.650456
## 9: 41.945289 40.729483 44.984802
## 10: 33.434650 52.887538 20.060790
## 11: 18.844985 61.398176 84.498480
## 12: 35.258359 30.395137 51.671733
## 13: 34.650456 75.987842 13.981763
## 14: 29.787234 49.240122 57.750760
## 15: 28.571429 44.984802 41.945289
## 16: 13.981763 22.492401 58.966565
```

```
## 17: 24.316109 28.571429 31.003040
## 18: 7.294833 15.197568 23.708207
## 19: 15.805471 34.042553 33.434650
## 20: 15.805471 33.434650 55.319149
## 21: 7.294833 31.610942 26.747720
## 22: 13.981763 18.237082 15.197568
## 23: 7.294833 18.237082 24.316109
## 24: 42.553191 50.455927 27.355623
## 48201312200 48201310300 48201411900
```

Standard error Black female

```
errBF3_SAR_2018[,2:4]/1.645
```

```
## 48201312200 48201310300 48201411900
## 1: 134.954407 43.768997 51.671733
## 2: 5.471125 7.902736 7.902736
## 3: 9.118541 7.902736 7.902736
## 4: 17.629179 7.902736 7.902736
## 5: 26.139818 7.902736 7.902736
## 6: 14.589666 35.258359 7.902736
## 7: 41.945289 15.197568 7.902736
## 8: 37.082067 13.373860 7.902736
## 9: 43.768997 7.902736 7.902736
## 10: 35.258359 7.902736 7.902736
## 11: 39.513678 8.510638 51.671733
## 12: 21.884498 7.902736 7.902736
## 13: 13.981763 7.902736 7.902736
## 14: 7.294833 7.902736 7.902736
## 15: 34.650456 18.844985 7.902736
```

And then the estimated value minus the standard error for 2018

```
BF3_SAR_2018[,2:4]-(errBF3_SAR_2018[,2:4]/1.645)
```


```
## 48201312200 48201310300 48201411900
## 1: 651.0455927 89.2310030 2.328267
## 2: 0.5288754 -7.9027356 -7.902736
## 3: 1.8814590 -7.9027356 -7.902736
## 4: 1.3708207 -7.9027356 -7.902736
## 5: 14.8601824 -7.9027356 -7.902736
## 6: 8.4103343 13.7416413 -7.902736
## 7: 38.0547112 6.8024316 -7.902736
## 8: 50.9179331 6.6261398 -7.902736
## 9: 116.2310030 -7.9027356 -7.902736
## 10: 48.7416413 -7.9027356 -7.902736
```



```
## 11: 80.4863222 -0.5106383 2.328267
## 12: 53.1155015 -7.9027356 -7.902736
## 13: 8.0182371 -7.9027356 -7.902736
## 14: 3.7051672 -7.9027356 -7.902736
## 15: 11.3495441 15.1550152 -7.902736
```

If we assumed that there was a sort of expected variation

```
#from https://statisticsglobe.com/add-standard-error-bars-barchart-r - with diff numbers
library(ggplot2)
df_example <- data.frame(values = rnorm(100,10,7),group = letters[1:4])
ggplot(df_example, aes(values, group, fill = group)) +
  coord_flip() +
  stat_summary(geom = "bar", fun = mean, position = "dodge") +
  stat_summary(geom = "errorbar", fun.data = mean_se, position = "dodge")
```



If we do the setup for calculating standard error and map it

```
#left_join -example_data would be ... talk to Ioannis about what to show - have to just pick o
```

Line up each of the years as stacked by age, starting with 2010, and then go to next year

```
#left_join()
```

Clearly, this is a deep problem for using the American Community Survey for small area estimation - or more generally, for the modeling that health professionals (and community members and students) would like to do to understand what health interventions are more likely to be effective. For example, new data tools are being developed and bulk data downloads made available for small area estimation of health outcomes. This included some help on ways to create health rankings within cities from the data modeled by the 500 Cities Project (<https://www.cdc.gov/places/about/500-cities-2016-2019/index.html>), later replaced by the Places project (<https://www.cdc.gov/places/index.html>). At first glance, this is what Sam City was also supposed to give us, but the published approaches had not addressed any of our concerns, either the philosophical ones we will examine in the next part or the simpler ones about continuity that we just saw in the numbers assigned to the tracts. The proliferation of other sites that made the same data available in slightly different forms, often for homebuyers and not policy-makers (<https://www.cityhealthdashboard.com/>, <http://www.city-data.com/>, <https://www.neighborhoodscout.com/>, <https://www.trulia.com/neighborhoods/>, <https://www.neighborhoodatlas.medicine.wisc.edu/>), added to our confusion about messaging and put into doubt the utility of Sam City even for limited pedagogical uses. The official caveats on use of the ACS suggest complex statistical tests on each level, and take no responsibility for bad uses. A buried caveat about confidence intervals and margins of error will not dissuade someone from creating an automatic map that makes it look like diabetes or maternal health has changed in a particular neighborhood, when in fact everything is an artifact of the choices that were made in creating that map - and specifically, the mapping of the larger numbers at aggregated levels of analysis onto the smaller areas that constitute our daily places of engagement.

To just point out one of the most obvious choices, in those mappings, the census wanted to preserve the statistical structure at certain levels and was willing to sacrifice other structures in order to keep that broad horizon of being able to justify each step in terms of a representation of statistical likelihood relative to any particular combination instead of seeing the problem as how to optimize distribution among potential categories (either real or conceptual spaces). We learned this at great expense - and very great frustration for a gifted student who spent many hours trying to make it work in an early version of Sam City. She had been asked by our faculty team to create the pedagogical tool by calculating the percentage chance for any individual to be found in the next category of interest, and then to distribute them by that likelihood. She would try to create ever more complicated examples, but always ran into insurmountable walls as the pieces refused to fall into place. We later stepped back and looked at the problem again. We saw that regardless of our view of the ultimate horizon of truth or falsity, we were dealing with a certain type of game, where the problem was to put people into spaces (conceptual and real) that recaptured the original dispensation of people in those spaces (which was, itself, a bit of a game).

We are inspired here by certain quite technical innovation in mathematics (cf. <https://arxiv.org/abs/1703.03007> for an overview on homotopy type theory and conceptual spaces) and in statistics, especially as related to language (cf. T-D Bradley, <https://arxiv.org/abs/2004.05631>, and <https://arxiv.org/abs/2106.07890>). Lawvere's own intro to math is also very much about spaces. We also hope to have some concrete answers to problems in small area estimation. <https://datascience.codata.org/articles/10.5334/dsj-2018-008/> could be a starting point for that.

Perhaps example of Hispanic ethnicity/race and how they have to add up?

So how do we fix this? Next part is "Making Sam"