MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT
- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE
- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE
- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Object Info Session

1_SQL_Script SQL File 4*

Limit to 1000 rows

```
1  create database company;
2
3  show databases;
4
5  use company;
6  create table employee(
7  id int,
8  first_name varchar(50),
9  last_name varchar(50),
10 date_of_joining date);
11
12 show tables;
13
14 alter table employee add salary float;
15
16 alter table employee drop column date_of_joining;
17
18 alter table employee add primary key(id);
```

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	16:55:44	show databases	15 row(s) returned	0.000 sec / 0.000 sec
2	16:55:56	use company	0 row(s) affected	0.000 sec
3	16:56:02	create table employee(id int, first_name varchar(50), last_name varchar(50), date_of_joining date)	0 row(s) affected	0.031 sec
4	16:56:23	show tables	1 row(s) returned	0.000 sec / 0.000 sec
5	16:56:57	alter table employee add salary float	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.047 sec
6	16:57:22	alter table employee drop column date_of_joining	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.046 sec
7	16:57:44	alter table employee add primary key(id)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.047 sec