

Annual Water Quality Report

Reporting year 2026 · Well **WL-1187** — Vigil Ranch Well

Prepared for **Rosalía Vigil**, owner of record

HC 32 Box 118, Lemitar, NM 87823

Report ID RPT-2026-001187 · Issued August 13, 2026 · Supersedes RPT-2025-001187



Scan for the interactive
version
ocotillo.nmbg.nmt.edu/r/1187-
26

This report summarizes everything on file for your well for the 2026 calendar year: how the well is built, how much water was in it, what the water was tested for, and how those results compare both to drinking water standards and to other wells in your area. It is provided as a courtesy and is not a certification that the water is safe to drink.

AT A GLANCE

SAMPLES THIS YEAR 2 Feb 04 & May 15	PARAMETERS TESTED 31 22 with a standard	ABOVE HEALTH LIMIT 1 Arsenic	ABOVE TASTE/ODOR LIMIT 3 Iron, fluoride, TDS	WATER LEVEL CHANGE -1.8 ft vs. August 2025
--	--	---	--	---

One result was above a federal health limit

Arsenic — 0.012 mg/L (limit 0.010 mg/L, measured May 15, 2026). Arsenic occurs naturally in New Mexico groundwater. Drinking water above the limit over many years is associated with health risk; exposure at this level for a short time is not an emergency.

- Consider a confirmation sample before making treatment decisions.
- Reverse osmosis and activated alumina are the usual point-of-use treatments for arsenic.
- The NM Environment Department Drinking Water Bureau advises private well owners at (505) 476-8620.

WELL INFORMATION & CONSTRUCTION

Source: OSE well record, field-verified March 2024

POINT ID WL-1187	SITE TYPE Domestic well	COUNTY Socorro	OSE PERMIT RG-71204-POD1
LATITUDE 34.1876° N	LONGITUDE 106.9412° W	PLSS T2S R1W Sec 14 NE¼	LAND SURFACE ELEV. 4,712 ft amsl
TOTAL DEPTH 385 ft	CASING 6 in · PVC	SCREENED INTERVAL 280–380 ft	COMPLETED June 1998 · Baca Drilling
AQUIFER Santa Fe Group — upper	PRIMARY USE Domestic / household	MONITORING SINCE October 2019	PROJECT Socorro Basin Domestic Study

WATER LEVEL MEASUREMENTS

12 readings in 2026 · transducer plus manual checks

<i>[Hydrograph — depth to water, 2019–2026, seasonal envelope shaded]</i>	DATE	DEPTH TO WATER	WATER ELEVATION	METHOD
	Feb 04, 2026	208.4 ft	4,503.6 ft	Steel tape
	May 15, 2026	211.0 ft	4,501.0 ft	Steel tape
	Aug 02, 2026	212.1 ft	4,499.9 ft	Transducer
	Aug 2025 (prior)	210.3 ft	4,501.7 ft	Transducer

Depths are measured from the top of casing. The full reading list is in the digital version and the attached data file.



Digital version: ocotillo.nmbg.nmt.edu/r/1187-26 — every sample on record, interactive trends, and downloadable data.
Questions: waterdata@nmbg.nmt.edu · (575) 835-5490

FIELD PARAMETERS

Measured at the wellhead during collection

PARAMETER	FEB 04, 2026	MAY 15, 2026	UNIT	TYPICAL RANGE
Temperature	17.2	17.9	°C	—
pH	7.61	7.55	S.U.	6.5–8.5 (SMCL)
Specific conductance	918	944	µS/cm	—
Dissolved oxygen	4.1	3.8	mg/L	—
Turbidity	1.2	0.9	NTU	—

WATER CHEMISTRY & DRINKING WATER STANDARDS

Sample of May 15, 2026 · NMBGMR Analytical Chemistry Lab

PARAMETER	YOUR RESULT	UNIT	STANDARD	TYPE	STATUS	NEARBY MEDIAN (N = 14)	WHERE YOUR WELL SITS AMONG NEARBY WELLS
Arsenic	0.012	mg/L	0.010	MCL	Above limit	0.006	lower 71st pct higher
Fluoride	2.4	mg/L	2.0 / 4.0	SMCL / MCL	Above SMCL	1.7	lower 68th pct higher
Iron	0.42	mg/L	0.30	SMCL	Above SMCL	0.08	lower 92nd pct higher
Total dissolved solids	612	mg/L	500	SMCL	Above SMCL	548	lower 63rd pct higher
Nitrate as N	4.2	mg/L	10.0	MCL	Below limit	1.1	lower 88th pct higher
Uranium	0.018	mg/L	0.030	MCL	Below limit	0.014	lower 59th pct higher
Sulfate	108	mg/L	250	SMCL	Below limit	96	lower 55th pct higher
Chloride	62	mg/L	250	SMCL	Below limit	71	lower 41st pct higher
Lead	<0.001 ND	mg/L	0.015	Action level	Not detected	<0.001	Not detected in 13 of 14 nearby wells
Hardness (as CaCO ₃)	284	mg/L	no standard	—	Very hard	246	lower 64th pct higher

Your well 10th–90th percentile of nearby wells Nearby median Standard ND Not detected

Results for all 31 parameters, including both 2026 samples and prior years, are in the digital version and the attached data file.



Digital version: ocotillo.nmbg.nmt.edu/r/1187-26 — every sample on record, interactive trends, and downloadable data.
Questions: waterdata@nmbg.nmt.edu · (575) 835-5490

HOW YOUR WELL COMPARES TO NEARBY WELLS

14 wells within 3 miles, same aquifer, sampled 2021–2026

Your results are shown next to the range seen in other wells drawing from the same part of the aquifer. This is context, not a standard — a result that is typical for the area can still be above a drinking water limit, and arsenic here is exactly that case.

PARAMETER	YOUR WELL	NEARBY MEDIAN	NEARBY RANGE (10TH–90TH)	NEARBY WELLS ABOVE LIMIT
Arsenic	0.012	0.006	0.002–0.019	6 of 14
Fluoride	2.4	1.7	0.8–3.1	7 of 14
Iron	0.42	0.08	<0.005–0.31	2 of 14
TDS	612	548	402–780	9 of 14
Nitrate as N	4.2	1.1	<0.05–5.4	0 of 14
Depth to water	211 ft	198 ft	142–244 ft	—

[Box-and-whisker — your well plotted against the nearby distribution, one box per parameter]

Arsenic is common in this area

6 of the 14 nearby wells were also above the arsenic limit. That points to a natural, area-wide source rather than something specific to your well.

Privacy: comparison wells are never identified. Only aggregated statistics are shown, and a comparison is printed only when at least 5 wells qualify. The IDs, owners, and locations of comparison wells are not included in this report or its digital version.

SAMPLING & QUALITY ASSURANCE NOTES

SAMPLE	COLLECTED	COLLECTED BY	LABORATORY	ION BALANCE	NOTES
WL-1187-2026A	Feb 04, 2026	S. Spaur	NMBGMR Analytical Chem	±1.4% Pass	Sampled at the wellhead spigot, ahead of the pressure tank.
WL-1187-2026B	May 15, 2026	S. Spaur, Talon	NMBGMR Analytical Chem	±2.2% Pass	Arsenic result confirmed by laboratory rerun on Jun 02, 2026. Faint iron staining noted at the tap.

HOW TO READ THIS REPORT

MCL (Maximum Contaminant Level) — an enforceable federal health-based limit for public water systems. Private wells are not regulated, but the limit is the best available yardstick.

SMCL (Secondary MCL) — a non-health limit covering taste, odor, color, and staining. Exceeding it is a nuisance, not a health risk.

ND (Not Detected) — below what the instrument can measure. The value shown is the detection limit, not the concentration.

mg/L — milligrams per liter, roughly one part per million.

Percentile — "71st percentile" means 71% of nearby wells had a lower result than yours.

Ion balance — a laboratory check that the positive and negative ions add up. A passing balance means the analysis is internally consistent.

Limitations — results describe the water on the day it was sampled, at the point it was sampled. Water quality changes with season, pumping, and household plumbing. This report does not certify water as safe to drink.

Questions, or want more data? Email waterdata@nmbg.nmt.edu or call (575) 835-5490. You can request the complete record for your well at any time; use the data request link in the digital version.



Digital version: ocotillo.nmbg.nmt.edu/r/1187-26 — every sample on record, interactive trends, and downloadable data.
Questions: waterdata@nmbg.nmt.edu · (575) 835-5490