


# WALL SF-310

GEOPATH ID: 30748472


 2519 Van Ness Avenue  
San Francisco, CA 94109


This wall reads to traffic headed into downtown SF: Union Square, the Civic Center, SOMA and the 101 South. Van Ness is constantly evolving with businesses ranging from auto dealerships, electronic retailers and fitness clubs. Consistent traffic no matter the time of day in this area.

<b>Size:</b> 13'H x 13'W	<b>Weekly IMPs:</b> 157,996	<b>Facing:</b> North
<b>Latitude:</b> 37.79888	<b>Longitude:</b> -122.42416	<b>Read:</b> Right-hand



DC Office: 202.337.1839

 [chris@capitoloutdoor.com](mailto:chris@capitoloutdoor.com)

 [CapitolOutdoor.com](http://CapitolOutdoor.com)


 **CAPITOL**

WALL

SF-310



**Location:** 2519 Van Ness Avenue | **Area:** San Francisco | **Substrate:** Vinyl



## Art/Production Guidelines



### SIZE & PRODUCTION

13 feet tall by 13 feet wide. Vinyl wall.  
Pressure sensitive (high-tack) adhesive vinyl  
(see page 3 for details).

TERM



### SHIPPING

Universal Sign Company Inc.  
884 Folsom St.  
San Francisco, CA 94107

***Please laminate all shipping labels to ensure that information is legible upon arrival.***



# WALL

# SF-310



**Location:** 2519 Van Ness Avenue | **Area:** San Francisco | **Substrate:** Vinyl

## Art/Production Guidelines

### UNIT LOCATION

Location: 2519 Van Ness Avenue, San Francisco, CA 94109

### SIZE

13'H x 13'W

### MEDIUM

Pressure sensitive (high-tack) adhesive vinyl

### SHIPPING

Please send materials with mechanical to:

Universal Sign Company Inc.  
884 Folsom St.  
San Francisco, CA 94107

***Please laminate all shipping labels to ensure that information is legible upon arrival.***

### SPECIAL INSTRUCTIONS

- Use Flexmark/Flexcon Blbrd for the material to be printed on. **DO NOT USE 3M SCOTCHCAL.**
- **MUST BE** produced as 4' rolls each
- Adhesive back vinyl must be produced in continuous vertical columns not exceeding 4'.
- Bleed 1"
- Provide 1" overlap on left and right sides of each strip
- The side perimeters should be clearly marked, indicating where each roll is to meet the next roll.
- The perimeter should also be clearly marked all the way across the top, not just at corners.
- Vinyl must be registered no less than every two (2) feet. Marks must be very precise. They can be made with water-soluble pencil or computer generated.
- Please create each vertical column as one continuous vertical length of material, not as several vertical segments. Adhesive vinyl is installed from left to right, and top to bottom. Therefore, the right sections will overlap the upper sections.
- **Notes: Please ship vinyl 7 days prior to posting date to ensure timely posting.**



3286 M Street, NW 3rd Floor, Washington, DC 20007



DC Office: 202.337.1839



chris@capitoloutdoor.com



CapitolOutdoor.com