

ParserError at /synthesizer/proc_data_dash/

Error tokenizing data. C error: Expected 2 fields in line 3, saw 3

```

Request Method: GET
Request URL: http://127.0.0.1:8000/synthesizer/proc_data_dash/
Django Version: 1.11.3
Exception Type: ParserError
Exception Value: Error tokenizing data. C error: Expected 2 fields in line 3, saw 3
Exception Location: /Users/patwater/anaconda2/envs/python3.6/lib/python3.6/site-packages/pandas/io/parsers.py in read, line 1828
Python Executable: /Users/patwater/anaconda2/envs/python3.6/bin/python
Python Version: 3.6.3
Python Path: ['/Users/patwater/Documents/ARGO_Kraken/DataSynthesizer/webUI',
              '/Users/patwater/anaconda2/envs/python3.6/lib/python3.6.zip',
              '/Users/patwater/anaconda2/envs/python3.6/lib/python3.6',
              '/Users/patwater/anaconda2/envs/python3.6/lib/python3.6/lib-dynload',
              '/Users/patwater/anaconda2/envs/python3.6/lib/python3.6/site-packages',
              '/Users/patwater/anaconda2/envs/python3.6/lib/python3.6/site-packages/aeosa']
Server time: Tue, 21 Nov 2017 00:28:02 +0000

```

Traceback [Switch to copy-and-paste view](#)

```

/Users/patwater/Documents/ARGO_Kraken/DataSynthesizer/webUI/DataSynthesizer/DataDescriber.py in read_dataset_from_csv
    135.         self.input_dataset = pd.read_csv(file_name, skipinitialspace=True, na_values=self.null_values)
    ▶ Local vars

/Users/patwater/anaconda2/envs/python3.6/lib/python3.6/site-packages/pandas/io/parsers.py in parser_f
    705.         return _read(filepath_or_buffer, kwds)
    ▶ Local vars

/Users/patwater/anaconda2/envs/python3.6/lib/python3.6/site-packages/pandas/io/parsers.py in _read
    445.         parser = TextFileReader(filepath_or_buffer, **kwds)
    ▶ Local vars

/Users/patwater/anaconda2/envs/python3.6/lib/python3.6/site-packages/pandas/io/parsers.py in __init__
    814.         self._make_engine(self.engine)
    ▶ Local vars

/Users/patwater/anaconda2/envs/python3.6/lib/python3.6/site-packages/pandas/io/parsers.py in _make_engine
    1045.         self._engine = CParserWrapper(self.f, **self.options)
    ▶ Local vars

/Users/patwater/anaconda2/envs/python3.6/lib/python3.6/site-packages/pandas/io/parsers.py in __init__
    1684.         self._reader = parsers.TextReader(src, **kwds)
    ▶ Local vars

```

During handling of the above exception ('utf-8' codec can't decode byte 0xa8 in position 1: invalid start byte), another exception occurred:

```

/Users/patwater/anaconda2/envs/python3.6/lib/python3.6/site-packages/django/core/handlers/exception.py in inner
    41.         response = get_response(request)
    ▶ Local vars

/Users/patwater/anaconda2/envs/python3.6/lib/python3.6/site-packages/django/core/handlers/base.py in _get_response
    187.         response = self.process_exception_by_middleware(e, request)
    ▶ Local vars

```

```

/Users/patwater/anaconda2/envs/python3.6/lib/python3.6/site-packages/django/core/handlers/base.py in _get_response
    185.         response = wrapped_callback(request, *callback_args, **callback_kwargs) ...
    ► Local vars

/Users/patwater/Documents/ARGO_Kraken/DataSynthesizer/webUI/synthesizer/views.py in proc_data_dash
    32.     json_cate_info = wrapper.get_dataset_info(passed_data_name + ".csv") ...
    ► Local vars

/Users/patwater/Documents/ARGO_Kraken/DataSynthesizer/webUI/synthesizer/lib/DataSynthesizerWrapper.py in get_dataset_info
    13.     d.describe_dataset_in_independent_attribute_mode(file_name) ...
    ► Local vars

/Users/patwater/Documents/ARGO_Kraken/DataSynthesizer/webUI/DataSynthesizer/DataDescriber.py in describe_dataset_in_independent_attribute_mode
    84.         self.read_dataset_from_csv(dataset_file) ...
    ► Local vars

/Users/patwater/Documents/ARGO_Kraken/DataSynthesizer/webUI/DataSynthesizer/DataDescriber.py in read_dataset_from_csv
    138.                                     encoding='latin1') ...
    ► Local vars

/Users/patwater/anaconda2/envs/python3.6/lib/python3.6/site-packages/pandas/io/parsers.py in parser_f
    705.         return _read(filepath_or_buffer, kwds) ...
    ► Local vars

/Users/patwater/anaconda2/envs/python3.6/lib/python3.6/site-packages/pandas/io/parsers.py in _read
    451.         data = parser.read(nrows) ...
    ► Local vars

/Users/patwater/anaconda2/envs/python3.6/lib/python3.6/site-packages/pandas/io/parsers.py in read
    1065.        ret = self._engine.read(nrows) ...
    ► Local vars

/Users/patwater/anaconda2/envs/python3.6/lib/python3.6/site-packages/pandas/io/parsers.py in read
    1828.        data = self._reader.read(nrows) ...
    ► Local vars

```

Request information

USER AnonymousUser

GET No GET data

POST No POST data

FILES No FILES data

COOKIES

Variable	Value
csrf_token	'OFjICB3ITwJafaNv2Dzt7G7QFeaesUIjk5Z5H1jiov2lWKlvJjA6rhs13zhrBmaS'
sessionid	'hvvvo11f1ctgq51yn29qmhq4wprtvo5'

META

Variable	Value
ARCHFLAGS	'-arch x86_64'
Apple_PubSub_Socket_Render	'/private/tmp/com.apple.launchd.m6f7dRPk77/Render'
CONDA_DEFAULT_ENV	'python3.6'
CONDA_PATH_BACKUP	'/Users/patwater/anaconda2/bin:/usr/local/bin:/usr/local/bin:/usr/bin:/bin:/usr/sbin:/sbin:/Library/TeX/texbin'

Variable	Value
CONDA_PREFIX	'/Users/patwater/anaconda2/envs/python3.6'
CONDA_PSI_BACKUP	'\\h:\\w \\u\\\$ '
CONTENT_LENGTH	''
CONTENT_TYPE	'text/plain'
CSRF_COOKIE	'OFjICB3ITwJafaNv2Dzt7G7QFeaesUIjk5Z5Hljiov2lWK1vJjA6rhs13zhrBmaS'
DJANGO_SETTINGS_MODULE	'dataResponsiblyUI.settings'
GATEWAY_INTERFACE	'CGI/1.1'
HOME	'/Users/patwater'
HTTP_ACCEPT	'text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/apng,*/*;q=0.8'
HTTP_ACCEPT_ENCODING	'gzip, deflate, br'
HTTP_ACCEPT_LANGUAGE	'en-US,en;q=0.9'
HTTP_CACHE_CONTROL	'max-age=0'
HTTP_CONNECTION	'keep-alive'
HTTP_COOKIE	('csrftoken=OFjICB3ITwJafaNv2Dzt7G7QFeaesUIjk5Z5Hljiov2lWK1vJjA6rhs13zhrBmaS; 'sessionid=hvvv011fctgq51yn29qmhiq4wprtvo5')
HTTP_HOST	'127.0.0.1:8000'
HTTP_REFERER	'http://127.0.0.1:8000/synthesizer/'
HTTP_UPGRADE_INSECURE_REQUESTS	'1'
HTTP_USER_AGENT	('Mozilla/5.0 (Macintosh; Intel Mac OS X 10_12_6) AppleWebKit/537.36 (KHTML, 'like Gecko) Chrome/62.0.3202.94 Safari/537.36')
LANG	'en_US.UTF-8'
LOGNAME	'patwater'
OLDPWD	'/Users/patwater/Documents/ARGO_Kraken/DataSynthesizer'
PATH	'/Users/patwater/anaconda2/envs/python3.6/bin:/Users/patwater/anaconda2/bin:/usr/local/bin:/usr/local/bin:/usr/bin:/bin:/usr/sbin:/sbin:/Library/TeX/text'
PATH_INFO	'/synthesizer/proc_data_dash/'
PROJECT_HOME	'/Users/patwater/Devel'
PS1	'(python3.6) \\h:\\w \\u\\\$ '
PWD	'/Users/patwater/Documents/ARGO_Kraken/DataSynthesizer/webUI'
QUERY_STRING	''
REMOTE_ADDR	'127.0.0.1'
REMOTE_HOST	''
REQUEST_METHOD	'GET'
RUN_MAIN	'true'
SCRIPT_NAME	''
SERVER_NAME	'1.0.0.127.in-addr.arpa'
SERVER_PORT	'8000'
SERVER_PROTOCOL	'HTTP/1.1'
SERVER_SOFTWARE	'WSGIServer/0.2'
SHELL	'/bin/bash'
SHLVL	'1'
SSH_AUTH_SOCK	'/private/tmp/com.apple.launchd.Diu09rjkmG/Listeners'
TERM	'xterm-256color'
TERM_PROGRAM	'Apple_Terminal'
TERM_PROGRAM_VERSION	'388.1.1'
TERM_SESSION_ID	'E98B521A-BF65-44D4-8E0D-D996B9EC2503'
TMPDIR	'/var/folders/38/nw125d_52vj03qgpr8hy93hh0000gn/T/'
TZ	'UTC'
USER	'patwater'
VIRTUALENVWRAPPER_HOOK_DIR	'/Users/patwater/.virtualenvs'
VIRTUALENVWRAPPER_PROJECT_FILENAME	'.project'
VIRTUALENVWRAPPER_SCRIPT	'/usr/local/bin/virtualenvwrapper.sh'
VIRTUALENVWRAPPER_WORKON_CD	'1'
WORKON_HOME	'/Users/patwater/.virtualenvs'
XPC_FLAGS	'0x0'
XPC_SERVICE_NAME	'0'
__CF_USER_TEXT_ENCODING	'/Users/patwater/anaconda2/envs/python3.6/bin/python'
wsgi.errors	'0x1F5:0x0:0x0'
wsgi.file_wrapper	<_io.TextIOWrapper name='<stderr>' mode='w' encoding='UTF-8'>
wsgi.input	<_io.BufferedReader name=6>
wsgi.multiprocess	False

Variable	Value
wsgi.multithread	True
wsgi.run_once	False
wsgi.url_scheme	'http'
wsgi.version	(1, 0)

Settings

Using settings module dataResponsiblyUI.settings

Setting	Value
ABSOLUTE_URL_OVERRIDES	{}
ADMINS	[]
ALLOWED_HOSTS	['waltz.cci.drexel.edu', '127.0.0.1', '0.0.0.0']
APPEND_SLASH	True
AUTHENTICATION_BACKENDS	['django.contrib.auth.backends.ModelBackend']
AUTH_PASSWORD_VALIDATORS	'*****'
AUTH_USER_MODEL	'auth.User'
BASE_DIR	'/Users/patwater/Documents/ARGO_Kraken/DataSynthesizer/webUI'
CACHES	{'default': {'BACKEND': 'django.core.cache.backends.locmem.LocMemCache'}}
CACHE_MIDDLEWARE_ALIAS	'default'
CACHE_MIDDLEWARE_KEY_PREFIX	'*****'
CACHE_MIDDLEWARE_SECONDS	600
CSRF_COOKIE_AGE	31449600
CSRF_COOKIE_DOMAIN	None
CSRF_COOKIE_HTTPONLY	False
CSRF_COOKIE_NAME	'csrftoken'
CSRF_COOKIE_PATH	'/'
CSRF_COOKIE_SECURE	False
CSRF_FAILURE_VIEW	'django.views.csrf.csrf_failure'
CSRF_HEADER_NAME	'HTTP_X_CSRFTOKEN'
CSRF_TRUSTED_ORIGINS	[]
CSRF_USE_SESSIONS	False
DATABASES	{'default': {'ATOMIC_REQUESTS': False, 'AUTOCOMMIT': True, 'CONN_MAX_AGE': 0, 'ENGINE': 'django.db.backends.sqlite3', 'HOST': '', 'NAME': '/Users/patwater/Documents/ARGO_Kraken/DataSynthesizer/webUI/db.sqlite3', 'OPTIONS': {}, 'PASSWORD': '*****', 'PORT': '', 'TEST': {'CHARSET': None, 'COLLATION': None, 'MIRROR': None, 'NAME': None}, 'TIME_ZONE': None, 'USER': ''}}
DATABASE_ROUTERS	[]
DATA_UPLOAD_MAX_MEMORY_SIZE	2621440
DATA_UPLOAD_MAX_NUMBER_FIELDS	1000
DATE_TIME_FORMAT	'N j, Y, P'
DATE_TIME_INPUT_FORMATS	['%Y-%m-%d %H:%M:%S', '%Y-%m-%d %H:%M:%S.%f', '%Y-%m-%d %H:%M', '%Y-%m-%d', '%m/%d/%Y %H:%M:%S', '%m/%d/%Y %H:%M:%S.%f', '%m/%d/%Y %H:%M', '%m/%d/%Y', '%m/%d/%y %H:%M:%S', '%m/%d/%y %H:%M:%S.%f', '%m/%d/%y %H:%M', '%m/%d/%y']
DATE_FORMAT	'N j, Y'

Setting	Value
DATE_INPUT_FORMATS	['%Y-%m-%d', '%m/%d/%Y', '%m/%d/%y', '%b %d %Y', '%b %d, %Y', '%d %b %Y', '%d %b, %Y', '%B %d %Y', '%B %d, %Y', '%d %B %Y', '%d %B, %Y']
DEBUG	True
DEBUG_PROPAGATE_EXCEPTIONS	False
DECIMAL_SEPARATOR	'.'
DEFAULT_CHARSET	'utf-8'
DEFAULT_CONTENT_TYPE	'text/html'
DEFAULT_EXCEPTION_REPORTER_FILTER	'django.views.debug.SafeExceptionReporterFilter'
DEFAULT_FILE_STORAGE	'django.core.files.storage.FileSystemStorage'
DEFAULT_FROM_EMAIL	'webmaster@localhost'
DEFAULT_INDEX_TABLESPACE	''
DEFAULT_TABLESPACE	''
DISALLOWED_USER_AGENTS	[]
EMAIL_BACKEND	'django.core.mail.backends.smtp.EmailBackend'
EMAIL_HOST	'localhost'
EMAIL_HOST_PASSWORD	'*****'
EMAIL_HOST_USER	''
EMAIL_PORT	25
EMAIL_SSL_CERTFILE	None
EMAIL_SSL_KEYFILE	'*****'
EMAIL_SUBJECT_PREFIX	'[Django] '
EMAIL_TIMEOUT	None
EMAIL_USE_LOCALTIME	False
EMAIL_USE_SSL	False
EMAIL_USE_TLS	False
FILE_CHARSET	'utf-8'
FILE_UPLOAD_DIRECTORY_PERMISSIONS	None
FILE_UPLOAD_HANDLERS	['django.core.files.uploadhandler.MemoryFileUploadHandler', 'django.core.files.uploadhandler.TemporaryFileUploadHandler']
FILE_UPLOAD_MAX_MEMORY_SIZE	2621440
FILE_UPLOAD_PERMISSIONS	None
FILE_UPLOAD_TEMP_DIR	None
FIRST_DAY_OF_WEEK	0
FIXTURE_DIRS	[]
FORCE_SCRIPT_NAME	None
FORMAT_MODULE_PATH	None
FORM_RENDERER	'django.forms.renderers.DjangoTemplates'
IGNORABLE_404_URLS	[]
INSTALLED_APPS	['dataflow.apps.DataflowConfig', 'synthesizer.apps.SynthesizerConfig', 'django.contrib.admin', 'django.contrib.auth', 'django.contrib.contenttypes', 'django.contrib.sessions', 'django.contrib.messages', 'django.contrib.staticfiles']
INTERNAL_IPS	[]
LANGUAGES	[('af', 'Afrikaans'), ('ar', 'Arabic'), ('ast', 'Asturian'), ('az', 'Azerbaijani'), ('bg', 'Bulgarian'), ('be', 'Belarusian'), ('bn', 'Bengali'), ('br', 'Breton'), ('bs', 'Bosnian'), ('ca', 'Catalan'), ('cs', 'Czech'),

Setting	Value
	('cy', 'Welsh'),
	('da', 'Danish'),
	('de', 'German'),
	('dsb', 'Lower Sorbian'),
	('el', 'Greek'),
	('en', 'English'),
	('en-au', 'Australian English'),
	('en-gb', 'British English'),
	('eo', 'Esperanto'),
	('es', 'Spanish'),
	('es-ar', 'Argentinian Spanish'),
	('es-co', 'Colombian Spanish'),
	('es-mx', 'Mexican Spanish'),
	('es-ni', 'Nicaraguan Spanish'),
	('es-ve', 'Venezuelan Spanish'),
	('et', 'Estonian'),
	('eu', 'Basque'),
	('fa', 'Persian'),
	('fi', 'Finnish'),
	('fr', 'French'),
	('fy', 'Frisian'),
	('ga', 'Irish'),
	('gd', 'Scottish Gaelic'),
	('gl', 'Galician'),
	('he', 'Hebrew'),
	('hi', 'Hindi'),
	('hr', 'Croatian'),
	('hsb', 'Upper Sorbian'),
	('hu', 'Hungarian'),
	('ia', 'Interlingua'),
	('id', 'Indonesian'),
	('io', 'Ido'),
	('is', 'Icelandic'),
	('it', 'Italian'),
	('ja', 'Japanese'),
	('ka', 'Georgian'),
	('kk', 'Kazakh'),
	('km', 'Khmer'),
	('kn', 'Kannada'),
	('ko', 'Korean'),
	('lb', 'Luxembourgish'),
	('lt', 'Lithuanian'),
	('lv', 'Latvian'),
	('mk', 'Macedonian'),
	('ml', 'Malayalam'),
	('mn', 'Mongolian'),
	('mr', 'Marathi'),
	('my', 'Burmese'),
	('nb', 'Norwegian Bokmål'),
	('ne', 'Nepali'),
	('nl', 'Dutch'),
	('nn', 'Norwegian Nynorsk'),
	('os', 'Ossetic'),
	('pa', 'Punjabi'),
	('pl', 'Polish'),
	('pt', 'Portuguese'),
	('pt-br', 'Brazilian Portuguese'),
	('ro', 'Romanian'),
	('ru', 'Russian'),
	('sk', 'Slovak'),
	('sl', 'Slovenian'),
	('sq', 'Albanian'),
	('sr', 'Serbian'),
	('sr-latn', 'Serbian Latin'),
	('sv', 'Swedish'),
	('sw', 'Swahili'),
	('ta', 'Tamil'),
	('te', 'Telugu'),
	('th', 'Thai'),
	('tr', 'Turkish'),
	('tt', 'Tatar'),
	('udm', 'Udmurt'),
	('uk', 'Ukrainian'),
	('ur', 'Urdu'),
	('vi', 'Vietnamese'),
	('zh-hans', 'Simplified Chinese'),
	('zh-hant', 'Traditional Chinese')]

Setting	Value
LANGUAGES_BIDI	['he', 'ar', 'fa', 'ur']
LANGUAGE_CODE	'en-us'
LANGUAGE_COOKIE_AGE	None
LANGUAGE_COOKIE_DOMAIN	None
LANGUAGE_COOKIE_NAME	'django_language'
LANGUAGE_COOKIE_PATH	''
LOCALE_PATHS	[]
LOGGING	{}
LOGGING_CONFIG	'logging.config.dictConfig'
LOGIN_REDIRECT_URL	'/accounts/profile/'
LOGIN_URL	'/accounts/login/'
LOGOUT_REDIRECT_URL	None
MANAGERS	[]
MEDIA_ROOT	'/Users/patwater/Documents/ARGO_Kraken/DataSynthesizer/webUI/media'
MEDIA_URL	'/media/'
MESSAGE_STORAGE	'django.contrib.messages.storage.fallback.FallbackStorage'
MIDDLEWARE	['django.middleware.security.SecurityMiddleware', 'django.middleware.common.CommonMiddleware', 'django.middleware.csrf.CsrfViewMiddleware', 'django.contrib.sessions.middleware.SessionMiddleware', 'django.contrib.auth.middleware.AuthenticationMiddleware', 'django.contrib.messages.middleware.MessageMiddleware', 'django.middleware.clickjacking.XFrameOptionsMiddleware']
MIDDLEWARE_CLASSES	['django.middleware.common.CommonMiddleware', 'django.middleware.csrf.CsrfViewMiddleware']
MIGRATION_MODULES	{}
MONTH_DAY_FORMAT	'F j'
NUMBER_GROUPING	0
PASSWORD_HASHERS	'*****'
PASSWORD_RESET_TIMEOUT_DAYS	'*****'
PREPEND_WWW	False
ROOT_URLCONF	'dataResponsiblyUI.urls'
SECRET_KEY	'*****'
SECURE_BROWSER_XSS_FILTER	False
SECURE_CONTENT_TYPE_NOSNIFF	False
SECURE_HSTS_INCLUDE_SUBDOMAINS	False
SECURE_HSTS_PRELOAD	False
SECURE_HSTS_SECONDS	0
SECURE_PROXY_SSL_HEADER	None
SECURE_REDIRECT_EXEMPT	[]
SECURE_SSL_HOST	None
SECURE_SSL_REDIRECT	False
SERVER_EMAIL	'root@localhost'
SESSION_CACHE_ALIAS	'default'
SESSION_COOKIE_AGE	1209600
SESSION_COOKIE_DOMAIN	None
SESSION_COOKIE_HTTPONLY	True
SESSION_COOKIE_NAME	'sessionid'
SESSION_COOKIE_PATH	''
SESSION_COOKIE_SECURE	False
SESSION_ENGINE	'django.contrib.sessions.backends.db'
SESSION_EXPIRE_AT_BROWSER_CLOSE	False
SESSION_FILE_PATH	None
SESSION_SAVE_EVERY_REQUEST	False
SESSION_SERIALIZER	'django.contrib.sessions.serializers.JSONSerializer'
SETTINGS_MODULE	'dataResponsiblyUI.settings'
SHORT_DATETIME_FORMAT	'm/d/Y P'
SHORT_DATE_FORMAT	'm/d/Y'
SIGNING_BACKEND	'django.core.signing.TimestampSigner'
SILENCED_SYSTEM_CHECKS	[]
STATICFILES_DIRS	['/Users/patwater/Documents/ARGO_Kraken/DataSynthesizer/webUI/static']

Setting	Value
STATICFILES_FINDERS	['django.contrib.staticfiles.finders.FileSystemFinder', 'django.contrib.staticfiles.finders.AppDirectoriesFinder']
STATICFILES_STORAGE	'django.contrib.staticfiles.storage.StaticFilesStorage'
STATIC_ROOT	None
STATIC_URL	'/static/'
TEMPLATES	[{'APP_DIRS': True, 'BACKEND': 'django.template.backends.django.DjangoTemplates', 'DIRS': ['/Users/patwater/Documents/ARGO_Kraken/DataSynthesizer/webUI/templates'], 'OPTIONS': {'context_processors': ['django.template.context_processors.debug', 'django.template.context_processors.request', 'django.contrib.auth.context_processors.auth', 'django.contrib.messages.context_processors.messages', 'django.template.context_processors.media']}}]
TEST_NON_SERIALIZED_APPS	[]
TEST_RUNNER	'django.test.runner.DiscoverRunner'
THOUSAND_SEPARATOR	','
TIME_FORMAT	'P'
TIME_INPUT_FORMATS	['%H:%M:%S', '%H:%M:%S.%f', '%H:%M']
TIME_ZONE	'UTC'
USE_ETAGS	False
USE_I18N	True
USE_L10N	True
USE_THOUSAND_SEPARATOR	False
USE_TZ	True
USE_X_FORWARDED_HOST	False
USE_X_FORWARDED_PORT	False
WSGI_APPLICATION	'dataResponsiblyUI.wsgi.application'
X_FRAME_OPTIONS	'SAMEORIGIN'
YEAR_MONTH_FORMAT	'F Y'

You're seeing this error because you have `DEBUG = True` in your Django settings file. Change that to `False`, and Django will display a standard page generated by the handler for this status code.