

ICPSR 4373

National Survey on Drug Use and Health, 2004

*United States Department of Health and
Human Services. Substance Abuse and
Mental Health Services Administration.
Office of Applied Studies*

Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies//terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

*****Processor Notes*****
NSDUH 2004:
National Survey on Drug Use and Health
(ICPSR 04373-0001)

- 1) All system-missing values (denoted as “.” in the frequencies) were recoded to “-9” in the data file. In the past these values were coded to “99”.
- 2) Variables ending in ...NEWA through NEWE (e.g., HALNEWA) represent written responses to open-ended questions regarding use of specific drugs. This resulted in some instances of incorrectly classified drugs.

2004 NATIONAL SURVEY ON DRUG USE AND HEALTH

PUBLIC USE FILE CODEBOOK

Contract No. 283–03–9028

Project No. 8726
Deliverable 25

Prepared for:

Substance Abuse and Mental Health Services Administration
Rockville, Maryland 20857

Prepared by:

RTI International
Research Triangle Park, North Carolina 27709

Date File Name: PUF2004_092012

September 24, 2012

TABLE OF CONTENTS

Section	Page
Introduction and Description of the 2004 National Survey on Drug Use and Health.....	i-1
Introduction	i-1
Overview of NSDUH	i-1
Strengths and Limitations of NSDUH	i-4
Survey Methodology	i-5
Stratification and Selection of Primary Sampling Units (Area Segments)	i-6
Selection of Dwelling Units	i-7
Selection of Persons	i-7
Data Collection and Response Rates	i-8
Weighting Procedures	i-9
Contents and Organization of the 2004 NSDUH Public Use File	i-10
Data File Description.....	i-10
Variable Naming Conventions.....	i-11
Usable Cases	i-12
Logical Editing	i-13
Editing Procedure for Drug Use Variables.....	i-14
Standard Code Conventions.....	i-15
Statistical Imputation	i-16
Variance Estimation of Totals	i-18
Statistical Significance of Differences	i-20
Use of Sample Weights and Sample Design Variables	i-21
Confidentiality of Data	i-22
Public Use File Estimates and Standard Errors	i-23
New Data Since Last Release	i-24

Table

1. Demographic Domains Forced to Match Their Respective U.S. Census Bureau Population Estimates through the Weight Calibration Process: 2004	i-20
2. Past Month Marijuana Prevalence and Standard Error Ratios of Public Use File Subsample to the Full Sample, by Seven Domains: 2004	i-24
3. Past Year Heroin Prevalence and Standard Error Ratios of Public Use File Subsample to the Full Sample, by Seven Domains: 2004	i-24
4. Variables Added to the 2004 Public Use Data File and Codebook	i-25

CODEBOOK

IDENTIFICATION.....	1
CORE SUBSTANCE USE	
TOBACCO.....	2
ALCOHOL.....	21
MARIJUANA.....	26
COCAINE.....	30
CRACK.....	34
HEROIN.....	38
HALLUCINOGENS.....	41
INHALANTS.....	55
PAIN RELIEVERS.....	65
TRANQUILIZERS.....	87
STIMULANTS.....	99
SEDATIVES.....	113
IMPUTED SUBSTANCE USE	
RECENCY OF DRUG USE.....	124
PAST YEAR FREQUENCY OF USE.....	132
PAST MONTH FREQUENCY OF USE.....	137
AGE/DATE OF FIRST DRUG USE.....	141
RECODED DRUG USE.....	149
SELECTED UNEDITED VARIABLES.....	182
NON-CORE	
SPECIAL DRUGS.....	207
RECODED SPECIAL DRUGS.....	217
RISK/AVAILABILITY.....	219
RECODED RISK/AVAILABILITY.....	225
BLUNTS.....	227
SUBSTANCE DEPENDENCE AND ABUSE.....	230
IMPUTED SUBSTANCE DEPENDENCE AND ABUSE.....	298
RECODED SUBSTANCE DEPENDENCE AND ABUSE.....	303
SPECIAL TOPICS.....	311
RECODED SPECIAL TOPICS.....	319
MARIJUANA PURCHASES.....	320
RECODED MARIJUANA PURCHASES.....	336

PRIOR SUBSTANCE USE.....	338
RECODED PRIOR SUBSTANCE USE.....	363
SUBSTANCE TREATMENT.....	364
RECODED SUBSTANCE TREATMENT.....	408
PREGNANCY AND HEALTH CARE.....	426
RECODED PREGNANCY AND HEALTH CARE.....	428
ADULT MENTAL HEALTH TREATMENT.....	429
RECODED ADULT MENTAL HEALTH TREATMENT.....	448
SOCIAL AND NEIGHBORHOOD ENVIRONMENT.....	460
YOUTH EXPERIENCES.....	467
RECODED YOUTH EXPERIENCES.....	483
ADULT MENTAL HEALTH.....	489
RECODED ADULT MENTAL HEALTH.....	516
ADULT DEPRESSION.....	520
RECODED ADULT DEPRESSION.....	541
YOUTH MENTAL HEALTH TREATMENT.....	543
RECODED YOUTH MENTAL HEALTH TREATMENT.....	558
ADOLESCENT DEPRESSION.....	568
RECODED ADOLESCENT DEPRESSION.....	589
RECODED ADULT AND ADOLESCENT DEPRESSION.....	591
HOUSEHOLD COMPOSITION (ROSTER).....	598
INCOME AND INSURANCE.....	600
RECODED INCOME AND INSURANCE.....	612
INTERVIEW INFORMATION.....	614
DEMOGRAPHICS.....	
CORE DEMOGRAPHICS.....	615
IMPUTED DEMOGRAPHICS.....	617
RECODED CORE DEMOGRAPHICS.....	618
NON-CORE DEMOGRAPHICS.....	620
RECODED NON-CORE DEMOGRAPHICS.....	627
EMPLOYMENT AND WORKPLACE.....	628
IMPUTED EMPLOYMENT AND WORKPLACE.....	638
GEOGRAPHIC.....	639
SAMPLE WEIGHTING AND ESTIMATION VARS.....	640
ALPHA INDEX OF VARIABLE NAMES.....	642
INDEX OF VARIABLE NAMES.....	703

APPENDICES

APPENDIX A	Drug Codes for Open-Ended Questions
APPENDIX B	Consolidated Drug Other Specify Tables
APPENDIX C	Tobacco Brand Codes for Open-Ended Questions
APPENDIX D	Recoded Substance Dependence and Abuse Variable Documentation
APPENDIX E	Recoded Mental Health Variable Documentation
APPENDIX F	Recoded Depression Variable Documentation
APPENDIX G	Occupational Classification System For PUF Recodes
APPENDIX H	Industrial Classification System For PUF Recodes
APPENDIX I	Key Mental Health Variables

Introduction and Description of the 2004 National Survey on Drug Use and Health

Introduction

This codebook provides documentation for the 2004 National Survey on Drug Use and Health (NSDUH) public use file. Prior to 2002, the survey was called the National Household Survey on Drug Abuse (NHSDA). NSDUH is sponsored by the Center for Behavioral Health Statistics and Quality (CBHSQ, formerly the Office of Applied Studies) within the Substance Abuse and Mental Health Services Administration (SAMHSA) and is conducted by RTI International, Research Triangle Park, North Carolina.¹

For each variable in the 2004 public use file, the codebook provides the variable name, a description of the variable, value codes and their meanings, and a univariate frequency distribution. Most of the variables originated as interview items. For created variables, the source variables and recoding specifications are provided, if space allows. In addition, case identification, sampling, and data collection variables are included in the file and documented in the codebook. The variable names in this codebook are the variable names that appear in the dataset.

Extensive work was done on the 2004 public use file to protect respondent confidentiality while still allowing most variables to be available for analysts to use. Confidentiality protection procedures implemented in RTI's innovative statistical disclosure limitation method MASSC were used. The method is called Micro Agglomeration, Substitution, Subsampling, and Calibration (MASSC). The procedures are discussed in greater detail in the Confidentiality of Data section near the end of this introduction. Briefly, the steps included standard procedures for eliminating variables for which there was a high risk that individuals could be identified and collapsing the values of other variables. Additional special techniques to protect respondent confidentiality included subsampling of records and substitution of data from donors. Analysis of the data after these procedures were implemented showed that the effect on the levels and accuracy of estimates was minimal. Nevertheless, *because of the procedures that were implemented, users of this file are advised that previously published estimates may not be exactly reproducible from the variables on this file.*

Overview of NSDUH

The 2004 NSDUH is the 24th in a series, the primary purpose of which is to measure the prevalence and correlates of drug use in the United States. This survey series provides information about the use of illicit drugs, alcohol, and tobacco among members of the noninstitutionalized U.S. civilian population aged 12 or older. Surveys have been conducted periodically since 1971, with the most recent ones in 1979, 1982, 1985, 1988, and 1990 through 2004. Currently, public use files are available for surveys from 1979 onward.

¹ RTI International is a trade name of Research Triangle Institute.

In 1999, the survey underwent a major redesign. The method of data collection was changed from a paper questionnaire administration to a computer-assisted administration. In addition, the sample design was changed from a strictly national design to a State-based sampling plan. These important changes have a major impact on the data produced from the survey. *Because of the differences in methodology and impact of the new design on data collection, only limited comparisons can be made between data from the redesigned surveys (1999 onward) and data obtained from surveys prior to 1999. Also, because of survey improvements made in 2002, the 2004 data in this file should not be compared with data collected in 2001 or earlier to assess changes over time. However, there should be no problem with comparisons between 2002 and data from subsequent public use files, including this one.*

Prior to 1999, the survey was conducted using paper-and-pencil interviewing (PAPI) methods for an interview lasting about an hour. The PAPI instrumentation consisted of a questionnaire booklet completed by an interviewer and a set of individual answer sheets completed by a respondent. All substance use questions and other sensitive questions appeared on the answer sheets, so the interviewer was unaware of the respondent's answers. Less sensitive questions concerning demographics, occupational status, household size, and composition were asked aloud by the interviewer and recorded in the questionnaire booklet.

Starting in 1999, the interview is now carried out using computer-assisted interviewing (CAI) methods. The survey uses a combination of computer-assisted personal interviewing (CAPI) conducted by an interviewer and audio computer-assisted self-interviewing (ACASI). For the most part, questions previously administered by an interviewer are now administered by an interviewer using CAPI. Questions previously administered using self-administered answer sheets are now administered using ACASI. Use of ACASI is designed to provide respondents with a highly private and confidential means of responding to questions and to increase the level of honest reporting of illicit drug use and other sensitive behaviors.

A key feature of the CAI instrument is a core/supplement structure. A core set of questions critical for basic trend measurement of prevalence estimates remains in the survey every year and comprises the first part of the interview. Supplemental questions, or modules, that can be revised, dropped, or added from year to year make up the remainder of the interview. The core consists of initial demographic items and questions pertaining to the use of tobacco, alcohol, marijuana, cocaine, crack cocaine, heroin, hallucinogens, inhalants, pain relievers, tranquilizers, stimulants, and sedatives. Supplemental items include the remaining ACASI sections and demographic questions. It should be mentioned that some of the supplemental portions of the questionnaire have remained in the survey, relatively unchanged, every year (e.g., current health insurance coverage, income). Since 1988, additional information also has been gathered about the form of cocaine known as "crack" and about sharing needles for injection of drugs. In addition, the consequences of using various drugs have been given considerable attention since 1985.

The 2004 NSDUH documentation includes specifications for the logic governing how respondents were routed through the questions in the interview. Analysts are encouraged to refer to this document in conjunction with their review of the codebook. For searchable versions of the specifications, see the Substance Abuse and Mental Health Data Archive (SAMHDA) Web site at <http://www.icpsr.umich.edu/icpsrweb/SAMHDA/studies/4373>.

The target population for the 2004 survey was the same as has been defined since the 1991 survey: the civilian, noninstitutionalized population of the United States (including civilians living on military bases) who were 12 years of age or older at the time of the survey. Before 1991, the sample was drawn from the household population of the contiguous 48 States. Residents of Alaska and Hawaii were added to the sample population in 1991, as were residents of noninstitutional group quarters (e.g., college dormitories, group homes, civilians dwelling on military installations) and persons with no permanent residence (homeless people in shelters and residents of single rooms in hotels). In addition, six special-interest metropolitan statistical areas (MSAs) were oversampled in 1991. The 1992 and 1993 surveys retained the oversampling of the six MSAs and also were designed to provide quarterly as well as annual estimates.

Beginning in 1999, the survey sample employed a 50-State design with an independent, multistage area probability sample for each of the 50 States and the District of Columbia. The eight States with the largest population (which together account for 48 percent of the total U.S. population aged 12 or older) were designated as large sample States (California, Florida, Illinois, Michigan, New York, Ohio, Pennsylvania, and Texas). For these States, the design provided a sample large enough to support direct State estimates. For the remaining 42 States and the District of Columbia, smaller, but adequate, samples were selected to support State estimates using small area estimation (SAE) techniques. The design also oversampled youths and young adults, so that each State's sample was approximately equally distributed among three major age groups: 12 to 17 years, 18 to 25 years, and 26 years or older.

Although the design of the 2004 survey is similar to the design of the 1999 through 2001 surveys, there are important methodological differences since 2002 that affect the 2004 estimates. As noted above, the survey's name was changed from the National Household Survey on Drug Abuse (NHSDA) to the National Survey on Drug Use and Health (NSDUH) in 2002. In addition to the survey's name change, each NSDUH respondent beginning in 2002 is now given an incentive payment of \$30. These changes have resulted in a substantial improvement in the survey response rate. The changes also affected respondents' reporting of many critical items that are the basis of prevalence measures reported by the survey each year. Further, the data could have been affected by improved data collection quality control procedures that were introduced in the survey beginning in 2001. In addition, new population data from the 2000 decennial census recently became available for use in NSDUH sample weighting procedures, resulting in another discontinuity between estimates since 2002 and those prior to 2002. *Analyses of the effects of each of these factors on NSDUH estimates have shown that the 2004 data in this public use file should not be compared with 2001 and earlier data to assess changes over time. As noted above, however, comparisons may be made between 2002 and surveys in subsequent years, including this one.*

Data file users who wish to analyze data from multiple survey years including 2004 (e.g., 2002-2004) should first sort the combined data by the sample design variables VESTR (variance estimation [pseudo] stratum) and VEREP (variance estimation [pseudo] replicate within stratum). These variables are then specified in a software package, such as SUDAAN®, to automatically account for the 50 percent overlap between successive years when estimating

variances and standard errors.² The original ANALWT_C should be used when analyzing data for any single year or comparing estimates between years within a combined file containing data from multiple years. However, generation of new estimates based upon pooled data from multiple years requires the use of new analysis weights. These weights would be created as ANALWT_C divided by the number of years of combined data (e.g., ANALWT_C divided by 3 for point estimates based upon the combined 2002-2004 data).

A description of the 2004 survey, including more detailed information on sample issues, can be found in the following NSDUH documents released in 2005:

- Office of Applied Studies. (2005). *Results from the 2004 National Survey on Drug Use and Health: National findings* (HHS Publication No. SMA 05-4062, NSDUH Series H-28). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Office of Applied Studies. (2005). *Overview of findings from the 2004 National Survey on Drug Use and Health: National findings* (DHHS Publication No. SMA 05-4061, NSDUH Series H-27). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Office of Applied Studies. (2005). *Results from the 2004 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.

These reports present in tabular, graphical, and narrative bullet formats some key findings on drug use prevalence by age and major demographic variables in 2004. They are available at <http://www.samhsa.gov/data/NSDUH.aspx>.

Strengths and Limitations of NSDUH

NSDUH is the only study that annually produces estimates of drug use among civilian members of the noninstitutionalized population in the United States. The survey is an appropriate technique for estimating prevalence estimates for use of different drugs because most drug use would not ordinarily come to the attention of administrative, medical, or correctional authorities and therefore would not be included in official statistics. In-person interviews with a large national probability sample seem to be the best way to estimate drug use in virtually the entire population of the United States.

The redesign of the survey in 1999 also has yielded improvements. With the expanded sample design, the precision of the estimates at the national level is improved substantially. The CAI methodology also has made data collection and processing more efficient and has improved data quality.

Although NSDUH is useful for many purposes, it has certain limitations. First, the data are self-reports of drug use, and their value depends on respondents' truthfulness and memory. Although some experimental studies have established the validity of self-reported data in similar

² See RTI International. (2004). *SUDAAN® language manual, Release 9.0*. Research Triangle Park, NC: Author. In SUDAAN, the sample design is specified using the NEST statement.

contexts and NSDUH procedures were designed to encourage honesty and recall, some underreporting and overreporting may have taken place.

Second, the survey is cross-sectional rather than longitudinal. That is, individuals were interviewed only once and were not followed for additional interviews in subsequent years. Each year's survey, therefore, provides an overview of the prevalence of drug use at a specific point in time rather than a view of how drug use changes over time for specific individuals.

Third, because the target population of the survey is defined as the noninstitutionalized civilian population of the United States, a small proportion (slightly less than 2 percent) of the population is excluded. The subpopulations excluded are members of the active-duty military and persons in institutional group quarters (e.g., hospitals, prisons, nursing homes, treatment centers). If the drug use of these groups differs from that of the noninstitutionalized civilian population, NSDUH may provide slightly inaccurate estimates of drug use in the total population. This may be particularly true for prevalence estimates for rarely used drugs, such as heroin.

Survey Methodology

Like the 1999 to 2003 surveys, the 2004 survey was conducted using CAI methods. This survey also allows for improved State estimates based on minimum sample sizes per State. The target sample size of 67,500 allows SAMHSA to continue reporting adequately precise demographic subgroup estimates at the national level without needing to oversample specially targeted demographics, as was required in the past. The achieved sample size for the 2004 survey was 67,760 persons. *Because of the subsampling step used in the procedures to control the risk of disclosing the identity of any respondent, only 55,602 records appear on the public use file (see the section on Confidentiality of Data).*

The 2004 sample design is a continuation of the coordinated 5-year sample design that was implemented for the 1999 through 2003 surveys. Although there is no overlap with the 1999 sample, the coordinated design for 1999 through 2003 facilitated a 50 percent overlap in first-stage units (area segments [see below]) between each 2 successive years from 1999 through 2003.³ The 2004 NSDUH continued the 50 percent overlap by retaining approximately half of the first-stage sampling units from the 2003 survey. This design was intended to increase the precision of estimates in year-to-year trend analyses because of the expected positive correlation resulting from the overlapping sample between successive survey years.

The 2004 design allows for computation of estimates by State in all 50 States plus the District of Columbia. States may therefore be viewed as the first level of stratification as well as a reporting variable. Eight States, referred to as the large sample States, had a sample designed to yield 3,600 respondents per State for the 2004 survey. This sample size was considered adequate to support direct State estimates. The remaining 43 States (which include the District of Columbia) had a sample designed to yield 900 respondents per State in the 2004 survey. In these

³ In segments used in 2 successive years, only addresses not sampled in the first year may be included in the second year's sample.

43 States, adequate data were available to support reliable State estimates based on SAE methodology.

Stratification and Selection of Primary Sampling Units (Area Segments)

Within each State, sampling strata called field interviewer (FI) regions were formed. Based on a composite size measure, States were geographically partitioned into roughly equally sized regions. In other words, regions were formed such that each area yielded, in expectation, roughly the same number of interviews during each data collection period, thus distributing the workload equally among interviewers. The eight large sample States were divided into 48 FI regions each; the remaining States were divided into 12 FI regions each. Therefore, the partitioning of the United States resulted in the formation of a total of 900 FI regions.

For the first stage of sampling, each FI region was partitioned into small geographic areas composed of adjacent census blocks. These geographic clusters of blocks are referred to as *segments*, but were actually the primary sampling units (PSUs) for the coordinated 5-year sample design. A sample *dwelling unit* in NSDUH refers to either a housing unit or a group quarters listing unit, such as a dormitory room or a shelter bed. To support the overlapping sample design and any special supplemental samples or field tests that SAMHSA might wish to conduct, segments were formed to contain a minimum of 175 dwelling units.⁴

Before selecting sample segments, additional implicit stratification was achieved by sorting the first-stage sampling units by a metropolitan statistical area/socioeconomic status (MSA/SES) indicator⁵ and by the percentage of the population who are non-Hispanic and white. Within each FI region, a large segment sample was selected with probabilities proportional to size to serve as a pool of segments for the coordinated 5-year design and to allow for partial replacement of the segment sample each year. Twenty-four of these segments were designated for the coordinated 5-year sample, while the remainder were designated as "reserve" segments. It is from this reserve sample and the 2003 overlap sample that the 2004 NSDUH sample segments were selected.

Prior to selecting the 2004 sample, composite size measures for the pool of eligible segments were adjusted using 2000 decennial census data.⁶ Finally, the Keyfitz procedure⁷ was used to select a sample of eight segments within each FI region. Application of Keyfitz's procedure ensured that most of the overlap sample from 2003 was reselected.

⁴ Dwelling unit counts were obtained from the 1990 decennial census data supplemented with revised population counts from Claritas.

⁵ Four categories were defined: (1) MSA/low SES, (2) MSA/high SES, (3) non-MSA/low SES, and (4) non-MSA/high SES.

⁶ Composite size measures were originally formed using 1990 decennial census data supplemented with revised population counts from Claritas.

⁷ See Keyfitz, N. (1951). Sampling with probabilities proportional to size: Adjustment for changes in the probabilities. *Journal of the American Statistical Association*, 46, 105-109.

Selection of Dwelling Units

The sample design required an approximately equal number of persons in three age groups: 12 to 17 years, 18 to 25 years, and 26 years or older. To improve the precision of the estimates, the sample allocation process targeted five age groups: 12 to 17 years, 18 to 25 years, 26 to 34 years, 35 to 49 years, and 50 years or older. Here the allocation among the three age groups in the 26 years or older group was done in such a way as to increase precision while maintaining approximately the same sample size as the 12 to 17 and 18 to 25 age groups. The size measures used in selecting the area segments were coordinated with the dwelling unit and person selection process so that a nearly self-weighting sample could be achieved in each of the five age groups. Departures from the self-weighting objective occurred for several reasons, including the following:

- advance projections on the number of dwelling units did not accurately reflect the current housing inventory;
- maximum dwelling unit sample sizes were preset to control the interviewer workload and to allow unused addresses to be available for the next year's survey; and
- the person selection probabilities were constrained so that no more than two persons could be selected per dwelling unit.

An iterative sample allocation process was followed to adjust for these additional constraints. In addition, the dwelling unit sample allocation in each area segment was adjusted to allow for dwelling unit eligibility, for screening nonresponse, and for person nonresponse.

In advance of the survey period, specially trained listers had visited each area segment and listed all addresses for housing units and eligible group quarters units in a prescribed order. Systematic sampling was used to select the allocated sample of addresses from each segment.⁸

Selection of Persons

During each quarterly survey, FIs visited each sample address to determine dwelling unit eligibility, to list all eligible persons at the address, to select the sample of persons to be interviewed, and to conduct interviews. In addition, the interviewers followed special "half-open" interval procedures to identify any new (since the time of listing) housing or any dwelling units missed during the advance listing process. Any new or missed dwelling units following immediately after a sample dwelling unit and up to, but not including, the next initially listed address in the prescribed order of listing also were included in the sample.

The interviewers used a handheld computer to record the results of the dwelling unit screening process and to select the sample of respondents. They recorded the results of each call,

⁸ This had the effect of creating noncompact clusters (selection from a list), which differ from compact clusters in that not all units within the cluster are included in the sample. Although compact cluster designs are less costly and more stable, a noncompact cluster design was used because it provides for greater heterogeneity of dwellings within the sample. Also, social interaction (contagion) among neighboring dwellings is sometimes introduced with compact clusters. See Kish, L. (1965). *Survey sampling*. New York, NY: John Wiley.

the final eligibility status of the dwelling unit, and information on new and missed dwelling units. If a sample address was an eligible occupied dwelling unit, they also conducted a screening interview to identify and roster all survey-eligible persons residing at the address. When the roster was complete, the computer was programmed to select the sample of persons to be interviewed using parameters specified for that area segment and a random number specified for that address.

Data collection progress was monitored during each quarterly survey by State. Small reserve samples were held back each quarter so that the assigned sample size could be adjusted if necessary during the course of data collection.

An additional stage of sample selection occurred within the data collection instrument. Approximately 50 percent of adult respondents (aged 18 or older) were randomly assigned to receive the full module of serious psychological distress (SPD) questions.⁹ The remaining adults received a reduced number of SPD questions¹⁰ and a new set of questions on depression (i.e., major depressive episode [MDE]). These complementary samples are together referred to as the SPD "split sample," the sample receiving the full SPD module is referred to as "sample A," and the sample receiving the reduced SPD module is referred to as "sample B."

Data Collection and Response Rates

The fieldwork for the 2004 NSDUH was directed by senior RTI staff members. RTI maintained a field staff of approximately 700 FIs to collect the data.

As noted above, a total final sample of 67,760 CAI interviews was obtained for the 2004 survey. Strategies for ensuring high rates of participation resulted in a weighted screening response rate of 91 percent and a weighted interview response rate for the CAI of 77 percent. (Note that these response rates reflect the original sample, not the subsampled data file referenced in this document.)

Throughout the course of the study, respondent anonymity and the privacy of responses were protected by separating identifying information from survey responses. Respondents were assured that their identities and responses would be handled in the strictest compliance with Federal law. As discussed above, the questionnaire itself and the interviewing procedures were designed to enhance the privacy of responses, especially during segments of the interview in which questions of a sensitive nature were posed. Answers to sensitive questions were gathered using ACASI. During ACASI portions of the interview, respondents listened to prerecorded questions through headphones and entered their responses directly into a computer without interviewers knowing how they were answering. At the conclusion of the ACASI section, the interview returned to the CAPI mode with the interviewer completing the questionnaire. Each respondent who completed a full interview was given a \$30 cash payment as a token of appreciation for his or her time.

⁹ The full SPD module was administered in the 2003 NSDUH when it was called the serious mental illness (SMI) module.

¹⁰ The reduced SPD module consisted of the six items, the Kessler-6 (K6) scale items, used to estimate SPD.

Weighting Procedures

The estimates yielded by NSDUH are based on sample survey data rather than on complete data for the entire population. This means that the data must be weighted to obtain unbiased estimates for drug use in the population represented by the 2004 NSDUH. The "final sampling weight" of the i^{th} respondent, say w_i , can be interpreted as the number of persons in the NSDUH target population represented by the i^{th} respondent. The sum of the weights over all respondents is used to estimate the size of the total target population:

$$\sum_i w_i = \text{estimated size of target population}, \quad (1)$$

where the summation is over all respondents in the 2004 NSDUH.

In the 2004 NSDUH, a split-sample design for respondents aged 18 or older was implemented. Adults in sample A (ADLTSAMP=1) were administered the adult mental health module, but were not administered the adult depression module. Adults in sample B (ADLTSAMP=2) were administered only six core questions from the adult mental health module as well as the adult depression module. Adults not assigned to either sample A or B (ADLTSAMP=98) and youths who were not included in the split sample (ADLTSAMP=89 or 99) were administered neither the adult mental health module nor the adult depression module. Thus, in 2004, two additional person-level analysis weights other than ANALWT_C were created. They are SPDWT_C and DEPWT_C. These weights were created for specific types of person-level analyses, as described in the following paragraphs.

ANALWT_C: The "basic sampling weights" for the 2004 NSDUH person-level analysis weights are equal to the inverse of the probabilities of selection of sample respondents. In other words, the smaller a respondent's chance of entering the sample, the larger the weight that respondent has in the calculation of unbiased estimates for the target population. The probability of selection of a respondent can be computed as the product of three stagewise sampling probabilities. Specifically, the probability of selecting respondent i equals the product of (a) the probability of selecting respondent i 's segment given the State and FI region in which it is located, (b) the probability of selecting respondent i 's dwelling unit given the selection of his or her segment, and (c) the probability of selecting respondent i within that selected dwelling unit. To obtain the full sample "final NSDUH analysis weights," the basic sampling weights were adjusted to take into account dwelling unit-level and individual-level nonresponse. These weights were further adjusted to ensure consistency with 2000-based census population estimates obtained from the U.S. Census Bureau.

SPDWT_C: This weight was created to reflect the split-sample design as mentioned earlier. A split-sample factor (reciprocal of the quarterly sample split proportions) was applied to the weights after the person-level nonresponse adjustment for adult samples A and B. Note that the person-level nonresponse adjustment is the same one for developing the ANALWT_C. A separate poststratification was done for both sample A and sample B so that the weights for both subsamples were controlled to the census population estimates for the civilian, noninstitutionalized population aged 18 or older. SPDWT_C was set to zero for youths aged 12 to 17 and for six adults not assigned to either portion of the split sample. SPDWT_C can be used for generating SPD estimates using either sample A or B data. However, if SPD estimates are

generated using both sample A and B combined data, then ANALWT_C should be used. SPDWT_C also can be used for producing adult depression estimates for sample B.

DEPWT_C: The SPDWT_C for sample B can be used for producing adult depression estimates. However, analysts might be interested in the estimates of depression for combined youths and adults. DEPWT_C was created to allow estimates for both the youth and adult depression data to be generated in one analysis. This was accomplished by combining into one variable the final person-level analysis weight (ANALWT_C) for youths aged 12 to 17 and the split-sample weight (SPDWT_C) for adults aged 18 or older in sample B, and assigning a weight of zero for adults not in sample B.

For the public use file, a portion of the records was randomly subsampled from the original file and removed to introduce uncertainty in a "potential intruder's" mind while reducing the probability that any known respondent was in the public use file (see the section on Confidentiality of Data near the end of this introduction). Therefore, the weights of the members of the remaining sample were subsequently adjusted for subsampling. The weights then were calibrated to known totals from the full analytic file in order to increase precision.

Contents and Organization of the 2004 NSDUH Public Use File

Data File Description

The file described here is made available as an ASCII file with 2,714 variables and 55,602 observations. *Three program files are made available to read the ASCII file into SAS, SPSS, or Stata. The file also is made available as a SAS transport (CPORT) file, SPSS system file, Stata system file, and ASCII Tab-delimited file. All of the data and program files are available from SAMHDA.*

The overall organization of the file is shown in the Table of Contents of this document. Edited data from core drug modules make up the first portion of the file. Edited data from the noncore self-administered modules and demographic questions are in later sections. These variables contain missing data; see the section on Standard Code Conventions for a description of the codes given to different types of missing data. For each edited variable, the number of observations assigned a given missing data code is shown in the entry for that variable.

Imputation-revised drug use variables, as well as selected recoded versions of these variables, are included for core drug use variables. These imputed and recoded drug use variables are in separate sections following the edited core drug use variables. The recoded drug use variables include indicators for lifetime, past year, and past month substance use. The imputation-revised core drug use variables served as the starting point for the recoded core drug use variables. Imputation-revised core and noncore demographic variables also are included toward the end of the codebook. Missing values for all imputation-revised variables have been imputed using the statistical imputation procedures described below. Imputation indicators are provided for each variable so that users may easily determine whether an observation contains data from the questionnaire or an imputed value. *Where imputed or recoded variables are provided, users are encouraged to use them to produce estimates rather than raw or edited variables from the interview.*

Variables containing the original responses to the recency-of-use and 12-month frequency-of-use questions are presented in the codebook section on Selected Unedited Variables. These are included to show how respondents originally answered these questions prior to the data being edited for consistency with related items in that drug's section of the interview.

Variables from self-administered noncore modules comprise the next major section in the codebook. In addition to edited variables in these noncore modules, recoded variables are in some of these sections. For example, edited variables from the section of the interview pertaining to symptoms of dependence or abuse (Substance Dependence and Abuse section in this codebook) were used to create recoded summary measures of dependence. Unlike variables in the core sections, however, imputation for missing data generally was not done prior to the recoding of noncore variables. Consequently, noncore recoded variables may still have missing values.

For recoded variables, the missing data codes contained in the source variables and defined in the Standard Code Conventions section of this codebook often were recoded to the standard missing code (.). It is intended that cases containing these missing codes be excluded from an analysis.

In many instances, the codebook itself also indicates in parentheses the question name that corresponds to an edited variable. However, one important feature of the transition to CAI in 1999 was that respondents could be routed to different versions of a question depending on prior information from the interview. For this reason, individual variables that correspond to every question in the interview do not exist on this file. For example, respondents who initiated use of a drug within 1 year of their current age were asked more detailed questions about the year and month in which they first used that drug. Depending on their age, date of birth, and interview date, respondents could be routed to one of three possible questions to identify the year in which they first used a drug (e.g., CG04a, CG04b, or CG04c for cigarettes, as shown in the specifications). Similarly, respondents could be routed to one of two possible questions to determine the month in which they first used a drug. To facilitate analysis, therefore, responses from these multiple year-of-first-use and month-of-first-use questions were combined into one single year-of-first-use variable and one single month-of-first-use variable for each drug.

Variable Naming Conventions

Variable names are mnemonics related to the meaning of each variable. The user is advised, however, that the transition to a CAI mode of data collection beginning in 1999 marked an important change not only in the conduct of the survey, but also in the data that the survey yielded. Therefore, *data collected with the CAI mode beginning in 1999 are generally not comparable with data collected with the old PAPI mode in prior years, even if the basic wording or content of a question was the same in both the CAI and PAPI instruments.*

As much as possible, however, CAI variables were named identically to the PAPI variables when the content of questions was identical or similar in CAI and PAPI. Use of variable names in CAI that had previously been used in PAPI preserved the historical meaning of key variables, such as those pertaining to the most recent time that respondents used a particular drug.

Usable Cases

A key step in the data processing procedures established the minimum item response requirements in order for cases to be retained for weighting and further analysis (i.e., "usable" cases). These procedures were designed to eliminate cases with unacceptable levels of item nonresponse (i.e., missing data), thereby retaining cases with lower levels of missing data and reducing the amount of statistical imputation needed for any given record.

The usable case criteria established for CAI were based on the completeness of information that respondents provided about their lifetime use or nonuse of different drugs. In CAI, respondents were asked more detailed questions about different drugs only if they reported lifetime use of that drug (or lifetime use of one or more drugs within a broader category, such as hallucinogens) on an initial "gate" question.¹¹ Consequently, whether a CAI respondent was a lifetime user or nonuser of the drugs of interest could be readily determined by reviewing the respondent's answers to the "gate" question on lifetime use of that drug (or category of drugs).

The requirements for a CAI record to be considered usable are noted as follows:

1. The lifetime cigarette question (i.e., "Have you ever smoked part or all of a cigarette?") had to have been answered as "yes" or "no." This requirement was set so that lifetime use or nonuse would be fully defined for at least one substance. Consequently, data about lifetime use or nonuse of cigarettes could be used in subsequent statistical imputations for other drugs where lifetime use/nonuse was undefined.
2. Responses to questions on at least nine (9) of the following additional drugs had to contain information about lifetime use or nonuse: (a) chewing tobacco, (b) snuff, (c) cigars, (d) alcohol, (e) marijuana, (f) cocaine (in any form), (g) heroin, (h) hallucinogens, (i) inhalants, (j) pain relievers, (k) tranquilizers, (l) stimulants, and (m) sedatives. Crack cocaine was not included in the usable case rule because the logic for asking about crack cocaine was dependent upon the respondent having answered the lifetime cocaine question as "yes." Although the CAI instrument also asked about pipe tobacco, this was not included in the usable case rule because there was only one other question about pipe tobacco in addition to the lifetime pipe tobacco use question.¹²

The interview also included follow-up probes for respondents who initially refused to answer a gate question or an entire series of gate questions. Follow-up probes were included in

¹¹ In all modules except those pertaining to hallucinogens, inhalants, pain relievers, tranquilizers, stimulants, and sedatives, the logic for asking more detailed questions about use of that drug was based on the answer to a single "yes/no" question (e.g., "Have you ever, even once, used marijuana or hashish?"). In the hallucinogens through sedatives modules, the logic for asking more detailed questions about use of that category of drugs was based on respondents' answers to multiple "yes/no" questions about the lifetime use or nonuse of specific drugs within that category (e.g., lifetime use or nonuse of the specific hallucinogens LSD, PCP, peyote, mescaline, psilocybin/mushrooms, Ecstasy [MDMA], or "any other" hallucinogen).

¹² For a more detailed discussion of the development of the usable case requirements, see the following: Kroutil, L., & Myers, L. (2002). Development of editing rules for CAI substance use data. In J. Gfroerer, J. Eyerman, & J. Chromy (Eds.), *Redesigning an ongoing national household survey: Methodological issues* (HHS Publication No. SMA 03-3768, pp. 85-109). Rockville, MD: Substance Abuse and Mental Health Services Administration, Office of Applied Studies.

the following modules that were relevant to the usable case rule: cigarettes, chewing tobacco, snuff, cigars, alcohol, marijuana, cocaine, heroin, specific hallucinogens (i.e., LSD, PCP, and Ecstasy [MDMA]), the specific stimulant methamphetamine, and any use of inhalants, pain relievers, tranquilizers, stimulants, or sedatives (if respondents refused all lifetime use questions about these latter five drug categories). If respondents changed their initial refusal to a response of "yes" or "no," they were considered to have provided usable data to that drug's gate information.

For the hallucinogens through sedatives sections, respondents reported about use or nonuse of specific drugs within that category. For these sections, the requirement for reporting of lifetime use or nonuse was considered to have been satisfied if at least one lead lifetime question in the series was answered as "yes" or "no" (e.g., if at least one question in the hallucinogens series was answered as "yes" or "no" for hallucinogens). Similarly, in the inhalants, pain relievers, tranquilizers, stimulants, and sedatives sections, if respondents initially refused to answer all gate questions for a given drug but subsequently answered that drug's follow-up probe as "yes" or "no," they were considered to have satisfied the reporting requirement for that drug.

In addition, the CAI program terminated interviews during the initial demographics questions if respondents were ineligible for the survey (i.e., under age 12 or on active duty in the U.S. military). These ineligible cases by definition did not meet the usable case criteria because the interviews were terminated before the respondents were asked the first cigarette use question.

Logical Editing

For selected key variables, response data were reviewed to identify and address inconsistent data among related variables or to replace missing data with nonmissing values. The routing logic in the CAI instrument reduced the opportunities for respondents to give inconsistent answers by skipping respondents past questions that did not apply to them. The occurrence of inconsistent data was further reduced through the use of consistency checks built into the CAI program that prompted respondents to resolve inconsistencies between related items. Nevertheless, there still were limited situations in which respondents could answer one question in a manner that was inconsistent with their answer to a previous question.

Logical editing was the first step in processing many of the variables on the file. This procedure used data within a respondent's record to identify and address inconsistencies among related variables within a given module of the interview (e.g., within the hallucinogens section). As part of this procedure, variables were identified that had been legitimately skipped because the condition(s) for asking the questions did not apply.

In addition, editing procedures in 2004 took into account the split-sample design for the adult mental health and the adult depression modules. Adult respondents in 2004 who were in sample A received the entire set of questions in the adult mental health module; those who were in sample B received only the six questions in this module that are used to score SPD. Similarly, only the adult respondents in sample B received the adult depression module in 2004. Thus, editing procedures in 2004 included assignment of "legitimate skip codes" to skipped variables in the adult mental health module for adults in sample B and to skipped variables in the adult depression module for adults in sample A.

As a general principle when editing data in all the modules, responses from one module (e.g., hallucinogens) were not used to edit variables in another module (e.g., inhalants).¹³ For this reason, data in one module may not be completely consistent with data in other modules. Subsequent discussion about editing in this section focuses on key drug use variables.

Editing Procedure for Drug Use Variables

Logical editing and processing of drug use variables in the tobacco through the sedatives modules first involved identifying whether respondents had ever used or never used the drug of interest. That included situations in which respondents initially refused to answer a question about their lifetime use of a drug but then changed their answer to "yes" or "no" on follow-up. If respondents did not provide sufficient information about their use or nonuse of a particular drug (or drug category), their final status was assigned through statistical imputation procedures. If values pertaining to lifetime use or nonuse of a given drug were changed through the editing procedures, this editing was indicated through special codes that indicated that a response was logically inferred; documentation for these codes includes the phrase "LOGICALLY ASSIGNED." In the hallucinogens, inhalants, pain relievers, tranquilizers, stimulants, and sedatives modules, for example, respondents who did not report lifetime use of a specific drug (e.g., LSD) but specified use of it as "some other drug" were logically inferred to be lifetime users of that drug. In the psychotherapeutics modules (i.e., pain relievers, tranquilizers, stimulants, and sedatives), respondents whose only reported lifetime use involved over-the-counter medications were logically inferred to have never used that particular prescription-type psychotherapeutic drug.

Following determination of lifetime use or nonuse of a given drug, edits of the variables that established when respondents last used a drug of interest were probably the most critical. These edited recency-of-use variables were the precursors for the final, imputed measures that established the prevalence of use in the past 30 days, past 12 months, and lifetime.

The 2004 interview included follow-up probes for respondents who were lifetime users of a given drug but did not know or refused to report when they last used it. Respondents who initially did not know when they last used a drug were asked to give their "best guess" of when they last used it. Respondents who initially refused to report when they last used a drug were asked to reconsider answering the question. If respondents changed their initial answer of "don't know" or "refused" in response to these probes, the editing procedures incorporated data from these probes into the final, edited recency-of-use variables. For example, if respondents initially refused to report when they last used a drug but then reported last using it more than 30 days ago but within the past 12 months, their edited recency indicated use in that period, in the absence of any information that was inconsistent with what they reported in the probe (see below).

Situations were identified and flagged in which there were potential inconsistencies between a respondent's answer to a drug's recency question (or the answer in a follow-up probe)

¹³ One exception to the principle of not editing across modules involved situations in which responses in one module governed whether respondents were asked questions in another module. For example, if respondents reported never using heroin, they were not asked questions in the noncore substance treatment module about treatment for heroin. Consequently, codes could be assigned to indicate that the respondents skipped out of the heroin treatment data because they had never used it.

and other data in that module. For example, it would be inconsistent for a respondent to report last using a drug "more than 12 months ago" but also to report having first used it at his or her current age. These inconsistencies then were addressed by statistically imputing final values for the affected recency variable and the other variable(s) where the data were inconsistent with the respondent's original answer to the recency question.

Again, if values pertaining to the period when respondents last used a drug were changed through the editing procedures, special codes were assigned to indicate that these edits had been done. The documentation for these codes included the phrase "LOGICALLY ASSIGNED." For example, a code of 8 in a drug's recency-of-use variable means "Used at some point in the past 12 months LOGICALLY ASSIGNED." Specifically, if a respondent reported using a drug more than 30 days ago but within the past 12 months but other data suggested that the respondent may have used the drug more recently, this code of 8 indicated that at least it could be inferred that the respondent was a user in the past 12 months (and potentially more recently). Similarly, a code of 9 ("Used at some point in lifetime LOGICALLY ASSIGNED") indicated that the respondent was potentially a user in any period that was asked about for that particular drug, including the past 30 days. In particular, respondents were assigned a code of 9 if they initially answered "don't know" or "refused" to a drug's recency question and continued on follow-up to answer "don't know" or "refused" regarding when they last used it.

Standard Code Conventions

Generally, the following codes have the same (or consistent) meanings across all variables. Exceptions are noted in the documentation for individual variables.

91 or 991 or 9991, etc.	= NEVER USED [DRUG(s) OF INTEREST]
93 or 993 or 9993, etc.	= USED [DRUG] BUT NOT IN THE PERIOD OF INTEREST
94 or 994 or 9994, etc.	= DON'T KNOW
97 or 997 or 9997, etc.	= REFUSED
98 or 998 or 9998, etc.	= BLANK (i.e., not answered; not asked the question)
99 or 999 or 9999, etc.	= LEGITIMATE SKIP

The following analogous codes also were assigned as part of the logical editing process:

81 (or 981, 9981, etc.)	= NEVER USED [DRUG(s) OF INTEREST] Logically assigned
83 (or 983, 9983, etc.)	= USED [DRUG] BUT NOT IN THE PERIOD OF INTEREST Logically assigned
85 (or 985, 9985, etc.)	= BAD DATA Logically assigned (i.e., usually inconsistent with other data)
89 (or 989, or 9989, etc.)	= LEGITIMATE SKIP Logically assigned

The codes of 81, 83, 85, and 89 were given values in the 80s to signify that existing values were overwritten during editing. For example, if a respondent was somehow routed into the youth experiences module but that respondent was subsequently classified as being 18 or older, any answers that the respondent gave in the youth experiences module were overwritten with codes of 89 (or 989, etc.). These codes signify that this adult respondent logically was not eligible to be asked the youth experiences questions.

Codes of 85 (or 985, etc.), 94 (or 994, etc.), 97 (or 997, etc.), and 98 (or 998, etc.) are codes for missing data. In particular, codes of 98 (i.e., blank) could occur in the data for the following reasons:

- the respondent broke off the interview before reaching a particular question or section;
- the CAI program allowed the respondent to hit the ENTER key without providing a response (typically, in situations where respondents were asked to specify something, such as the name of some other drug that they had used); or
- the CAI program skipped the respondent past a question, but there was some uncertainty as to whether the skipped question applied or did not apply to the respondent (e.g., if subsequent questions about a drug were skipped because the respondent did not know whether he or she ever used that drug).

Statistical Imputation

Statistical imputation refers to the substitution of acceptable artificial values for missing values. These imputed values cannot be directly distinguished from nonimputed values. Using statistical imputation, missing data were replaced with nonmissing values for selected variables. These variables can be identified in the codebook by their labels, within which can be found the words "IMPUTATION REVISED." In addition, most imputation-revised variables have names with the prefix "IR." Associated indicator variables tell the user which values are imputed and which ones are not. These indicator variables have the words "IMPUTATION INDICATOR" in their labels and are identified with the prefix "II." For some imputation-revised variables, additional imputation indicators are available, identified with the prefix "II2," giving more details about the source of the imputed or logically assigned value.

For all imputation-revised variables except those associated with nicotine dependence, the levels within the variables are limited to the valid responses in the interview itself. If neither editing nor imputation was required for any of these variables, the levels for the edited and imputation-revised variables are the same, with each level corresponding to a valid interview response. If an edited variable has a logically assigned value for which no imputation was required, that logically assigned value was converted to the associated valid interview response in the imputation-revised variable. Finally, levels in the edited variable that do not correspond to a valid interview response indicate that the information available for that respondent was incomplete and, consequently, imputation was required. In the imputation-revised variable, these levels were replaced by imputed values corresponding to valid interview responses, which were made consistent with any preexisting information related to that variable. Examples of levels indicating incomplete information include "bad data," "don't know," and "refused." Also, in the

case of recency of use, some levels in the edited variable describe a more general recency than was designated from a valid interview response, which, in the imputation-revised variable, were replaced by imputed values consistent with the general recency level.

With the 2004 CAI, the core drug use variables are recency of use, frequency of use in the past 12 months, frequency of use in the past 30 days, and age at first use for all of the core drug modules, as well as age at first daily cigarette use and binge drinking frequency in the past 30 days. Imputation of missing values in these core drug use variables was accomplished using an imputation procedure developed specifically for the 1999 survey and called predictive mean neighborhoods (PMN). PMN is a combination of model-assisted and nearest neighbor hot-deck imputation methods and is described in detail in the *2004 NSDUH Methodological Resource Book*.¹⁴ In addition, the details of its application to NSDUH are described in the aforementioned report. The PMN method also was used to impute missing values in the demographic, income, insurance, and roster-derived household composition variables in the 2004 CAI.

A new way of measuring dependence on nicotine through cigarettes, clove cigarettes, or bidis was introduced in the 2001 survey. This method involved the calculation of a continuous scale of nicotine dependence called the Nicotine Dependence Syndrome Scale (NDSS).¹⁵ This scale was calculated from 17 questionnaire items that were asked of respondents who used cigarettes, clove cigarettes, or bidis in the past 30 days. As with other imputation-revised variables, the imputation-revised versions of these variables are identified by the same IR prefix, accompanied by an imputation indicator with an II prefix, and are located in the imputed substance dependence and abuse section of the public use file. The imputations performed on the nicotine dependence variables differ from most other imputation-revised variables in three ways: (1) PMN was not used to impute missing values; (2) imputed values do not resemble preexisting nonmissing values; and (3) not all missing values are imputed. Weighted least squares regressions were used to obtain continuous predicted means, which in turn were used directly as imputed values. Whereas nonimputed values are limited to integer values between 1 and 5, imputed values could fall anywhere on the continuous scale. Most imputed values, however, are noninteger values between 1 and 5. Because of these noninteger values, a range of values is used to represent each variable's nonmissing values rather than frequencies corresponding to valid interview responses. (Such frequencies would have to be obtained from the edited versions of the variables.) Imputations were performed only if the respondent answered at least 16 of the 17 nicotine dependence questions. If the respondent was eligible to answer the nicotine dependence questions, but answered 15 or fewer of them, no attempt was made to replace the missing value by an imputed value. For these respondents, in the imputation-revised version of the variables, the missing value is still represented by a missing value code.

¹⁴ Grau, E. A., Barnett-Walker, K., Copello, E., Frechtel, P., Licata, A., Liu, B., & Martin, P. (2006, February). Imputation report. In *2004 National Survey on Drug Use and Health: Methodological resource book* (Section 11, prepared for the Substance Abuse and Mental Health Services Administration under Contract No. 283-03-9028, Deliverable No. 26, RTI/0208726.175.007). Research Triangle Park, NC: RTI International.

¹⁵ For more details, refer to Shiffman, S., Hickcox, M., Gnys, M., Paty, J. A., & Kassel, J. D. (1995, March). The *Nicotine Dependence Syndrome Scale: Development of a new measure*. Poster presented at the annual meeting of the Society for Research on Nicotine and Tobacco, San Diego, CA. Also see Shiffman, S., Waters, A. J., & Hickcox, M. (2004). The Nicotine Dependence Syndrome Scale: A multidimensional measure of nicotine dependence. *Nicotine & Tobacco Research*, 6, 327-348.

To protect confidentiality, the imputation-revised race and Hispanic origin variables were not included on this file. This information is provided in a recoded variable that combines race and Hispanic ethnicity (NEWRACE2). The original version of the imputation-revised education level variable also was omitted from this file and replaced by a recoded version (IREDUC2). However, the original marital status variable (IRMARIT) and employment status variables (EMPSTAT4 and EMPSTATY) are included. Although no missing data were possible for gender, the "IR" prefix for IRSEX was maintained for continuity with past years. A complete description of the processing of demographic variables is given in the *2004 NSDUH Methodological Resource Book*.

Variance Estimation of Totals

Prevalence rates are the proportions of the population who exhibit characteristics of interest (such as substance use). Let \hat{p}_d represent the prevalence rate of interest for domain d . Then \hat{p}_d would be defined as the ratio

$$\hat{p}_d = \frac{\hat{Y}_d}{\hat{N}_d},$$

where \hat{Y}_d = estimated number of persons exhibiting the characteristic of interest in domain d , and \hat{N}_d = estimated population total for domain d .

\hat{N}_d is estimated as $\sum w_i \delta_i$, where w_i represents the analysis weight and δ_i represents an indicator variable, which is defined as

$$\delta_i(d) = \begin{cases} 1 & \text{if the } i^{\text{th}} \text{ sample unit is in subgroup } d, \\ 0 & \text{otherwise.} \end{cases}$$

The sampling error of an estimate is the error caused by the selection of a sample instead of conducting a census of the population. The sampling error may be reduced by selecting a large sample and/or by using efficient sample design and estimation strategies, such as stratification, optimal allocation, and ratio estimation. The use of probability sampling methods in NSDUH allows estimation of sampling error from the survey data. The standard errors are used to identify unreliable estimates and to test for the statistical significance of differences between estimates.

Suitable software packages, such as SUDAAN,¹⁶ can be used to calculate direct estimates of \hat{Y}_d and \hat{N}_d (and, therefore, \hat{p}_d) and also can be used to estimate their respective standard errors. Although the standard errors of estimates of means and proportions can be calculated appropriately in software (such as SUDAAN) using a Taylor series linearization approach, standard errors of estimates of totals may be underestimated in situations where the domain size is poststratified to data from the U.S. Census Bureau.

¹⁶ Research Triangle Institute. (2001). *SUDAAN® user's manual: Release 8.0*. Research Triangle Park, NC: Author.

When the domain size, \hat{N}_d , is free of sampling error, an appropriate estimate of the standard error for the total number of persons with a characteristic of interest is

$$\text{SE}(\hat{Y}_d) = \hat{N}_d \text{SE}(\hat{p}_d).$$

This approach is theoretically correct when the domain size estimates, \hat{N}_d , are among those forced to match their respective U.S. Census Bureau population estimates through the weight calibration process.¹⁷ In these cases, \hat{N}_d is not subject to a sampling error induced by the NSDUH design. For estimated domain totals, \hat{Y}_d , where \hat{N}_d is not fixed (i.e., where domain size estimates are not forced to match the U.S. Census Bureau population estimates), this formulation still may provide a good approximation if it can be assumed that the sampling variation in \hat{N}_d is negligible relative to the sampling variation in \hat{p}_d . This is a reasonable assumption for many cases in this study.

For various subsets of estimates, the above approach yielded an underestimate of the variance of a total because \hat{N}_d was subject to considerable variation. Because of this underestimation, alternatives for estimating standard errors of totals can be implemented.

A "mixed" method approach can be used to improve the accuracy of standard errors and to better reflect the effects of poststratification on the variance of total estimates. This approach assigns the method of standard error calculation to domains (subgroups for which the estimates were calculated) so that all estimates among a select set of domains with fixed \hat{N}_d were calculated using the formula above, and all other estimates were calculated directly in SUDAAN. The set of domains considered controlled (i.e., those with a fixed \hat{N}_d) was restricted to main effects and two-way interactions in order to maintain continuity between years. The use of such standard errors did not affect the standard error estimates for the corresponding proportions because all standard errors for means and proportions are calculated directly in SUDAAN. Table 1 contains a list of domains with fixed \hat{N}_d for the public use file.

The "mixed" method approach was first implemented in a subset of tables using the 2004 data and fully integrated for the 2005 NSDUH analyses. Prior to 2004, similar methods were used for computing the standard error of the total except that the method was applied to a specific table instead of to a specific domain within a table. For example, when a majority of estimates in a table were among domains in which \hat{N}_d was fixed during weighting or if it could be assumed that the sampling variation in \hat{N}_d was negligible, then standard errors of totals for

¹⁷ Chen, P., Cribb, D., Dai, L., Gordek, H., Laufenberg, J., Sathe, N., & Westlake, M. (2012). Person-level sampling weight calibration. In *2010 National Survey on Drug Use and Health: Methodological resource book* (Section 12, prepared for the Substance Abuse and Mental Health Services Administration under Contract No. HHSS283200800004C, Phase I, Deliverable No. 39, RTI/0211838.107.004). Research Triangle Park, NC: RTI International.

Table 1. Demographic Domains Forced to Match Their Respective U.S. Census Bureau Population Estimates through the Weight Calibration Process: 2004

Main Effects	Two-Way Interactions
Age Group	
12-17	
18-25	
26-34	Age Group × Gender (e.g., Males Aged 12 to 17)
35+	
All Combinations of Groups Listed Above ¹	
Gender	
Male	
Female	

¹ Combinations of the age groups (including but not limited to 12 or older, 18 or older, 26 or older, and 35 or older) also were forced to match their respective U.S. Census Bureau population estimates through the weight calibration process.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2004.

all estimates in a particular detailed table were calculated using the formula above. Tables in which the majority of estimates were among domains where \hat{N}_d was subject to considerable variability were calculated directly in SUDAAN. For more information, see Section B.2.1 of the national findings report for the 2005 NSDUH.¹⁸

Statistical Significance of Differences

Because of the 2002 NSDUH survey methodology changes, the 2002 data constitute a new baseline for tracking trends in substance use and other measures. As noted previously, it is not considered appropriate to make comparisons of the 2002, 2003, and 2004 CAI estimates with 2001 and earlier NHSDA estimates to assess changes in substance use over time. If comparisons such as these are made, it is recommended that they be interpreted with caution. For a more detailed description of the changes to the 2002 NSDUH methodology, see Appendix C of the national findings report for the 2002 NSDUH.¹⁹

Customarily, the observed difference between estimates is evaluated in terms of its statistical significance. Statistical significance is based on the *p* value of the test statistic and refers to the probability that a difference as large as that observed would occur because of random variability in the estimates if there were no difference in the prevalence estimates for the population groups being compared. The significance of observed differences is generally reported at the 0.05 and 0.01 levels.

¹⁸ Office of Applied Studies. (2006). *Results from the 2005 National Survey on Drug Use and Health: National findings* (HHS Publication No. SMA 06-4194, NSDUH Series H-30). Rockville, MD: Substance Abuse and Mental Health Services Administration.

¹⁹ Office of Applied Studies. (2003). *Results from the 2002 National Survey on Drug Use and Health: National findings* (HHS Publication No. SMA 03-3836, NSDUH Series H-22). Rockville, MD: Substance Abuse and Mental Health Services Administration.

When comparing prevalence estimates, one can test the null hypothesis (no difference between prevalence estimates) against the alternative hypothesis (there is a difference in prevalence estimates) using the standard difference in proportions test expressed as

$$Z = \frac{\hat{p}_1 - \hat{p}_2}{\sqrt{\text{var}(\hat{p}_1) + \text{var}(\hat{p}_2) - 2 \text{cov}(\hat{p}_1, \hat{p}_2)}},$$

where \hat{p}_1 = first prevalence estimate, \hat{p}_2 = second prevalence estimate, $\text{var}(\hat{p}_1)$ = variance of first prevalence estimate, $\text{var}(\hat{p}_2)$ = variance of second prevalence estimate, and $\text{cov}(\hat{p}_1, \hat{p}_2)$ = covariance between \hat{p}_1 and \hat{p}_2 . Note that the first and second prevalence estimates may take the form of prevalence estimates from two different survey years (e.g., 2003 and 2004, respectively), prevalence estimates from sets of combined survey data (e.g., 2002-2003 annual averages and 2003-2004 annual averages, respectively), or prevalence estimates for populations of interest within a single survey year.

Under the null hypothesis, Z is asymptotically distributed as a normal random variable. Therefore, calculated values of Z can be referred to the unit normal distribution to determine the corresponding probability level (i.e., p value). Because the covariance term is not necessarily zero, SUDAAN may be used to compute estimates of Z along with the associated p values such that the covariance term is calculated by taking the sample design into account.

When comparing population subgroups defined by three or more levels of a categorical variable, log-linear Chi-square tests of independence of the subgroup and the prevalence variables should be conducted first to control the error level for multiple comparisons. If the Chi-square test indicates overall significant differences, the significance of each particular pairwise comparison of interest may be tested using SUDAAN analytic procedures to properly account for the sample design. A detailed description of this test statistic, which is based on the Wald statistic, can be found in the SUDAAN user's manual.²⁰

Use of Sample Weights and Sample Design Variables

Because of various adjustments, such as those for nonresponse and poststratification, the 2004 NSDUH sample design is not self-weighting. *Analysts are advised to use the final sample weight when attempting to use the 2004 NSDUH data to draw inferences about the target population or any subdomains of the target population.* All estimates published in SAMHSA reports (such as results from the 2004 NSDUH) are weighted using the final analysis weight, namely ANALWT, SPDWGHT, and DEPWT, for the full sample. For the public use file, the corresponding final sample weight is denoted as ANALWT_C, SPDWT_C and DEPWT_C with the "C" denoting confidentiality protection. This sample weight represents the total number of target population persons each record on the file represents. Note that the sum of ANALWT_C, SPDWT_C and DEPWT_C over all records on the data file, represents an estimate of the total number of people in the target population. Additional information on the full sample weighting

²⁰ See footnote 16.

procedures and the sample weight components is described in the *2004 NSDUH Methodological Resource Book*.²¹

The public use file contains two sample design variables in addition to ANALWT_C. These variables are VESTR (variance estimation [pseudo] stratum) and VEREP (variance estimation [pseudo] replicate within each stratum) and must be used to estimate variances and standard errors when using commercially available variance estimation software packages. The SAMHDA Data Analysis System also has this capacity and is available for public use. However, the data analysis software in SAMHDA uses the terms "Stratum" and "Cluster," which correspond, respectively, to VESTR and VEREP in the public use file.

Confidentiality of Data

To protect the confidentiality of respondents to the 2004 NSDUH, the full analytic file of 67,760 persons has been treated using RTI's innovative statistical disclosure limitation method MASSC,^{22,23,24} which consists of the following four major steps: Micro Agglomeration, optimal probabilistic Substitution, optimal probabilistic Subsampling, and optimal sampling weight Calibration. All directly identifying information on the file has been eliminated. In addition, census region, State, and other geographic identifiers have been removed. This is an individual record file, and the household link between respondents from the same household has been removed.

All variables on the file were reviewed for the possibility of identifying the respondent by combining a number of them at one time. Variables considered to have a high potential of personal identification, as well as a high value for analysis, were treated by standard procedures of categorization and top-and-bottom coding. Using the selected key identifying variables, the data were partitioned into risk strata to control for level of treatment in the Micro Agglomeration step. In addition, two other techniques were used in MASSC to introduce sufficient uncertainty for any person who attempted to identify an individual and his or her confidential responses. First, on a random basis, a sample of records was drawn, and variables were substituted from a similar donor record. Substitution introduces uncertainty about the identity of a record in the database. This process makes it difficult for an intruder to be certain that any record corresponds

²¹ Chen, P., Dai, L., Gordek, H., Grau, E., Shi, W., & Westlake, M. (2006, January). Person-level sampling weight calibration. In *2004 National Survey on Drug Use and Health: Methodological resource book* (Section 12, prepared for the Substance Abuse and Mental Health Services Administration, Office of Applied Studies, under Contract No. 283-03-9028, Deliverable No. 26, RTI/0208726.174.003). Research Triangle Park, NC: RTI International.

²² Singh, A. C. (2002). *Method for statistical disclosure limitation* (U.S. Patent Application Pub. No. US 2004/0049517A1). Research Triangle Park, NC: RTI International. The patent was granted in June 2006 (Patent No. US7058638B2).

²³ Singh, A. C., Yu, F., & Dunteman, G. H. (2003). MASSC: A new data mask for limiting statistical information loss and disclosure [Abstract]. In *Proceedings of the Joint UNECE/EUROSTAT Work Session on Statistical Data Confidentiality, Luxembourg* (Working Paper No. 23). Geneva, Switzerland: United Nations Statistical Commission and Economic Commission for Europe Conference of European Statisticians, European Commission Statistical Office of the European Communities (EUROSTAT).

²⁴ Singh, A., Yu, F., & Wilson, D. H. (2004, August). Measures of information loss and disclosure risk under MASSC treatment of micro-data for statistical disclosure limitation. In *Proceedings of the 2004 Joint Statistical Meetings, American Statistical Association, Section on Survey Research Methods, Toronto, Canada* (pp. 4374-4381). Alexandria, VA: American Statistical Association.

to a specific individual because some of the variables used to identify the record may have come from other individuals. Second, a portion of the records was randomly removed from the file to reduce the probability that any known respondent was in the public use file. Subsampling introduces further uncertainty about the presence of a target record in the database. The result is that there is a very small probability of identifying an individual from the file.

Substitution and subsampling were done while simultaneously constraining the resultant file to a minimal increase in bias and a minimal decrease in precision for numerous estimates of drug use prevalence across a number of domains. In addition, the weights on the final file were recalibrated to known totals from the full analytic file so as to minimize the decrease in precision owing to the two techniques. Under the MASSC framework, both disclosure risk and information loss are simultaneously controlled and measured.

A number of variables were reviewed after the above process was undergone in order to determine the impact of these techniques on the bias and precision of estimates compared with the full (i.e., restricted) file. These variables included both variables for which partial records were substituted, as well as other variables. In addition, the precision was studied for 340 combinations of 34 domains and 10 response variables (e.g., the combination of alcohol past month use in 12 to 17 age group). The ratio of the estimates from the full file and the public use file was calculated for each domain/response variable combination. For the 10 response variables, the average ratio over the 34 domains was within the 1.00 – 1.02 range. Similarly, to assess the decrease in precision, the standard error was compared between the public use file and the full file. For 9 of the 10 response variables, the average increase in standard error over the 34 domains was about 1 to 10 percent, with SEDFLAG (sedatives ever used) being the only exception, at about an 11 percent increase of the standard error.

These statistical disclosure limitation methods have been implemented in such a way that the public use file continues to be representative of civilian members of the noninstitutionalized population in the United States.

Public Use File Estimates and Standard Errors

The sampling weights on the public use file were adjusted for subsampling and calibrated with respect to 45 demographic domains. A list of the domains can be found in Table 1. Survey analysis software can be used with these weights, along with the sample design variables VESTR and VEREP, to estimate various parameters and their standard errors. Tables 2 and 3 show prevalence estimates and their standard errors for demographic domains that were not included in the calibration constraints.

Table 2 shows the ratio of prevalence estimates and standard errors from the public use file subsample to the full sample for past month marijuana use, a relatively high prevalence drug. Table 3 shows the same ratios for past year heroin use, a relatively low prevalence drug. The results are shown for seven demographic domains.

Two new weights for SPD and depression that were created in the 2004 NSDUH also were adjusted for subsampling and then calibrated in the public use file to allow analysis on mental health variables for adults aged 18 or older as well as depression data for all age groups.

Table 2. Past Month Marijuana Prevalence and Standard Error Ratios of Public Use File Subsample to the Full Sample, by Seven Domains: 2004

Domain	Prevalence Ratio	Standard Error Ratio
Non-Hispanic Native American or Alaska Native	0.96	1.04
Non-Hispanic Native Hawaiian or Other Pacific Islander	0.91	1.03
Non-Hispanic Asian	1.01	1.29
Non-Hispanic Two or More Races	1.02	0.93
Household with Four Members	1.04	1.22
Household with Five Members	1.00	1.04
Household with Six or More Members	1.00	0.96

Note: Ratio = (Public use file subsample estimate / Full sample estimate).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2004.

Table 3. Past Year Heroin Prevalence and Standard Error Ratios of Public Use File Subsample to the Full Sample, by Seven Domains: 2004

Domain	Prevalence Ratio	Standard Error Ratio
Non-Hispanic Native American or Alaska Native	1.16	1.20
Non-Hispanic Native Hawaiian or Other Pacific Islander	.	.
Non-Hispanic Asian	.	.
Non-Hispanic Two or More Races	1.16	1.08
Household with Four Members	1.09	1.19
Household with Five Members	0.99	1.11
Household with Six or More Members	1.08	0.89

Note: [1] Ratio = (Public use file subsample estimate / Full sample estimate).

[2] Missing cells are due to zero, or near zero observed prevalence rates in the respective Race/Hispanicity domains.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2004.

New Data Since Last Release

Since the release of the previous version of the 2004 Public Use Data File and Codebook on September 22, 2006, a number of variables have been added (see Table 4). This version of the data file and codebook does not have any corrections to any of the variables that were already included in the previous version.

Table 4. Variables Added to the 2004 Public Use Data File and Codebook

Codebook Section	Additional Variables	Label
IDENTIFICATION	FILEDATE	CREATION DATE OF THE DATA FILE
RECODED DRUG USE	BRNCIG05	CIGARETTE BRAND USED MOST OFTEN IN PAST MONTH
	BRCGR5_2	CIGAR BRAND USED MOST OFTEN IN PAST MONTH
	BRSMK5_2	SMOKELESS TOBACCO BRAND USED MOST OFTEN IN PST MON
	CPNSTMFG	CPN STIMULANTS - EVER USED
	CPNSTMYR	CPN STIMULANTS - PAST YEAR USE
	CPNSTMMN	CPN STIMULANTS - PAST MONTH USE
	CPNMTHFG	CPN METHAMPHETAMINE - EVER USED
	CPNMTHYR	CPN METHAMPHETAMINE - PAST YEAR USE
	CPNMTHMN	CPN METHAMPHETAMINE - PAST MONTH USE
	CPNP SYFG	CPN PSYCHOTHERAPEUTIC - EVER USED
	CPNP SYYR	CPN PSYCHOTHERAPEUTIC - PAST YEAR USE
	CPNP SYMN	CPN PSYCHOTHERAPEUTIC - PAST MONTH USE
	ALCAFU3	ALCOHOL AGE OF FIRST USE - CATEGORIZED RECODE 3
	STMYDAYS	# OF DAYS USED STIMULANTS IN PAST YEAR
	MTHYDAYS	# OF DAYS USED METHAMPHETAMINE IN PAST YEAR
RECODED ADULT MENTAL HEALTH	SPD_ASCR	SCORE INDICATING LEVEL OF ADJUSTED SPD
	SPD_ADJ	SERIOUS PSYCHOLOGICAL DISTRESS INDICATOR-ADJUSTED
	SPD_RSCR	SCORE INDICATING LEVEL OF REVERSE ADJUSTED SPD
	SPD_RADJ	SPD INDICATOR-REVERSE ADJUSTED
	NSPDDPAB	NO SPD BUT DRUG/ALCOHOL DEPENDENCE OR ABUSE-ADJ
RECODED YOUTH MENTAL HEALTH TREATMENT	ANYMHIN	YTH RCVD SPEC INPATIENT MH SERVICES IN PY
	ANYMHOUT	YTH RCVD SPEC OUTPATIENT MH SERVICES IN PY
	ANYSMH	YTH RCVD SPECIALTY MENTAL HEALTH SRVC IN PST YR
	ANYMHED	YTH RCVD EDUCATION MENTAL HEALTH SRVC IN PST YR
	ANYSMHPS	YTH RCVD SPECIALTY AND EDUC OR MED MH SRVC IN PY
GEOGRAPHIC	PDEN00	POPULATION DENSITY 2000

LABEL	LEN	DESCRIPTION	PAGE:	1
-----	---	-----	FREQ	%
(QUESTID)		IDENTIFICATION	-----	-

The following variable, QUESTID, is a unique record identifier within a particular study year. The IDs may be repeated in other years, so analysts should always consider the study year when using the QUESTID.				
QUESTID	7	RESPONDENT IDENTIFICATION		
The following variable, FILEDATE, represents the date the SAS data file was created.				
FILEDATE	10	CREATION DATE OF THE DATA FILE		

LABEL	LEN	DESCRIPTION	TOBACCO	PAGE:	2
				FREQ	%
(CG01)		TOBACCO	-----	-----	-
			These questions are about your use of tobacco products. This includes cigarettes, chewing tobacco, snuff, cigars, and pipe tobacco. The first questions are about cigarettes only.		
			Have you ever smoked part or all of a cigarette?		
			NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
CIGEVER	1	EVER SMOKED A CIGARETTE			
		1 = Yes.....	32237	57.98	
		2 = No.....	23365	42.02	
(CG02)		If one of your best friends offered you a cigarette, would you smoke it?			
CIGOFRSM	2	IF BEST FRIEND OFFERED, WOULD YOU SMOKE CIG			
		1 = Definitely Yes.....	21	0.04	
		2 = Probably Yes.....	165	0.30	
		3 = Probably Not.....	1837	3.30	
		4 = Definitely Not.....	10746	19.33	
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	11	0.02	
		99 = LEGITIMATE SKIP.....	42820	77.01	
(CG03)		At any time during the next 12 months do you think you will smoke a cigarette?			
CIGWILYR	2	DO YOU THINK YOU'LL SMOKE CIG IN NEXT 12 MOS			
		1 = Definitely Yes.....	21	0.04	
		2 = Probably Yes.....	153	0.28	
		3 = Probably Not.....	1770	3.18	
		4 = Definitely Not.....	10822	19.46	
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00	
		94 = DON'T KNOW.....	10	0.02	
		97 = REFUSED.....	5	0.01	
		99 = LEGITIMATE SKIP.....	42820	77.01	
(CG04)		How old were you the first time you smoked part or all of a cigarette?			
CIGTRY	3	AGE WHEN FIRST SMOKED A CIGARETTE			
		RANGE = 1 - 65	31840	57.26	
		985 = BAD DATA Logically assigned.....	228	0.41	
		991 = NEVER USED CIGARETTES.....	23365	42.02	
		994 = DON'T KNOW.....	146	0.26	
		997 = REFUSED.....	23	0.04	

TOBACCO			PAGE:	3
LABEL	LEN	DESCRIPTION	FREQ	%
(CG04A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions CG04a, CG04b, CG04c, CG04d, and associated consistency checks were used to create the following two variables.		-
CIGYFU	4	YEAR OF FIRST CIGARETTE USE - RECODE		
		RANGE = 2002 - 2004	2139	3.85
		9985 = BAD DATA Logically assigned.....	263	0.47
		9989 = LEGITIMATE SKIP Logically assn.....	137	0.25
		9991 = NEVER USED CIGARETTES.....	23365	42.02
		9994 = DON'T KNOW.....	151	0.27
		9997 = REFUSED.....	27	0.05
		9998 = BLANK (NO ANSWER).....	150	0.27
		9999 = LEGITIMATE SKIP.....	29370	52.82
CIGMFU	2	MONTH OF FIRST CIGARETTE USE - RECODE		
		1 = January.....	172	0.31
		2 = February.....	103	0.19
		3 = March.....	161	0.29
		4 = April.....	134	0.24
		5 = May.....	160	0.29
		6 = June.....	250	0.45
		7 = July.....	262	0.47
		8 = August.....	163	0.29
		9 = September.....	154	0.28
		10 = October.....	166	0.30
		11 = November.....	149	0.27
		12 = December.....	112	0.20
		85 = BAD DATA Logically assigned.....	262	0.47
		89 = LEGITIMATE SKIP Logically assn.....	137	0.25
		91 = NEVER USED CIGARETTES.....	23365	42.02
		94 = DON'T KNOW.....	301	0.54
		97 = REFUSED.....	30	0.05
		98 = BLANK (NO ANSWER).....	151	0.27
		99 = LEGITIMATE SKIP.....	29370	52.82
(CG05)		NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.		
		Now think about the past 30 days - that is, from DATEFILL up to and including today. During the past 30 days, have you smoked part or all of a cigarette?		
		How long has it been since you last smoked part or all of a cigarette?		
CIGREC	2	TIME SINCE LAST SMOKED CIGARETTES		
		1 = Within the past 30 days.....	15086	27.13
		2 = More than 30 days ago but within the past 12 mos..	3240	5.83
		3 = More than 12 months ago but within the past 3 yrs.	2970	5.34
		4 = More than 3 years ago.....	10554	18.98
		8 = Used at some point in the past 12 mos LOG ASSN....	11	0.02
		9 = Used at some point in the lifetime LOG ASSN.....	10	0.02
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	2	0.00
		14 = Used more than 12 months ago LOG ASSN.....	179	0.32
		19 = Used more than 30 days ago LOG ASSN.....	185	0.33
		91 = NEVER USED CIGARETTES.....	23365	42.02

LABEL	LEN	DESCRIPTION	PAGE:	4
			FREQ	%
(CG07)		During the past 30 days, that is since DATEFILL, on how many days did you smoke part or all of a cigarette?		-
CIG30USE	2	HOW MANY DAYS SMOKED CIG IN PAST 30 DAYS		
		RANGE = 1 - 30	14956	26.90
		91 = NEVER USED CIGARETTES.....	23365	42.02
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17128	30.80
		94 = DON'T KNOW.....	115	0.21
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	23	0.04
(CG07DKRE)		What is your best estimate of the number of days you smoked part or all of a cigarette during the past 30 days?		
CG30EST	2	BEST EST. # DAYS SMOKED CIG PAST 30 DAYS		
		1 = 1 or 2 days.....	9	0.02
		2 = 3 to 5 days.....	18	0.03
		3 = 6 to 9 days.....	13	0.02
		4 = 10 to 19 days.....	28	0.05
		5 = 20 to 29 days.....	15	0.03
		6 = All 30 days.....	38	0.07
		91 = NEVER USED CIGARETTES.....	23365	42.02
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17128	30.80
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	23	0.04
		99 = LEGITIMATE SKIP.....	14956	26.90
(CG08)		On the [CG07 days / CIGDKRE] you smoked cigarettes during the past 30 days, how many cigarettes did you smoke per day, on average?		
CIG30AV	2	AVG # CIGS SMOKED PER DAY/ON DAY SMOKED		
		1 = Less than one cigarette per day.....	1586	2.85
		2 = 1 cigarette per day.....	1724	3.10
		3 = 2 to 5 cigarettes per day.....	4040	7.27
		4 = 6 to 15 cigarettes per day (about 1/2 pack).....	3776	6.79
		5 = 16 to 25 cigarettes per day (about 1 pack).....	2907	5.23
		6 = 26 to 35 cigarettes per day (about 1 1/2 packs)...	704	1.27
		7 = More than 35 cigs per day (abt 2 packs or more)...	328	0.59
		91 = NEVER USED CIGARETTES.....	23365	42.02
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17128	30.80
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	29	0.05

LABEL	LEN	DESCRIPTION	TOBACCO	PAGE:	5
				FREQ	%
(CG11)		NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.			-
CIG30BR2	4	CIG BRAND USED MOST OFTEN PAST MO - RECODE			
101		= Basic.....		445	0.80
102		= Benson & Hedges.....		89	0.16
103		= Cambridge.....		7	0.01
104		= Camel.....		1620	2.91
105		= Capri.....		65	0.12
106		= Carlton.....		17	0.03
107		= Doral.....		269	0.48
109		= GPC.....		148	0.27
110		= Kent.....		7	0.01
111		= Kool.....		378	0.68
112		= Marlboro.....		7255	13.05
113		= Merit.....		30	0.05
114		= Misty.....		91	0.16
115		= Monarch.....		64	0.12
116		= Montclair.....		8	0.01
117		= More.....		11	0.02
118		= Newport.....		2379	4.28
119		= Pall Mall.....		121	0.22
120		= Parliament.....		377	0.68
121		= Private Label.....		16	0.03
122		= Salem.....		182	0.33
123		= Vantage.....		22	0.04
124		= Viceroy.....		28	0.05
125		= Virginia Slims.....		166	0.30
126		= Winston.....		191	0.34
130		= Best Value.....		15	0.03
132		= Bugler (roll-your-own).....		19	0.03
137		= Eve.....		7	0.01
141		= L & M.....		3	0.01
142		= Lucky Strike.....		11	0.02
144		= Maverick.....		4	0.01
147		= Old Gold.....		20	0.04
148		= Players.....		5	0.01
152		= Saratoga.....		3	0.01
158		= Top (roll-your-own).....		24	0.04
160		= True.....		6	0.01
161		= American Spirit.....		71	0.13
164		= Bali-Shag (roll-your-own).....		5	0.01
171		= Checkers.....		3	0.01
172		= Cimarron.....		5	0.01
173		= Clove; brand unspecified.....		8	0.01
175		= Djarum cigarettes.....		33	0.06
176		= Drum rolling tobacco.....		5	0.01
177		= Du Maurier.....		3	0.01
178		= Dunhill cigarettes.....		9	0.02
179		= Eagle.....		5	0.01
180		= Export A.....		3	0.01
184		= Gauloises.....		5	0.01
190		= Jacks.....		12	0.02
193		= Kamel Red.....		3	0.01
196		= Mainstreet.....		4	0.01
199		= Meridian.....		3	0.01
404		= Black & Mild.....		27	0.05
419		= Phillies.....		3	0.01
423		= Swisher Sweets.....		8	0.01
443		= Cohiba.....		3	0.01
492		= Primetime.....		4	0.01
1001		= Nat Sherman cigarettes.....		7	0.01

LABEL	LEN	DESCRIPTION	PAGE:		6
			FREQ	%	
		TOBACCO		-	
1010	= Rothman.....		3	0.01	
1011	= Sampoerna.....		9	0.02	
1017	= Sundance.....		5	0.01	
1018	= USA Gold.....		139	0.25	
1020	= Waves.....		4	0.01	
1021	= Yours.....		4	0.01	
1022	= Bailey.....		4	0.01	
1023	= Sport.....		7	0.01	
1027	= Mustang.....		3	0.01	
1029	= Tourney.....		17	0.03	
1035	= Cherokee.....		4	0.01	
1037	= DTC.....		7	0.01	
1041	= Sonoma.....		3	0.01	
1048	= Carnival.....		14	0.03	
1050	= USA.....		22	0.04	
1061	= Signature.....		4	0.01	
1064	= Seneca; company unspecified.....		14	0.03	
1069	= Zig-Zag (roll-your-own).....		3	0.01	
1082	= Tahoe.....		7	0.01	
1083	= Liggett Select.....		31	0.06	
1086	= Smoker Friendly Cigarettes.....		4	0.01	
1092	= Native.....		4	0.01	
1093	= Roger.....		9	0.02	
1094	= Shield.....		6	0.01	
1106	= Niagara.....		3	0.01	
1110	= Eclipse.....		4	0.01	
1112	= Kentucky's Best.....		9	0.02	
1123	= CT.....		8	0.01	
1126	= GT-One.....		24	0.04	
1134	= Bronco.....		25	0.04	
1138	= Tucson.....		6	0.01	
1139	= 305's.....		11	0.02	
1147	= Westport.....		3	0.01	
1166	= Davidoff cigarettes.....		3	0.01	
1179	= Quest.....		3	0.01	
1184	= Sky Dancer.....		10	0.02	
1198	= Homer.....		4	0.01	
1211	= Echo.....		8	0.01	
1212	= Euro.....		8	0.01	
1214	= Midnight Special (roll-your-own).....		4	0.01	
1219	= Brave, The.....		8	0.01	
1221	= Cheyenne.....		3	0.01	
1999	= Other cigarette brand or unspecified.....		158	0.28	
4999	= Other cigar/cigarillo brand or unspecified.....		14	0.03	
5999	= Other pipe tobacco brand or unspecified.....		1	0.00	
9000	= Did not confirm after 3 passes thru brand Qs.....		4	0.01	
9991	= NEVER USED CIGARETTES.....		23365	42.02	
9993	= DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....		17128	30.80	
9994	= DON'T KNOW.....		94	0.17	
9997	= REFUSED.....		12	0.02	
9998	= BLANK (NO ANSWER).....		23	0.04	

(CGTAR1) During the past 30 days, what type of cigarettes did you smoke most often?

CIG30TYP	2	WHAT TYPE OF CIG SMOKED MOST PAST 30 DAYS			
	1	= Lights.....	7255	13.05	
	2	= Ultra Lights.....	1267	2.28	
	3	= Full Flavor.....	6384	11.48	
	91	= NEVER USED CIGARETTES.....	23365	42.02	
	93	= DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17128	30.80	
	94	= DON'T KNOW.....	50	0.09	
	97	= REFUSED.....	3	0.01	
	98	= BLANK (NO ANSWER).....	150	0.27	

LABEL	LEN	DESCRIPTION	PAGE:	7
			FREQ	%
(CGMENTH1) NOTE: Prior to 2004, the question corresponding to CIG30MEN asked whether respondents smoked menthol or regular cigarettes most often. In 2004, the question was changed to the yes/no question shown below, but the variable name stayed as CIG30MEN. This change in question content does not affect trend comparisons for 2004 onward. However, data in CIG30MEN for 2004 onward are not likely to be comparable with data in CIG30MEN for 2002 and 2003.				
Were the cigarettes you smoked during the past 30 days menthol?				
CIG30MEN	2	MENTHOL OR REG CIG SMOKE MOST PAST 30 DAYS		
		1 = Yes.....	5019	9.03
		2 = No.....	9860	17.73
		91 = NEVER USED CIGARETTES.....	23365	42.02
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17128	30.80
		94 = DON'T KNOW.....	73	0.13
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	150	0.27
(CG14)		During the past 30 days, that is since DATEFILL, have you smoked part or all of a roll-your-own tobacco cigarette?		
CIG30RO2	2	HAVE YOU SMOKED ROLL-OWN CIG IN PAST 30 DAYS		
		1 = Yes.....	1659	2.98
		2 = No.....	13415	24.13
		91 = NEVER USED CIGARETTES.....	23365	42.02
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17128	30.80
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	23	0.04
(CG15)		Has there ever been a period in your life when you smoked cigarettes every day for at least 30 days?		
CIGDLYMO	2	EVER SMOKED CIG EVERY DAY FOR 30 DAYS		
		1 = Yes.....	8189	14.73
		2 = No.....	15830	28.47
		5 = Yes LOGICALLY ASSIGNED (from skip pattern).....	8203	14.75
		91 = NEVER USED CIGARETTES.....	23365	42.02
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	3	0.01
(CG16)		How old were you when you first started smoking cigarettes every day?		
CIGAGE	3	AGE WHEN FIRST STARTED SMOKING CIGARETTES EVERYDAY		
		RANGE = 1 - 55	16281	29.28
		985 = BAD DATA Logically assigned.....	16	0.03
		991 = NEVER USED CIGARETTES.....	23365	42.02
		994 = DON'T KNOW.....	82	0.15
		997 = REFUSED.....	16	0.03
		998 = BLANK (NO ANSWER).....	12	0.02
		999 = LEGITIMATE SKIP (NEVER USED CIGS EVERYDAY).....	15830	28.47

LABEL	LEN	DESCRIPTION	TOBACCO		PAGE: FREQ	8 %
			-----	-----		
(CG16y1)		NOTE: For respondents whose age at initiation of daily cigarette use was equal to or 1 year less than their current age, responses from questions CG16y1, CG16y2, CG16m1, CG16m2, and associated consistency checks were used to create the following two variables.				-
CIGDLYFU	4	YEAR OF FIRST CIGARETTE USE EVERY DAY - RECODE				
		RANGE = 2002 - 2004			1025	1.84
		9985 = BAD DATA Logically assigned.....			42	0.08
		9989 = LEGITIMATE SKIP Logically assn.....			79	0.14
		9991 = NEVER USED CIGARETTES.....			23365	42.02
		9994 = DON'T KNOW.....			85	0.15
		9997 = REFUSED.....			19	0.03
		9998 = BLANK (NO ANSWER).....			20	0.04
		9999 = LEGITIMATE SKIP.....			30967	55.69
CIGDLMFU	2	MONTH OF FIRST CIGARETTE USE EVERY DAY - RECODE				
		1 = January.....			122	0.22
		2 = February.....			80	0.14
		3 = March.....			94	0.17
		4 = April.....			73	0.13
		5 = May.....			82	0.15
		6 = June.....			119	0.21
		7 = July.....			71	0.13
		8 = August.....			87	0.16
		9 = September.....			71	0.13
		10 = October.....			82	0.15
		11 = November.....			56	0.10
		12 = December.....			35	0.06
		85 = BAD DATA Logically assigned.....			42	0.08
		89 = LEGITIMATE SKIP Logically assn.....			79	0.14
		91 = NEVER USED CIGARETTES.....			23365	42.02
		94 = DON'T KNOW.....			136	0.24
		97 = REFUSED.....			21	0.04
		98 = BLANK (NO ANSWER).....			20	0.04
		99 = LEGITIMATE SKIP.....			30967	55.69
(CG16A)		Have you smoked at least 100 cigarettes in your entire life?				
CIG100LF	2	HAVE YOU SMOKED 100 CIGS IN YOUR LIFE				
		1 = Yes.....			10816	19.45
		2 = No.....			14116	25.39
		5 = Yes LOGICALLY ASSIGNED (from skip pattern).....			7220	12.99
		91 = NEVER USED CIGARETTES.....			23365	42.02
		94 = DON'T KNOW.....			80	0.14
		97 = REFUSED.....			5	0.01

LABEL	LEN	DESCRIPTION	PAGE:	9
			FREQ	%
(CG25)		These next questions are about your use of snuff, sometimes called dip. Snuff is a finely ground form of tobacco that usually comes in a container called a tin. You can use snuff by placing a pinch or dip in your mouth between your lip and gum or between your cheek and gum. Snuff can also be inhaled through the nose. Snuff is sold in both loose form or in ready-to-use packets.		-
		Have you ever used snuff, even once?		
		NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
SNFEVER	2	EVER USED SNUFF		
		1 = Yes.....	7718	13.88
		2 = No.....	47850	86.06
		94 = DON'T KNOW.....	30	0.05
		97 = REFUSED.....	4	0.01
(CG26)		How old were you the first time you used snuff?		
SNUFTRY	3	AGE WHEN FIRST USED SNUFF		
		RANGE = 1 - 70	7532	13.55
		985 = BAD DATA Logically assigned.....	98	0.18
		991 = NEVER USED SNUFF.....	47850	86.06
		994 = DON'T KNOW.....	67	0.12
		997 = REFUSED.....	25	0.04
		998 = BLANK (NO ANSWER).....	30	0.05
(CG26A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions CG26a, CG26b, CG26c, CG26d, and associated consistency checks were used to create the following two variables.		
SNUFYFU	4	YEAR OF FIRST SNUFF USE - RECODE		
		RANGE = 2002 - 2004	813	1.46
		9985 = BAD DATA Logically assigned.....	103	0.19
		9989 = LEGITIMATE SKIP Logically assn.....	50	0.09
		9991 = NEVER USED SNUFF.....	47850	86.06
		9994 = DON'T KNOW.....	72	0.13
		9997 = REFUSED.....	25	0.04
		9998 = BLANK (NO ANSWER).....	95	0.17
		9999 = LEGITIMATE SKIP.....	6594	11.86

LABEL	LEN	DESCRIPTION	PAGE:	10
			FREQ	%
SNUFMFU	2	MONTH OF FIRST SNUFF USE - RECODE		-
		1 = January.....	80	0.14
		2 = February.....	63	0.11
		3 = March.....	64	0.12
		4 = April.....	52	0.09
		5 = May.....	56	0.10
		6 = June.....	70	0.13
		7 = July.....	87	0.16
		8 = August.....	67	0.12
		9 = September.....	56	0.10
		10 = October.....	69	0.12
		11 = November.....	50	0.09
		12 = December.....	47	0.08
		85 = BAD DATA Logically assigned.....	102	0.18
		89 = LEGITIMATE SKIP Logically assn.....	50	0.09
		91 = NEVER USED SNUFF.....	47850	86.06
		94 = DON'T KNOW.....	120	0.22
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	96	0.17
		99 = LEGITIMATE SKIP.....	6594	11.86

(CG27) NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days -- that is, from DATEFILL up to and including today.
During the past 30 days, have you used snuff, even once?

How long has it been since you last used snuff?

SNFREC	2	TIME SINCE LAST USED SNUFF		
		1 = Within the past 30 days.....	1693	3.04
		2 = More than 30 days ago but within the past 12 mos..	929	1.67
		3 = More than 12 months ago but within the past 3 yrs.	996	1.79
		4 = More than 3 years ago.....	3944	7.09
		8 = Used at some point in the past 12 mos LOG ASSN....	1	0.00
		9 = Used at some point in the lifetime LOG ASSN.....	2	0.00
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	1	0.00
		14 = Used more than 12 months ago LOG ASSN.....	76	0.14
		19 = Used more than 30 days ago LOG ASSN.....	76	0.14
		91 = NEVER USED SNUFF.....	47850	86.06
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	30	0.05

(CG29) During the past 30 days, that is since DATEFILL, on how many days did you use snuff?

SNF30USE	2	HOW MANY DAYS USED SNUFF PAST 30 DAYS		
		RANGE = 1 - 30	1676	3.01
		91 = NEVER USED SNUFF.....	47850	86.06
		93 = DID NOT USE SNUFF IN THE PAST 30 DAYS.....	6021	10.83
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	34	0.06

LABEL	LEN	DESCRIPTION	PAGE:	11
			FREQ	%
(CG29DKRE) What is your best estimate of the number of days you used snuff during the past 30 days?				
SN30EST	2	BEST EST. HOW MANY DAYS USED SNUFF PST 30 DAYS		
		1 = 1 or 2 days.....	5	0.01
		2 = 3 to 5 days.....	1	0.00
		3 = 6 to 9 days.....	4	0.01
		4 = 10 to 19 days.....	4	0.01
		6 = All 30 days.....	1	0.00
		91 = NEVER USED SNUFF.....	47850	86.06
		93 = DID NOT USE SNUFF IN THE PAST 30 DAYS.....	6021	10.83
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	34	0.06
		99 = LEGITIMATE SKIP.....	1676	3.01
(CG30)		NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.		
SNF30BR2	4	SNUFF BRAND USED MOST OFTEN PAST MO - RECODE		
		206 = Levi Garrett.....	6	0.01
		208 = Red Man.....	9	0.02
		301 = Copenhagen.....	459	0.83
		302 = Gold River.....	6	0.01
		304 = Hawken.....	16	0.03
		305 = Kodiak.....	157	0.28
		306 = Redwood.....	9	0.02
		307 = Silver Creek.....	12	0.02
		308 = Skoal.....	710	1.28
		309 = Timber Wolf.....	113	0.20
		312 = Cougar.....	3	0.01
		313 = Dental.....	3	0.01
		316 = Red Seal.....	49	0.09
		317 = Rooster.....	5	0.01
		326 = Kayak.....	3	0.01
		332 = Grizzly.....	78	0.14
		338 = Longhorn.....	3	0.01
		2999 = Other chewing tobacco brand or unspecified.....	2	0.00
		3999 = Other snuff brand or unspecified.....	33	0.06
		7999 = Not a tobacco product.....	2	0.00
		9000 = Did not confirm after 3 passes thru brand Qs.....	1	0.00
		9991 = NEVER USED SNUFF.....	47850	86.06
		9993 = DID NOT USE SNUFF IN THE PAST 30 DAYS.....	6021	10.83
		9994 = DON'T KNOW.....	11	0.02
		9997 = REFUSED.....	7	0.01
		9998 = BLANK (NO ANSWER).....	34	0.06

LABEL	LEN	DESCRIPTION	PAGE:	12
			FREQ	%

(CG17)		The next questions are only about chewing tobacco.		-
		Cheewing tobacco is coarsely shredded tobacco that is sold in pouches of loose tobacco leaves or in a "plug" or "twist" form. To use chewing tobacco, you either chew it or hold it in your cheek or inside your lower lip.		
		Have you ever used chewing tobacco, even once?		
		NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
CHEWEVER	2	EVER USED CHEW EVEN ONCE		
		1 = Yes.....	6531	11.75
		2 = No.....	49063	88.24
		94 = DON'T KNOW.....	8	0.01
(CG18)		How old were you the first time you used chewing tobacco?		
CHEWTRY	3	AGE WHEN FIRST USED CHEW		
		RANGE = 1 - 70	6403	11.52
		985 = BAD DATA Logically assigned.....	65	0.12
		991 = NEVER USED CHEWING TOBACCO.....	49063	88.24
		994 = DON'T KNOW.....	57	0.10
		997 = REFUSED.....	6	0.01
		998 = BLANK (NO ANSWER).....	8	0.01
(CG18A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions CG18a, CG18b, CG18c, CG18d, and associated consistency checks were used to create the following two variables.		
CHEWFU	4	YEAR OF FIRST CHEWING TOBACCO USE - RECODE		
		RANGE = 2002 - 2004	543	0.98
		9985 = BAD DATA Logically assigned.....	77	0.14
		9989 = LEGITIMATE SKIP Logically assn.....	19	0.03
		9991 = NEVER USED CHEWING TOBACCO.....	49063	88.24
		9994 = DON'T KNOW.....	58	0.10
		9997 = REFUSED.....	6	0.01
		9998 = BLANK (NO ANSWER).....	43	0.08
		9999 = LEGITIMATE SKIP.....	5793	10.42

LABEL	LEN	DESCRIPTION	PAGE:	13
			FREQ	%
CHEWMFU	2	MONTH OF FIRST CHEWING TOBACCO USE - RECODE		-
		1 = January.....	57	0.10
		2 = February.....	37	0.07
		3 = March.....	46	0.08
		4 = April.....	28	0.05
		5 = May.....	42	0.08
		6 = June.....	48	0.09
		7 = July.....	67	0.12
		8 = August.....	37	0.07
		9 = September.....	42	0.08
		10 = October.....	44	0.08
		11 = November.....	37	0.07
		12 = December.....	24	0.04
		85 = BAD DATA Logically assigned.....	76	0.14
		89 = LEGITIMATE SKIP Logically assn.....	19	0.03
		91 = NEVER USED CHEWING TOBACCO.....	49063	88.24
		94 = DON'T KNOW.....	89	0.16
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	44	0.08
		99 = LEGITIMATE SKIP.....	5793	10.42

(CG19) NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.

Now think about the past 30 days, from DATEFILL up to and including today. During the past 30 days, have you used chewing tobacco, even once?

How long has it been since you last used chewing tobacco?

CHEWREC	2	TIME SINCE LAST USED CHEWING TOBACCO		
		1 = Within the past 30 days.....	823	1.48
		2 = More than 30 days ago but within the past 12 mos..	718	1.29
		3 = More than 12 months ago but within the past 3 yrs.	946	1.70
		4 = More than 3 years ago.....	3939	7.08
		8 = Used at some point in the past 12 mos LOG ASSN....	2	0.00
		9 = Used at some point in the lifetime LOG ASSN.....	1	0.00
		14 = Used more than 12 months ago LOG ASSN.....	52	0.09
		19 = Used more than 30 days ago LOG ASSN.....	50	0.09
		91 = NEVER USED CHEWING TOBACCO.....	49063	88.24
		98 = BLANK (NO ANSWER).....	8	0.01

(CG21) During the past 30 days, that is since DATEFILL, on how many days did you use chewing tobacco?

CHW30USE	2	HOW MANY DAYS USED CHEW IN PAST 30 DAYS		
		RANGE = 1 - 30	816	1.47
		91 = NEVER USED CHEWING TOBACCO.....	49063	88.24
		93 = DID NOT USE CHEWING TOBACCO IN THE PAST 30 DAYS...	5705	10.26
		94 = DON'T KNOW.....	7	0.01
		98 = BLANK (NO ANSWER).....	11	0.02

LABEL	LEN	DESCRIPTION	PAGE:	14
			FREQ	%
(CG21DKRE)		What is your best estimate of the number of days you used chewing tobacco during the past 30 days?		-
CH30EST	2	PAST 30 DAY ESTIMATE OF CHEWING TOBACCO		
		1 = 1 or 2 days.....	4	0.01
		2 = 3 to 5 days.....	1	0.00
		91 = NEVER USED CHEWING TOBACCO.....	49063	88.24
		93 = DID NOT USE CHEWING TOBACCO IN THE PAST 30 DAYS...	5705	10.26
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	11	0.02
		99 = LEGITIMATE SKIP.....	816	1.47
(CG22)		NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.		
CHW30BR2	4	CHEW BRAND USED MOST OFTEN PAST MO - RECODE		
		201 = Beech-Nut.....	83	0.15
		202 = Chattanooga Chew.....	17	0.03
		203 = Day's Work.....	5	0.01
		204 = Granger.....	7	0.01
		206 = Levi Garrett.....	159	0.29
		207 = Red Fox.....	10	0.02
		208 = Red Man.....	254	0.46
		209 = Taylors Pride.....	17	0.03
		211 = Work Horse.....	3	0.01
		222 = Morgan's.....	3	0.01
		225 = Trophy.....	3	0.01
		230 = Stoker chewing tobacco.....	3	0.01
		301 = Copenhagen.....	49	0.09
		305 = Kodiak.....	19	0.03
		308 = Skoal.....	99	0.18
		309 = Timber Wolf.....	7	0.01
		316 = Red Seal.....	5	0.01
		332 = Grizzly.....	15	0.03
		2999 = Other chewing tobacco brand or unspecified.....	48	0.09
		3999 = Other snuff brand or unspecified.....	8	0.01
		7999 = Not a tobacco product.....	1	0.00
		9991 = NEVER USED CHEWING TOBACCO.....	49063	88.24
		9993 = DID NOT USE CHEWING TOBACCO IN THE PAST 30 DAYS...	5705	10.26
		9994 = DON'T KNOW.....	6	0.01
		9997 = REFUSED.....	2	0.00
		9998 = BLANK (NO ANSWER).....	11	0.02

LABEL	LEN	DESCRIPTION	PAGE:	15
			FREQ	%
NOTE: The variables SLTTRY, SLTYFU, SLTMFU, SLTREC, and SLT30BR2 are recoded variables for the use of any smokeless tobacco product (either chewing tobacco or snuff). These variables were recoded from CHEWTRY, SNUFTRY, CHEWFU, SNUFYFU, CHEWMFU, SNUFMFU, CHEWREC, SNFREC, CHW30BR2, and SNF30BR2. The variable SLT30FAV refers to the brand of smokeless tobacco used most often, and was recoded from Questions CG33a through CG33d.				
SLTTRY	3	AGE WHEN FIRST USED ANY SMOKLESS TOB - RECODE		
		RANGE = 1 - 70	9485	17.06
		985 = BAD DATA Logically assigned.....	18	0.03
		991 = NEVER USED SMOKELESS TOBACCO.....	45810	82.39
		994 = DON'T KNOW.....	98	0.18
		997 = REFUSED.....	30	0.05
		998 = BLANK (NO ANSWER).....	161	0.29
NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions CG18a, CG18b, CG18c, CG18d, CG26a, CG26b, CG26c, CG26d, and associated consistency checks were used to create the following two variables.				
SLTYFU	4	YEAR OF FIRST SMOKELESS TOBACCO USE - RECODE		
		RANGE = 2002 - 2004	938	1.69
		9985 = BAD DATA Logically assigned.....	96	0.17
		9989 = LEGITIMATE SKIP Logically assn.....	50	0.09
		9991 = NEVER USED SMOKELESS TOBACCO.....	45810	82.39
		9994 = DON'T KNOW.....	102	0.18
		9997 = REFUSED.....	30	0.05
		9998 = BLANK (NO ANSWER).....	175	0.31
		9999 = LEGITIMATE SKIP.....	8401	15.11
SLTMFU	2	MONTH OF FIRST SMOKELESS TOBACCO USE - RECODE		
		1 = January.....	99	0.18
		2 = February.....	69	0.12
		3 = March.....	77	0.14
		4 = April.....	48	0.09
		5 = May.....	68	0.12
		6 = June.....	83	0.15
		7 = July.....	103	0.19
		8 = August.....	70	0.13
		9 = September.....	69	0.12
		10 = October.....	81	0.15
		11 = November.....	62	0.11
		12 = December.....	51	0.09
		85 = BAD DATA Logically assigned.....	96	0.17
		89 = LEGITIMATE SKIP Logically assn.....	50	0.09
		91 = NEVER USED SMOKELESS TOBACCO.....	45810	82.39
		94 = DON'T KNOW.....	144	0.26
		97 = REFUSED.....	35	0.06
		98 = BLANK (NO ANSWER).....	186	0.33
		99 = LEGITIMATE SKIP.....	8401	15.11

LABEL	LEN	DESCRIPTION	PAGE:	16
			FREQ	%
SLTREC	2	TIME SINCE LAST USED ANY SMOKELESS TOB - RECODE		-
		1 = Within the past 30 days.....	2036	3.66
		2 = More than 30 days ago but within the past 12 mos..	1115	2.01
		3 = More than 12 months ago but within the past 3 yrs.	1242	2.23
		4 = More than 3 years ago.....	5157	9.27
		8 = Used at some point in the past 12 mos LOG ASSN....	4	0.01
		9 = Used at some point in the lifetime LOG ASSN.....	3	0.01
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	1	0.00
		14 = Used more than 12 months ago LOG ASSN.....	94	0.17
		19 = Used more than 30 days ago LOG ASSN.....	104	0.19
		91 = NEVER USED SMOKELESS TOBACCO.....	45810	82.39
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	32	0.06
NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.				
SLT30BR2	4	SMKLSS TOB BRAND USED MOST OFTEN PAST MO - RECODE		
		201 = Beech-Nut.....	28	0.05
		202 = Chattanooga Chew.....	9	0.02
		203 = Day's Work.....	3	0.01
		204 = Granger.....	4	0.01
		206 = Levi Garrett.....	78	0.14
		207 = Red Fox.....	4	0.01
		208 = Red Man.....	118	0.21
		209 = Taylors Pride.....	11	0.02
		222 = Morgan's.....	3	0.01
		225 = Trophy.....	3	0.01
		230 = Stoker chewing tobacco.....	3	0.01
		301 = Copenhagen.....	466	0.84
		302 = Gold River.....	5	0.01
		304 = Hawken.....	15	0.03
		305 = Kodiak.....	163	0.29
		306 = Redwood.....	7	0.01
		307 = Silver Creek.....	12	0.02
		308 = Skoal.....	751	1.35
		309 = Timber Wolf.....	110	0.20
		312 = Cougar.....	4	0.01
		316 = Red Seal.....	50	0.09
		317 = Rooster.....	6	0.01
		326 = Kayak.....	4	0.01
		332 = Grizzly.....	87	0.16
		338 = Longhorn.....	3	0.01
		2999 = Other chewing tobacco brand or unspecified.....	27	0.05
		3999 = Other snuff brand or unspecified.....	35	0.06
		7999 = Not a tobacco product.....	3	0.01
		9991 = NEVER USED SMOKELESS TOBACCO.....	45810	82.39
		9993 = DID NOT USE SMOKELESS TOBACCO IN THE PAST 30 DAYS.	7712	13.87
		9994 = DON'T KNOW.....	12	0.02
		9997 = REFUSED.....	8	0.01
		9998 = BLANK (NO ANSWER).....	48	0.09
SLT30FAV	2	WHICH BRAND CHEW OR SNUFF USED MOST		
		1 = Brand reported from CHW30BR2.....	462	0.83
		2 = Brand reported from SNF30BR2.....	1566	2.82
		91 = NEVER USED SMOKELESS TOBACCO.....	45810	82.39
		93 = DID NOT USE SMOKELESS TOBACCO IN THE PAST 30 DAYS.	7712	13.87
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	47	0.08

LABEL	LEN	DESCRIPTION	PAGE:	17
			FREQ	%
(CG34)		The next questions are about smoking cigars. By cigars we mean any kind, including big cigars, cigarillos, and even little cigars that look like cigarettes.		-
		Have you ever smoked part or all of any type of cigar?		
		NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
CIGAREVR	2	EVER SMOKED PART OR ALL OF CIGAR		
		1 = Yes.....	18380	33.06
		2 = No.....	37209	66.92
		94 = DON'T KNOW.....	13	0.02
(CG35)		How old were you the first time you smoked part or all of any type of cigar?		
CIGARTRY	3	AGE WHEN FIRST SMOKED CIGAR		
		RANGE = 1 - 67	17935	32.26
		985 = BAD DATA Logically assigned.....	206	0.37
		991 = NEVER USED CIGARS.....	37209	66.92
		994 = DON'T KNOW.....	231	0.42
		997 = REFUSED.....	8	0.01
		998 = BLANK (NO ANSWER).....	13	0.02
(CG35A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions CG35a, CG35b, CG35c, CG35d, and associated consistency checks were used to create the following two variables.		
CIGARYFU	4	YEAR OF FIRST CIGAR USE - RECODE		
		RANGE = 2002 - 2004	2417	4.35
		9985 = BAD DATA Logically assigned.....	261	0.47
		9989 = LEGITIMATE SKIP Logically assn.....	143	0.26
		9991 = NEVER USED CIGARS.....	37209	66.92
		9994 = DON'T KNOW.....	237	0.43
		9997 = REFUSED.....	9	0.02
		9998 = BLANK (NO ANSWER).....	127	0.23
		9999 = LEGITIMATE SKIP.....	15199	27.34
CIGARMFU	2	MONTH OF FIRST CIGAR USE - RECODE		
		1 = January.....	182	0.33
		2 = February.....	129	0.23
		3 = March.....	192	0.35
		4 = April.....	166	0.30
		5 = May.....	187	0.34
		6 = June.....	297	0.53
		7 = July.....	287	0.52
		8 = August.....	197	0.35
		9 = September.....	164	0.29
		10 = October.....	152	0.27
		11 = November.....	149	0.27
		12 = December.....	121	0.22
		85 = BAD DATA Logically assigned.....	257	0.46
		89 = LEGITIMATE SKIP Logically assn.....	143	0.26
		91 = NEVER USED CIGARS.....	37209	66.92
		94 = DON'T KNOW.....	425	0.76
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	131	0.24
		99 = LEGITIMATE SKIP.....	15199	27.34

LABEL	LEN	DESCRIPTION	PAGE:	18
			FREQ	%
(CG36)		NOTE: This variable incorporates values from the two questions shown below. This variable also incorporates values from two probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to the second question shown below.		-
		Now think about the past 30 days, from DATEFILL up to and including today. During the past 30 days, have you smoked part or all of any type of cigar?		
		How long has it been since you last smoked part or all of any type of cigar?		
CIGARREC	2	TIME SINCE LAST SMOKED CIGAR		
		1 = Within the past 30 days.....	4151	7.47
		2 = More than 30 days ago but within the past 12 mos..	3848	6.92
		3 = More than 12 months ago but within the past 3 yrs.	3741	6.73
		4 = More than 3 years ago.....	6300	11.33
		8 = Used at some point in the past 12 mos LOG ASSN....	9	0.02
		9 = Used at some point in the lifetime LOG ASSN.....	14	0.03
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	4	0.01
		14 = Used more than 12 months ago LOG ASSN.....	141	0.25
		19 = Used more than 30 days ago LOG ASSN.....	172	0.31
		91 = NEVER USED CIGARS.....	37209	66.92
		98 = BLANK (NO ANSWER).....	13	0.02
(CG38)		During the past 30 days, that is since DATEFILL, on how many days did you smoke part or all of a cigar?		
CGR30USE	2	HOW MANY DAYS SMOKED CIGAR IN PAST 30 DAYS		
		RANGE = 1 - 30	4113	7.40
		91 = NEVER USED CIGARS.....	37209	66.92
		93 = DID NOT USE CIGARS IN THE PAST 30 DAYS.....	14202	25.54
		94 = DON'T KNOW.....	37	0.07
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	40	0.07
(CG38DKRE)		What is your best estimate of the number of days you smoked part or all of a cigar during the past 30 days?		
CI30EST	2	BEST EST. # DAYS SMOKED CIGAR PAST 30 DAYS		
		1 = 1 or 2 days.....	11	0.02
		2 = 3 to 5 days.....	11	0.02
		3 = 6 to 9 days.....	6	0.01
		4 = 10 to 19 days.....	6	0.01
		6 = All 30 days.....	2	0.00
		91 = NEVER USED CIGARS.....	37209	66.92
		93 = DID NOT USE CIGARS IN THE PAST 30 DAYS.....	14202	25.54
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	40	0.07
		99 = LEGITIMATE SKIP.....	4113	7.40

LABEL	LEN	DESCRIPTION	PAGE:	19
			FREQ	%
(CG39)		NOTE: The tobacco brand that respondents confirmed using most often in the past 30 days was recorded in the final 30-day brand variable for the type of tobacco.		-
CGR30BR2	4	CIGAR BRAND USED MOST OFTEN PAST MO - RECODE		
112		= Marlboro.....	43	0.08
401		= Antonio y Cleopatra.....	28	0.05
402		= Backwoods.....	138	0.25
403		= Bering.....	9	0.02
404		= Black & Mild.....	1312	2.36
405		= Captain Black.....	19	0.03
407		= Cuesta-Rey.....	9	0.02
408		= Dutch Masters.....	113	0.20
409		= El Producto.....	11	0.02
410		= Erik Filter.....	4	0.01
411		= Garcia y Vega.....	128	0.23
412		= Havatampa.....	32	0.06
413		= King Edward.....	42	0.08
414		= La Corona.....	15	0.03
415		= Little Nippers.....	4	0.01
416		= Macanudos.....	137	0.25
417		= Muriel.....	16	0.03
418		= Partagas.....	18	0.03
419		= Phillies.....	297	0.53
422		= Roi-Tan.....	4	0.01
423		= Swisher Sweets.....	784	1.41
424		= Tijuana Smalls.....	16	0.03
425		= Universal.....	4	0.01
426		= White Owl.....	90	0.16
428		= Winchester.....	18	0.03
429		= Al Capone.....	20	0.04
431		= Arturo Fuente.....	25	0.04
432		= Ashton.....	3	0.01
443		= Cohiba.....	67	0.12
448		= Cuban; brand unspecified.....	57	0.10
452		= Don Diego.....	4	0.01
464		= H. Upmann.....	5	0.01
465		= Habana/Havana; brand unspecified.....	15	0.03
476		= La Gloria Cubana.....	5	0.01
486		= Montecristo.....	16	0.03
488		= Optimo.....	9	0.02
490		= Padron.....	6	0.01
492		= Primetime.....	23	0.04
494		= Punch.....	16	0.03
496		= Romeo y Julieta.....	51	0.09
497		= Royal Jamaica.....	3	0.01
1999		= Other cigarette brand or unspecified.....	5	0.01
4005		= Thompson.....	8	0.01
4016		= Dominican; brand unspecified.....	4	0.01
4045		= Havana Honey.....	5	0.01
4050		= Fuente.....	5	0.01
4054		= Acid.....	13	0.02
4064		= Djarum cigarillos.....	3	0.01
4083		= C.A.O.....	4	0.01
4084		= Tatiana.....	3	0.01
4110		= Drew Estates.....	3	0.01
4209		= Heaven.....	3	0.01
4999		= Other cigar/cigarillo brand or unspecified.....	289	0.52
9991		= NEVER USED CIGARS.....	37209	66.92
9993		= DID NOT USE CIGARS IN THE PAST 30 DAYS.....	14202	25.54
9994		= DON'T KNOW.....	180	0.32
9997		= REFUSED.....	10	0.02
9998		= BLANK (NO ANSWER).....	40	0.07

LABEL	LEN	DESCRIPTION	PAGE:	20
			FREQ	%
(CG42)		These last questions on tobacco products are about using a pipe to smoke tobacco. Have you ever smoked tobacco in a pipe, even once?		-
<p>NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.</p>				
PIPEVER	2	EVER SMOKED PIPE TOBACCO		
		1 = Yes.....	5191	9.34
		2 = No.....	50402	90.65
		94 = DON'T KNOW.....	9	0.02
(CG43)		During the past 30 days, that is since DATEFILL, have you smoked tobacco in a pipe, even once?		
PIPE30DY	2	HAVE YOU SMOKED PIPE TOBACCO IN PAST 30 DAYS		
		1 = Yes.....	481	0.87
		2 = No.....	4708	8.47
		91 = NEVER USED PIPE TOBACCO.....	50402	90.65
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	9	0.02

LABEL	LEN	DESCRIPTION	PAGE:	21
			FREQ	%
-----	-----	-----	-----	-
(AL01)		ALCOHOL		

These questions are about drinks of alcoholic beverages. Throughout these questions, by a "drink," we mean a can or bottle of beer, a glass of wine or a wine cooler, a shot of liquor, or a mixed drink with liquor in it. We are not asking about times when you only had a sip or two from a drink.

Have you ever, even once, had a drink of any type of alcoholic beverage? Please do not include times when you only had a sip or two from a drink.

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

ALCEVER	2	EVER HAD DRINK OF ALCOHOLIC BEVERAGE		
		1 = Yes.....	40650	73.11
		2 = No.....	14938	26.87
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	5	0.01

(AL02) Think about the first time you had a drink of an alcoholic beverage. How old were you the first time you had a drink of an alcoholic beverage? Please do not include any time when you only had a sip or two from a drink.

ALCTRY	3	AGE WHEN FIRST DRANK ALCOHOLIC BEVERAGE		
		RANGE = 1 - 85	40024	71.98
		985 = BAD DATA Logically assigned.....	130	0.23
		991 = NEVER USED ALCOHOL.....	14938	26.87
		994 = DON'T KNOW.....	427	0.77
		997 = REFUSED.....	74	0.13
		998 = BLANK (NO ANSWER).....	9	0.02

(AL02A) NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions AL02a, AL02b, AL02c, AL02d, and associated consistency checks were used to create the following two variables.

ALCYFU	4	YEAR OF FIRST ALCOHOL USE - RECODE		
		RANGE = 2002 - 2004	4245	7.63
		9985 = BAD DATA Logically assigned.....	406	0.73
		9989 = LEGITIMATE SKIP Logically assn.....	231	0.42
		9991 = NEVER USED ALCOHOL.....	14938	26.87
		9994 = DON'T KNOW.....	439	0.79
		9997 = REFUSED.....	74	0.13
		9998 = BLANK (NO ANSWER).....	16	0.03
		9999 = LEGITIMATE SKIP.....	35253	63.40

LABEL	LEN	DESCRIPTION	PAGE:	22
			FREQ	%
ALCMFU	2	MONTH OF FIRST ALCOHOL USE - RECODE		
		1 = January.....	484	0.87
		2 = February.....	188	0.34
		3 = March.....	244	0.44
		4 = April.....	232	0.42
		5 = May.....	301	0.54
		6 = June.....	422	0.76
		7 = July.....	493	0.89
		8 = August.....	312	0.56
		9 = September.....	279	0.50
		10 = October.....	297	0.53
		11 = November.....	261	0.47
		12 = December.....	443	0.80
		85 = BAD DATA Logically assigned.....	405	0.73
		89 = LEGITIMATE SKIP Logically assn.....	231	0.42
		91 = NEVER USED ALCOHOL.....	14938	26.87
		94 = DON'T KNOW.....	712	1.28
		97 = REFUSED.....	90	0.16
		98 = BLANK (NO ANSWER).....	17	0.03
		99 = LEGITIMATE SKIP.....	35253	63.40
(ALLLAST3)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last drank an alcoholic beverage?		
ALCREC	2	TIME SINCE LAST DRANK ALCOHOLIC BEVERAGE		
		1 = Within the past 30 days.....	24569	44.19
		2 = More than 30 days ago but within the past 12 mos..	8910	16.02
		3 = More than 12 months ago.....	6474	11.64
		8 = Used at some point in the past 12 mos LOG ASSN....	352	0.63
		9 = Used at some point in the lifetime LOG ASSN.....	334	0.60
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	11	0.02
		91 = NEVER USED ALCOHOL.....	14938	26.87
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	9	0.02
ALCYRTOT	3	TOTAL # OF DAYS USED ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 365	33447	60.15
		985 = BAD DATA Logically assigned.....	119	0.21
		991 = NEVER USED ALCOHOL.....	14938	26.87
		993 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	6474	11.64
		994 = DON'T KNOW.....	222	0.40
		997 = REFUSED.....	59	0.11
		998 = BLANK (NO ANSWER).....	343	0.62
ALTOTFG	2	TRIMMING INDICATOR FOR ALCYRTOT		
		1 = Trimmed to 365 days (no further editing).....	7	0.01
		2 = Trimmed relative to the 30-day freq.....	250	0.45
		3 = Trimmed relative to estimated 30-day freq.....	1	0.00
		98 = BLANK (NO ANSWER).....	55344	99.54
ALFQFLG	2	TRIMMED ALCYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	858	1.54
		98 = BLANK (NO ANSWER).....	54744	98.46

LABEL	LEN	DESCRIPTION	PAGE:	23
			FREQ	%
(ALFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've had a drink of an alcoholic beverage during the past 12 months.		-
		What would be the easiest way for you to tell us how many days you drank alcoholic beverages?		
ALBSTWAY	2	EASIEST WAY TO TELL US # DAYS DRANK ALCOHOL		
		1 = Prefer to answer in days per week.....	10783	19.39
		2 = Prefer to answer in days per month.....	11895	21.39
		3 = Prefer to answer in days per year.....	10477	18.84
		11 = Prefer to ans in days per wk LOG ASSN.....	45	0.08
		12 = Prefer to ans in days per mo LOG ASSN.....	87	0.16
		13 = Prefer to ans in days per yr LOG ASSN.....	322	0.58
		85 = BAD DATA Logically assigned.....	117	0.21
		91 = NEVER USED ALCOHOL.....	14938	26.87
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	6474	11.64
		94 = DON'T KNOW.....	81	0.15
		97 = REFUSED.....	40	0.07
		98 = BLANK (NO ANSWER).....	343	0.62
(ALYRAVE)		On how many days in the past 12 months did you drink an alcoholic beverage?		
ALDAYPYR	3	NUMBER DAYS DRANK ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 366	10764	19.36
		985 = BAD DATA Logically assigned.....	70	0.13
		989 = LEGITIMATE SKIP Logically assigned.....	153	0.28
		991 = NEVER USED ALCOHOL.....	14938	26.87
		993 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	6474	11.64
		994 = DON'T KNOW.....	118	0.21
		997 = REFUSED.....	36	0.06
		998 = BLANK (NO ANSWER).....	392	0.71
		999 = LEGITIMATE SKIP.....	22657	40.75
(ALMONAVE)		On average, how many days did you drink an alcoholic beverage each month during the past 12 months?		
ALDAYPMO	2	# DAYS PER MONTH DRANK ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 31	11925	21.45
		85 = BAD DATA Logically assigned.....	24	0.04
		89 = LEGITIMATE SKIP Logically assigned.....	49	0.09
		91 = NEVER USED ALCOHOL.....	14938	26.87
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	6474	11.64
		94 = DON'T KNOW.....	165	0.30
		97 = REFUSED.....	41	0.07
		98 = BLANK (NO ANSWER).....	443	0.80
		99 = LEGITIMATE SKIP.....	21543	38.75
(ALWKAVE)		On average, how many days did you drink an alcoholic beverage each week during the past 12 months?		
ALDAYPWK	2	# DAYS PER WEEK DRANK ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 7	10758	19.35
		85 = BAD DATA Logically assigned.....	25	0.04
		91 = NEVER USED ALCOHOL.....	14938	26.87
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MOS.....	6474	11.64
		94 = DON'T KNOW.....	219	0.39
		97 = REFUSED.....	56	0.10
		98 = BLANK (NO ANSWER).....	443	0.80
		99 = LEGITIMATE SKIP.....	22689	40.81

LABEL	LEN	DESCRIPTION	PAGE:	24
			FREQ	%
(AL06)		Think specifically about the past 30 days - that is, since [FILL DATE], up to and including today. During the past 30 days, on how many days did you drink one or more drinks of an alcoholic beverage?		-
ALCDAYS	2	# DAYS HAD ONE OR MORE DRINKS PAST 30 DAYS		
	RANGE =	1 - 30	24226	43.57
	85 =	BAD DATA Logically assigned.....	472	0.85
	91 =	NEVER USED ALCOHOL.....	14938	26.87
	93 =	DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	15384	27.67
	94 =	DON'T KNOW.....	140	0.25
	97 =	REFUSED.....	38	0.07
	98 =	BLANK (NO ANSWER).....	404	0.73
(AL06DKRE)		What is your best estimate of the number of days you drank alcohol during the past 30 days?		
AL30EST	2	BEST ESTIMATE # DAYS HAD ONE OR MORE DRINKS		
	1 =	1 or 2 days.....	54	0.10
	2 =	3 to 5 days.....	31	0.06
	3 =	6 to 9 days.....	24	0.04
	4 =	10 to 19 days.....	24	0.04
	5 =	20 to 29 days.....	4	0.01
	6 =	All 30 days.....	5	0.01
	91 =	NEVER USED ALCOHOL.....	14938	26.87
	93 =	DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	15384	27.67
	94 =	DON'T KNOW.....	16	0.03
	97 =	REFUSED.....	23	0.04
	98 =	BLANK (NO ANSWER).....	880	1.58
	99 =	LEGITIMATE SKIP.....	24219	43.56
ALDYSFG	2	REVISION INDICATOR FOR ALCDAYS		
	1 =	Edited for consistency with ALCYRTOT or DR5DAY....	10	0.02
	98 =	BLANK (NO ANSWER).....	55592	99.98
(AL07)		On the ALC30DAY/ALCESTFL days that you drank during the past 30 days, how many drinks did you usually have? Count as a drink a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.		
NODR30A	3	USUAL # OF DRINKS PER DAY PAST 30 DAYS		
	RANGE =	1 - 90	23157	41.65
	975 =	AT LEAST 5 Logically assigned.....	999	1.80
	985 =	BAD DATA Logically assigned.....	253	0.46
	991 =	NEVER USED ALCOHOL.....	14938	26.87
	993 =	DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	15384	27.67
	994 =	DON'T KNOW.....	121	0.22
	997 =	REFUSED.....	46	0.08
	998 =	BLANK (NO ANSWER).....	704	1.27

LABEL	LEN	DESCRIPTION	PAGE:	25
			FREQ	%
(AL08)		During the past 30 days, that is since [FILL DATE], on how many days did you have 5 or more drinks on the same occasion? By "occasion," we mean at the same time or within a couple of hours of each other.		-
DR5DAY	2	# DAYS HAD FIVE OR MORE DRINKS PAST 30 DAYS		
		RANGE = 0 - 30	23933	43.04
		80 = NO OCCAS OF 5+ DRINKS PST 30 DAYS Log assn.....	54	0.10
		85 = BAD DATA Logically assigned.....	253	0.46
		91 = NEVER USED ALCOHOL.....	14938	26.87
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS.....	15384	27.67
		94 = DON'T KNOW.....	256	0.46
		97 = REFUSED.....	80	0.14
		98 = BLANK (NO ANSWER).....	704	1.27

LABEL	LEN	DESCRIPTION	MARIJUANA	PAGE:	26
				FREQ	%
(MJ01)		MARIJUANA	-----		-
			The next questions are about marijuana and hashish. Marijuana is also called pot or grass. Marijuana is usually smoked, either in cigarettes, called joints, or in a pipe. It is sometimes cooked in food. Hashish is a form of marijuana that is also called "hash." It is usually smoked in a pipe. Another form of hashish is hash oil.		
			Have you ever, even once, used marijuana or hashish?		
			NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
MJEVER	2	EVER USED MARIJUANA/HASHISH			
		1 = Yes.....	22403	40.29	
		2 = No.....	33169	59.65	
		94 = DON'T KNOW.....	7	0.01	
		97 = REFUSED.....	23	0.04	
(MJ02)		How old were you the first time you used marijuana or hashish?			
MJAGE	3	AGE WHEN FIRST USED MARIJUANA/HASHISH			
		RANGE = 1 - 75	22232	39.98	
		985 = BAD DATA Logically assigned.....	60	0.11	
		991 = NEVER USED MARIJUANA.....	33169	59.65	
		994 = DON'T KNOW.....	97	0.17	
		997 = REFUSED.....	37	0.07	
		998 = BLANK (NO ANSWER).....	7	0.01	
(MJ03A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions MJ03a, MJ03b, MJ03c, MJ03d, and associated consistency checks were used to create the following two variables.			
MJYFU	4	YEAR OF FIRST MARIJUANA/HASHISH USE - RECODE			
		RANGE = 2002 - 2004	2059	3.70	
		9985 = BAD DATA Logically assigned.....	214	0.38	
		9989 = LEGITIMATE SKIP Logically assn.....	113	0.20	
		9991 = NEVER USED MARIJUANA.....	33169	59.65	
		9994 = DON'T KNOW.....	105	0.19	
		9997 = REFUSED.....	40	0.07	
		9998 = BLANK (NO ANSWER).....	8	0.01	
		9999 = LEGITIMATE SKIP.....	19894	35.78	

LABEL	LEN	DESCRIPTION	PAGE:	27
			FREQ	%
MJMFU	2	MONTH OF FIRST MARIJUANA/HASHISH USE - RECODE		-
		1 = January.....	194	0.35
		2 = February.....	125	0.22
		3 = March.....	144	0.26
		4 = April.....	154	0.28
		5 = May.....	135	0.24
		6 = June.....	240	0.43
		7 = July.....	232	0.42
		8 = August.....	153	0.28
		9 = September.....	137	0.25
		10 = October.....	164	0.29
		11 = November.....	133	0.24
		12 = December.....	96	0.17
		85 = BAD DATA Logically assigned.....	212	0.38
		89 = LEGITIMATE SKIP Logically assn.....	113	0.20
		91 = NEVER USED MARIJUANA.....	33169	59.65
		94 = DON'T KNOW.....	250	0.45
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	10	0.02
		99 = LEGITIMATE SKIP.....	19894	35.78
(MJLAST3)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last used marijuana or hashish?		
MJREC	2	TIME SINCE LAST USED MARIJUANA/HASHISH		
		1 = Within the past 30 days.....	5326	9.58
		2 = More than 30 days ago but within the past 12 mos..	4000	7.19
		3 = More than 12 months ago.....	12675	22.80
		8 = Used at some point in the past 12 mos LOG ASSN....	200	0.36
		9 = Used at some point in the lifetime LOG ASSN.....	200	0.36
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	2	0.00
		91 = NEVER USED MARIJUANA.....	33169	59.65
		97 = REFUSED.....	23	0.04
		98 = BLANK (NO ANSWER).....	7	0.01
MJYRTOT	3	TOTAL # OF DAYS USED MARIJUANA IN PAST 12 MOS		
		RANGE = 1 - 365	9304	16.73
		985 = BAD DATA Logically assigned.....	122	0.22
		991 = NEVER USED MARIJUANA.....	33169	59.65
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		994 = DON'T KNOW.....	79	0.14
		997 = REFUSED.....	46	0.08
		998 = BLANK (NO ANSWER).....	207	0.37
MRTOTFG	2	TRIMMING INDICATOR FOR MRJYRTOT		
		1 = Trimmed to 365 days (no further editing).....	13	0.02
		2 = Trimmed relative to the 30-day freq.....	208	0.37
		98 = BLANK (NO ANSWER).....	55381	99.60
MJFQFLG	2	TRIMMED MJYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	431	0.78
		98 = BLANK (NO ANSWER).....	55171	99.22

LABEL	LEN	DESCRIPTION	PAGE:	28
			FREQ	%
(MJFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used marijuana or hashish during the past 12 months.		-
		What would be the easiest way for you to tell us how many days you've used it?		
MRBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED MARIJUANA/HASH		
		1 = Prefer to answer in days per week.....	3136	5.64
		2 = Prefer to answer in days per month.....	2409	4.33
		3 = Prefer to answer in days per year.....	3685	6.63
		11 = Prefer to ans in days per wk LOG ASSN.....	21	0.04
		12 = Prefer to ans in days per mo LOG ASSN.....	29	0.05
		13 = Prefer to ans in days per yr LOG ASSN.....	84	0.15
		85 = BAD DATA Logically assigned.....	122	0.22
		91 = NEVER USED MARIJUANA.....	33169	59.65
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		94 = DON'T KNOW.....	27	0.05
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	207	0.37
(MJYRAVE)		On how many days in the past 12 months did you use marijuana or hashish?		
MRDAYPYR	3	# DAYS USED MARIJUANA/HASHISH PAST 12 MONTHS		
		RANGE = 1 - 366	3758	6.76
		985 = BAD DATA Logically assigned.....	21	0.04
		989 = LEGITIMATE SKIP Logically assigned.....	58	0.10
		991 = NEVER USED MARIJUANA.....	33169	59.65
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		994 = DON'T KNOW.....	38	0.07
		997 = REFUSED.....	38	0.07
		998 = BLANK (NO ANSWER).....	308	0.55
		999 = LEGITIMATE SKIP.....	5537	9.96
(MJMONAVE)		On average, how many days did you use marijuana or hashish each month during the past 12 months?		
MRDAYPMO	2	# DAYS PER MO USED MARIJUANA/HASHISH PAST 12 MOS		
		RANGE = 1 - 31	2422	4.36
		85 = BAD DATA Logically assigned.....	27	0.05
		89 = LEGITIMATE SKIP Logically assigned.....	21	0.04
		91 = NEVER USED MARIJUANA.....	33169	59.65
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		94 = DON'T KNOW.....	51	0.09
		97 = REFUSED.....	41	0.07
		98 = BLANK (NO ANSWER).....	302	0.54
		99 = LEGITIMATE SKIP.....	6894	12.40
(MJWKAVE)		On average, how many days did you use marijuana or hashish each week during the past 12 months?		
MRDAYPWK	2	# DAYS PER WEEK USED MARIJUANA/HASHISH PAST 12 MOS		
		RANGE = 1 - 7	3124	5.62
		85 = BAD DATA Logically assigned.....	74	0.13
		91 = NEVER USED MARIJUANA.....	33169	59.65
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		94 = DON'T KNOW.....	79	0.14
		97 = REFUSED.....	46	0.08
		98 = BLANK (NO ANSWER).....	255	0.46
		99 = LEGITIMATE SKIP.....	6180	11.11

LABEL	LEN	DESCRIPTION	PAGE:	29
			FREQ	%
(MJ06)		Think specifically about the past 30 days, from [FILL DATE] up to and including today. During the past 30 days, on how many days did you use marijuana or hashish?		-
MJDAY30A	2	# DAYS USED MARIJUANA/HASHISH PAST 30 DAYS		
	RANGE =	1 - 30	5275	9.49
	85 =	BAD DATA Logically assigned.....	87	0.16
	91 =	NEVER USED MARIJUANA.....	33169	59.65
	93 =	DID NOT USE MARIJUANA IN THE PAST 30 DAYS.....	16675	29.99
	94 =	DON'T KNOW.....	39	0.07
	97 =	REFUSED.....	35	0.06
	98 =	BLANK (NO ANSWER).....	322	0.58
(MJ06DKRE)		What is your best estimate of the number of days you used marijuana or hashish during the past 30 days?		
MR30EST	2	BEST EST. # DAYS USED MARIJUANA PAST 30 DAYS		
	1 =	1 or 2 days.....	9	0.02
	2 =	3 to 5 days.....	9	0.02
	3 =	6 to 9 days.....	6	0.01
	4 =	10 to 19 days.....	8	0.01
	5 =	20 to 29 days.....	6	0.01
	6 =	All 30 days.....	8	0.01
	91 =	NEVER USED MARIJUANA.....	33169	59.65
	93 =	DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	16675	29.99
	94 =	DON'T KNOW.....	4	0.01
	97 =	REFUSED.....	25	0.04
	98 =	BLANK (NO ANSWER).....	409	0.74
	99 =	LEGITIMATE SKIP.....	5274	9.49

LABEL	LEN	DESCRIPTION	COCAINE	PAGE:	30
				FREQ	%
(CC01)		COCAINE			-

			These questions are about cocaine, including all the different forms of cocaine such as powder, "crack," free base, and coca paste.		
			Have you ever, even once, used any form of cocaine?		
			NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
COCEVER	2	EVER USED COCAINE			
		1 = Yes.....	6746	12.13	
		2 = No.....	48839	87.84	
		94 = DON'T KNOW.....	7	0.01	
		97 = REFUSED.....	10	0.02	
(CC02)		How old were you the first time you used cocaine, in any form?			
COCAGE	3	AGE WHEN FIRST USED COCAINE			
		RANGE = 1 - 60	6669	11.99	
		985 = BAD DATA Logically assigned.....	17	0.03	
		991 = NEVER USED COCAINE.....	48839	87.84	
		994 = DON'T KNOW.....	49	0.09	
		997 = REFUSED.....	21	0.04	
		998 = BLANK (NO ANSWER).....	7	0.01	
(CC03A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions CC03a, CC03b, CC03c, CC03d, and associated consistency checks were used to create the following two variables.			
COCYFU	4	YEAR OF FIRST COCAINE USE - RECODE			
		RANGE = 2002 - 2004	812	1.46	
		9985 = BAD DATA Logically assigned.....	91	0.16	
		9989 = LEGITIMATE SKIP Logically assn.....	92	0.17	
		9991 = NEVER USED COCAINE.....	48839	87.84	
		9994 = DON'T KNOW.....	52	0.09	
		9997 = REFUSED.....	21	0.04	
		9998 = BLANK (NO ANSWER).....	8	0.01	
		9999 = LEGITIMATE SKIP.....	5687	10.23	

LABEL	LEN	DESCRIPTION	PAGE:	31
			FREQ	%
COCMFU	2	MONTH OF FIRST COCAINE USE - RECODE		-
		1 = January.....	81	0.15
		2 = February.....	59	0.11
		3 = March.....	77	0.14
		4 = April.....	53	0.10
		5 = May.....	52	0.09
		6 = June.....	83	0.15
		7 = July.....	70	0.13
		8 = August.....	46	0.08
		9 = September.....	57	0.10
		10 = October.....	61	0.11
		11 = November.....	65	0.12
		12 = December.....	49	0.09
		85 = BAD DATA Logically assigned.....	91	0.16
		89 = LEGITIMATE SKIP Logically assn.....	92	0.17
		91 = NEVER USED COCAINE.....	48839	87.84
		94 = DON'T KNOW.....	108	0.19
		97 = REFUSED.....	24	0.04
		98 = BLANK (NO ANSWER).....	8	0.01
		99 = LEGITIMATE SKIP.....	5687	10.23
(CCLAST3)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last used cocaine?		
COCREC	2	TIME SINCE LAST USED COCAINE		
		1 = Within the past 30 days.....	595	1.07
		2 = More than 30 days ago but within the past 12 mos..	1257	2.26
		3 = More than 12 months ago.....	4720	8.49
		8 = Used at some point in the past 12 mos LOG ASSN....	49	0.09
		9 = Used at some point in the lifetime LOG ASSN.....	77	0.14
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	27	0.05
		12 = Used >30 days ago but within pst 12 mos LOG ASSN..	21	0.04
		91 = NEVER USED COCAINE.....	48839	87.84
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	7	0.01
COCYRTOT	3	TOTAL # OF DAYS USED COCAINE IN PAST 12 MONTHS		
		RANGE = 1 - 365	1884	3.39
		985 = BAD DATA Logically assigned.....	17	0.03
		991 = NEVER USED COCAINE.....	48839	87.84
		993 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4720	8.49
		994 = DON'T KNOW.....	12	0.02
		997 = REFUSED.....	12	0.02
		998 = BLANK (NO ANSWER).....	118	0.21
CCTOTFG	2	TRIMMING INDICATOR FOR COCYRTOT		
		2 = Trimmed relative to the 30-day freq.....	13	0.02
		98 = BLANK (NO ANSWER).....	55589	99.98
CCFQFLG	2	TRIMMED COCYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	127	0.23
		98 = BLANK (NO ANSWER).....	55475	99.77

LABEL	LEN	DESCRIPTION	PAGE:	32
			FREQ	%
(CCFRAME3) Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used cocaine during the past 12 months.				
What would be the easiest way for you to tell us how many days you've used it?				
CCBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED COCAINE		
		1 = Prefer to answer in days per week.....	240	0.43
		2 = Prefer to answer in days per month.....	422	0.76
		3 = Prefer to answer in days per year.....	1148	2.06
		11 = Prefer to ans in days per wk LOG ASSN.....	3	0.01
		12 = Prefer to ans in days per mo LOG ASSN.....	4	0.01
		13 = Prefer to ans in days per yr LOG ASSN.....	5	0.01
		21 = Prefer to ans in days per wk (CRBSTWAY=1,11).....	29	0.05
		22 = Prefer to ans in days per mo (CRBSTWAY=2,12).....	19	0.03
		23 = Prefer to ans in days per yr (CRBSTWAY=3,13).....	24	0.04
		85 = BAD DATA Logically assigned.....	17	0.03
		91 = NEVER USED COCAINE.....	48839	87.84
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4720	8.49
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	118	0.21
(CCYRAVE)		On how many days in the past 12 months did you use cocaine?		
CCDAYPYR	3	# DAYS USED COCAINE PAST 12 MONTHS		
		RANGE = 1 - 365	1176	2.12
		985 = BAD DATA Logically assigned.....	6	0.01
		989 = LEGITIMATE SKIP Logically assigned.....	22	0.04
		991 = NEVER USED COCAINE.....	48839	87.84
		993 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4720	8.49
		994 = DON'T KNOW.....	4	0.01
		997 = REFUSED.....	11	0.02
		998 = BLANK (NO ANSWER).....	129	0.23
		999 = LEGITIMATE SKIP.....	695	1.25
(CCMONAVE)		On average, how many days did you use cocaine each month during the past 12 months?		
CCDAYPMO	2	# DAYS PER MONTH USED COCAINE PAST 12 MONTHS		
		RANGE = 1 - 31	442	0.79
		85 = BAD DATA Logically assigned.....	4	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	13	0.02
		91 = NEVER USED COCAINE.....	48839	87.84
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4720	8.49
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	131	0.24
		99 = LEGITIMATE SKIP.....	1435	2.58

COCAINE			PAGE:	33		
LABEL	LEN	DESCRIPTION	FREQ	%		
<hr/>						
(CCWKAVE) On average, how many days did you use cocaine each week during the past 12 months?						
<hr/>						
CCDAYPKW	2	# DAYS PER WEEK USE COCAINE PAST 12 MONTHS				
RANGE = 1 - 7						
85 = BAD DATA Logically assigned.....					266	0.48
89 = LEGITIMATE SKIP Logically assigned.....					7	0.01
91 = NEVER USED COCAINE.....					2	0.00
48839 DID NOT USE COCAINE IN THE PAST 12 MOS.....					48839	87.84
93 = DON'T KNOW.....					4720	8.49
94 = REFUSED.....					12	0.02
98 = BLANK (NO ANSWER).....					128	0.23
99 = LEGITIMATE SKIP.....					1616	2.91
<hr/>						
(CC06) Think specifically about the past 30 days, from [FILL DATE] up to and including today. During the past 30 days, on how many days did you use cocaine?						
<hr/>						
COCUS30A	2	# DAYS USED COCAINE PAST 30 DAYS				
RANGE = 1 - 30					589	1.06
85 = BAD DATA Logically assigned.....					22	0.04
91 = NEVER USED COCAINE.....					48839	87.84
93 = DID NOT USE COCAINE IN THE PAST 30 DAYS.....					5998	10.79
94 = DON'T KNOW.....					4	0.01
97 = REFUSED.....					12	0.02
98 = BLANK (NO ANSWER).....					138	0.25
<hr/>						
(CC06DKRE) What is your best estimate of the number of days you used cocaine during the past 30 days?						
<hr/>						
CC30EST	2	BEST ESTIMATE # DAYS USED COCAINE PAST 30 DAYS				
1 = 1 or 2 days.....					3	0.01
4 = 10 to 19 days.....					1	0.00
91 = NEVER USED COCAINE.....					48839	87.84
93 = DID NOT USE COCAINE IN THE PAST 30 DAYS.....					5998	10.79
97 = REFUSED.....					12	0.02
98 = BLANK (NO ANSWER).....					160	0.29
99 = LEGITIMATE SKIP.....					589	1.06

LABEL	LEN	DESCRIPTION	PAGE:	34
			FREQ	%
(CK01)	CRACK			-
	-----	-----		
		The next questions are about "crack," that is cocaine in rock or chunk form, and not the other forms of cocaine.		
		Have you ever, even once, used "crack?"		
		NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
CRKEVER	2	EVER USED CRACK		
	1 = Yes.....	1704	3.06	
	2 = No.....	5039	9.06	
	91 = NEVER USED COCAINE (COCEVER=2).....	48839	87.84	
	94 = DON'T KNOW.....	3	0.01	
	97 = REFUSED.....	10	0.02	
	98 = BLANK (NO ANSWER).....	7	0.01	
(CK02)		How old were you the first time you used "crack?"		
CRKAGE	3	AGE WHEN FIRST USED CRACK		
	RANGE = 1 - 60	1677	3.02	
	985 = BAD DATA Logically assigned.....	9	0.02	
	991 = NEVER USED CRACK.....	53878	96.90	
	994 = DON'T KNOW.....	18	0.03	
	997 = REFUSED.....	10	0.02	
	998 = BLANK (NO ANSWER).....	10	0.02	
(CK03A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions CK03a, CK03b, CK03c, CK03d, and associated consistency checks were used to create the following two variables.		
CRKYFU	4	YEAR OF FIRST CRACK USE - RECODE		
	RANGE = 2002 - 2004	188	0.34	
	9985 = BAD DATA Logically assigned.....	26	0.05	
	9989 = LEGITIMATE SKIP Logically assn.....	13	0.02	
	9991 = NEVER USED CRACK.....	53878	96.90	
	9994 = DON'T KNOW.....	18	0.03	
	9997 = REFUSED.....	11	0.02	
	9998 = BLANK (NO ANSWER).....	10	0.02	
	9999 = LEGITIMATE SKIP.....	1458	2.62	

CRACK			PAGE:	35
LABEL	LEN	DESCRIPTION	FREQ	%
CRKMFU	2	MONTH OF FIRST CRACK USE - RECODE		-
		1 = January.....	17	0.03
		2 = February.....	12	0.02
		3 = March.....	17	0.03
		4 = April.....	15	0.03
		5 = May.....	19	0.03
		6 = June.....	19	0.03
		7 = July.....	19	0.03
		8 = August.....	13	0.02
		9 = September.....	21	0.04
		10 = October.....	13	0.02
		11 = November.....	12	0.02
		12 = December.....	4	0.01
		85 = BAD DATA Logically assigned.....	26	0.05
		89 = LEGITIMATE SKIP Logically assn.....	13	0.02
		91 = NEVER USED CRACK.....	53878	96.90
		94 = DON'T KNOW.....	25	0.04
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	10	0.02
		99 = LEGITIMATE SKIP.....	1458	2.62
(CKLAST3)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last used "crack?"		
CRAKREC	2	TIME SINCE LAST USED CRACK		
		1 = Within the past 30 days.....	110	0.20
		2 = More than 30 days ago but within the past 12 mos..	233	0.42
		3 = More than 12 months ago.....	1330	2.39
		8 = Used at some point in the past 12 mos LOG ASSN....	10	0.02
		9 = Used at some point in the lifetime LOG ASSN.....	21	0.04
		91 = NEVER USED CRACK.....	53878	96.90
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	10	0.02
CRKYRTOT	3	TOTAL # DAYS USED CRACK IN PAST 12 MONTHS		
		RANGE = 1 - 364	343	0.62
		985 = BAD DATA Logically assigned.....	2	0.00
		991 = NEVER USED CRACK.....	53878	96.90
		993 = DID NOT USE CRACK IN THE PAST 12 MOS.....	1330	2.39
		994 = DON'T KNOW.....	1	0.00
		997 = REFUSED.....	13	0.02
		998 = BLANK (NO ANSWER).....	35	0.06
CRTOTFG	2	TRIMMING INDICATOR FOR CRKYRTOT		
		2 = Trimmed relative to the 30-day freq.....	4	0.01
		98 = BLANK (NO ANSWER).....	55598	99.99
CRFQFLG	2	TRIMMED CRKYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	35	0.06
		98 = BLANK (NO ANSWER).....	55567	99.94

LABEL	LEN	DESCRIPTION	PAGE:	36
			FREQ	%
(CKFRAME3) Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used "crack" during the past 12 months.				
What would be the easiest way for you to tell us how many days you've used it?				
CRBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED CRACK		
		1 = Prefer to answer in days per week.....	86	0.15
		2 = Prefer to answer in days per month.....	80	0.14
		3 = Prefer to answer in days per year.....	178	0.32
		11 = Prefer to ans in days per wk LOG ASSN.....	2	0.00
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED CRACK.....	53878	96.90
		93 = DID NOT USE CRACK IN THE PAST 12 MOS.....	1330	2.39
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	35	0.06
(CKYRAVE)		On how many days in the past 12 months did you use "crack?"		
CRDAYPYR	3	# DAYS USED CRACK PAST 12 MONTHS		
		RANGE = 1 - 365	177	0.32
		985 = BAD DATA Logically assigned.....	1	0.00
		989 = LEGITIMATE SKIP Logically assigned.....	2	0.00
		991 = NEVER USED CRACK.....	53878	96.90
		993 = DID NOT USE CRACK IN THE PAST 12 MOS.....	1330	2.39
		997 = REFUSED.....	12	0.02
		998 = BLANK (NO ANSWER).....	36	0.06
		999 = LEGITIMATE SKIP.....	166	0.30
(CKMONAVE)		On average, how many days did you use "crack" each month during the past 12 months?		
CRDAYPMO	2	# DAYS PER MONTH USED CRACK PAST 12 MONTHS		
		RANGE = 1 - 30	80	0.14
		85 = BAD DATA Logically assigned.....	1	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	2	0.00
		91 = NEVER USED CRACK.....	53878	96.90
		93 = DID NOT USE CRACK IN THE PAST 12 MOS.....	1330	2.39
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	36	0.06
		99 = LEGITIMATE SKIP.....	263	0.47
(CKWKAVE)		On average, how many days did you use "crack" each week during the past 12 months?		
CRDAYPWK	2	# DAYS PER WEEK USED CRACK PAST 12 MONTHS		
		RANGE = 1 - 7	86	0.15
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED CRACK.....	53878	96.90
		93 = DID NOT USE CRACK IN THE PAST 12 MOS.....	1330	2.39
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	36	0.06
		99 = LEGITIMATE SKIP.....	257	0.46

LABEL	LEN	DESCRIPTION	PAGE:	37
-----			FREQ	%
			-----	-
(CK06) Think specifically about the past 30 days, from [FILL DATE] up to and including today. During the past 30 days, on how many days did you use "crack?"				
CRKUS30A 2 # DAYS USED CRACK PAST 30 DAYS				
RANGE = 1 - 30				
85 = BAD DATA Logically assigned..... 110 0.20				
91 = NEVER USED CRACK..... 5 0.01				
93 = DID NOT USE CRACK IN THE PAST 30 DAYS..... 53878 96.90				
97 = REFUSED..... 1563 2.81				
98 = BLANK (NO ANSWER)..... 10 0.02				
99 = LEGITIMATE SKIP..... 36 0.06				
(CK06DKRE) What is your best estimate of the number of days you used "crack" during the past 30 days?				
CR30EST 2 BEST ESTIMATE # DAYS USED CRACK PAST 30 DAYS				
91 = NEVER USED CRACK..... 53878 96.90				
93 = DID NOT USE CRACK IN THE PAST 30 DAYS..... 1563 2.81				
97 = REFUSED..... 10 0.02				
98 = BLANK (NO ANSWER)..... 41 0.07				
99 = LEGITIMATE SKIP..... 110 0.20				

LABEL	LEN	DESCRIPTION	PAGE:	38
			FREQ	%
(HE01)		HEROIN		-

		These next questions are about heroin.		
		Have you ever, even once, used heroin?		
		NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
HEREVER	2	EVER USED HEROIN		
		1 = Yes.....	702	1.26
		2 = No.....	54874	98.69
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED.....	6	0.01
(HE02)		How old were you the first time you used heroin?		
HERAGE	3	AGE WHEN FIRST USED HEROIN		
		RANGE = 4 - 46	695	1.25
		985 = BAD DATA Logically assigned.....	3	0.01
		991 = NEVER USED HEROIN.....	54874	98.69
		994 = DON'T KNOW.....	3	0.01
		997 = REFUSED.....	7	0.01
		998 = BLANK (NO ANSWER).....	20	0.04
(HE03A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions HE03a, HE03b, HE03c, HE03d, and associated consistency checks were used to create the following two variables.		
HERYFU	4	YEAR OF FIRST HEROIN USE - RECODE		
		RANGE = 2002 - 2004	88	0.16
		9985 = BAD DATA Logically assigned.....	11	0.02
		9989 = LEGITIMATE SKIP Logically assn.....	6	0.01
		9991 = NEVER USED HEROIN.....	54874	98.69
		9994 = DON'T KNOW.....	3	0.01
		9997 = REFUSED.....	7	0.01
		9998 = BLANK (NO ANSWER).....	20	0.04
		9999 = LEGITIMATE SKIP.....	593	1.07
HERMFU	2	MONTH OF FIRST HEROIN USE - RECODE		
		1 = January.....	8	0.01
		2 = February.....	7	0.01
		3 = March.....	5	0.01
		4 = April.....	7	0.01
		5 = May.....	5	0.01
		6 = June.....	9	0.02
		7 = July.....	10	0.02
		8 = August.....	8	0.01
		9 = September.....	4	0.01
		10 = October.....	10	0.02
		11 = November.....	6	0.01
		12 = December.....	5	0.01
		85 = BAD DATA Logically assigned.....	11	0.02
		89 = LEGITIMATE SKIP Logically assn.....	6	0.01
		91 = NEVER USED HEROIN.....	54874	98.69
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	20	0.04
		99 = LEGITIMATE SKIP.....	593	1.07

HEROIN			PAGE:	39
LABEL	LEN	DESCRIPTION	FREQ	%
(HELAST3) NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.				
How long has it been since you last used heroin?				
HERREC	2	TIME SINCE LAST USED HEROIN		
		1 = Within the past 30 days.....	52	0.09
		2 = More than 30 days ago but within the past 12 mos..	89	0.16
		3 = More than 12 months ago.....	546	0.98
		8 = Used at some point in the past 12 mos LOG ASSN....	7	0.01
		9 = Used at some point in the lifetime LOG ASSN.....	8	0.01
		91 = NEVER USED HEROIN.....	54874	98.69
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	20	0.04
HERYRTOT	3	TOTAL # OF DAYS USED HEROIN IN PAST 12 MONTHS		
		RANGE = 1 - 364	140	0.25
		985 = BAD DATA Logically assigned.....	7	0.01
		991 = NEVER USED HEROIN.....	54874	98.69
		993 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	546	0.98
		994 = DON'T KNOW.....	1	0.00
		997 = REFUSED.....	6	0.01
		998 = BLANK (NO ANSWER).....	28	0.05
HRTOTFG	2	TRIMMING INDICATOR FOR HERYRTOT		
		1 = Trimmed to 365 days (no further editing).....	1	0.00
		2 = Trimmed relative to the 30-day freq.....	1	0.00
		98 = BLANK (NO ANSWER).....	55600	100.0
HRFQFLG	2	TRIMMED HERYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	8	0.01
		98 = BLANK (NO ANSWER).....	55594	99.99
(HEFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used heroin during the past 12 months.		
What would be the easiest way for you to tell us how many days you've used it?				
HRBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED HEROIN		
		1 = Prefer to answer in days per week.....	30	0.05
		2 = Prefer to answer in days per month.....	25	0.04
		3 = Prefer to answer in days per year.....	85	0.15
		85 = BAD DATA Logically assigned.....	7	0.01
		91 = NEVER USED HEROIN.....	54874	98.69
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	546	0.98
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	28	0.05

HEROIN			PAGE:	40
LABEL	LEN	DESCRIPTION	FREQ	%
(HEYRAVE)		On how many days in the past 12 months did you use heroin?		-
HRDAYPYR	3	# DAYS USED HEROIN PAST 12 MONTHS		
		RANGE = 1 - 300	85	0.15
		85 = BAD DATA Logically assigned.....	1	0.00
		991 = NEVER USED HEROIN.....	54874	98.69
		993 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	546	0.98
		994 = DON'T KNOW.....	1	0.00
		997 = REFUSED.....	6	0.01
		998 = BLANK (NO ANSWER).....	34	0.06
		999 = LEGITIMATE SKIP.....	55	0.10
(HEMONAVE)		On average, how many days did you use heroin each month during the past 12 months?		
HRDAYPMO	2	# DAYS PER MONTH USED HEROIN PAST 12 MONTHS		
		RANGE = 1 - 29	25	0.04
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HEROIN.....	54874	98.69
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	546	0.98
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	34	0.06
		99 = LEGITIMATE SKIP.....	115	0.21
(HEWKAVE)		On average, how many days did you use heroin each week during the past 12 months?		
HRDAYPWK	2	# DAYS PER WEEK USED HEROIN PAST 12 MONTHS		
		RANGE = 1 - 7	30	0.05
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED HEROIN.....	54874	98.69
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	546	0.98
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	30	0.05
		99 = LEGITIMATE SKIP.....	110	0.20
(HE06)		Think specifically about the past 30 days, from [FILL DATE] up to and including today. During the past 30 days, on how many days did you use heroin?		
HER30USE	2	# DAYS USED HEROIN PAST 30 DAYS		
		RANGE = 1 - 30	50	0.09
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HEROIN.....	54874	98.69
		93 = DID NOT USE HEROIN IN THE PAST 30 DAYS.....	635	1.14
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	34	0.06
(HE06DKRE)		What is your best estimate of the number of days you used heroin during the past 30 days?		
HR30EST	2	BEST EST. # DAYS USED HEROIN PAST 30 DAYS		
		1 = 1 or 2 days.....	1	0.00
		91 = NEVER USED HEROIN.....	54874	98.69
		93 = DID NOT USE HEROIN IN THE PAST 30 DAYS.....	635	1.14
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	35	0.06
		99 = LEGITIMATE SKIP.....	50	0.09

LABEL	LEN	DESCRIPTION	PAGE:	41
			FREQ	%

(LS01A) HALLUCINOGENS

The next questions are about substances called hallucinogens. These drugs often cause people to see or experience things that are not real.

A list of some common hallucinogens is shown below. These and many other substances that people use as hallucinogens are often known by street names, and we can't list them all. Please take a moment to look at the substances listed below so you know what kind of drugs the next questions are about.

LSD, also called "acid"
 PCP, also called "angel dust" or phencyclidine
 Peyote
 Mescaline
 Psilocybin
 "Ecstasy," also called MDMA

Have you ever, even once, used LSD, also called "acid"?

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

LSD	2	EVER USED LSD ("ACID")		
		1 = Yes.....	4919	8.85
		2 = No.....	3309	5.95
		3 = Yes LOGICALLY ASSIGNED.....	4	0.01
		91 = NEVER USED HALLUCINOGENS.....	47332	85.13
		94 = DON'T KNOW.....	31	0.06
		97 = REFUSED.....	7	0.01

(LS01B) Have you ever, even once, used PCP, also called "angel dust" or phencyclidine?

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.

PCP	2	EVER USED PCP ("ANGEL DUST," PHENCYCLIDINE)		
		1 = Yes.....	1265	2.28
		2 = No.....	6962	12.52
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00
		91 = NEVER USED HALLUCINOGENS.....	47332	85.13
		94 = DON'T KNOW.....	35	0.06
		97 = REFUSED.....	6	0.01

(LS01C) Have you ever, even once, used peyote?

PEYOTE	2	EVER USED PEYOTE		
		1 = Yes.....	942	1.69
		2 = No.....	7273	13.08
		91 = NEVER USED HALLUCINOGENS.....	47332	85.13
		94 = DON'T KNOW.....	51	0.09
		97 = REFUSED.....	4	0.01

HALLUCINOGENS			PAGE:	42
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
(LS01D) Have you ever, even once, used mescaline?				
MESC	2	EVER USED MESCALINE		
		1 = Yes.....	1339	2.41
		2 = No.....	6864	12.34
		91 = NEVER USED HALLUCINOGENS.....	47332	85.13
		94 = DON'T KNOW.....	62	0.11
		97 = REFUSED.....	5	0.01
 (LS01E) Have you ever, even once, used psilocybin, found in mushrooms?				
PSILCY	2	EVER USED PSILOCYBIN (MUSHROOMS)		
		1 = Yes.....	4697	8.45
		2 = No.....	3455	6.21
		3 = Yes LOGICALLY ASSIGNED.....	33	0.06
		91 = NEVER USED HALLUCINOGENS.....	47332	85.13
		94 = DON'T KNOW.....	77	0.14
		97 = REFUSED.....	8	0.01
 (LS01F) Have you ever, even once, used "Ecstasy," also known as MDMA?				
NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.				
ECSTASY	2	EVER USED "ECSTASY" (MDMA)		
		1 = Yes.....	3691	6.64
		2 = No.....	4530	8.15
		91 = NEVER USED HALLUCINOGENS.....	47332	85.13
		94 = DON'T KNOW.....	43	0.08
		97 = REFUSED.....	6	0.01
 (LS01H) Have you ever, even once used any other hallucinogens besides the ones that have been listed?				
HALNOLST	2	EVER USED OTHER HALLUCINOGEN		
		1 = Yes.....	1013	1.82
		2 = No.....	7187	12.93
		91 = NEVER USED HALLUCINOGENS.....	47332	85.13
		94 = DON'T KNOW.....	60	0.11
		97 = REFUSED.....	10	0.02

HALLUCINOGENS			PAGE:	43
LABEL	LEN	DESCRIPTION	FREQ	%
HALNEWA	4	OTHER HALLUCINOGEN - SPECIFY 1	-	-
110		Tuinal.....	1	0.00
112		Restoril, Temazepam.....	1	0.00
116		Methaqualone, Sopor, Quaalude.....	2	0.00
120		Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED..	3	0.01
123		Unisom <OTC>.....	1	0.00
124		Yellow jackets.....	2	0.00
130		Phenergan, Promethazine.....	2	0.00
140		Seldane.....	1	0.00
142		Belladonna.....	3	0.01
145		Red devil(s).....	2	0.00
171		NyQuil <OTC>.....	1	0.00
174		Ambien, Zolpidem.....	2	0.00
177		Bean.....	1	0.00
180		Tylenol P.M. <OTC>.....	1	0.00
187		Belladonna plant/flower/root, deadly nightshade....	1	0.00
201		Valium, Diazepam.....	2	0.00
209		Xanax, Alprazolam, Tafil, Xanax bars.....	2	0.00
240		Lithium carbonate, Lithonate.....	1	0.00
267		Marezine.....	2	0.00
268		Rohypnol, Flunitrazepam, roche, roofies.....	3	0.01
318		Ritalin, Methylphenidate.....	1	0.00
320		Dextroamphetamine.....	1	0.00
322		Methamphetamine ("ice" or "crank"), Meth.....	22	0.04
327		Black beauties, Black beauty.....	4	0.01
339		Amphetamines.....	2	0.00
348		Crystal.....	2	0.00
355		Crystal meth.....	5	0.01
377		Albuterol, Proventil, Ventolin.....	1	0.00
407		Demerol, Meperidine.....	1	0.00
417		Morphine, Roxanol.....	2	0.00
418		Methadone, Dolophine.....	2	0.00
423		Percocet.....	4	0.01
427		Darvocet.....	1	0.00
430		Aspirin, Ecotrin, Empirin <OTC>.....	1	0.00
434		Vicodin, Lortab, Loracet, Anexsia, Co-Gesic.....	7	0.01
435		Tylenol, Tylenol Extra-Strength <OTC>.....	1	0.00
501		Gasoline or lighter fluids.....	8	0.01
502		Spray paints.....	6	0.01
503		Other aerosol sprays.....	4	0.01
504		Shoeshine liquid, glue, or toluene.....	6	0.01
505		Lacquer thinner or other paint solvents.....	2	0.00
506		Amyl nitrite,"poppers,"locker room odorizer,"rush"	8	0.01
507		Halothane, ether, or other anesthetics; chloroform	3	0.01
508		Nitrous oxide, "whippets," dentist gas.....	19	0.03
510		OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	8	0.01
511		Markers, felt-tip pens, ink pens.....	1	0.00
519		Helium.....	1	0.00
520		Old paint, paint.....	1	0.00
531		Candy, powdered candy, sugar.....	1	0.00
566		Smoked tea from Lipton tea bag.....	2	0.00
592		Computer air duster, computer cleaner, dust-off...	4	0.01
601		LSD ("acid").....	73	0.13
603		Mescaline.....	2	0.00
604		Psilocybin (mushrooms), shrooms.....	54	0.10
605		PCP ("angel dust," phencyclidine).....	5	0.01
606		"Ecstasy" (MDMA), X-TC, "X".....	3	0.01
607		OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	88	0.16
609		Jimson weed.....	5	0.01
612		Happy stick, sherm, sherman, shermstick.....	2	0.00
614		MDA, Methyleneoxy amphetamine.....	6	0.01
615		Homemade drugs.....	2	0.00
616		DET, Dimethyltryptamine, DMT.....	14	0.03

HALLUCINOGENS			PAGE:	44
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
617	= Morning glory seeds, morning glory tendrils, ricea		8	0.01
618	= Acid paper, blotter (acid).....		4	0.01
622	= Microdot(s), green microdot, purple microdot.....		11	0.02
624	= Orange sunshine, sunshine, yellow sunshine.....		3	0.01
625	= Window, window pane, 4-way pane.....		3	0.01
627	= Hawaiian wood rose, Hawaiian Woodrow seeds.....		3	0.01
637	= Purple haze.....		1	0.00
639	= Nutmeg, Mace.....		6	0.01
650	= Datura stramonium, daytura, thorn apple.....		2	0.00
658	= Special K, Ketamine.....		38	0.07
660	= Toad, Toad licking.....		1	0.00
683	= Yage.....		1	0.00
695	= Angel's trumpet.....		2	0.00
698	= Nexus, 2C-B.....		8	0.01
701	= OTHER Opiates, NOT OTHERWISE SPECIFIED.....		3	0.01
703	= Opium.....		16	0.03
802	= THC, cannabinol, marinol.....		10	0.02
803	= Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....		15	0.03
809	= Pills.....		2	0.00
824	= Steroids.....		1	0.00
829	= Robitussin DM <OTC>.....		17	0.03
834	= Loveboat.....		1	0.00
847	= GHB, NSC.....		13	0.02
857	= Wicki stick.....		1	0.00
876	= Glass.....		1	0.00
883	= Dextromethorphan hydrobromide <OTC>.....		19	0.03
1002	= Dramamine, seasick/motion sickness pill <OTC>.....		19	0.03
1007	= Robitussin PM <OTC>.....		2	0.00
2003	= Zannies, zans, zany bars.....		1	0.00
3023	= Adderall.....		3	0.01
3024	= Yohimbe.....		1	0.00
3052	= Speed; otherwise unspecified.....		13	0.02
4044	= Hydrocodone.....		1	0.00
4067	= Oxycontin.....		5	0.01
5001	= Bleach.....		1	0.00
5022	= Carbon dioxide, CO2, dry ice hits.....		1	0.00
5028	= Carburetor cleaner, engine cleaner.....		1	0.00
5053	= Electronics cleaner.....		1	0.00
6029	= DXM.....		38	0.07
6037	= Fry.....		1	0.00
6043	= Salvia divinorum.....		36	0.06
6044	= Gel caps, gel tabs.....		3	0.01
6047	= Water.....		1	0.00
6048	= Dex.....		2	0.00
6056	= Wet.....		2	0.00
6061	= 5-MeO-DMT.....		1	0.00
6064	= Marigold buttons.....		1	0.00
6074	= LSA.....		7	0.01
6083	= CCC, "Triple C," C3 <OTC>.....		9	0.02
6095	= Super cool, Super kool.....		1	0.00
6100	= 2C-T-7, T7.....		6	0.01
6102	= Absinthe.....		8	0.01
6105	= Alpha-methyltryptamine, AMT, IT-290, 3-IT.....		3	0.01
6112	= 2C-T-2.....		1	0.00
6113	= Candy flip.....		1	0.00
6114	= Molly; not otherwise specified.....		2	0.00
6115	= Foxy.....		6	0.01
6126	= 2,5-Dimethoxy-4-iodophenethylamine, 2C-I.....		4	0.01
6130	= 5-MeO-DiPT, foxy methoxy.....		1	0.00
6132	= Amanita mushrooms, fly agaric.....		1	0.00
6135	= 5-MeO-AMT.....		1	0.00
6136	= Spook.....		1	0.00
6138	= 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine.....		2	0.00

HALLUCINOGENS			PAGE:	45
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
		6140 = MIPT, N-methyl-N-isopropyltryptamine.....	1	0.00
		6141 = DPT, Dipropyltryptamine.....	1	0.00
		6143 = 2C-X.....	1	0.00
		8011 = Herb, flower, plant; type unspecified.....	5	0.01
		8012 = Coriciden <OTC>.....	23	0.04
		8058 = Cough medicine/syrup; type unspecified.....	8	0.01
		8163 = Ditropan.....	1	0.00
		9985 = BAD DATA Logically assigned.....	14	0.03
		9991 = NEVER USED HALLUCINOGENS.....	47332	85.13
		9997 = REFUSED.....	48	0.09
		9998 = BLANK (NO ANSWER).....	184	0.33
		9999 = LEGITIMATE SKIP.....	7187	12.93

HALLUCINOGENS			PAGE:	46
LABEL	LEN	DESCRIPTION	FREQ	%
HALNEWB	4	OTHER HALLUCINOGEN - SPECIFY 2	-	-
120		Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED..	3	0.01
123		Unisom <OTC>.....	1	0.00
124		Yellow jackets.....	1	0.00
142		Belladonna.....	1	0.00
171		NyQuil <OTC>.....	1	0.00
187		Belladonna plant/flower/root, deadly nightshade....	1	0.00
201		Valium, Diazepam.....	1	0.00
267		Marezine.....	1	0.00
322		Methamphetamine ("ice" or "crank"), Meth.....	1	0.00
339		Amphetamines.....	1	0.00
355		Crystal meth.....	1	0.00
423		Percocet.....	1	0.00
434		Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....	2	0.00
504		Shoeshine liquid, glue, or toluene.....	1	0.00
508		Nitrous oxide, "whippets," dentist gas.....	2	0.00
510		OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	2	0.00
528		Whipped-cream can.....	1	0.00
531		Candy, powdered candy, sugar.....	1	0.00
592		Computer air duster, computer cleaner, dust-off...	1	0.00
601		LSD ("acid").....	6	0.01
603		Mescaline.....	1	0.00
604		Psilocybin (mushrooms), shrooms.....	5	0.01
607		OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	10	0.02
609		Jimson weed.....	1	0.00
614		MDA, Methylenedioxy amphetamine.....	2	0.00
616		DET, Dimethyltryptamine, DMT.....	3	0.01
617		Morning glory seeds, morning glory tendrils, ricea	1	0.00
618		Acid paper, blotter (acid).....	2	0.00
624		Orange sunshine, sunshine, yellow sunshine.....	1	0.00
627		Hawaiian wood rose, Hawaiian Woodrow seeds.....	2	0.00
636		DOM, STP.....	1	0.00
639		Nutmeg, Mace.....	3	0.01
650		Datura stramonium, daytura, thorn apple.....	2	0.00
658		Special K, Ketamine.....	2	0.00
698		Nexus, 2C-B.....	2	0.00
703		Opium.....	2	0.00
802		THC, cannabinol, marinol.....	1	0.00
803		Marijuana, MarrJane, Mary Jane, MJ, pot, weed....	3	0.01
804		Hashish.....	1	0.00
824		Steroids.....	1	0.00
829		Robitussin DM <OTC>.....	4	0.01
834		Loveboat.....	1	0.00
843		Cold medicine, cold tablets <OTC>.....	1	0.00
847		GHB, NSC.....	4	0.01
852		Formaldehyde, wak, whack (embalming fluid).....	1	0.00
876		Glass.....	1	0.00
883		Dextromethorphan hydrobromide <OTC>.....	2	0.00
900		Not a drug.....	2	0.00
1002		Dramamine, seasick/motion sickness pill <OTC>....	3	0.01
4007		Happy pills.....	1	0.00
4067		Oxycontin.....	2	0.00
6005		Sassafras tea.....	1	0.00
6020		Chocolate.....	1	0.00
6029		DXM.....	14	0.03
6043		Salvia divinorum.....	4	0.01
6044		Gel caps, gel tabs.....	1	0.00
6047		Water.....	1	0.00
6056		Wet.....	1	0.00
6074		LSA.....	1	0.00
6077		San Pedro.....	1	0.00
6083		CCC, "Triple C," C3 <OTC>.....	2	0.00
6088		Brugmansia.....	1	0.00

HALLUCINOGENS			PAGE:	47
LABEL	LEN	DESCRIPTION	FREQ	%
		-----	-----	-
		6094 = Mushrooms, specifically not psilocybin.....	1	0.00
		6096 = Bananadine.....	1	0.00
		6100 = 2C-T-7, T7.....	2	0.00
		6102 = Absinthe.....	2	0.00
		6103 = Ayahuasca.....	1	0.00
		6112 = 2C-T-2.....	1	0.00
		6114 = Molly; not otherwise specified.....	1	0.00
		6115 = Foxy.....	3	0.01
		6121 = Cactus; specifically not peyote.....	1	0.00
		6126 = 2,5-Dimethoxy-4-iodophenethylamine, 2C-I.....	1	0.00
		6130 = 5-MeO-DiPT, foxy methoxy.....	1	0.00
		6139 = 2c-c, 2-5-Dimethoxy-4-chlorophenethylamine.....	1	0.00
		6144 = DiPT, Di-isopropyl-tryptamine.....	1	0.00
		8012 = Coricidien <OTC>.....	5	0.01
		8058 = Cough medicine/syrup; type unspecified.....	1	0.00
		8132 = Liquid D-bol.....	1	0.00
		9985 = BAD DATA Logically assigned.....	6	0.01
		9991 = NEVER USED HALLUCINOGENS.....	47332	85.13
		9997 = REFUSED.....	11	0.02
		9998 = BLANK (NO ANSWER).....	916	1.65
		9999 = LEGITIMATE SKIP.....	7187	12.93
HALNEWC	4	OTHER HALLUCINOGEN - SPECIFY 3		
		322 = Methamphetamine ("ice" or "crank"), Meth.....	1	0.00
		324 = Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED..	1	0.00
		382 = Footballs, purple footballs.....	1	0.00
		415 = Codeine.....	1	0.00
		507 = Halothane, ether, or other anesthetics; chloroform	1	0.00
		508 = Nitrous oxide, "whippets," dentist gas.....	1	0.00
		516 = Freon, refrigerant.....	1	0.00
		601 = LSD ("acid").....	2	0.00
		604 = Psilocybin (mushrooms), shrooms.....	1	0.00
		606 = "Ecstasy" (MDMA), X-TC, "X".....	1	0.00
		607 = OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	2	0.00
		609 = Jimson weed.....	1	0.00
		614 = MDA, Methylenedioxymethamphetamine.....	1	0.00
		617 = Morning glory seeds, morning glory tendrils, ricea	1	0.00
		625 = Window, window pane, 4-way pane.....	1	0.00
		639 = Nutmeg, Mace.....	2	0.00
		698 = Nexus, 2C-B.....	2	0.00
		803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed....	2	0.00
		829 = Robitussin DM <OTC>.....	3	0.01
		852 = Formaldehyde, wak, whack (embalming fluid).....	1	0.00
		1002 = Dramamine, seasick/motion sickness pill <OTC>....	3	0.01
		3052 = Speed; otherwise unspecified.....	1	0.00
		6020 = Chocolate.....	1	0.00
		6043 = Salvia divinorum.....	1	0.00
		6077 = San Pedro.....	1	0.00
		6094 = Mushrooms, specifically not psilocybin.....	1	0.00
		6102 = Absinthe.....	1	0.00
		6105 = Alpha-methyltryptamine, AMT, IT-290, 3-IT.....	1	0.00
		6112 = 2C-T-2.....	1	0.00
		6132 = Amanita mushrooms, fly agaric.....	1	0.00
		6138 = 2C-E, 2-5-Dimethoxy-4-ethyl-phenethylamine.....	1	0.00
		8012 = Coricidien <OTC>.....	1	0.00
		8166 = White Girl.....	1	0.00
		9985 = BAD DATA Logically assigned.....	3	0.01
		9991 = NEVER USED HALLUCINOGENS.....	47332	85.13
		9997 = REFUSED.....	10	0.02
		9998 = BLANK (NO ANSWER).....	1028	1.85
		9999 = LEGITIMATE SKIP.....	7187	12.93

HALLUCINOGENS			PAGE:	48
LABEL	LEN	DESCRIPTION	FREQ	%
HALNEWD 4 OTHER HALLUCINOGEN - SPECIFY 4				
420		OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	1	0.00
508		Nitrous oxide, "whippets," dentist gas.....	2	0.00
601		LSD ("acid").....	1	0.00
604		Psilocybin (mushrooms), shrooms.....	1	0.00
605		PCP ("angel dust," phencyclidine).....	1	0.00
639		Nutmeg, Mace.....	1	0.00
803		Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	2	0.00
6029		DXM.....	2	0.00
6043		Salvia divinorum.....	2	0.00
6074		LSA.....	1	0.00
6115		Foxy.....	2	0.00
6137		Harmaline.....	1	0.00
9985		BAD DATA Logically assigned.....	1	0.00
9991		NEVER USED HALLUCINOGENS.....	47332	85.13
9997		REFUSED.....	11	0.02
9998		BLANK (NO ANSWER).....	1054	1.90
9999		LEGITIMATE SKIP.....	7187	12.93
HALNEWE 4 OTHER HALLUCINOGEN - SPECIFY 5				
215		Vistaril.....	1	0.00
607		OTHER Hallucinogen, NOT OTHERWISE SPECIFIED.....	2	0.00
616		DET, Dimethyltryptamine, DMT.....	1	0.00
803		Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	1	0.00
3024		Yohimbe.....	1	0.00
6118		Adrenochrome.....	1	0.00
6141		Dipropyltryptamine.....	1	0.00
9991		NEVER USED HALLUCINOGENS.....	47332	85.13
9997		REFUSED.....	10	0.02
9998		BLANK (NO ANSWER).....	1065	1.92
9999		LEGITIMATE SKIP.....	7187	12.93
(LS02)	How old were you the first time you used [LSFILL]?			
HALLAGE 3 AGE WHEN FIRST USED HALLUCINOGENS				
RANGE =	1 - 55		7998	14.38
985		BAD DATA Logically assigned.....	32	0.06
991		NEVER USED HALLUCINOGENS.....	47332	85.13
994		DON'T KNOW.....	48	0.09
997		REFUSED.....	29	0.05
998		BLANK (NO ANSWER).....	163	0.29
(LS03A)	NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions LS03a, LS03b, LS03c, LS03d, and associated consistency checks were used to create the following two variables.			
HALYFU 4 YEAR OF FIRST HALLUCINOGEN USE - RECODE				
RANGE =	2002 - 2004		886	1.59
9985		BAD DATA Logically assigned.....	110	0.20
9989		LEGITIMATE SKIP Logically assn.....	107	0.19
9991		NEVER USED HALLUCINOGENS.....	47332	85.13
9994		DON'T KNOW.....	51	0.09
9997		REFUSED.....	30	0.05
9998		BLANK (NO ANSWER).....	163	0.29
9999		LEGITIMATE SKIP.....	6923	12.45

HALLUCINOGENS			PAGE:	49
LABEL	LEN	DESCRIPTION	FREQ	%
HALMFU	2	MONTH OF FIRST HALLUCINOGEN USE - RECODE		-
		1 = January.....	82	0.15
		2 = February.....	71	0.13
		3 = March.....	79	0.14
		4 = April.....	74	0.13
		5 = May.....	56	0.10
		6 = June.....	88	0.16
		7 = July.....	96	0.17
		8 = August.....	61	0.11
		9 = September.....	51	0.09
		10 = October.....	64	0.12
		11 = November.....	53	0.10
		12 = December.....	60	0.11
		85 = BAD DATA Logically assigned.....	107	0.19
		89 = LEGITIMATE SKIP Logically assn.....	107	0.19
		91 = NEVER USED HALLUCINOGENS.....	47332	85.13
		94 = DON'T KNOW.....	97	0.17
		97 = REFUSED.....	35	0.06
		98 = BLANK (NO ANSWER).....	166	0.30
		99 = LEGITIMATE SKIP.....	6923	12.45
(LSLAST)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last used [LSFILL]?		
HALLREC	2	TIME SINCE LAST USED HALLUCINOGENS		
		1 = Within the past 30 days.....	433	0.78
		2 = More than 30 days ago but within the past 12 mos..	1315	2.37
		3 = More than 12 months ago.....	6089	10.95
		8 = Used at some point in the past 12 mos LOG ASSN....	80	0.14
		9 = Used at some point in lifetime LOG ASSN.....	150	0.27
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	16	0.03
		12 = Used >30 days ago but within pst 12 mos LOG ASSN..	21	0.04
		91 = NEVER USED HALLUCINOGENS.....	47332	85.13
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	163	0.29
		NOTE: The variables HALYRTOT, HLBSTWAY, HLDAYPYR, HLDAYPMO, and HLDAYPWK incorporate values from follow-up questions that were asked if respondents previously reported that they last used any hallucinogen more than 12 months ago but subsequently reported more recent use of any hallucinogen, LSD, PCP, or Ecstasy.		
HALYRTOT	3	TOTAL # OF DAYS USED HALLUCINOGENS IN PAST 12 MOS		
		RANGE = 1 - 364	1819	3.27
		985 = BAD DATA Logically assigned.....	27	0.05
		991 = NEVER USED HALLUCINOGENS.....	47332	85.13
		993 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6089	10.95
		994 = DON'T KNOW.....	13	0.02
		997 = REFUSED.....	9	0.02
		998 = BLANK (NO ANSWER).....	313	0.56
HLTOTFG	2	TRIMMING INDICATOR FOR HALYRTOT		
		1 = Trimmed to 365 days (no further editing).....	1	0.00
		2 = Trimmed relative to the 30-day freq.....	3	0.01
		98 = BLANK (NO ANSWER).....	55598	99.99
HLFQFLG	2	TRIMMED HALYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	106	0.19
		98 = BLANK (NO ANSWER).....	55496	99.81

LABEL	LEN	DESCRIPTION	PAGE:	50
			FREQ	%
(LSFRAME3) Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used [LSFILL] during the past 12 months.				
What would be the easiest way for you to tell us how many days you've used it?				
HLBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED HALLUCINOGEN		
1	= Prefer to answer in days per week.....	175	0.31	
2	= Prefer to answer in days per month.....	279	0.50	
3	= Prefer to answer in days per year.....	1356	2.44	
11	= Prefer to ans in days per wk LOG ASSN.....	3	0.01	
12	= Prefer to ans in days per mo LOG ASSN.....	3	0.01	
13	= Prefer to ans in days per yr LOG ASSN.....	16	0.03	
85	= BAD DATA Logically assigned.....	27	0.05	
91	= NEVER USED HALLUCINOGENS.....	47332	85.13	
93	= DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6089	10.95	
94	= DON'T KNOW.....	4	0.01	
97	= REFUSED.....	5	0.01	
98	= BLANK (NO ANSWER).....	313	0.56	
(LSYRAVE)		On how many days in the past 12 months did you use [LSFILL]?		
HLDAYPYR	3	# DAYS USED HALLUCINOGEN PAST 12 MONTHS		
RANGE	= 1 - 200		1373	2.47
985	= BAD DATA Logically assigned.....	22	0.04	
989	= LEGITIMATE SKIP Logically assigned.....	6	0.01	
991	= NEVER USED HALLUCINOGENS.....	47332	85.13	
993	= DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6089	10.95	
994	= DON'T KNOW.....	6	0.01	
997	= REFUSED.....	7	0.01	
998	= BLANK (NO ANSWER).....	313	0.56	
999	= LEGITIMATE SKIP.....	454	0.82	
(LSMONAVE)		On average, how many days did you use [LSFILL] each month during the past 12 months?		
HLDAYPMO	2	# DAYS PER MONTH USED HALLUCINOGEN PAST 12 MONTHS		
RANGE	= 1 - 30		280	0.50
85	= BAD DATA Logically assigned.....	4	0.01	
89	= LEGITIMATE SKIP Logically assigned.....	3	0.01	
91	= NEVER USED HALLUCINOGENS.....	47332	85.13	
93	= DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6089	10.95	
94	= DON'T KNOW.....	6	0.01	
97	= REFUSED.....	9	0.02	
98	= BLANK (NO ANSWER).....	336	0.60	
99	= LEGITIMATE SKIP.....	1543	2.78	
(LSWKAVE)		On average, how many days did you use [LSFILL] each week during the past 12 months?		
HLDAYPWK	2	# DAYS PER WEEK USED HALLUCINOGEN PAST 12 MONTHS		
RANGE	= 1 - 7		171	0.31
85	= BAD DATA Logically assigned.....	2	0.00	
91	= NEVER USED HALLUCINOGENS.....	47332	85.13	
93	= DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6089	10.95	
94	= DON'T KNOW.....	13	0.02	
97	= REFUSED.....	9	0.02	
98	= BLANK (NO ANSWER).....	338	0.61	
99	= LEGITIMATE SKIP.....	1648	2.96	

LABEL	LEN	DESCRIPTION	PAGE:	51
			FREQ	%
(LS04)		NOTE: The variables HAL30USE and HL30EST incorporate values from follow-up questions that were asked if respondents previously reported that they last used any hallucinogen more than 30 days ago but subsequently reported use of any hallucinogen, LSD, PCP, or Ecstasy in the past 30 days.		-
		Think specifically about the past 30 days, from [FILL DATE] up to and including today. During the past 30 days, on how many days did you use [LSFILL]?		
HAL30USE	2	# DAYS USED HALLUCINOGEN PAST 30 DAYS		
		RANGE = 1 - 30	434	0.78
		85 = BAD DATA Logically assigned.....	29	0.05
		91 = NEVER USED HALLUCINOGENS.....	47332	85.13
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS.....	7425	13.35
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	368	0.66
(LS04DKRE)		What is your best estimate of the number of days you used [LSFILL] during the past 30 days?		
HL30EST	2	BEST EST. # DAYS USED HALLUCINOGENS PAST 30 DAYS		
		1 = 1 or 2 days.....	5	0.01
		2 = 3 to 5 days.....	1	0.00
		3 = 6 to 9 days.....	1	0.00
		4 = 10 to 19 days.....	1	0.00
		6 = All 30 days.....	1	0.00
		91 = NEVER USED HALLUCINOGENS.....	47332	85.13
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS.....	7425	13.35
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	397	0.71
		99 = LEGITIMATE SKIP.....	433	0.78
(LS05)		Now think only about LSD. How old were you the first time you used LSD?		
LSDAGE	3	AGE WHEN FIRST USED LSD		
		RANGE = 2 - 45	4842	8.71
		985 = BAD DATA Logically assigned.....	6	0.01
		991 = NEVER USED LSD.....	50641	91.08
		994 = DON'T KNOW.....	50	0.09
		997 = REFUSED.....	29	0.05
		998 = BLANK (NO ANSWER).....	34	0.06
(LS06)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions LS06, LS07, LS08, LS09, and associated consistency checks were used to create the following two variables.		
LSDYFU	4	YEAR OF FIRST LSD USE - RECODE		
		RANGE = 2002 - 2004	219	0.39
		9985 = BAD DATA Logically assigned.....	26	0.05
		9989 = LEGITIMATE SKIP Logically assigned.....	6	0.01
		9991 = NEVER USED LSD.....	50641	91.08
		9994 = DON'T KNOW.....	52	0.09
		9997 = REFUSED.....	30	0.05
		9998 = BLANK (NO ANSWER).....	38	0.07
		9999 = LEGITIMATE SKIP.....	4590	8.26

HALLUCINOGENS			PAGE:	52
LABEL	LEN	DESCRIPTION	FREQ	%
LSDMFU	2	MONTH OF FIRST LSD USE - RECODE		-
		1 = January.....	37	0.07
		2 = February.....	18	0.03
		3 = March.....	23	0.04
		4 = April.....	18	0.03
		5 = May.....	13	0.02
		6 = June.....	19	0.03
		7 = July.....	18	0.03
		8 = August.....	10	0.02
		9 = September.....	11	0.02
		10 = October.....	15	0.03
		11 = November.....	15	0.03
		12 = December.....	9	0.02
		85 = BAD DATA Logically assigned.....	25	0.04
		89 = LEGITIMATE SKIP Logically assn.....	6	0.01
		91 = NEVER USED LSD.....	50641	91.08
		94 = DON'T KNOW.....	65	0.12
		97 = REFUSED.....	30	0.05
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	4590	8.26
(LS10)		Now think only about LSD. How long has it been since you last used LSD?		
LSDREC	2	TIME SINCE LAST USED LSD		
		1 = Within the past 30 days.....	61	0.11
		2 = More than 30 days ago but within the past 12 mos..	237	0.43
		3 = More than 12 months ago.....	4561	8.20
		8 = Used at some point in the past 12 mos LOG ASSN.....	17	0.03
		9 = Used at some point in the lifetime LOG ASSN.....	46	0.08
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	1	0.00
		91 = NEVER USED LSD.....	50641	91.08
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	31	0.06
(LS11)		Now think only about PCP. How old were you the first time you used PCP?		
PCPAGE	3	AGE WHEN FIRST USED PCP		
		RANGE = 1 - 55	1223	2.20
		985 = BAD DATA Logically assigned.....	6	0.01
		991 = NEVER USED PCP.....	54294	97.65
		994 = DON'T KNOW.....	23	0.04
		997 = REFUSED.....	18	0.03
		998 = BLANK (NO ANSWER).....	38	0.07
(LS12)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions LS12, LS13, LS14, LS15, and associated consistency checks were used to create the following two variables.		
PCPYFU	4	YEAR OF FIRST PCP USE - RECODE		
		RANGE = 2002 - 2004	102	0.18
		9985 = BAD DATA Logically assigned.....	20	0.04
		9989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		9991 = NEVER USED PCP.....	54294	97.65
		9994 = DON'T KNOW.....	24	0.04
		9997 = REFUSED.....	18	0.03
		9998 = BLANK (NO ANSWER).....	40	0.07
		9999 = LEGITIMATE SKIP.....	1103	1.98

HALLUCINOGENS			PAGE:	53
LABEL	LEN	DESCRIPTION	FREQ	%
PCPMFU	2	MONTH OF FIRST PCP USE - RECODE		-
		1 = January.....	10	0.02
		2 = February.....	5	0.01
		3 = March.....	4	0.01
		4 = April.....	9	0.02
		5 = May.....	9	0.02
		6 = June.....	10	0.02
		7 = July.....	12	0.02
		8 = August.....	8	0.01
		9 = September.....	7	0.01
		10 = October.....	12	0.02
		11 = November.....	4	0.01
		12 = December.....	3	0.01
		85 = BAD DATA Logically assigned.....	20	0.04
		89 = LEGITIMATE SKIP Logically assn.....	1	0.00
		91 = NEVER USED PCP.....	54294	97.65
		94 = DON'T KNOW.....	32	0.06
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	41	0.07
		99 = LEGITIMATE SKIP.....	1103	1.98
(LS16)		How long has it been since you last used PCP?		
PCPREC	2	TIME SINCE LAST USED PCP		
		1 = Within the past 30 days.....	18	0.03
		2 = More than 30 days ago but within the past 12 mos..	85	0.15
		3 = More than 12 months ago.....	1126	2.03
		8 = Used at some point in the past 12 mos LOG ASSN....	8	0.01
		9 = Used at some point in the lifetime LOG ASSN.....	30	0.05
		91 = NEVER USED PCP.....	54294	97.65
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	35	0.06
(LS17)		Now think only about "Ecstasy." How old were you the first time you used "Ecstasy," also known as MDMA?		
ECSAGE	3	AGE WHEN FIRST USED ECSTASY		
	RANGE =	5 - 48	3651	6.57
		985 = BAD DATA Logically assigned.....	9	0.02
		991 = NEVER USED ECSTASY.....	51862	93.27
		994 = DON'T KNOW.....	7	0.01
		997 = REFUSED.....	10	0.02
		998 = BLANK (NO ANSWER).....	63	0.11

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

HALLUCINOGENS			PAGE:	54
LABEL	LEN	DESCRIPTION	FREQ	%
(LS18)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions LS18, LS19, LS20, LS21, and associated consistency checks were used to create the following two variables.		-
ECSYFU	4	YEAR OF FIRST ECSTASY USE - RECODE		
		RANGE = 2002 - 2004	514	0.92
		9985 = BAD DATA Logically assigned.....	46	0.08
		9989 = LEGITIMATE SKIP Logically assigned.....	35	0.06
		9991 = NEVER USED ECSTASY.....	51862	93.27
		9994 = DON'T KNOW.....	7	0.01
		9997 = REFUSED.....	10	0.02
		9998 = BLANK (NO ANSWER).....	89	0.16
		9999 = LEGITIMATE SKIP.....	3039	5.47
ECSMFU	2	MONTH OF FIRST ECSTASY USE - RECODE		
		1 = January.....	57	0.10
		2 = February.....	38	0.07
		3 = March.....	49	0.09
		4 = April.....	29	0.05
		5 = May.....	34	0.06
		6 = June.....	45	0.08
		7 = July.....	51	0.09
		8 = August.....	34	0.06
		9 = September.....	39	0.07
		10 = October.....	41	0.07
		11 = November.....	27	0.05
		12 = December.....	41	0.07
		85 = BAD DATA Logically assigned.....	47	0.08
		89 = LEGITIMATE SKIP Logically assn.....	35	0.06
		91 = NEVER USED ECSTASY.....	51862	93.27
		94 = DON'T KNOW.....	33	0.06
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	89	0.16
		99 = LEGITIMATE SKIP.....	3039	5.47
(LS22)		How long has it been since you last used "Ecstasy," also known as MDMA?		
ECSREC	2	TIME SINCE LAST USED ECSTASY		
		1 = Within the past 30 days.....	187	0.34
		2 = More than 30 days ago but within the past 12 mos..	635	1.14
		3 = More than 12 months ago.....	2777	4.99
		8 = Used at some point in the past 12 mos LOG ASSN....	10	0.02
		9 = Used at some point in the lifetime LOG ASSN.....	81	0.15
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	1	0.00
		91 = NEVER USED ECSTASY.....	51862	93.27
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	43	0.08

LABEL	LEN	DESCRIPTION	PAGE:	55
			FREQ	%

(IN01A) INHALANTS

These next questions are about liquids, sprays, and gases that people sniff or inhale to get high or to make them feel good. We are not interested in times when you inhaled a substance accidentally - such as when painting, cleaning an oven, or filling a car with gasoline.

The questions use the term "inhalant" to include all the things listed below, as well as any other substances that people sniff or inhale for kicks or to get high. Take a moment to look at the substances listed below so you know what kinds of liquids, sprays, and gases these questions are about.

Amyl nitrite, "poppers," locker room odorizers, or "rush"
 Correction fluid, degreaser, or cleaning fluid
 Gasoline or lighter fluid
 Glue, shoe polish, or toluene
 Halothane, ether, or other paint solvents
 Lighter gases, such as butane or propane
 Nitrous oxide or "whippets"
 Spray paints
 Other aerosol sprays

Have you ever, even once, inhaled amyl nitrite, "poppers," locker room odorizers, or "rush" for kicks or to get high?

AMYLNIT 2 EVER INHALED AMYL NITRITE, "POPPERS," RUSH, ETC.

1 = Yes.....	1603	2.88
2 = No.....	5165	9.29
3 = Yes LOGICALLY ASSIGNED.....	1	0.00
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED INHALANTS.....	48795	87.76
94 = DON'T KNOW.....	26	0.05
97 = REFUSED.....	11	0.02

(IN01B) Have you ever, even once, inhaled correction fluid, degreaser, or cleaning fluid for kicks or to get high?

CLEFLU 2 EVER INHALED CORRECTION FLUID, DEGREASER, ETC.

1 = Yes.....	821	1.48
2 = No.....	5924	10.65
3 = Yes LOGICALLY ASSIGNED.....	31	0.06
85 = BAD DATA Logically assigned.....	1	0.00
91 = NEVER USED INHALANTS.....	48795	87.76
94 = DON'T KNOW.....	24	0.04
97 = REFUSED.....	6	0.01

INHALANTS			PAGE:	56
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
(IN01C) Have you ever, even once, inhaled gasoline or lighter fluid for kicks or to get high?				
<hr/>				
GAS	2	EVER INHALED GASOLINE OR LIGHTER FLUID		
		1 = Yes.....	1495	2.69
		2 = No.....	5282	9.50
		3 = Yes LOGICALLY ASSIGNED.....	5	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	48795	87.76
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	1	0.00
<hr/>				
(IN01D) Have you ever, even once, inhaled glue, shoe polish, or toluene for kicks or to get high?				
<hr/>				
GLUE	2	EVER INHALED GLUE, SHOE POLISH, OR TOLUENE		
		1 = Yes.....	1572	2.83
		2 = No.....	5204	9.36
		3 = Yes LOGICALLY ASSIGNED.....	10	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	48795	87.76
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	1	0.00
<hr/>				
(IN01E) Have you ever, even once, inhaled halothane, ether, or other anesthetics for kicks or to get high?				
<hr/>				
ETHER	2	EVER INHALED HALOTHANE, ETHER, OR OTHER ANESTHETIC		
		1 = Yes.....	339	0.61
		2 = No.....	6439	11.58
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	48795	87.76
		94 = DON'T KNOW.....	21	0.04
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	1	0.00
<hr/>				
(IN01F) Have you ever, even once, inhaled lacquer thinner or other paint solvents for kicks or to get high?				
<hr/>				
SOLVENT	2	EVER INHALED LACQUER THINNER, OTHER PAINT SOLVENTS		
		1 = Yes.....	735	1.32
		2 = No.....	6049	10.88
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	48795	87.76
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	1	0.00

INHALANTS			PAGE:	57
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
(IN01G) Have you ever, even once, inhaled lighter gases, such as butane or propane for kicks or to get high?				
<hr/>				
LGAS	2	EVER INHALED LIGHTER GASES (BUTANE, PROPANE)		
		1 = Yes.....	463	0.83
		2 = No.....	6324	11.37
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	48795	87.76
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	1	0.00
<hr/>				
(IN01H) Have you ever, even once, inhaled nitrous oxide or whippets for kicks or to get high?				
<hr/>				
NITOXID	2	EVER INHALED NITROUS OXIDE OR "WHIPPETS"		
		1 = Yes.....	3195	5.75
		2 = No.....	3578	6.44
		3 = Yes LOGICALLY ASSIGNED.....	4	0.01
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	48795	87.76
		94 = DON'T KNOW.....	26	0.05
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	1	0.00
<hr/>				
(IN01I) Have you ever, even once, inhaled spray paints for kicks or to get high?				
<hr/>				
SPPAINT	2	EVER INHALED SPRAY PAINTS		
		1 = Yes.....	962	1.73
		2 = No.....	5815	10.46
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	48795	87.76
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	1	0.00
<hr/>				
(IN01J) Have you ever, even once, inhaled some other aerosol spray for kicks or to get high?				
<hr/>				
AEROS	2	EVER INHALED OTHER AEROSOL SPRAYS		
		1 = Yes.....	967	1.74
		2 = No.....	5803	10.44
		3 = Yes LOGICALLY ASSIGNED.....	10	0.02
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	48795	87.76
		94 = DON'T KNOW.....	21	0.04
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	1	0.00

LABEL	LEN	DESCRIPTION	PAGE :	58
			FREQ	%
(IN01L)		Have you ever, even once used any other inhalants for kicks or to get high besides the ones that have been listed?		-
INHNOLST	2	EVER USED OTHER INHALANTS		
		1 = Yes.....	667	1.20
		2 = No.....	6106	10.98
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	48795	87.76
		94 = DON'T KNOW.....	22	0.04
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	1	0.00

LABEL	LEN	DESCRIPTION	PAGE:	59
			FREQ	%
INHNEWA	4	OTHER INHALANT - SPECIFY 1		-
377		Albuterol, Proventil, Ventolin.....	10	0.02
501		Gasoline or lighter fluids.....	7	0.01
502		Spray paints.....	2	0.00
503		Other aerosol sprays.....	34	0.06
504		Shoeshine liquid, glue, or toluene.....	19	0.03
505		Lacquer thinner or other paint solvents.....	2	0.00
506		Amyl nitrite,"poppers,"locker room odorizer,"rush"	3	0.01
507		Halothane, ether, or other anesthetics; chloroform	2	0.00
508		Nitrous oxide, "whippets," dentist gas.....	8	0.01
509		Correction fluids, degreasers, cleaning fluids....	1	0.00
510		OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	35	0.06
511		Markers, felt-tip pens, ink pens.....	146	0.26
516		Freon, refrigerant.....	29	0.05
518		Acetone, nail polish remover.....	16	0.03
519		Helium.....	29	0.05
520		Old paint, paint.....	1	0.00
521		Propane.....	1	0.00
523		Matches.....	1	0.00
524		White-Out.....	27	0.05
526		Nail polish.....	20	0.04
528		Whipped-cream can.....	20	0.04
531		Candy, powdered candy, sugar.....	1	0.00
534		Deodorant.....	5	0.01
539		Scotch-Gard.....	2	0.00
540		PAM.....	10	0.02
543		Liquid oxygen, oxygen.....	1	0.00
548		Cologne, isopropanol vapors, rubbing alcohol.....	3	0.01
560		Laundry detergent, soap.....	1	0.00
567		Pertussin spray.....	1	0.00
587		Mineral ice.....	1	0.00
588		Antifreeze.....	1	0.00
590		Canned air, compressed air.....	2	0.00
592		Computer air duster, computer cleaner, dust-off...	82	0.15
594		Starting fluid.....	1	0.00
598		Ethylene dichloride.....	1	0.00
599		Potpourri.....	1	0.00
702		Heroin.....	1	0.00
801		OTHER Drugs, NOT OTHERWISE SPECIFIED.....	1	0.00
803		Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	5	0.01
807		Alcohol, beer, ethanol, EtOH, pink champagne.....	3	0.01
809		Pills.....	1	0.00
3047		Sudafed <OTC>.....	1	0.00
5001		Bleach.....	1	0.00
5022		Carbon dioxide, CO2, dry ice hits.....	3	0.01
5028		Carburetor cleaner, engine cleaner.....	1	0.00
5042		Fuels other than gasoline.....	1	0.00
5044		Powdered cleansers; e.g. Ajax, Comet, Boraxo.....	2	0.00
5045		Cleaner; not otherwise specified.....	1	0.00
5049		Hand sanitizer; contents unspecified.....	1	0.00
5052		Silly String.....	1	0.00
5053		Electronics cleaner.....	1	0.00
5069		Febreze.....	1	0.00
5070		Silicone.....	1	0.00
5071		Purell.....	1	0.00
6136		Spook.....	1	0.00
8024		Asthma inhaler, asthma medication, bronchial dilator	10	0.02
8170		Muscle stimulator spray; contents unspecified....	1	0.00
9985		BAD DATA Logically assigned.....	1	0.00
9991		NEVER USED INHALANTS.....	48795	87.76
9997		REFUSED.....	27	0.05
9998		BLANK (NO ANSWER).....	108	0.19
9999		LEGITIMATE SKIP.....	6106	10.98

INHALANTS			PAGE:	60
LABEL	LEN	DESCRIPTION	FREQ	%
INHNEWB	4	OTHER INHALANT - SPECIFY 2		-
		377 = Albuterol, Proventil, Ventolin.....	1	0.00
		501 = Gasoline or lighter fluids.....	1	0.00
		502 = Spray paints.....	1	0.00
		503 = Other aerosol sprays.....	6	0.01
		504 = Shoeshine liquid, glue, or toluene.....	2	0.00
		506 = Amyl nitrite, "poppers," locker room odorizer, "rush"	1	0.00
		510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	8	0.01
		511 = Markers, felt-tip pens, ink pens.....	21	0.04
		518 = Acetone, nail polish remover.....	2	0.00
		519 = Helium.....	1	0.00
		520 = Old paint, paint.....	2	0.00
		524 = White-Out.....	5	0.01
		525 = Butane.....	1	0.00
		526 = Nail polish.....	8	0.01
		528 = Whipped-cream can.....	1	0.00
		540 = PAM.....	1	0.00
		548 = Cologne, isopropanol vapors, rubbing alcohol.....	3	0.01
		592 = Computer air duster, computer cleaner, dust-off....	8	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	1	0.00
		5045 = Cleaner; not otherwise specified.....	1	0.00
		8056 = Vicks VapoRub <OTC>.....	1	0.00
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED INHALANTS.....	48795	87.76
		9997 = REFUSED.....	12	0.02
		9998 = BLANK (NO ANSWER).....	612	1.10
		9999 = LEGITIMATE SKIP.....	6106	10.98
INHNEWC	4	OTHER INHALANT - SPECIFY 3		
		502 = Spray paints.....	1	0.00
		504 = Shoeshine liquid, glue, or toluene.....	1	0.00
		510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED.....	1	0.00
		511 = Markers, felt-tip pens, ink pens.....	5	0.01
		518 = Acetone, nail polish remover.....	2	0.00
		524 = White-Out.....	2	0.00
		540 = PAM.....	1	0.00
		8016 = Icy hot <OTC>.....	1	0.00
		9991 = NEVER USED INHALANTS.....	48795	87.76
		9997 = REFUSED.....	10	0.02
		9998 = BLANK (NO ANSWER).....	677	1.22
		9999 = LEGITIMATE SKIP.....	6106	10.98
INHNEWD	4	OTHER INHALANT - SPECIFY 4		
		504 = Shoeshine liquid, glue, or toluene.....	1	0.00
		511 = Markers, felt-tip pens, ink pens.....	2	0.00
		520 = Old paint, paint.....	1	0.00
		573 = Furniture polish.....	1	0.00
		9991 = NEVER USED INHALANTS.....	48795	87.76
		9997 = REFUSED.....	10	0.02
		9998 = BLANK (NO ANSWER).....	686	1.23
		9999 = LEGITIMATE SKIP.....	6106	10.98
INHNEWE	4	OTHER INHALANT - SPECIFY 5		
		511 = Markers, felt-tip pens, ink pens.....	2	0.00
		573 = Furniture polish.....	1	0.00
		9991 = NEVER USED INHALANTS.....	48795	87.76
		9997 = REFUSED.....	10	0.02
		9998 = BLANK (NO ANSWER).....	688	1.24
		9999 = LEGITIMATE SKIP.....	6106	10.98

LABEL	LEN	DESCRIPTION	PAGE:	61
			FREQ	%
(INREF)		The answers that people give us about their use of inhalants are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		-
		Please think again about answering this question: Have you ever, even once, used any type of inhalant for kicks or to get high?		
		NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: AMYLNIT, CLEFLU, GAS, GLUE, ETHER, SOLVENT, LGAS, NITOXID, SPPAINT, AEROS, or INHNOLST. This variable also was coded as 91 if all of the above variables were coded as 91.		
INHEVER	2	EVER USED INHALANTS		
		1 = Yes.....	6718	12.08
		91 = NEVER USED INHALANTS.....	48795	87.76
		98 = BLANK (NO ANSWER).....	89	0.16
(IN02)		How old were you the first time you used any inhalant for kicks or to get high?		
INHAGE	3	AGE WHEN FIRST USED INHALANTS		
		RANGE = 1 - 60	6397	11.50
		985 = BAD DATA Logically assigned.....	64	0.12
		991 = NEVER USED INHALANTS.....	48795	87.76
		994 = DON'T KNOW.....	180	0.32
		997 = REFUSED.....	78	0.14
		998 = BLANK (NO ANSWER).....	88	0.16
(IN03A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions IN03a, IN03b, IN03c, IN03d, and associated consistency checks were used to create the following two variables.		
INHYFU	4	YEAR OF FIRST INHALANT USE - RECODE		
		RANGE = 2002 - 2004	894	1.61
		9985 = BAD DATA Logically assigned.....	197	0.35
		9989 = LEGITIMATE SKIP Logically assn.....	63	0.11
		9991 = NEVER USED INHALANTS.....	48795	87.76
		9994 = DON'T KNOW.....	188	0.34
		9997 = REFUSED.....	81	0.15
		9998 = BLANK (NO ANSWER).....	89	0.16
		9999 = LEGITIMATE SKIP.....	5295	9.52

LABEL	LEN	DESCRIPTION	PAGE:	62
			FREQ	%
INHMFU	2	MONTH OF FIRST INHALANT USE - RECODE		-
		1 = January.....	75	0.13
		2 = February.....	57	0.10
		3 = March.....	82	0.15
		4 = April.....	66	0.12
		5 = May.....	58	0.10
		6 = June.....	81	0.15
		7 = July.....	90	0.16
		8 = August.....	53	0.10
		9 = September.....	62	0.11
		10 = October.....	75	0.13
		11 = November.....	61	0.11
		12 = December.....	39	0.07
		85 = BAD DATA Logically assigned.....	195	0.35
		89 = LEGITIMATE SKIP Logically assn.....	63	0.11
		91 = NEVER USED INHALANTS.....	48795	87.76
		94 = DON'T KNOW.....	280	0.50
		97 = REFUSED.....	84	0.15
		98 = BLANK (NO ANSWER).....	91	0.16
		99 = LEGITIMATE SKIP.....	5295	9.52
(INLAST)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last used any inhalant for kicks or to get high?		
INHREC	2	TIME SINCE LAST USED INHALANTS		
		1 = Within the past 30 days.....	324	0.58
		2 = More than 30 days ago but within the past 12 mos..	911	1.64
		3 = More than 12 months ago.....	5203	9.36
		8 = Used at some point in the past 12 mos LOG ASSN....	30	0.05
		9 = Used at some point in lifetime LOG ASSN.....	249	0.45
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	1	0.00
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED INHALANTS.....	48795	87.76
		98 = BLANK (NO ANSWER).....	88	0.16
INHYRTOT	3	TOTAL # OF DAYS USED INHALANT PAST 12 MONTHS		
		RANGE = 1 - 360	1223	2.20
		985 = BAD DATA Logically assigned.....	14	0.03
		991 = NEVER USED INHALANTS.....	48795	87.76
		993 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	5203	9.36
		994 = DON'T KNOW.....	19	0.03
		997 = REFUSED.....	11	0.02
		998 = BLANK (NO ANSWER).....	337	0.61
INTOTFG	2	TRIMMING INDICATOR FOR INHYRTOT		
		2 = Trimmed relative to the 30-day freq.....	5	0.01
		98 = BLANK (NO ANSWER).....	55597	99.99
INFQFLG	2	TRIMMED INHYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	144	0.26
		98 = BLANK (NO ANSWER).....	55458	99.74

LABEL	LEN	DESCRIPTION	PAGE:	63
			FREQ	%
(INFRAME3) Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used an inhalant of any kind for kicks or to get high during the past 12 months.				
What would be the easiest way for you to tell us how many days you've done this?				
INBSTWAY 2 EASIEST WAY TO TELL US # DAYS USED INHALANTS				
1 = Prefer to answer in days per week..... 197 0.35				
2 = Prefer to answer in days per month..... 250 0.45				
3 = Prefer to answer in days per year..... 757 1.36				
11 = Prefer to ans in days per wk LOG ASSN..... 1 0.00				
12 = Prefer to ans in days per mo LOG ASSN..... 8 0.01				
13 = Prefer to ans in days per yr LOG ASSN..... 24 0.04				
85 = BAD DATA Logically assigned..... 14 0.03				
91 = NEVER USED INHALANTS..... 48795 87.76				
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS..... 5203 9.36				
94 = DON'T KNOW..... 12 0.02				
97 = REFUSED..... 4 0.01				
98 = BLANK (NO ANSWER)..... 337 0.61				
(INYRAVE) On how many days in the past 12 months did you use an inhalant of any kind for kicks or to get high?				
INDAYPYR 3 # DAYS USED INHALANT PAST 12 MONTHS				
RANGE = 1 - 365 778 1.40				
985 = BAD DATA Logically assigned..... 6 0.01				
989 = LEGITIMATE SKIP Logically assigned..... 9 0.02				
991 = NEVER USED INHALANTS..... 48795 87.76				
993 = DID NOT USE INHALANTS IN THE PAST 12 MOS..... 5203 9.36				
994 = DON'T KNOW..... 15 0.03				
997 = REFUSED..... 4 0.01				
998 = BLANK (NO ANSWER)..... 345 0.62				
999 = LEGITIMATE SKIP..... 447 0.80				
(INMONAVE) On average, how many days did you use an inhalant of any kind for kicks or to get high each month during the past 12 months?				
INDAYPMO 2 # DAYS PER MONTH USED INHALANT PAST 12 MONTHS				
RANGE = 1 - 31 254 0.46				
85 = BAD DATA Logically assigned..... 2 0.00				
89 = LEGITIMATE SKIP Logically assigned..... 1 0.00				
91 = NEVER USED INHALANTS..... 48795 87.76				
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS..... 5203 9.36				
94 = DON'T KNOW..... 20 0.04				
97 = REFUSED..... 3 0.01				
98 = BLANK (NO ANSWER)..... 349 0.63				
99 = LEGITIMATE SKIP..... 975 1.75				

INHALANTS			PAGE:	64
LABEL	LEN	DESCRIPTION	FREQ	%

(INWKAVE) On average, how many days did you use an inhalant of any kind for kicks or to get high each week during the past 12 months?				
INDAYPWK	2	# DAYS PER WEEK USED INHALANT PAST 12 MONTHS		
RANGE = 1 - 7				
85 = BAD DATA Logically assigned..... 6 0.01				
91 = NEVER USED INHALANTS..... 48795 87.76				
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS..... 5203 9.36				
94 = DON'T KNOW..... 19 0.03				
97 = REFUSED..... 11 0.02				
98 = BLANK (NO ANSWER)..... 345 0.62				
99 = LEGITIMATE SKIP..... 1032 1.86				
(IN06) Think specifically about the past 30 days, from [FILL DATE] up to and including today. During the past 30 days, on how many days did you use any inhalant for kicks or to get high?				
INHDY30A	2	# DAYS USED INHALANT PAST 30 DAYS		
RANGE = 1 - 30				
85 = BAD DATA Logically assigned..... 20 0.04				
91 = NEVER USED INHALANTS..... 48795 87.76				
93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS..... 6114 11.00				
94 = DON'T KNOW..... 9 0.02				
97 = REFUSED..... 1 0.00				
98 = BLANK (NO ANSWER)..... 349 0.63				
(IN06DKRE) What is your best estimate of the number of days you used any inhalant for kicks or to get high during the past 30 days?				
IN30EST	2	BEST ESTIMATE # DAYS USED INHALANTS PAST 30 DAYS		
1 = 1 or 2 days..... 5 0.01				
2 = 3 to 5 days..... 2 0.00				
3 = 6 to 9 days..... 1 0.00				
5 = 20 to 29 days..... 1 0.00				
91 = NEVER USED INHALANTS..... 48795 87.76				
93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS..... 6114 11.00				
94 = DON'T KNOW..... 1 0.00				
98 = BLANK (NO ANSWER)..... 369 0.66				
99 = LEGITIMATE SKIP..... 314 0.56				

LABEL	LEN	DESCRIPTION	PAGE:	65
			FREQ	%

(PR01) PAIN RELIEVERS

Now we have some questions about drugs that people are supposed to take only if they have a prescription from a doctor. We are only interested in your use of a drug if:
 - the drug was not prescribed for you, or
 - you took the drug only for the experience or feeling it caused.

These questions are about the use of pain relievers. We are not interested in your use of "over-the-counter" pain relievers such as aspirin, Tylenol, or Advil that can be bought in drug stores or grocery stores without a doctor's prescription.

Card A shows pictures of some different kinds of prescription pain relievers and lists the names of some others. These pictures show only pills, but we are interested in your use of any form of prescription pain relievers that were not prescribed for you or that you took only for the experience or feeling they caused. Please look at Card A carefully as you answer the next questions.

Have you ever, even once, used Darvocet, Darvon, or Tylenol with codeine that was not prescribed for you or that you took only for the experience or feeling it caused?

DARVTYLC 2 EVER USED DARVOCET, DARVON, OR TYLENOL W/ CODEINE

1 = Yes.....	5200	9.35
2 = No.....	4019	7.23
3 = Yes LOGICALLY ASSIGNED.....	15	0.03
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
91 = NEVER USED PAIN RELIEVERS.....	46146	82.99
94 = DON'T KNOW.....	112	0.20
97 = REFUSED.....	15	0.03
98 = BLANK (NO ANSWER).....	1	0.00

(PR02) Have you ever, even once, used Percocet, Percodan, or Tylox that was not prescribed for you or that you took only for the experience or feeling it caused?

PERCTYLYX 2 EVER USED PERCOSET, PERCODAN, OR TYLOX

1 = Yes.....	3022	5.44
2 = No.....	6267	11.27
3 = Yes LOGICALLY ASSIGNED.....	15	0.03
81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
91 = NEVER USED PAIN RELIEVERS.....	46146	82.99
94 = DON'T KNOW.....	49	0.09
97 = REFUSED.....	8	0.01
98 = BLANK (NO ANSWER).....	1	0.00

PAIN RELIEVERS			PAGE:	66
LABEL	LEN	DESCRIPTION	FREQ	%
(PR03)		Have you ever, even once, used Vicodin, Lortab, or Loracet that was not prescribed for you or that you took only for the experience or feeling it caused?		-
VICOLOR	2	EVER USED VICODIN, LORTAB, OR LORCET		
		1 = Yes.....	5228	9.40
		2 = No.....	4049	7.28
		3 = Yes LOGICALLY ASSIGNED.....	32	0.06
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99
		94 = DON'T KNOW.....	42	0.08
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	1	0.00
(PR04)		Please look at the pain relievers shown below the red line on Card A.		
		Have you ever, even once, used any of these pain relievers when they were not prescribed for you or that you took only for the experience or feeling they caused?		
ANLCARD	2	EVER USED PAIN RELIEVER BELOW RED LINE ON CARD A		
		1 = Yes.....	3864	6.95
		2 = No.....	5364	9.65
		3 = Yes LOGICALLY ASSIGNED.....	63	0.11
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99
		94 = DON'T KNOW.....	58	0.10
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	1	0.00
(PR04A)		Which of the pain relievers shown below the red line on Card A have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?		
CODEINE	2	EVER USED CODEINE NONMEDICALLY		
		1 = Response entered.....	2099	3.78
		3 = Response entered LOGICALLY ASSIGNED.....	13	0.02
		6 = Response not entered.....	1740	3.13
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99
		94 = DON'T KNOW.....	49	0.09
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	59	0.11
		99 = LEGITIMATE SKIP.....	5364	9.65
DEMEROL	2	EVER USED DEMEROL NONMEDICALLY		
		1 = Response entered.....	689	1.24
		3 = Response entered LOGICALLY ASSIGNED.....	10	0.02
		6 = Response not entered.....	3153	5.67
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99
		94 = DON'T KNOW.....	49	0.09
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	59	0.11
		99 = LEGITIMATE SKIP.....	5364	9.65

PAIN RELIEVERS			PAGE:	67
LABEL	LEN	DESCRIPTION	FREQ	%
DILAUD	2	EVER USED DILAUDID NONMEDICALLY		-
		1 = Response entered.....	153	0.28
		3 = Response entered LOGICALLY ASSIGNED.....	5	0.01
		6 = Response not entered.....	3694	6.64
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99
		94 = DON'T KNOW.....	49	0.09
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	59	0.11
		99 = LEGITIMATE SKIP.....	5364	9.65
FIORICET	2	EVER USED FIORICET NONMEDICALLY		
		1 = Response entered.....	110	0.20
		6 = Response not entered.....	3742	6.73
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99
		94 = DON'T KNOW.....	49	0.09
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	59	0.11
		99 = LEGITIMATE SKIP.....	5364	9.65
FIORINAL	2	EVER USED FIORINAL NONMEDICALLY		
		1 = Response entered.....	72	0.13
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	3779	6.80
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99
		94 = DON'T KNOW.....	49	0.09
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	59	0.11
		99 = LEGITIMATE SKIP.....	5364	9.65
HYDROCOD	2	EVER USED HYDROCODONE NONMEDICALLY		
		1 = Response entered.....	1985	3.57
		3 = Response entered LOGICALLY ASSIGNED.....	18	0.03
		6 = Response not entered.....	1849	3.33
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99
		94 = DON'T KNOW.....	49	0.09
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	59	0.11
		99 = LEGITIMATE SKIP.....	5364	9.65
METHDON	2	EVER USED METHADONE NONMEDICALLY		
		1 = Response entered.....	466	0.84
		3 = Response entered LOGICALLY ASSIGNED.....	6	0.01
		6 = Response not entered.....	3380	6.08
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99
		94 = DON'T KNOW.....	49	0.09
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	59	0.11
		99 = LEGITIMATE SKIP.....	5364	9.65

PAIN RELIEVERS			PAGE:	68
LABEL	LEN	DESCRIPTION	FREQ	%
MORPHINE 2 EVER USED MORPHINE NONMEDICALLY				
		1 = Response entered.....	795	1.43
		3 = Response entered LOGICALLY ASSIGNED.....	7	0.01
		6 = Response not entered.....	3050	5.49
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99
		94 = DON'T KNOW.....	49	0.09
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	59	0.11
		99 = LEGITIMATE SKIP.....	5364	9.65
OXYCONTIN 2 EVER USED OXYCONTIN NONMEDICALLY				
		1 = Response entered.....	1208	2.17
		3 = Response entered LOGICALLY ASSIGNED.....	22	0.04
		6 = Response not entered.....	2622	4.72
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99
		94 = DON'T KNOW.....	49	0.09
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	59	0.11
		99 = LEGITIMATE SKIP.....	5364	9.65
PHENCOD 2 EVER USED PHENAPHEN WITH CODEINE NONMEDICALLY				
		1 = Response entered.....	193	0.35
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	3658	6.58
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99
		94 = DON'T KNOW.....	49	0.09
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	59	0.11
		99 = LEGITIMATE SKIP.....	5364	9.65
PROPOXY 2 EVER USED PROPOXYPHENE NONMEDICALLY				
		1 = Response entered.....	112	0.20
		6 = Response not entered.....	3740	6.73
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99
		94 = DON'T KNOW.....	49	0.09
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	59	0.11
		99 = LEGITIMATE SKIP.....	5364	9.65
SK65A 2 EVER USED SK65 NONMEDICALLY				
		1 = Response entered.....	21	0.04
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	3830	6.89
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99
		94 = DON'T KNOW.....	49	0.09
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	59	0.11
		99 = LEGITIMATE SKIP.....	5364	9.65

PAIN RELIEVERS			PAGE:	69
LABEL	LEN	DESCRIPTION	FREQ	%
STADOL	2	EVER USED STADOL NONMEDICALLY		-
		1 = Response entered.....	42	0.08
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	3809	6.85
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99
		94 = DON'T KNOW.....	49	0.09
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	59	0.11
		99 = LEGITIMATE SKIP.....	5364	9.65
TALACEN	2	EVER USED TALACEN NONMEDICALLY		
		1 = Response entered.....	27	0.05
		6 = Response not entered.....	3825	6.88
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99
		94 = DON'T KNOW.....	49	0.09
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	59	0.11
		99 = LEGITIMATE SKIP.....	5364	9.65
TALWIN	2	EVER USED TALWIN NONMEDICALLY		
		1 = Response entered.....	56	0.10
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	3794	6.82
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99
		94 = DON'T KNOW.....	49	0.09
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	59	0.11
		99 = LEGITIMATE SKIP.....	5364	9.65
TALWINNX	2	EVER USED TALWINNX NONMEDICALLY		
		1 = Response entered.....	19	0.03
		6 = Response not entered.....	3833	6.89
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99
		94 = DON'T KNOW.....	49	0.09
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	59	0.11
		99 = LEGITIMATE SKIP.....	5364	9.65
TRAMADOL	2	EVER USED TRAMADOL NONMEDICALLY		
		1 = Response entered.....	105	0.19
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	3746	6.74
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99
		94 = DON'T KNOW.....	49	0.09
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	59	0.11
		99 = LEGITIMATE SKIP.....	5364	9.65

LABEL	LEN	DESCRIPTION	PAGE:	70
			FREQ	%
ULTRAM 2 EVER USED ULTRAM NONMEDICALLY				
		1 = Response entered.....	344	0.62
		3 = Response entered LOGICALLY ASSIGNED.....	3	0.01
		6 = Response not entered.....	3505	6.30
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99
		94 = DON'T KNOW.....	49	0.09
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	59	0.11
		99 = LEGITIMATE SKIP.....	5364	9.65
(PR05)		Have you ever, even once, used any other prescription pain reliever, besides the ones shown on Card A, when it was not prescribed for you or that you took only for the experience or feeling it caused?		
ANLNOLST 2 EVER USED ANY OTHER PAIN RELIEVER NONMEDICALLY				
		1 = Yes.....	1715	3.08
		2 = No.....	7455	13.41
		4 = No LOGICALLY ASSIGNED.....	86	0.15
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99
		94 = DON'T KNOW.....	89	0.16
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	2	0.00

PAIN RELIEVERS			PAGE:	71
LABEL	LEN	DESCRIPTION	FREQ	%
ANALNEWA	4	OTHER PAIN RELIEVER - SPECIFY 1	-	-
105	=	Placidyl, Ethchlorvynol.....	2	0.00
109	=	Seconal.....	3	0.01
110	=	Tuinal.....	1	0.00
113	=	Halcion, Triazolam.....	1	0.00
115	=	Phenobarbital.....	3	0.01
116	=	Methaqualone, Sopor, Quaalude.....	13	0.02
118	=	Pentobarbital, Pentothal, Sodium pentothal.....	1	0.00
120	=	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED..	4	0.01
130	=	Phenergan, Promethazine.....	5	0.01
137	=	7-14.....	1	0.00
140	=	Seldane.....	1	0.00
141	=	Dilantin.....	1	0.00
157	=	Barbiturates.....	1	0.00
171	=	NyQuil <OTC>.....	1	0.00
174	=	Ambien, Zolpidem.....	7	0.01
178	=	Quetiapine, Seroquel.....	4	0.01
180	=	Tylenol P.M. <OTC>.....	2	0.00
197	=	Topamax, Topiramate.....	1	0.00
201	=	Valium, Diazepam.....	109	0.20
202	=	Librium, Chlordiazepoxide HCl.....	2	0.00
207	=	Ativan, Lorazepam, Orfidal.....	5	0.01
209	=	Xanax, Alprazolam, Tafil, Xanax bars.....	168	0.30
211	=	BuSpar, Buspirone.....	1	0.00
225	=	Desyrel, Trazadone hydrochloride.....	3	0.01
227	=	Thorazine.....	1	0.00
228	=	Amitriptyline, Elavil.....	6	0.01
234	=	Flexeril, Cyclobenzaprine.....	22	0.04
240	=	Lithium carbonate, Lithonate.....	1	0.00
241	=	Prozac, Fluoxetine.....	3	0.01
246	=	Klonopin, Clonazepam, Rivotril.....	14	0.03
268	=	Rohypnol, Flunitrazepam, roche, roofies.....	4	0.01
271	=	Zoloft.....	4	0.01
283	=	Paroxetine, Paxil.....	1	0.00
290	=	Skelaxin.....	2	0.00
295	=	Mirtazapine, Remeron.....	1	0.00
318	=	Ritalin, Methylphenidate.....	19	0.03
327	=	Black beauties, Black beauty.....	1	0.00
339	=	Amphetamines.....	3	0.01
345	=	Black Molly.....	1	0.00
369	=	Artane.....	1	0.00
377	=	Albuterol, Proventil, Ventolin.....	1	0.00
382	=	Footballs, purple footballs.....	1	0.00
401	=	Darvon.....	1	0.00
403	=	SK-65.....	1	0.00
406	=	Percodan, Roxiprin.....	4	0.01
407	=	Demerol, Meperidine.....	8	0.01
408	=	Dilaudid.....	5	0.01
409	=	Tylenol with Codeine, Tylenol 3, Tylenol 4.....	22	0.04
410	=	Phenaphen with Codeine, Phenaphen 3.....	1	0.00
411	=	Talwin.....	2	0.00
415	=	Codeine.....	13	0.02
417	=	Morphine, Roxanol.....	7	0.01
418	=	Methadone, Dolophine.....	6	0.01
419	=	Stadol, Stadol NS.....	1	0.00
420	=	OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	41	0.07
421	=	USED ANALGESIC, DON'T KNOW NAME.....	190	0.34
422	=	Motrin.....	42	0.08

PAIN RELIEVERS			PAGE:	72
LABEL	LEN	DESCRIPTION	FREQ	%
423	=	Percocet.....	24	0.04
425	=	Advil <OTC>.....	7	0.01
426	=	Fiorinal.....	1	0.00
427	=	Darvocet.....	2	0.00
430	=	Aspirin, Ecotrin, Empirin <OTC>.....	2	0.00
431	=	Tylox.....	3	0.01
433	=	Paregoric.....	1	0.00
434	=	Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....	88	0.16
435	=	Tylenol, Tylenol Extra-Strength <OTC>.....	7	0.01
438	=	Anaprox, Naprosyn, Naproxen, Naxen.....	22	0.04
439	=	222, Canadian 222.....	2	0.00
442	=	Ibuprofen.....	83	0.15
458	=	Finalin, Mepergan, Mepergan Fortis, Meprozine.....	1	0.00
462	=	Norflex.....	1	0.00
465	=	Fentanyl, Duragesic, Sublimaze.....	6	0.01
470	=	Cafergot.....	1	0.00
472	=	Indocin, Indomethacin.....	2	0.00
477	=	Melumbrina, Neo-Melumbrina.....	1	0.00
481	=	Acular, Ketorolac tromethamine, Toradol.....	1	0.00
490	=	Nalbuphine, Nubain.....	1	0.00
496	=	Ultram.....	1	0.00
499	=	Alieve <OTC>.....	1	0.00
507	=	Halothane, ether, or other anesthetics; chloroform	1	0.00
605	=	PCP ("angel dust," phencyclidine).....	1	0.00
658	=	Special K, Ketamine.....	3	0.01
663	=	Animal tranquilizer, horse tranquilizer.....	1	0.00
801	=	OTHER Drugs, NOT OTHERWISE SPECIFIED.....	1	0.00
802	=	THC, cannabinol, marinol.....	1	0.00
803	=	Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	1	0.00
819	=	Inderal, Propranolol.....	1	0.00
820	=	Penicillin.....	8	0.01
821	=	Amoxicillin, Ampicillin.....	5	0.01
824	=	Steroids.....	1	0.00
858	=	Antibiotic.....	2	0.00
894	=	Depakene, Depakote, Valproic acid.....	1	0.00
2001	=	Soma, Carisoprodol.....	46	0.08
2002	=	Muscle Relaxers.....	9	0.02
2003	=	Zannies, zans, zany bars.....	5	0.01
2012	=	Geodon, Ziprasidone.....	1	0.00
2013	=	Levsin, Hyoscyamine.....	1	0.00
2014	=	Robaxisal, Methoxisal.....	1	0.00
2015	=	Flexodin.....	1	0.00
3018	=	Up-johns.....	1	0.00
3023	=	Adderall.....	34	0.06
3026	=	Bupropion, Wellbutrin, Zyban.....	2	0.00
3050	=	Mini Thins.....	1	0.00
3052	=	Speed; otherwise unspecified.....	5	0.01
3077	=	Concerta.....	1	0.00
3090	=	Provigil, Modafinil.....	2	0.00
4002	=	Imitrex, Sumatriptan.....	3	0.01
4005	=	Etodolac, Lodine.....	1	0.00
4031	=	Cough medicine with Codeine.....	2	0.00
4033	=	Vicoprofen.....	4	0.01
4035	=	Nabumetone, Relafin.....	1	0.00
4037	=	MS Contin.....	1	0.00
4039	=	Daypro, Oxyprozin.....	1	0.00
4041	=	Maxalt.....	1	0.00
4043	=	Tramadol.....	2	0.00

PAIN RELIEVERS			PAGE:	73
LABEL	LEN	DESCRIPTION	FREQ	%
4044	= Hydrocodone.....		19	0.03
4046	= Oxycodone.....		10	0.02
4047	= Roxicet.....		2	0.00
4051	= Celebrex.....		3	0.01
4052	= Endocet.....		4	0.01
4055	= Viox.....		7	0.01
4056	= Cataflam, Diclofenac.....		2	0.00
4059	= Zomig, Zolmitriptan.....		1	0.00
4064	= Epidrin.....		1	0.00
4067	= Oxycontin.....		25	0.04
4069	= Benflogin.....		1	0.00
4082	= Dipyrone, Metamizol, Metamizole.....		1	0.00
4083	= Ultracet.....		4	0.01
4086	= Parafon Forte.....		1	0.00
4096	= Bextra, Valdecoxib.....		1	0.00
4097	= Tussionex.....		2	0.00
4100	= Excedrin Migraine <OTC>.....		1	0.00
4101	= Myprodol.....		1	0.00
4103	= Terpin Hydrate with Codeine.....		1	0.00
6029	= DXM.....		1	0.00
8002	= Zantac.....		5	0.01
8007	= Gabapentin, Neurontin.....		1	0.00
8010	= Zyrtec, Cetirizine.....		2	0.00
8012	= Coricidin <OTC>.....		1	0.00
8020	= Allegra.....		1	0.00
8021	= Cipro, Ciprofloxacin, Cliloxam.....		1	0.00
8032	= Prilosec.....		2	0.00
8058	= Cough medicine/syrup; type unspecified.....		2	0.00
8065	= Tylenol Cold Medication <OTC>.....		1	0.00
8066	= Viagra.....		1	0.00
8097	= Zanaflex.....		1	0.00
8117	= Hydrocortisone.....		1	0.00
8136	= Montekulast, Singulair.....		1	0.00
8144	= Clarinex, Desloratadine.....		1	0.00
8162	= Prevacid.....		2	0.00
8168	= Fluoride.....		1	0.00
9981	= NEVER USED PAIN RELIEVERS Logically assigned.....		94	0.17
9985	= BAD DATA Logically assigned.....		16	0.03
9989	= LEGITIMATE SKIP Logically assigned.....		86	0.15
9991	= NEVER USED PAIN RELIEVERS.....		46146	82.99
9997	= REFUSED.....		72	0.13
9998	= BLANK (NO ANSWER).....		440	0.79
9999	= LEGITIMATE SKIP.....		7455	13.41

PAIN RELIEVERS			PAGE:	74
LABEL	LEN	DESCRIPTION	FREQ	%
ANALNEWB	4	OTHER PAIN RELIEVER - SPECIFY 2	-	-
109	= Seconal.....		1	0.00
112	= Restoril, Temazepam.....		1	0.00
113	= Halcion, Triazolam.....		1	0.00
115	= Phenobarbital.....		1	0.00
116	= Methaqualone, Sopor, Quaalude.....		4	0.01
120	= Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED..		2	0.00
124	= Yellow jackets.....		1	0.00
130	= Phenergan, Promethazine.....		1	0.00
174	= Ambien, Zolpidem.....		3	0.01
178	= Quetiapine, Seroquel.....		1	0.00
201	= Valium, Diazepam.....		34	0.06
207	= Ativan, Lorazepam, Orfidal.....		2	0.00
209	= Xanax, Alprazolam, Tafil, Xanax bars.....		23	0.04
225	= Desyrel, Trazodone hydrochloride.....		1	0.00
234	= Flexeril, Cyclobenzaprine.....		2	0.00
246	= Klonopin, Clonazepam, Rivotril.....		7	0.01
313	= Fastin, Phentermine, Adipex-P.....		1	0.00
318	= Ritalin, Methylphenidate.....		4	0.01
339	= Amphetamines.....		1	0.00
401	= Darvon.....		1	0.00
407	= Demerol, Meperidine.....		2	0.00
409	= Tylenol with Codeine, Tylenol 3, Tylenol 4.....		7	0.01
415	= Codeine.....		2	0.00
417	= Morphine, Roxanol.....		3	0.01
418	= Methadone, Dolophine.....		1	0.00
420	= OTHER Analgesic, NOT OTHERWISE SPECIFIED.....		3	0.01
421	= USED ANALGESIC, DON'T KNOW NAME.....		22	0.04
422	= Motrin.....		5	0.01
423	= Percocet.....		5	0.01
425	= Advil <OTC>.....		5	0.01
427	= Darvocet.....		1	0.00
430	= Aspirin, Ecotrin, Empirin <OTC>.....		1	0.00
434	= Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....		17	0.03
435	= Tylenol, Tylenol Extra-Strength <OTC>.....		6	0.01
438	= Anaprox, Naprosyn, Naproxen, Naxen.....		1	0.00
442	= Ibuprofen.....		9	0.02
466	= Midol <OTC>.....		1	0.00
481	= Acular, Ketorolac tromethamine, Toradol.....		1	0.00
496	= Ultram.....		1	0.00
499	= Aleve <OTC>.....		2	0.00
658	= Special K, Ketamine.....		1	0.00
821	= Amoxicillin, Ampicillin.....		1	0.00
2001	= Soma, Carisoprodol.....		12	0.02
2002	= Muscle Relaxers.....		2	0.00
2003	= Zannies, zans, zany bars.....		1	0.00
2011	= Lexapro.....		1	0.00
3023	= Adderall.....		8	0.01
3026	= Bupropion, Wellbutrin, Zyban.....		2	0.00
3044	= Caffeine pills <OTC>.....		1	0.00
3052	= Speed; otherwise unspecified.....		1	0.00
3077	= Concerta.....		1	0.00
4007	= Happy pills.....		1	0.00
4023	= Pamprin <OTC>.....		1	0.00
4033	= Vicoprofen.....		1	0.00
4035	= Nabumetone, Relafin.....		1	0.00
4041	= Maxalt.....		1	0.00
4044	= Hydrocodone.....		2	0.00

PAIN RELIEVERS			PAGE:	75
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-----
		4048 = Motrin IB <OTC>.....	1	0.00
		4055 = Vioxx.....	1	0.00
		4058 = Totem poles.....	1	0.00
		4067 = Oxycontin.....	3	0.01
		4083 = Ultracet.....	2	0.00
		4104 = Dolo-Neurobion.....	1	0.00
		6083 = CCC, "Triple C," C3 <OTC>.....	1	0.00
		8007 = Gabapentin, Neurontin.....	2	0.00
		8020 = Allegra.....	1	0.00
		9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
		9985 = BAD DATA Logically assigned.....	10	0.02
		9989 = LEGITIMATE SKIP Logically assigned.....	19	0.03
		9991 = NEVER USED PAIN RELIEVERS.....	46146	82.99
		9997 = REFUSED.....	24	0.04
		9998 = BLANK (NO ANSWER).....	1549	2.79
		9999 = LEGITIMATE SKIP.....	7522	13.53

PAIN RELIEVERS			PAGE:	76
LABEL	LEN	DESCRIPTION	FREQ	%
ANALNEWC	4	OTHER PAIN RELIEVER - SPECIFY 3		-
113		= Halcion, Triazolam.....	1	0.00
116		= Methaqualone, Sopor, Quaalude.....	1	0.00
120		= Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED..	1	0.00
174		= Ambien, Zolpidem.....	1	0.00
201		= Valium, Diazepam.....	5	0.01
209		= Xanax, Alprazolam, Tafil, Xanax bars.....	12	0.02
271		= Zoloft.....	2	0.00
318		= Ritalin, Methylphenidate.....	2	0.00
326		= White cross.....	1	0.00
382		= Footballs, purple footballs.....	1	0.00
415		= Codeine.....	2	0.00
420		= OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	2	0.00
421		= USED ANALGESIC, DON'T KNOW NAME.....	4	0.01
422		= Motrin.....	3	0.01
423		= Percocet.....	1	0.00
425		= Advil <OTC>.....	2	0.00
427		= Darvocet.....	1	0.00
430		= Aspirin, Ecotrin, Empirin <OTC>.....	1	0.00
434		= Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....	5	0.01
435		= Tylenol, Tylenol Extra-Strength <OTC>.....	2	0.00
438		= Anaprox, Naprosyn, Naproxen, Naxen.....	1	0.00
442		= Ibuprofen.....	3	0.01
496		= Ultram.....	1	0.00
499		= Aleve <OTC>.....	1	0.00
2001		= Soma, Carisoprodol.....	2	0.00
2003		= Zannies, zans, zany bars.....	2	0.00
3017		= Dayquil <OTC>.....	1	0.00
3023		= Adderall.....	2	0.00
3026		= Bupropion, Wellbutrin, Zyban.....	1	0.00
3052		= Speed; otherwise unspecified.....	1	0.00
4027		= Rorer.....	1	0.00
4037		= MS Contin.....	1	0.00
4058		= Totem poles.....	1	0.00
4099		= Anacin <OTC>.....	1	0.00
8012		= Coricidin <OTC>.....	1	0.00
8020		= Allegra.....	2	0.00
9981		= NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
9985		= BAD DATA Logically assigned.....	5	0.01
9989		= LEGITIMATE SKIP Logically assigned.....	8	0.01
9991		= NEVER USED PAIN RELIEVERS.....	46146	82.99
9997		= REFUSED.....	16	0.03
9998		= BLANK (NO ANSWER).....	1728	3.11
9999		= LEGITIMATE SKIP.....	7533	13.55

PAIN RELIEVERS			PAGE:	77
LABEL	LEN	DESCRIPTION	FREQ	%
ANALNEWD	4	OTHER PAIN RELIEVER - SPECIFY 4		-
137	= 7-14.....		1	0.00
174	= Ambien, Zolpidem.....		1	0.00
201	= Valium, Diazepam.....		2	0.00
209	= Xanax, Alprazolam, Tafil, Xanax bars.....		1	0.00
234	= Flexeril, Cyclobenzaprine.....		1	0.00
241	= Prozac, Fluoxetine.....		1	0.00
246	= Klonopin, Clonazepam, Rivotril.....		2	0.00
415	= Codeine.....		2	0.00
420	= OTHER Analgesic, NOT OTHERWISE SPECIFIED.....		1	0.00
421	= USED ANALGESIC, DON'T KNOW NAME.....		1	0.00
423	= Percocet.....		1	0.00
430	= Aspirin, Ecotrin, Empirin <OTC>.....		1	0.00
442	= Ibuprofen.....		3	0.01
4052	= Endocet.....		1	0.00
8047	= Pepcid AC <OTC>.....		1	0.00
9981	= NEVER USED PAIN RELIEVERS Logically assigned.....		94	0.17
9985	= BAD DATA Logically assigned.....		2	0.00
9989	= LEGITIMATE SKIP Logically assigned.....		2	0.00
9991	= NEVER USED PAIN RELIEVERS.....		46146	82.99
9997	= REFUSED.....		15	0.03
9998	= BLANK (NO ANSWER).....		1784	3.21
9999	= LEGITIMATE SKIP.....		7539	13.56
ANALNEWE	4	OTHER PAIN RELIEVER - SPECIFY 5		-
201	= Valium, Diazepam.....		1	0.00
209	= Xanax, Alprazolam, Tafil, Xanax bars.....		1	0.00
234	= Flexeril, Cyclobenzaprine.....		1	0.00
434	= Vicodin, Lortab, Loracet, Anexsia, Co-Gesic.....		1	0.00
435	= Tylenol, Tylenol Extra-Strength <OTC>.....		1	0.00
2001	= Soma, Carisoprodol.....		1	0.00
4044	= Hydrocodone.....		1	0.00
8025	= Claritin, Claritin D <OTC>.....		1	0.00
9981	= NEVER USED PAIN RELIEVERS Logically assigned.....		94	0.17
9985	= BAD DATA Logically assigned.....		2	0.00
9989	= LEGITIMATE SKIP Logically assigned.....		2	0.00
9991	= NEVER USED PAIN RELIEVERS.....		46146	82.99
9997	= REFUSED.....		15	0.03
9998	= BLANK (NO ANSWER).....		1796	3.23
9999	= LEGITIMATE SKIP.....		7539	13.56

LABEL	LEN	DESCRIPTION	PAGE:	78
			FREQ	%
(PRREF)		The answers that people give us about their use of prescription pain relievers are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		-
		Please think again about answering this question: Have you ever, even once, used any type of prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
		NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: DARVYLC, PERCTYLX, VICOLOR, ANLCARD, or ANLNOLST. This variable also was coded as 81 or 91 if all of the above variables were coded as 81 or 91, respectively.		
ANLEVER	2	EVER USED PAIN RELIEVERS NONMEDICALLY		
		1 = Yes.....	9169	16.49
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	192	0.35
(PR06)		How old were you the first time you used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
ANALAGE	3	AGE WHEN FIRST USED PAIN RELIEVERS NONMEDICALLY		
		RANGE = 1 - 75	8635	15.53
		981 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
		985 = BAD DATA Logically assigned.....	74	0.13
		991 = NEVER USED PAIN RELIEVERS.....	46146	82.99
		994 = DON'T KNOW.....	351	0.63
		997 = REFUSED.....	111	0.20
		998 = BLANK (NO ANSWER).....	191	0.34

PAIN RELIEVERS			PAGE:	79
LABEL	LEN	DESCRIPTION	FREQ	%
(PR07A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions PR07a, PR07b, PR08a, PR08b, and associated consistency checks were used to create the following two variables.		-
ANALYFU	4	YEAR OF FIRST PAIN RELIEVER USE - RECODE		
		RANGE = 2002 - 2004	1704	3.06
		9981 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
		9985 = BAD DATA Logically assigned.....	206	0.37
		9989 = LEGITIMATE SKIP Logically assn.....	108	0.19
		9991 = NEVER USED PAIN RELIEVERS.....	46146	82.99
		9994 = DON'T KNOW.....	363	0.65
		9997 = REFUSED.....	113	0.20
		9998 = BLANK (NO ANSWER).....	194	0.35
		9999 = LEGITIMATE SKIP.....	6674	12.00
ANALMFU	2	MONTH OF FIRST PAIN RELIEVER USE - RECODE		
		1 = January.....	167	0.30
		2 = February.....	120	0.22
		3 = March.....	138	0.25
		4 = April.....	112	0.20
		5 = May.....	112	0.20
		6 = June.....	149	0.27
		7 = July.....	126	0.23
		8 = August.....	130	0.23
		9 = September.....	134	0.24
		10 = October.....	149	0.27
		11 = November.....	115	0.21
		12 = December.....	109	0.20
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
		85 = BAD DATA Logically assigned.....	206	0.37
		89 = LEGITIMATE SKIP Logically assn.....	108	0.19
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99
		94 = DON'T KNOW.....	501	0.90
		97 = REFUSED.....	118	0.21
		98 = BLANK (NO ANSWER).....	194	0.35
		99 = LEGITIMATE SKIP.....	6674	12.00

PAIN RELIEVERS			PAGE:	80
LABEL	LEN	DESCRIPTION	FREQ	%
(PR09)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		-
		How long has it been since you last used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
ANALREC	2	TIME SINCE LAST USED PAIN RELIEVER NONMEDICALLY		
		1 = Within the past 30 days.....	1564	2.81
		2 = More than 30 days ago but within the past 12 mos..	2577	4.63
		3 = More than 12 months ago.....	4684	8.42
		8 = Used at some point in the past 12 mos LOG ASSN....	39	0.07
		9 = Used at some point in lifetime LOG ASSN.....	297	0.53
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	8	0.01
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	191	0.34
ANLYRTOT	3	TOTAL # DAYS USED PAIN RELIEVER PAST 12 MONTHS		
		RANGE = 1 - 365	4057	7.30
		981 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
		985 = BAD DATA Logically assigned.....	32	0.06
		991 = NEVER USED PAIN RELIEVERS.....	46146	82.99
		993 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4684	8.42
		994 = DON'T KNOW.....	62	0.11
		997 = REFUSED.....	14	0.03
		998 = BLANK (NO ANSWER).....	513	0.92
PRTOTFG	2	TRIMMING INDICATOR FOR ANLYRTOT		
		98 = BLANK (NO ANSWER).....	55602	100.0
PRFQFLG	2	TRIMMED ANLYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	331	0.60
		98 = BLANK (NO ANSWER).....	55271	99.40

PAIN RELIEVERS			PAGE:	81
LABEL	LEN	DESCRIPTION	FREQ	%
(PR10) Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.				
What would be the easiest way for you to tell us how many days you used a prescription pain reliever in either of these ways?				
PRBSTWAY 2 EASIEST WAY TO TELL US # DAYS USED PAIN RELIEVER				
1 = Prefer to answer in days per week.....			683	1.23
2 = Prefer to answer in days per month.....			1063	1.91
3 = Prefer to answer in days per year.....			2238	4.03
11 = Prefer to ans in days per wk LOG ASSN.....			13	0.02
12 = Prefer to ans in days per mo LOG ASSN.....			21	0.04
13 = Prefer to ans in days per yr LOG ASSN.....			52	0.09
21 = Prefer to ans in days per wk (OXBSTWAY=1,11).....			15	0.03
22 = Prefer to ans in days per mo (OXBSTWAY=2,12).....			12	0.02
23 = Prefer to ans in days per yr (OXBSTWAY=3,13).....			6	0.01
81 = NEVER USED PAIN RELIEVERS Logically assigned.....			94	0.17
85 = BAD DATA Logically assigned.....			32	0.06
91 = NEVER USED PAIN RELIEVERS.....			46146	82.99
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....			4684	8.42
94 = DON'T KNOW.....			24	0.04
97 = REFUSED.....			6	0.01
98 = BLANK (NO ANSWER).....			513	0.92
(PR11) On how many days in the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?				
PRDAYPYR 3 # DAYS USED PAIN RELIEVER "NM" PAST 12 MONTHS				
RANGE = 1 - 365			2282	4.10
981 = NEVER USED PAIN RELIEVERS Logically assigned.....			94	0.17
985 = BAD DATA Logically assigned.....			11	0.02
989 = LEGITIMATE SKIP Logically assigned.....			34	0.06
991 = NEVER USED PAIN RELIEVERS.....			46146	82.99
993 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....			4684	8.42
994 = DON'T KNOW.....			36	0.06
997 = REFUSED.....			8	0.01
998 = BLANK (NO ANSWER).....			534	0.96
999 = LEGITIMATE SKIP.....			1773	3.19

LABEL	LEN	DESCRIPTION	PAGE:	82
			FREQ	%
(PR12)		On average, how many days each month during the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		-
PRDAYPMO	2	# DAYS PER MO USED PAIN RELIEVER "NM" PAST 12 MOS		
	RANGE =	1 - 30	1083	1.95
	81	= NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
	85	= BAD DATA Logically assigned.....	6	0.01
	89	= LEGITIMATE SKIP Logically assigned.....	18	0.03
	91	= NEVER USED PAIN RELIEVERS.....	46146	82.99
	93	= DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4684	8.42
	94	= DON'T KNOW.....	48	0.09
	97	= REFUSED.....	9	0.02
	98	= BLANK (NO ANSWER).....	539	0.97
	99	= LEGITIMATE SKIP.....	2975	5.35
(PR13)		On average, how many days each week during the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PRDAYPWK	2	# DAYS PER WK USED PAIN RELIEVER "NM" PAST 12 MOS		
	RANGE =	1 - 7	692	1.24
	81	= NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
	85	= BAD DATA Logically assigned.....	15	0.03
	89	= LEGITIMATE SKIP Logically assigned.....	2	0.00
	91	= NEVER USED PAIN RELIEVERS.....	46146	82.99
	93	= DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4684	8.42
	94	= DON'T KNOW.....	62	0.11
	97	= REFUSED.....	14	0.03
	98	= BLANK (NO ANSWER).....	530	0.95
	99	= LEGITIMATE SKIP.....	3363	6.05

PAIN RELIEVERS			PAGE:	83
LABEL	LEN	DESCRIPTION	FREQ	%
(PR14)		NOTE: Although the Food and Drug Administration (FDA) did not approve OxyContin for medical use in the United States until late 1995, no editing was done to OXYCAGE when respondents reported first using OxyContin at ages that would indicate nonmedical use prior to FDA approval. Although no editing was done for these cases, caution is advised in interpreting data from these respondents, and particularly the farther that OXYCAGE would be from first use in 1995.		-
		Now think only about your use of Oxycontin that was not prescribed for you or that you took only for the experience or feeling it caused. How old were you the first time you used Oxycontin in either of these ways?		
		How old were you the first time you used Oxycontin that was not prescribed for you or that you took only for the experience or feeling it caused?		
OXYCAGE	3	AGE WHEN FIRST USED OXYCONTIN NONMEDICALLY		
		RANGE = 9 - 59	1200	2.16
		981 = NEVER USED OXYCONTIN Logically assigned.....	2716	4.88
		985 = BAD DATA Logically assigned.....	8	0.01
		991 = NEVER USED OXYCONTIN.....	51510	92.64
		994 = DON'T KNOW.....	5	0.01
		997 = REFUSED.....	40	0.07
		998 = BLANK (NO ANSWER).....	123	0.22
(PR15)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions PR15, PR16, PR17, PR18, and associated consistency checks were used to create the following two variables.		
OXYCYFU	4	YEAR OF FIRST OXYCONTIN USE - RECODE		
		RANGE = 2002 - 2004	400	0.72
		9981 = NEVER USED OXYCONTIN Logically assigned.....	2716	4.88
		9985 = BAD DATA Logically assigned.....	46	0.08
		9989 = LEGITIMATE SKIP Logically assn.....	18	0.03
		9991 = NEVER USED OXYCONTIN.....	51510	92.64
		9994 = DON'T KNOW.....	7	0.01
		9997 = REFUSED.....	40	0.07
		9998 = BLANK (NO ANSWER).....	123	0.22
		9999 = LEGITIMATE SKIP.....	742	1.33

PAIN RELIEVERS			PAGE:	84
LABEL	LEN	DESCRIPTION	FREQ	%
OXYCMFU	2	MONTH OF FIRST OXYCONTIN USE - RECODE		-
		1 = January.....	38	0.07
		2 = February.....	25	0.04
		3 = March.....	28	0.05
		4 = April.....	34	0.06
		5 = May.....	27	0.05
		6 = June.....	41	0.07
		7 = July.....	32	0.06
		8 = August.....	24	0.04
		9 = September.....	23	0.04
		10 = October.....	38	0.07
		11 = November.....	33	0.06
		12 = December.....	21	0.04
		81 = NEVER USED OXYCONTIN Logically assigned.....	2716	4.88
		85 = BAD DATA Logically assigned.....	49	0.09
		89 = LEGITIMATE SKIP Logically assn (OXYCAGE<AGE2-1)...	18	0.03
		91 = NEVER USED OXYCONTIN.....	51510	92.64
		94 = DON'T KNOW.....	39	0.07
		97 = REFUSED.....	41	0.07
		98 = BLANK (NO ANSWER).....	123	0.22
		99 = LEGITIMATE SKIP (OXYCAGE<AGE2-1).....	742	1.33
(PR19)		How long has it been since you last used Oxycontin that was not prescribed for you or that you took only for the experience or feeling it caused?		
OXYCREC	2	TIME SINCE LAST USED OXYCONTIN NONMEDICALLY		
		1 = Within the past 30 days.....	138	0.25
		2 = More than 30 days ago but within the past 12 mos..	364	0.65
		3 = More than 12 months ago.....	664	1.19
		8 = Used at some point in the past 12 mos LOG ASSN....	13	0.02
		9 = Used at some point in lifetime LOG ASSN.....	50	0.09
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	1	0.00
		81 = NEVER USED OXYCONTIN Logically assigned.....	2716	4.88
		91 = NEVER USED OXYCONTIN.....	51510	92.64
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	108	0.19
OXXYRTOT	3	TOTAL # DAYS USED OXYCONTIN PAST 12 MONTHS		
		RANGE = 1 - 364	499	0.90
		981 = NEVER USED OXYCONTIN Logically assigned.....	2716	4.88
		985 = BAD DATA Logically assigned.....	5	0.01
		991 = NEVER USED OXYCONTIN.....	51510	92.64
		993 = DID NOT USE OXYCONTIN IN THE PAST 12 MOS.....	664	1.19
		994 = DON'T KNOW.....	5	0.01
		997 = REFUSED.....	38	0.07
		998 = BLANK (NO ANSWER).....	165	0.30
OXTOTFG	2	TRIMMING INDICATOR FOR OXXYRTOT		
		98 = BLANK (NO ANSWER).....	55602	100.0
OXFQFLG	2	TRIMMED OXXYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	74	0.13
		98 = BLANK (NO ANSWER).....	55528	99.87

PAIN RELIEVERS			PAGE:	85
LABEL	LEN	DESCRIPTION	FREQ	%
(PR20)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used Oxycontin that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		-
		What would be the easiest way for you to tell us how many days you used Oxycontin in either of these ways?		
OXBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED OXYCONTIN		
		1 = Prefer to answer in days per week.....	80	0.14
		2 = Prefer to answer in days per month.....	117	0.21
		3 = Prefer to answer in days per year.....	302	0.54
		12 = Prefer to ans in days per mo LOG ASSN.....	1	0.00
		23 = Prefer to ans in days per yr (PRBSTWAY=3,13).....	1	0.00
		81 = NEVER USED OXYCONTIN Logically assigned.....	2716	4.88
		85 = BAD DATA Logically assigned.....	5	0.01
		91 = NEVER USED OXYCONTIN.....	51510	92.64
		93 = DID NOT USE OXYCONTIN IN THE PAST 12 MOS.....	664	1.19
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	165	0.30
(PR21)		On how many days in the past 12 months did you use Oxycontin that was not prescribed for you or that you took only for the experience or feeling it caused?		
OXDAYPYR	3	# DAYS USED OXYCONTIN "NM" PAST 12 MONTHS		
		RANGE = 1 - 180	303	0.54
		981 = NEVER USED OXYCONTIN Logically assigned.....	2716	4.88
		985 = BAD DATA Logically assigned.....	1	0.00
		989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		991 = NEVER USED OXYCONTIN.....	51510	92.64
		993 = DID NOT USE OXYCONTIN IN THE PAST 12 MOS.....	664	1.19
		994 = DON'T KNOW.....	3	0.01
		997 = REFUSED.....	38	0.07
		998 = BLANK (NO ANSWER).....	169	0.30
		999 = LEGITIMATE SKIP.....	197	0.35
(PR22)		On average, how many days each month during the past 12 months did you use Oxycontin that was not prescribed for you or that you took only for the experience or feeling it caused?		
OXDAYPMO	2	# DAYS PER MO USED OXYCONTIN "NM" PAST 12 MOS		
		RANGE = 1 - 30	117	0.21
		81 = NEVER USED OXYCONTIN Logically assigned.....	2716	4.88
		85 = BAD DATA Logically assigned.....	3	0.01
		91 = NEVER USED OXYCONTIN.....	51510	92.64
		93 = DID NOT USE OXYCONTIN IN THE PAST 12 MOS.....	664	1.19
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	167	0.30
		99 = LEGITIMATE SKIP.....	383	0.69

LABEL	LEN	DESCRIPTION	PAGE:	86
			FREQ	%
(PR23)		On average, how many days each week during the past 12 months did you use Oxycontin that was not prescribed for you or that you took only for the experience or feeling it caused?		-
OXDAYPWK	2	# DAYS PER WK USED OXYCONTIN "NM" PAST 12 MOS		
RANGE = 1 - 7			79	0.14
81 = NEVER USED OXYCONTIN Logically assigned.....			2716	4.88
85 = BAD DATA Logically assigned.....			1	0.00
91 = NEVER USED OXYCONTIN.....			51510	92.64
93 = DID NOT USE OXYCONTIN IN THE PAST 12 MOS.....			664	1.19
94 = DON'T KNOW.....			5	0.01
97 = REFUSED.....			38	0.07
98 = BLANK (NO ANSWER).....			169	0.30
99 = LEGITIMATE SKIP.....			420	0.76

LABEL	LEN	DESCRIPTION	PAGE:	87
			FREQ	%
<hr/>				
(TR01) TRANQUILIZERS				
<hr/>				
These next questions ask about the use of tranquilizers. Tranquilizers are usually prescribed to relax people, to calm people down, to relieve anxiety, or to relax muscle spasms. Some people call tranquilizers "nerve pills."				
<hr/>				
Card B shows pictures of some different kinds of prescription tranquilizers. These pictures show only pills, but we are interested in your use of any form of prescription tranquilizers that were not prescribed for you, or that you took only for the experience or feeling they caused.				
<hr/>				
Please look at Card B carefully as you answer the next questions.				
<hr/>				
Have you ever, even once, used Klonopin or Clonazepam that was not prescribed for you or that you took only for the experience or feeling it caused?				
<hr/>				
KLONOPIN	2	EVER USED KLONOPIN OR CLONAZEPAM		
		1 = Yes.....	935	1.68
		2 = No.....	3713	6.68
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55
		94 = DON'T KNOW.....	31	0.06
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	3	0.01
<hr/>				
(TR02)		Have you ever, even once, used Xanax, Alprazolam, Ativan, or Lorazepam that was not prescribed for you or that you took only for the experience or feeling it caused?		
<hr/>				
XNAXATVN	2	EVER USED XANAX, ALPRAZOLAM, ATIVAN, OR LORAZEPAM		
		1 = Yes.....	2529	4.55
		2 = No.....	2111	3.80
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55
		94 = DON'T KNOW.....	37	0.07
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	3	0.01

LABEL	LEN	DESCRIPTION	PAGE:	88
			FREQ	%
(TR03)		Have you ever, even once, used Valium or Diazepam that was not prescribed for you or that you took only for the experience or feeling it caused?		-
VALMDIAZ	2	EVER USED VALIUM OR DIAZEPAM		
		1 = Yes.....	3044	5.47
		2 = No.....	1602	2.88
		3 = Yes LOGICALLY ASSIGNED.....	4	0.01
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55
		94 = DON'T KNOW.....	33	0.06
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	3	0.01
(TR04)		Please look at the tranquilizers shown below the red line on Card B.		
		Have you ever, even once, used any of these tranquilizers when they were not prescribed for you or that you took only for the experience or feeling they caused?		
TRNCARD	2	EVER USED ANY TRANQ BELOW RED LINE ON CARD B		
		1 = Yes.....	1452	2.61
		2 = No.....	3177	5.71
		3 = Yes LOGICALLY ASSIGNED.....	13	0.02
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55
		94 = DON'T KNOW.....	42	0.08
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	3	0.01
(TR04A)		Which of the tranquilizers shown below the red line on Card B have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?		
ATARAX	2	EVER USED ATARAX NONMEDICALLY		
		1 = Response entered.....	68	0.12
		6 = Response not entered.....	1351	2.43
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55
		94 = DON'T KNOW.....	38	0.07
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	45	0.08
		99 = LEGITIMATE SKIP.....	3177	5.71
BUSPAR	2	EVER USED BUSPAR NONMEDICALLY		
		1 = Response entered.....	215	0.39
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	1202	2.16
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55
		94 = DON'T KNOW.....	38	0.07
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	45	0.08
		99 = LEGITIMATE SKIP.....	3177	5.71

TRANQUILIZERS			PAGE:	89
LABEL	LEN	DESCRIPTION	FREQ	%
EQUANIL 2 EVER USED EQUANIL NONMEDICALLY				
		1 = Response entered.....	28	0.05
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	1390	2.50
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55
		94 = DON'T KNOW.....	38	0.07
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	45	0.08
		99 = LEGITIMATE SKIP.....	3177	5.71
FLEXERIL 2 EVER USED FLEXERIL NONMEDICALLY				
		1 = Response entered.....	469	0.84
		3 = Response entered LOGICALLY ASSIGNED.....	6	0.01
		6 = Response not entered.....	944	1.70
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55
		94 = DON'T KNOW.....	38	0.07
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	45	0.08
		99 = LEGITIMATE SKIP.....	3177	5.71
LIBRIUM 2 EVER USED LIBRIUM NONMEDICALLY				
		1 = Response entered.....	137	0.25
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	1280	2.30
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55
		94 = DON'T KNOW.....	38	0.07
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	45	0.08
		99 = LEGITIMATE SKIP.....	3177	5.71
LIMBITROL 2 EVER USED LIMBITROL NONMEDICALLY				
		1 = Response entered.....	35	0.06
		6 = Response not entered.....	1384	2.49
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55
		94 = DON'T KNOW.....	38	0.07
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	45	0.08
		99 = LEGITIMATE SKIP.....	3177	5.71
MEPROB 2 EVER USED MEPROBAMATE NONMEDICALLY				
		1 = Response entered.....	26	0.05
		6 = Response not entered.....	1393	2.51
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55
		94 = DON'T KNOW.....	38	0.07
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	45	0.08
		99 = LEGITIMATE SKIP.....	3177	5.71

TRANQUILIZERS			PAGE:	90
LABEL	LEN	DESCRIPTION	FREQ	%
MILTOWN 2 EVER USED MILTOWN NONMEDICALLY				
		1 = Response entered.....	17	0.03
		6 = Response not entered.....	1402	2.52
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55
		94 = DON'T KNOW.....	38	0.07
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	45	0.08
		99 = LEGITIMATE SKIP.....	3177	5.71
ROHYPNOL 2 EVER USED ROHYPNOL NONMEDICALLY				
		1 = Response entered.....	120	0.22
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	1298	2.33
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55
		94 = DON'T KNOW.....	38	0.07
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	45	0.08
		99 = LEGITIMATE SKIP.....	3177	5.71
SERAX 2 EVER USED SERAX NONMEDICALLY				
		1 = Response entered.....	29	0.05
		6 = Response not entered.....	1390	2.50
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55
		94 = DON'T KNOW.....	38	0.07
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	45	0.08
		99 = LEGITIMATE SKIP.....	3177	5.71
SOMA 2 EVER USED SOMA NONMEDICALLY				
		1 = Response entered.....	804	1.45
		3 = Response entered LOGICALLY ASSIGNED.....	4	0.01
		6 = Response not entered.....	611	1.10
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55
		94 = DON'T KNOW.....	38	0.07
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	45	0.08
		99 = LEGITIMATE SKIP.....	3177	5.71
TRANXENE 2 EVER USED TRANXENE NONMEDICALLY				
		1 = Response entered.....	33	0.06
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	1385	2.49
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55
		94 = DON'T KNOW.....	38	0.07
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	45	0.08
		99 = LEGITIMATE SKIP.....	3177	5.71

LABEL	LEN	DESCRIPTION	PAGE:	91
			FREQ	%
VISTAR 2 EVER USED VISTARIL NONMEDICALLY				
1	= Response entered.....		64	0.12
3	= Response entered LOGICALLY ASSIGNED.....		1	0.00
6	= Response not entered.....		1354	2.44
81	= NEVER USED TRANQUILIZERS Logically assigned.....		6	0.01
91	= NEVER USED TRANQUILIZERS.....		50903	91.55
94	= DON'T KNOW.....		38	0.07
97	= REFUSED.....		14	0.03
98	= BLANK (NO ANSWER).....		45	0.08
99	= LEGITIMATE SKIP.....		3177	5.71
(TR05)	Have you ever, even once, used any other prescription tranquilizer, besides the ones shown on Card B, when it was not prescribed for you or that you took only for the experience or feeling it caused?			
TRNOLST	2	EVER USED ANY OTHER TRANQUILIZER NONMEDICALLY		
1	= Yes.....		342	0.62
2	= No.....		4276	7.69
4	= NO LOGICALLY ASSIGNED.....		1	0.00
81	= NEVER USED TRANQUILIZERS Logically assigned.....		6	0.01
91	= NEVER USED TRANQUILIZERS.....		50903	91.55
94	= DON'T KNOW.....		61	0.11
97	= REFUSED.....		10	0.02
98	= BLANK (NO ANSWER).....		3	0.01

TRANQUILIZERS			PAGE:	92
LABEL	LEN	DESCRIPTION	FREQ	%
TRNEWA	4	OTHER TRANQUILIZER - SPECIFY 1	-	-
	105	= Placidyl, Ethchlorvynol.....	1	0.00
	109	= Seconal.....	5	0.01
	110	= Tuinal.....	1	0.00
	111	= Dalmane, Flurazepam.....	1	0.00
	112	= Restoril, Temazepam.....	1	0.00
	115	= Phenobarbital.....	4	0.01
	116	= Methaqualone, Sopor, Quaalude.....	22	0.04
	131	= Haldol, Haloperidol.....	1	0.00
	137	= 7-14.....	2	0.00
	138	= Mandrax, Mandrix [see also 116].....	1	0.00
	142	= Belladonna.....	1	0.00
	174	= Ambien, Zolpidem.....	5	0.01
	178	= Quetiapine, Seroquel.....	8	0.01
	180	= Tylenol P.M. <OTC>.....	1	0.00
	201	= Valium, Diazepam.....	9	0.02
	202	= Librium, Chlordiazepoxide HCl.....	2	0.00
	206	= Tranxene.....	1	0.00
	209	= Xanax, Alprazolam, Tafil, Xanax bars.....	9	0.02
	211	= BuSpar, Buspirone.....	2	0.00
	213	= Equanil.....	1	0.00
	215	= Vistaril.....	1	0.00
	221	= OTHER Tranquilizer, NOT OTHERWISE SPECIFIED.....	2	0.00
	222	= USED TRANQUILIZER, DON'T KNOW NAME.....	46	0.08
	225	= Desyrel, Trazadone hydrochloride.....	4	0.01
	227	= Thorazine.....	2	0.00
	228	= Amitriptyline, Elavil.....	1	0.00
	234	= Flexeril, Cyclobenzaprine.....	6	0.01
	237	= Versed.....	1	0.00
	241	= Prozac, Fluoxetine.....	4	0.01
	246	= Klonopin, Clonazepam, Rivotril.....	2	0.00
	268	= Rohypnol, Flunitrazepam, roche, roofies.....	1	0.00
	271	= Zoloft.....	4	0.01
	283	= Paroxetine, Paxil.....	1	0.00
	285	= Risperdal, Risperadol, Resperidone.....	2	0.00
	288	= Baclofen.....	1	0.00
	290	= Skelaxin.....	1	0.00
	298	= Acepromazine, PromAce.....	1	0.00
	301	= Dexedrine.....	1	0.00
	318	= Ritalin, Methylphenidate.....	3	0.01
	351	= Cathinone, Cat, Khat, Q'at.....	1	0.00
	408	= Dilaudid.....	1	0.00
	417	= Morphine, Roxanol.....	1	0.00
	420	= OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	1	0.00
	431	= Tylox.....	1	0.00
	434	= Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....	1	0.00
	435	= Tylenol, Tylenol Extra-Strength <OTC>.....	2	0.00
	438	= Anaprox, Naprosyn, Naproxen, Naxen.....	1	0.00
	442	= Ibuprofen.....	2	0.00
	462	= Norflex.....	1	0.00
	496	= Ultram.....	1	0.00
	658	= Special K, Ketamine.....	49	0.09
	663	= Animal tranquilizer, horse tranquilizer.....	5	0.01
	801	= OTHER Drugs, NOT OTHERWISE SPECIFIED.....	1	0.00
	894	= Depakene, Depakote, Valproic acid.....	1	0.00
	2001	= Soma, Carisoprodol.....	4	0.01
	2002	= Muscle Relaxers.....	2	0.00
	2003	= Zannies, zans, zany bars.....	1	0.00

TRANQUILIZERS			PAGE:	93
LABEL	LEN	DESCRIPTION	FREQ	%
	-----		-----	-
		2005 = Insidon, Opipramol.....	1	0.00
		2011 = Lexapro.....	1	0.00
		3023 = Adderall.....	5	0.01
		3037 = Effexor.....	1	0.00
		3052 = Speed; otherwise unspecified.....	1	0.00
		4011 = Atretol, Carbamazepine, Carbatrol, Epitol,Tegretol	1	0.00
		4035 = Nabumetone, Relafin.....	1	0.00
		4067 = Oxycontin.....	2	0.00
		4104 = Dolo-Neurobion.....	1	0.00
		8024 = Asthma inhaler,asthma medication,bronchial dilator	1	0.00
		8097 = Zanaflex.....	1	0.00
		8117 = Hydrocortisone.....	1	0.00
		9981 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		9985 = BAD DATA Logically assigned.....	2	0.00
		9989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		9991 = NEVER USED TRANQUILIZERS.....	50903	91.55
		9997 = REFUSED.....	23	0.04
		9998 = BLANK (NO ANSWER).....	136	0.24
		9999 = LEGITIMATE SKIP.....	4276	7.69
TRNEWB	4	OTHER TRANQUILIZER - SPECIFY 2		
		115 = Phenobarbital.....	2	0.00
		116 = Methaqualone, Sopor, Quaalude.....	1	0.00
		129 = Reds.....	1	0.00
		137 = 7-14.....	1	0.00
		178 = Quetiapine, Seroquel.....	1	0.00
		201 = Valium, Diazepam.....	2	0.00
		209 = Xanax, Alprazolam, Tafil, Xanax bars.....	1	0.00
		221 = OTHER Tranquilizer, NOT OTHERWISE SPECIFIED.....	1	0.00
		222 = USED TRANQUILIZER, DON'T KNOW NAME	5	0.01
		225 = Desyrel, Trazodone hydrochloride.....	1	0.00
		228 = Amitriptyline, Elavil.....	1	0.00
		280 = Ketaset.....	2	0.00
		407 = Demerol, Meperidine.....	1	0.00
		417 = Morphine, Roxanol.....	1	0.00
		418 = Methadone, Dolophine.....	1	0.00
		658 = Special K, Ketamine.....	2	0.00
		663 = Animal tranquilizer, horse tranquilizer.....	6	0.01
		821 = Amoxicillin, Ampicillin.....	1	0.00
		4011 = Atretol, Carbamazepine, Carbatrol, Epitol,Tegretol	1	0.00
		9981 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		9985 = BAD DATA Logically assigned.....	2	0.00
		9989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		9991 = NEVER USED TRANQUILIZERS.....	50903	91.55
		9997 = REFUSED.....	11	0.02
		9998 = BLANK (NO ANSWER).....	371	0.67
		9999 = LEGITIMATE SKIP.....	4276	7.69

TRANQUILIZERS			PAGE:	94
LABEL	LEN	DESCRIPTION	FREQ	%
TRNEWC	4	OTHER TRANQUILIZER - SPECIFY 3		-
		110 = Tuinal.....	1	0.00
		207 = Ativan, Lorazepam, Orfidal.....	1	0.00
		222 = USED TRANQUILIZER, DON'T KNOW NAME.....	1	0.00
		418 = Methadone, Dolophine.....	1	0.00
		435 = Tylenol, Tylenol Extra-Strength <OTC>.....	1	0.00
		658 = Special K, Ketamine.....	2	0.00
		9981 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED TRANQUILIZERS.....	50903	91.55
		9997 = REFUSED.....	10	0.02
		9998 = BLANK (NO ANSWER).....	398	0.72
		9999 = LEGITIMATE SKIP.....	4277	7.69
TRNEWD	4	OTHER TRANQUILIZER - SPECIFY 4		
		116 = Methaqualone, Sopor, Quaalude.....	1	0.00
		201 = Valium, Diazepam.....	1	0.00
		658 = Special K, Ketamine.....	1	0.00
		9981 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED TRANQUILIZERS.....	50903	91.55
		9997 = REFUSED.....	12	0.02
		9998 = BLANK (NO ANSWER).....	400	0.72
		9999 = LEGITIMATE SKIP.....	4277	7.69
TRNEWE	4	OTHER TRANQUILIZER - SPECIFY 5		
		663 = Animal tranquilizer, horse tranquilizer.....	1	0.00
		9981 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED TRANQUILIZERS.....	50903	91.55
		9997 = REFUSED.....	10	0.02
		9998 = BLANK (NO ANSWER).....	404	0.73
		9999 = LEGITIMATE SKIP.....	4277	7.69

LABEL	LEN	DESCRIPTION	PAGE:	95
			FREQ	%
(TRREF)		The answers that people give us about their use of prescription tranquilizers are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		-
		Please think again about answering this question: Have you ever, even once, used any type of prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
		NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: KLONOPIN, XNAXATVN, VALMDIAZ, TRNCARD, or TRNOLST. This variable also was coded as 81 or 91 if all of the above variables were coded as 81 or 91, respectively.		
TRNEVER	2	EVER USED TRANQUILIZERS NONMEDICALLY		
		1 = Yes.....	4602	8.28
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	87	0.16
(TR06)		How old were you the first time you used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TRANAGE	3	AGE WHEN FIRST USED TRANQUILIZERS NONMEDICALLY		
		RANGE = 1 - 63	4457	8.02
		981 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		985 = BAD DATA Logically assigned.....	20	0.04
		991 = NEVER USED TRANQUILIZERS.....	50903	91.55
		994 = DON'T KNOW.....	104	0.19
		997 = REFUSED.....	25	0.04
		998 = BLANK (NO ANSWER).....	87	0.16
(TR07A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions TR07a, TR07b, TR08a, TR08b, and associated consistency checks were used to create the following two variables.		
TRANFYU	4	YEAR OF FIRST TRANQUILIZER USE - RECODE		
		RANGE = 2002 - 2004	772	1.39
		9981 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		9985 = BAD DATA Logically assigned.....	70	0.13
		9989 = LEGITIMATE SKIP Logically assn.....	33	0.06
		9991 = NEVER USED TRANQUILIZERS.....	50903	91.55
		9994 = DON'T KNOW.....	109	0.20
		9997 = REFUSED.....	26	0.05
		9998 = BLANK (NO ANSWER).....	90	0.16
		9999 = LEGITIMATE SKIP.....	3593	6.46

TRANQUILIZERS			PAGE:	96
LABEL	LEN	DESCRIPTION	FREQ	%
TRANMFU	2	MONTH OF FIRST TRANQUILIZER USE - RECODE		-
		1 = January.....	84	0.15
		2 = February.....	49	0.09
		3 = March.....	60	0.11
		4 = April.....	59	0.11
		5 = May.....	48	0.09
		6 = June.....	71	0.13
		7 = July.....	58	0.10
		8 = August.....	63	0.11
		9 = September.....	54	0.10
		10 = October.....	54	0.10
		11 = November.....	49	0.09
		12 = December.....	49	0.09
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	70	0.13
		89 = LEGITIMATE SKIP Logically assn.....	33	0.06
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55
		94 = DON'T KNOW.....	182	0.33
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	90	0.16
		99 = LEGITIMATE SKIP.....	3593	6.46
(TR09)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		
		How long has it been since you last used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TRANREC	2	TIME SINCE LAST USED TRANQUILIZERS NONMEDICALLY		
		1 = Within the past 30 days.....	530	0.95
		2 = More than 30 days ago but within the past 12 mos..	1104	1.99
		3 = More than 12 months ago.....	2887	5.19
		8 = Used at some point in the past 12 mos LOG ASSN....	5	0.01
		9 = Used at some point in lifetime LOG ASSN.....	76	0.14
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	87	0.16
TRNYRTOT	3	TOTAL # DAYS USED TRANQUILIZERS PAST 12 MONTHS		
		RANGE = 1 - 364	1610	2.90
		981 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		985 = BAD DATA Logically assigned.....	9	0.02
		991 = NEVER USED TRANQUILIZERS.....	50903	91.55
		993 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2887	5.19
		994 = DON'T KNOW.....	16	0.03
		997 = REFUSED.....	8	0.01
		998 = BLANK (NO ANSWER).....	163	0.29
TRTOTFG	2	TRIMMING INDICATOR FOR TRNYRTOT		
		98 = BLANK (NO ANSWER).....	55602	100.0
TRFQFLG	2	TRIMMED TRNYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	125	0.22
		98 = BLANK (NO ANSWER).....	55477	99.78

LABEL	LEN	DESCRIPTION	PAGE:	97
			FREQ	%
(TR10)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		-
		What would be the easiest way for you to tell us how many days you used a prescription tranquilizer in either of these ways?		
TRBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED TRANQUILIZER		
		1 = Prefer to answer in days per week.....	230	0.41
		2 = Prefer to answer in days per month.....	423	0.76
		3 = Prefer to answer in days per year.....	945	1.70
		11 = Prefer to ans in days per wk LOG ASSN.....	3	0.01
		12 = Prefer to ans in days per mo LOG ASSN.....	6	0.01
		13 = Prefer to ans in days per yr LOG ASSN.....	14	0.03
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	9	0.02
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2887	5.19
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	163	0.29
(TR11)		On how many days in the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TRDAYPYR	3	# DAYS USED TRANQUILIZERS "NM" PAST 12 MONTHS		
		RANGE = 1 - 295	956	1.72
		981 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		985 = BAD DATA Logically assigned.....	4	0.01
		989 = LEGITIMATE SKIP Logically assigned.....	8	0.01
		991 = NEVER USED TRANQUILIZERS.....	50903	91.55
		993 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2887	5.19
		994 = DON'T KNOW.....	9	0.02
		997 = REFUSED.....	7	0.01
		998 = BLANK (NO ANSWER).....	168	0.30
		999 = LEGITIMATE SKIP.....	654	1.18
(TR12)		On average, how many days each month during the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TRDAYPMO	2	# DAYS PER MO USED TRANQUILIZERS "NM" PAST 12 MOS		
		RANGE = 1 - 25	426	0.77
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	2	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2887	5.19
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	170	0.31
		99 = LEGITIMATE SKIP.....	1186	2.13

LABEL	LEN	DESCRIPTION	PAGE:	98
			FREQ	%
(TR13)		On average, how many days each week during the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		-
TRDAYPWK	2	# DAYS PER WK USED TRANQUILIZERS "NM" PAST 12 MOS		
RANGE = 1 - 7			228	0.41
81 = NEVER USED TRANQUILIZERS Logically assigned.....			6	0.01
85 = BAD DATA Logically assigned.....			3	0.01
91 = NEVER USED TRANQUILIZERS.....			50903	91.55
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....			2887	5.19
94 = DON'T KNOW.....			16	0.03
97 = REFUSED.....			8	0.01
98 = BLANK (NO ANSWER).....			169	0.30
99 = LEGITIMATE SKIP.....			1382	2.49

LABEL	LEN	DESCRIPTION	PAGE:	99
			FREQ	%
(ST01)		STIMULANTS		-

		These next questions ask about the use of drugs such as amphetamines that are known as stimulants, "uppers," or "speed." People sometimes take these drugs to lose weight, to stay awake, or for attention deficit disorders. We are not interested in the use of "over-the-counter" stimulants such as Dexatrim or No-Doz that can be bought in drug stores or grocery stores without a doctor's prescription.		

		Card C shows pictures of some different kinds of prescription stimulants and lists the names of some others. These pictures show only pills, but we are interested in your use of any form of prescription stimulants that were not prescribed for you, or that you took only for the experience or feeling they caused. Please look at Card C carefully as you answer the next questions.		

		Have you ever, even once, used Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused? Methamphetamine is also known as crank, crystal, ice, or speed.		

		NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
METHDES	2	EVER USED METHAMPHETAMINE, DESOXYN, OR METHEDRINE		
		1 = Yes.....	2465	4.43
		2 = No.....	2203	3.96
		3 = Yes LOGICALLY ASSIGNED.....	3	0.01
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03
		91 = NEVER USED STIMULANTS.....	50865	91.48
		94 = DON'T KNOW.....	38	0.07
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	3	0.01
(ST02)		Have you ever, even once, used prescription diet pills, such as Amphetamines, Benzedrine, Biphetamine, Fastin, or Phentermine, that was not prescribed for you or that you took only for the experience or feeling it caused?		
DIETPILS	2	EVER USED DIET PILLS SUCH AS AMPHETAMINES, ETC		
		1 = Yes.....	1360	2.45
		2 = No.....	3318	5.97
		3 = Yes LOGICALLY ASSIGNED.....	4	0.01
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03
		91 = NEVER USED STIMULANTS.....	50865	91.48
		94 = DON'T KNOW.....	29	0.05
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	3	0.01

STIMULANTS			PAGE:	100
LABEL	LEN	DESCRIPTION	FREQ	%
(ST03)		Have you ever, even once, used Ritalin or Methylphenidate that was not prescribed for you or that you took only for the experience or feeling it caused?		-
RITMPHEN	2	EVER USED RITALIN OR METHYLPHENIDATE		
		1 = Yes.....	1719	3.09
		2 = No.....	2955	5.31
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03
		91 = NEVER USED STIMULANTS.....	50865	91.48
		94 = DON'T KNOW.....	35	0.06
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	3	0.01
(ST04)		Please look at the stimulants shown below the red line on Card C.		
		Have you ever, even once, used any of these stimulants when they were not prescribed for you or that you took only for the experience or feeling they caused?		
STMCARD	2	EVER USED ANY STIMULANT BELOW RED LINE ON CARD C		
		1 = Yes.....	783	1.41
		2 = No.....	3885	6.99
		3 = Yes LOGICALLY ASSIGNED.....	3	0.01
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03
		91 = NEVER USED STIMULANTS.....	50865	91.48
		94 = DON'T KNOW.....	40	0.07
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	3	0.01
(ST04A)		Which of the stimulants shown below the red line on Card C have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?		
CYLERT	2	EVER USED CYLERT NONMEDICALLY		
		1 = Response entered.....	60	0.11
		6 = Response not entered.....	674	1.21
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03
		91 = NEVER USED STIMULANTS.....	50865	91.48
		94 = DON'T KNOW.....	39	0.07
		97 = REFUSED.....	20	0.04
		98 = BLANK (NO ANSWER).....	43	0.08
		99 = LEGITIMATE SKIP.....	3885	6.99
DEXED	2	EVER USED DEXEDRINE NONMEDICALLY		
		1 = Response entered.....	454	0.82
		3 = Response entered LOGICALLY ASSIGNED.....	3	0.01
		6 = Response not entered.....	277	0.50
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03
		91 = NEVER USED STIMULANTS.....	50865	91.48
		94 = DON'T KNOW.....	39	0.07
		97 = REFUSED.....	20	0.04
		98 = BLANK (NO ANSWER).....	43	0.08
		99 = LEGITIMATE SKIP.....	3885	6.99

STIMULANTS			PAGE:	101
LABEL	LEN	DESCRIPTION	FREQ	%
DETAMP	2	EVER USED DEXTROAMPHETAMINE NONMEDICALLY		-
		1 = Response entered.....	116	0.21
		6 = Response not entered.....	618	1.11
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03
		91 = NEVER USED STIMULANTS.....	50865	91.48
		94 = DON'T KNOW.....	39	0.07
		97 = REFUSED.....	20	0.04
		98 = BLANK (NO ANSWER).....	43	0.08
		99 = LEGITIMATE SKIP.....	3885	6.99
DIDREX	2	EVER USED DIDREX NONMEDICALLY		
		1 = Response entered.....	44	0.08
		6 = Response not entered.....	690	1.24
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03
		91 = NEVER USED STIMULANTS.....	50865	91.48
		94 = DON'T KNOW.....	39	0.07
		97 = REFUSED.....	20	0.04
		98 = BLANK (NO ANSWER).....	43	0.08
		99 = LEGITIMATE SKIP.....	3885	6.99
ESKAT	2	EVER USED ESKATROL NONMEDICALLY		
		1 = Response entered.....	35	0.06
		6 = Response not entered.....	699	1.26
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03
		91 = NEVER USED STIMULANTS.....	50865	91.48
		94 = DON'T KNOW.....	39	0.07
		97 = REFUSED.....	20	0.04
		98 = BLANK (NO ANSWER).....	43	0.08
		99 = LEGITIMATE SKIP.....	3885	6.99
IONAMIN	2	EVER USED IONAMIN NONMEDICALLY		
		1 = Response entered.....	72	0.13
		6 = Response not entered.....	662	1.19
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03
		91 = NEVER USED STIMULANTS.....	50865	91.48
		94 = DON'T KNOW.....	39	0.07
		97 = REFUSED.....	20	0.04
		98 = BLANK (NO ANSWER).....	43	0.08
		99 = LEGITIMATE SKIP.....	3885	6.99
MAZANOR	2	EVER USED MAZANOR NONMEDICALLY		
		1 = Response entered.....	18	0.03
		6 = Response not entered.....	716	1.29
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03
		91 = NEVER USED STIMULANTS.....	50865	91.48
		94 = DON'T KNOW.....	39	0.07
		97 = REFUSED.....	20	0.04
		98 = BLANK (NO ANSWER).....	43	0.08
		99 = LEGITIMATE SKIP.....	3885	6.99
OBLA	2	EVER USED OBEDRIN-LA NONMEDICALLY		
		1 = Response entered.....	1	0.00
		6 = Response not entered.....	733	1.32
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03
		91 = NEVER USED STIMULANTS.....	50865	91.48
		94 = DON'T KNOW.....	39	0.07
		97 = REFUSED.....	20	0.04
		98 = BLANK (NO ANSWER).....	43	0.08
		99 = LEGITIMATE SKIP.....	3885	6.99

LABEL	LEN	DESCRIPTION	STIMULANTS		PAGE:	102
			FREQ	%		
PLEGINE 2 EVER USED PLEGINE NONMEDICALLY						
		1 = Response entered.....	11	0.02		
		6 = Response not entered.....	723	1.30		
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03		
		91 = NEVER USED STIMULANTS.....	50865	91.48		
		94 = DON'T KNOW.....	39	0.07		
		97 = REFUSED.....	20	0.04		
		98 = BLANK (NO ANSWER).....	43	0.08		
		99 = LEGITIMATE SKIP.....	3885	6.99		
PRELUDIN 2 EVER USED PRELUDIN NONMEDICALLY						
		1 = Response entered.....	76	0.14		
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00		
		6 = Response not entered.....	657	1.18		
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03		
		91 = NEVER USED STIMULANTS.....	50865	91.48		
		94 = DON'T KNOW.....	39	0.07		
		97 = REFUSED.....	20	0.04		
		98 = BLANK (NO ANSWER).....	43	0.08		
		99 = LEGITIMATE SKIP.....	3885	6.99		
SANOREX 2 EVER USED SANOREX NONMEDICALLY						
		1 = Response entered.....	43	0.08		
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00		
		6 = Response not entered.....	690	1.24		
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03		
		91 = NEVER USED STIMULANTS.....	50865	91.48		
		94 = DON'T KNOW.....	39	0.07		
		97 = REFUSED.....	20	0.04		
		98 = BLANK (NO ANSWER).....	43	0.08		
		99 = LEGITIMATE SKIP.....	3885	6.99		
TENUATE 2 EVER USED TENUATE NONMEDICALLY						
		1 = Response entered.....	34	0.06		
		6 = Response not entered.....	700	1.26		
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03		
		91 = NEVER USED STIMULANTS.....	50865	91.48		
		94 = DON'T KNOW.....	39	0.07		
		97 = REFUSED.....	20	0.04		
		98 = BLANK (NO ANSWER).....	43	0.08		
		99 = LEGITIMATE SKIP.....	3885	6.99		
(ST05)		Have you ever, even once, used any other prescription stimulant, besides the ones shown on Card C when it was not prescribed for you or that you took only for the experience or feeling it caused?				
STMNOLST 2 EVER USED ANY OTHER STIMULANT NONMEDICALLY						
		1 = Yes.....	588	1.06		
		2 = No.....	4041	7.27		
		4 = No LOGICALLY ASSIGNED.....	6	0.01		
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03		
		91 = NEVER USED STIMULANTS.....	50865	91.48		
		94 = DON'T KNOW.....	73	0.13		
		97 = REFUSED.....	10	0.02		
		98 = BLANK (NO ANSWER).....	3	0.01		

STIMULANTS			PAGE:	103
LABEL	LEN	DESCRIPTION	FREQ	%
STIMNEWA	4	OTHER STIMULANT - SPECIFY 1	-	-
111		Dalmane, Flurazepam.....	1	0.00
124		Yellow jackets.....	8	0.01
201		Valium, Diazepam.....	1	0.00
209		Xanax, Alprazolam, Tafil, Xanax bars.....	3	0.01
213		Equanil.....	1	0.00
240		Lithium carbonate, Lithonate.....	3	0.01
241		Prozac, Fluoxetine.....	1	0.00
246		Klonopin, Clonazepam, Rivotril.....	1	0.00
271		Zoloft.....	2	0.00
301		Dexedrine.....	3	0.01
304		Benzedrine.....	1	0.00
311		Preludin.....	1	0.00
313		Fastin, Phentermine, Adipex-P.....	10	0.02
316		Sanorex.....	1	0.00
318		Ritalin, Methylphenidate.....	8	0.01
322		Methamphetamine ("ice" or "crank"), Meth.....	7	0.01
324		Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED..	9	0.02
325		USED STIMULANT, DON'T KNOW NAME.....	58	0.10
326		White cross.....	10	0.02
327		Black beauties, Black beauty.....	18	0.03
329		Bird's eggs, Robin's eggs, speckled eggs.....	2	0.00
330		Blue birds, blue jays, blue robins, speckled bird.	1	0.00
331		Blancs, Whites.....	2	0.00
332		Ephedrine.....	5	0.01
334		Crossroads, cross tops.....	6	0.01
336		Diet pills.....	2	0.00
339		Amphetamines.....	1	0.00
345		Black Molly.....	2	0.00
353		No-Doz <OTC>.....	1	0.00
355		Crystal meth.....	2	0.00
374		Christmas tree(s).....	1	0.00
377		Albuterol, Proventil, Ventolin.....	2	0.00
382		Footballs, purple footballs.....	1	0.00
417		Morphine, Roxanol.....	1	0.00
422		Motrin.....	1	0.00
423		Percocet.....	1	0.00
442		Ibuprofen.....	1	0.00
601		LSD ("acid").....	1	0.00
635		Ginseng seeds, ginseng weed.....	1	0.00
801		OTHER Drugs, NOT OTHERWISE SPECIFIED.....	1	0.00
805		Cocaine, coca, cocaine, coke.....	1	0.00
824		Steroids.....	1	0.00
876		Glass.....	1	0.00
2001		Soma, Carisoprodol.....	1	0.00
3015		Fen-Phen (fenfluramine and phentermine).....	1	0.00
3023		Adderall.....	262	0.47
3026		Bupropion, Wellbutrin, Zyban.....	1	0.00
3027		Energy pills.....	1	0.00
3037		Effexor.....	1	0.00
3050		Mini Thins.....	2	0.00
3052		Speed; otherwise unspecified.....	12	0.02
3055		Clenbuterol.....	1	0.00
3064		Ephedra, Ma Huang.....	2	0.00
3077		Concerta.....	10	0.02
3080		Meridia, Sibutramine.....	1	0.00
3086		Adderall XR.....	2	0.00
3087		Strattera.....	2	0.00

LABEL	LEN	DESCRIPTION	PAGE:	104
			FREQ	%
		STIMULANTS		-
3088	= Super Stingers <OTC>.....		1	0.00
3089	= Christina, Tina.....		1	0.00
3092	= Metadate CD.....		1	0.00
4044	= Hydrocodone.....		1	0.00
4069	= Benflogin.....		1	0.00
8066	= Viagra.....		1	0.00
8093	= Stacker 2/Stacker 3 <OTC>.....		1	0.00
9981	= NEVER USED STIMULANTS Logically assigned.....		16	0.03
9985	= BAD DATA Logically assigned.....		6	0.01
9989	= LEGITIMATE SKIP Logically assigned.....		6	0.01
9991	= NEVER USED STIMULANTS.....		50865	91.48
9997	= REFUSED.....		20	0.04
9998	= BLANK (NO ANSWER).....		157	0.28
9999	= LEGITIMATE SKIP.....		4041	7.27
STIMNEWB	4	OTHER STIMULANT - SPECIFY 2		
124	= Yellow jackets.....		4	0.01
209	= Xanax, Alprazolam, Tafil, Xanax bars.....		1	0.00
318	= Ritalin, Methylphenidate.....		1	0.00
322	= Methamphetamine ("ice" or "crank"), Meth.....		1	0.00
324	= Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED..		3	0.01
325	= USED STIMULANT, DON'T KNOW NAME.....		10	0.02
327	= Black beauties, Black beauty.....		2	0.00
328	= Pink hearts.....		1	0.00
332	= Ephedrine.....		1	0.00
336	= Diet pills.....		1	0.00
374	= Christmas tree(s).....		4	0.01
380	= Pink ladies.....		1	0.00
434	= Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....		1	0.00
435	= Tylenol, Tylenol Extra-Strength <OTC>.....		2	0.00
481	= Acular, Ketorolac tromethamine, Toradol.....		1	0.00
894	= Depakene, Depakote, Valproic acid.....		1	0.00
3023	= Adderall.....		10	0.02
3028	= Blackbirds.....		1	0.00
3050	= Mini Thins.....		3	0.01
3077	= Concerta.....		4	0.01
3086	= Adderall XR.....		1	0.00
3087	= Strattera.....		1	0.00
8093	= Stacker 2/Stacker 3 <OTC>.....		1	0.00
9981	= NEVER USED STIMULANTS Logically assigned.....		16	0.03
9985	= BAD DATA Logically assigned.....		5	0.01
9989	= LEGITIMATE SKIP Logically assigned.....		1	0.00
9991	= NEVER USED STIMULANTS.....		50865	91.48
9997	= REFUSED.....		12	0.02
9998	= BLANK (NO ANSWER).....		601	1.08
9999	= LEGITIMATE SKIP.....		4046	7.28
STIMNEWC	4	OTHER STIMULANT - SPECIFY 3		
325	= USED STIMULANT, DON'T KNOW NAME.....		1	0.00
327	= Black beauties, Black beauty.....		2	0.00
334	= Crossroads, cross tops.....		1	0.00
430	= Aspirin, Ecotrin, Empirin <OTC>.....		1	0.00
435	= Tylenol, Tylenol Extra-Strength <OTC>.....		1	0.00
3023	= Adderall.....		3	0.01
9981	= NEVER USED STIMULANTS Logically assigned.....		16	0.03
9991	= NEVER USED STIMULANTS.....		50865	91.48
9997	= REFUSED.....		11	0.02
9998	= BLANK (NO ANSWER).....		654	1.18
9999	= LEGITIMATE SKIP.....		4047	7.28

STIMULANTS			PAGE:	105
LABEL	LEN	DESCRIPTION	FREQ	%
STIMNEWD	4	OTHER STIMULANT - SPECIFY 4		-
3050	= Mini Thins.....		1	0.00
9981	= NEVER USED STIMULANTS Logically assigned.....		16	0.03
9991	= NEVER USED STIMULANTS.....		50865	91.48
9997	= REFUSED.....		10	0.02
9998	= BLANK (NO ANSWER).....		663	1.19
9999	= LEGITIMATE SKIP.....		4047	7.28
STIMNEWE	4	OTHER STIMULANT - SPECIFY 5		
9981	= NEVER USED STIMULANTS Logically assigned.....		16	0.03
9991	= NEVER USED STIMULANTS.....		50865	91.48
9997	= REFUSED.....		10	0.02
9998	= BLANK (NO ANSWER).....		664	1.19
9999	= LEGITIMATE SKIP.....		4047	7.28
(STREF2)		The answers that people give us about their use of prescription stimulants are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		
		Please think again about answering this question: Have you ever, even once, used any type of prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
		NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: METHDES, DIETPILS, RITMPHEN, STMCARD, or STMNOLST. This variable also was coded as 81 or 91 if all of the above variables were coded as 81 or 91, respectively.		
STMEVER	2	EVER USED STIMULANTS NONMEDICALLY		
1	= Yes.....		4606	8.28
81	= NEVER USED STIMULANTS Logically assigned.....		16	0.03
91	= NEVER USED STIMULANTS.....		50865	91.48
97	= REFUSED.....		3	0.01
98	= BLANK (NO ANSWER).....		112	0.20
(ST06)		How old were you the first time you used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
STIMAGE	3	AGE WHEN FIRST USED STIMULANTS NONMEDICALLY		
RANGE	=	1 - 76	4471	8.04
981	= NEVER USED STIMULANTS Logically assigned.....		16	0.03
985	= BAD DATA Logically assigned.....		23	0.04
991	= NEVER USED STIMULANTS.....		50865	91.48
994	= DON'T KNOW.....		86	0.15
997	= REFUSED.....		26	0.05
998	= BLANK (NO ANSWER).....		115	0.21

LABEL	LEN	DESCRIPTION	STIMULANTS		PAGE: FREQ	106 % -
			-----	-----		
(ST07A) NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions ST07a, ST07b, ST08a, ST08b, and associated consistency checks were used to create the following two variables.						
STIMYFU	4	YEAR OF FIRST STIMULANT USE - RECODE				
RANGE = 2002 - 2004					580	1.04
9981 = NEVER USED STIMULANTS Logically assigned.....					16	0.03
9985 = BAD DATA Logically assigned.....					79	0.14
9989 = LEGITIMATE SKIP Logically assn.....					35	0.06
9991 = NEVER USED STIMULANTS.....					50865	91.48
9994 = DON'T KNOW.....					86	0.15
9997 = REFUSED.....					28	0.05
9998 = BLANK (NO ANSWER).....					115	0.21
9999 = LEGITIMATE SKIP.....					3798	6.83
STIMMFU	2	MONTH OF FIRST STIMULANT USE - RECODE				
1 = January.....					57	0.10
2 = February.....					44	0.08
3 = March.....					54	0.10
4 = April.....					44	0.08
5 = May.....					53	0.10
6 = June.....					47	0.08
7 = July.....					40	0.07
8 = August.....					35	0.06
9 = September.....					45	0.08
10 = October.....					49	0.09
11 = November.....					41	0.07
12 = December.....					26	0.05
81 = NEVER USED STIMULANTS Logically assigned.....					16	0.03
85 = BAD DATA Logically assigned.....					78	0.14
89 = LEGITIMATE SKIP Logically assn.....					35	0.06
91 = NEVER USED STIMULANTS.....					50865	91.48
94 = DON'T KNOW.....					128	0.23
97 = REFUSED.....					31	0.06
98 = BLANK (NO ANSWER).....					116	0.21
99 = LEGITIMATE SKIP.....					3798	6.83

LABEL	LEN	DESCRIPTION	PAGE:	107
			FREQ	%
(ST09)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		-
		How long has it been since you last used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
STIMREC	2	TIME SINCE LAST USED STIMULANTS NONMEDICALLY		
		1 = Within the past 30 days.....	446	0.80
		2 = More than 30 days ago but within the past 12 mos..	758	1.36
		3 = More than 12 months ago.....	3260	5.86
		8 = Used at some point in the past 12 mos LOG ASSN....	20	0.04
		9 = Used at some point in lifetime LOG ASSN.....	103	0.19
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	11	0.02
		12 = Used >30 days ago but within pst 12 mos LOG ASSN..	8	0.01
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03
		91 = NEVER USED STIMULANTS.....	50865	91.48
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	112	0.20
		NOTE: The variables STMYRTOT, STBSTWAY, STDAYPYR, STDAYPMO, and STDAYPWK incorporate values from follow-up questions that were asked if respondents previously reported that they last used any stimulant more than 12 months ago but subsequently reported more recent use of any stimulant or methamphetamine.		
STMYRTOT	3	TOTAL # DAYS USED STIMULANTS PAST 12 MONTHS		
		RANGE = 1 - 365	1211	2.18
		981 = NEVER USED STIMULANTS Logically assigned.....	16	0.03
		985 = BAD DATA Logically assigned.....	15	0.03
		991 = NEVER USED STIMULANTS.....	50865	91.48
		993 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3260	5.86
		994 = DON'T KNOW.....	13	0.02
		997 = REFUSED.....	7	0.01
		998 = BLANK (NO ANSWER).....	215	0.39
STTOTFG	2	TRIMMING INDICATOR FOR STMYRTOT		
		98 = BLANK (NO ANSWER).....	55602	100.0
STFQFLG	2	TRIMMED STMYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	124	0.22
		98 = BLANK (NO ANSWER).....	55478	99.78

LABEL	LEN	DESCRIPTION	PAGE:	108
			FREQ	%
(ST10) Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.				
What would be the easiest way for you to tell us how many days you used a prescription stimulant in either of these ways?				
STBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED STIMULANT		
		1 = Prefer to answer in days per week.....	242	0.44
		2 = Prefer to answer in days per month.....	275	0.49
		3 = Prefer to answer in days per year.....	627	1.13
		11 = Prefer to ans in days per wk LOG ASSN.....	4	0.01
		12 = Prefer to ans in days per mo LOG ASSN.....	5	0.01
		13 = Prefer to ans in days per yr LOG ASSN.....	12	0.02
		21 = Prefer to ans in days per wk (MTBSTWAY=1,11).....	17	0.03
		22 = Prefer to ans in days per mo (MTBSTWAY=2,12).....	20	0.04
		23 = Prefer to ans in days per yr (MTBSTWAY=3,13).....	18	0.03
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03
		85 = BAD DATA Logically assigned.....	15	0.03
		91 = NEVER USED STIMULANTS.....	50865	91.48
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3260	5.86
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	215	0.39
(ST11)		On how many days in the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
STDAYPYR	3	# DAYS USED STIMULANT "NM" PAST 12 MONTHS		
		RANGE = 1 - 365	655	1.18
		981 = NEVER USED STIMULANTS Logically assigned.....	16	0.03
		985 = BAD DATA Logically assigned.....	3	0.01
		989 = LEGITIMATE SKIP Logically assigned.....	24	0.04
		991 = NEVER USED STIMULANTS.....	50865	91.48
		993 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3260	5.86
		994 = DON'T KNOW.....	9	0.02
		997 = REFUSED.....	4	0.01
		998 = BLANK (NO ANSWER).....	227	0.41
		999 = LEGITIMATE SKIP.....	539	0.97

LABEL	LEN	DESCRIPTION	STIMULANTS		PAGE:	109
			FREQ	%		
(ST12)		On average, how many days each month during the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?			-	-
STDAYPMO	2	# DAYS PER MO USED STIMULANT "NM" PAST 12 MONTHS				
	RANGE =	1 - 25	298	0.54		
	81 =	NEVER USED STIMULANTS Logically assigned.....	16	0.03		
	85 =	BAD DATA Logically assigned.....	3	0.01		
	89 =	LEGITIMATE SKIP Logically assigned.....	11	0.02		
	91 =	NEVER USED STIMULANTS.....	50865	91.48		
	93 =	DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3260	5.86		
	94 =	DON'T KNOW.....	10	0.02		
	97 =	REFUSED.....	5	0.01		
	98 =	BLANK (NO ANSWER).....	227	0.41		
	99 =	LEGITIMATE SKIP.....	907	1.63		
(ST13)		On average, how many days each week during the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?				
STDAYPWK	2	# DAYS PER WEEK USED STIMULANT "NM" PAST 12 MONTHS				
	RANGE =	1 - 7	258	0.46		
	81 =	NEVER USED STIMULANTS Logically assigned.....	16	0.03		
	85 =	BAD DATA Logically assigned.....	9	0.02		
	89 =	LEGITIMATE SKIP Logically assigned.....	3	0.01		
	91 =	NEVER USED STIMULANTS.....	50865	91.48		
	93 =	DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3260	5.86		
	94 =	DON'T KNOW.....	13	0.02		
	97 =	REFUSED.....	7	0.01		
	98 =	BLANK (NO ANSWER).....	221	0.40		
	99 =	LEGITIMATE SKIP.....	950	1.71		
(ST14)		Now think only about your use of Methamphetamine, Desoxyn, or Methedrine. How old were you the first time you used Methamphetamine, Desoxyn, or Methedrine?				
METHAGE	3	AGE WHEN 1ST USED METHAMPH, DESOXYN, METHEDRINE				
	RANGE =	1 - 51	2407	4.33		
	981 =	NEVER USED METHAMPHETAMINE Logically assigned....	16	0.03		
	985 =	BAD DATA Logically assigned.....	10	0.02		
	991 =	NEVER USED METHAMPHETAMINE.....	53068	95.44		
	994 =	DON'T KNOW.....	42	0.08		
	997 =	REFUSED.....	18	0.03		
	998 =	BLANK (NO ANSWER).....	41	0.07		

STIMULANTS			PAGE:	110
LABEL	LEN	DESCRIPTION	FREQ	%
(ST15)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions ST15, ST16, ST17, ST18, and associated consistency checks were used to create the following two variables.		-
METHYFU	4	YEAR OF FIRST METHAMPHETAMINE USE - RECODE		
		RANGE = 2002 - 2004	227	0.41
		9981 = NEVER USED METHAMPHETAMINE Logically assigned.....	16	0.03
		9985 = BAD DATA Logically assigned.....	30	0.05
		9989 = LEGITIMATE SKIP Logically assn.....	15	0.03
		9991 = NEVER USED METHAMPHETAMINE.....	53068	95.44
		9994 = DON'T KNOW.....	42	0.08
		9997 = REFUSED.....	20	0.04
		9998 = BLANK (NO ANSWER).....	41	0.07
		9999 = LEGITIMATE SKIP.....	2143	3.85
METHMFU	2	MONTH OF FIRST METHAMPHETAMINE USE - RECODE		
		1 = January.....	16	0.03
		2 = February.....	16	0.03
		3 = March.....	15	0.03
		4 = April.....	18	0.03
		5 = May.....	22	0.04
		6 = June.....	31	0.06
		7 = July.....	17	0.03
		8 = August.....	18	0.03
		9 = September.....	12	0.02
		10 = October.....	20	0.04
		11 = November.....	18	0.03
		12 = December.....	8	0.01
		81 = NEVER USED METHAMPHETAMINE Logically assigned.....	16	0.03
		85 = BAD DATA Logically assigned.....	29	0.05
		89 = LEGITIMATE SKIP Logically assn.....	15	0.03
		91 = NEVER USED METHAMPHETAMINE.....	53068	95.44
		94 = DON'T KNOW.....	57	0.10
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	42	0.08
		99 = LEGITIMATE SKIP.....	2143	3.85
(ST19)		How long has it been since you last used Methamphetamine, Desoxyn, or Methedrine?		
METHREC	2	TIME SINCE LAST USED METHAMPHETAMINE		
		1 = Within the past 30 days.....	182	0.33
		2 = More than 30 days ago but within the past 12 mos..	323	0.58
		3 = More than 12 months ago.....	1908	3.43
		8 = Used at some point in the past 12 mos LOG ASSN....	6	0.01
		9 = Used at some point in lifetime LOG ASSN.....	48	0.09
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	1	0.00
		81 = NEVER USED METHAMPHETAMINE Logically assigned.....	16	0.03
		91 = NEVER USED METHAMPHETAMINE.....	53068	95.44
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	41	0.07

STIMULANTS			PAGE:	111
LABEL	LEN	DESCRIPTION	FREQ	%
MTHYRTOT	3	TOTAL # DAYS USED METHAMPHETAMINE PAST 12 MONTHS		-
RANGE		1 - 364	501	0.90
981		= NEVER USED METHAMPHETAMINE Logically assigned.....	16	0.03
985		= BAD DATA Logically assigned.....	6	0.01
991		= NEVER USED METHAMPHETAMINE.....	53068	95.44
993		= DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS....	1908	3.43
994		= DON'T KNOW.....	3	0.01
997		= REFUSED.....	11	0.02
998		= BLANK (NO ANSWER).....	89	0.16
MTTOTFG	2	TRIMMING INDICATOR FOR MTHYRTOT		
98		= BLANK (NO ANSWER).....	55602	100.0
MTFQFLG	2	TRIMMED MTHYRTOT IF R USED < 12 MOS		
1		= Trimmed to be consistent with mo/yr of 1st use....	64	0.12
98		= BLANK (NO ANSWER).....	55538	99.88
(ST20)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
What would be the easiest way for you to tell us how many days you used Methamphetamine, Desoxyn, or Methedrine in either of these ways?				
MTBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED METHAMPHETAMINE		
1		= Prefer to answer in days per week.....	113	0.20
2		= Prefer to answer in days per month.....	142	0.26
3		= Prefer to answer in days per year.....	239	0.43
11		= Prefer to ans in days per wk LOG ASSN.....	1	0.00
12		= Prefer to ans in days per mo LOG ASSN.....	1	0.00
13		= Prefer to ans in days per yr LOG ASSN.....	6	0.01
23		= Prefer to ans in days per yr (STBSTWAY=3,13).....	1	0.00
81		= NEVER USED METHAMPHETAMINE Logically assigned.....	16	0.03
85		= BAD DATA Logically assigned.....	6	0.01
91		= NEVER USED METHAMPHETAMINE.....	53068	95.44
93		= DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS....	1908	3.43
94		= DON'T KNOW.....	2	0.00
97		= REFUSED.....	10	0.02
98		= BLANK (NO ANSWER).....	89	0.16

STIMULANTS			PAGE:	112
LABEL	LEN	DESCRIPTION	FREQ	%
(ST21)		On how many days in the past 12 months did you use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?		-
MTDAYPYR	3	# DAYS USED METHAMPHETAMINE "NM" PAST 12 MONTHS		
RANGE	=	1 - 360	245	0.44
981	=	NEVER USED METHAMPHETAMINE Logically assigned.....	16	0.03
985	=	BAD DATA Logically assigned.....	1	0.00
989	=	LEGITIMATE SKIP Logically assigned.....	2	0.00
991	=	NEVER USED METHAMPHETAMINE.....	53068	95.44
993	=	DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	1908	3.43
994	=	DON'T KNOW.....	3	0.01
997	=	REFUSED.....	10	0.02
998	=	BLANK (NO ANSWER).....	94	0.17
999	=	LEGITIMATE SKIP.....	255	0.46
(ST22)		On average, how many days each month during the past 12 months did you use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?		
MTDAYPMO	2	# DAYS PER MO USED METHAMPHETAMINE "NM" PST 12 MOS		
RANGE	=	1 - 30	142	0.26
81	=	NEVER USED METHAMPHETAMINE Logically assigned.....	16	0.03
89	=	LEGITIMATE SKIP Logically assigned.....	1	0.00
91	=	NEVER USED METHAMPHETAMINE.....	53068	95.44
93	=	DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	1908	3.43
94	=	DON'T KNOW.....	4	0.01
97	=	REFUSED.....	10	0.02
98	=	BLANK (NO ANSWER).....	95	0.17
99	=	LEGITIMATE SKIP.....	358	0.64
(ST23)		On average, how many days each week during the past 12 months did you use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?		
MTDAYPWK	2	# DAYS PER WK USED METHAMPHETAMINE "NM" PST 12 MOS		
RANGE	=	1 - 7	114	0.21
81	=	NEVER USED METHAMPHETAMINE Logically assigned.....	16	0.03
85	=	BAD DATA Logically assigned.....	5	0.01
91	=	NEVER USED METHAMPHETAMINE.....	53068	95.44
93	=	DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....	1908	3.43
94	=	DON'T KNOW.....	3	0.01
97	=	REFUSED.....	11	0.02
98	=	BLANK (NO ANSWER).....	90	0.16
99	=	LEGITIMATE SKIP.....	387	0.70

LABEL	LEN	DESCRIPTION	PAGE:	113
			FREQ	%

(SV01) SEDATIVES

These next questions ask about the use of sedatives or barbiturates. These drugs are also called "downers," or "sleeping pills." People take these drugs to help them relax or to help them sleep. We are not interested in the use of "over-the-counter" sedatives such as Sominex, Unisom, Nyquil, or Benadryl that can be bought in drug stores or grocery stores without a doctor's prescription.

Card D shows pictures of some different kinds of prescription sedatives and lists the names of some others. These pictures show only pills, but we are interested in your use of any form of prescription sedatives that were not prescribed for you, or that you took only for the experience or feeling they caused. Please look at Card D carefully as you answer the next questions.

Have you ever, even once, used Methaqualone, Sopor, or Quaalude that was not prescribed for you or that you took only for the experience or feeling it caused?

METHAQ 2 EVER USED METHAQUALONE, SOPOR, OR QUAALUDE

1 = Yes.....	837	1.51
2 = No.....	662	1.19
3 = Yes LOGICALLY ASSIGNED.....	4	0.01
81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05
91 = NEVER USED SEDATIVES.....	54009	97.13
94 = DON'T KNOW.....	49	0.09
97 = REFUSED.....	10	0.02
98 = BLANK (NO ANSWER).....	5	0.01

(SV02) Have you ever, even once, used barbiturates such as Nembutal, Pentobarbital, Seconal, Secobarbital, or Butalbital that were not prescribed for you or that you took only for the experience or feeling they caused?

NEMBBARB 2 EVER USED BARBITURATES SUCH AS NEMBUTAL, ETC

1 = Yes.....	347	0.62
2 = No.....	1153	2.07
81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05
91 = NEVER USED SEDATIVES.....	54009	97.13
94 = DON'T KNOW.....	51	0.09
97 = REFUSED.....	11	0.02
98 = BLANK (NO ANSWER).....	5	0.01

LABEL	LEN	DESCRIPTION	SEDATIVES	PAGE:	114
				FREQ	%
(SV03)		Have you ever, even once, used Restoril or Temazepam that was not prescribed for you or that you took only for the experience or feeling it caused?		-	-
RESTTMAZ	2	EVER USED RESTORIL OR TEMAZEPAM			
		1 = Yes.....	162	0.29	
		2 = No.....	1341	2.41	
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05	
		91 = NEVER USED SEDATIVES.....	54009	97.13	
		94 = DON'T KNOW.....	53	0.10	
		97 = REFUSED.....	6	0.01	
		98 = BLANK (NO ANSWER).....	5	0.01	
(SV04)		Please look at the sedatives shown below the red line on Card D.			
		Have you ever, even once, used any of these sedatives when they were not prescribed for you or that you took only for the experience or feeling they caused?			
SEDCARD	2	EVER USED ANY SEDATIVES BELOW RED LINE ON CARD D			
		1 = Yes.....	468	0.84	
		2 = No.....	1029	1.85	
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00	
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05	
		91 = NEVER USED SEDATIVES.....	54009	97.13	
		94 = DON'T KNOW.....	55	0.10	
		97 = REFUSED.....	8	0.01	
		98 = BLANK (NO ANSWER).....	5	0.01	
(SV04A)		Which of the sedatives shown below the red line on Card D have you used when they were not prescribed for you or that you took only for the experience or feeling they caused?			
AMYTAL	2	EVER USED AMYTAL NONMEDICALLY			
		1 = Response entered.....	52	0.09	
		6 = Response not entered.....	406	0.73	
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05	
		91 = NEVER USED SEDATIVES.....	54009	97.13	
		94 = DON'T KNOW.....	10	0.02	
		97 = REFUSED.....	10	0.02	
		98 = BLANK (NO ANSWER).....	60	0.11	
		99 = LEGITIMATE SKIP.....	1029	1.85	
BUTISOL	2	EVER USED BUTISOL NONMEDICALLY			
		1 = Response entered.....	23	0.04	
		6 = Response not entered.....	435	0.78	
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05	
		91 = NEVER USED SEDATIVES.....	54009	97.13	
		94 = DON'T KNOW.....	10	0.02	
		97 = REFUSED.....	10	0.02	
		98 = BLANK (NO ANSWER).....	60	0.11	
		99 = LEGITIMATE SKIP.....	1029	1.85	

LABEL	LEN	DESCRIPTION	PAGE:	115
			FREQ	%
CHHYD	2	EVER USED CHLORAL HYDRATE NONMEDICALLY		-
		1 = Response entered.....	42	0.08
		6 = Response not entered.....	416	0.75
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05
		91 = NEVER USED SEDATIVES.....	54009	97.13
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	60	0.11
		99 = LEGITIMATE SKIP.....	1029	1.85
DALMANE	2	EVER USED DALMANE NONMEDICALLY		
		1 = Response entered.....	72	0.13
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	385	0.69
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05
		91 = NEVER USED SEDATIVES.....	54009	97.13
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	60	0.11
		99 = LEGITIMATE SKIP.....	1029	1.85
HALCION	2	EVER USED HALCION NONMEDICALLY		
		1 = Response entered.....	100	0.18
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	357	0.64
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05
		91 = NEVER USED SEDATIVES.....	54009	97.13
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	60	0.11
		99 = LEGITIMATE SKIP.....	1029	1.85
PHENOBAR	2	EVER USED PHENOBARBITAL NONMEDICALLY		
		1 = Response entered.....	188	0.34
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	269	0.48
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05
		91 = NEVER USED SEDATIVES.....	54009	97.13
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	60	0.11
		99 = LEGITIMATE SKIP.....	1029	1.85
PLACIDYL	2	EVER USED PLACIDYL NONMEDICALLY		
		1 = Response entered.....	95	0.17
		6 = Response not entered.....	363	0.65
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05
		91 = NEVER USED SEDATIVES.....	54009	97.13
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	60	0.11
		99 = LEGITIMATE SKIP.....	1029	1.85

LABEL	LEN	DESCRIPTION	SEDATIVES	PAGE:	116
				FREQ	%

TUINAL	2	EVER USED TUINAL NONMEDICALLY			-
		1 = Response entered.....	113	0.20	
		6 = Response not entered.....	345	0.62	
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05	
		91 = NEVER USED SEDATIVES.....	54009	97.13	
		94 = DON'T KNOW.....	10	0.02	
		97 = REFUSED.....	10	0.02	
		98 = BLANK (NO ANSWER).....	60	0.11	
		99 = LEGITIMATE SKIP.....	1029	1.85	

(SV05) Have you ever, even once, used any other prescription sedative, besides the ones shown on Card D when it was not prescribed for you or that you took only for the experience or feeling it caused?

SEDNOLST	LEN	DESCRIPTION	EVER USED ANY OTHER SEDATIVE NONMEDICALLY	PAGE:	116
				FREQ	%

		1 = Yes.....	286	0.51	
		2 = No.....	1186	2.13	
		4 = No LOGICALLY ASSIGNED.....	4	0.01	
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05	
		91 = NEVER USED SEDATIVES.....	54009	97.13	
		94 = DON'T KNOW.....	76	0.14	
		97 = REFUSED.....	10	0.02	
		98 = BLANK (NO ANSWER).....	5	0.01	

SEDATIVES			PAGE:	117
LABEL	LEN	DESCRIPTION	FREQ	%
SEDNEWA	4	OTHER SEDATIVES - SPECIFY 1		-
106		Doriden.....	1	0.00
109		Seconal.....	1	0.00
111		Dalmane, Flurazepam.....	1	0.00
113		Halcion, Triazolam.....	1	0.00
116		Methaqualone, Sopor, Quaalude.....	8	0.01
120		Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED..	11	0.02
121		USED SEDATIVE, DON'T KNOW NAME.....	74	0.13
129		Reds.....	2	0.00
137		7-14.....	1	0.00
174		Ambien, Zolpidem.....	69	0.12
178		Quetiapine, Seroquel.....	8	0.01
189		Sonata.....	3	0.01
197		Topamax, Topiramate.....	1	0.00
201		Valium, Diazepam.....	5	0.01
207		Ativan, Lorazepam, Orfidal.....	1	0.00
209		Xanax, Alprazolam, Tafil, Xanax bars.....	5	0.01
225		Desyrel, Trazodone hydrochloride.....	9	0.02
228		Amitriptyline, Elavil.....	1	0.00
247		Adapin, Doxepin, Sinequan.....	1	0.00
268		Rohypnol, Flunitrazepam, roche, roofies.....	1	0.00
271		Zoloft.....	1	0.00
295		Mirtazapine, Remeron.....	1	0.00
319		Cylert.....	1	0.00
322		Methamphetamine ("ice" or "crank"), Meth.....	1	0.00
407		Demerol, Meperidine.....	1	0.00
408		Dilaudid.....	1	0.00
409		Tylenol with Codeine, Tylenol 3, Tylenol 4.....	1	0.00
411		Talwin.....	1	0.00
434		Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....	1	0.00
658		Special K, Ketamine.....	2	0.00
663		Animal tranquilizer, horse tranquilizer.....	1	0.00
702		Heroin.....	1	0.00
801		OTHER Drugs, NOT OTHERWISE SPECIFIED.....	1	0.00
894		Depakene, Depakote, Valproic acid.....	1	0.00
2001		Soma, Carisoprodol.....	1	0.00
2002		Muscle Relaxers.....	1	0.00
3023		Adderall.....	1	0.00
3091		Black Bombers.....	1	0.00
4011		Atretol, Carbamazepine, Carbatrol, Epitol,Tegretol	1	0.00
4031		Cough medicine with Codeine.....	1	0.00
4046		Oxycodone.....	1	0.00
8002		Zantac.....	1	0.00
8007		Gabapentin, Neurontin.....	1	0.00
8058		Cough medicine/syrup; type unspecified.....	1	0.00
9981		NEVER USED SEDATIVES Logically assigned.....	26	0.05
9985		BAD DATA Logically assigned.....	4	0.01
9989		LEGITIMATE SKIP Logically assigned.....	4	0.01
9991		NEVER USED SEDATIVES.....	54009	97.13
9997		REFUSED.....	17	0.03
9998		BLANK (NO ANSWER).....	127	0.23
9999		LEGITIMATE SKIP.....	1186	2.13

SEDATIVES			PAGE:	118
LABEL	LEN	DESCRIPTION	FREQ	%
SEDNEWB	4	OTHER SEDATIVES - SPECIFY 2		-
		110 = Tuinal.....	1	0.00
		115 = Phenobarbital.....	1	0.00
		120 = Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED..	2	0.00
		121 = USED SEDATIVE, DON'T KNOW NAME.....	2	0.00
		131 = Haldol, Haloperidol.....	1	0.00
		174 = Ambien, Zolpidem.....	2	0.00
		178 = Quetiapine, Seroquel.....	2	0.00
		201 = Valium, Diazepam.....	1	0.00
		225 = Desyrel, Trazodone hydrochloride.....	1	0.00
		420 = OTHER Analgesic, NOT OTHERWISE SPECIFIED.....	1	0.00
		1006 = Trileptal, Oxcarbazepine.....	1	0.00
		2001 = Soma, Carisoprodol.....	1	0.00
		9981 = NEVER USED SEDATIVES Logically assigned.....	26	0.05
		9985 = BAD DATA Logically assigned.....	1	0.00
		9991 = NEVER USED SEDATIVES.....	54009	97.13
		9997 = REFUSED.....	10	0.02
		9998 = BLANK (NO ANSWER).....	350	0.63
		9999 = LEGITIMATE SKIP.....	1190	2.14
SEDNEWC	4	OTHER SEDATIVES - SPECIFY 3		
		121 = USED SEDATIVE, DON'T KNOW NAME.....	1	0.00
		178 = Quetiapine, Seroquel.....	1	0.00
		201 = Valium, Diazepam.....	1	0.00
		285 = Risperdal, Risperadol, Resperidone.....	1	0.00
		9981 = NEVER USED SEDATIVES Logically assigned.....	26	0.05
		9991 = NEVER USED SEDATIVES.....	54009	97.13
		9997 = REFUSED.....	10	0.02
		9998 = BLANK (NO ANSWER).....	363	0.65
		9999 = LEGITIMATE SKIP.....	1190	2.14
SEDNEWD	4	OTHER SEDATIVES - SPECIFY 4		
		9981 = NEVER USED SEDATIVES Logically assigned.....	26	0.05
		9991 = NEVER USED SEDATIVES.....	54009	97.13
		9997 = REFUSED.....	10	0.02
		9998 = BLANK (NO ANSWER).....	367	0.66
		9999 = LEGITIMATE SKIP.....	1190	2.14
SEDNEWE	4	OTHER SEDATIVES - SPECIFY 5		
		9981 = NEVER USED SEDATIVES Logically assigned.....	26	0.05
		9991 = NEVER USED SEDATIVES.....	54009	97.13
		9997 = REFUSED.....	10	0.02
		9998 = BLANK (NO ANSWER).....	367	0.66
		9999 = LEGITIMATE SKIP.....	1190	2.14

LABEL	LEN	DESCRIPTION	PAGE:	119
			FREQ	%

(SVREF)		The answers that people give us about their use of prescription sedatives are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		-
<p>Please think again about answering this question: Have you ever, even once, used any type of prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?</p>				
<p>NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: METHAQ, NEMBBARB, RESTTMAZ, SEDCARD, or SEDNOLST. This variable also was coded as 81 or 91 if all of the above variables were coded as 81 or 91, respectively.</p>				
SEDEVER	2	EVER USED SEDATIVES NONMEDICALLY		
		1 = Yes.....	1432	2.58
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05
		91 = NEVER USED SEDATIVES.....	54009	97.13
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	132	0.24
(SV06)		How old were you the first time you used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SEDAGE	3	AGE WHEN FIRST USED SEDATIVES NONMEDICALLY		
		RANGE = 1 - 59	1370	2.46
		981 = NEVER USED SEDATIVES Logically assigned.....	26	0.05
		985 = BAD DATA Logically assigned.....	9	0.02
		991 = NEVER USED SEDATIVES.....	54009	97.13
		994 = DON'T KNOW.....	46	0.08
		997 = REFUSED.....	11	0.02
		998 = BLANK (NO ANSWER).....	131	0.24

LABEL	LEN	DESCRIPTION	PAGE:	120
			FREQ	%
(SV07A) NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions SV07a, SV07b, SV08a, SV08b, and associated consistency checks were used to create the following two variables.				
SEDYFU	4	YEAR OF FIRST SEDATIVE USE - RECODE		
		RANGE = 2002 - 2004	139	0.25
		9981 = NEVER USED SEDATIVES Logically assigned.....	26	0.05
		9985 = BAD DATA Logically assigned.....	23	0.04
		9989 = LEGITIMATE SKIP Logically assn.....	6	0.01
		9991 = NEVER USED SEDATIVES.....	54009	97.13
		9994 = DON'T KNOW.....	48	0.09
		9997 = REFUSED.....	11	0.02
		9998 = BLANK (NO ANSWER).....	132	0.24
		9999 = LEGITIMATE SKIP.....	1208	2.17
SEDMFU	2	MONTH OF FIRST SEDATIVE USE - RECODE		
		1 = January.....	15	0.03
		2 = February.....	13	0.02
		3 = March.....	8	0.01
		4 = April.....	10	0.02
		5 = May.....	6	0.01
		6 = June.....	11	0.02
		7 = July.....	9	0.02
		8 = August.....	10	0.02
		9 = September.....	11	0.02
		10 = October.....	10	0.02
		11 = November.....	10	0.02
		12 = December.....	10	0.02
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05
		85 = BAD DATA Logically assigned.....	23	0.04
		89 = LEGITIMATE SKIP Logically assn.....	6	0.01
		91 = NEVER USED SEDATIVES.....	54009	97.13
		94 = DON'T KNOW.....	64	0.12
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	132	0.24
		99 = LEGITIMATE SKIP.....	1208	2.17

LABEL	LEN	DESCRIPTION	PAGE:	121
			FREQ	%

(SV09)		NOTE: This variable incorporates values from 2 probe questions that were asked when the respondent answered DON'T KNOW or REFUSED to this question.		-
		How long has it been since you last used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SEDREC	2	TIME SINCE LAST USED SEDATIVES NONMEDICALLY		
		1 = Within the past 30 days.....	64	0.12
		2 = More than 30 days ago but within the past 12 mos..	169	0.30
		3 = More than 12 months ago.....	1164	2.09
		8 = Used at some point in the past 12 mos LOG ASSN....	2	0.00
		9 = Used at some point in lifetime LOG ASSN.....	32	0.06
		11 = Used in the past 30 days LOGICALLY ASSIGNED.....	1	0.00
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED SEDATIVES.....	54009	97.13
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	131	0.24
SEDYRTOT	3	TOTAL # OF DAYS USED SEDATIVES PAST 12 MONTHS		
		RANGE = 1 - 364	227	0.41
		981 = NEVER USED SEDATIVES Logically assigned.....	26	0.05
		985 = BAD DATA Logically assigned.....	2	0.00
		991 = NEVER USED SEDATIVES.....	54009	97.13
		993 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	1164	2.09
		994 = DON'T KNOW.....	5	0.01
		997 = REFUSED.....	5	0.01
		998 = BLANK (NO ANSWER).....	164	0.29
SVTOTFG	2	TRIMMING INDICATOR FOR SEDYRTOT		
		98 = BLANK (NO ANSWER).....	55602	100.0
SVFQFLG	2	TRIMMED SEDYRTOT IF R USED < 12 MOS		
		1 = Trimmed to be consistent with mo/yr of 1st use....	22	0.04
		98 = BLANK (NO ANSWER).....	55580	99.96

LABEL	LEN	DESCRIPTION	PAGE:	122
			FREQ	%
(SV10)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		-
		What would be the easiest way for you to tell us how many days you used a prescription sedative in either of these ways?		
SVBSTWAY	2	EASIEST WAY TO TELL US # DAYS USED SEDATIVE		
		1 = Prefer to answer in days per week.....	48	0.09
		2 = Prefer to answer in days per month.....	46	0.08
		3 = Prefer to answer in days per year.....	129	0.23
		11 = Prefer to ans in days per wk LOG ASSN.....	3	0.01
		12 = Prefer to ans in days per mo LOG ASSN.....	2	0.00
		13 = Prefer to ans in days per yr LOG ASSN.....	4	0.01
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05
		85 = BAD DATA Logically assigned.....	2	0.00
		91 = NEVER USED SEDATIVES.....	54009	97.13
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	1164	2.09
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	164	0.29
(SV11)		On how many days in the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SVDAYPYR	3	# DAYS USED SEDATIVE "NM" PAST 12 MONTHS		
		RANGE = 1 - 80	133	0.24
		981 = NEVER USED SEDATIVES Logically assigned.....	26	0.05
		985 = BAD DATA Logically assigned.....	1	0.00
		989 = LEGITIMATE SKIP Logically assigned.....	4	0.01
		991 = NEVER USED SEDATIVES.....	54009	97.13
		993 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	1164	2.09
		997 = REFUSED.....	5	0.01
		998 = BLANK (NO ANSWER).....	165	0.30
		999 = LEGITIMATE SKIP.....	95	0.17
(SV12)		On average, how many days each month during the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SVDAYPMO	2	# DAYS PER MONTH USED SEDATIVE "NM" PAST 12 MONTHS		
		RANGE = 1 - 20	46	0.08
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		91 = NEVER USED SEDATIVES.....	54009	97.13
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	1164	2.09
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	166	0.30
		99 = LEGITIMATE SKIP.....	181	0.33

LABEL	LEN	DESCRIPTION	PAGE:	123
			FREQ	%
(SV13)		On average, how many days each week during the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		-
SVDAYPWK	2	# DAYS PER WEEK USED SEDATIVE "NM" PAST 12 MONTHS		
RANGE = 1 - 7			48	0.09
81 = NEVER USED SEDATIVES Logically assigned.....			26	0.05
85 = BAD DATA Logically assigned.....			1	0.00
91 = NEVER USED SEDATIVES.....			54009	97.13
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....			1164	2.09
94 = DON'T KNOW.....			5	0.01
97 = REFUSED.....			5	0.01
98 = BLANK (NO ANSWER).....			165	0.30
99 = LEGITIMATE SKIP.....			179	0.32

LABEL	LEN	DESCRIPTION	PAGE:	124
			FREQ	%

RECENTY OF DRUG USE				

IRCIGRC	1	CIGARETTE RECENTY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	15096	27.15
		2 = More than 30 days ago but within the past 12 mos..	3336	6.00
		3 = More than 12 months ago but within the past 3 yrs.	3128	5.63
		4 = More than 3 years ago.....	10677	19.20
		9 = Never smoked cigarettes.....	23365	42.02
IICIGRC	1	CIGARETTE RECENTY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55215	99.30
		2 = Logically assigned data.....	4	0.01
		3 = Statistically imputed data.....	383	0.69
II2CIGRC	1	CIGARETTE RECENTY - DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55215	99.30
		2 = Logically assigned data.....	4	0.01
		4 = Statistically imputed data - edited recency = 9...	10	0.02
		5 = Statistically imputed data - edited recency = 8...	11	0.02
		6 = Statistically imputed data - edited recency = 19..	183	0.33
		7 = Statistically imputed data - edited recency = 14..	179	0.32
IRCGRRC	1	CIGAR RECENTY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	4162	7.49
		2 = More than 30 days ago but within the past 12 mos..	3968	7.14
		3 = More than 12 months ago but within the past 3 yrs.	3874	6.97
		4 = More than 3 years ago.....	6381	11.48
		9 = Never smoked cigars.....	37217	66.93
IICGRRC	1	CIGAR RECENTY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55249	99.37
		2 = Logically assigned data.....	5	0.01
		3 = Statistically imputed data.....	348	0.63
II2CGRRC	1	CIGAR RECENTY - DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55249	99.37
		2 = Logically assigned data.....	5	0.01
		3 = Statistically imputed data - lifetime use imputed.	13	0.02
		4 = Statistically imputed data - edited recency = 9...	14	0.03
		5 = Statistically imputed data - edited recency = 8...	9	0.02
		6 = Statistically imputed data - edited recency = 19..	171	0.31
		7 = Statistically imputed data - edited recency = 14..	141	0.25
IRPIPLF	1	LIFETIME PIPE USE - IMPUTATION REVISED		
		1 = Ever used pipes.....	5191	9.34
		9 = Never smoked pipes.....	50411	90.66
IIPIPLF	1	LIFETIME PIPE USE - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55593	99.98
		3 = Statistically imputed data.....	9	0.02
IRPIPMMN	1	PAST MONTH PIPE USE - IMPUTATION REVISED		
		1 = Within the past 30 days.....	481	0.87
		2 = More than 30 days ago but within lifetime.....	4710	8.47
		9 = Never smoked pipes.....	50411	90.66

RECENCY OF DRUG USE			PAGE:	125
LABEL	LEN	DESCRIPTION	FREQ	%
IIPIPMN	1	PAST MONTH PIPE USE - IMPUTATION INDICATOR		-
		1 = Questionnaire data.....	5189	9.33
		3 = Statistically imputed data.....	11	0.02
		9 = Legitimate skip - not a lifetime user.....	50402	90.65
IRSLTRC	1	SMOKELESS TOBACCO RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	2038	3.67
		2 = More than 30 days ago but within the past 12 mos..	1168	2.10
		3 = More than 12 months ago but within the past 3 yrs.	1333	2.40
		4 = More than 3 years ago.....	5218	9.38
		9 = Never used smokeless tobacco.....	45845	82.45
IISLTRC	1	SMOKELESS TOBACCO RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55362	99.57
		2 = Logically assigned data.....	2	0.00
		3 = Statistically imputed data.....	238	0.43
II2SLTRC	1	SMOKELESS TOBACCO RECENCY - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	55362	99.57
		2 = Logically assigned data.....	2	0.00
		3 = Statistically imputed data - lifetime use imputed.	37	0.07
		4 = Statistically imputed data - edited recency = 9...	2	0.00
		5 = Statistically imputed data - edited recency = 8...	2	0.00
		6 = Statistically imputed data - edited recency = 19..	102	0.18
		7 = Statistically imputed data - edited recency = 14..	95	0.17
IRCHWRC	1	CHEWING TOBACCO RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	825	1.48
		2 = More than 30 days ago but within the past 12 mos..	740	1.33
		3 = More than 12 months ago but within the past 3 yrs.	1000	1.80
		4 = More than 3 years ago.....	3967	7.13
		9 = Never used chewing tobacco.....	49070	88.25
IICHWRC	1	CHEWING TOBACCO RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55489	99.80
		3 = Statistically imputed data.....	113	0.20
II2CHWRC	1	CHEWING TOBACCO RECENCY - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	55489	99.80
		3 = Statistically imputed data - lifetime use imputed.	8	0.01
		4 = Statistically imputed data - edited recency = 9...	1	0.00
		5 = Statistically imputed data - edited recency = 8...	2	0.00
		6 = Statistically imputed data - edited recency = 19..	50	0.09
		7 = Statistically imputed data - edited recency = 14..	52	0.09
IRSNFRC	1	SNUFF RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	1694	3.05
		2 = More than 30 days ago but within the past 12 mos..	969	1.74
		3 = More than 12 months ago but within the past 3 yrs.	1061	1.91
		4 = More than 3 years ago.....	3995	7.18
		9 = Never used snuff.....	47883	86.12
IISNFRC	1	SNUFF RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55412	99.66
		2 = Logically assigned data.....	2	0.00
		3 = Statistically imputed data.....	188	0.34

LABEL	LEN	DESCRIPTION	RECENTY OF DRUG USE		PAGE:	126
			FREQ	%		
II2SNFRC	1	SNUFF RECENTY - DETAILED IMPUTATION INDICATOR				
		1 = Questionnaire data.....	55412	99.66		
		2 = Logically assigned data.....		2	0.00	
		3 = Statistically imputed data - lifetime use imputed.		34	0.06	
		4 = Statistically imputed data - edited recency = 9...		2	0.00	
		5 = Statistically imputed data - edited recency = 8...		1	0.00	
		6 = Statistically imputed data - edited recency = 19..		75	0.13	
		7 = Statistically imputed data - edited recency = 14..		76	0.14	
IRALCRC	1	ALCOHOL RECENTY - IMPUTATION REVISED				
		1 = Within the past 30 days.....	24905	44.79		
		2 = More than 30 days ago but within the past 12 mos..	9170	16.49		
		3 = More than 12 months ago.....	6578	11.83		
		9 = Never used alcohol.....	14949	26.89		
IIALCRC	1	ALCOHOL RECENTY - IMPUTATION INDICATOR				
		1 = Questionnaire data.....	54891	98.72		
		2 = Logically assigned data.....		11	0.02	
		3 = Statistically imputed data.....		700	1.26	
II2ALCRC	1	ALCOHOL RECENTY - DETAILED IMPUTATION INDICATOR				
		1 = Questionnaire data.....	54891	98.72		
		2 = Logically assigned data.....		11	0.02	
		3 = Statistically imputed data - lifetime use imputed.		14	0.03	
		4 = Statistically imputed data - edited recency = 9...		334	0.60	
		5 = Statistically imputed data - edited recency = 8...		352	0.63	
IRMJRC	1	MARIJUANA RECENTY - IMPUTATION REVISED				
		1 = Within the past 30 days.....	5473	9.84		
		2 = More than 30 days ago but within the past 12 mos..	4162	7.49		
		3 = More than 12 months ago.....	12785	22.99		
		9 = Never used marijuana.....	33182	59.68		
IIMJRC	1	MARIJUANA RECENTY - IMPUTATION INDICATOR				
		1 = Questionnaire data.....	55170	99.22		
		2 = Logically assigned data.....		2	0.00	
		3 = Statistically imputed data.....		430	0.77	
II2MJRC	1	MARIJUANA RECENTY - DETAILED IMPUTATION INDICATOR				
		1 = Questionnaire data.....	55170	99.22		
		2 = Logically assigned data.....		2	0.00	
		3 = Statistically imputed data - lifetime use imputed.		30	0.05	
		4 = Statistically imputed data - edited recency = 9...		200	0.36	
		5 = Statistically imputed data - edited recency = 8...		200	0.36	
IRCOCRC	1	COCAINE RECENTY - IMPUTATION REVISED				
		1 = Within the past 30 days.....	659	1.19		
		2 = More than 30 days ago but within the past 12 mos..	1333	2.40		
		3 = More than 12 months ago.....	4759	8.56		
		9 = Never used cocaine.....	48851	87.86		
IICOCRC	1	COCAINE RECENTY - IMPUTATION INDICATOR				
		1 = Questionnaire data.....	55411	99.66		
		2 = Logically assigned data.....		50	0.09	
		3 = Statistically imputed data.....		141	0.25	

RECENCY OF DRUG USE			PAGE:	127
LABEL	LEN	DESCRIPTION	FREQ	%
II2COCRC	1	COCAINE RECENCY - DETAILED IMPUTATION INDICATOR		-
		1 = Questionnaire data.....	55411	99.66
		2 = Logically assigned data.....	50	0.09
		3 = Statistically imputed data - lifetime use imputed.	17	0.03
		4 = Statistically imputed data - edited recency = 9...	77	0.14
		5 = Statistically imputed data - edited recency = 8...	47	0.08
IRCRKRC	1	CRACK RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	111	0.20
		2 = More than 30 days ago but within the past 12 mos..	246	0.44
		3 = More than 12 months ago.....	1348	2.42
		9 = Never used crack.....	53897	96.93
IICRKRC	1	CRACK RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55551	99.91
		3 = Statistically imputed data.....	51	0.09
II2CRKRC	1	CRACK RECENCY - DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55551	99.91
		3 = Statistically imputed data - lifetime use imputed.	20	0.04
		4 = Statistically imputed data - edited recency = 9...	21	0.04
		5 = Statistically imputed data - edited recency = 8...	10	0.02
IRHERRC	1	HEROIN RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	57	0.10
		2 = More than 30 days ago but within the past 12 mos..	94	0.17
		3 = More than 12 months ago.....	552	0.99
		9 = Never used heroin.....	54899	98.74
IIHERRC	1	HEROIN RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55561	99.93
		3 = Statistically imputed data.....	41	0.07
II2HERRC	1	HEROIN RECENCY - DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55561	99.93
		3 = Statistically imputed data - lifetime use imputed.	26	0.05
		4 = Statistically imputed data - edited recency = 9...	8	0.01
		5 = Statistically imputed data - edited recency = 8...	7	0.01
IRHALRC	1	HALLUCINOGEN RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	482	0.87
		2 = More than 30 days ago but within the past 12 mos..	1441	2.59
		3 = More than 12 months ago.....	6184	11.12
		9 = Never used hallucinogens.....	47495	85.42
IHALRC	1	HALLUCINOGEN RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55169	99.22
		2 = Logically assigned data.....	39	0.07
		3 = Statistically imputed data.....	394	0.71
II2HALRC	1	HALLUCINOGEN RECENCY - DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55169	99.22
		2 = Logically assigned data.....	39	0.07
		3 = Statistically imputed data - lifetime use imputed.	166	0.30
		4 = Statistically imputed data - edited recency = 9...	150	0.27
		5 = Statistically imputed data - edited recency = 8...	78	0.14

RECENCY OF DRUG USE			PAGE:	128
LABEL	LEN	DESCRIPTION	FREQ	%
IRLSDRC	1	LSD RECENCY - IMPUTATION REVISED		-
		1 = Within the past 30 days.....	70	0.13
		2 = More than 30 days ago but within the past 12 mos..	262	0.47
		3 = More than 12 months ago.....	4596	8.27
		9 = Never used LSD.....	50674	91.14
IILSDRC	1	LSD RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55500	99.82
		2 = Logically assigned data.....	1	0.00
		3 = Statistically imputed data.....	101	0.18
II2LSDRC	1	LSD RECENCY - DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55500	99.82
		2 = Logically assigned data.....	1	0.00
		3 = Statistically imputed data - lifetime use imputed.	38	0.07
		4 = Statistically imputed data - edited recency = 9...	46	0.08
		5 = Statistically imputed data - edited recency = 8...	17	0.03
IRPCPRC	1	PCP RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	19	0.03
		2 = More than 30 days ago but within the past 12 mos..	98	0.18
		3 = More than 12 months ago.....	1152	2.07
		9 = Never used PCP.....	54333	97.72
IIPCPRC	1	PCP RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55523	99.86
		3 = Statistically imputed data.....	79	0.14
II2PCPRC	1	PCP RECENCY - DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55523	99.86
		3 = Statistically imputed data - lifetime use imputed.	41	0.07
		4 = Statistically imputed data - edited recency = 9...	30	0.05
		5 = Statistically imputed data - edited recency = 8...	8	0.01
IRECSRC	1	ECSTASY RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	195	0.35
		2 = More than 30 days ago but within the past 12 mos..	669	1.20
		3 = More than 12 months ago.....	2829	5.09
		9 = Never used ecstasy.....	51909	93.36
IIECSRC	1	ECSTASY RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55461	99.75
		2 = Logically assigned data.....	1	0.00
		3 = Statistically imputed data.....	140	0.25
II2ECSRC	1	ECSTASY RECENCY - DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55461	99.75
		2 = Logically assigned data.....	1	0.00
		3 = Statistically imputed data - lifetime use imputed.	49	0.09
		4 = Statistically imputed data - edited recency = 9...	81	0.15
		5 = Statistically imputed data - edited recency = 8...	10	0.02
IRINHRC	1	INHALANT RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	350	0.63
		2 = More than 30 days ago but within the past 12 mos..	1007	1.81
		3 = More than 12 months ago.....	5363	9.65
		9 = Never used inhalants.....	48882	87.91

LABEL	LEN	DESCRIPTION	RECENCY OF DRUG USE	PAGE:	129
				FREQ	%
IIINHRC	1	INHALANT RECENCY - IMPUTATION INDICATOR			-
		1 = Questionnaire data.....	55233	99.34	
		2 = Logically assigned data.....	1	0.00	
		3 = Statistically imputed data.....	368	0.66	
II2INHRC	1	INHALANT RECENCY - DETAILED IMPUTATION INDICATOR			
		1 = Questionnaire data.....	55233	99.34	
		2 = Logically assigned data.....	1	0.00	
		3 = Statistically imputed data - lifetime use imputed.	89	0.16	
		4 = Statistically imputed data - edited recency = 9...	249	0.45	
		5 = Statistically imputed data - edited recency = 8...	30	0.05	
IRANLRC	1	PAIN RELIEVER RECENCY - IMPUTATION REVISED			
		1 = Within the past 30 days.....	1653	2.97	
		2 = More than 30 days ago but within the past 12 mos..	2697	4.85	
		3 = More than 12 months ago.....	4838	8.70	
		9 = Never used pain relievers.....	46414	83.48	
IIANLRC	1	PAIN RELIEVER RECENCY - IMPUTATION INDICATOR			
		1 = Questionnaire data.....	54971	98.87	
		2 = Logically assigned data.....	102	0.18	
		3 = Statistically imputed data.....	529	0.95	
II2ANLRC	1	PAIN RELIEVER RECENCY - DETAILED IMP INDICATOR			
		1 = Questionnaire data.....	54971	98.87	
		2 = Logically assigned data.....	102	0.18	
		3 = Statistically imputed data - lifetime use imputed.	193	0.35	
		4 = Statistically imputed data - edited recency = 9...	297	0.53	
		5 = Statistically imputed data - edited recency = 8...	39	0.07	
IROXYRC	1	OXYCONTIN RECENCY - IMPUTATION REVISED			
		1 = Within the past 30 days.....	149	0.27	
		2 = More than 30 days ago but within the past 12 mos..	378	0.68	
		3 = More than 12 months ago.....	708	1.27	
		9 = NEVER USED OXYCONTIN.....	54367	97.78	
IIOXYRC	1	OXYCONTIN RECENCY - IMPUTATION INDICATOR			
		1 = Questionnaire data.....	55298	99.45	
		2 = Logically assigned data.....	95	0.17	
		3 = Statistically imputed data.....	209	0.38	
II2OXYRC	1	OXYCONTIN RECENCY - DETAILED IMP INDICATOR			
		1 = Questionnaire data.....	55298	99.45	
		2 = Logically assigned data.....	95	0.17	
		3 = Statistically imputed data - lifetime use imputed.	146	0.26	
		4 = Statistically imputed data - edited recency = 9...	50	0.09	
		5 = Statistically imputed data - edited recency = 8...	13	0.02	
IRTRNRC	1	TRANQUILIZER RECENCY - IMPUTATION REVISED			
		1 = Within the past 30 days.....	544	0.98	
		2 = More than 30 days ago but within the past 12 mos..	1135	2.04	
		3 = More than 12 months ago.....	2927	5.26	
		9 = Never used tranquilizers.....	50996	91.72	
IITRNRC	1	TRANQUILIZER RECENCY - IMPUTATION INDICATOR			
		1 = Questionnaire data.....	55424	99.68	
		2 = Logically assigned data.....	6	0.01	
		3 = Statistically imputed data.....	172	0.31	

RECENCY OF DRUG USE			PAGE:	130
LABEL	LEN	DESCRIPTION	FREQ	%
II2TRNRC	1	TRANQUILIZER RECENCY - DETAILED IMPUTATION INDICATOR		-
		1 = Questionnaire data.....	55424	99.68
		2 = Logically assigned data.....	6	0.01
		3 = Statistically imputed data - lifetime use imputed.	91	0.16
		4 = Statistically imputed data - edited recency = 9...	76	0.14
		5 = Statistically imputed data - edited recency = 8...	5	0.01
IRSTMRC	1	STIMULANT RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	485	0.87
		2 = More than 30 days ago but within the past 12 mos..	802	1.44
		3 = More than 12 months ago.....	3327	5.98
		9 = Never used stimulants.....	50988	91.70
IISTMRC	1	STIMULANT RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55329	99.51
		2 = Logically assigned data.....	35	0.06
		3 = Statistically imputed data.....	238	0.43
II2STMRC	1	STIMULANT RECENCY - DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55329	99.51
		2 = Logically assigned data.....	35	0.06
		3 = Statistically imputed data - lifetime use imputed.	115	0.21
		4 = Statistically imputed data - edited recency = 9...	103	0.19
		5 = Statistically imputed data - edited recency = 8...	20	0.04
IRMTHRC	1	METHAMPHETAMINE RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	191	0.34
		2 = More than 30 days ago but within the past 12 mos..	335	0.60
		3 = More than 12 months ago.....	1946	3.50
		9 = NEVER USED METHAMPHETAMINE.....	53130	95.55
IIMTHRC	1	METHAMPHETAMINE RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55481	99.78
		2 = Logically assigned data.....	17	0.03
		3 = Statistically imputed data.....	104	0.19
II2MTHRC	1	METHAMPHETAMINE RECENCY - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	55481	99.78
		2 = Logically assigned data.....	17	0.03
		3 = Statistically imputed data - lifetime use imputed.	50	0.09
		4 = Statistically imputed data - edited recency = 9...	48	0.09
		5 = Statistically imputed data - edited recency = 8...	6	0.01
IRSEDRC	1	SEDATIVE RECENCY - IMPUTATION REVISED		
		1 = Within the past 30 days.....	70	0.13
		2 = More than 30 days ago but within the past 12 mos..	186	0.33
		3 = More than 12 months ago.....	1183	2.13
		9 = Never used sedatives.....	54163	97.41
IISEDRC	1	SEDATIVE RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55406	99.65
		2 = Logically assigned data.....	27	0.05
		3 = Statistically imputed data.....	169	0.30

RECENCY OF DRUG USE			PAGE:	131
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
II2SEDRC	1	SEDATIVE RECENCY - DETAILED IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55406	99.65
		2 = Logically assigned data.....	27	0.05
		3 = Statistically imputed data - lifetime use imputed.	135	0.24
		4 = Statistically imputed data - edited recency = 9...	32	0.06
		5 = Statistically imputed data - edited recency = 8...	2	0.00

PAST YEAR FREQUENCY OF USE			PAGE:	132
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
PAST YEAR FREQUENCY OF USE				

IRALCFY	3	ALCOHOL FREQUENCY PAST YEAR - IMPUTATION REVISED		
RANGE = 1 - 365				
991 = NEVER USED ALCOHOL.....				
993 = DID NOT USE ALCOHOL PAST YEAR.....				
			34075	61.28
			14949	26.89
			6578	11.83
IIALCFY	1	ALCOHOL FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
1 = Questionnaire data.....				
2 = Logically assigned data.....				
3 = Statistically imputed data.....				
9 = Legitimate skip - not a lifetime/past year user...				
			32339	58.16
			1108	1.99
			743	1.34
			21412	38.51
II2ALCFY	1	ALCOHOL FREQ PAST YEAR - DETAILED IMP INDICATOR		
1 = Questionnaire data.....				
2 = Logically assigned data.....				
3 = Statistically imputed data - lifetime use imputed.				
4 = Statistically imputed data - lifetime use known...				
9 = Legitimate skip - not a lifetime/past year user...				
			32339	58.16
			1108	1.99
			14	0.03
			729	1.31
			21412	38.51
IRMJFY	3	MARIJUANA FREQUENCY PAST YEAR - IMPUTATION REVISED		
RANGE = 1 - 365				
991 = NEVER USED MARIJUANA.....				
993 = DID NOT USE MARIJUANA PAST YEAR.....				
			9635	17.33
			33182	59.68
			12785	22.99
IIMJFY	1	MARIJUANA FREQUENCY PAST YEAR - IMP INDICATOR		
1 = Questionnaire data.....				
2 = Logically assigned data.....				
3 = Statistically imputed data.....				
9 = Legitimate skip - not a lifetime/past year user...				
			8667	15.59
			637	1.15
			454	0.82
			45844	82.45
II2MJFY	1	MARIJUANA FREQ PAST YEAR - DETAILED IMP INDICATOR		
1 = Questionnaire data.....				
2 = Logically assigned data.....				
3 = Statistically imputed data - lifetime use imputed.				
4 = Statistically imputed data - lifetime use known...				
9 = Legitimate skip - not a lifetime/past year user...				
			8667	15.59
			637	1.15
			30	0.05
			424	0.76
			45844	82.45
IRCOCFY	3	COCAINE FREQUENCY PAST YEAR - IMPUTATION REVISED		
RANGE = 1 - 365				
991 = NEVER USED COCAINE.....				
993 = DID NOT USE COCAINE PAST YEAR.....				
			1992	3.58
			48851	87.86
			4759	8.56
IICOCFY	1	COCAINE FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
1 = Questionnaire data.....				
2 = Logically assigned data.....				
3 = Statistically imputed data.....				
9 = Legitimate skip - not a lifetime/past year user...				
			1675	3.01
			209	0.38
			159	0.29
			53559	96.33
II2COCFY	1	COCAINE FREQ PAST YEAR - DETAILED IMP INDICATOR		
1 = Questionnaire data.....				
2 = Logically assigned data.....				
3 = Statistically imputed data - lifetime use imputed.				
4 = Statistically imputed data - lifetime use known...				
9 = Legitimate skip - not a lifetime/past year user...				
			1675	3.01
			209	0.38
			17	0.03
			142	0.26
			53559	96.33

PAST YEAR FREQUENCY OF USE			PAGE:	133
LABEL	LEN	DESCRIPTION	FREQ	%
IRCRKFY	3	CRACK FREQUENCY PAST YEAR - IMPUTATION REVISED		-
		RANGE = 1 - 364	357	0.64
		991 = NEVER USED CRACK.....	53897	96.93
		993 = DID NOT USE CRACK PAST YEAR.....	1348	2.42
IICRKFY	1	CRACK FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	304	0.55
		2 = Logically assigned data.....	39	0.07
		3 = Statistically imputed data.....	51	0.09
		9 = Legitimate skip - not a lifetime/past year user...	55208	99.29
II2CRKFY	1	CRACK FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	304	0.55
		2 = Logically assigned data.....	39	0.07
		3 = Statistically imputed data - lifetime use imputed.	20	0.04
		4 = Statistically imputed data - lifetime use known...	31	0.06
		9 = Legitimate skip - not a lifetime/past year user...	55208	99.29
IRHERFY	3	HEROIN FREQUENCY PAST YEAR - IMPUTATION REVISED		
		RANGE = 1 - 365	151	0.27
		991 = NEVER USED HEROIN.....	54899	98.74
		993 = DID NOT USE HEROIN PAST YEAR.....	552	0.99
IIHERYF	1	HEROIN FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	131	0.24
		2 = Logically assigned data.....	9	0.02
		3 = Statistically imputed data.....	42	0.08
		9 = Legitimate skip - not a lifetime/past year user...	55420	99.67
II2HERFY	1	HEROIN FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	131	0.24
		2 = Logically assigned data.....	9	0.02
		3 = Statistically imputed data - lifetime use imputed.	26	0.05
		4 = Statistically imputed data - lifetime use known...	16	0.03
		9 = Legitimate skip - not a lifetime/past year user...	55420	99.67
IRHALFY	3	HALL FREQUENCY PAST YEAR - IMPUTATION REVISED		
		RANGE = 1 - 364	1923	3.46
		991 = NEVER USED HALLUCINOGENS.....	47495	85.42
		993 = DID NOT USE HALLUCINOGENS PAST YEAR.....	6184	11.12
IIHALFY	1	HALL FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	1710	3.08
		2 = Logically assigned data.....	109	0.20
		3 = Statistically imputed data.....	362	0.65
		9 = Legitimate skip - not a lifetime/past year user...	53421	96.08
II2HALFY	1	HALL FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	1710	3.08
		2 = Logically assigned data.....	109	0.20
		3 = Statistically imputed data - lifetime use imputed.	166	0.30
		4 = Statistically imputed data - lifetime use known...	196	0.35
		9 = Legitimate skip - not a lifetime/past year user...	53421	96.08
IRINHFY	3	INHALANT FREQUENCY PAST YEAR - IMPUTATION REVISED		
		RANGE = 1 - 360	1357	2.44
		991 = NEVER USED INHALANTS.....	48882	87.91
		993 = DID NOT USE INHALANTS PAST YEAR.....	5363	9.65

LABEL	LEN	DESCRIPTION	PAST YEAR FREQUENCY OF USE		PAGE:	134
			FREQ	%		
IIINHFY	1	INHALANT FREQUENCY PAST YEAR - IMP INDICATOR				-
		1 = Questionnaire data.....	1074	1.93		
		2 = Logically assigned data.....	149	0.27		
		3 = Statistically imputed data.....	381	0.69		
		9 = Legitimate skip - not a lifetime/past year user...	53998	97.12		
II2INHFY	1	INHALANT FREQ PAST YEAR - DETAILED IMP INDICATOR				
		1 = Questionnaire data.....	1074	1.93		
		2 = Logically assigned data.....	149	0.27		
		3 = Statistically imputed data - lifetime use imputed.	89	0.16		
		4 = Statistically imputed data - lifetime use known...	292	0.53		
		9 = Legitimate skip - not a lifetime/past year user...	53998	97.12		
IRANLFY	3	PAIN RELIEVER FREQ PAST YEAR - IMPUTATION REVISED				
		RANGE = 1 - 365	4350	7.82		
		991 = NEVER USED PAIN RELIEVERS.....	46414	83.48		
		993 = DID NOT USE PAIN RELIEVERS PAST YEAR.....	4838	8.70		
IIANLFY	1	PAIN RELIEVER FREQ PAST YEAR - IMP INDICATOR				
		1 = Questionnaire data.....	3694	6.64		
		2 = Logically assigned data.....	363	0.65		
		3 = Statistically imputed data.....	621	1.12		
		9 = Legitimate skip - not a lifetime/past year user...	50924	91.59		
II2ANLFY	1	PAIN RELIEVER FREQ PAST YR-DETAILED IMP INDICATOR				
		1 = Questionnaire data.....	3694	6.64		
		2 = Logically assigned data.....	363	0.65		
		3 = Statistically imputed data - lifetime use imputed.	193	0.35		
		4 = Statistically imputed data - lifetime use known...	428	0.77		
		9 = Legitimate skip - not a lifetime/past year user...	50924	91.59		
IROXYFY	3	OXYCONTIN FREQUENCY PAST YEAR - IMPUTATION REVISED				
		RANGE = 1 - 364	527	0.95		
		991 = NEVER USED OXYCONTIN.....	54367	97.78		
		993 = DID NOT USE OXYCONTIN PAST YEAR.....	708	1.27		
IIOXYFY	1	OXY FREQUENCY PAST YEAR - IMPUTATION INDICATOR				
		1 = Questionnaire data.....	425	0.76		
		2 = Logically assigned data.....	74	0.13		
		3 = Statistically imputed data.....	213	0.38		
		9 = Legitimate skip - not a lifetime/past year user...	54890	98.72		
II2OXYFY	1	OXYCONTIN FREQ PAST YEAR - DETAILED IMP INDICATOR				
		1 = Questionnaire data.....	425	0.76		
		2 = Logically assigned data.....	74	0.13		
		3 = Statistically imputed data - lifetime use imputed.	146	0.26		
		4 = Statistically imputed data - lifetime use known...	67	0.12		
		9 = Legitimate skip - not a lifetime/past year user...	54890	98.72		
IRTRNFY	3	TRANQUILIZER FREQ PAST YEAR - IMPUTATION REVISED				
		RANGE = 1 - 364	1679	3.02		
		991 = NEVER USED TRANQUILIZERS.....	50996	91.72		
		993 = DID NOT USE TRANQUILIZERS PAST YEAR.....	2927	5.26		
IITRNFY	1	TRAN FREQUENCY PAST YEAR - IMPUTATION INDICATOR				
		1 = Questionnaire data.....	1485	2.67		
		2 = Logically assigned data.....	125	0.22		
		3 = Statistically imputed data.....	196	0.35		
		9 = Legitimate skip - not a lifetime/past year user...	53796	96.75		

PAST YEAR FREQUENCY OF USE			PAGE:	135
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
II2TRNFY	1	TRAN FREQ PAST YEAR - DETAILED IMP INDICATOR		-
		1 = Questionnaire data.....	1485	2.67
		2 = Logically assigned data.....	125	0.22
		3 = Statistically imputed data - lifetime use imputed.	91	0.16
		4 = Statistically imputed data - lifetime use known...	105	0.19
		9 = Legitimate skip - not a lifetime/past year user...	53796	96.75
IRSTMFY	3	STIMULANT FREQUENCY PAST YEAR - IMPUTATION REVISED		
		RANGE = 1 - 365	1287	2.31
		991 = NEVER USED STIMULANTS.....	50988	91.70
		993 = DID NOT USE STIMULANTS PAST YEAR.....	3327	5.98
IISTMFY	1	STIM FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	1034	1.86
		2 = Logically assigned data.....	177	0.32
		3 = Statistically imputed data.....	250	0.45
		9 = Legitimate skip - not a lifetime/past year user...	54141	97.37
II2STMFY	1	STIM FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	1034	1.86
		2 = Logically assigned data.....	177	0.32
		3 = Statistically imputed data - lifetime use imputed.	115	0.21
		4 = Statistically imputed data - lifetime use known...	135	0.24
		9 = Legitimate skip - not a lifetime/past year user...	54141	97.37
IRMTHFY	3	METH FREQUENCY PAST YEAR - IMPUTATION REVISED		
		RANGE = 1 - 364	526	0.95
		991 = NEVER USED METHAMPHETAMINE.....	53130	95.55
		993 = DID NOT USE METHAMPHETAMINE PAST YEAR.....	1946	3.50
IIMTHFY	1	METH FREQUENCY PAST YEAR - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	437	0.79
		2 = Logically assigned data.....	64	0.12
		3 = Statistically imputed data.....	109	0.20
		9 = Legitimate skip - not a lifetime/past year user...	54992	98.90
II2MTHFY	1	METH FREQ PAST YEAR - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	437	0.79
		2 = Logically assigned data.....	64	0.12
		3 = Statistically imputed data - lifetime use imputed.	50	0.09
		4 = Statistically imputed data - lifetime use known...	59	0.11
		9 = Legitimate skip - not a lifetime/past year user...	54992	98.90
IRSEDFY	3	SEDATIVE FREQUENCY PAST YEAR - IMPUTATION REVISED		
		RANGE = 1 - 364	256	0.46
		991 = NEVER USED SEDATIVES.....	54163	97.41
		993 = DID NOT USE SEDATIVES PAST YEAR.....	1183	2.13
IISEDFY	1	SEDATIVE FREQUENCY PAST YEAR - IMP INDICATOR		
		1 = Questionnaire data.....	205	0.37
		2 = Logically assigned data.....	22	0.04
		3 = Statistically imputed data.....	176	0.32
		9 = Legitimate skip - not a lifetime/past year user...	55199	99.28

LABEL	LEN	DESCRIPTION	PAST YEAR FREQUENCY OF USE		PAGE:	136
			FREQ	%		
II2SEDFY	1	SEDATIVE FREQ PAST YEAR - DETAILED IMP INDICATOR				-
		1 = Questionnaire data.....	205	0.37		
		2 = Logically assigned data.....	22	0.04		
		3 = Statistically imputed data - lifetime use imputed.	135	0.24		
		4 = Statistically imputed data - lifetime use known...	41	0.07		
		9 = Legitimate skip - not a lifetime/past year user...	55199	99.28		

LABEL	LEN	DESCRIPTION	PAST MONTH FREQUENCY OF USE		PAGE: FREQ	137 %
			-----	-----		
PAST MONTH FREQUENCY OF USE						

IRCIGFM	4	CIG FREQUENCY PAST MONTH - IMPUTATION REVISED				
RANGE = 1 - 30					15096	27.15
91 = NEVER USED CIGARETTES.....					23365	42.02
93 = DID NOT USE CIGARETTES PAST MONTH.....					17141	30.83
IICIGFM	1	CIG FREQUENCY PAST MONTH - IMPUTATION INDICATOR				
1 = Questionnaire data.....					14956	26.90
2 = Logically assigned data.....					121	0.22
3 = Statistically imputed data.....					32	0.06
9 = Legitimate skip - not a lifetime/past month user..					40493	72.83
II2CIGFM	1	CIG FREQUENCY PAST MONTH - DETAILED IMP INDICATOR				
1 = Questionnaire data.....					14956	26.90
2 = Logically assigned data.....					121	0.22
4 = Statistically imputed data - lifetime use known...					32	0.06
9 = Legitimate skip - not a lifetime/past month user..					40493	72.83
IRCGRFM	4	CIGAR FREQUENCY PAST MONTH - IMPUTATION REVISED				
RANGE = 1 - 30					4162	7.49
91 = NEVER USED CIGARS.....					37217	66.93
93 = DID NOT USE CIGARS PAST MONTH.....					14223	25.58
IICGRFM	1	CIGAR FREQUENCY PAST MONTH - IMPUTATION INDICATOR				
1 = Questionnaire data.....					4113	7.40
2 = Logically assigned data.....					36	0.06
3 = Statistically imputed data.....					42	0.08
9 = Legitimate skip - not a lifetime/past month user..					51411	92.46
II2CGRFM	1	CIGAR FREQUENCY PST MONTH - DETAILED IMP INDICATOR				
1 = Questionnaire data.....					4113	7.40
2 = Logically assigned data.....					36	0.06
3 = Statistically imputed data - lifetime use imputed.					13	0.02
4 = Statistically imputed data - lifetime use known...					29	0.05
9 = Legitimate skip - not a lifetime/past month user..					51411	92.46
IRCHWFM	4	CHEWING TOB FREQUENCY PST MON - IMPUTATION REVISED				
RANGE = 1 - 30					825	1.48
91 = NEVER USED CHEWING TOBACCO.....					49070	88.25
93 = DID NOT USE CHEWING TOBACCO PAST MONTH.....					5707	10.26
IICHWFM	1	CHEWING TOB FREQ PAST MONTH - IMPUTATION INDICATOR				
1 = Questionnaire data.....					816	1.47
2 = Logically assigned data.....					5	0.01
3 = Statistically imputed data.....					13	0.02
9 = Legitimate skip - not a lifetime/past month user..					54768	98.50
II2CHWFM	1	CHEWING TOB FREQ PST MONTH-DETAILED IMP INDICATOR				
1 = Questionnaire data.....					816	1.47
2 = Logically assigned data.....					5	0.01
3 = Statistically imputed data - lifetime use imputed.					8	0.01
4 = Statistically imputed data - lifetime use known...					5	0.01
9 = Legitimate skip - not a lifetime/past month user..					54768	98.50

PAST MONTH FREQUENCY OF USE			PAGE:	138
LABEL	LEN	DESCRIPTION	FREQ	%
IRSNFFM	4	SNUFF FREQUENCY PAST MONTH - IMPUTATION REVISED		-
	RANGE =	1 - 30	1694	3.05
	91	= NEVER USED SNUFF.....	47883	86.12
	93	= DID NOT USE SNUFF PAST MONTH.....	6025	10.84
IISNFFM	1	SNUFF FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
	1	= Questionnaire data.....	1676	3.01
	2	= Logically assigned data.....	15	0.03
	3	= Statistically imputed data.....	40	0.07
	9	= Legitimate skip - not a lifetime/past month user..	53871	96.89
II2SNFFM	1	SNUFF FREQUENCY PST MONTH - DETAILED IMP INDICATOR		
	1	= Questionnaire data.....	1676	3.01
	2	= Logically assigned data.....	15	0.03
	3	= Statistically imputed data - lifetime use imputed.	34	0.06
	4	= Statistically imputed data - lifetime use known...	6	0.01
	9	= Legitimate skip - not a lifetime/past month user..	53871	96.89
IRALCFM	4	ALCOHOL FREQUENCY PAST MONTH - IMPUTATION REVISED		
	RANGE =	1 - 30	24905	44.79
	91	= NEVER USED ALCOHOL.....	14949	26.89
	93	= DID NOT USE ALCOHOL PAST MONTH.....	15748	28.32
IIALCFM	1	ALCOHOL FREQ PAST MONTH - IMPUTATION INDICATOR		
	1	= Questionnaire data.....	24212	43.55
	2	= Logically assigned data.....	150	0.27
	3	= Statistically imputed data.....	918	1.65
	9	= Legitimate skip - not a lifetime/past month user..	30322	54.53
II2ALCFM	1	ALCOHOL FREQ PST MONTH - DETAILED IMP INDICATOR		
	1	= Questionnaire data.....	24212	43.55
	2	= Logically assigned data.....	150	0.27
	3	= Statistically imputed data - lifetime use imputed.	14	0.03
	4	= Statistically imputed data - lifetime use known...	904	1.63
	9	= Legitimate skip - not a lifetime/past month user..	30322	54.53
IRALCD5	2	5+ ALC DRNKS PAST MONTH - IMP REVISED (DR5DAY)		
	RANGE =	0 - 30	24905	44.79
	91	= NEVER USED ALCOHOL.....	14949	26.89
	93	= DID NOT HAVE 5+ ALC DRNKS PAST MONTH.....	15748	28.32
IIALCD5	1	5+ ALC DRNKS PAST MONTH - IMPUTATION INDICATOR		
	1	= Questionnaire data.....	23923	43.03
	2	= Logically assigned data.....	64	0.12
	3	= Statistically imputed data.....	1293	2.33
	9	= Legitimate skip - not a lifetime/past month user..	30322	54.53
II2ALCD5	1	5+ ALC DRINKS PAST MONTH - DETAILED IMP INDICATOR		
	1	= Questionnaire data.....	23923	43.03
	2	= Logically assigned data.....	64	0.12
	3	= Statistically imputed data - lifetime use imputed.	14	0.03
	4	= Statistically imputed data - lifetime use known...	1279	2.30
	9	= Legitimate skip - not a lifetime/past month user..	30322	54.53
IRMJFM	4	MARIJUANA FREQUENCY PAST MONTH - IMP REVISED		
	RANGE =	1 - 30	5473	9.84
	91	= NEVER USED MARIJUANA.....	33182	59.68
	93	= DID NOT USE MARIJUANA PAST MONTH.....	16947	30.48

PAST MONTH FREQUENCY OF USE			PAGE:	139
LABEL	LEN	DESCRIPTION	FREQ	%
IIMJFM	1	MARIJUANA FREQUENCY PAST MONTH - IMP INDICATOR		-
		1 = Questionnaire data.....	5273	9.48
		2 = Logically assigned data.....	47	0.08
		3 = Statistically imputed data.....	438	0.79
		9 = Legitimate skip - not a lifetime/past month user..	49844	89.64
II2MJFM	1	MARIJUANA FREQ PAST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	5273	9.48
		2 = Logically assigned data.....	47	0.08
		3 = Statistically imputed data - lifetime use imputed.	30	0.05
		4 = Statistically imputed data - lifetime use known...	408	0.73
		9 = Legitimate skip - not a lifetime/past month user..	49844	89.64
IRCOCFM	4	COCAINE FREQUENCY PAST MONTH - IMPUTATION REVISED		
		RANGE = 1 - 30	659	1.19
		91 = NEVER USED COCAINE.....	48851	87.86
		93 = DID NOT USE COCAINE PAST MONTH.....	6092	10.96
IICOCFM	1	COCAINE FREQ PAST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	571	1.03
		2 = Logically assigned data.....	22	0.04
		3 = Statistically imputed data.....	172	0.31
		9 = Legitimate skip - not a lifetime/past month user..	54837	98.62
II2COFCM	1	COCAINE FREQ PAST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	571	1.03
		2 = Logically assigned data.....	22	0.04
		3 = Statistically imputed data - lifetime use imputed.	17	0.03
		4 = Statistically imputed data - lifetime use known...	155	0.28
		9 = Legitimate skip - not a lifetime/past month user..	54837	98.62
IRCRKFM	4	CRACK FREQUENCY PAST MONTH - IMPUTATION REVISED		
		RANGE = 1 - 30	111	0.20
		91 = NEVER USED CRACK.....	53897	96.93
		93 = DID NOT USE CRACK PAST MONTH.....	1594	2.87
IICRKFM	1	CRACK FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	109	0.20
		2 = Logically assigned data.....	1	0.00
		3 = Statistically imputed data.....	51	0.09
		9 = Legitimate skip - not a lifetime/past month user..	55441	99.71
II2CRKFM	1	CRACK FREQ PAST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	109	0.20
		2 = Logically assigned data.....	1	0.00
		3 = Statistically imputed data - lifetime use imputed.	20	0.04
		4 = Statistically imputed data - lifetime use known...	31	0.06
		9 = Legitimate skip - not a lifetime/past month user..	55441	99.71
IRHERFM	4	HEROIN FREQUENCY PAST MONTH - IMPUTATION REVISED		
		RANGE = 1 - 30	57	0.10
		91 = NEVER USED HEROIN.....	54899	98.74
		93 = DID NOT USE HEROIN PAST MONTH.....	646	1.16
IIHERFM	1	HEROIN FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	50	0.09
		2 = Logically assigned data.....	1	0.00
		3 = Statistically imputed data.....	42	0.08
		9 = Legitimate skip - not a lifetime/past month user..	55509	99.83

PAST MONTH FREQUENCY OF USE			PAGE:	140
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
II2HERFM	1	HEROIN FREQ PAST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	50	0.09
		2 = Logically assigned data.....	1	0.00
		3 = Statistically imputed data - lifetime use imputed.	26	0.05
		4 = Statistically imputed data - lifetime use known...	16	0.03
		9 = Legitimate skip - not a lifetime/past month user..	55509	99.83
IRHALFM	4	HALLUCINOGEN FREQ PAST MONTH - IMPUTATION REVISED		
		RANGE = 1 - 30	482	0.87
		91 = NEVER USED HALLUCINOGENS.....	47495	85.42
		93 = DID NOT USE HALLUCINOGENS PAST MONTH.....	7625	13.71
IIHALFM	1	HALL FREQUENCY PAST MONTH - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	432	0.78
		2 = Logically assigned data.....	10	0.02
		3 = Statistically imputed data.....	401	0.72
		9 = Legitimate skip - not a lifetime/past month user..	54759	98.48
II2HALFM	1	HALL FREQ PAST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	432	0.78
		2 = Logically assigned data.....	10	0.02
		3 = Statistically imputed data - lifetime use imputed.	166	0.30
		4 = Statistically imputed data - lifetime use known...	235	0.42
		9 = Legitimate skip - not a lifetime/past month user..	54759	98.48
IRINHFM	4	INHALANT FREQUENCY PAST MONTH - IMP REVISED		
		RANGE = 1 - 30	350	0.63
		91 = NEVER USED INHALANTS.....	48882	87.91
		93 = DID NOT USE INHALANTS PAST MONTH.....	6370	11.46
IIINHFM	1	INHALANT FREQUENCY PAST MONTH - IMP INDICATOR		
		1 = Questionnaire data.....	311	0.56
		2 = Logically assigned data.....	12	0.02
		3 = Statistically imputed data.....	370	0.67
		9 = Legitimate skip - not a lifetime/past month user..	54909	98.75
II2INHFM	1	INHALANT FREQ PAST MONTH - DETAILED IMP INDICATOR		
		1 = Questionnaire data.....	311	0.56
		2 = Logically assigned data.....	12	0.02
		3 = Statistically imputed data - lifetime use imputed.	89	0.16
		4 = Statistically imputed data - lifetime use known...	281	0.51
		9 = Legitimate skip - not a lifetime/past month user..	54909	98.75

LABEL	LEN	DESCRIPTION	AGE/DATE OF FIRST DRUG USE	PAGE:	141
				FREQ	%

AGE/DATE OF FIRST DRUG USE					

IRCIGAGE	3	IMPUTATION-REVISED CIGARETTE AGE OF FIRST USE			
		RANGE = 1 - 65		32237	57.98
		991 = NEVER USED.....		23365	42.02
IICIGAGE	1	IRCIGAGE IMPUTATION INDICATOR			
		1 = Questionnaire data.....		31829	57.24
		2 = Logically assigned data.....		12	0.02
		3 = Statistically imputed data.....		396	0.71
		9 = Legitimate skip - not a lifetime user.....		23365	42.02
IRCGYFU	4	IMPUTATION-REVISED CIGARETTE YEAR OF FIRST USE			
		RANGE = 1924 - 2004		32237	57.98
		9999 = NEVER USED.....		23365	42.02
IICIGYFU	1	IRCGYFU IMPUTATION INDICATOR			
		1 = Questionnaire data.....		2136	3.84
		2 = Logically assigned data.....		3	0.01
		3 = Statistically imputed data.....		30098	54.13
		9 = Legitimate skip - not a lifetime user.....		23365	42.02
IRCDUAGE	3	IMPUTATION-REVISED DAILY CIG AGE OF FIRST USE			
		RANGE = 1 - 55		16396	29.49
		991 = NEVER USED.....		23365	42.02
		993 = NEVER A DAILY USER.....		15841	28.49
IICDUAGE	1	IRCDUAGE IMPUTATION INDICATOR			
		1 = Questionnaire data.....		16281	29.28
		3 = Statistically imputed data.....		126	0.23
		9 = Legitimate skip - not a lifetime/daily cig user...		39195	70.49
IRCD2YFU	4	IMP-REVISED CIG DAILY YFU - USING CIGDLYFU			
		RANGE = 1926 - 2004		16396	29.49
		9993 = NEVER A DAILY USER.....		15841	28.49
		9999 = NEVER USED.....		23365	42.02
IICD2YFU	1	IRCD2YFU IMPUTATION INDICATOR			
		1 = Questionnaire data.....		1025	1.84
		3 = Statistically imputed data.....		15382	27.66
		9 = Legitimate skip - not a lifetime/daily cig user...		39195	70.49
IRCGRAGE	3	IMPUTATION-REVISED CIGAR AGE OF FIRST USE			
		RANGE = 1 - 67		18385	33.07
		991 = NEVER USED.....		37217	66.93
IICGRAGE	1	IRCGRAGE IMPUTATION INDICATOR			
		1 = Questionnaire data.....		17935	32.26
		3 = Statistically imputed data.....		458	0.82
		9 = Legitimate skip - not a lifetime user.....		37209	66.92
IRCGRYFU	4	IMPUTATION-REVISED CIGAR YEAR OF FIRST USE			
		RANGE = 1927 - 2004		18385	33.07
		9999 = NEVER USED.....		37217	66.93

LABEL	LEN	DESCRIPTION	AGE/DATE OF FIRST DRUG USE	PAGE:	142
				FREQ	%
IICGRYFU	1	IRCGRYFU IMPUTATION INDICATOR			-
		1 = Questionnaire data.....	2417	4.35	
		3 = Statistically imputed data.....	15976	28.73	
		9 = Legitimate skip - not a lifetime user.....	37209	66.92	
IRSLTAGE	3	IMPUTATION-REVISED SMOKELESS TOB AGE FIRST USE			
		RANGE = 1 - 70	9757	17.55	
		991 = NEVER USED.....	45845	82.45	
IISLTAGE	1	IRSLTAGE IMPUTATION INDICATOR			
		1 = Questionnaire data.....	9485	17.06	
		3 = Statistically imputed data.....	307	0.55	
		9 = Legitimate skip - not a lifetime user.....	45810	82.39	
IRSLTYFU	4	IMPUTATION-REVISED SMOKELESS TOB YEAR OF FIRST USE			
		RANGE = 1917 - 2004	9757	17.55	
		9999 = NEVER USED.....	45845	82.45	
IISLYTFU	1	IRSLTYFU IMPUTATION INDICATOR			
		1 = Questionnaire data.....	938	1.69	
		3 = Statistically imputed data.....	8854	15.92	
		9 = Legitimate skip - not a lifetime user.....	45810	82.39	
IRCHWAGE	3	IMPUTATION-REVISED CHEWING TOB AGE FIRST USE			
		RANGE = 1 - 70	6532	11.75	
		991 = NEVER USED.....	49070	88.25	
IICHWAGE	1	IRCHWAGE IMPUTATION INDICATOR			
		1 = Questionnaire data.....	6403	11.52	
		3 = Statistically imputed data.....	136	0.24	
		9 = Legitimate skip - not a lifetime user.....	49063	88.24	
IRCHWYFU	4	IMPUTATION-REVISED CHEWING TOB YEAR FIRST USE			
		RANGE = 1924 - 2004	6532	11.75	
		9999 = NEVER USED.....	49070	88.25	
IICHWYFU	1	IRCHWYFU IMPUTATION INDICATOR			
		1 = Questionnaire data.....	543	0.98	
		3 = Statistically imputed data.....	5996	10.78	
		9 = Legitimate skip - not a lifetime user.....	49063	88.24	
IRSNFAGE	3	IMPUTATION-REVISED SNUFF AGE OF FIRST USE			
		RANGE = 1 - 70	7719	13.88	
		991 = NEVER USED.....	47883	86.12	
IISNFAGE	1	IRSNFAGE IMPUTATION INDICATOR			
		1 = Questionnaire data.....	7532	13.55	
		3 = Statistically imputed data.....	220	0.40	
		9 = Legitimate skip - not a lifetime user.....	47850	86.06	
IRSNFYFU	4	IMPUTATION-REVISED SNUFF YEAR OF FIRST USE			
		RANGE = 1917 - 2004	7719	13.88	
		9999 = NEVER USED.....	47883	86.12	
IISNFYFU	1	IRSNFYFU IMPUTATION INDICATOR			
		1 = Questionnaire data.....	813	1.46	
		3 = Statistically imputed data.....	6939	12.48	
		9 = Legitimate skip - not a lifetime user.....	47850	86.06	

AGE/DATE OF FIRST DRUG USE			PAGE:	143
LABEL	LEN	DESCRIPTION	FREQ	%
IRALCAGE	3	IMPUTATION-REVISED ALCOHOL AGE OF FIRST USE		-
		RANGE = 1 - 85	40653	73.11
		991 = NEVER USED.....	14949	26.89
IIALCAGE	1	IRALCAGE IMPUTATION INDICATOR		
		1 = Questionnaire data.....	40024	71.98
		3 = Statistically imputed data.....	640	1.15
		9 = Legitimate skip - not a lifetime user.....	14938	26.87
IRALCYFU	4	IMPUTATION-REVISED ALCOHOL YEAR OF FIRST USE		
		RANGE = 1911 - 2004	40653	73.11
		9999 = NEVER USED.....	14949	26.89
IIALCYFU	1	IRALCYFU IMPUTATION INDICATOR		
		1 = Questionnaire data.....	4245	7.63
		3 = Statistically imputed data.....	36419	65.50
		9 = Legitimate skip - not a lifetime user.....	14938	26.87
IRMJAGE	3	IMPUTATION-REVISED MARIJUANA AGE OF FIRST USE		
		RANGE = 1 - 75	22420	40.32
		991 = NEVER USED.....	33182	59.68
IIMJAGE	1	IRMJAGE IMPUTATION INDICATOR		
		1 = Questionnaire data.....	22232	39.98
		3 = Statistically imputed data.....	201	0.36
		9 = Legitimate skip - not a lifetime user.....	33169	59.65
IRMJYFU	4	IMPUTATION-REVISED MARIJUANA YEAR OF FIRST USE		
		RANGE = 1935 - 2004	22420	40.32
		9999 = NEVER USED.....	33182	59.68
IIMJYFU	1	IRMJYFU IMPUTATION INDICATOR		
		1 = Questionnaire data.....	2059	3.70
		3 = Statistically imputed data.....	20374	36.64
		9 = Legitimate skip - not a lifetime user.....	33169	59.65
IRCOGAGE	3	IMPUTATION-REVISED COCAINE AGE OF FIRST USE		
		RANGE = 1 - 60	6751	12.14
		991 = NEVER USED.....	48851	87.86
IICOCAGE	1	IRCOGAGE IMPUTATION INDICATOR		
		1 = Questionnaire data.....	6573	11.82
		2 = Logically assigned data.....	96	0.17
		3 = Statistically imputed data.....	94	0.17
		9 = Legitimate skip - not a lifetime user.....	48839	87.84
IRCOCYFU	4	IMPUTATION-REVISED COCAINE YEAR OF FIRST USE		
		RANGE = 1953 - 2004	6751	12.14
		9999 = NEVER USED.....	48851	87.86
IICOCYFU	1	IRCOCYFU IMPUTATION INDICATOR		
		1 = Questionnaire data.....	810	1.46
		2 = Logically assigned data.....	2	0.00
		3 = Statistically imputed data.....	5951	10.70
		9 = Legitimate skip - not a lifetime user.....	48839	87.84
IRCRKAGE	3	IMPUTATION-REVISED CRACK AGE OF FIRST USE		
		RANGE = 1 - 60	1705	3.07
		991 = NEVER USED.....	53897	96.93

AGE/DATE OF FIRST DRUG USE			PAGE:	144
LABEL	LEN	DESCRIPTION	FREQ	%
IICRKAGE	1	IRCRKAGE IMPUTATION INDICATOR		-
		1 = Questionnaire data.....	1677	3.02
		3 = Statistically imputed data.....	47	0.08
		9 = Legitimate skip - not a lifetime user.....	53878	96.90
IRCRKYFU	4	IMPUTATION-REVISED CRACK YEAR OF FIRST USE		
		RANGE = 1953 - 2004	1705	3.07
		9999 = NEVER USED.....	53897	96.93
IICRKYFU	1	IRCRKYFU IMPUTATION INDICATOR		
		1 = Questionnaire data.....	188	0.34
		3 = Statistically imputed data.....	1536	2.76
		9 = Legitimate skip - not a lifetime user.....	53878	96.90
IRHERAGE	3	IMPUTATION-REVISED HEROIN AGE OF FIRST USE		
		RANGE = 4 - 46	703	1.26
		991 = NEVER USED.....	54899	98.74
IIHERAGE	1	IRHERAGE IMPUTATION INDICATOR		
		1 = Questionnaire data.....	695	1.25
		3 = Statistically imputed data.....	33	0.06
		9 = Legitimate skip - not a lifetime user.....	54874	98.69
IRHERYFU	4	IMPUTATION-REVISED HEROIN YEAR OF FIRST USE		
		RANGE = 1967 - 2004	703	1.26
		9999 = NEVER USED.....	54899	98.74
IIHERYFU	1	IRHERYFU IMPUTATION INDICATOR		
		1 = Questionnaire data.....	88	0.16
		3 = Statistically imputed data.....	640	1.15
		9 = Legitimate skip - not a lifetime user.....	54874	98.69
IRHALAGE	3	IMPUTATION-REVISED HALLUCINOGEN AGE OF FIRST USE		
		RANGE = 1 - 55	8107	14.58
		991 = NEVER USED.....	47495	85.42
IIHALAGE	1	IRHALAGE IMPUTATION INDICATOR		
		1 = Questionnaire data.....	7924	14.25
		2 = Logically assigned data.....	74	0.13
		3 = Statistically imputed data.....	272	0.49
		9 = Legitimate skip - not a lifetime user.....	47332	85.13
IRHALYFU	4	IMPUTATION-REVISED HALLUCINOGEN YEAR OF FIRST USE		
		RANGE = 1950 - 2004	8107	14.58
		9999 = NEVER USED.....	47495	85.42
IIHALYFU	1	IRHALYFU IMPUTATION INDICATOR		
		1 = Questionnaire data.....	874	1.57
		2 = Logically assigned data.....	12	0.02
		3 = Statistically imputed data.....	7384	13.28
		9 = Legitimate skip - not a lifetime user.....	47332	85.13
IRLSDAGE	3	IMPUTATION-REVISED LSD AGE OF FIRST USE		
		RANGE = 2 - 45	4928	8.86
		991 = NEVER USED.....	50674	91.14

LABEL	LEN	DESCRIPTION	AGE/DATE OF FIRST DRUG USE	PAGE:	145
				FREQ	%
IILSDAGE	1	IRLSDAGE IMPUTATION INDICATOR			-
		1 = Questionnaire data.....	4839	8.70	
		2 = Logically assigned data.....	8	0.01	
		3 = Statistically imputed data.....	114	0.21	
		9 = Legitimate skip - not a lifetime user.....	50641	91.08	
IRLSDYFU	4	IMPUTATION-REVISED LSD YEAR OF FIRST USE			
		RANGE = 1956 - 2004	4928	8.86	
		9999 = NEVER USED.....	50674	91.14	
IILSDYFU	1	IRLSDYFU IMPUTATION INDICATOR			
		1 = Questionnaire data.....	219	0.39	
		3 = Statistically imputed data.....	4742	8.53	
		9 = Legitimate skip - not a lifetime user.....	50641	91.08	
IRPCPAGE	3	IMPUTATION-REVISED PCP AGE OF FIRST USE			
		RANGE = 1 - 55	1269	2.28	
		991 = NEVER USED.....	54333	97.72	
IIPCPAGE	1	IRPCPAGE IMPUTATION INDICATOR			
		1 = Questionnaire data.....	1221	2.20	
		2 = Logically assigned data.....	3	0.01	
		3 = Statistically imputed data.....	84	0.15	
		9 = Legitimate skip - not a lifetime user.....	54294	97.65	
IRPCPYFU	4	IMPUTATION-REVISED PCP YEAR OF FIRST USE			
		RANGE = 1961 - 2004	1269	2.28	
		9999 = NEVER USED.....	54333	97.72	
IIPCPYFU	1	IRPCPYFU IMPUTATION INDICATOR			
		1 = Questionnaire data.....	102	0.18	
		3 = Statistically imputed data.....	1206	2.17	
		9 = Legitimate skip - not a lifetime user.....	54294	97.65	
IRECSAGE	3	IMPUTATION-REVISED ECSTASY AGE OF FIRST USE			
		RANGE = 5 - 48	3693	6.64	
		991 = NEVER USED.....	51909	93.36	
IIECSAGE	1	IRECSAGE IMPUTATION INDICATOR			
		1 = Questionnaire data.....	3651	6.57	
		3 = Statistically imputed data.....	89	0.16	
		9 = Legitimate skip - not a lifetime user.....	51862	93.27	
IRECSYFU	4	IMPUTATION-REVISED ECSTASY YEAR OF FIRST USE			
		RANGE = 1956 - 2004	3693	6.64	
		9999 = NEVER USED.....	51909	93.36	
IIECSYFU	1	IRECSYFU IMPUTATION INDICATOR			
		1 = Questionnaire data.....	514	0.92	
		3 = Statistically imputed data.....	3226	5.80	
		9 = Legitimate skip - not a lifetime user.....	51862	93.27	
IRINHAGE	3	IMPUTATION-REVISED INHALANTS AGE OF FIRST USE			
		RANGE = 1 - 60	6720	12.09	
		991 = NEVER USED.....	48882	87.91	

LABEL	LEN	DESCRIPTION	AGE/DATE OF FIRST DRUG USE	PAGE:	146
				FREQ	%
IIINHAGE	1	IRINHAGE IMPUTATION INDICATOR			-
		1 = Questionnaire data.....	6397	11.50	
		3 = Statistically imputed data.....	410	0.74	
		9 = Legitimate skip - not a lifetime user.....	48795	87.76	
IRINHYFU	4	IMPUTATION-REVISED INHALANTS YEAR OF FIRST USE			
		RANGE = 1933 - 2004	6720	12.09	
		9999 = NEVER USED.....	48882	87.91	
IIINHYFU	1	IRINHYFU IMPUTATION INDICATOR			
		1 = Questionnaire data.....	894	1.61	
		3 = Statistically imputed data.....	5913	10.63	
		9 = Legitimate skip - not a lifetime user.....	48795	87.76	
IRANLAGE	3	IMPUTATION-REVISED PAIN RELIEVERS AGE OF FIRST USE			
		RANGE = 1 - 75	9188	16.52	
		991 = NEVER USED.....	46414	83.48	
IIANLAGE	1	IRANLAGE IMPUTATION INDICATOR			
		1 = Questionnaire data.....	8633	15.53	
		2 = Logically assigned data.....	2	0.00	
		3 = Statistically imputed data.....	727	1.31	
		9 = Legitimate skip - not a lifetime user.....	46240	83.16	
IRANLYFU	4	IMPUTATION-REVISED PAIN RELIEVER YEAR OF FIRST USE			
		RANGE = 1930 - 2004	9188	16.52	
		9999 = NEVER USED.....	46414	83.48	
IIANLYFU	1	IRANLYFU IMPUTATION INDICATOR			
		1 = Questionnaire data.....	1701	3.06	
		2 = Logically assigned data.....	3	0.01	
		3 = Statistically imputed data.....	7658	13.77	
		9 = Legitimate skip - not a lifetime user.....	46240	83.16	
NOTE: See the note preceding the OXYCAGE variable. No special editing or imputation procedures were done to prevent IROXXYFU from having a value earlier than 1995, even though OxyContin was not approved for medical use by the US Food and Drug Administration until 1995. Caution is advised in interpreting OxyContin age/date of first use data from respondents with IROXXYFU<1995.					
IROXYAGE	3	IMPUTATION-REVISED OXYCONTIN AGE FIRST USE			
		RANGE = 9 - 59	1235	2.22	
		991 = NEVER USED.....	54367	97.78	
IIOXYAGE	1	IROXYAGE IMPUTATION INDICATOR			
		1 = Questionnaire data.....	1194	2.15	
		2 = Logically assigned data.....	6	0.01	
		3 = Statistically imputed data.....	176	0.32	
		9 = Legitimate skip - not a lifetime user.....	54226	97.53	
IROXXYFU	4	IMPUTATION-REVISED OXYCONTIN YEAR FIRST USE			
		RANGE = 1970 - 2004	1235	2.22	
		9999 = NEVER USED.....	54367	97.78	

AGE/DATE OF FIRST DRUG USE			PAGE:	147
LABEL	LEN	DESCRIPTION	FREQ	%
IIOXYYFU	1	IROXXYFU IMPUTATION INDICATOR		-
		1 = Questionnaire data.....	400	0.72
		3 = Statistically imputed data.....	976	1.76
		9 = Legitimate skip - not a lifetime user.....	54226	97.53
IRTRNAGE	3	IMPUTATION-REVISED TRANQUILIZER AGE OF FIRST USE		
		RANGE = 1 - 63	4606	8.28
		991 = NEVER USED.....	50996	91.72
IITRNAGE	1	IRTRNAGE IMPUTATION INDICATOR		
		1 = Questionnaire data.....	4457	8.02
		3 = Statistically imputed data.....	236	0.42
		9 = Legitimate skip - not a lifetime user.....	50909	91.56
IRTRNYFU	4	IMPUTATION-REVISED TRANQUILIZER YEAR OF FIRST USE		
		RANGE = 1956 - 2004	4606	8.28
		9999 = NEVER USED.....	50996	91.72
IITRNYFU	1	IRTRNYFU IMPUTATION INDICATOR		
		1 = Questionnaire data.....	772	1.39
		3 = Statistically imputed data.....	3921	7.05
		9 = Legitimate skip - not a lifetime user.....	50909	91.56
IRSTMAGE	3	IMPUTATION-REVISED STIMULANTS AGE OF FIRST USE		
		RANGE = 1 - 76	4614	8.30
		991 = NEVER USED.....	50988	91.70
IISTMAGE	1	IRSTMAGE IMPUTATION INDICATOR		
		1 = Questionnaire data.....	4454	8.01
		2 = Logically assigned data.....	17	0.03
		3 = Statistically imputed data.....	250	0.45
		9 = Legitimate skip - not a lifetime user.....	50881	91.51
IRSTMYFU	4	IMPUTATION-REVISED STIMULANTS YEAR OF FIRST USE		
		RANGE = 1948 - 2004	4614	8.30
		9999 = NEVER USED.....	50988	91.70
IISTMYFU	1	IRSTMYFU IMPUTATION INDICATOR		
		1 = Questionnaire data.....	579	1.04
		2 = Logically assigned data.....	1	0.00
		3 = Statistically imputed data.....	4141	7.45
		9 = Legitimate skip - not a lifetime user.....	50881	91.51
IRMTHAGE	3	IMPUTATION-REVISED METHAMPHETAMINE AGE FIRST USE		
		RANGE = 1 - 51	2472	4.45
		991 = NEVER USED.....	53130	95.55
IIMTHAGE	1	IRMTHAGE IMPUTATION INDICATOR		
		1 = Questionnaire data.....	2404	4.32
		2 = Logically assigned data.....	3	0.01
		3 = Statistically imputed data.....	111	0.20
		9 = Legitimate skip - not a lifetime user.....	53084	95.47
IRMTHYFU	4	IMPUTATION-REVISED METHAMPHETAMINE YEAR FIRST USE		
		RANGE = 1949 - 2004	2472	4.45
		9999 = NEVER USED.....	53130	95.55

LABEL	LEN	DESCRIPTION	AGE/DATE OF FIRST DRUG USE		PAGE:	148
			FREQ	%		
IIMTHYFU	1	IRMTHYFU IMPUTATION INDICATOR		-		
		1 = Questionnaire data.....	227	0.41		
		3 = Statistically imputed data.....	2291	4.12		
		9 = Legitimate skip - not a lifetime user.....	53084	95.47		
IRSEDAGE	3	IMPUTATION-REVISED SEDATIVES AGE OF FIRST USE				
		RANGE = 1 - 59	1439	2.59		
		991 = NEVER USED.....	54163	97.41		
IISEDAGE	1	IRSEDAGE IMPUTATION INDICATOR				
		1 = Questionnaire data.....	1370	2.46		
		3 = Statistically imputed data.....	197	0.35		
		9 = Legitimate skip - not a lifetime user.....	54035	97.18		
IRSEDYFU	4	IMPUTATION-REVISED SEDATIVES YEAR OF FIRST USE				
		RANGE = 1944 - 2004	1439	2.59		
		9999 = NEVER USED.....	54163	97.41		
IISEDYFU	1	IRSEDYFU IMPUTATION INDICATOR				
		1 = Questionnaire data.....	139	0.25		
		3 = Statistically imputed data.....	1428	2.57		
		9 = Legitimate skip - not a lifetime user.....	54035	97.18		

LABEL	LEN	DESCRIPTION	RECODED DRUG USE		PAGE:	149
			FREQ	%		
<hr/> -----						
RECODED DRUG USE						
<hr/> -----						
CIGFLAG	1	CIGARETTES - EVER USED 0 = Never used (IRCIGRC = 9)..... 1 = Ever used (IRCIGRC = 1-4).....	23365	42.02		
			32237	57.98		
CIGYR	1	CIGARETTES - PAST YEAR USE 0 = Did not use in the past year (IRCIGRC = 3,4,9).... 1 = Used within the past year (IRCIGRC = 1,2).....	37170	66.85		
			18432	33.15		
CIGMON	1	CIGARETTES - PAST MONTH USE 0 = Did not use in the past month (IRCIGRC = 2-4,9)... 1 = Used within the past month (IRCIGRC = 1).....	40506	72.85		
			15096	27.15		
CGRFLAG	1	CIGARS - EVER USED 0 = Never used (IRCGRRC = 9)..... 1 = Ever used (IRCGRRC = 1-4).....	37217	66.93		
			18385	33.07		
CGRYR	1	CIGARS - PAST YEAR USE 0 = Did not use in the past year (IRCGRRC = 3,4,9).... 1 = Used within the past year (IRCGRRC = 1,2).....	47472	85.38		
			8130	14.62		
CGRMON	1	CIGARS - PAST MONTH USE 0 = Did not use in the past month (IRCGRRC = 2-4,9)... 1 = Used within the past month (IRCGRRC = 1).....	51440	92.51		
			4162	7.49		
PIPFLAG	1	PIPES - EVER USED 0 = Never Used (IRPIPLF=9)..... 1 = Ever Used (IRPIPLF=1).....	50411	90.66		
			5191	9.34		
PIPMON	1	PIPES - PAST MONTH USE 0 = Did not use in the past month (IRPIPMN=2,9)..... 1 = Used within the past month (IRPIPMN=1).....	55121	99.13		
			481	0.87		
SMKFLAG	1	SMOKELESS TOBACCO - EVER USED 0 = Never used (IRSLTRC = 9)..... 1 = Ever used (IRSLTRC = 1-4).....	45845	82.45		
			9757	17.55		
SMKYR	1	SMOKELESS TOBACCO - PAST YEAR USE 0 = Did not use in the past year (IRSLTRC = 3,4,9).... 1 = Used within the past year (IRSLTRC = 1,2).....	52396	94.23		
			3206	5.77		
SMKMON	1	SMOKELESS TOBACCO - PAST MONTH USE 0 = Did not use in the past month (IRSLTRC = 2-4,9)... 1 = Used within the past month (IRSLTRC = 1).....	53564	96.33		
			2038	3.67		
CHWFLAG	1	CHEWING TOBACCO - EVER USED 0 = Never Used (IRCHWRC=9)..... 1 = Ever Used (IRCHWRC=1-4).....	49070	88.25		
			6532	11.75		
CHWYR	1	CHEWING TOBACCO - PAST YEAR USE 0 = Did not use in the past year (IRCHWRC=3,4,9).... 1 = Used within the past year (IRCHWRC=1,2).....	54037	97.19		
			1565	2.81		
CHWMON	1	CHEWING TOBACCO - PAST MONTH USE 0 = Did not use in the past month (IRCHWRC=2-4,9).... 1 = Used within the past month (IRCHWRC=1).....	54777	98.52		
			825	1.48		

RECODED DRUG USE			PAGE:	150
LABEL	LEN	DESCRIPTION	FREQ	%
SNFFLAG	1	SNUFF - EVER USED 0 = Never used (IRSNFRC = 9)..... 1 = Ever used (IRSNFRC = 1-4).....	47883	86.12
			7719	13.88
SNFYR	1	SNUFF - PAST YEAR USE 0 = Did not use in the past year (IRSNFRC = 3,4,9).... 1 = Used within the past year (IRSNFRC = 1,2).....	52939	95.21
			2663	4.79
SNFMON	1	SNUFF - PAST MONTH USE 0 = Did not use in the past month (IRSNFRC = 2-4,9)... 1 = Used within the past month (IRSNFRC = 1).....	53908	96.95
			1694	3.05
<p>The following three any tobacco variables were created by the examination of IRCIGRC, IRGRRRC, IRSLTRC, and IRPIPBMN.</p>				
TOBFLAG	1	ANY TOBACCO - EVER USED 0 = Never Used (all source vars=9)..... 1 = Ever Used (any source var=1-4).....	21002	37.77
			34600	62.23
TOBYR	1	ANY TOBACCO - PAST YEAR USE 0 = Never use pst yr(IRPIPBMN=2,9 &oth src vars=3,4,9). 1 = Used pst yr(IRPIPBMN=1 or any oth src var=1,2).....	34133	61.39
			21469	38.61
TOBMON	1	ANY TOBACCO - PAST MONTH USE 0 = Did not use in pst month (all source vars=2-4,9).. 1 = Used in past month (any source var=1).....	38208	68.72
			17394	31.28

LABEL	LEN	DESCRIPTION	RECODED DRUG USE	PAGE:	151
				FREQ	%
-----	-----	-----	-----	-----	-
<p>The following three variables, BRNCIG03, BRNCGR03, BRSMK3_2, were created with the intent to show the 25 (Cigarette and Cigar) and 15 (Smokeless Tobacco) most used brands in alphabetical order within the overall population. The most widely used brands for each tobacco product and the ranking of these brands were determined by examining weighted frequencies of the respective source variables among all users of that tobacco product. Once the brand ordering was determined, the top 25 or 15 were chosen and the analysis variables were created as defined below. The brand ordering was determined using the 2003 weighted data, therefore is not comparable to similarly named variables in prior years. For each of these tobacco brand variables, all persons who indicated no past month use were set to the SAS missing code and excluded from the analysis. The category "Other Brands" contains all past month users who reported other valid brands not otherwise defined in one of the other levels. The category "Unknown Brands" contains past month users who did not specify a specific tobacco brand.</p>					
<p>NOTE: Due to further recoding of brands that occurred less commonly in the 2004 Public Use File, data file users will not be able to generate estimates for all of the brands shown in the NSDUH Detailed Tables for 2004.</p>					
BRNCIG03	2	CIGARETTE BRAND USED MOST OFTEN IN PAST MONTH			
.		. = Not Past Month Cigarette User (CIGMON=0).....	40506	72.85	
1		1 = American Spirit (CIG30BR2=161).....	71	0.13	
2		2 = Basic (CIG30BR2=101).....	445	0.80	
3		3 = Benson & Hedges (CIG30BR2=102).....	89	0.16	
4		4 = Bronco (CIG30BR2=1134).....	25	0.04	
5		5 = Camel (CIG30BR2=104).....	1620	2.91	
6		6 = Capri (CIG30BR2=105).....	65	0.12	
7		7 = Carlton (CIG30BR2=106).....	17	0.03	
8		8 = Doral (CIG30BR2=107).....	269	0.48	
9		9 = GPC (CIG30BR2=109).....	148	0.27	
10		10 = Kent (CIG30BR2=110).....	7	0.01	
11		11 = Kool (CIG30BR2=111).....	378	0.68	
12		12 = Liggett Select (CIG30BR2=1083).....	31	0.06	
13		13 = Marlboro (CIG30BR2=112).....	7255	13.05	
14		14 = Merit (CIG30BR2=113).....	30	0.05	
15		15 = Misty (CIG30BR2=114).....	91	0.16	
16		16 = Monarch (CIG30BR2=115).....	64	0.12	
17		17 = Newport (CIG30BR2=118).....	2379	4.28	
18		18 = Pall Mall (CIG30BR2=119).....	121	0.22	
19		19 = Parliament (CIG30BR2=120).....	377	0.68	
20		20 = Salem (CIG30BR2=122).....	182	0.33	
21		21 = Top (roll own) (CIG30BR2=158).....	24	0.04	
22		22 = USA Gold (CIG30BR2=1018).....	139	0.25	
23		23 = Vantage (CIG30BR2=123).....	22	0.04	
24		24 = Virginia Slims (CIG30BR2=125).....	166	0.30	
25		25 = Winston (CIG30BR2=126).....	191	0.34	
26		26 = Other Brnd (CIG30BR2=other 100-199,1001-1999)....	710	1.28	
27		27 = Unkwn Brnd (CIG30BR2=200-999,2999-5999,9000-9998).	180	0.32	

RECODED DRUG USE			PAGE:	152
LABEL	LEN	DESCRIPTION	FREQ	%

		See additional coding information included above the cigarette brand recode variable (BRNCIG03).		-
BRNCGR03	2	CIGAR BRAND USED MOST OFTEN IN PAST MONTH		
		. = Not Past Month Cigar User (CGRMON=0).....	51440	92.51
		1 = Al Capone (CGR30BR2=429).....	20	0.04
		2 = Antonio y Cleopatra (CGR30BR2=401).....	28	0.05
		3 = Arturo Fuente (CGR30BR2=431).....	25	0.04
		4 = Ashton (CGR30BR2=432).....	3	0.01
		5 = Backwoods (CGR30BR2=402).....	138	0.25
		6 = Black & Mild (CGR30BR2=404).....	1312	2.36
		7 = Captain Black (CGR30BR2=405).....	19	0.03
		8 = Cohiba (CGR30BR2=443).....	67	0.12
		9 = Cuesta-Rey (CGR30BR2=407).....	9	0.02
		10 = Dutch Masters (CGR30BR2=408).....	113	0.20
		11 = El Producto (CGR30BR2=409).....	11	0.02
		12 = Garcia y Vega (CGR30BR2=411).....	128	0.23
		13 = Havatampa (CGR30BR2=412).....	32	0.06
		14 = King Edward (CGR30BR2=413).....	42	0.08
		15 = La Corona (CGR30BR2=414).....	15	0.03
		16 = Macanudos (CGR30BR2=416).....	137	0.25
		17 = Montecristo (CGR30BR2=486).....	16	0.03
		18 = Partagas (CGR30BR2=418).....	18	0.03
		19 = Phillies (CGR30BR2=419).....	297	0.53
		20 = Punch (CGR30BR2=494).....	16	0.03
		21 = Romeo y Julieta (CGR30BR2=496).....	51	0.09
		22 = Swisher Sweets (CGR30BR2=423).....	784	1.41
		23 = Thompson (CGR30BR2=4005).....	8	0.01
		24 = White Owl (CGR30BR2=426).....	90	0.16
		25 = Winchester (CGR30BR2=428).....	18	0.03
		26 = Other Brnd (CGR30BR2=other 400-499,4000-4999)....	516	0.93
		27 = Unkwn Brnd (CGR30BR2=<399,501-5999,9000-9998)....	249	0.45
See additional coding information included above the cigarette brand recode variable (BRNCIG03).				
BRSMK3_2	2	SMOKELESS TOBACCO BRAND USED MOST OFTEN IN PST MON		
		. = Not Past Month Smokeless Tobacco User (SMKMON=0)...	53564	96.33
		1 = Beech-Nut (SLT30BR2=201).....	28	0.05
		2 = Copenhagen (SLT30BR2=301).....	466	0.84
		3 = Granger (SLT30BR2=204).....	4	0.01
		4 = Grizzly (SLT30BR2=332).....	87	0.16
		5 = Hawken (SLT30BR2=304).....	15	0.03
		6 = Kodiak (SLT30BR2=305).....	163	0.29
		8 = Levi Garrett (SLT30BR2=206).....	78	0.14
		9 = Red Man (SLT30BR2=208).....	118	0.21
		10 = Red Seal (SLT30BR2=316).....	50	0.09
		11 = Rooster (SLT30BR2=317).....	6	0.01
		12 = Skoal (SLT30BR2=308).....	751	1.35
		14 = Timber Wolf (SLT30BR2=309).....	110	0.20
		16 = Other Brand (SLT30BR2=other 200-399,2999-3999)....	133	0.24
		17 = Unkwn Brnd (SLT30BR2=<200,7999,9000-9998)....	29	0.05

RECODED DRUG USE			PAGE:	153
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
<p>The following three variables, BRNCIG05, BRCGR5_2, BRSMK5_2, were created with the intent to show the 25 (Cigarette and Cigar) and 15 (Smokeless Tobacco) most used brands in alphabetical order within the overall population. The most widely used brands for each tobacco product and the ranking of these brands were determined by examining weighted frequencies of the respective source variables among all users of that tobacco product. Once the brand ordering was determined, the top 25 or 15 were chosen and the analysis variables were created as defined below. The brand ordering was determined using the 2005 weighted data. For each of these tobacco brand variables, all persons who indicated no past month use were set to the SAS missing code. The category "Other Brands" contains all past month users who reported other valid brands not otherwise defined in one of the other levels. The category "Unknown Brands" contains past month users who did not specify a specific tobacco brand.</p>				
BRNCIG05	2	CIGARETTE BRAND USED MOST OFTEN IN PAST MONTH		
.		= Not Past Month Cigarette User (CIGMON=0).....	40506	72.85
1		= American Spirit (CIG30BR2=161).....	71	0.13
2		= Basic (CIG30BR2=101).....	445	0.80
3		= Benson & Hedges (CIG30BR2=102).....	89	0.16
4		= Camel (CIG30BR2=104).....	1620	2.91
5		= Capri (CIG30BR2=105).....	65	0.12
6		= Carlton (CIG30BR2=106).....	17	0.03
7		= Doral (CIG30BR2=107).....	269	0.48
8		= GPC (CIG30BR2=109).....	148	0.27
9		= Kent (CIG30BR2=110).....	7	0.01
10		= Kool (CIG30BR2=111).....	378	0.68
11		= Liggett Select (CIG30BR2=1083).....	31	0.06
12		= Marlboro (CIG30BR2=112).....	7255	13.05
13		= Merit (CIG30BR2=113).....	30	0.05
14		= Misty (CIG30BR2=114).....	91	0.16
15		= Monarch (CIG30BR2=115).....	64	0.12
16		= Newport (CIG30BR2=118).....	2379	4.28
17		= Old Gold (CIG30BR2=147).....	20	0.04
18		= Pall Mall (CIG30BR2=119).....	121	0.22
19		= Parliament (CIG30BR2=120).....	377	0.68
20		= Salem (CIG30BR2=122).....	182	0.33
21		= Top (roll own) (CIG30BR2=158).....	24	0.04
22		= USA Gold (CIG30BR2=1018).....	139	0.25
23		= Viceroy (CIG30BR2=124).....	28	0.05
24		= Virginia Slims (CIG30BR2=125).....	166	0.30
25		= Winston (CIG30BR2=126).....	191	0.34
26		= Other Brnd (CIG30BR2=other 100-199,1001-1999)....	709	1.28
27		= Unkwn Brnd (CIG30BR2=200-999,2000-9990,9994-9998).	180	0.32

LABEL	LEN	DESCRIPTION	RECODED DRUG USE	PAGE:	154
				FREQ	%
See additional coding information included above the cigarette brand recode variable (BRNCIG05).					
BRCGR5_2	2	CIGAR BRAND USED MOST OFTEN IN PAST MONTH			
		. = Not Past Month Cigarette User (CIGMON=0).....	51440	92.51	
		1 = Al Capone (CGR30BR2=429).....	20	0.04	
		2 = Antonio y Cleopatra (CGR30BR2=401).....	28	0.05	
		3 = Arturo Fuente (CGR30BR2=431).....	25	0.04	
		4 = Backwoods (CGR30BR2=402).....	138	0.25	
		5 = Black & Mild (CGR30BR2=404).....	1312	2.36	
		7 = Captain Black (CGR30BR2=405).....	19	0.03	
		8 = Cohiba (CGR30BR2=443).....	67	0.12	
		9 = Dutch Masters (CGR30BR2=408).....	113	0.20	
		10 = Garcia y Vega (CGR30BR2=411).....	128	0.23	
		11 = Havatampa (CGR30BR2=412).....	32	0.06	
		12 = King Edward (CGR30BR2=413).....	42	0.08	
		13 = La Corona (CGR30BR2=414).....	15	0.03	
		14 = Macanudos (CGR30BR2=416).....	137	0.25	
		15 = Montecristo (CGR30BR2=486).....	16	0.03	
		16 = Muriel (CGR30BR2=417).....	16	0.03	
		17 = Partagas (CGR30BR2=418).....	18	0.03	
		18 = Phillies (CGR30BR2=419).....	297	0.53	
		19 = Prime Time Mini Cigars (CGR30BR2=492).....	23	0.04	
		20 = Punch (CGR30BR2=494).....	16	0.03	
		21 = Romeo y Julieta (CGR30BR2=496).....	51	0.09	
		22 = Swisher Sweets (CGR30BR2=423).....	784	1.41	
		23 = Thompson (CGR30BR2=4005).....	8	0.01	
		24 = White Owl (CGR30BR2=426).....	90	0.16	
		25 = Winchester (CGR30BR2=428).....	18	0.03	
		26 = Other Brnd (CGR30BR2=other 400-499,4000-4999)....	500	0.90	
		27 = Unkwn Brnd (CGR30BR2=<399,501-5999,9000-9998)....	249	0.45	
See additional coding information included above the cigarette brand recode variable (BRNCIG05).					
BRSMK5_2	2	SMOKELESS TOBACCO BRAND USED MOST OFTEN IN PST MON			
		. = Not Past Month Smokeless Tobacco User (SMKMON=0) ..	53564	96.33	
		1 = Beech-Nut (SLT30BR2=201).....	28	0.05	
		3 = Copenhagen (SLT30BR2=301).....	466	0.84	
		4 = Day's Work (SLT30BR2=203).....	3	0.01	
		6 = Grizzly (SLT30BR2=332).....	87	0.16	
		7 = Hawken (SLT30BR2=304).....	15	0.03	
		8 = Kodiak (SLT30BR2=305).....	163	0.29	
		9 = Levi Garrett (SLT30BR2=206).....	78	0.14	
		10 = Longhorn (SLT30BR2=338).....	3	0.01	
		11 = Red Man (SLT30BR2=208).....	118	0.21	
		12 = Red Seal (SLT30BR2=316).....	50	0.09	
		13 = Skoal (SLT30BR2=308).....	751	1.35	
		14 = Taylor's Pride (SLT30BR2=209).....	11	0.02	
		15 = Timber Wolf (SLT30BR2=309).....	110	0.20	
		16 = Other Brand (SLT30BR2=other 200-399,2999-3999)....	126	0.23	
		17 = Unkwn Brnd (SLT30BR2=<200,400-707,4044,9000-9998)....	29	0.05	

RECODED DRUG USE			PAGE:	155
LABEL	LEN	DESCRIPTION	FREQ	%

		The variable CIGCMPNY indicates the companies that owned the labels of the cigarette brands that respondents reported using most often in the past 30 days. For brands that were sold to another company during the survey year, CIGCMPNY reflects which company owned the brand label for the majority of the year.		-
CIGCMPNY	2	CIG COMPANY FOR BRAND PAST 30 DYS - RECODE		
		1 = Philip Morris.....	8386	15.08
		2 = R.J. Reynolds.....	3314	5.96
		3 = Lorillard.....	2417	4.35
		5 = Liggett.....	66	0.12
		6 = Commonwealth Brands.....	151	0.27
		7 = Santa Fe Natural Tob Co (subsidiary RJ Reynolds)..	72	0.13
		70 = SOME OTHER BRAND/COMPANY.....	424	0.76
		80 = CIG BRAND/COMPANY NOT SPECIFIED.....	86	0.15
		90 = NOT A CIGARETTE BRAND.....	60	0.11
		91 = NEVER USED CIGARETTES.....	23365	42.02
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17128	30.80
		94 = DON'T KNOW.....	94	0.17
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	27	0.05
ALCFLAG	1	ALCOHOL - EVER USED		
		0 = Never used (IRALCRC = 9).....	14949	26.89
		1 = Ever used (IRALCRC = 1-3).....	40653	73.11
ALCYR	1	ALCOHOL - PAST YEAR USE		
		0 = Did not use in the past year (IRALCRC = 3,9).....	21527	38.72
		1 = Used within the past year (IRALCRC = 1,2).....	34075	61.28
ALCMON	1	ALCOHOL - PAST MONTH USE		
		0 = Did not use in the past month (IRALCRC = 2-3,9)...	30697	55.21
		1 = Used within the past month (IRALCRC = 1).....	24905	44.79
MRJFLAG	1	MARIJUANA - EVER USED		
		0 = Never used (IRMJRC = 9).....	33182	59.68
		1 = Ever used (IRMJRC = 1-3).....	22420	40.32
MRJYR	1	MARIJUANA - PAST YEAR USE		
		0 = Did not use in the past year (IRMJRC = 3,9).....	45967	82.67
		1 = Used within the past year (IRMJRC = 1,2).....	9635	17.33
MRJMON	1	MARIJUANA - PAST MONTH USE		
		0 = Did not use in the past month (IRMJRC = 2-3,9)....	50129	90.16
		1 = Used within the past month (IRMJRC = 1).....	5473	9.84
COCFLAG	1	COCAINE - EVER USED		
		0 = Never used (IRCOCRC = 9).....	48851	87.86
		1 = Ever used (IRCOCRC = 1-3).....	6751	12.14
COCYR	1	COCAINE - PAST YEAR USE		
		0 = Did not use in the past year (IRCOCRC = 3,9).....	53610	96.42
		1 = Used within the past year (IRCOCRC = 1,2).....	1992	3.58
COCMON	1	COCAINE - PAST MONTH USE		
		0 = Did not use in the past month (IRCOCRC = 2-3,9)...	54943	98.81
		1 = Used within the past month (IRCOCRC = 1).....	659	1.19

RECODED DRUG USE			PAGE:	156
LABEL	LEN	DESCRIPTION	FREQ	%
CRKFLAG	1	"CRACK" - EVER USED 0 = Never used (IRCRKRC = 9)..... 1 = Ever used (IRCRKRC = 1-3).....	53897	96.93
			1705	3.07
CRKYR	1	"CRACK" - PAST YEAR USE 0 = Did not use in the past year (IRCRKRC = 3,9)..... 1 = Used within the past year (IRCRKRC = 1,2).....	55245	99.36
			357	0.64
CRKMON	1	"CRACK" - PAST MONTH USE 0 = Did not use in the past month (IRCRKRC = 2-3,9).... 1 = Used within the past month (IRCRKRC = 1).....	55491	99.80
			111	0.20
HERFLAG	1	HEROIN - EVER USED 0 = Never used (IRHERRC = 9)..... 1 = Ever used (IRHERRC = 1-3).....	54899	98.74
			703	1.26
HERYR	1	HEROIN - PAST YEAR USE 0 = Did not use in the past year (IRHERRC = 3,9)..... 1 = Used within the past year (IRHERRC = 1,2).....	55451	99.73
			151	0.27
HERMON	1	HEROIN - PAST MONTH USE 0 = Did not use in the past month (IRHERRC = 2-3,9)... 1 = Used within the past month (IRHERRC = 1).....	55545	99.90
			57	0.10
HALFLAG	1	HALLUCINOGENS - EVER USED 0 = Never used (IRHALRC = 9)..... 1 = Ever used (IRHALRC = 1-3).....	47495	85.42
			8107	14.58
HALYR	1	HALLUCINOGENS - PAST YEAR USE 0 = Did not use in the past year (IRHALRC = 3,9)..... 1 = Used within the past year (IRHALRC = 1,2).....	53679	96.54
			1923	3.46
HALMON	1	HALLUCINOGENS - PAST MONTH USE 0 = Did not use in the past month (IRHALRC = 2-3,9)... 1 = Used within the past month (IRHALRC = 1).....	55120	99.13
			482	0.87
LSDFLAG	1	LSD - EVER USED 0 = Never used (IRLSDRC = 9)..... 1 = Ever used (IRLSDRC = 1-3).....	50674	91.14
			4928	8.86
LSDYR	1	LSD - PAST YEAR USE 0 = Did not use in the past year (IRLSDRC = 3,9)..... 1 = Used within the past year (IRLSDRC = 1,2).....	55270	99.40
			332	0.60
LSDMON	1	LSD - PAST MONTH USE 0 = Did not use in the past month (IRLSDRC = 2-3,9)... 1 = Used within the past month (IRLSDRC = 1).....	55532	99.87
			70	0.13
PCPFLAG	1	PCP - EVER USED 0 = Never used (IRPCPRC = 9)..... 1 = Ever used (IRPCPRC = 1-3).....	54333	97.72
			1269	2.28
PCPYR	1	PCP - PAST YEAR USE 0 = Did not use in the past year (IRPCPRC = 3,9)..... 1 = Used within the past year (IRPCPRC = 1,2).....	55485	99.79
			117	0.21
PCPMON	1	PCP - PAST MONTH USE 0 = Did not use in the past month (IRPCPRC = 2-3,9)... 1 = Used within the past month (IRPCPRC = 1).....	55583	99.97
			19	0.03

RECODED DRUG USE			PAGE:	157
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
ECSFLAG	1	ECSTASY - EVER USED 0 = Never used (IRECSRC = 9)..... 1 = Ever used (IRECSRC = 1-3).....	51909	93.36
			3693	6.64
ECSYR	1	ECSTASY - PAST YEAR USE 0 = Did not use in the past year (IRECSRC = 3,9)..... 1 = Used within the past year (IRECSRC = 1,2).....	54738	98.45
			864	1.55
ECSMON	1	ECSTASY - PAST MONTH USE 0 = Did not use in the past month (IRECSRC = 2-3,9).... 1 = Used within the past month (IRECSRC = 1).....	55407	99.65
			195	0.35
INHFLAG	1	INHALANTS - EVER USED 0 = Never used (IRINHRC = 9)..... 1 = Ever used (IRINHRC = 1-3).....	48882	87.91
			6720	12.09
INHYR	1	INHALANTS - PAST YEAR USE 0 = Did not use in the past year (IRINHRC = 3,9)..... 1 = Used within the past year (IRINHRC = 1,2).....	54245	97.56
			1357	2.44
INHMON	1	INHALANTS - PAST MONTH USE 0 = Did not use in the past month (IRINHRC = 2-3,9)... 1 = Used within the past month (IRINHRC = 1).....	55252	99.37
			350	0.63
ANLFLAG	1	PAIN RELIEVERS - EVER USED 0 = Never used (IRANLRC = 9)..... 1 = Ever used (IRANLRC = 1-3).....	46414	83.48
			9188	16.52
ANLYR	1	PAIN RELIEVERS - PAST YEAR USE 0 = Did not use in the past year (IRANLRC = 3,9)..... 1 = Used within the past year (IRANLRC = 1,2).....	51252	92.18
			4350	7.82
ANLMON	1	PAIN RELIEVERS - PAST MONTH USE 0 = Did not use in the past month (IRANLRC = 2-3,9)... 1 = Used within the past month (IRANLRC = 1).....	53949	97.03
			1653	2.97
OXYFLAG	1	OXYCONTIN - EVER USED 0 = Never Used (IROXYRC = 9)..... 1 = Ever Used (IROXYRC = 1-3).....	54367	97.78
			1235	2.22
OXYYR	1	OXYCONTIN - PAST YEAR USE 0 = Did not use in the past year (IROXYRC = 3,9)..... 1 = Used within the past year (IROXYRC = 1,2).....	55075	99.05
			527	0.95
OXYMON	1	OXYCONTIN - PAST MONTH USE 0 = Did not use in the past month (IROXYRC = 2-3,9)... 1 = Used within the past month (IROXYRC = 1).....	55453	99.73
			149	0.27
TRQFLAG	1	TRANQUILIZERS - EVER USED 0 = Never used (IRTRNRC = 9)..... 1 = Ever used (IRTRNRC = 1-3).....	50996	91.72
			4606	8.28
TRQYR	1	TRANQUILIZERS - PAST YEAR USE 0 = Did not use in the past year (IRTRNRC = 3,9)..... 1 = Used within the past year (IRTRNRC = 1,2).....	53923	96.98
			1679	3.02
TRQMON	1	TRANQUILIZERS - PAST MONTH USE 0 = Did not use in the past month (IRTRNRC = 2-3,9)... 1 = Used within the past month (IRTRNRC = 1).....	55058	99.02
			544	0.98

RECODED DRUG USE			PAGE:	158
LABEL	LEN	DESCRIPTION	FREQ	%
STMFLAG	1	STIMULANTS - EVER USED 0 = Never used (IRSTMRC = 9)..... 1 = Ever used (IRSTMRC = 1-3).....	50988 4614	91.70 8.30
STMYR	1	STIMULANTS - PAST YEAR USE 0 = Did not use in the past year (IRSTMRC = 3,9)..... 1 = Used within the past year (IRSTMRC = 1,2).....	54315 1287	97.69 2.31
STMMON	1	STIMULANTS - PAST MONTH USE 0 = Did not use in the past month (IRSTMRC = 2-3,9).... 1 = Used within the past month (IRSTMRC = 1).....	55117 485	99.13 0.87
<p>The following three variables (CPNSTMFG, CPNSTMYR, CPNSTMMN), like the preceding three variables (STMFLAG, STMYR, STMMON), report lifetime, past year, and past month stimulant use. However, whereas STMFLAG, STMYR, and STMMON used the core-only methamphetamine variables MTHFLAG, MTHYR, and MTHMON in their construction, these three variables use the core-plus-noncore methamphetamine variables CPNMTHFG, CPNMTHYR, CPNMTHMN. For details, please see the note preceding CPNMTHFG and Appendix B.4.6 of the 2006 Summary of Findings Report. (NOTE: CPN is an abbreviation for Core-Plus-Noncore.)</p>				
CPNSTMFG	1	CPN STIMULANTS - EVER USED 0 = Never Used..... 1 = Ever Used.....	50419 5183	90.68 9.32
CPNSTMYR	1	CPN STIMULANTS - PAST YEAR USE 0 = Did not use in the past year..... 1 = Used within the past year.....	54210 1392	97.50 2.50
CPNSTMMN	1	CPN STIMULANTS - PAST MONTH USE 0 = Did not use in the past month..... 1 = Used within the past month.....	55077 525	99.06 0.94
<p>The following three variables (MTHFLAG, MTHYR, MTHMON), report recency of use for methamphetamine using only core data from the Stimulants module of the questionnaire, unlike the next three variables (CPNMTHFG, CPNMTHYR, CPNMTHMN), which use additional methamphetamine use data from the Special Drugs module. Methamphetamine use data were first added to the Special Drugs module in 2005, then were augmented in 2006 to include further clarifications. Bernoulli stochastic imputations subsequently were developed for 2002 to 2005 data to approximate what the corresponding estimates would have been in those years if the methamphetamine items in the Special Drugs module had been available. For details, please see Appendix B.4.6 of the 2006 Summary of Findings Report.</p>				
MTHFLAG	1	METHAMPHETAMINES - EVER USED 0 = Never Used (IRMTHRC=9)..... 1 = Ever Used (IRMTHRC=1-3).....	53130 2472	95.55 4.45
MTHYR	1	METHAMPHETAMINES - PAST YEAR USE 0 = Did not use in the past year (IRMTHRC=3,9)..... 1 = Used within the past year (IRMTHRC=1,2).....	55076 526	99.05 0.95

RECODED DRUG USE			PAGE:	159
LABEL	LEN	DESCRIPTION	FREQ	%
MTHMON	1	METHAMPHETAMINES - PAST MONTH USE		-
		0 = Did not use in the past month (IRMTHRC=2-3,9).....	55411	99.66
		1 = Used within the past month (IRMTHRC=1).....	191	0.34
<p>The following three variables (CPNMTHFG, CPNMTHYR, CPNMTHMN), like the preceding three variables (MTHFLAG, MTHYR, MTHMON), report lifetime, past year, and past month methamphetamine use. However, MTHFLAG, MTHYR, and MTHMON are based only on data from the methamphetamine questions in the stimulants section of the prescription drug module of the core questionnaire. In 2005 new methamphetamine items were added to the non-core Special Drugs module to capture methamphetamine users who failed to report the drug in the prescription stimulants module. These were augmented in 2006 to include clarifications. The new non-core Special Drugs items were used to construct the final CPNMTHFG, CPNMTHYR, and CPNMTHMN variables in 2006. Bernoulli stochastic imputations subsequently were developed for 2002 to 2005 data to approximate what the corresponding estimates would have been in those years if the methamphetamine items had been included. These variables should be used with caution, however, since the imputation of thousands of values sometimes results in "unusual" cases that may adversely affect analyses of small subsets of the data. For details, please see Appendix B.4.6 of the 2006 Summary of Findings Report. (NOTE: CPN is an abbreviation for Core-Plus-Noncore.)</p>				
CPNMTHFG	1	CPN METHAMPHETAMINE - EVER USED		
		0 = Never Used.....	52448	94.33
		1 = Ever Used.....	3154	5.67
CPNMTHYR	1	CPN METHAMPHETAMINE - PAST YEAR USE		
		0 = Did not use in the past year.....	54961	98.85
		1 = Used within the past year.....	641	1.15
CPNMTHMN	1	CPN METHAMPHETAMINE - PAST MONTH USE		
		0 = Did not use in the past month.....	55370	99.58
		1 = Used within the past month.....	232	0.42
SEDFLAG	1	SEDATIVES - EVER USED		
		0 = Never used (IRSEDRC = 9).....	54163	97.41
		1 = Ever used (IRSEDRC = 1-3).....	1439	2.59
SEDYR	1	SEDATIVES - PAST YEAR USE		
		0 = Did not use in the past year (IRSEDRC = 3,9).....	55346	99.54
		1 = Used within the past year (IRSEDRC = 1,2).....	256	0.46
SEDMON	1	SEDATIVES - PAST MONTH USE		
		0 = Did not use in the past month (IRSEDRC = 2-3,9)...	55532	99.87
		1 = Used within the past month (IRSEDRC = 1).....	70	0.13
<p>The following three any psychotherapeutic variables were created by examination of IRSEDRC, IRTRNRC, IRSTMRC, and IRANLRC.</p>				
PSYFLAG2	1	ANY PSYCHOTHERAPEUTICS - EVER USED		
		0 = Never used (ALL SOURCE VARIABLES = 9).....	43537	78.30
		1 = Ever used (ANY SOURCE VARIABLE < 9).....	12065	21.70

LABEL	LEN	DESCRIPTION	RECODED DRUG USE	PAGE:	160
				FREQ	%
PSYYR2	1	ANY PSYCHOTHERAPEUTICS - PAST YEAR USE			-
		0 = Did not use within past year (ALL SOURCE VARS > 2)	50188	90.26	
		1 = Used in past year (ANY SOURCE VARIABLE < 3).....	5414	9.74	
PSYMON2	1	ANY PSYCHOTHERAPEUTICS - PAST MONTH USE			
		0 = Did not use in past month (ALL SOURCE VARS > 1)...	53426	96.09	
		1 = Used in past month (ANY SOURCE VARIABLE = 1).....	2176	3.91	
The following three variables (CPNPSYFG, CPNPSYYR, CPNPSYMN), like the preceding three variables (PSYFLAG2, PSYYR2, PSYMON2), report lifetime, past year, and past month psychotherapeutic use. However, whereas PSYFLAG2, PSYYR2, and PSYMON2 used the core-only methamphetamine variables MTHFLAG, MTHYR, and MTHMON in their construction, these three variables use the core-plus-noncore methamphetamine variables CPNMTHFG, CPNMTHYR, and CPNMTHMN. For details, please see the note preceding CPNMTHFG and Appendix B.4.6 of the 2006 Summary of Findings Report. (NOTE: CPN is an abbreviation for Core-Plus- Noncore.)					
CPNPSYFG	1	CPN PSYCHOTHERAPEUTIC - EVER USED			
		0 = Never Used.....	43292	77.86	
		1 = Ever Used.....	12310	22.14	
CPNPSYYR	1	CPN PSYCHOTHERAPEUTIC - PAST YEAR USE			
		0 = Did not use in the past year.....	50136	90.17	
		1 = Used within the past year.....	5466	9.83	
CPNPSYMN	1	CPN PSYCHOTHERAPEUTIC - PAST MONTH USE			
		0 = Did not use in the past month.....	53399	96.04	
		1 = Used within the past month.....	2203	3.96	
The following two "any psychotherapeutics" variables were created by examination of the age and date of first use variables for sedatives, tranquilizers, stimulants, and analgesics.					
PSYAGE2	3	ANY PSYCHOTHERAPEUTICS - AGE FIRST USE			
		RANGE = 1 - 76	12065	21.70	
		991 = NEVER USED.....	43537	78.30	
PSYYFU2	4	ANY PSYCHOTHERAPEUTICS - YEAR FIRST USE			
		RANGE = 1930 - 2004	12065	21.70	
		9999 = NEVER USED.....	43537	78.30	
The following variable, SUMFLAG, was created by examination of HALFLAG, HERFLAG, MRJFLAG, COCFLAG, INHFLAG, and PSYFLAG2.					
SUMFLAG	1	ANY ILLICIT DRUG - EVER USED			
		0 = Never used (ALL SOURCE VARIABLES = 0).....	29130	52.39	
		1 = Ever used (ANY SOURCE VARIABLE = 1).....	26472	47.61	
The following variable, SUMYR, was created by examination of HALYR, HERYR, MRJYR, COCYR, INHYR, and PSYYR2.					
SUMYR	1	ANY ILLICIT DRUG - PAST YEAR USE			
		0 = Did not use in past year (ALL SOURCE VARS = 0)....	42952	77.25	
		1 = Used in past year (ANY SOURCE VARIABLE = 1).....	12650	22.75	

LABEL	LEN	DESCRIPTION	RECODED DRUG USE		PAGE:	161
			FREQ	%		
			-----	-----		-
The following variable, SUMMON, was created by examination of HALMON, HERMON, MRJMON, COCMON, INHMON, and PSYMON2.						
SUMMON	1	ANY ILLICIT DRUG - PAST MONTH USE				
		0 = Did not use in past month (ALL SOURCE VARS = 0)...	48637	87.47		
		1 = Used in past month (ANY SOURCE VARIABLE = 1).....	6965	12.53		
The following two "any illicit drug" variables were created by examination of the age and date of first use variables for marijuana and "any illicit drug except for marijuana."						
SUMAGE	3	ANY ILLICIT DRUG - AGE FIRST USE				
		RANGE = 1 - 75			26472	47.61
		991 = NEVER USED.....			29130	52.39
SUMYFU	4	ANY ILLICIT DRUG - YEAR FIRST USE				
		RANGE = 1930 - 2004			26472	47.61
		9999 = NEVER USED.....			29130	52.39
The following variable, MJOFLAG, was created by examination of MRJFLAG and then HALFLAG, HERFLAG, COCFLAG, INHFLAG, and PSYFLAG2.						
MJOFLAG	1	MARIJUANA ONLY - EVER USED				
		0 = Never used MJ/has used both MJ & anothr illict drug	46643	83.89		
		1 = Marijuana is only (illicit) drug ever used.....	8959	16.11		
The following variable, MJOYR2, was created by examination of MRJYR and then HALYR, HERYR, COCYR, INHYR, and PSYYR2.						
MJOYR2	1	MARIJUANA ONLY - PAST YEAR USE				
		0 = MJ not used past yr/Used MJ & othr drug past yr...	50359	90.57		
		1 = Marijuana is only (illicit) drug in past year.....	5243	9.43		
The following variable, MJOMON2, was created by examination of MRJMON and then HALMON, HERMON, COCMON, INHMON, and PSYMON2.						
MJOMON2	1	MARIJUANA ONLY - PAST MONTH USE				
		0 = MJ not used past mnth/Used MJ & othr drug past mo.	51677	92.94		
		1 = Marijuana only (illicit) drug in past month.....	3925	7.06		
The following variable, IEMFLAG, was created by examination of HALFLAG, HERFLAG, COCFLAG, INHFLAG, and PSYFLAG2.						
IEMFLAG	1	ILLICIT DRUG EXCEPT FOR MARIJUANA - EVER USED				
		0 = Never used drug/used only marijuana.....	38089	68.50		
		1 = Illicit drug except for marijuana are ever used...	17513	31.50		
The following variable, IEMYR, was created by examination of HALYR, HERYR, COCYR, INHYR, and PSYYR2.						
IEMYR	1	ILLICIT DRUG EXCEPT FOR MARIJUANA - PAST YEAR USED				
		0 = Never used drug/used only marijuana past year.....	48195	86.68		
		1 = Illicit drug except for marijuana used past year..	7407	13.32		

RECODED DRUG USE			PAGE:	162
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
The following variable, IEMMON, was created by examination of HALMON, HERMON, COCMON, INHMON, and PSYMON2.				
IEMMON	1	ILLICIT DRUG EXCEPT FOR MARIJUANA-PAST MONTH USED 0 = Never used drug/used only marijuana past month.... 1 = Illicit drug except for marijuana used past month.	52562	94.53 3040 5.47
The following two "any illicit drug except for marijuana" variables were created by examination of the age and date of first use variables for inhalants, hallucinogens, cocaine, heroin, and "any psychotherapeutics."				
IEMAGE	3	ILLICIT DRUG EXCEPT FOR MARIJUANA - AGE FIRST USE RANGE = 1 - 75 991 = NEVER USED.....	17513	31.50 38089 68.50
IEMYFU	4	ILLICIT DRUG EXCEPT FOR MARIJUANA - YEAR FIRST USE RANGE = 1930 - 2004 9999 = NEVER USED.....	17513	31.50 38089 68.50
CDUFLAG	1	CIGARETTES DAILY - EVER USED 0 = Never Used (IRCDUAGE=991,993)..... 1 = Ever Used (IRCDUAGE=1-55).....	39206	70.51 16396 29.49
DCIGMON	1	PAST MONTH DAILY CIGARETTE USE 0 = Did not use daily in past mon (IRCIGFM=1-29,91,93) 1 = Used daily in the past month (IRCIGFM=30).....	47394	85.24 8208 14.76
CDCGMO	1	EVER USED CIG DAILY AND PAST MONTH CIG USE 0 = No (Otherwise)..... 1 = Yes (CDUFLAG=1 and CIGMON=1).....	44090	79.30 11512 20.70
CDNOCGMO	1	EVER USED CIG DAILY AND NO PAST MONTH CIG USE 0 = No (Otherwise)..... 1 = Yes (CDUFLAG =1 and CIGMON=0).....	50718	91.22 4884 8.78
CIGALCMO	1	PAST MONTH CIGARETTE/ALCOHOL USE 1 = PAST MON USE OF CIG & ALC (CIGMON=1 & ALCMON=1)... 2 = PAST MON USE OF CIG & NO ALC (CIGMON=1 & ALCMON=0) 3 = PAST MON USE OF ALC & NO CIG (ALCMON=1 & CIGMON=0) 4 = NO PAST MON USE OF CIG/ALC (CIGMON=0 & ALCMON=0)..	10701	19.25 4395 7.90 14204 25.55 26302 47.30
"Binge" Alcohol Use, BINGEDRK, is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. For this variable, "occasion" means at the same time or within a couple hours of each other.				
BINGEDRK	1	BINGE ALCOHOL USE PAST 30 DAYS 0 = Never/No "Binge" alcohol use (IRALCD5=0)..... 1 = "Binge" alcohol use (IRALCD5=1-30).....	41209	74.11 14393 25.89

RECODED DRUG USE			PAGE:	163
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
		Heavy Alcohol Use, HVYDRK2, is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days. For this variable, "occasion" means at the same time or within a couple hours of each other. All Heavy Alcohol Users are also "Binge" Alcohol Users.		-
HVYDRK2	1	HEAVY ALCOHOL USE PAST 30 DAYS		
		0 = Never/No heavy alcohol use (IRALCD5=0-4).....	50979	91.69
		1 = Heavy alcohol use (IRALCD5=5-30).....	4623	8.31
 The following variable, BINGEHVY, was created by examination of BINGEDRK, HVYDRK2, and ALCMON. To be considered a past month "binge" or heavy alcohol user, a respondent must have used alcohol in the past month. Further, to be a past month heavy alcohol drinker, a respondent must also be a past month "binge" alcohol user.				
BINGEHVY	1	LEVEL OF ALCOHOL USE PAST MONTH		
		1 = Heavy Alcohol Use (HVYDRK2=1).....	4623	8.31
		2 = "Binge" But Not Heavy Use (BINGEDRK=1 & HVYDRK2=0)	9770	17.57
		3 = Past Month But Not "Binge" (ALCMON=1 & BINGEDRK=0)	10512	18.91
		4 = Did Not Use Alcohol in Pst Month (All source=0)...	30697	55.21
NILALMON	1	NO ILLICIT DRUG OR ALCOHOL USE IN THE PAST 30 DAYS		
		0 = Alc or Drg Use (Otherwise).....	26379	47.44
		1 = No Alc or Drg Use (ALCMON=0 & SUMMON=0).....	29223	52.56
PEYOTE2	1	EVER USED PEYOTE		
		0 = No/Unknown (PEYOTE=2,91,94,97).....	54660	98.31
		1 = Yes (PEYOTE=1).....	942	1.69
MESC2	1	EVER USED MESCALINE		
		0 = No/Unknown (MESC=2,91,94,97).....	54263	97.59
		1 = Yes (MESC=1).....	1339	2.41
PSILCY2	1	EVER USED PSILOCYBIN (MUSHROOMS)		
		0 = No/Unknown (PSILCY=2,91,94,97).....	50872	91.49
		1 = Yes (PSILCY=1,3).....	4730	8.51
AMYLNIT2	1	EVER INHALED AMYL NITRITE, "POPPERS," RUSH, ETC.		
		0 = No/Unknown (AMYLNIT=2,85,91,94,97).....	53998	97.12
		1 = Yes (AMYLNIT=1,3).....	1604	2.88
CLEFLU2	1	EVER INHALED CORRECTION FLUID, DEGREASER, ETC.		
		0 = No/Unknown (CLEFLU=2,85,91,94,97).....	54750	98.47
		1 = Yes (CLEFLU=1,3).....	852	1.53
GAS2	1	EVER INHALED GASOLINE OR LIGHTER FLUID		
		0 = No/Unknown (GAS=2,85,91,94,97,98).....	54102	97.30
		1 = Yes (GAS=1,3).....	1500	2.70
GLUE2	1	EVER INHALED GLUE, SHOE POLISH, OR TOLUENE		
		0 = No/Unknown (GLUE=2,85,91,94,97,98).....	54020	97.15
		1 = Yes (GLUE=1,3).....	1582	2.85
ETHER2	1	EVER INHALED HALOTHANE, ETHER, OR OTHER ANESTHETIC		
		0 = No/Unknown (ETHER=2,85,91,94,97,98).....	55262	99.39
		1 = Yes (ETHER=1,3).....	340	0.61

RECODED DRUG USE			PAGE:	164
LABEL	LEN	DESCRIPTION	FREQ	%
SOLVENT2	1	EVER INHALED LACQUER THINNER, OTHER PAINT SOLVENTS 0 = No/Unknown (SOLVENT=2,85,91,94,97,98)..... 1 = Yes (SOLVENT=1,3).....	54866	98.68
			736	1.32
LGAS2	1	EVER INHALED LIGHTER GASES (BUTANE, PROPANE) 0 = No/Unknown (LGAS=2,85,91,94,97,98)..... 1 = Yes (LGAS=1,3).....	55138	99.17
			464	0.83
NITOXID2	1	EVER INHALED NITROUS OXIDE OR "WHIPPETS" 0 = No/Unknown (NITOXID=2,85,91,94,97,98)..... 1 = Yes (NITOXID=1,3).....	52403	94.25
			3199	5.75
SPPAINT2	1	EVER INHALED SPRAY PAINTS 0 = No/Unknown (SPPAINT=2,85,91,94,97,98)..... 1 = Yes (SPPAINT=1,3).....	54639	98.27
			963	1.73
AEROS2	1	EVER INHALED OTHER AEROSOL SPRAYS 0 = No/Unknown (AEROS=2,85,91,94,97,98)..... 1 = Yes (AEROS=1,3).....	54625	98.24
			977	1.76
DARVTYL2	1	EVER USED DARVOCET, DARVON, TYLENOL W/CODEINE 0 = No/Unknown (DARVTYLC=2,81,91,94,97,98)..... 1 = Yes (DARVTYLC=1,3).....	50387	90.62
			5215	9.38
PERCTYL2	1	EVER USED PERCOSET, PERCODAN, TYLOX 0 = No/Unknown (PERCTYLYX=2,81,91,94,97,98)..... 1 = Yes (PERCTYLYX=1,3).....	52565	94.54
			3037	5.46
VICOLOR2	1	EVER USED VICODIN, LORTAB, LORCET 0 = No/Unknown (VICOLOR=2,81,91,94,97,98)..... 1 = Yes (VICOLOR=1,3).....	50342	90.54
			5260	9.46
CODEINE2	1	EVER USED CODEINE 0 = No/Unknown (CODEINE=6,81,91,94,97,98,99)..... 1 = Yes (CODEINE=1,3).....	53490	96.20
			2112	3.80
DEMEROL2	1	EVER USED DEMEROL 0 = No/Unknown (DEMEROL=6,81,91,94,97,98,99)..... 1 = Yes (DEMEROL=1,3).....	54903	98.74
			699	1.26
DILAUD2	1	EVER USED DILAUDID 0 = No/Unknown (DILAUD=6,81,91,94,97,98,99)..... 1 = Yes (DILAUD=1,3).....	55444	99.72
			158	0.28
FIORICT2	1	EVER USED FIORICET 0 = No/Unknown (FIORICET=6,81,91,94,97,98,99)..... 1 = Yes (FIORICET=1).....	55492	99.80
			110	0.20
FIORINL2	1	EVER USED FIORINAL 0 = No/Unknown (FIORINAL=6,81,91,94,97,98,99)..... 1 = Yes (FIORINAL=1,3).....	55529	99.87
			73	0.13
HYDROCD2	1	EVER USED HYDROCODONE 0 = No/Unknown (HYDROCOD=6,81,91,94,97,98,99)..... 1 = Yes (HYDROCOD=1,3).....	53599	96.40
			2003	3.60
METHDON2	1	EVER USED METHADONE 0 = No/Unknown (METHDON=6,81,91,94,97,98,99)..... 1 = Yes (METHDON=1,3).....	55130	99.15
			472	0.85

RECODED DRUG USE			PAGE:	165
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
MORPHIN2	1	EVER USED MORPHINE		
		0 = No/Unknown (MORPHINE=6,81,91,94,97,98,99).....	54800	98.56
		1 = Yes (MORPHINE=1,3).....	802	1.44
OXYCONT2	1	EVER USED OXYCONTIN		
		0 = No/Unknown (OXYCONTN=6,81,91,94,97,98,99).....	54372	97.79
		1 = Yes (OXYCONTN=1,3).....	1230	2.21
PHENCOD2	1	EVER USED PHENAPHEN WITH CODEINE		
		0 = No/Unknown (PHENCOD=6,81,91,94,97,98,99).....	55408	99.65
		1 = Yes (PHENCOD=1,3).....	194	0.35
PROPOXY2	1	EVER USED PROPOXYPHENE		
		0 = No/Unknown (PROPOXY=6,81,91,94,97,98,99).....	55490	99.80
		1 = Yes (PROPOXY=1).....	112	0.20
SK65A2	1	EVER USED SK65		
		0 = No/Unknown (SK65A=6,81,91,94,97,98,99).....	55580	99.96
		1 = Yes (SK65A=1,3).....	22	0.04
STADOL2	1	EVER USED STADOL		
		0 = No/Unknown (STADOL=6,81,91,94,97,98,99).....	55559	99.92
		1 = Yes (STADOL=1,3).....	43	0.08
TALACEN2	1	EVER USED TALACEN		
		0 = No/Unknown (TALACEN=6,81,91,94,97,98,99).....	55575	99.95
		1 = Yes (TALACEN=1).....	27	0.05
TALWIN2	1	EVER USED TALWIN		
		0 = No/Unknown (TALWIN=6,81,91,94,97,98,99).....	55544	99.90
		1 = Yes (TALWIN=1,3).....	58	0.10
TALWINX2	1	EVER USED TALWIN NX		
		0 = No/Unknown (TALWINNX=6,81,91,94,97,98,99).....	55583	99.97
		1 = Yes (TALWINNX=1).....	19	0.03
TRAMADL2	1	EVER USED TRAMADOL		
		0 = No/Unknown (TRAMADOL=6,81,91,94,97,98,99).....	55496	99.81
		1 = Yes (TRAMADOL=1,3).....	106	0.19
ULTRAM2	1	EVER USED ULTRAM		
		0 = No/Unknown (ULTRAM=6,81,91,94,97,98,99).....	55255	99.38
		1 = Yes (ULTRAM=1,3).....	347	0.62
OTHANL	1	EVER USED OTHER PAIN RELIEVERS		
		0 = No/Unknown (Otherwise).....	50788	91.34
		1 = Yes (ANLCARD or ANLNOLST=1,3).....	4814	8.66

LABEL	LEN	DESCRIPTION	RECODED DRUG USE	PAGE:	166
				FREQ	%
-----	-----	-----	-----	-----	-
The following variable, PROCODNP, was assigned a positive response if a respondent indicated ever using darvocet, darvon, or tylenol with codeine (DARVTYL2=1), codeine (CODEINE2=1), phenaphen with codeine (PHENCOD2=1), propoxyphene (PROPOXY2=1), SK-65 (SK65A2=1), or other-specify drug responses that are not asked about explicitly in the Pain Relievers module but fall into this category (ANALNEWA, ANALNEWB, ANALNEWC, ANALNEWD, or ANALNEWE in (402,404,439,444,447,453,480,4031,4038, 4053,4062,4093,4095,4101,4103)).					
PROCODNP	1	PROPOXYPHENE/CODEINE PRODUCTS			
		0 = No/Unknown (Otherwise).....	49838	89.63	
		1 = Yes (See comment above).....	5764	10.37	
The following variable, OXYCODOP, was assigned a positive response if a respondent indicated ever using percocet, percodan or tylox (PERCTYL2=1), OxyContin (OXYCONT2=1), or other-specify drug responses that are not asked about explicitly in the Pain Relievers module but fall into this category (ANALNEWA, ANALNEWB, ANALNEWC, ANALNEWD, or ANALNEWE in (4046,4047,4052,4065,4068,4072)).					
OXYCODOP	1	OXYCODONE PRODUCTS			
		0 = No/Unknown (Otherwise).....	52155	93.80	
		1 = Yes (See comment above).....	3447	6.20	
The following variable, OXYCODP2, is similar to the variable OXYCODOP which was created in previous NSDUHs. The only difference is the use of the imputed variable OXYFLAG instead of the edited variable OXYCONT2 in determining lifetime use of OxyContin. OXYCODP2 was assigned a positive response if a respondent indicated ever using percocet, percodan or tylox (PERCTYL2=1), OxyContin (OXYFLAG=1), or other-specify drug responses that are not asked about explicitly in the Pain Relievers module but fall into this category (ANALNEWA, ANALNEWB, ANALNEWC, ANALNEWD, or ANALNEWE in (4046,4047,4052)).					
OXYCODP2	1	OXYCODONE PRODUCTS			
		0 = No/Unknown (Otherwise).....	52152	93.80	
		1 = Yes (See comment above).....	3450	6.20	
The following variable, HYDCODOP, was assigned a positive response if a respondent indicated ever using vicodin, lortab, or loracet (VICOLOR2=1), hydrocodone (HYDROCD2=1), or other-specify drug responses that are not asked about explicitly in the Pain Relievers module but fall into this category (ANALNEWA, ANALNEWB, ANALNEWC, ANALNEWD, or ANALNEWE in (4033,4036,4097)).					
HYDCODOP	1	HYDROCODONE PRODUCTS			
		0 = No/Unknown (Otherwise).....	49987	89.90	
		1 = Yes (See comment above).....	5615	10.10	

LABEL	LEN	DESCRIPTION	RECODED DRUG USE	PAGE:	167
				FREQ	%

		The following variable, TRAMADP, was assigned a positive response if a respondent indicated ever using tramadol (TRAMADL2=1), ultram (ULTRAM2=1), or other-specify drug responses that are not asked about explicitly in the Pain Relievers module but fall into this category (ANALNEWA, ANALNEWB, ANALNEWC, ANALNEWD, or ANALNEWE in (4083)).			-
TRAMADP	1	TRAMADOL PRODUCTS 0 = No/Unknown (otherwise)..... 1 = Yes (See comment above).....	55194 99.27 408 0.73		
KLONOP12	1	EVER USED KLONOPI OR CLONAZEPAM 0 = No/Unknown (KLONOPIN=2,81,91,94,97,98)..... 1 = Yes (KLONOPIN=1).....	54667 98.32 935 1.68		
XNAXATV2	1	EVER USED XANAX, ALPRAZOLAM, ATIVAN 0 = No/Unknown (XNAXATVN=2,81,91,94,97,98)..... 1 = Yes (XNAXATVN=1,3).....	53071 95.45 2531 4.55		
VALMDIA2	1	EVER USED VALIUM OR DIAZEPAM FOR FEELING 0 = No/Unknown (VALMDIAZ=2,81,91,94,97,98)..... 1 = Yes (VALMDIAZ=1,3).....	52554 94.52 3048 5.48		
ATARAX2	1	EVER USED ATARAX 0 = No/Unknown (ATARAX=6,81,91,94,97,98,99)..... 1 = Yes (ATARAX=1).....	55534 99.88 68 0.12		
BUSPAR2	1	EVER USED BUSPAR 0 = No/Unknown (BUSPAR=6,81,91,94,97,98,99)..... 1 = Yes (BUSPAR=1,3).....	55385 99.61 217 0.39		
EQUANIL2	1	EVER USED EQUANIL 0 = No/Unknown (EQUANIL=6,81,91,94,97,98,99)..... 1 = Yes (EQUANIL=1,3).....	55573 99.95 29 0.05		
FLEXERL2	1	EVER USED FLEXERIL 0 = No/Unknown (FLEXERIL=6,81,91,94,97,98,99)..... 1 = Yes (FLEXERIL=1,3).....	55127 99.15 475 0.85		
LIBRIUM2	1	EVER USED LIBRIUM 0 = No/Unknown (LIBRIUM=6,81,91,94,97,98,99)..... 1 = Yes (LIBRIUM=1,3).....	55463 99.75 139 0.25		
LIMBTRL2	1	EVER USED LIMBITROL 0 = No/Unknown (LIMBTROL=6,81,91,94,97,98,99)..... 1 = Yes (LIMBTROL=1).....	55567 99.94 35 0.06		
MEPROB2	1	EVER USED MEPROBAMATE 0 = No/Unknown (MEPROB=6,81,91,94,97,98,99)..... 1 = Yes (MEPROB=1).....	55576 99.95 26 0.05		
MILTOWN2	1	EVER USED MILTOWN 0 = No/Unknown (MILTOWN=6,81,91,94,97,98,99)..... 1 = Yes (MILTOWN=1).....	55585 99.97 17 0.03		
ROHYPNL2	1	EVER USED ROHYPNOL 0 = No/Unknown (ROHYPNOL=6,81,91,94,97,98,99)..... 1 = Yes (ROHYPNOL=1,3).....	55481 99.78 121 0.22		

RECODED DRUG USE			PAGE:	168
LABEL	LEN	DESCRIPTION	FREQ	%
SERAX2	1	EVER USED SERAX 0 = No/Unknown (SERAX=6,81,91,94,97,98,99)..... 1 = Yes (SERAX=1).....	55573	99.95
			29	0.05
SOMA2	1	EVER USED SOMA 0 = No/Unknown (SOMA=6,81,91,94,97,98,99)..... 1 = Yes (SOMA=1,3).....	54794	98.55
			808	1.45
TRANXEN2	1	EVER USED TRANXENE 0 = No/Unknown (TRANXENE=6,81,91,94,97,98,99)..... 1 = Yes (TRANXENE=1,3).....	55568	99.94
			34	0.06
VISTAR2	1	EVER USED VISTARIL 0 = No/Unknown (VISTAR=6,81,91,94,97,98,99)..... 1 = Yes (VISTAR=1,3).....	55537	99.88
			65	0.12
OTHTHRN	1	EVER USED OTHER TRANQUILIZERS 0 = No/Unknown (Otherwise)..... 1 = Yes (TRNCARD or TRNOLST=1,3).....	53941	97.01
			1661	2.99
The following variable, BENZOS, was assigned a positive response if a respondent indicated ever using klonopin or clonazepam (KLONOPI2=1), xanax, alprazolam, or lorazepam (XNAXATV2=1), ativan, valium or diazepam (VALMDIA2=1), librium (LIBRIUM2=1), limbitrol (LIMBTRL2=1), rohypnol (ROHYPNL2=1), serax (SERAX2=1), traxene (TRANXEN2=1), or other-specify drug responses that are not asked about explicitly in the Tranquilizers module but fall into this category (TRNEWA, TRNEWB, TRNEWC, TRNEWD, TRNEWE in (208, 210, 237, 266, 278, 296, 299, 2004)).				
BENZOS	1	BENZODIAZEPINES PRODUCTS 0 = No/Unknown (Otherwise)..... 1 = Yes (See comment above).....	51336	92.33
			4266	7.67
The following variable, MEPROBD, was assigned a positive response if a respondent indicated ever using equanil (EQUANIL2=1), meprobamate (MEPROB2=1), miltown (MILTOWN2=1), and other-specify drug responses that are not asked about explicitly in the Tranquilizers module but fall into this category (TRNEWA, TRNEWB, TRNEWC, TRNEWD, TRNEWE in (214, 242)).				
MEPROBPD	1	MEPROBAMATE PRODUCTS 0 = No/Unknown (Otherwise)..... 1 = Yes (See comment above).....	55539	99.89
			63	0.11
The following variable, MUSCRELX, was assigned a positive response if a respondent indicated ever using flexeril (FLEXERL2=1), soma (SOMA2=1), and other-specify drug responses that are not asked about explicitly in the Tranquilizers module but fall into this category (TRNEWA, TRNEWB, TRNEWC, TRNEWD, TRNEWE in (223, 288, 290, 462, 2002, 2006, 2014, 2015, 4086)).				
MUSCRELX	1	MUSCLE RELAXANTS 0 = No/Unknown (Otherwise)..... 1 = Yes (See comment above).....	54508	98.03
			1094	1.97

RECODED DRUG USE			PAGE:	169
LABEL	LEN	DESCRIPTION	FREQ	%
METHDES2	1	EVER USED METHAMPHETAMINE, DESOXYN, OR METHEDRINE 0 = No/Unknown (METHDES=2,81,91,94,97,98)..... 1 = Yes (METHDES=1,3).....	53134	95.56
			2468	4.44
DIETPIL2	1	EVER USED DIET PILLS FOR FEELING CAUSED 0 = No/Unknown (DIETPILS=2,81,91,94,97,98)..... 1 = Yes (DIETPILS=1,3).....	54238	97.55
			1364	2.45
RITMPHE2	1	EVER USED RITALIN FOR FEELING CAUSED 0 = No/Unknown (RITMPHEN=2,81,91,94,97,98)..... 1 = Yes (RITMPHEN=1).....	53883	96.91
			1719	3.09
CYLERT2	1	EVER USED CYLERT 0 = No/Unknown (CYLERT=6,81,91,94,97,98,99)..... 1 = Yes (CYLERT=1).....	55542	99.89
			60	0.11
DEXED2	1	EVER USED DEXEDRINE 0 = No/Unknown (DEXED=6,81,91,94,97,98,99)..... 1 = Yes (DEXED=1,3).....	55145	99.18
			457	0.82
DETAMP2	1	EVER USED DEXTROAMPHETAMINE 0 = No/Unknown (DETAMP=6,81,91,94,97,98,99)..... 1 = Yes (DETAMP=1).....	55486	99.79
			116	0.21
DIDREX2	1	EVER USED DIDREX 0 = No/Unknown (DIDREX=6,81,91,94,97,98,99)..... 1 = Yes (DIDREX=1).....	55558	99.92
			44	0.08
ESKAT2	1	EVER USED ESKATROL 0 = No/Unknown (ESKAT=6,81,91,94,97,98,99)..... 1 = Yes (ESKAT=1).....	55567	99.94
			35	0.06
IONAMIN2	1	EVER USED IONAMIN 0 = No/Unknown (IONAMIN=6,81,91,94,97,98,99)..... 1 = Yes (IONAMIN=1).....	55530	99.87
			72	0.13
MAZANOR2	1	EVER USED MAZANOR 0 = No/Unknown (MAZANOR=6,81,91,94,97,98,99)..... 1 = Yes (MAZANOR=1).....	55584	99.97
			18	0.03
OBLA2	1	EVER USED OBEDRIN-LA 0 = No/Unknown (OBLA=6,81,91,94,97,98,99)..... 1 = Yes (OBLA=1).....	55601	100.0
			1	0.00
PLEGINE2	1	EVER USED PLEGINE 0 = No/Unknown (PLEGINE=6,81,91,94,97,98,99)..... 1 = Yes (PLEGINE=1).....	55591	99.98
			11	0.02
PRELUDN2	1	EVER USED PRELUDIN 0 = No/Unknown (PRELUDIN=6,81,91,94,97,98,99)..... 1 = Yes (PRELUDIN=1,3).....	55525	99.86
			77	0.14
SANOREX2	1	EVER USED SANOREX 0 = No/Unknown (SANOREX=6,81,91,94,97,98,99)..... 1 = Yes (SANOREX=1,3).....	55558	99.92
			44	0.08
TENUATE2	1	EVER USED TENUATE 0 = No/Unknown (TENUATE=6,81,91,94,97,98,99)..... 1 = Yes (TENUATE=1).....	55568	99.94
			34	0.06

RECODED DRUG USE			PAGE:	170
LABEL	LEN	DESCRIPTION	FREQ	%
OTHSTM	1	EVER USED OTHER STIMULANTS 0 = No/Unknown (Otherwise)..... 1 = Yes (STMCARD or STMNOLST=1,3).....	54379 1223	97.80 2.20
The following variable, AMDXPHEN, was assigned a positive response if a respondent indicated ever using prescription diet pills (DIETPIL2=1), dexedrine (DEXED2=1), dextroamphetamine (DETAMP2=1), ionamin (IONAMIN2=1), or other-specify drug responses that are not asked about explicitly in the Stimulants module but fall into this category (STIMNEWA, STIMNEWB, STIMNEWC, STIMNEWD, or STIMNEWE in (302,308,356,366,3015,3023,3041,3067,3069,3070, 3086)).				
AMDXPHEN	1	AMPHETAMINE, DEXTROAMPHETAMINE, & PHENTERMINE PROD 0 = No/Unknown (Otherwise)..... 1 = Yes (See comment above).....	53751 1851	96.67 3.33
MAZINDOL	1	MAZINDOL PRODUCTS 0 = No/Unknown (Otherwise)..... 1 = Yes (MAZANOR2=1 OR SANOREX2=1).....	55547 55	99.90 0.10
METHAQ2	1	EVER USED METHAQUALONE, SOPOR, QUALLUDE 0 = No/Unknown (METHAQ=2,81,91,94,97,98)..... 1 = Yes (METHAQ=1,3).....	54761 841	98.49 1.51
NEMBBAR2	1	EVER USED BARBITURATES FOR FEELING 0 = No/Unknown (NEMBBARB=2,81,91,94,97,98)..... 1 = Yes (NEMBBARB=1).....	55255 347	99.38 0.62
RESTTMAZ2	1	EVER USED RESTORIL OR TEMAZEPAM 0 = No/Unknown (RESTTMAZ=2,81,91,94,97,98)..... 1 = Yes (RESTTMAZ=1).....	55440 162	99.71 0.29
AMYTAL2	1	EVER USED AMYTAL 0 = No/Unknown (AMYTAL=6,81,91,94,97,98,99)..... 1 = Yes (AMYTAL=1).....	55550 52	99.91 0.09
BUTISOL2	1	EVER USED BUTISOL 0 = No/Unknown (BUTISOL=6,81,91,94,97,98,99)..... 1 = Yes (BUTISOL=1).....	55579 23	99.96 0.04
CHHYD2	1	EVER USED CHLORAL HYDRATE 0 = No/Unknown (CHHYD=6,81,91,94,97,98,99)..... 1 = Yes (CHHYD=1).....	55560 42	99.92 0.08
DALMANE2	1	EVER USED DALMANE 0 = No/Unknown (DALMANE=6,81,91,94,97,98,99)..... 1 = Yes (DALMANE=1,3).....	55529 73	99.87 0.13
HALCION2	1	EVER USED HALCION 0 = No/Unknown (HALCION=6,81,91,94,97,98,99)..... 1 = Yes (HALCION=1,3).....	55501 101	99.82 0.18
PHENOBR2	1	EVER USED PHENOBARBITAL 0 = No/Unknown (PHENOBAR=6,81,91,94,97,98,99)..... 1 = Yes (PHENOBAR=1,3).....	55413 189	99.66 0.34

RECODED DRUG USE			PAGE:	171
LABEL	LEN	DESCRIPTION	FREQ	%
PLACIDY2	1	EVER USED PLACIDYL 0 = No/Unknown (PLACIDYL=6,81,91,94,97,98,99)..... 1 = Yes (PLACIDYL=1).....	55507	99.83
			95	0.17
TUINAL2	1	EVER USED TUINAL 0 = No/Unknown (TUINAL=6,81,91,94,97,98,99)..... 1 = Yes (TUINAL=1).....	55489	99.80
			113	0.20
OTHSED	1	EVER USED OTHER SEDATIVES 0 = No/Unknown (Otherwise)..... 1 = Yes (SEDCARD or SEDNOLST=1,3).....	54899	98.74
			703	1.26
RTDALHAL	1	RESTORIL/TEMAZEPAM/DALMANE/HALCION 0 = No/Unknown (Otherwise)..... 1 = Yes (RESTTMA2=1 OR DALMANE2=1 OR HALCION2=1).....	55318	99.49
			284	0.51
The following variable, ANYBARB, was assigned a positive response if a respondent indicated ever using barbiturates (NEMBBAR2=1), amytal (AMYTAL2=1), butisol (BUTISOL2=1), phenobarbital (PHENOBAR2=1), tuinal (TUINAL2=1), or other-specify drug responses that are not asked about explicitly in the Sedatives module but fall into this category (SEDNEWA, SEDNEWB, SEDNEWC, SEDNEWD, or SEDNEWE in (102,104,114,152,153,154,156,159,186,195,1003)).				
ANYBARB	1	ANY BARBITURATES 0 = No/Unknown (Otherwise)..... 1 = Yes (See comment above).....	55102	99.10
			500	0.90
CIGAFU	1	CIGARETTE AGE OF FIRST USE - CATEGORIZED RECODE 1 = 14 Years or Younger (IRCIGAGE=1-14)..... 2 = 15-17 Years Old (IRCIGAGE=15-17)..... 3 = 18 Years or Older (IRCIGAGE=18+)..... 4 = Non Users (IRCIGAGE=991).....	15997	28.77
			10368	18.65
			5872	10.56
			23365	42.02
DCIGAFU	1	DAILY CIG AGE OF FIRST USE - CATEGORIZED RECODE 1 = 14 Years or Younger (IRCDUAGE=1-14)..... 2 = 15-17 Years Old (IRCDUAGE=15-17)..... 3 = 18 Years or Older (IRCDUAGE=18+)..... 4 = Non Users or Non Daily Users (IRCDUAGE=991,993)...	3599	6.47
			6462	11.62
			6335	11.39
			39206	70.51
ALCAFU	1	ALCOHOL AGE OF FIRST USE - CATEGORIZED RECODE 1 = 14 Years or Younger (IRALCAGE=1-14)..... 2 = 15-17 Years Old (IRALCAGE=15-17)..... 3 = 18 Years or Older (IRALCAGE=18+)..... 4 = Non Users (IRALCAGE=991).....	14016	25.21
			15823	28.46
			10814	19.45
			14949	26.89
ALCAFU2	1	ALCOHOL AGE OF FIRST USE - CATEGORIZED RECODE 2 1 = 13 Years or Younger (IRALCAGE=1-13)..... 2 = 14-17 Years Old (IRALCAGE=14-17)..... 3 = 18-20 Years Old (IRALCAGE=18-20)..... 4 = 21 Years or Older (IRALCAGE=21+)..... 5 = Non Users (IRALCAGE=991).....	9499	17.08
			20340	36.58
			7318	13.16
			3496	6.29
			14949	26.89

RECODED DRUG USE			PAGE:	172
LABEL	LEN	DESCRIPTION	FREQ	%
ALCAFU3	1	ALCOHOL AGE OF FIRST USE - CATEGORIZED RECODE		-
		1 = 14 Years or Younger (IRALCAGE=1-14).....	14016	25.21
		2 = 15-17 Years Old (IRALCAGE=15-17).....	15823	28.46
		3 = 18-20 Years Old (IRALCAGE=18-20).....	7318	13.16
		4 = 21 Years or Older (IRALCAGE=21+).....	3496	6.29
		5 = Non Users (IRALCAGE=991).....	14949	26.89
MJAFU	1	MARIJUANA AGE OF FIRST USE - CATEGORIZED RECODE		
		1 = 14 Years or Younger (IRMJAGE=1-14).....	6874	12.36
		2 = 15-17 Years Old (IRMJAGE=15-17).....	9390	16.89
		3 = 18 Years or Older (IRMJAGE=18+).....	6156	11.07
		4 = Non Users (IRMJAGE=991).....	33182	59.68
ALCYDAYS	1	# OF DAYS USED ALCOHOL IN PAST YEAR		
		1 = 1-11 Days (IRALCFY=1-11).....	9021	16.22
		2 = 12-49 Days (IRALCFY=12-49).....	9246	16.63
		3 = 50-99 Days (IRALCFY=50-99).....	5409	9.73
		4 = 100-299 Days (IRALCFY=100-299).....	9205	16.56
		5 = 300-365 Days (IRALCFY=300-365).....	1194	2.15
		6 = Non User or No Past Year Use (IRALCFY=991,993)....	21527	38.72
MRJYDAYS	1	# OF DAYS USED MARIJUANA IN PAST YEAR		
		1 = 1-11 Days (IRMJFY=1-11).....	3186	5.73
		2 = 12-49 Days (IRMJFY=12-49).....	1906	3.43
		3 = 50-99 Days (IRMJFY=50-99).....	1007	1.81
		4 = 100-299 Days (IRMJFY=100-299).....	2304	4.14
		5 = 300-365 Days (IRMJFY=300-365).....	1232	2.22
		6 = Non User or No Past Year Use (IRMJFY=991,993)....	45967	82.67
COCYDAYS	1	# OF DAYS USED COCAINE IN PAST YEAR		
		1 = 1-11 Days (IRCOCFY=1-11).....	1116	2.01
		2 = 12-49 Days (IRCOCFY=12-49).....	444	0.80
		3 = 50-99 Days (IRCOCFY=50-99).....	199	0.36
		4 = 100-299 Days (IRCOCFY=100-299).....	197	0.35
		5 = 300-365 Days (IRCOCFY=300-365).....	36	0.06
		6 = Non User or No Past Year Use (IRCOCFY=991,993)....	53610	96.42
HALYDAYS	1	# OF DAYS USED HALLUCINOGENS IN PAST YEAR		
		1 = 1-11 Days (IRHALFY=1-11).....	1387	2.49
		2 = 12-49 Days (IRHALFY=12-49).....	320	0.58
		3 = 50-99 Days (IRHALFY=50-99).....	126	0.23
		4 = 100-299 Days (IRHALFY=100-299).....	83	0.15
		5 = 300-365 Days (IRHALFY=300-365).....	7	0.01
		6 = Non User or No Past Year Use (IRHALFY=991,993)....	53679	96.54
INHYDAYS	1	# OF DAYS USED INHALANTS IN PAST YEAR		
		1 = 1-11 Days (IRINHFY=1-11).....	875	1.57
		2 = 12-49 Days (IRINHFY=12-49).....	266	0.48
		3 = 50-99 Days (IRINHFY=50-99).....	108	0.19
		4 = 100-299 Days (IRINHFY=100-299).....	95	0.17
		5 = 300-365 Days (IRINHFY=300-365).....	13	0.02
		6 = Non User or No Past Year Use (IRINHFY=991,993)....	54245	97.56

RECODED DRUG USE			PAGE:	173
LABEL	LEN	DESCRIPTION	FREQ	%
STMYDAYS	1	# OF DAYS USED STIMULANTS IN PAST YEAR		-
		1 = 1-11 Days (IRSTMFY=1-11).....	596	1.07
		2 = 12-49 Days (IRSTMFY=12-49).....	301	0.54
		3 = 50-99 Days (IRSTMFY=50-99).....	133	0.24
		4 = 100-299 Days (IRSTMFY=100-299).....	220	0.40
		5 = 300-365 Days (IRSTMFY=300-365).....	37	0.07
		6 = Non User or No Past Year Use (IRSTMFY=991,993)....	54315	97.69
MTHYDAYS	1	# OF DAYS USED METHAMPHETAMINE IN PAST YEAR		
		1 = 1-11 Days (IRMTHFY=1-11).....	208	0.37
		2 = 12-49 Days (IRMTHFY=12-49).....	121	0.22
		3 = 50-99 Days (IRMTHFY=50-99).....	64	0.12
		4 = 100-299 Days (IRMTHFY=100-299).....	114	0.21
		5 = 300-365 Days (IRMTHFY=300-365).....	19	0.03
		6 = Non User or No Past Year Use (IRMTHFY=991,993)....	55076	99.05
CIGMDAYS	1	# OF DAYS USED CIG IN PAST MONTH		
		1 = 1-2 Days (IRCIGFM=1-2).....	1844	3.32
		2 = 3-5 Days (IRCIGFM=3-5).....	1320	2.37
		3 = 6-19 Days (IRCIGFM=6-19).....	1913	3.44
		4 = 20-29 Days (IRCIGFM=20-29).....	1811	3.26
		5 = 30 Days (IRCIGFM=30).....	8208	14.76
		6 = Non User or No Past Month Use (IRCIGFM=91,93)....	40506	72.85
ALCMDAYS	1	# OF DAYS USED ALCOHOL IN PAST MONTH		
		1 = 1-2 Days (IRALCFM=1-2).....	7713	13.87
		2 = 3-5 Days (IRALCFM=3-5).....	6970	12.54
		3 = 6-19 Days (IRALCFM=6-19).....	7447	13.39
		4 = 20-30 Days (IRALCFM=20-30).....	2775	4.99
		5 = Non User or No Past Month Use (IRALCFM=91,93)....	30697	55.21
MRJMDAYS	1	# OF DAYS USED MARIJUANA PAST MONTH		
		1 = 1-2 Days (IRMJFM=1-2).....	1404	2.53
		2 = 3-5 Days (IRMJFM=3-5).....	956	1.72
		3 = 6-19 Days (IRMJFM=6-19).....	1208	2.17
		4 = 20-30 Days (IRMJFM=20-30).....	1905	3.43
		5 = Non User or No Past Month Use (IRMJFM=91,93)....	50129	90.16
COCMDAYS	1	# OF DAYS USED COCAINE IN PAST MONTH		
		1 = 1-2 Days (IRCOCFM=1-2).....	340	0.61
		2 = 3-5 Days (IRCOCFM=3-5).....	140	0.25
		3 = 6-19 Days (IRCOCFM=6-19).....	114	0.21
		4 = 20-30 Days (IRCOCFM=20-30).....	65	0.12
		5 = Non User or No Past Month Use (IRCOCFM=91,93)....	54943	98.81
HALMDAYS	1	# OF DAYS USED HALLUCINOGENS IN PAST MONTH		
		1 = 1-2 Days (IRHALFM=1-2).....	353	0.63
		2 = 3-5 Days (IRHALFM=3-5).....	74	0.13
		3 = 6-19 Days (IRHALFM=6-19).....	41	0.07
		4 = 20-30 Days (IRHALFM=20-30).....	14	0.03
		5 = Non User or No Past Month Use (IRHALFM=91,93)....	55120	99.13
INHMDAYS	1	# OF DAYS USED INHALANTS IN PAST MONTH		
		1 = 1-2 Days (IRINHFM=1-2).....	199	0.36
		2 = 3-5 Days (IRINHFM=3-5).....	87	0.16
		3 = 6-19 Days (IRINHFM=6-19).....	41	0.07
		4 = 20-30 Days (IRINHFM=20-30).....	23	0.04
		5 = Non User or No Past Month Use (IRINHFM=91,93)....	55252	99.37

RECODED DRUG USE			PAGE:	174
LABEL	LEN	DESCRIPTION	FREQ	%
CIGPDAY	1	# OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS		-
		1 = Fewer Than 6 (CIG30AV=1,2,3 AND IRCIGFM=30).....	1666	3.00
		2 = 6-15 (CIG30AV=4 AND IRCIGFM=30).....	2984	5.37
		3 = 16-25 (CIG30AV=5 AND IRCIGFM=30).....	2634	4.74
		4 = 26 or More (CIG30AV=6,7 AND IRCIGFM=30).....	914	1.64
		5 = Not Reported (CIG30AV=94,97,98 AND IRCIGFM=30)....	10	0.02
		6 = No Daily Use(CIG30AV=91,93 OR IRCIGFM=1-29,91,93). .	47394	85.24
The following variable, CIGAVGD, was defined as the midpoint of the range the respondent reported as the average number of cigarettes smoked per day on the days cigarettes were smoked in the past month (CIG30AV).				
CIGAVGD	4	AVG NUMBER OF CIGARETTES SMOKED PER DAY		
		. = Not Used/Unknown (CIG30AV=91,93,94,97,98).....	40537	72.91
		0.5 = Less then 1 cigarette (CIG30AV=1).....	1586	2.85
		1 = 1 cigarette (CIG30AV=2).....	1724	3.10
		3.5 = 2 to 5 cigarettes (CIG30AV=3).....	4040	7.27
		10.5 = 6 to 15 cigarettes (CIG30AV=4).....	3776	6.79
		20.5 = 16 to 25 cigarettes (CIG30AV=5).....	2907	5.23
		30.5 = 26 to 35 cigarettes (CIG30AV=6).....	704	1.27
		50 = More than 35 cigarettes (CIG30AV=7).....	328	0.59
The following variable, CIGAVGM, was defined as the product of the number of days a user smoked cigarettes in the past month (IRCIGFM) and the average number of cigarettes smoked per day on the days cigarettes were smoked in the past month (CIGAVGD).				
CIGAVGM	6	NUMBER OF CIGARETTES SMOKED PER USER IN PAST MONTH		
		RANGE = 0.5 - 1500	15065	27.09
		. = Not Used/Unknown (CIGAVGD=. or IRCIGFM=91,93)....	40537	72.91
The following variable, ALCAVGM, was defined as the product of the number of days a user consumed alcohol in the past month (IRALCFM) and the average number of drinks consumed per day on the days alcohol was used in the past month (NODR30A). A value of missing was assigned whenever a respondent said that they had not used alcohol in the past month or the average number of drinks consumed per day on the days alcohol was used in the past month was unknown (NODR30A=975,985,991,993,994,997,998 or IRALCFM=91,93).				
ALCAVGM	4	NUMBER OF ALC BEVS DRANK PER USER IN PAST MONTH		
		RANGE = 1 - 2700	23157	41.65
		. = Not Used/Unknown (See comment above).....	32445	58.35
NOUSEFL	1	NO LIFETIME USE OF MRJ/IEM/CIG/ALC		
		0 = No (Otherwise).....	43738	78.66
		1 = Yes (MRJFLAG, IEMFLAG, CIGFLAG, & ALCFLAG=0).....	11864	21.34
NOUSEYR	1	NO PAST YEAR USE OF MRJ/IEM/CIG/ALC		
		0 = No (Otherwise).....	37522	67.48
		1 = Yes (MRJYR=0 & IEMYR=0 & CIGYR=0 & ALCYR=0).....	18080	32.52
NOUSEMO	1	NO PAST MONTH USE OF MRJ/IEM/CIG/ALC		
		0 = No (Otherwise).....	30074	54.09
		1 = Yes (MRJMON=0 & IEMMON=0 & CIGMON=0 & ALCMON=0)...	25528	45.91

RECODED DRUG USE			PAGE:	175
LABEL	LEN	DESCRIPTION	FREQ	%
CIGONFL	1	LIFETIME CIGARETTE USE ONLY 0 = No (Otherwise)..... 1 = Yes (MRJFLAG, IEMFLAG, & ALCFLAG=0 AND CIGFLAG=1).	54162	97.41
			1440	2.59
CIGONYR	1	PAST YEAR CIGARETTE USE ONLY 0 = No (Otherwise)..... 1 = Yes (MRJYR=0 & IEMYR=0 & CIGYR=1 & ALCYR=0).....	53546	96.30
			2056	3.70
CIGONMO	1	PAST MONTH CIGARETTE USE ONLY 0 = No (Otherwise)..... 1 = Yes (MRJMON=0 & IEMMON=0 & CIGMON=1 & ALCMON=0)...	51907	93.35
			3695	6.65
ALCONFL	1	LIFETIME ALCOHOL USE ONLY 0 = No (Otherwise)..... 1 = Yes (MRJFLAG, IEMFLAG, & CIGFLAG=0 AND ALCFLAG=1).	48308	86.88
			7294	13.12
ALCONYR	1	PAST YEAR ALCOHOL USE ONLY 0 = No (Otherwise)..... 1 = Yes (MRJYR=0 & IEMYR=0 & CIGYR=0 & ALCYR=1).....	40795	73.37
			14807	26.63
ALCONMO	1	PAST MONTH ALCOHOL USE ONLY 0 = No (Otherwise)..... 1 = Yes (MRJMON=0 & IEMMON=0 & CIGMON=0 & ALCMON=1)...	43061	77.45
			12541	22.55
MRJONFL	1	LIFETIME MARIJUANA USE ONLY 0 = No (Otherwise)..... 1 = Yes (MRJFLAG=1 AND IEMFLAG, CIGFLAG, & ALCFLAG=0).	55482	99.78
			120	0.22
MRJONYR	1	PAST YEAR MARIJUANA USE ONLY 0 = No (Otherwise)..... 1 = Yes (MRJYR=1 & IEMYR=0 & CIGYR=0 & ALCYR=0).....	55407	99.65
			195	0.35
MRJONMO	1	PAST MONTH MARIJUANA USE ONLY 0 = No (Otherwise)..... 1 = Yes (MRJMON=1 & IEMMON=0 & CIGMON=0 & ALCMON=0)...	55316	99.49
			286	0.51
IEMONFL	1	LIFETIME ILLICIT DRG OTHER THAN MRJ USE ONLY 0 = No (Otherwise)..... 1 = Yes (IEMFLAG=1 AND CIGFLAG, ALCFLAG, & MRJFLAG=0).	54685	98.35
			917	1.65
IEMONYR	1	PAST YEAR ILLICIT DRG OTHER THAN MRJ USE ONLY 0 = No (Otherwise)..... 1 = Yes (MRJYR=0 & IEMYR=1 & CIGYR=0 & ALCYR=0).....	54947	98.82
			655	1.18
IEMONMO	1	PAST MONTH ILLICIT DRG OTHER THAN MRJ USE ONLY 0 = No (Otherwise)..... 1 = Yes (MRJMON=0 & IEMMON=1 & CIGMON=0 & ALCMON=0)...	55156	99.20
			446	0.80
CGALONFL	1	LIFETIME USE OF CIG & ALC ONLY 0 = No (Otherwise)..... 1 = Yes (CIGFLAG & ALCFLAG=1 AND MRJFLAG & IEMFLAG=0).	47070	84.66
			8532	15.34
CGALONYR	1	PAST YEAR USE OF CIG & ALC ONLY 0 = No (Otherwise)..... 1 = Yes (MRJYR=0 & IEMYR=0 & CIGYR=1 & ALCYR=1).....	47593	85.60
			8009	14.40
CGALONMO	1	PAST MONTH USE OF CIG & ALC ONLY 0 = No (Otherwise)..... 1 = Yes (MRJMON=0 & IEMMON=0 & CIGMON=1 & ALCMON=1)...	48729	87.64
			6873	12.36

RECODED DRUG USE			PAGE:	176
LABEL	LEN	DESCRIPTION	FREQ	%
MJCGONFL	1	LIFETIME USE OF MRJ & CIG ONLY 0 = No (Otherwise)..... 1 = Yes (MRJFLAG & CIGFLAG=1 AND IEMFLAG & ALCFLAG=0).	55390	99.62
			212	0.38
MJCGONYR	1	PAST YEAR USE OF MRJ & CIG ONLY 0 = No (Otherwise)..... 1 = Yes (MRJYR=1 & IEMYR=0 & CIGYR=1 & ALCYR=0).....	55391	99.62
			211	0.38
MJCGONMO	1	PAST MONTH USE OF MRJ & CIG ONLY 0 = No (Otherwise)..... 1 = Yes (MRJMON=1 & IEMMON=0 & CIGMON=1 & ALCMON=0)...	55170	99.22
			432	0.78
MJALONFL	1	LIFETIME USE OF MRJ & ALC ONLY 0 = No (Otherwise)..... 1 = Yes (MRJFLAG & ALCFLAG=1 AND IEMFLAG & CIGFLAG=0).	54392	97.82
			1210	2.18
MJALONYR	1	PAST YEAR USE OF MRJ & ALC ONLY 0 = No (Otherwise)..... 1 = Yes (MRJYR=1 & IEMYR=0 & CIGYR=0 & ALCYR=1).....	53953	97.03
			1649	2.97
MJALONMO	1	PAST MONTH USE OF MRJ & ALC ONLY 0 = No (Otherwise)..... 1 = Yes (MRJMON=1 & IEMMON=0 & CIGMON=0 & ALCMON=1)...	54545	98.10
			1057	1.90
MJIEONFL	1	LIFETIME USE OF MRJ & ILL DRG OTH THAN MRJ ONLY 0 = No (Otherwise)..... 1 = Yes (MRJFLAG & IEMFLAG=1 AND CIGFLAG & ALCFLAG=0).	55561	99.93
			41	0.07
MJIEONYR	1	PAST YEAR USE OF MRJ & ILL DRG OTH THAN MRJ ONLY 0 = No (Otherwise)..... 1 = Yes (MRJYR=1 & IEMYR=1 & CIGYR=0 & ALCYR=0).....	55549	99.90
			53	0.10
MJIEONMO	1	PAST MONTH USE OF MRJ & ILL DRG OTH THAN MRJ ONLY 0 = No (Otherwise)..... 1 = Yes (MRJMON=1 & IEMMON=1 & CIGMON=0 & ALCMON=0)...	55560	99.92
			42	0.08
IECGONFL	1	LIFETIME USE OF ILL DRG OTH THAN MRJ & CIG ONLY 0 = No (Otherwise)..... 1 = Yes (IEMFLAG & CIGFLAG=1 AND ALCFLAG & MRJFLAG=0).	55379	99.60
			223	0.40
IECGONYR	1	PAST YEAR USE OF ILL DRG OTH THAN MRJ & CIG ONLY 0 = No (Otherwise)..... 1 = Yes (MRJYR=0 & IEMYR=1 & CIGYR=1 & ALCYR=0).....	55428	99.69
			174	0.31
IECGONMO	1	PAST MONTH USE OF ILL DRG OTH THAN MRJ & CIG ONLY 0 = No (Otherwise)..... 1 = Yes (MRJMON=0 & IEMMON=1 & CIGMON=1 & ALCMON=0)...	55445	99.72
			157	0.28
IEALONFL	1	LIFETIME USE OF ILL DRG OTH THAN MRJ & ALC ONLY 0 = No (Otherwise)..... 1 = Yes (ALCFLAG & IEMFLAG=1 AND CIGFLAG & MRJFLAG=0).	54448	97.92
			1154	2.08
IEALONYR	1	PAST YEAR USE OF ILL DRG OTH THAN MRJ & ALC ONLY 0 = No (Otherwise)..... 1 = Yes (MRJYR=0 & IEMYR=1 & CIGYR=0 & ALCYR=1).....	54550	98.11
			1052	1.89
IEALONMO	1	PAST MONTH USE OF ILL DRG OTH THAN MRJ & ALC ONLY 0 = No (Otherwise)..... 1 = Yes (MRJMON=0 & IEMMON=1 & CIGMON=0 & ALCMON=1)...	55248	99.36
			354	0.64

RECODED DRUG USE			PAGE:	177
LABEL	LEN	DESCRIPTION	FREQ	%
MCAONFL	1	LIFETIME USE OF MRJ & CIG & ALC ONLY 0 = No (Otherwise)..... 1 = Yes (CIGFLAG, ALCFLAG, & MRJFLAG=1 AND IEMFLAG=0).	48185	86.66
			7417	13.34
MCAONYR	1	PAST YEAR USE OF MRJ & CIG & ALC ONLY 0 = No (Otherwise)..... 1 = Yes (MRJYR=1 & IEMYR=0 & CIGYR=1 & ALCYR=1).....	52414	94.27
			3188	5.73
MCAONMO	1	PAST MONTH USE OF MRJ & CIG & ALC ONLY 0 = No (Otherwise)..... 1 = Yes (MRJMON=1 & IEMMON=0 & CIGMON=1 & ALCMON=1)...	53452	96.13
			2150	3.87
MICONFL	1	LIFETIME USE OF MRJ & ILL DRG OTH MRJ & CIG ONLY 0 = No (Otherwise)..... 1 = Yes (MRJFLAG, IEMFLAG, & CIGFLAG=1 AND ALCFLAG=0).	55470	99.76
			132	0.24
MICONYR	1	PAST YEAR USE OF MRJ & ILL DRG OTH MRJ & CIG ONLY 0 = No (Otherwise)..... 1 = Yes (MRJYR=1 & IEMYR=1 & CIGYR=1 & ALCYR=0).....	55499	99.81
			103	0.19
MICONMO	1	PAST MONTH USE OF MRJ & ILL DRG OTH MRJ & CIG ONLY 0 = No (Otherwise)..... 1 = Yes (MRJMON=1 & IEMMON=1 & CIGMON=1 & ALCMON=0)...	55491	99.80
			111	0.20
MIAONFL	1	LIFETIME USE OF MRJ & ILL DRG OTH MRJ & ALC ONLY 0 = No (Otherwise)..... 1 = Yes (MRJFLAG, IEMFLAG, & ALCFLAG=1 AND CIGFLAG=0).	54837	98.62
			765	1.38
MIAONYR	1	PAST YEAR USE OF MRJ & ILL DRG OTH MRJ & ALC ONLY 0 = No (Otherwise)..... 1 = Yes (MRJYR=1 & IEMYR=1 & CIGYR=0 & ALCYR=1).....	54923	98.78
			679	1.22
MIAONMO	1	PAST MONTH USE OF MRJ & ILL DRG OTH MRJ & ALC ONLY 0 = No (Otherwise)..... 1 = Yes (MRJMON=1 & IEMMON=1 & CIGMON=0 & ALCMON=1)...	55350	99.55
			252	0.45
ICAONFL	1	LIFETIME USE OF ILL DRG OTH MRJ & CIG & ALC ONLY 0 = No (Otherwise)..... 1 = Yes (IEMFLAG, CIGFLAG, & ALCFLAG=1 AND MRJFLAG=0).	53844	96.84
			1758	3.16
ICAONYR	1	PAST YEAR USE OF ILL DRG OTH MRJ & CIG & ALC ONLY 0 = No (Otherwise)..... 1 = Yes (MRJYR=0 & IEMYR=1 & CIGYR=1 & ALCYR=1).....	54468	97.96
			1134	2.04
ICAONMO	1	PAST MONTH USE OF ILL DRG OTH MRJ & CIG & ALC ONLY 0 = No (Otherwise)..... 1 = Yes (MRJMON=0 & IEMMON=1 & CIGMON=1 & ALCMON=1)...	55067	99.04
			535	0.96
ALLUSEFL	1	LIFETIME USE OF MRJ, ILL DRG OTH MRJ, CIG, & ALC 0 = No (Otherwise)..... 1 = Yes (MRJFLAG, IEMFLAG, CIGFLAG, & ALCFLAG=1).....	43079	77.48
			12523	22.52
ALLUSEYR	1	PAST YEAR USE OF MRJ, ILL DRG OTH MRJ, CIG, & ALC 0 = No (Otherwise)..... 1 = Yes (MRJYR=1 & IEMYR=1 & CIGYR=1 & ALCYR=1).....	52045	93.60
			3557	6.40
ALLUSEMO	1	PAST MONTH USE OF MRJ, ILL DRG OTH MRJ, CIG, & ALC 0 = No (Otherwise)..... 1 = Yes (MRJMON=1 & IEMMON=1 & CIGMON=1 & ALCMON=1)...	54459	97.94
			1143	2.06

RECODED DRUG USE			PAGE:	178
LABEL	LEN	DESCRIPTION	FREQ	%
FUCIG18	1	FIRST USED CIGARETTES PRIOR TO AGE 18		-
		1 = Yes (IRCIGAGE < 18).....	26365	47.42
		2 = No (IRCIGAGE >= 18).....	29237	52.58
FUCIG21	1	FIRST USED CIGARETTES PRIOR TO AGE 21		
		1 = Yes (IRCIGAGE < 21).....	30635	55.10
		2 = No (IRCIGAGE >= 21).....	24967	44.90
FUCD218	1	FIRST USED DAILY CIGARETTE PRIOR TO AGE 18		
		1 = Yes (IRCD2AGE < 18).....	10061	18.09
		2 = No (IRCD2AGE >= 18).....	45541	81.91
FUCD221	1	FIRST USED DAILY CIGARETTE PRIOR TO AGE 21		
		1 = Yes (IRCDUAGE < 21).....	14457	26.00
		2 = No (IRCDUAGE >= 21).....	41145	74.00
FUCGR18	1	FIRST USED CIGARS PRIOR TO AGE 18		
		1 = Yes (IRCGRAGE < 18).....	9529	17.14
		2 = No (IRCGRAGE >= 18).....	46073	82.86
FUCGR21	1	FIRST USED CIGARS PRIOR TO AGE 21		
		1 = Yes (IRCGRAGE < 21).....	14435	25.96
		2 = No (IRCGRAGE >= 21).....	41167	74.04
FUSLT18	1	FIRST USED SMOKELESS TOBACCO PRIOR TO AGE 18		
		1 = Yes (IRSLTAGE < 18).....	7176	12.91
		2 = No (IRSLTAGE >= 18).....	48426	87.09
FUSLT21	1	FIRST USED SMOKELESS TOBACCO PRIOR TO AGE 21		
		1 = Yes (IRSLTAGE < 21).....	8821	15.86
		2 = No (IRSLTAGE >= 21).....	46781	84.14
FUALC18	1	FIRST USED ALCOHOL PRIOR TO AGE 18		
		1 = Yes (IRALCAGE < 18).....	29839	53.67
		2 = No (IRALCAGE >= 18).....	25763	46.33
FUALC21	1	FIRST USED ALCOHOL PRIOR TO AGE 21		
		1 = Yes (IRALCAGE < 21).....	37157	66.83
		2 = No (IRALCAGE >= 21).....	18445	33.17
FUMJ18	1	FIRST USED MARIJUANA PRIOR TO AGE 18		
		1 = Yes (IRMJAGE < 18).....	16264	29.25
		2 = No (IRMJAGE >= 18).....	39338	70.75
FUMJ21	1	FIRST USED MARIJUANA PRIOR TO AGE 21		
		1 = Yes (IRMJAGE < 21).....	20466	36.81
		2 = No (IRMJAGE >= 21).....	35136	63.19
FUCOC18	1	FIRST USED COCAINE PRIOR TO AGE 18		
		1 = Yes (IRCOGAGE < 18).....	2285	4.11
		2 = No (IRCOGAGE >= 18).....	53317	95.89
FUCOC21	1	FIRST USED COCAINE PRIOR TO AGE 21		
		1 = Yes (IRCOGAGE < 21).....	4504	8.10
		2 = No (IRCOGAGE >= 21).....	51098	91.90
FUCRK18	1	FIRST USED CRACK PRIOR TO AGE 18		
		1 = Yes (IRCRKAGE < 18).....	466	0.84
		2 = No (IRCRKAGE >= 18).....	55136	99.16

RECODED DRUG USE			PAGE:	179
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
FUCRK21	1	FIRST USED CRACK PRIOR TO AGE 21 1 = Yes (IRCRKAGE < 21)..... 2 = No (IRCRKAGE >= 21).....	937 54665	1.69 98.31
FUHER18	1	FIRST USED HEROIN PRIOR TO AGE 18 1 = Yes (IRHERAGE < 18)..... 2 = No (IRHERAGE >= 18).....	240 55362	0.43 99.57
FUHER21	1	FIRST USED HEROIN PRIOR TO AGE 21 1 = Yes (IRHERAGE < 21)..... 2 = No (IRHERAGE >= 21).....	464 55138	0.83 99.17
FUHAL18	1	FIRST USED HALLUCINOGENS PRIOR TO AGE 18 1 = Yes (IRHALAGE < 18)..... 2 = No (IRHALAGE >= 18).....	4540 51062	8.17 91.83
FUHAL21	1	FIRST USED HALLUCINOGENS PRIOR TO AGE 21 1 = Yes (IRHALAGE < 21)..... 2 = No (IRHALAGE >= 21).....	6920 48682	12.45 87.55
FULSD18	1	FIRST USED LSD PRIOR TO AGE 18 1 = Yes (IRLSDAGE < 18)..... 2 = No (IRLSDAGE >= 18).....	2837 52765	5.10 94.90
FULSD21	1	FIRST USED LSD PRIOR TO AGE 21 1 = Yes (IRLSDAGE < 21)..... 2 = No (IRLSDAGE >= 21).....	4289 51313	7.71 92.29
FUPCP18	1	FIRST USED PCP PRIOR TO AGE 18 1 = Yes (IRPCPAGE < 18)..... 2 = No (IRPCPAGE >= 18).....	702 54900	1.26 98.74
FUPCP21	1	FIRST USED PCP PRIOR TO AGE 21 1 = Yes (IRPCPAGE < 21)..... 2 = No (IRPCPAGE >= 21).....	1056 54546	1.90 98.10
FUECS18	1	FIRST USED ECSTASY PRIOR TO AGE 18 1 = Yes (IRECSAGE < 18)..... 2 = No (IRECSAGE >= 18).....	1346 54256	2.42 97.58
FUECS21	1	FIRST USED ECSTASY PRIOR TO AGE 21 1 = Yes (IRECSAGE < 21)..... 2 = No (IRECSAGE >= 21).....	2730 52872	4.91 95.09
FUINH18	1	FIRST USED INHALANTS PRIOR TO AGE 18 1 = Yes (IRINHAGE < 18)..... 2 = No (IRINHAGE >= 18).....	5022 50580	9.03 90.97
FUINH21	1	FIRST USED INHALANTS PRIOR TO AGE 21 1 = Yes (IRINHAGE < 21)..... 2 = No (IRINHAGE >= 21).....	6139 49463	11.04 88.96
FUANL18	1	FIRST USED PAIN RELIEVERS PRIOR TO AGE 18 1 = Yes (IRANLAGE < 18)..... 2 = No (IRANLAGE >= 18).....	4945 50657	8.89 91.11
FUANL21	1	FIRST USED PAIN RELIEVERS PRIOR TO AGE 21 1 = Yes (IRANLAGE < 21)..... 2 = No (IRANLAGE >= 21).....	7135 48467	12.83 87.17

RECODED DRUG USE			PAGE:	180
LABEL	LEN	DESCRIPTION	FREQ	%
FUOXY18	1	FIRST USED OXYCONTIN PRIOR TO AGE 18		-
		1 = Yes (IROXYAGE < 18).....	485	0.87
		2 = No (IROXYAGE >= 18).....	55117	99.13
FUOXY21	1	FIRST USED OXYCONTIN PRIOR TO AGE 21		
		1 = Yes (IROXYAGE < 21).....	862	1.55
		2 = No (IROXYAGE >= 21).....	54740	98.45
FUTRN18	1	FIRST USED TRANQUILIZERS PRIOR TO AGE 18		
		1 = Yes (IRTRNAGE < 18).....	2031	3.65
		2 = No (IRTRNAGE >= 18).....	53571	96.35
FUTRN21	1	FIRST USED TRANQUILIZERS PRIOR TO AGE 21		
		1 = Yes (IRTRNAGE < 21).....	3208	5.77
		2 = No (IRTRNAGE >= 21).....	52394	94.23
FUSTM18	1	FIRST USED STIMULANTS PRIOR TO AGE 18		
		1 = Yes (IRSTMAGE < 18).....	2482	4.46
		2 = No (IRSTMAGE >= 18).....	53120	95.54
FUSTM21	1	FIRST USED STIMULANTS PRIOR TO AGE 21		
		1 = Yes (IRSTMAGE < 21).....	3744	6.73
		2 = No (IRSTMAGE >= 21).....	51858	93.27
FUMTH18	1	FIRST USED METHAMPHETAMINE PRIOR TO AGE 18		
		1 = Yes (IRMTHAGE < 18).....	1195	2.15
		2 = No (IRMTHAGE >= 18).....	54407	97.85
FUMTH21	1	FIRST USED METHAMPHETAMINE PRIOR TO AGE 21		
		1 = Yes (IRMTHAGE < 21).....	1911	3.44
		2 = No (IRMTHAGE >= 21).....	53691	96.56
FUSED18	1	FIRST USED SEDATIVES PRIOR TO AGE 18		
		1 = Yes (IRSEDAge < 18).....	726	1.31
		2 = No (IRSEDAge >= 18).....	54876	98.69
FUSED21	1	FIRST USED SEDATIVES PRIOR TO AGE 21		
		1 = Yes (IRSEDAge < 21).....	1098	1.97
		2 = No (IRSEDAge >= 21).....	54504	98.03
FUPSY18	1	FIRST USED PSYCHOTHERAPEUTICS PRIOR TO AGE 18		
		1 = Yes (PSYAGE2 < 18).....	6672	12.00
		2 = No (PSYAGE2 >= 18).....	48930	88.00
FUPSY21	1	FIRST USED PSYCHOTHERAPEUTICS PRIOR TO AGE 21		
		1 = Yes (PSYAGE2 < 21).....	9517	17.12
		2 = No (PSYAGE2 >= 21).....	46085	82.88
FUSUM18	1	FIRST USED ILLICIT DRUGS PRIOR TO AGE 18		
		1 = Yes (SUMAGE < 18).....	19664	35.37
		2 = No (SUMAGE >= 18).....	35938	64.63
FUSUM21	1	FIRST USED ILLICIT DRUGS PRIOR TO AGE 21		
		1 = Yes (SUMAGE < 21).....	24098	43.34
		2 = No (SUMAGE >= 21).....	31504	56.66
FUIEM18	1	FIRST USED ILL DRG OTH THAN MJ PRIOR TO AGE 18		
		1 = Yes (IEMAGE < 18).....	11239	20.21
		2 = No (IEMAGE >= 18).....	44363	79.79

RECODED DRUG USE			PAGE:	181
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
FUIEM21	1	FIRST USED ILL DRG OTH THAN MJ PRIOR TO AGE 21		
		1 = Yes (IEMAGE < 21).....	14868	26.74
		2 = No (IEMAGE >= 21).....	40734	73.26

SELECTED UNEDITED VARIABLES			PAGE:	182
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
(CG05) SELECTED UNEDITED VARIABLES				
<hr/>				
Now think about the past 30 days, from DATEFILL up to and including today. During the past 30 days, have you smoked part or all of a cigarette?				
CG05	2	HAVE YOU SMOKED CIG IN PAST 30 DAYS		
		1 = Yes.....	15086	27.13
		2 = No.....	17142	30.83
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	23365	42.02
(CG06)		How long has it been since you last smoked part or all of a cigarette?		
CG06	2	TIME SINCE LAST SMOKE A CIG (IF NOT PAST MO)		
		1 = More than 30 days ago but within the past 12 mos..	3246	5.84
		2 = More than 12 months ago but within the past 3 yrs.	3117	5.61
		3 = More than 3 years ago.....	10730	19.30
		94 = DON'T KNOW.....	31	0.06
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	38460	69.17
(CG06DK)		What is your best guess of how long it has been since you last smoked part or all of a cigarette?		
CG06DK	2	BEST GUESS TIME SINCE LAST SMOKE A CIGARETTE		
		1 = More than 30 days ago but within the past 12 mos..	3	0.01
		2 = More than 12 months ago but within the past 3 yrs.	6	0.01
		3 = More than 3 years ago.....	9	0.02
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	55571	99.94
(CG06RE)		The answers that people give us about their cigarette smoking are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		
Please think again about answering this question: How long has it been since you last smoked part or all of a cigarette?				
CG06RE	2	THINK AGAIN ABOUT ANS TIME SINCE LAST SMOKE A CIG		
		1 = More than 30 days ago but within the past 12 mos..	4	0.01
		2 = More than 12 months ago but within the past 3 yrs.	2	0.00
		3 = More than 3 years ago.....	7	0.01
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	55584	99.97

SELECTED UNEDITED VARIABLES			PAGE:	183
LABEL	LEN	DESCRIPTION	FREQ	%
(CG27)		Now think about the past 30 days, that is, from DATEFILL up to and including today. During the past 30 days, have you used snuff, even once?		-
CG27	2	HAVE YOU USED SNUFF IN PAST 30 DAYS		
		1 = Yes.....	1693	3.04
		2 = No.....	6024	10.83
		94 = DON'T KNOW.....	1	0.00
		98 = BLANK (NO ANSWER).....	47884	86.12
(CG28)		How long has it been since you last used snuff?		
CG28	2	TIME SINCE LAST USE SNUFF (IF NOT PAST MO)		
		1 = More than 30 days ago but within the past 12 mos..	927	1.67
		2 = More than 12 months ago but within the past 3 yrs.	1053	1.89
		3 = More than 3 years ago.....	4014	7.22
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	49578	89.17
(CG28DK)		What is your best guess of how long it has been since you last used snuff?		
CG28DK	2	BEST GUESS TIME SINCE LAST USE SNUFF		
		1 = More than 30 days ago but within the past 12 mos..	4	0.01
		2 = More than 12 months ago but within the past 3 yrs.	2	0.00
		3 = More than 3 years ago.....	6	0.01
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	55584	99.97
(CG28RE)		The answers that people give us about their use of snuff are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		
		Please think again about answering this question: How long has it been since you last used snuff?		
CG28RE	2	THINK AGAIN ABOUT ANSWER TIME SINCE LAST USE SNUFF		
		3 = More than 3 years ago.....	4	0.01
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	55590	99.98
(CG19)		Now think about the past 30 days, that is, from DATEFILL up to and including today. During the past 30 days, have you used chewing tobacco, even once?		
CG19	2	HAVE YOU USED CHEW IN PAST 30 DAYS		
		1 = Yes.....	823	1.48
		2 = No.....	5707	10.26
		94 = DON'T KNOW.....	1	0.00
		98 = BLANK (NO ANSWER).....	49071	88.25

SELECTED UNEDITED VARIABLES			PAGE:	184
LABEL	LEN	DESCRIPTION	FREQ	%
(CG20)		How long has it been since you last used chewing tobacco?		-
CG20	2	TIME SINCE LAST USED CHEW (IF NOT PAST MO)		
		1 = More than 30 days ago but within the past 12 mos..	718	1.29
		2 = More than 12 months ago but within the past 3 yrs.	986	1.77
		3 = More than 3 years ago.....	3989	7.17
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	49895	89.74
(CG20DK)		What is your best guess of how long it has been since you last used chewing tobacco?		
CG20DK	2	BEST GUESS HOW LONG SINCE USED CHEWING TOBACCO		
		1 = More than 30 days ago but within the past 12 mos..	2	0.00
		3 = More than 3 years ago.....	3	0.01
		94 = DON'T KNOW.....	4	0.01
		98 = BLANK (NO ANSWER).....	55593	99.98
(CG20RE)		The answers that people give us about their use of chewing tobacco are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		
		Please think again about answering this question: How long has it been since you last used chewing tobacco?		
CG20RE	2	THINK AGAIN ABOUT ANSWER HOW LONG SINCE USED CHEW		
		2 = More than 12 months ago but within the past 3 yrs.	1	0.00
		3 = More than 3 years ago.....	2	0.00
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	55597	99.99
(CG36)		Now think about the past 30 days, from DATEFILL up to and including today. During the past 30 days, have you smoked part or all of any type of cigar?		
CG36	2	HAVE YOU SMOKED CIGAR IN PAST 30 DAYS		
		1 = Yes.....	4151	7.47
		2 = No.....	14219	25.57
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	37222	66.94
(CG37)		How long has it been since you last smoked part or all of any type of cigar?		
CG37	2	TIME SINCE LAST SMOKED CIGAR (IF NOT PAST MO)		
		1 = More than 30 days ago but within the past 12 mos..	3856	6.94
		2 = More than 12 months ago but within the past 3 yrs.	3895	7.01
		3 = More than 3 years ago.....	6449	11.60
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	41383	74.43

SELECTED UNEDITED VARIABLES			PAGE:	185
LABEL	LEN	DESCRIPTION	FREQ	%
(CG37DK)		What is your best guess of how long it has been since you last smoked part or all of any type of cigar?		-
CG37DK	2	BEST GUESS TIME SINCE LAST SMOKED CIGAR		
		1 = More than 30 days ago but within the past 12 mos..	4	0.01
		2 = More than 12 months ago but within the past 3 yrs.	1	0.00
		3 = More than 3 years ago.....	4	0.01
		94 = DON'T KNOW.....	7	0.01
		98 = BLANK (NO ANSWER).....	55586	99.97
(CG37RE)		The answers that people give us about their cigar smoking are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		
		Please think again about answering this question: How long has it been since you last smoked part or all of any type of cigar?		
CG37RE	2	THINK AGAIN ABOUT ANS TIME SINCE LAST SMOKED CIGAR		
		1 = More than 30 days ago but within the past 12 mos..	1	0.00
		3 = More than 3 years ago.....	1	0.00
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	55599	99.99
(CG43)		During the past 30 days, that is since DATEFILL, have you smoked tobacco in a pipe, even once?		
CG43	2	HAVE YOU SMOKED PIPE TOBACCO IN PAST 30 DAYS		
		1 = Yes.....	481	0.87
		2 = No.....	4708	8.47
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	50411	90.66
(ALLLAST3)		How long has it been since you last drank an alcoholic beverage?		
ALLLAST3	2	TIME SINCE LAST DRANK ALCOHOLIC BEVERAGE		
		1 = Within the past 30 days -- that is, since DATEFILL	24856	44.70
		2 = More than 30 days ago but within the past 12 mos..	8939	16.08
		3 = More than 12 months ago.....	6737	12.12
		94 = DON'T KNOW.....	75	0.13
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	14952	26.89
(ALRECDK)		What is your best guess of how long it has been since you last drank an alcoholic beverage?		
ALRECDK	2	BEST GUESS TIME SINCE LAST DRANK ALCOHOLIC BEV		
		1 = Within the past 30 days - that is, since DATEFILL.	7	0.01
		2 = More than 30 days ago but within the past 12 mos..	23	0.04
		3 = More than 12 months ago.....	17	0.03
		94 = DON'T KNOW.....	26	0.05
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	55527	99.87

SELECTED UNEDITED VARIABLES			PAGE:	186
LABEL	LEN	DESCRIPTION	FREQ	%
(ALRECRE)		The answers that people give us about their use of alcohol are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		-
		Please think again about answering this question: How long has it been since you last drank an alcoholic beverage?		
ALRECRE	2	THINK AGAIN ABOUT ANS TIME SINCE LST DRANK ALCOHOL		
		1 = Within the past 30 days - that is, since DATEFILL.	8	0.01
		2 = More than 30 days ago but within the past 12 mos..	9	0.02
		3 = More than 12 months ago.....	12	0.02
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	55559	99.92
TOTDRINK	3	TOTAL # OF DAYS USED ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 372	33572	60.38
		994 = DON'T KNOW.....	219	0.39
		997 = REFUSED.....	51	0.09
		998 = BLANK (NO ANSWER).....	21760	39.14
(ALFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've had a drink of an alcoholic beverage during the past 12 months.		
		What would be the easiest way for you to tell us how many days you drank alcoholic beverages?		
ALFRAME3	2	EASIEST WAY TO TELL US # DAYS DRANK ALCOHOL		
		1 = Avg num of days per week during pst 12 mos.....	10781	19.39
		2 = Avg num of days per month during pst 12 mos.....	11927	21.45
		3 = Total number of days during the past 12 months....	10609	19.08
		94 = DON'T KNOW.....	408	0.73
		97 = REFUSED.....	117	0.21
		98 = BLANK (NO ANSWER).....	21760	39.14
(ALYRAVE)		On how many days in the past 12 months did you drink an alcoholic beverage?		
ALYRAVE	3	NUMBER DAYS DRANK ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 366	10884	19.57
		994 = DON'T KNOW.....	205	0.37
		997 = REFUSED.....	45	0.08
		998 = BLANK (NO ANSWER).....	44468	79.98
(ALMONAVE)		On average, how many days did you drink an alcoholic beverage each month during the past 12 months?		
ALMONAVE	2	# DAYS PER MONTH DRANK ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 31	11931	21.46
		94 = DON'T KNOW.....	205	0.37
		97 = REFUSED.....	41	0.07
		98 = BLANK (NO ANSWER).....	43425	78.10

SELECTED UNEDITED VARIABLES			PAGE:	187
LABEL	LEN	DESCRIPTION	FREQ	%
(ALWKAVE)		On average, how many days did you drink an alcoholic beverage each week during the past 12 months?		-
ALWKAVE	2	# DAYS PER WEEK DRANK ALCOHOL IN PAST 12 MOS		
		RANGE = 1 - 7	10757	19.35
		94 = DON'T KNOW.....	219	0.39
		97 = REFUSED.....	51	0.09
		98 = BLANK (NO ANSWER).....	44575	80.17
(MJLAST3)		How long has it been since you last used marijuana or hashish?		
MJLAST3	2	TIME SINCE LAST USED MARIJUANA/HASHISH		
		1 = Within the past 30 days -- that is, since DATEFILL	5397	9.71
		2 = More than 30 days ago but within the past 12 month	4108	7.39
		3 = More than 12 months ago.....	12815	23.05
		94 = DON'T KNOW.....	36	0.06
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	33199	59.71
(MJRECDK)		What is your best guess of how long it has been since you last used marijuana or hashish?		
MJRECDK	2	BEST GUESS TIME SINCE LAST USED MARIJUANA/HASHISH		
		1 = Within the past 30 days - that is, since DATEFILL.	2	0.00
		2 = More than 30 days ago but within the pst 12 mos...	5	0.01
		3 = More than 12 months ago.....	7	0.01
		94 = DON'T KNOW.....	21	0.04
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	55566	99.94
(MJRECRE)		The answers that people give us about their use of marijuana and hashish are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		
		Please think again about answering this question: How long has it been since you last used marijuana or hashish?		
MJRECRE	2	THINK AGAIN ABOUT ANS TIME SINCE LAST USED MJ/HASH		
		1 = Within the past 30 days - that is, since DATEFILL.	14	0.03
		2 = More than 30 days ago but within the pst 12 mos...	2	0.00
		3 = More than 12 months ago.....	8	0.01
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	20	0.04
		98 = BLANK (NO ANSWER).....	55555	99.92
TOTMJ	3	TOTAL # OF DAYS USED MARIJUANA IN PAST 12 MOS		
		RANGE = 1 - 372	9426	16.95
		994 = DON'T KNOW.....	79	0.14
		997 = REFUSED.....	23	0.04
		998 = BLANK (NO ANSWER).....	46074	82.86

SELECTED UNEDITED VARIABLES			PAGE:	188
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
(MJFRAME3) Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used marijuana or hashish during the past 12 months.				
What would be the easiest way for you to tell us how many days you've used it?				
MJFRAME3	2	EASIEST WAY TO TELL US # DAYS USED MARIJUANA/HASH		
1 = Avg num of days per week during pst 12 mos..... 3203 5.76				
2 = Avg num of days per month during pst 12 mos.... 2435 4.38				
3 = Total number of days during the past 12 months... 3729 6.71				
94 = DON'T KNOW..... 115 0.21				
97 = REFUSED..... 46 0.08				
98 = BLANK (NO ANSWER)..... 46074 82.86				
 (MJYRAVE) On how many days in the past 12 months did you use marijuana or hashish?				
MJYRAVE	3	# DAYS USED MARIJUANA/HASHISH PAST 12 MONTHS		
RANGE = 1 - 366 3792 6.82				
994 = DON'T KNOW..... 70 0.13				
997 = REFUSED..... 28 0.05				
998 = BLANK (NO ANSWER)..... 51712 93.00				
 (MJMNAVIE) On average, how many days did you use marijuana or hashish each month during the past 12 months?				
MJMNAVIE	2	# DAYS PER MOS USED MARIJUANA/HASHISH PAST 12 MOS		
RANGE = 1 - 31 2443 4.39				
94 = DON'T KNOW..... 67 0.12				
97 = REFUSED..... 23 0.04				
98 = BLANK (NO ANSWER)..... 53069 95.44				
 (MJWKAVE) On average, how many days did you use marijuana or hashish each week during the past 12 months?				
MJWKAVE	2	# DAYS PER WEEK USED MARIJUANA/HASHISH PAST 12 MOS		
RANGE = 1 - 7 3191 5.74				
94 = DON'T KNOW..... 79 0.14				
97 = REFUSED..... 23 0.04				
98 = BLANK (NO ANSWER)..... 52309 94.08				
 (CCLAST3) How long has it been since you last used cocaine?				
CCLAST3	2	TIME SINCE LAST USED COCAINE		
1 = Within the past 30 days -- that is, since DATEFILL 614 1.10				
2 = More than 30 days ago but within the past 12 month 1297 2.33				
3 = More than 12 months ago..... 4819 8.67				
94 = DON'T KNOW..... 8 0.01				
97 = REFUSED..... 8 0.01				
98 = BLANK (NO ANSWER)..... 48856 87.87				

SELECTED UNEDITED VARIABLES			PAGE:	189
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
(CCRECDK) What is your best guess of how long it has been since you last used cocaine?				
CCRECDK	2	BEST GUESS TIME SINCE LAST USED COCAINE		
		1 = Within the past 30 days - that is, since DATEFILL.	1	0.00
		3 = More than 12 months ago.....	5	0.01
		94 = DON'T KNOW.....	2	0.00
		98 = BLANK (NO ANSWER).....	55594	99.99
<hr/>				
(CCRECRE) The answers that people give us about their use of cocaine are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.				
Please think again about answering this question: How long has it been since you last used cocaine?				
CCRECRE	2	THINK AGAIN ABOUT ANS TIME SINCE LAST USED COCAINE		
		1 = Within the past 30 days - that is, since DATEFILL.	2	0.00
		2 = More than 30 days ago but within the pst 12 mos...	1	0.00
		3 = More than 12 months ago.....	2	0.00
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	55594	99.99
<hr/>				
TOTCOKE	3	TOTAL # OF DAYS USED COCAINE IN PAST 12 MONTHS		
		RANGE = 1 - 372	1901	3.42
		994 = DON'T KNOW.....	12	0.02
		997 = REFUSED.....	2	0.00
		998 = BLANK (NO ANSWER).....	53687	96.56
<hr/>				
(CCFRAME3) Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used cocaine during the past 12 months.				
What would be the easiest way for you to tell us how many days you've used it?				
CCFRAME3	2	EASIEST WAY TO TELL US # DAYS USED COCAINE		
		1 = Avg num of days per week during pst 12 mos.....	262	0.47
		2 = Avg num of days per month during pst 12 mos.....	448	0.81
		3 = Total number of days during the past 12 months....	1192	2.14
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	53687	96.56
<hr/>				
(CCYRAVE) On how many days in the past 12 months did you use cocaine?				
CCYRAVE	3	# DAYS USED COCAINE PAST 12 MONTHS		
		RANGE = 1 - 365	1194	2.15
		994 = DON'T KNOW.....	8	0.01
		997 = REFUSED.....	3	0.01
		998 = BLANK (NO ANSWER).....	54397	97.83

SELECTED UNEDITED VARIABLES			PAGE:	190
LABEL	LEN	DESCRIPTION	FREQ	%
(CCMONAVE)		On average, how many days did you use cocaine each month during the past 12 months?		-
CCMONAVE	2	# DAYS PER MONTH USED COCAINE PAST 12 MONTHS		
		RANGE = 1 - 31	448	0.81
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	55143	99.17
(CCWKAVE)		On average, how many days did you use cocaine each week during the past 12 months?		
CCWKAVE	2	# DAYS PER WEEK USED COCAINE PAST 12 MONTHS		
		RANGE = 1 - 7	259	0.47
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	55329	99.51
(CKLAST3)		How long has it been since you last used "crack?"		
CKLAST3	2	TIME SINCE LAST USED CRACK		
		1 = Within the past 30 days -- that is, since DATEFILL	115	0.21
		2 = More than 30 days ago but within the past 12 month	234	0.42
		3 = More than 12 months ago.....	1353	2.43
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	53898	96.94
(CKRECDK)		What is your best guess of how long it has been since you last used "crack?"		
CKRECDK	2	BEST GUESS TIME SINCE LAST USED CRACK		
		98 = BLANK (NO ANSWER).....	55602	100.0
(CKRECRE)		The answers that people give us about their use of "crack" are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		
		Please think again about answering this question: How long has it been since you last used "crack?"		
CKRECRE	2	THINK AGAIN ABOUT ANSWER TIME SINCE LAST USE CRACK		
		3 = More than 12 months ago.....	1	0.00
		94 = DON'T KNOW.....	1	0.00
		98 = BLANK (NO ANSWER).....	55600	100.0
TOTCRACK	3	TOTAL # DAYS USED CRACK IN PAST 12 MONTHS		
		RANGE = 1 - 365	345	0.62
		994 = DON'T KNOW.....	1	0.00
		997 = REFUSED.....	3	0.01
		998 = BLANK (NO ANSWER).....	55253	99.37

SELECTED UNEDITED VARIABLES			PAGE:	191
LABEL	LEN	DESCRIPTION	FREQ	%
(CKFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used "crack" during the past 12 months.		-
		What would be the easiest way for you to tell us how many days you've used it?		
CKFRAME3	2	EASIEST WAY TO TELL US # DAYS USED CRACK		
		1 = Avg num of days per week during pst 12 mos.....	85	0.15
		2 = Avg num of days per month during pst 12 mos.....	82	0.15
		3 = Total number of days during the past 12 months....	180	0.32
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	55253	99.37
(CKYRAVE)		On how many days in the past 12 months did you use "crack?"		
CKYRAVE	3	# DAYS USED CRACK PAST 12 MONTHS		
		RANGE = 1 - 365	179	0.32
		994 = DON'T KNOW.....	1	0.00
		997 = REFUSED.....	2	0.00
		998 = BLANK (NO ANSWER).....	55420	99.67
(CKMONAVE)		On average, how many days did you use "crack" each month during the past 12 months?		
CKMONAVE	2	# DAYS PER MONTH USED CRACK PAST 12 MONTHS		
		RANGE = 1 - 30	81	0.15
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	55517	99.85
(CKWKAVE)		On average, how many days did you use "crack" each week during the past 12 months?		
CKWKAVE	2	# DAYS PER WEEK USED CRACK PAST 12 MONTHS		
		RANGE = 1 - 7	85	0.15
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	55513	99.84
(HELAST3)		How long has it been since you last used heroin?		
HELAST3	2	TIME SINCE LAST USED HEROIN		
		1 = Within the past 30 days -- that is, since DATEFILL	53	0.10
		2 = More than 30 days ago but within the past 12 month	95	0.17
		3 = More than 12 months ago.....	551	0.99
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	54900	98.74
(HERECDK)		What is your best guess of how long it has been since you last used heroin?		
HERECDK	2	BEST GUESS TIME SINCE LAST USED HEROIN		
		3 = More than 12 months ago.....	1	0.00
		98 = BLANK (NO ANSWER).....	55601	100.0

SELECTED UNEDITED VARIABLES			PAGE:	192
LABEL	LEN	DESCRIPTION	FREQ	%
(HERECRE)		The answers that people give us about their use of heroin are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		-
		Please think again about answering this question: How long has it been since you last used heroin?		
HERECRE	2	THINK AGAIN ABOUT ANS TIME SINCE LAST USED HEROIN		
		3 = More than 12 months ago.....	2	0.00
		98 = BLANK (NO ANSWER).....	55600	100.0
TOTHERO	3	TOTAL # OF DAYS USED HEROIN IN PAST 12 MONTHS		
		RANGE = 1 - 372	147	0.26
		994 = DON'T KNOW.....	1	0.00
		998 = BLANK (NO ANSWER).....	55454	99.73
(HEFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used heroin during the past 12 months.		
		What would be the easiest way for you to tell us how many days you've used it?		
HEFRAME3	2	EASIEST WAY TO TELL US # DAYS USED HEROIN		
		1 = Avg num of days per week during pst 12 mos.....	35	0.06
		2 = Avg num of days per month during pst 12 mos.....	26	0.05
		3 = Total number of days during the past 12 months....	86	0.15
		94 = DON'T KNOW.....	1	0.00
		98 = BLANK (NO ANSWER).....	55454	99.73
(HEYRAVE)		On how many days in the past 12 months did you use heroin?		
HEYRAVE	3	# DAYS USED HEROIN PAST 12 MONTHS		
		RANGE = 1 - 300	86	0.15
		994 = DON'T KNOW.....	1	0.00
		998 = BLANK (NO ANSWER).....	55515	99.84
(HEMONAVE)		On average, how many days did you use heroin each month during the past 12 months?		
HEMONAVE	2	# DAYS PER MONTH USED HEROIN PAST 12 MONTHS		
		RANGE = 1 - 31	26	0.05
		94 = DON'T KNOW.....	1	0.00
		98 = BLANK (NO ANSWER).....	55575	99.95
(HEWKAVE)		On average, how many days did you use heroin each week during the past 12 months?		
HEWKAVE	2	# DAYS PER WEEK USED HEROIN PAST 12 MONTHS		
		RANGE = 1 - 7	35	0.06
		94 = DON'T KNOW.....	1	0.00
		98 = BLANK (NO ANSWER).....	55566	99.94

SELECTED UNEDITED VARIABLES			PAGE:	193
LABEL	LEN	DESCRIPTION	FREQ	%
(LSLAST)		How long has it been since you last used [LSFILL]?		-
LSLAST	2	TIME SINCE LAST USED HALLUCINOGEN		
		1 = Within the past 30 days -- that is, since DATEFILL	413	0.74
		2 = More than 30 days ago but within the past 12 mos..	1318	2.37
		3 = More than 12 months ago.....	6326	11.38
		94 = DON'T KNOW.....	22	0.04
		97 = REFUSED.....	25	0.04
		98 = BLANK (NO ANSWER).....	47498	85.42
(LSRECDK)		What is your best guess of how long it has been since you last used [LSFILL]?		
LSRECDK	2	BEST GUESS TIME SINCE LAST USED HALLUCINOGEN		
		1 = Within the past 30 days - that is, since DATEFILL.	3	0.01
		2 = More than 30 days ago but within the pst 12 mos...	1	0.00
		3 = More than 12 months ago.....	11	0.02
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	55580	99.96
(LSRECRE)		The answers that people give us about their use of hallucinogens are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		
		Please think again about answering this question: How long has it been since you last used [LSFILL]?		
LSRECRE	2	THINK AGAIN ABOUT ANS TIME SINCE LAST USED HALLUC.		
		1 = Within the past 30 days - that is, since DATEFILL.	5	0.01
		2 = More than 30 days ago but within the pst 12 mos...	1	0.00
		3 = More than 12 months ago.....	7	0.01
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	55577	99.96
TOTHALL	3	TOTAL # OF DAYS USED HALLUCINOGENS IN PAST 12 MOS		
RANGE =		1 - 372	1846	3.32
994 =		DON'T KNOW.....	13	0.02
997 =		REFUSED.....	6	0.01
998 =		BLANK (NO ANSWER).....	53737	96.65
(LSFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used [LSFILL] during the past 12 months. What would be the easiest way for you to tell us how many days you've used it?		
LSFRAME3	2	EASIEST WAY TO TELL US # DAYS USED HALLUCINOGEN		
		1 = Avg num of days per week during pst 12 mos.....	164	0.29
		2 = Avg num of days per month during pst 12 mos.....	260	0.47
		3 = Total number of days during the past 12 months....	1293	2.33
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	53861	96.87

SELECTED UNEDITED VARIABLES			PAGE:	194
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
(LSYRAVE) On how many days in the past 12 months did you use [LSFILL]?				
LSYRAVE	3	# DAYS USED HALLUCINOGEN PAST 12 MONTHS		
RANGE = 1 - 200			1303	2.34
994 = DON'T KNOW.....			9	0.02
997 = REFUSED.....			5	0.01
998 = BLANK (NO ANSWER).....			54285	97.63
 (LSMONAVE) On average, how many days did you use [LSFILL] each month during the past 12 months?				
LSMONAVE	2	# DAYS PER MONTH USED HALLUCINOGEN PAST 12 MONTHS		
RANGE = 1 - 31			259	0.47
94 = DON'T KNOW.....			8	0.01
97 = REFUSED.....			7	0.01
98 = BLANK (NO ANSWER).....			55328	99.51
 (LSWKAVE) On average, how many days did you use [LSFILL] each week during the past 12 months?				
LSWKAVE	2	# DAYS PER WEEK USED HALLUCINOGEN PAST 12 MONTHS		
RANGE = 1 - 7			160	0.29
94 = DON'T KNOW.....			13	0.02
97 = REFUSED.....			6	0.01
98 = BLANK (NO ANSWER).....			55423	99.68
 (LS10) How long has it been since you last used LSD?				
LS10	2	TIME SINCE USED LSD LAST		
1 = Within the past 30 days - that is, since DATEFILL.			61	0.11
2 = More than 30 days ago but within the past 12 mos..			221	0.40
3 = More than 12 months ago.....			3718	6.69
94 = DON'T KNOW.....			8	0.01
97 = REFUSED.....			15	0.03
98 = BLANK (NO ANSWER).....			51579	92.76
 (LS16) How long has it been since you last used PCP?				
LS16	2	HOW LONG SINCE USED PCP		
1 = Within the past 30 days -- that is, since DATEFILL			16	0.03
2 = More than 30 days ago but within the pst 12 mos...			79	0.14
3 = More than 12 months ago.....			1016	1.83
94 = DON'T KNOW.....			6	0.01
97 = REFUSED.....			5	0.01
98 = BLANK (NO ANSWER).....			54480	97.98
 (LS22) How long has it been since you last used "Ecstasy," also known as MDMA?				
LS22	2	HOW LONG SINCE USED ECSTASY		
1 = Within the past 30 days -- that is, since DATEFILL			146	0.26
2 = More than 30 days ago but within the pst 12 mos...			473	0.85
3 = More than 12 months ago.....			2134	3.84
94 = DON'T KNOW.....			2	0.00
97 = REFUSED.....			4	0.01
98 = BLANK (NO ANSWER).....			52843	95.04

SELECTED UNEDITED VARIABLES			PAGE:	195
LABEL	LEN	DESCRIPTION	FREQ	%
(INLAST)		How long has it been since you last used any inhalant for kicks or to get high?		-
INLAST	2	TIME SINCE LAST USED INHALANT		
		1 = Within the past 30 days -- that is, since DATEFILL	338	0.61
		2 = More than 30 days ago but within the past 12 mos..	910	1.64
		3 = More than 12 months ago.....	5314	9.56
		94 = DON'T KNOW.....	90	0.16
		97 = REFUSED.....	67	0.12
		98 = BLANK (NO ANSWER).....	48883	87.92
(INRECDK)		What is your best guess of how long it has been since you last used any inhalant for kicks or to get high?		
INRECDK	2	BEST GUESS HOW LONG SINCE LAST USED INHALANTS		
		1 = Within the past 30 days -- that is, since DATEFILL	4	0.01
		2 = More than 30 days ago but within the past 12 mos..	9	0.02
		3 = More than 12 months ago.....	27	0.05
		94 = DON'T KNOW.....	47	0.08
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	55512	99.84
(INRECRE)		The answers that people give us about their use of inhalants are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		
		Please think again about answering this question: How long has it been since you last used any inhalant for kicks or to get high?		
INRECRE	2	THINK AGAIN ABOUT ANS TIME SINCE LST USE INHALANTS		
		1 = Within the past 30 days -- that is, since DATEFILL	2	0.00
		2 = More than 30 days ago but within the past 12 mos..	4	0.01
		3 = More than 12 months ago.....	18	0.03
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	36	0.06
		98 = BLANK (NO ANSWER).....	55535	99.88
TOTINHAL	3	TOTAL # OF DAYS USED INHALANT PAST 12 MONTHS		
		RANGE = 1 - 372	1237	2.22
		994 = DON'T KNOW.....	19	0.03
		997 = REFUSED.....	11	0.02
		998 = BLANK (NO ANSWER).....	54335	97.72

SELECTED UNEDITED VARIABLES			PAGE:	196
LABEL	LEN	DESCRIPTION	FREQ	%
(INFRAME3)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used an inhalant of any kind for kicks or to get high during the past 12 months.		-
		What would be the easiest way for you to tell us how many days you've done this?		
INFRAME3	2	EASIEST WAY TO TELL US # DAYS USED INHALANT		
		1 = Avg num of days per week during pst 12 mos.....	203	0.37
		2 = Avg num of days per month during pst 12 mos.....	252	0.45
		3 = Total number of days during the past 12 months....	762	1.37
		94 = DON'T KNOW.....	36	0.06
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	54335	97.72
(INYRAVE)		On how many days in the past 12 months did you use an inhalant of any kind for kicks or to get high?		
INYRAVE	3	# DAYS USED INHALANT PAST 12 MONTHS		
		RANGE = 1 - 365	784	1.41
		994 = DON'T KNOW.....	21	0.04
		997 = REFUSED.....	7	0.01
		998 = BLANK (NO ANSWER).....	54790	98.54
(INMONAVE)		On average, how many days did you use an inhalant of any kind for kicks or to get high each month during the past 12 months?		
INMONAVE	2	# DAYS PER MONTH USED INHALANT PAST 12 MONTHS		
		RANGE = 1 - 31	256	0.46
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	55322	99.50
(INWKAVE)		On average, how many days did you use an inhalant of any kind for kicks or to get high each week during the past 12 months?		
INWKAVE	2	# DAYS PER WEEK USED INHALANT PAST 12 MONTHS		
		RANGE = 1 - 7	197	0.35
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	55375	99.59
(PR09)		How long has it been since you last used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PR09	2	TIME SINCE LAST USED PAIN RELIEVER NONMEDICALLY		
		1 = Within the past 30 days -- that is, since DATEFILL	1567	2.82
		2 = More than 30 days ago but within the past 12 mos..	2612	4.70
		3 = More than 12 months ago.....	4839	8.70
		94 = DON'T KNOW.....	124	0.22
		97 = REFUSED.....	78	0.14
		98 = BLANK (NO ANSWER).....	46382	83.42

SELECTED UNEDITED VARIABLES			PAGE:	197
LABEL	LEN	DESCRIPTION	FREQ	%
(PRRECDK)		What is your best guess of how long it has been since you last used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		-
PRRECDK	2	BEST GUESS LAST USED PAIN RELIEVER NONMEDICALLY		
		1 = Within the past 30 days -- that is, since DATEFILL	5	0.01
		2 = More than 30 days ago but within the past 12 month	16	0.03
		3 = More than 12 months ago.....	32	0.06
		94 = DON'T KNOW.....	68	0.12
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	55478	99.78
(PRRECRE)		The answers that people give us about their use of prescription pain relievers are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		
		Please think again about answering this question: How long has it been since you last used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PRRECRE	2	THINK AGAIN ABOUT ANS LAST USED PAIN RLVR NONMED		
		1 = Within the past 30 days -- that is, since DATEFILL	5	0.01
		2 = More than 30 days ago but within the past 12 month	4	0.01
		3 = More than 12 months ago.....	19	0.03
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	41	0.07
		98 = BLANK (NO ANSWER).....	55524	99.86
(PR10)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used a prescription pain reliever in either of these ways?		
PR10	2	EASIEST WAY TO TELL US # DAYS USED PAIN RELIEVER		
		1 = Avg num of days per week during pst 12 mos.....	719	1.29
		2 = Avg num of days per month during pst 12 mos.....	1107	1.99
		3 = Total number of days during the past 12 months....	2283	4.11
		94 = DON'T KNOW.....	82	0.15
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	51393	92.43

SELECTED UNEDITED VARIABLES			PAGE:	198
LABEL	LEN	DESCRIPTION	FREQ	%
(PR11)		On how many days in the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		-
PR11	3	# DAYS USED PAIN RELIEVER "NM" PAST 12 MONTHS		
	RANGE =	1 - 365	2312	4.16
	994 =	DON'T KNOW.....	62	0.11
	997 =	REFUSED.....	9	0.02
	998 =	BLANK (NO ANSWER).....	53219	95.71
(PR12)		On average, how many days each month during the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PR12	2	# DAYS PER MOS USED PAIN RELIEVER "NM" PAST 12 MOS		
	RANGE =	1 - 31	1105	1.99
	94 =	DON'T KNOW.....	61	0.11
	97 =	REFUSED.....	12	0.02
	98 =	BLANK (NO ANSWER).....	54424	97.88
(PR13)		On average, how many days each week during the past 12 months did you use any prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused?		
PR13	2	# DAYS PER WK USED PAIN RELIEVER "NM" PAST 12 MOS		
	RANGE =	1 - 7	712	1.28
	94 =	DON'T KNOW.....	67	0.12
	97 =	REFUSED.....	13	0.02
	98 =	BLANK (NO ANSWER).....	54810	98.58
(PR19)		How long has it been since you last used Oxycontin that was not prescribed for you or that you took only for the experience or feeling it caused?		
PR19	2	TIME SINCE LAST USED OXYCONTIN NONMEDICALLY		
	1 =	Within the past 30 days -- that is, since DATEFILL	141	0.25
	2 =	More than 30 days ago but within the past 12 mos..	374	0.67
	3 =	More than 12 months ago.....	688	1.24
	94 =	DON'T KNOW.....	3	0.01
	97 =	REFUSED.....	2	0.00
	98 =	BLANK (NO ANSWER).....	54394	97.83

SELECTED UNEDITED VARIABLES			PAGE:	199
LABEL	LEN	DESCRIPTION	FREQ	%
(PR20)		Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used Oxycontin that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		-
		What would be the easiest way for you to tell us how many days you used Oxycontin in either of these ways?		
PR20	2	EASIEST WAY TO TELL US # DAYS USED OXYCONTIN		
		1 = Avg num of days per week during pst 12 mos.....	81	0.15
		2 = Avg num of days per month during pst 12 mos.....	119	0.21
		3 = Total number of days during the past 12 mos.....	302	0.54
		94 = DON'T KNOW.....	4	0.01
		98 = BLANK (NO ANSWER).....	55096	99.09
(PR21)		On how many days in the past 12 months did you use Oxycontin that was not prescribed for you or that you took only for the experience or feeling it caused?		
PR21	3	# DAYS USED OXYCONTIN "NM" PAST 12 MONTHS		
		RANGE = 1 - 180	302	0.54
		994 = DON'T KNOW.....	3	0.01
		997 = REFUSED.....	1	0.00
		998 = BLANK (NO ANSWER).....	55296	99.45
(PR22)		On average, how many days each month during the past 12 months did you use Oxycontin that was not prescribed for you or that you took only for the experience or feeling it caused?		
PR22	2	# DAYS PER MOS USED OXYCONTIN "NM" PAST 12 MOS		
		RANGE = 1 - 30	119	0.21
		94 = DON'T KNOW.....	4	0.01
		98 = BLANK (NO ANSWER).....	55479	99.78
(PR23)		On average, how many days each week during the past 12 months did you use Oxycontin that was not prescribed for you or that you took only for the experience or feeling it caused?		
PR23	2	# DAYS PER WK USED OXYCONTIN "NM" PAST 12 MOS		
		RANGE = 1 - 7	80	0.14
		94 = DON'T KNOW.....	5	0.01
		98 = BLANK (NO ANSWER).....	55517	99.85
(TR09)		How long has it been since you last used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TR09	2	TIME SINCE LAST USED TRANQUILIZER NONMEDICALLY		
		1 = Within the past 30 days -- that is, since DATEFILL	528	0.95
		2 = More than 30 days ago but within the past 12 mos..	1106	1.99
		3 = More than 12 months ago.....	2928	5.27
		94 = DON'T KNOW.....	33	0.06
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	50994	91.71

SELECTED UNEDITED VARIABLES			PAGE:	200
LABEL	LEN	DESCRIPTION	FREQ	%
(TRRECDK)		What is your best guess of how long it has been since you last used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		-
TRRECDK	2	BEST GUESS HOW LONG SINCE USD TRANQUILIZER "NM"		
		1 = Within the past 30 days -- that is, since DATEFILL	2	0.00
		2 = More than 30 days ago but within the past 12 mos..	7	0.01
		3 = More than 12 months ago.....	8	0.01
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	55569	99.94
(TRRECRE)		The answers that people give us about their use of prescription tranquilizers are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		
		Please think again about answering this question: How long has it been since you last used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TRRECRE	2	THINK AGAIN ABOUT ANS LAST USED TRANQUILIZER "NM"		
		1 = Within the past 30 days -- that is, since DATEFILL	1	0.00
		3 = More than 12 months ago.....	2	0.00
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	55589	99.98
(TR10)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used a prescription tranquilizer in either of these ways?		
TR10	2	EASIEST WAY TO TELL US # DAYS USED TRANQUILIZER		
		1 = Avg num of days per week during pst 12 mos.....	233	0.42
		2 = Avg num of days per month during pst 12 mos.....	430	0.77
		3 = Total number of days during the past 12 months....	955	1.72
		94 = DON'T KNOW.....	22	0.04
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	53958	97.04
(TR11)		On how many days in the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TR11	3	# DAYS USED TRANQUILIZERS "NM" PAST 12 MONTHS		
		RANGE = 1 - 295	961	1.73
		994 = DON'T KNOW.....	16	0.03
		997 = REFUSED.....	4	0.01
		998 = BLANK (NO ANSWER).....	54621	98.24

SELECTED UNEDITED VARIABLES			PAGE:	201
LABEL	LEN	DESCRIPTION	FREQ	%
(TR12)		On average, how many days each month during the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		-
TR12	2	# DAYS PER MOS USED TRANQUILIZERS "NM" PAST 12 MOS	432	0.78
	RANGE =	1 - 30	14	0.03
	94 =	DON'T KNOW.....	4	0.01
	97 =	REFUSED.....	55152	99.19
	98 =	BLANK (NO ANSWER).....		
(TR13)		On average, how many days each week during the past 12 months did you use any prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused?		
TR13	2	# DAYS USED PER WK TRANQUILIZERS "NM" PAST 12 MOS	231	0.42
	RANGE =	1 - 7	16	0.03
	94 =	DON'T KNOW.....	4	0.01
	97 =	REFUSED.....	55351	99.55
	98 =	BLANK (NO ANSWER).....		
(ST09)		How long has it been since you last used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
ST09	2	TIME SINCE LAST USED STIMULANT NONMEDICALLY	329	0.59
	1 =	Within the past 30 days -- that is, since DATEFILL	585	1.05
	2 =	More than 30 days ago but within the past 12 mos..	2296	4.13
	3 =	More than 12 months ago.....	94 =	0.05
	97 =	REFUSED.....	8	0.01
	98 =	BLANK (NO ANSWER).....	52357	94.16
(STRECDK)		What is your best guess of how long it has been since you last used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
STRECDK	2	BEST GUESS TIME SINCE LAST USED STIMULANTS "NM"	4	0.01
	2 =	More than 30 days ago but within the past 12 mos..	3	0.01
	3 =	More than 12 months ago.....	94 =	0.03
	97 =	REFUSED.....	1	0.00
	98 =	BLANK (NO ANSWER).....	55575	99.95

SELECTED UNEDITED VARIABLES			PAGE:	202
LABEL	LEN	DESCRIPTION	FREQ	%
(STRECRE)		The answers that people give us about their use of prescription stimulants are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		-
		Please think again about answering this question: How long has it been since you last used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
STRECRE	2	THINK AGAIN ABOUT ANSWER LAST USED STIMULANTS "NM"		
		3 = More than 12 months ago.....	3	0.01
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	55594	99.99
(ST10)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used a prescription stimulant in either of these ways?		
ST10	2	EASIEST WAY TO TELL US # DAYS USED STIMULANT		
		1 = Avg num of days per week during pst 12 mos.....	185	0.33
		2 = Avg num of days per month during pst 12 mos.....	200	0.36
		3 = Total number of days during the past 12 months....	518	0.93
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	54684	98.35
(ST11)		On how many days in the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
ST11	3	# DAYS USED STIMULANT "NM" PAST 12 MONTHS		
		RANGE = 1 - 365	518	0.93
		994 = DON'T KNOW.....	13	0.02
		997 = REFUSED.....	2	0.00
		998 = BLANK (NO ANSWER).....	55069	99.04
(ST12)		On average, how many days each month during the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		
ST12	2	# DAYS PER MOS USED STIMULANT "NM" PAST 12 MONTHS		
		RANGE = 1 - 31	202	0.36
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	55387	99.61

SELECTED UNEDITED VARIABLES			PAGE:	203
LABEL	LEN	DESCRIPTION	FREQ	%
(ST13)		On average, how many days each week during the past 12 months did you use any prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused?		-
ST13	2	# DAYS PER WEEK USED STIMULANT "NM" PAST 12 MONTHS		
	RANGE =	1 - 7	184	0.33
	94 =	DON'T KNOW.....	12	0.02
	97 =	REFUSED.....	2	0.00
	98 =	BLANK (NO ANSWER).....	55404	99.64
(ST19)		How long has it been since you last used Methamphetamine, Desoxyn, or Methedrine?		
ST19	2	HOW LONG SINCE USED METHAMPH, DESOXYN, METHEDRINE		
	1 =	Within the past 30 days - that is, since DATEFILL.	187	0.34
	2 =	More than 30 days ago but within the past 12 mos..	331	0.60
	3 =	More than 12 months ago.....	1920	3.45
	94 =	DON'T KNOW.....	15	0.03
	97 =	REFUSED.....	12	0.02
	98 =	BLANK (NO ANSWER).....	53137	95.57
(ST20)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
	What would be the easiest way for you to tell us how many days you used Methamphetamine, Desoxyn, or Methedrine in either of these ways?			
ST20	2	EASIEST WAY TO TELL US # DAYS USED METHAMP/DESO		
	1 =	Avg num of days per week during pst 12 mos.....	118	0.21
	2 =	Avg num of days per month during pst 12 mos.....	142	0.26
	3 =	Total number of days during the past 12 months....	240	0.43
	94 =	DON'T KNOW.....	9	0.02
	97 =	REFUSED.....	2	0.00
	98 =	BLANK (NO ANSWER).....	55091	99.08
(ST21)		On how many days in the past 12 months did you use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?		
ST21	3	# DAYS USED METHAMP/DESO/METHD PAST 12 MONTHS		
	RANGE =	1 - 360	245	0.44
	994 =	DON'T KNOW.....	4	0.01
	997 =	REFUSED.....	2	0.00
	998 =	BLANK (NO ANSWER).....	55351	99.55

SELECTED UNEDITED VARIABLES			PAGE:	204
LABEL	LEN	DESCRIPTION	FREQ	%
(ST22)		On average, how many days each month during the past 12 months did you use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?		-
ST22	2	# DAYS PER MOS USED METHAMP/DESO/M PAST 12 MONTHS		
		RANGE = 1 - 30	142	0.26
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	55454	99.73
(ST23)		On average, how many days each week during the past 12 months did you use Methamphetamine, Desoxyn, or Methedrine that was not prescribed for you or that you took only for the experience or feeling it caused?		
ST23	2	# DAYS PER WEEK USED METHAMP/DESO/M PAST 12 MONTHS		
		RANGE = 1 - 7	119	0.21
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	55478	99.78
(SV09)		How long has it been since you last used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SV09	2	TIME SINCE LAST USED SEDATIVE NONMEDICALLY		
		1 = Within the past 30 days -- that is, since DATEFILL	69	0.12
		2 = More than 30 days ago but within the past 12 mos..	177	0.32
		3 = More than 12 months ago.....	1189	2.14
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	54143	97.38
(SVRECDK)		What is your best guess of how long it has been since you last used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SVRECDK	2	BEST GUESS TIME SINCE LAST USED SEDATIVE "NM"		
		1 = Within the past 30 days -- that is, since DATEFILL	1	0.00
		2 = More than 30 days ago but within the past 12 mos..	4	0.01
		3 = More than 12 months ago.....	4	0.01
		94 = DON'T KNOW.....	10	0.02
		98 = BLANK (NO ANSWER).....	55583	99.97

SELECTED UNEDITED VARIABLES			PAGE:	205
LABEL	LEN	DESCRIPTION	FREQ	%
(SVRECRE)		The answers that people give us about their use of prescription sedatives are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.		-
		Please think again about answering this question: How long has it been since you last used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SVRECRE	2	THINK AGAIN ABOUT ANS LAST USED SEDATIVE NONMED		
		3 = More than 12 months ago.....	1	0.00
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	55597	99.99
(SV10)		Now think about the past 12 months, from [FILL DATE] through today. We want to know how many days you've used any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused during the past 12 months.		
		What would be the easiest way for you to tell us how many days you used a prescription sedative in either of these ways?		
SV10	2	EASIEST WAY TO TELL US # DAYS USED SEDATIVE		
		1 = Avg num of days per week during pst 12 mos.....	51	0.09
		2 = Avg num of days per month during pst 12 mos.....	53	0.10
		3 = Total number of days during the past 12 months....	137	0.25
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	55351	99.55
(SV11)		On how many days in the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SV11	3	# DAYS USED SEDATIVE "NM" PAST 12 MONTHS		
		RANGE = 1 - 365	140	0.25
		994 = DON'T KNOW.....	4	0.01
		997 = REFUSED.....	3	0.01
		998 = BLANK (NO ANSWER).....	55455	99.74
(SV12)		On average, how many days each month during the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SV12	2	# DAYS PER MONTH USED SEDATIVE "NM" PAST 12 MONTHS		
		RANGE = 1 - 30	53	0.10
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	55542	99.89

SELECTED UNEDITED VARIABLES			PAGE:	206
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
(SV13)		On average, how many days each week during the past 12 months did you use any prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused?		
SV13	2	# DAYS PER WEEK USED SEDATIVE "NM" PAST 12 MONTHS	50	0.09
		RANGE = 1 - 7	5	0.01
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	55544	99.90
		98 = BLANK (NO ANSWER).....		

SPECIAL DRUGS			PAGE:	207
LABEL	LEN	DESCRIPTION	FREQ	%
(SD01) SPECIAL DRUGS				

These next questions are about the different ways that certain drugs can be used.				
Have you ever, even once, smoked heroin?				
HERSMOKE	2	1EVER SMOKED HEROIN		
		1 = Yes.....	242	0.44
		2 = No.....	447	0.80
		3 = Yes LOGICALLY ASSIGNED.....	8	0.01
		91 = NEVER USED HEROIN.....	54869	98.68
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	25	0.04
(SD02) How long has it been since you last smoked heroin?				
HRSMKREC	2	1TIME SINCE LAST SMOKED HEROIN		
		1 = Within the past 30 days.....	7	0.01
		2 = More than 30 days ago but within the past 12 mos..	19	0.03
		3 = More than 12 months ago.....	222	0.40
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	2	0.00
		91 = NEVER USED HEROIN.....	54869	98.68
		93 = USED HEROIN BUT NEVER SMOKED IT.....	447	0.80
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	28	0.05
(SD03) Have you ever, even once, sniffed or "snorted" heroin powder through your nose?				
HERSNIFF	2	1EVER SNIFFED HEROIN		
		1 = Yes.....	468	0.84
		2 = No.....	224	0.40
		3 = Yes LOGICALLY ASSIGNED.....	8	0.01
		91 = NEVER USED HEROIN.....	54869	98.68
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	25	0.04
(SD04) How long has it been since you last sniffed or "snorted" heroin powder through your nose?				
HRSNFREC	2	1TIME SINCE LAST SNIFFED HEROIN		
		1 = Within the past 30 days.....	23	0.04
		2 = More than 30 days ago but within the past 12 mos..	69	0.12
		3 = More than 12 months ago.....	383	0.69
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	1	0.00
		91 = NEVER USED HEROIN.....	54869	98.68
		93 = USED HEROIN BUT NEVER SNIFFED IT.....	224	0.40
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	26	0.05

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	208
LABEL	LEN	DESCRIPTION	FREQ	%
(SD08)		Have you ever, even once, used a needle to inject heroin?		-
HERNEEDL	2	1EVER USED NEEDLE TO INJECT HEROIN		
		1 = Yes.....	275	0.49
		2 = No.....	419	0.75
		3 = Yes LOGICALLY ASSIGNED.....	13	0.02
		91 = NEVER USED HEROIN.....	54869	98.68
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	20	0.04
(SDHEUSE)		Earlier the computer recorded that you had used heroin. In what way have you used heroin?		
HEOTSMK	2	1HOW USED HEROIN: SMOKED IT		
		1 = Response entered.....	8	0.01
		6 = Response not entered.....	31	0.06
		91 = NEVER USED HEROIN.....	54869	98.68
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	26	0.05
		99 = LEGITIMATE SKIP.....	661	1.19
HEOTSNF	2	1HOW USED HEROIN: SNIFFED IT		
		1 = Response entered.....	8	0.01
		6 = Response not entered.....	31	0.06
		91 = NEVER USED HEROIN.....	54869	98.68
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	26	0.05
		99 = LEGITIMATE SKIP.....	661	1.19
HEOTNDL	2	1HOW USED HEROIN: INJECTED IT WITH A NEEDLE		
		1 = Response entered.....	8	0.01
		6 = Response not entered.....	31	0.06
		91 = NEVER USED HEROIN.....	54869	98.68
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	26	0.05
		99 = LEGITIMATE SKIP.....	661	1.19
HEOTOTH	2	1HOW USED HEROIN: SOME OTHER WAY		
		1 = Response entered.....	16	0.03
		6 = Response not entered.....	23	0.04
		91 = NEVER USED HEROIN.....	54869	98.68
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	26	0.05
		99 = LEGITIMATE SKIP.....	661	1.19
HEOTSP	2	1HOW USED HEROIN: SPECIFY		
		5 = You took it orally/by mouth/in pill form.....	10	0.02
		10 = You combined it w/ecstasy (no other drug mentiond)	2	0.00
		13 = You combined it w/marijuana (no oth drug mentiond)	1	0.00
		17 = You combined it with oxycontin.....	1	0.00
		18 = You combined w/an analgesic; not otherwise spcfed..	1	0.00
		85 = BAD DATA Logically assigned.....	1	0.00
		91 = NEVER USED HEROIN.....	54869	98.68
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	26	0.05
		99 = LEGITIMATE SKIP.....	684	1.23

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	209
LABEL	LEN	DESCRIPTION	FREQ	%
(SD09)		How long has it been since you last used a needle to inject heroin?		-
HRNDLREC	2	1TIME SINCE LAST USED NEEDLE TO INJECT HEROIN		
		1 = Within the past 30 days.....	26	0.05
		2 = More than 30 days ago but within the past 12 mos..	35	0.06
		3 = More than 12 months ago.....	222	0.40
		9 = At some point in the lifetime LOG ASSN.....	5	0.01
		91 = NEVER USED HEROIN.....	54869	98.68
		93 = USED HEROIN BUT NEVER WITH A NEEDLE.....	419	0.75
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	20	0.04
(SD10A)		Have you ever, even once, used a needle to inject Methamphetamine, Desoxyn, or Methedrine when it was not prescribed for you or that you took only for the experience or feeling it caused?		
MTHNEEDL	2	1EVER USED NEEDLE TO INJECT METHAMPHETAMINE		
		1 = Yes.....	242	0.44
		2 = No.....	2219	3.99
		3 = Yes LOGICALLY ASSIGNED.....	31	0.06
		4 = No LOGICALLY ASSIGNED.....	3	0.01
		81 = NEVER USED METHAMPHETAMINE Logically assigned.....	16	0.03
		91 = NEVER USED METHAMPHETAMINE.....	53039	95.39
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	41	0.07
(SD10B)		How long has it been since you last used a needle to inject Methamphetamine, Desoxyn, or Methedrine when it was not prescribed for you or that you took only for the experience or feeling it caused?		
MTNDLREC	2	1TIME SINCE LAST USED NEEDLE TO INJECT METH		
		1 = Within the past 30 days.....	24	0.04
		2 = More than 30 days ago but within the past 12 mos..	36	0.06
		3 = More than 12 months ago.....	182	0.33
		9 = At some point in the lifetime LOG ASSN.....	29	0.05
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	2	0.00
		81 = NEVER USED METHAMPHETAMINE Logically assigned.....	16	0.03
		91 = NEVER USED METHAMPHETAMINE.....	53039	95.39
		93 = USED METHAMPH BUT NEVER WITH A NEEDLE.....	2222	4.00
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	41	0.07

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SPECIAL DRUGS	PAGE:	210
				FREQ	%
(SD10C)		Have you ever, even once, used a needle to inject any other stimulant/a stimulant when it was not prescribed for you or that you took only for the experience or feeling it caused?		-	-
OSTNEEDL	2	1EVER USED NEEDLE TO INJECT (OTHER) STIMULANT			
		1 = Yes.....	142	0.26	
		2 = No.....	3075	5.53	
		3 = Yes LOGICALLY ASSIGNED.....	12	0.02	
		81 = NEVER USED STIMULANTS Log assn.....	16	0.03	
		89 = LEGITIMATE SKIP Logically assigned.....	5	0.01	
		91 = NEVER USED STIMULANTS.....	50834	91.42	
		94 = DON'T KNOW.....	4	0.01	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	139	0.25	
		99 = LEGITIMATE SKIP.....	1371	2.47	
(SD11)		How long has it been since you last used a needle to inject (any other stimulant / any stimulant) when it was not prescribed for you or that you took only for the experience or feeling it caused?			
OSTNLREC	2	1TIME SINCE LAST USED NEEDLE TO INJECT (OTH) STIM			
		1 = Within the past 30 days.....	12	0.02	
		2 = More than 30 days ago but within the past 12 mos..	17	0.03	
		3 = More than 12 months ago.....	111	0.20	
		9 = At some point in the lifetime LOG ASSN.....	8	0.01	
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	6	0.01	
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03	
		91 = NEVER USED STIMULANTS.....	50834	91.42	
		93 = USED STIM/OTHR STIMULANT BUT NEVER WITH A NEEDLE..	3075	5.53	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	143	0.26	
		99 = LEGITIMATE SKIP.....	1376	2.47	
(SD06)		Have you ever, even once, used a needle to inject cocaine?			
COCNEEDL	2	1EVER USED NEEDLE TO INJECT COCAINE			
		1 = Yes.....	339	0.61	
		2 = No.....	6402	11.51	
		3 = Yes LOGICALLY ASSIGNED.....	6	0.01	
		91 = NEVER USED COCAINE.....	48835	87.83	
		97 = REFUSED.....	13	0.02	
		98 = BLANK (NO ANSWER).....	7	0.01	
(SD07)		How long has it been since you last used a needle to inject cocaine?			
CONDLREC	2	1TIME SINCE LAST USED NEEDLE TO INJECT COCAINE			
		1 = Within the past 30 days.....	19	0.03	
		2 = More than 30 days ago but within the past 12 mos..	33	0.06	
		3 = More than 12 months ago.....	286	0.51	
		9 = At some point in the lifetime LOG ASSN.....	7	0.01	
		91 = NEVER USED COCAINE.....	48835	87.83	
		93 = USED COCAINE BUT NEVER WITH A NEEDLE.....	6402	11.51	
		97 = REFUSED.....	13	0.02	
		98 = BLANK (NO ANSWER).....	7	0.01	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

		SPECIAL DRUGS	PAGE:	211
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
(SD05)		Have you ever, even once, used a needle to inject any other drug/any drug that was not prescribed for you or that you took only for the experience or feeling it caused?		
OTDGNE	2	EVER USED NEEDLE TO INJECT ANY OTHER DRUG		
		1 = Yes.....	307	0.55
		2 = No.....	55260	99.38
		4 = No LOGICALLY ASSIGNED.....	1	0.00
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	5	0.01

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	212
LABEL	LEN	DESCRIPTION	FREQ	%
OTDGNDLA	4	10THER DRUG INJECTED - SPECIFY 1	-	-
105	=	Placidyl, Ethchlorvynol.....	1	0.00
108	=	Nembutal.....	1	0.00
109	=	Seconal.....	3	0.01
120	=	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED..	2	0.00
129	=	Reds.....	1	0.00
141	=	Dilantin.....	1	0.00
201	=	Valium, Diazepam.....	4	0.01
207	=	Ativan, Lorazepam, Orfidal.....	1	0.00
209	=	Xanax, Alprazolam, Tafil, Xanax bars.....	1	0.00
221	=	OTHER Tranquilizer, NOT OTHERWISE SPECIFIED.....	1	0.00
311	=	Preludin.....	4	0.01
318	=	Ritalin, Methylphenidate.....	5	0.01
322	=	Methamphetamine ("ice" or "crank"), Meth.....	39	0.07
348	=	Crystal.....	2	0.00
355	=	Crystal meth.....	9	0.02
380	=	Pink ladies.....	1	0.00
407	=	Demerol, Meperidine.....	4	0.01
408	=	Dilaudid.....	14	0.03
417	=	Morphine, Roxanol.....	18	0.03
418	=	Methadone, Dolophine.....	1	0.00
434	=	Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic.....	1	0.00
435	=	Tylenol, Tylenol Extra-Strength <OTC>.....	1	0.00
454	=	Novocain, Procaine.....	1	0.00
457	=	T's and blues, Tee's and B's, Tops and Bottoms....	1	0.00
458	=	Finalin, Mepergan, Mepergan Fortis, Meprozine.....	1	0.00
490	=	Nalbuphine, Nubain.....	2	0.00
508	=	Nitrous oxide, "whippets," dentist gas.....	1	0.00
601	=	LSD ("acid").....	4	0.01
605	=	PCP ("angel dust," phencyclidine).....	3	0.01
606	=	"Ecstasy" (MDMA), X-TC, "X".....	2	0.00
658	=	Special K, Ketamine.....	11	0.02
663	=	Animal tranquilizer, horse tranquilizer.....	1	0.00
702	=	Heroin.....	15	0.03
704	=	Dope.....	1	0.00
705	=	Speed Ball (heroin + cocaine).....	1	0.00
801	=	OTHER Drugs, NOT OTHERWISE SPECIFIED.....	4	0.01
802	=	THC, cannabinol, marinol.....	4	0.01
803	=	Marijuana, MarrJane, Mary Jane, MJ, pot, weed....	1	0.00
805	=	Cocaine, coca, cocaina, coke.....	17	0.03
807	=	Alcohol, beer, ethanol, EtOH, pink champagne.....	1	0.00
820	=	Penicillin.....	1	0.00
824	=	Steroids.....	29	0.05
3052	=	Speed; otherwise unspecified.....	7	0.01
4002	=	Imitrex, Sumatriptan.....	1	0.00
4046	=	Oxycodone.....	1	0.00
4067	=	Oxycontin.....	29	0.05
5018	=	B-12 (Spanish).....	1	0.00
6044	=	Gel caps, gel tabs.....	1	0.00
8066	=	Viagra.....	1	0.00
8067	=	Testosterone.....	4	0.01
8076	=	Winstrol, Sanzolol, Stanzolol.....	2	0.00
8079	=	Insulin.....	2	0.00
8083	=	Testosterone cypronate.....	2	0.00
8088	=	Dianabol.....	1	0.00
8090	=	Sustanon, Sostenon.....	1	0.00
8129	=	Equipoise, Equipose.....	1	0.00
8158	=	Lipitor.....	1	0.00

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	213
LABEL	LEN	DESCRIPTION	FREQ	%
	-----	-----	-----	-
		8165 = Anavar.....	1	0.00
		8167 = Triiodothyronine, Triiodothyronine, T3.....	1	0.00
		9985 = BAD DATA Logically assigned.....	8	0.01
		9989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		9994 = DON'T KNOW.....	18	0.03
		9997 = REFUSED.....	20	0.04
		9998 = BLANK (NO ANSWER).....	22	0.04
		9999 = LEGITIMATE SKIP.....	55260	99.38
OTDGNDLB	4	10THER DRUG INJECTED - SPECIFY 2		
		105 = Placidyl, Ethchlorvynol.....	1	0.00
		108 = Nembutal.....	1	0.00
		110 = Tuinal.....	1	0.00
		115 = Phenobarbital.....	1	0.00
		129 = Reds.....	1	0.00
		234 = Flexeril, Cyclobenzaprine.....	1	0.00
		318 = Ritalin, Methylphenidate.....	3	0.01
		322 = Methamphetamine ("ice" or "crank"), Meth.....	13	0.02
		348 = Crystal.....	1	0.00
		363 = Bam(s).....	1	0.00
		377 = Albuterol, Proventil, Ventolin.....	1	0.00
		408 = Dilaudid.....	2	0.00
		411 = Talwin.....	1	0.00
		417 = Morphine, Roxanol.....	7	0.01
		430 = Aspirin, Ecotrin, Empirin <OTC>.....	1	0.00
		702 = Heroin.....	6	0.01
		703 = Opium.....	1	0.00
		801 = OTHER Drugs, NOT OTHERWISE SPECIFIED.....	2	0.00
		805 = Cocaine, coca, cocaine, coke.....	6	0.01
		3023 = Adderall.....	1	0.00
		3052 = Speed; otherwise unspecified.....	4	0.01
		3055 = Clenbuterol.....	1	0.00
		4067 = Oxycontin.....	5	0.01
		8072 = Deca-Durabolin, Nandralone/Nondrolone Deconate....	1	0.00
		8076 = Winstrol, Sanzolol, Stanzolol.....	1	0.00
		8083 = Testosterone cypronate.....	1	0.00
		8090 = Sustanon, Sostenon.....	1	0.00
		8129 = Equipoise, Equipose.....	1	0.00
		8160 = Teveten, Eprosartan.....	1	0.00
		9985 = BAD DATA Logically assigned.....	3	0.01
		9994 = DON'T KNOW.....	2	0.00
		9997 = REFUSED.....	12	0.02
		9998 = BLANK (NO ANSWER).....	256	0.46
		9999 = LEGITIMATE SKIP.....	55261	99.39

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	214
LABEL	LEN	DESCRIPTION	FREQ	%
OTDGNDLC	4	10THER DRUG INJECTED - SPECIFY 3		-
		110 = Tuinal.....	1	0.00
		119 = Secobarbital.....	1	0.00
		201 = Valium, Diazepam.....	1	0.00
		246 = Klonopin, Clonazepam, Rivotril.....	1	0.00
		321 = Methedrine.....	1	0.00
		322 = Methamphetamine ("ice" or "crank"), Meth.....	1	0.00
		407 = Demerol, Meperidine.....	1	0.00
		408 = Dilaudid.....	1	0.00
		415 = Codeine.....	1	0.00
		601 = LSD ("acid").....	2	0.00
		702 = Heroin.....	3	0.01
		801 = OTHER Drugs, NOT OTHERWISE SPECIFIED.....	1	0.00
		805 = Cocaine, coca, cocaine, coke.....	5	0.01
		8072 = Deca-Durabolin, Nandralone/Nondrolone Deconate.....	1	0.00
		8083 = Testosterone cypronate.....	1	0.00
		8090 = Sustanon, Sostenon.....	1	0.00
		8153 = Nexium.....	1	0.00
		9994 = DON'T KNOW.....	1	0.00
		9997 = REFUSED.....	13	0.02
		9998 = BLANK (NO ANSWER).....	303	0.54
		9999 = LEGITIMATE SKIP.....	55261	99.39
OTDGNDLD	4	10THER DRUG INJECTED - SPECIFY 4		
		130 = Phenergan, Promethazine.....	1	0.00
		311 = Preludin.....	1	0.00
		322 = Methamphetamine ("ice" or "crank"), Meth.....	1	0.00
		4067 = Oxycontin.....	1	0.00
		8113 = Test 250 <OTC>.....	1	0.00
		9994 = DON'T KNOW.....	1	0.00
		9997 = REFUSED.....	12	0.02
		9998 = BLANK (NO ANSWER).....	323	0.58
		9999 = LEGITIMATE SKIP.....	55261	99.39
OTDGNDLE	4	10THER DRUG INJECTED - SPECIFY 5		
		801 = OTHER Drugs, NOT OTHERWISE SPECIFIED.....	2	0.00
		9997 = REFUSED.....	13	0.02
		9998 = BLANK (NO ANSWER).....	326	0.59
		9999 = LEGITIMATE SKIP.....	55261	99.39
(SD12)		Think about the last time you used a needle for injecting drugs. The last time you used a needle for injecting drugs, were you reusing a needle that you had used before?		
GNNDREUS	2	1LAST TIME REUSED NEEDLE USED BEFORE		
		1 = Yes.....	220	0.40
		2 = No.....	481	0.87
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	20	0.04
		99 = LEGITIMATE SKIP.....	54865	98.67

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	215
LABEL	LEN	DESCRIPTION	FREQ	%
(SD13)		The last time you used a needle for injecting drugs, did you use a needle that you knew or suspected someone else had used before?		-
GNNDLSH1	2	1LAST NEEDLE HAD BEEN USED BY SOMEONE ELSE		
		1 = Yes.....	119	0.21
		2 = No.....	580	1.04
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	20	0.04
		99 = LEGITIMATE SKIP.....	54865	98.67
(SD14)		The last time you used a needle for injecting drugs, did you use bleach to clean the needle before you used it?		
GNNDCLEN	2	1USED BLEACH TO CLEAN LAST NEEDLE BEFORE USE		
		1 = Yes.....	198	0.36
		2 = No.....	504	0.91
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	20	0.04
		99 = LEGITIMATE SKIP.....	54865	98.67
(SD15)		The last time you used a needle for injecting drugs, did someone else use the needle after you?		
GNNDLSH2	2	1SOMEONE ELSE USED LAST NEEDLE AFTER YOU		
		1 = Yes.....	132	0.24
		2 = No.....	564	1.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	20	0.04
		99 = LEGITIMATE SKIP.....	54865	98.67

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL DRUGS			PAGE:	216
LABEL	LEN	DESCRIPTION	FREQ	%
(SD16)		NOTE: In situations where respondents reported getting their last needle "some other way" and specified where they got the needle, the variable GNNGET2 incorporates these "OTHER, Specify" data.		-
		The last time you used a needle for injecting drugs, how did you get the needle?		
GNNGET2	2	1HOW DID YOU GET THE NEEDLE LAST TIME		
		1 = Bought the needle from a pharmacy.....	349	0.63
		2 = Got the needle from a needle exchange.....	39	0.07
		3 = Bought the needle on the street.....	57	0.10
		4 = Got the needle in a shooting gallery.....	9	0.02
		5 = Got the needle some other way.....	29	0.05
		41 = Given by, stolen from a friend/acquaint of friend.	113	0.20
		42 = Given by, stolen from a relative.....	20	0.04
		43 = Given by, stolen from someone, relation unspecifd.	26	0.05
		44 = From drug dealer/came with drugs.....	3	0.01
		46 = Given by, stolen from medical facility/professionl	18	0.03
		47 = Given by, stolen from work.....	3	0.01
		49 = Bought, given, stolen from place/location unspecd.	10	0.02
		54 = Shared needle with friends/other acquaintances....	3	0.01
		58 = Got it at a party.....	3	0.01
		59 = Bought it online/on the internet.....	3	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	20	0.04
		99 = LEGITIMATE SKIP.....	54865	98.67

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

RECODED SPECIAL DRUGS			PAGE:	217
LABEL	LEN	DESCRIPTION	FREQ	%
RECODED SPECIAL DRUGS				

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.				
NOTE: The variables STNEEDLR and STNLRECR are analogous to the variables STNEEDLE and STNDLREC, respectively, that existed prior to 2001. STNEEDLR was derived from the variables MTHNEEDL and OSTNEEDL. STNLRECR was derived from the variables MTNDLREC and OSTNLREC.				
STNEEDLR	2	1EVER USED NEEDLE TO INJECT STIMULANT - RECODE		
		1 = Yes.....	352	0.63
		2 = No.....	4277	7.69
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03
		91 = NEVER USED STIMULANTS.....	50834	91.42
		97 = REFUSED.....	12	0.02
		98 = MISSING (BUT NOT REFUSED).....	111	0.20
STNLRECR	2	1MOST RECENT TIME USED STIMULANT W/NEEDLE - RECODE		
		1 = Within the past 30 days.....	32	0.06
		2 = More than 30 days ago but within the past 12 mos..	46	0.08
		3 = More than 12 months ago.....	229	0.41
		9 = At some point in the lifetime LOG ASSN.....	38	0.07
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	7	0.01
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03
		91 = NEVER USED STIMULANTS.....	50834	91.42
		93 = USED STIMULANTS BUT NEVER WITH A NEEDLE.....	4277	7.69
		97 = REFUSED.....	12	0.02
		98 = MISSING (BUT NOT REFUSED).....	111	0.20
NOTE: The variable NEDLRECR is analogous to the variable NEDLRECC that existed in the 1999 and 2000 data. NEDLRECR was derived from the variables HRNDLREC, CONDLREC, and STNLRECR.				
NEDLRECR	2	1MOST RECENT TIME USED COC/HER/STM WITH A NEEDLE		
		1 = Within the past 30 days.....	61	0.11
		2 = More than 30 days ago but within the past 12 mos..	74	0.13
		3 = More than 12 months ago.....	422	0.76
		8 = At some point in the past 12 months LOG ASSN.....	3	0.01
		9 = At some point in the lifetime LOG ASSN.....	45	0.08
		13 = More than 12 months ago LOGICALLY ASSIGNED.....	1	0.00
		81 = NEVER USED COC/HER/STM W/NEEDLE Log assn.....	16	0.03
		91 = NEVER USED COC/HER/STM WITH A NEEDLE.....	54825	98.60
		97 = REFUSED.....	22	0.04
		98 = MISSING (BUT NOT REFUSED).....	133	0.24

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

RECODED SPECIAL DRUGS			PAGE:	218
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
Due to questionnaire changes in 2001, NEDFLG01 replaced NEDFLAG4. A respondent was defined as having used a needle to inject drugs if they indicated at least one of the following: using a needle to inject heroin (HERNEEDL), cocaine (COCNEEDL), stimulants (STNEEDLR), or any other drug (OTDGNEDL). Otherwise a respondent was defined as never using needles to inject drugs.				
NEDFLG01	1	NEEDLE USE (ANY DRUG) - EVER USED 0 = Never Used (Any source var=2,4,81,91,94,97,98).... 1 = Ever Used (Any source var=1,3).....	54896	98.73
			706	1.27
NEDHER	1	EVER USED A NEEDLE TO INJECT HEROIN 0 = No/Unknown (HERNEEDL=2,91,97,98)..... 1 = Yes (HERNEEDL=1,3).....	55314	99.48
			288	0.52
NEDCOC	1	EVER USED A NEEDLE TO INJECT COCAINE 0 = No/Unknown (COCNEEDL=2,91,97,98)..... 1 = Yes (COCNEEDL=1,3).....	55257	99.38
			345	0.62
NEDSTM	1	EVER USED A NEEDLE TO INJECT STIMULANT 0 = No/Unknown (STNEEDLR=2,81,91,97,98)..... 1 = Yes (STNEEDLR=1).....	55250	99.37
			352	0.63
NEDMTH	1	EVER USED A NEEDLE TO INJECT METHAMPHETAMINE 0 = No/Unknown (MTHNEEDL=2,4,81,91,97,98)..... 1 = YES (MTHNEEDL=1,3).....	55329	99.51
			273	0.49
HERSMOK2	1	EVER SMOKED HEROIN 0 = No/Unknown (HERSMOKE=2,91,94,97,98)..... 1 = Yes (HERSMOKE=1,3).....	55352	99.55
			250	0.45
HERSNIF2	1	EVER SNIFFED HEROIN 0 = No/Unknown (HERSNIFF=2,91,94,97,98)..... 1 = Yes (HERSNIFF=1,3).....	55126	99.14
			476	0.86

LABEL	LEN	DESCRIPTION	RISK/AVAILABILITY	PAGE:	219
				FREQ	%
<hr/>					
(RK01A) RISK/AVAILABILITY					
<hr/>					
We are interested in your opinion about the effects of using certain drugs and other substances, about whether it's difficult or easy to get drugs, and the extent to which drugs are available in your neighborhood.					
 Please indicate how much you think people risk harming themselves physically and in other ways when they do each of the following activities.					
 If you're not sure, choose an answer for the amount of risk that comes closest to what you think might be true for that activity.					
 How much do people risk harming themselves physically and in other ways when they smoke one or more packs of cigarettes per day?					
 RSKPKCIG 2 1RISK SMOKING 1 OR MORE PACKS CIGARETTES PER DAY					
1 = No risk.....					
2 = Slight risk.....					
3 = Moderate risk.....					
4 = Great risk.....					
94 = DON'T KNOW.....					
97 = REFUSED.....					
98 = BLANK (NO ANSWER).....					
 (RK01B) How much do people risk harming themselves physically and in other ways when they smoke marijuana once a month?					
 RSKMJOC 2 1RISK SMOKING MARIJUANA ONCE A MONTH					
1 = No risk.....					
2 = Slight risk.....					
3 = Moderate risk.....					
4 = Great risk.....					
94 = DON'T KNOW.....					
97 = REFUSED.....					
98 = BLANK (NO ANSWER).....					
 (RK01C) How much do people risk harming themselves physically and in other ways when they smoke marijuana once or twice a week?					
 RSKMJREG 2 1RISK SMOKING MARIJUANA ONCE OR TWICE A WEEK					
1 = No risk.....					
2 = Slight risk.....					
3 = Moderate risk.....					
4 = Great risk.....					
94 = DON'T KNOW.....					
97 = REFUSED.....					
98 = BLANK (NO ANSWER).....					

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	RISK/AVAILABILITY	PAGE:	220
				FREQ	%
(RK01D)		How much do people risk harming themselves physically and in other ways when they try LSD once or twice?		-	-
RKTRYLSD	2	1RISK TRYING LSD ONCE OR TWICE			
		1 = No risk.....	1326	2.38	
		2 = Slight risk.....	6753	12.15	
		3 = Moderate risk.....	11790	21.20	
		4 = Great risk.....	34378	61.83	
		94 = DON'T KNOW.....	1286	2.31	
		97 = REFUSED.....	63	0.11	
		98 = BLANK (NO ANSWER).....	6	0.01	
(RK01E)		How much do people risk harming themselves physically and in other ways when they use LSD once or twice a week?			
RKLSDREG	2	1RISK USING LSD ONCE OR TWICE A WEEK			
		1 = No risk.....	567	1.02	
		2 = Slight risk.....	1367	2.46	
		3 = Moderate risk.....	6498	11.69	
		4 = Great risk.....	45884	82.52	
		94 = DON'T KNOW.....	1211	2.18	
		97 = REFUSED.....	69	0.12	
		98 = BLANK (NO ANSWER).....	6	0.01	
(RK01F)		How much do people risk harming themselves physically and in other ways when they try heroin once or twice?			
RKTRYHER	2	1RISK TRYING HEROIN ONCE OR TWICE			
		1 = No risk.....	825	1.48	
		2 = Slight risk.....	4340	7.81	
		3 = Moderate risk.....	9608	17.28	
		4 = Great risk.....	40031	72.00	
		94 = DON'T KNOW.....	739	1.33	
		97 = REFUSED.....	53	0.10	
		98 = BLANK (NO ANSWER).....	6	0.01	
(RK01G)		How much do people risk harming themselves physically and in other ways when they use heroin once or twice a week?			
RKHERREG	2	1RISK USING HEROIN ONCE OR TWICE A WEEK			
		1 = No risk.....	481	0.87	
		2 = Slight risk.....	905	1.63	
		3 = Moderate risk.....	3858	6.94	
		4 = Great risk.....	49610	89.22	
		94 = DON'T KNOW.....	687	1.24	
		97 = REFUSED.....	55	0.10	
		98 = BLANK (NO ANSWER).....	6	0.01	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	RISK/AVAILABILITY	PAGE:	221
				FREQ	%
(RK01H)		How much do people risk harming themselves physically and in other ways when they use cocaine once a month?		-	-
RKCOCCOC	2	1RISK USING COCAINE ONCE A MONTH			
		1 = No risk.....	1076	1.94	
		2 = Slight risk.....	6124	11.01	
		3 = Moderate risk.....	13617	24.49	
		4 = Great risk.....	34070	61.27	
		94 = DON'T KNOW.....	654	1.18	
		97 = REFUSED.....	54	0.10	
		98 = BLANK (NO ANSWER).....	7	0.01	
(RK01I)		How much do people risk harming themselves physically and in other ways when they use cocaine once or twice a week?			
RKCOCREG	2	1RISK USING COCAINE ONCE OR TWICE A WEEK			
		1 = No risk.....	507	0.91	
		2 = Slight risk.....	1397	2.51	
		3 = Moderate risk.....	5917	10.64	
		4 = Great risk.....	47135	84.77	
		94 = DON'T KNOW.....	588	1.06	
		97 = REFUSED.....	51	0.09	
		98 = BLANK (NO ANSWER).....	7	0.01	
(RK01J)		How much do people risk harming themselves physically and in other ways when they have four or five drinks of an alcoholic beverage nearly every day?			
RK5ALDLY	2	1RISK HAVING 4 OR 5 DRINKS NEARLY EVERY DAY			
		1 = No risk.....	765	1.38	
		2 = Slight risk.....	4391	7.90	
		3 = Moderate risk.....	14562	26.19	
		4 = Great risk.....	35565	63.96	
		94 = DON'T KNOW.....	276	0.50	
		97 = REFUSED.....	36	0.06	
		98 = BLANK (NO ANSWER).....	7	0.01	
(RK01K)		How much do people risk harming themselves physically and in other ways when they have five or more drinks of an alcoholic beverage once or twice a week?			
RK5ALWK	2	1RISK HAVING 5 OR MORE DRINKS ONCE OR TWICE A WEEK			
		1 = No risk.....	2085	3.75	
		2 = Slight risk.....	11560	20.79	
		3 = Moderate risk.....	21340	38.38	
		4 = Great risk.....	20252	36.42	
		94 = DON'T KNOW.....	322	0.58	
		97 = REFUSED.....	36	0.06	
		98 = BLANK (NO ANSWER).....	7	0.01	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	RISK/AVAILABILITY	PAGE:	222
				FREQ	%
(RK02A)		The next questions ask how difficult you think it would be for you to get each of the following types of drugs, if you wanted some.		-	-
		How difficult or easy would it be for you to get some marijuana, if you wanted some?			
RSKDIFMJ	2	1HOW DIFFICULT TO GET MARIJUANA			
		1 = Probably impossible.....	7358	13.23	
		2 = Very difficult.....	5616	10.10	
		3 = Fairly difficult.....	6989	12.57	
		4 = Fairly easy.....	15808	28.43	
		5 = Very easy.....	18338	32.98	
		94 = DON'T KNOW.....	1338	2.41	
		97 = REFUSED.....	148	0.27	
		98 = BLANK (NO ANSWER).....	7	0.01	
(RK02B)		How difficult or easy would it be for you to get some LSD, if you wanted some?			
RKDIFLSD	2	1HOW DIFFICULT TO GET LSD			
		1 = Probably impossible.....	17282	31.08	
		2 = Very difficult.....	12662	22.77	
		3 = Fairly difficult.....	12269	22.07	
		4 = Fairly easy.....	7637	13.74	
		5 = Very easy.....	2783	5.01	
		94 = DON'T KNOW.....	2826	5.08	
		97 = REFUSED.....	136	0.24	
		98 = BLANK (NO ANSWER).....	7	0.01	
(RK02C)		How difficult or easy would it be for you to get some cocaine, if you wanted some?			
RKDIFCOC	2	1HOW DIFFICULT TO GET COCAINE			
		1 = Probably impossible.....	14181	25.50	
		2 = Very difficult.....	11201	20.14	
		3 = Fairly difficult.....	10536	18.95	
		4 = Fairly easy.....	10594	19.05	
		5 = Very easy.....	6683	12.02	
		94 = DON'T KNOW.....	2257	4.06	
		97 = REFUSED.....	143	0.26	
		98 = BLANK (NO ANSWER).....	7	0.01	
(RK02D)		How difficult or easy would it be for you to get some 'crack', if you wanted some?			
RKDIFCRK	2	1HOW DIFFICULT TO GET "CRACK"			
		1 = Probably impossible.....	15529	27.93	
		2 = Very difficult.....	11746	21.13	
		3 = Fairly difficult.....	10139	18.23	
		4 = Fairly easy.....	9111	16.39	
		5 = Very easy.....	6560	11.80	
		94 = DON'T KNOW.....	2375	4.27	
		97 = REFUSED.....	135	0.24	
		98 = BLANK (NO ANSWER).....	7	0.01	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	RISK/AVAILABILITY	PAGE:	223
				FREQ	%
(RK02E)		How difficult or easy would it be for you to get some heroin, if you wanted some?			-
RKDIFHER	2	1HOW DIFFICULT TO GET HEROIN			
		1 = Probably impossible.....	19817	35.64	
		2 = Very difficult.....	13761	24.75	
		3 = Fairly difficult.....	10023	18.03	
		4 = Fairly easy.....	5805	10.44	
		5 = Very easy.....	3466	6.23	
		94 = DON'T KNOW.....	2590	4.66	
		97 = REFUSED.....	133	0.24	
		98 = BLANK (NO ANSWER).....	7	0.01	
(RK03)		In the past 30 days, has anyone approached you to sell you an illegal drug?			
RSKSELL	2	1APPROACHED BY SOMEONE SELLING ILL DRUG PST 30 DYS			
		1 = Yes.....	7451	13.40	
		2 = No.....	48089	86.49	
		94 = DON'T KNOW.....	34	0.06	
		97 = REFUSED.....	21	0.04	
		98 = BLANK (NO ANSWER).....	7	0.01	
(RK04A)		How often do you get a real kick out of doing things that are a little dangerous?			
RKFQDNGR	2	1GET A REAL KICK OUT OF DOING DANGEROUS THINGS			
		1 = Never.....	20514	36.89	
		2 = Seldom.....	17664	31.77	
		3 = Sometimes.....	14363	25.83	
		4 = Always.....	2758	4.96	
		94 = DON'T KNOW.....	214	0.38	
		97 = REFUSED.....	82	0.15	
		98 = BLANK (NO ANSWER).....	7	0.01	
(RK04B)		How often do you like to test yourself by doing something a little risky?			
RKFQRSKY	2	1LIKE TO TEST YOURSELF BY DOING RISKY THINGS			
		1 = Never.....	20301	36.51	
		2 = Seldom.....	20524	36.91	
		3 = Sometimes.....	12610	22.68	
		4 = Always.....	1994	3.59	
		94 = DON'T KNOW.....	112	0.20	
		97 = REFUSED.....	54	0.10	
		98 = BLANK (NO ANSWER).....	7	0.01	
(RK04C)		How often do you wear a seatbelt when you ride in the front passenger seat of a car?			
RKFQPBLT	2	1WEAR A SEATBELT WHEN RIDE FRONT PASS SEAT OF CAR			
		1 = Never.....	2238	4.03	
		2 = Seldom.....	3653	6.57	
		3 = Sometimes.....	9538	17.15	
		4 = Always.....	40129	72.17	
		94 = DON'T KNOW.....	21	0.04	
		97 = REFUSED.....	16	0.03	
		98 = BLANK (NO ANSWER).....	7	0.01	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	RISK/AVAILABILITY		PAGE:	224
			FREQ	%		
(RK04D)		How often do you wear a seatbelt when you drive a car?				-
RKFQDBLT	2	IWEAR A SEATBELT WHEN YOU DRIVE A CAR				
		1 = Never.....	1987	3.57		
		2 = Seldom.....	2355	4.24		
		3 = Sometimes.....	5221	9.39		
		4 = Always.....	32598	58.63		
		5 = I don't drive.....	13341	23.99		
		94 = DON'T KNOW.....	54	0.10		
		97 = REFUSED.....	39	0.07		
		98 = BLANK (NO ANSWER).....	7	0.01		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	RECODED RISK/AVAILABILITY	PAGE:	225
				FREQ	%

RECODED RISK/AVAILABILITY					

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.					

GRSKPKCG	1	GREAT RISK: SMOKE 1+ PACKS CIGARETTES PER DAY			
		. = Unknown (RSKPKCIG=94,97,98).....	315	0.57	
		0 = Otherwise (RSKPKCIG=1,2,3).....	16095	28.95	
		1 = Great Risk (RSKPKCIG=4).....	39192	70.49	
GRSKMOC	1	GREAT RISK: USE MARIJUANA ONCE A MONTH			
		. = Unknown (RSKMJOCC=94,97,98).....	596	1.07	
		0 = Otherwise (RSKMJOCC=1,2,3).....	36819	66.22	
		1 = Great Risk (RSKMJOCC=4).....	18187	32.71	
GRSKMREG	1	GREAT RISK: USE MARIJUANA 1-2 TIMES PER WEEK			
		. = Unknown (RSKMREG=94,97,98).....	566	1.02	
		0 = Otherwise (RSKMREG=1,2,3).....	28489	51.24	
		1 = Great Risk (RSKMREG=4).....	26547	47.74	
GRSKCOCC	1	GREAT RISK: USE COCAINE ONCE A MONTH			
		. = Unknown (RKCOCOCC=94,97,98).....	715	1.29	
		0 = Otherwise (RKCOCOCC=1,2,3).....	20817	37.44	
		1 = Great Risk (RKCOCOCC=4).....	34070	61.27	
GRSKCREG	1	GREAT RISK: USE COCAINE 1-2 TIMES PER WEEK			
		. = Unknown (RKCOCREG=94,97,98).....	646	1.16	
		0 = Otherwise (RKCOCREG=1,2,3).....	7821	14.07	
		1 = Great Risk (RKCOCREG=4).....	47135	84.77	
GRSKHTRY	1	GREAT RISK: TRYING HEROIN ONCE OR TWICE			
		. = Unknown (RKTRYHER=94,97,98).....	798	1.44	
		0 = Otherwise (RKTRYHER=1,2,3).....	14773	26.57	
		1 = Great Risk (RKTRYHER=4).....	40031	72.00	
GRSKHREG	1	GREAT RISK: USE HEROIN 1-2 TIMES PER WEEK			
		. = Unknown (RKHERREG=94,97,98).....	748	1.35	
		0 = Otherwise (RKHERREG=1,2,3).....	5244	9.43	
		1 = Great Risk (RKHERREG=4).....	49610	89.22	
GRSKLTRY	1	GREAT RISK: TRYING LSD ONCE OR TWICE			
		. = Unknown (RKTRYLSD=94,97,98).....	1355	2.44	
		0 = Otherwise (RKTRYLSD=1,2,3).....	19869	35.73	
		1 = Great Risk (RKTRYLSD=4).....	34378	61.83	
GRSKLREG	1	GREAT RISK: USE LSD 1-2 TIMES PER WEEK			
		. = Unknown (RKLSDREG=94,97,98).....	1286	2.31	
		0 = Otherwise (RKLSDREG=1,2,3).....	8432	15.16	
		1 = Great Risk (RKLSDREG=4).....	45884	82.52	
GRSKD4_5	1	GREAT RISK: HAVE 4-5 ALC DRINKS PER DAY			
		. = Unknown (RK5ALDLY=94,97,98).....	319	0.57	
		0 = Otherwise (RK5ALDLY=1,2,3).....	19718	35.46	
		1 = Great Risk (RK5ALDLY=4).....	35565	63.96	

RECODED RISK/AVAILABILITY			PAGE:	226
LABEL	LEN	DESCRIPTION	FREQ	%
GRSKD5WK	1	GREAT RISK: HAVE 5+ ALC DRINKS 1-2 TIMES PER WEEK		-
		. = Unknown (RK5ALWK=94,97,98).....	365	0.66
		0 = Otherwise (RK5ALWK=1,2,3).....	34985	62.92
		1 = Great Risk (RK5ALWK=4).....	20252	36.42
RDIFMJ	1	MARIJUANA FAIRLY OR EASY TO OBTAIN		
		. = Unknown (RSKDIFMJ=94,97,98).....	1493	2.69
		0 = Otherwise (RSKDIFMJ=1,2,3).....	19963	35.90
		1 = Fairly or very easy (RSKDIFMJ=4,5).....	34146	61.41
RDIFCOC	1	COCAINE FAIRLY OR EASY TO OBTAIN		
		. = Unknown (RKDIFCOC=94,97,98).....	2407	4.33
		0 = Otherwise (RKDIFCOC=1,2,3).....	35918	64.60
		1 = Fairly or very easy (RKDIFCOC=4,5).....	17277	31.07
RDIFCRK	1	CRACK FAIRLY OR EASY TO OBTAIN		
		. = Unknown (RKDIFCRK=94,97,98).....	2517	4.53
		0 = Otherwise (RKDIFCRK=1,2,3).....	37414	67.29
		1 = Fairly or very easy (RKDIFCRK=4,5).....	15671	28.18
RDIFHER	1	HEROIN FAIRLY OR EASY TO OBTAIN		
		. = Unknown (RKDIFHER=94,97,98).....	2730	4.91
		0 = Otherwise (RKDIFHER=1,2,3).....	43601	78.42
		1 = Fairly or very easy (RKDIFHER=4,5).....	9271	16.67
RDIFLSD	1	LSD FAIRLY OR EASY TO OBTAIN		
		. = Unknown (RKDIFLSD=94,97,98).....	2969	5.34
		0 = Otherwise (RKDIFLSD=1,2,3).....	42213	75.92
		1 = Fairly or very easy (RKDIFLSD=4,5).....	10420	18.74
APPSELDG	1	APPROACHED BY SOMEONE SELLING DRUGS		
		. = Unknown (RSKSELL=94,97,98).....	62	0.11
		0 = No (RSKSELL=2).....	48089	86.49
		1 = Yes (RSKSELL=1).....	7451	13.40

LABEL	LEN	DESCRIPTION	PAGE:	227
			FREQ	%
(BL01)	BLUNTS	Sometimes people take some tobacco out of a cigar and replace it with marijuana. This is sometimes called a 'blunt'.		-
		NOTE: When respondents previously reported never using marijuana but reported lifetime use of cigars with marijuana in them (i.e., 'blunts'), a consistency check was triggered only when respondents reported using blunts in the past 30 days. Therefore, BLNTEVER was assigned a code of 11 when respondents reported using blunts but they did not report use in the past 30 days, and they previously had reported never using marijuana.		
		Have you ever smoked part or all of a cigar with marijuana in it?		
BLNTEVER	2	1EVER SMOKED CIGAR WITH MARIJUANA IN IT		
		1 = Yes.....	10994	19.77
		2 = No.....	44227	79.54
		4 = No LOGICALLY ASSIGNED.....	29	0.05
		11 = Yes (see note).....	284	0.51
		94 = DON'T KNOW.....	23	0.04
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	7	0.01
(BL02)		NOTE: When respondents previously reported using marijuana but reported less recent use of marijuana than they reported for blunts, a consistency check was triggered only when respondents reported using blunts in the past 30 days. Therefore, BLNTREC was assigned a code of 12 when respondents reported last using marijuana more than 12 months ago but reported using blunts more than 30 days ago but within the past 12 months.		
		How long has it been since you last smoked part or all of a cigar with marijuana in it?		
BLNTREC	2	1TIME SINCE LAST SMOKED CIGAR WITH MJ IN IT		
		1 = Within the past 30 days.....	2713	4.88
		2 = More than 30 days ago but within the past 12 mos..	2694	4.85
		3 = More than 12 months ago.....	5474	9.84
		9 = Used at some point in lifetime LOG ASSN.....	46	0.08
		12 = More than 30 dys ago but in pst 12 mos (see note).	230	0.41
		19 = More than 30 days ago LOGICALLY ASSIGNED.....	121	0.22
		81 = NEVER USED BLUNTS Logically assigned.....	29	0.05
		91 = NEVER USED BLUNTS.....	44227	79.54
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	30	0.05

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	228
			FREQ	%
(BL02a)		On how many of the past 30 days, that is, since [DATEFILL], did you smoke part or all of a cigar with marijuana in it?		-
BLNT30DY	2	1# DAYS USED CIGAR WITH MJ IN IT PAST 30 DAYS		
		RANGE = 1 - 30	2669	4.80
		91 = NEVER USED BLUNTS.....	44256	79.59
		93 = DID NOT USE BLUNTS IN THE PAST 30 DAYS.....	8519	15.32
		94 = DON'T KNOW.....	30	0.05
		97 = REFUSED.....	41	0.07
		98 = BLANK (NO ANSWER).....	87	0.16
(BL03)		The answer to the last question and an earlier question disagree. Which is correct?		
BLNT30C1	2	1BL02/MJ01 DISAGREE, WHICH IS CORRECT		
		1 = I have never used marijuana or hashish.....	29	0.05
		2 = I smoked cigar w/mj in it during the past 30 days.	31	0.06
		98 = BLANK (NO ANSWER).....	65	0.12
		99 = LEGITIMATE SKIP.....	55477	99.78
(BL04)		The answer to the last question and an earlier question disagree. Which answer is correct?		
BLNT30C2	2	1BL02 AND MJ RECENTY DISAGREE, WHICH IS CORRECT		
		1 = I last used marijuana or hashish [MJREC FILL]....	128	0.23
		2 = I smoked cigar w/mj in it during the past 30 days.	110	0.20
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	108	0.19
		99 = LEGITIMATE SKIP.....	55254	99.37
(BL05)		Why did you report earlier that you had never used marijuana or hashish?		
RSNOMRJ	2	1WHY REPORT EARLIER THAT NEVER USED MJ OR HASHISH		
		1 = I didn't consider a 'blunt' to be mj or hashish...	15	0.03
		2 = I made mistake answering earlier question about mj	12	0.02
		3 = Some other reason.....	2	0.00
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	65	0.12
		99 = LEGITIMATE SKIP.....	55506	99.83
(BL06)		Why did you report earlier that you did not use marijuana or hashish during the past 30 days?		
RSNMRJMO	2	1WHY REPRT EARLIER NOT USE MJ OR HASH PAST 30 DAYS		
		1 = I didn't consider a 'blunt' to be mj or hashish...	32	0.06
		2 = I made mistake answering earlier question about mj	70	0.13
		3 = Some other reason.....	7	0.01
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	109	0.20
		99 = LEGITIMATE SKIP.....	55382	99.60

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

BLUNTS			PAGE:	229
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
(BL07)		NOTE: The variable BLNTNOMJ was assigned a code of 5 if respondents were not asked this question because they reported in the TOBACCO module that they smoked cigars in the past 30 days but reported in the BLUNTS module that they did not smoke cigars with marijuana in them in the past 30 days. It could be logically inferred that all of the cigars that these respondents smoked in the past 30 days did not have marijuana in them. BLNTNOMJ was assigned codes of 14 or 24 if respondents were not asked this question and they reported in the BLUNTS module that they smoked a cigar with marijuana in it in the past 30 days. A code of 14 was assigned if respondents reported in the TOBACCO module that they had smoked cigars but not in the past 30 days. A code of 24 was assigned if respondents reported in the TOBACCO module that they had never smoked part or all of a cigar.		

Earlier, you reported that you had smoked part or all of a cigar during the past 30 days. During the past 30 days, did you smoke any cigars that did not have marijuana in them?

BLNTNOMJ	2	1SMOKE CIGARS WITH NO MARIJUANA PAST 30 DAYS		
1	= Yes.....		645	1.16
2	= No.....		409	0.74
3	= Yes LOGICALLY ASSIGNED.....		15	0.03
5	= Yes LOGICALLY ASSIGNED (from skip pattern).....		3075	5.53
14	= USED BLUNTS PST 30 DY/DIDNT USE CIGARS PST 30 DY..		872	1.57
24	= USED BLUNTS PST 30 DY/NEVER USED CIGARS.....		808	1.45
91	= NEVER USED CIGARS/BLUNTS.....		33381	60.04
93	= DID NOT USE CIGARS/BLUNTS IN THE PAST 30 DAYS....		16248	29.22
98	= BLANK (NO ANSWER).....		149	0.27

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	230
				FREQ	%
(DRCGE01) SUBSTANCE DEPENDENCE AND ABUSE					

Think about your use of cigarettes during the past 30 days as you answer these next questions.					
Please think about how true each statement is of you.					
After not smoking for a while, you need to smoke in order to feel less restless and irritable.					
CIGIRRTL	2	1NEED TO SMOKE TO FEEL LESS IRRITABLE			
		1 = Not at all true.....	4231	7.61	
		2 = Somewhat true.....	3682	6.62	
		3 = Moderately true.....	2851	5.13	
		4 = Very true.....	2767	4.98	
		5 = Extremely true.....	1497	2.69	
		91 = NEVER USED CIGARETTES.....	23365	42.02	
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17128	30.80	
		94 = DON'T KNOW.....	41	0.07	
		97 = REFUSED.....	16	0.03	
		98 = BLANK (NO ANSWER).....	24	0.04	
(DRCGE02)		When you don't smoke for a few hours, you start to crave cigarettes.			
CIGCRAVE	2	1START TO CRAVE CIGS WHEN DON'T SMOKE FOR FEW HRS			
		1 = Not at all true.....	4696	8.45	
		2 = Somewhat true.....	3055	5.49	
		3 = Moderately true.....	2098	3.77	
		4 = Very true.....	3245	5.84	
		5 = Extremely true.....	1955	3.52	
		91 = NEVER USED CIGARETTES.....	23365	42.02	
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17128	30.80	
		94 = DON'T KNOW.....	28	0.05	
		97 = REFUSED.....	8	0.01	
		98 = BLANK (NO ANSWER).....	24	0.04	
(DRCGE03)		You sometimes have strong cravings for a cigarette where it feels like you're in the grip of a force you can't control.			
CIGCRAGP	2	1CRAVING OF CIGS LIKE STRONG FORCE CAN'T CONTROL			
		1 = Not at all true.....	6414	11.54	
		2 = Somewhat true.....	2993	5.38	
		3 = Moderately true.....	2153	3.87	
		4 = Very true.....	2200	3.96	
		5 = Extremely true.....	1284	2.31	
		91 = NEVER USED CIGARETTES.....	23365	42.02	
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17128	30.80	
		94 = DON'T KNOW.....	30	0.05	
		97 = REFUSED.....	11	0.02	
		98 = BLANK (NO ANSWER).....	24	0.04	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	231
LABEL	LEN	DESCRIPTION	FREQ	%
(DRCGE04)		You feel a sense of control over your smoking - that is, you can "take it or leave it" at any time.		-
CIGINCTL	2	1FEEL A SENSE OF CONTROL OVER YOUR SMOKING		
		1 = Not at all true.....	3911	7.03
		2 = Somewhat true.....	4048	7.28
		3 = Moderately true.....	2196	3.95
		4 = Very true.....	2105	3.79
		5 = Extremely true.....	2780	5.00
		91 = NEVER USED CIGARETTES.....	23365	42.02
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17128	30.80
		94 = DON'T KNOW.....	33	0.06
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	24	0.04
(DRCGE05)		You tend to avoid places that don't allow smoking, even if you would otherwise enjoy them.		
CIGAVOID	2	1TEND TO AVOID PLACES THAT DON'T ALLOW SMOKING		
		1 = Not at all true.....	9458	17.01
		2 = Somewhat true.....	2403	4.32
		3 = Moderately true.....	1484	2.67
		4 = Very true.....	994	1.79
		5 = Extremely true.....	682	1.23
		91 = NEVER USED CIGARETTES.....	23365	42.02
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17128	30.80
		94 = DON'T KNOW.....	47	0.08
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	24	0.04
(DRCGE06A)		Do you have any friends who do not smoke cigarettes?		
CIGFNSMK	2	1HAVE FRIENDS WHO DO NOT SMOKE CIGARETTES		
		1 = Yes.....	14125	25.40
		2 = No.....	954	1.72
		91 = NEVER USED CIGARETTES.....	23365	42.02
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17128	30.80
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	24	0.04

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	232
				FREQ	%
(DRCGE06B)		There are times when you choose not to be around your friends who don't smoke because they won't like it if you smoke.			-
CIGFNLKE	2	1CHOOSE NOT TO BE AROUND FRIENDS WHO DON'T SMOKE			
		1 = Not at all true.....	10729	19.30	
		2 = Somewhat true.....	1686	3.03	
		3 = Moderately true.....	893	1.61	
		4 = Very true.....	490	0.88	
		5 = Extremely true.....	297	0.53	
		91 = NEVER USED CIGARETTES.....	23365	42.02	
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17128	30.80	
		94 = DON'T KNOW.....	21	0.04	
		97 = REFUSED.....	13	0.02	
		98 = BLANK (NO ANSWER).....	26	0.05	
		99 = LEGITIMATE SKIP.....	954	1.72	
(DRCGE07)		Even if you're traveling a long distance, you'd rather not travel by airplane because you wouldn't be allowed to smoke.			
CIGPLANE	2	1RATHER NOT TRAVEL BY AIRPLANE B/C NO SMOKING			
		1 = Not at all true.....	12544	22.56	
		2 = Somewhat true.....	1019	1.83	
		3 = Moderately true.....	594	1.07	
		4 = Very true.....	485	0.87	
		5 = Extremely true.....	398	0.72	
		91 = NEVER USED CIGARETTES.....	23365	42.02	
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17128	30.80	
		94 = DON'T KNOW.....	29	0.05	
		97 = REFUSED.....	16	0.03	
		98 = BLANK (NO ANSWER).....	24	0.04	
(DRCGE08)		You sometimes worry that you will run out of cigarettes.			
CIGRNOUT	2	1SOMETIMES WORRY THAT YOU WILL RUN OUT OF CIGS			
		1 = Not at all true.....	7510	13.51	
		2 = Somewhat true.....	3229	5.81	
		3 = Moderately true.....	1637	2.94	
		4 = Very true.....	1619	2.91	
		5 = Extremely true.....	1069	1.92	
		91 = NEVER USED CIGARETTES.....	23365	42.02	
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17128	30.80	
		94 = DON'T KNOW.....	9	0.02	
		97 = REFUSED.....	12	0.02	
		98 = BLANK (NO ANSWER).....	24	0.04	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE		PAGE:	233
			FREQ	%		
(DRCGE09)		You smoke cigarettes fairly regularly throughout the day.				-
CIGREGDY	2	1SMOKE CIGS FAIRLY REGULARLY THROUGHOUT THE DAY				
		1 = Not at all true.....	5061	9.10		
		2 = Somewhat true.....	2589	4.66		
		3 = Moderately true.....	1939	3.49		
		4 = Very true.....	3208	5.77		
		5 = Extremely true.....	2269	4.08		
		91 = NEVER USED CIGARETTES.....	23365	42.02		
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17128	30.80		
		94 = DON'T KNOW.....	10	0.02		
		97 = REFUSED.....	9	0.02		
		98 = BLANK (NO ANSWER).....	24	0.04		
(DRCGE10)		You smoke about the same amount on weekends as on weekdays.				
CIGREGWK	2	1SMOKE SAME AMOUNT ON WEEKENDS AS ON WEEKDAYS				
		1 = Not at all true.....	5707	10.26		
		2 = Somewhat true.....	2665	4.79		
		3 = Moderately true.....	1983	3.57		
		4 = Very true.....	2843	5.11		
		5 = Extremely true.....	1847	3.32		
		91 = NEVER USED CIGARETTES.....	23365	42.02		
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17128	30.80		
		94 = DON'T KNOW.....	28	0.05		
		97 = REFUSED.....	12	0.02		
		98 = BLANK (NO ANSWER).....	24	0.04		
(DRCGE11)		You smoke just about the same number of cigarettes from day to day.				
CIGREGNM	2	1SMOKE SAME NUMBER OF CIGS FROM DAY TO DAY				
		1 = Not at all true.....	4724	8.50		
		2 = Somewhat true.....	2580	4.64		
		3 = Moderately true.....	2247	4.04		
		4 = Very true.....	3435	6.18		
		5 = Extremely true.....	2060	3.70		
		91 = NEVER USED CIGARETTES.....	23365	42.02		
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17128	30.80		
		94 = DON'T KNOW.....	24	0.04		
		97 = REFUSED.....	15	0.03		
		98 = BLANK (NO ANSWER).....	24	0.04		

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	234
				FREQ	%
(DRCGE12)		It's hard to say how many cigarettes you smoke per day because the number often changes.		-	-
CIGNMCHG	2	1NUMBER OF CIGS SMOKE PER DAY OFTEN CHANGES			
		1 = Not at all true.....	5281	9.50	
		2 = Somewhat true.....	3757	6.76	
		3 = Moderately true.....	2086	3.75	
		4 = Very true.....	2319	4.17	
		5 = Extremely true.....	1584	2.85	
		91 = NEVER USED CIGARETTES.....	23365	42.02	
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17128	30.80	
		94 = DON'T KNOW.....	42	0.08	
		97 = REFUSED.....	16	0.03	
		98 = BLANK (NO ANSWER).....	24	0.04	
(DRCGE13)		It's normal for you to smoke several cigarettes in an hour, then not have another one until hours later.			
CIGSVLHR	2	1HAVE MANY CIGS IN HR, THEN NO CIGS TIL HRS LATER			
		1 = Not at all true.....	7487	13.47	
		2 = Somewhat true.....	2994	5.38	
		3 = Moderately true.....	2025	3.64	
		4 = Very true.....	1669	3.00	
		5 = Extremely true.....	848	1.53	
		91 = NEVER USED CIGARETTES.....	23365	42.02	
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17128	30.80	
		94 = DON'T KNOW.....	42	0.08	
		97 = REFUSED.....	20	0.04	
		98 = BLANK (NO ANSWER).....	24	0.04	
(DRCGE14)		The number of cigarettes you smoke per day is often influenced by other things - how you're feeling, or what you're doing, for example.			
CIGINFLU	2	1# OF CIGS SMOKE PER DAY INFLUENCED BY OTHER THINGS			
		1 = Not at all true.....	2652	4.77	
		2 = Somewhat true.....	2556	4.60	
		3 = Moderately true.....	2713	4.88	
		4 = Very true.....	4041	7.27	
		5 = Extremely true.....	3063	5.51	
		91 = NEVER USED CIGARETTES.....	23365	42.02	
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17128	30.80	
		94 = DON'T KNOW.....	44	0.08	
		97 = REFUSED.....	16	0.03	
		98 = BLANK (NO ANSWER).....	24	0.04	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	235
				FREQ	%
(DRCGE15)		Your smoking is not affected much by other things. For example, you smoke about the same amount whether you're relaxing or working, happy or sad, alone or with others.			-
CIGNOINF	2	1SMOKING NOT AFFECTED BY OTHER THINGS			
		1 = Not at all true.....	6207	11.16	
		2 = Somewhat true.....	3640	6.55	
		3 = Moderately true.....	2480	4.46	
		4 = Very true.....	1781	3.20	
		5 = Extremely true.....	919	1.65	
		91 = NEVER USED CIGARETTES.....	23365	42.02	
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17128	30.80	
		94 = DON'T KNOW.....	39	0.07	
		97 = REFUSED.....	19	0.03	
		98 = BLANK (NO ANSWER).....	24	0.04	
(DRCGE16)		Since you started smoking, the amount you smoke has increased.			
CIGINCRS	2	1AMOUNT OF SMOKING HAS INCR. SINCE STARTED SMOKING			
		1 = Not at all true.....	5147	9.26	
		2 = Somewhat true.....	2883	5.19	
		3 = Moderately true.....	1996	3.59	
		4 = Very true.....	2788	5.01	
		5 = Extremely true.....	2228	4.01	
		91 = NEVER USED CIGARETTES.....	23365	42.02	
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17128	30.80	
		94 = DON'T KNOW.....	26	0.05	
		97 = REFUSED.....	17	0.03	
		98 = BLANK (NO ANSWER).....	24	0.04	
(DRCGE17)		Compared to when you first started smoking, you need to smoke a lot more now in order to be satisfied.			
CIGSATIS	2	1NEED TO SMOKE A LOT MORE TO BE SATISFIED			
		1 = Not at all true.....	7553	13.58	
		2 = Somewhat true.....	2740	4.93	
		3 = Moderately true.....	1979	3.56	
		4 = Very true.....	1592	2.86	
		5 = Extremely true.....	1186	2.13	
		91 = NEVER USED CIGARETTES.....	23365	42.02	
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17128	30.80	
		94 = DON'T KNOW.....	20	0.04	
		97 = REFUSED.....	15	0.03	
		98 = BLANK (NO ANSWER).....	24	0.04	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	236
				FREQ	%
(DRCGE18)		Compared to when you first started smoking, you can smoke much, much more now before you start to feel anything.			-
CIGLOTMR	2	1SMOKE MUCH MORE NOW BEFORE FEEL ANYTHING			
		1 = Not at all true.....	7577	13.63	
		2 = Somewhat true.....	2973	5.35	
		3 = Moderately true.....	2013	3.62	
		4 = Very true.....	1433	2.58	
		5 = Extremely true.....	996	1.79	
		91 = NEVER USED CIGARETTES.....	23365	42.02	
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17128	30.80	
		94 = DON'T KNOW.....	74	0.13	
		97 = REFUSED.....	19	0.03	
		98 = BLANK (NO ANSWER).....	24	0.04	
(DRCGE19A)		How soon after you wake up do you have your first cigarette?			
		On the days that you smoke, how soon after you wake up do you have your first cigarette?			
CIGWAKE	2	1HOW SOON AFTER WAKING DO YOU HAVE YOUR FIRST CIG			
		1 = Within the first 5 minutes after you wake up.....	2615	4.70	
		2 = Between 6 and 30 minutes after you wake up.....	3763	6.77	
		3 = Between 31 and 60 minutes after you wake up.....	2282	4.10	
		4 = More than 60 minutes after you wake up.....	5966	10.73	
		91 = NEVER USED CIGARETTES.....	23365	42.02	
		93 = DID NOT USE CIGARETTES IN THE PAST 30 DAYS.....	17128	30.80	
		94 = DON'T KNOW.....	260	0.47	
		97 = REFUSED.....	193	0.35	
		98 = BLANK (NO ANSWER).....	30	0.05	
(DRALC01)		Think about your use of alcohol during the past 12 months as you answer these next questions.			
		During the past 12 months, was there a month or more when you spent a lot of your time getting or drinking alcohol?			
ALCLOTTM	2	1SPENT MONTH/MORE GETTING/DRNKG ALC PAST 12 MOS			
		1 = Yes.....	6146	11.05	
		2 = No.....	21320	38.34	
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	154	0.28	
		91 = NEVER USED ALCOHOL.....	14938	26.87	
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	12604	22.67	
		94 = DON'T KNOW.....	18	0.03	
		97 = REFUSED.....	22	0.04	
		98 = BLANK (NO ANSWER).....	400	0.72	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	237
				FREQ	%
(DRALC02)		During the past 12 months, was there a month or more when you spent a lot of time getting over the effects of the alcohol you drank?		-	-
ALCGTOVR	2	1MONTH+ SPENT GETTING OVER ALC EFFECTS PST 12 MOS			
		1 = Yes.....	625	1.12	
		2 = No.....	20707	37.24	
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	154	0.28	
		91 = NEVER USED ALCOHOL.....	14938	26.87	
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	12604	22.67	
		94 = DON'T KNOW.....	13	0.02	
		97 = REFUSED.....	15	0.03	
		98 = BLANK (NO ANSWER).....	400	0.72	
		99 = LEGITIMATE SKIP.....	6146	11.05	
(DRALC04)		During the past 12 months, did you try to set limits on how often or how much alcohol you would drink?			
ALCLIMIT	2	1SET LIMITS ON ALCOHOL USE PAST 12 MONTHS			
		1 = Yes.....	9850	17.72	
		2 = No.....	17578	31.61	
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	154	0.28	
		91 = NEVER USED ALCOHOL.....	14938	26.87	
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	12604	22.67	
		94 = DON'T KNOW.....	45	0.08	
		97 = REFUSED.....	33	0.06	
		98 = BLANK (NO ANSWER).....	400	0.72	
(DRALC05)		Were you able to keep to the limits you set, or did you often drink more than you intended to?			
ALCKPLMT	2	1TABLE TO KEEP LIMITS OR DRANK MORE PAST 12 MOS			
		1 = Usually kept to the limits set.....	8269	14.87	
		2 = Often drank more than intended.....	1574	2.83	
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	154	0.28	
		91 = NEVER USED ALCOHOL.....	14938	26.87	
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	12604	22.67	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	35	0.06	
		98 = BLANK (NO ANSWER).....	445	0.80	
		99 = LEGITIMATE SKIP.....	17578	31.61	
(DRALC06)		During the past 12 months, did you need to drink more alcohol than you used to in order to get the effect you wanted?			
ALCNDMOR	2	1NEEDED MORE ALC TO GET SAME EFFECT PST 12 MOS			
		1 = Yes.....	3833	6.89	
		2 = No.....	23621	42.48	
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	154	0.28	
		91 = NEVER USED ALCOHOL.....	14938	26.87	
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	12604	22.67	
		94 = DON'T KNOW.....	26	0.05	
		97 = REFUSED.....	26	0.05	
		98 = BLANK (NO ANSWER).....	400	0.72	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	238
				FREQ	%
(DRALC07)		During the past 12 months, did you notice that drinking the same amount of alcohol had less effect on you than it used to?			-
ALCLSEFX	2	1DRNKG SAME AMT ALC HAD LESS EFFECT PAST 12 MOS			
		1 = Yes.....	3027	5.44	
		2 = No.....	20505	36.88	
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	154	0.28	
		91 = NEVER USED ALCOHOL.....	14938	26.87	
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	12604	22.67	
		94 = DON'T KNOW.....	104	0.19	
		97 = REFUSED.....	37	0.07	
		98 = BLANK (NO ANSWER).....	400	0.72	
		99 = LEGITIMATE SKIP.....	3833	6.89	
(DRALC08)		During the past 12 months, did you want to or try to cut down or stop drinking alcohol?			
ALCCUTDN	2	1WANT/TRY TO CUT DOWN/STOP DRNKG PAST 12 MOS			
		1 = Yes.....	8566	15.41	
		2 = No.....	18781	33.78	
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	154	0.28	
		91 = NEVER USED ALCOHOL.....	14938	26.87	
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	12604	22.67	
		94 = DON'T KNOW.....	87	0.16	
		97 = REFUSED.....	72	0.13	
		98 = BLANK (NO ANSWER).....	400	0.72	
(DRALC09)		During the past 12 months, were you able to cut down or stop drinking alcohol every time you wanted to or tried to?			
ALCCUTEV	2	1TABLE TO CUT/STOP DRNKG EVERY TIME PAST 12 MOS			
		1 = Yes.....	7272	13.08	
		2 = No.....	1280	2.30	
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	154	0.28	
		91 = NEVER USED ALCOHOL.....	14938	26.87	
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	12604	22.67	
		94 = DON'T KNOW.....	9	0.02	
		97 = REFUSED.....	77	0.14	
		98 = BLANK (NO ANSWER).....	487	0.88	
		99 = LEGITIMATE SKIP.....	18781	33.78	
(DRALC10)		During the past 12 months, did you cut down or stop drinking at least one time?			
ALCCUT1X	2	1CUT DOWN OR STOP DRNKG AT LEAST ONCE PAST 12 MOS			
		1 = Yes.....	6885	12.38	
		2 = No.....	13181	23.71	
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	154	0.28	
		91 = NEVER USED ALCOHOL.....	14938	26.87	
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	12604	22.67	
		94 = DON'T KNOW.....	98	0.18	
		97 = REFUSED.....	70	0.13	
		98 = BLANK (NO ANSWER).....	400	0.72	
		99 = LEGITIMATE SKIP.....	7272	13.08	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	239
				FREQ	%
(DRALC11)		Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms after you cut back or stopped drinking alcohol?			-
		- Sweating or feeling that your heart was beating fast			
		- Having your hands tremble			
		- Having trouble sleeping			
		- Vomiting or feeling nauseous			
		- Seeing, hearing, or feeling things that weren't really there			
		- Feeling like you couldn't sit still			
		- Feeling anxious			
		- Having seizures or fits			
ALCWDSX	2	1HAD 2+ ALC WITHDRAW SYMPTOMS PST 12 MOS			
		1 = Yes.....		1993	3.58
		2 = No.....		12128	21.81
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.		154	0.28
		91 = NEVER USED ALCOHOL.....		14938	26.87
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....		12604	22.67
		94 = DON'T KNOW.....		21	0.04
		97 = REFUSED.....		85	0.15
		98 = BLANK (NO ANSWER).....		498	0.90
		99 = LEGITIMATE SKIP.....		13181	23.71
(DRALC12)		Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped drinking alcohol?			
		- Sweating or feeling that your heart was beating fast			
		- Having your hands tremble			
		- Having trouble sleeping			
		- Vomiting or feeling nauseous			
		- Seeing, hearing, or feeling things that weren't really there			
		- Feeling like you couldn't sit still			
		- Feeling anxious			
		- Having seizures or fits			
ALCWDSMT	2	1HAD 2+ ALC WDRAW SYM AT SAME TIME PST 12 MOS			
		1 = Yes.....		920	1.65
		2 = No.....		1068	1.92
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.		154	0.28
		91 = NEVER USED ALCOHOL.....		14938	26.87
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....		12604	22.67
		94 = DON'T KNOW.....		4	0.01
		97 = REFUSED.....		86	0.15
		98 = BLANK (NO ANSWER).....		519	0.93
		99 = LEGITIMATE SKIP.....		25309	45.52

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	240
				FREQ	%
(DRALC13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by drinking alcohol?		-	-
ALCEMOPB	2	1ALC CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS			
		1 = Yes.....	2505	4.51	
		2 = No.....	24932	44.84	
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	154	0.28	
		91 = NEVER USED ALCOHOL.....	14938	26.87	
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	12604	22.67	
		94 = DON'T KNOW.....	41	0.07	
		97 = REFUSED.....	28	0.05	
		98 = BLANK (NO ANSWER).....	400	0.72	
(DRALC14)		Did you continue to drink alcohol even though you thought drinking was causing you to have problems with your emotions, nerves, or mental health?			
ALCEMCTD	2	1CONTD TO DRINK ALC DESPITE EMOT PRBS			
		1 = Yes.....	1471	2.65	
		2 = No.....	1028	1.85	
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	154	0.28	
		91 = NEVER USED ALCOHOL.....	14938	26.87	
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	12604	22.67	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	31	0.06	
		98 = BLANK (NO ANSWER).....	441	0.79	
		99 = LEGITIMATE SKIP.....	24932	44.84	
(DRALC15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by drinking alcohol?			
ALCPHLPB	2	1ANY PHYS PRBS CAUSED/WORSND BY ALC PST 12 MOS			
		1 = Yes.....	811	1.46	
		2 = No.....	25166	45.26	
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	154	0.28	
		91 = NEVER USED ALCOHOL.....	14938	26.87	
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	12604	22.67	
		94 = DON'T KNOW.....	34	0.06	
		97 = REFUSED.....	24	0.04	
		98 = BLANK (NO ANSWER).....	400	0.72	
		99 = LEGITIMATE SKIP.....	1471	2.65	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	241
				FREQ	%
(DRALC16)		Did you continue to drink alcohol even though you thought drinking was causing you to have physical problems?			-
ALCPHCTD	2	1CONTD TO DRINK ALC DESPITE PHYS PRBS			
		1 = Yes.....	344	0.62	
		2 = No.....	466	0.84	
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	154	0.28	
		91 = NEVER USED ALCOHOL.....	14938	26.87	
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	12604	22.67	
		97 = REFUSED.....	25	0.04	
		98 = BLANK (NO ANSWER).....	434	0.78	
		99 = LEGITIMATE SKIP.....	26637	47.91	
(DRALC17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.			
		During the past 12 months, did drinking alcohol cause you to give up or spend less time doing these types of important activities?			
ALCLSACT	2	1LESS ACTIVITIES B/C OF ALC USE PAST 12 MOS			
		1 = Yes.....	1857	3.34	
		2 = No.....	25593	46.03	
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	154	0.28	
		91 = NEVER USED ALCOHOL.....	14938	26.87	
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	12604	22.67	
		94 = DON'T KNOW.....	26	0.05	
		97 = REFUSED.....	30	0.05	
		98 = BLANK (NO ANSWER).....	400	0.72	
(DRALC18)		Sometimes people who drink alcohol have serious problems at home, work or school - such as:			
		- neglecting their children			
		- missing work or school			
		- doing a poor job at work or school			
		- losing a job or dropping out of school			
		During the past 12 months, did drinking alcohol cause you to have serious problems like this either at home, work, or school?			
ALCSERPB	2	1ALC CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS			
		1 = Yes.....	1380	2.48	
		2 = No.....	26063	46.87	
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	154	0.28	
		91 = NEVER USED ALCOHOL.....	14938	26.87	
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	12604	22.67	
		94 = DON'T KNOW.....	33	0.06	
		97 = REFUSED.....	30	0.05	
		98 = BLANK (NO ANSWER).....	400	0.72	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	242
				FREQ	%
(DRALC19)		During the past 12 months, did you regularly drink alcohol and then do something where being drunk might have put you in physical danger?			-
ALCPDANG	2	1DRNK ALC AND DO DANGEROUS ACTIVITIES PST 12 MOS			
		1 = Yes.....	3967	7.13	
		2 = No.....	23483	42.23	
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	154	0.28	
		91 = NEVER USED ALCOHOL.....	14938	26.87	
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	12604	22.67	
		94 = DON'T KNOW.....	26	0.05	
		97 = REFUSED.....	30	0.05	
		98 = BLANK (NO ANSWER).....	400	0.72	
(DRALC20)		During the past 12 months, did drinking alcohol cause you to do things that repeatedly got you in trouble with the law?			
ALCLAWTR	2	1DRNK ALC CAUSE PRBS WITH LAW PAST 12 MOS			
		1 = Yes.....	741	1.33	
		2 = No.....	26714	48.05	
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	154	0.28	
		91 = NEVER USED ALCOHOL.....	14938	26.87	
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	12604	22.67	
		94 = DON'T KNOW.....	24	0.04	
		97 = REFUSED.....	27	0.05	
		98 = BLANK (NO ANSWER).....	400	0.72	
(DRALC21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your drinking?			
ALCFMFPP	2	1DRNK ALC CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS			
		1 = Yes.....	2191	3.94	
		2 = No.....	25271	45.45	
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	154	0.28	
		91 = NEVER USED ALCOHOL.....	14938	26.87	
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	12604	22.67	
		94 = DON'T KNOW.....	17	0.03	
		97 = REFUSED.....	27	0.05	
		98 = BLANK (NO ANSWER).....	400	0.72	
(DRALC22)		Did you continue to drink alcohol even though you thought your drinking caused problems with family or friends?			
ALCFMCTD	2	1CONTD TO DRINK ALC DESPITE PRBS W/ FAM/FRNDS			
		1 = Yes.....	1358	2.44	
		2 = No.....	831	1.49	
		83 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS Log asn.	154	0.28	
		91 = NEVER USED ALCOHOL.....	14938	26.87	
		93 = DID NOT USE ALC PST 12 MOS OR USED <6 DYS.....	12604	22.67	
		97 = REFUSED.....	29	0.05	
		98 = BLANK (NO ANSWER).....	417	0.75	
		99 = LEGITIMATE SKIP.....	25271	45.45	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	243
				FREQ	%
(DRMJ01)		Think about your use of marijuana or hashish during the past 12 months as you answer these next questions.		-	-
		During the past 12 months, was there a month or more when you spent a lot of your time getting or using marijuana or hashish?			
MRJLOTTM	2	1SPENT MONTH/MORE GETTING/USING MJ PAST 12 MOS			
		1 = Yes.....	3319	5.97	
		2 = No.....	3727	6.70	
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS Log asn..	55	0.10	
		91 = NEVER USED MARIJUANA.....	33169	59.65	
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	15070	27.10	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	31	0.06	
		98 = BLANK (NO ANSWER).....	228	0.41	
(DRMJ02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the marijuana or hashish you used?			
MRJGTOVR	2	1MONTH+ SPENT GETTING OVER MJ EFFECTS PST 12 MOS			
		1 = Yes.....	139	0.25	
		2 = No.....	3587	6.45	
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.10	
		91 = NEVER USED MARIJUANA.....	33169	59.65	
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	15070	27.10	
		94 = DON'T KNOW.....	4	0.01	
		97 = REFUSED.....	31	0.06	
		98 = BLANK (NO ANSWER).....	228	0.41	
		99 = LEGITIMATE SKIP.....	3319	5.97	
(DRMJ04)		During the past 12 months, did you try to set limits on how often or how much marijuana or hashish you would use?			
MRJLIMIT	2	1SET LIMITS ON MARIJUANA USE PAST 12 MONTHS			
		1 = Yes.....	2752	4.95	
		2 = No.....	4287	7.71	
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.10	
		91 = NEVER USED MARIJUANA.....	33169	59.65	
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	15070	27.10	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	33	0.06	
		98 = BLANK (NO ANSWER).....	228	0.41	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	244
				FREQ	%
(DRMJ05)		Were you able to keep to the limits you set, or did you often use marijuana or hashish more than you intended to?			-
MRJKPLMT	2	1TABLE TO KEEP LIMITS OR USE MORE MJ PAST 12 MOS			
		1 = Usually kept to the limits set.....	2141	3.85	
		2 = Often used more than intended.....	607	1.09	
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.10	
		91 = NEVER USED MARIJUANA.....	33169	59.65	
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	15070	27.10	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	35	0.06	
		98 = BLANK (NO ANSWER).....	236	0.42	
		99 = LEGITIMATE SKIP.....	4287	7.71	
(DRMJ06)		During the past 12 months, did you need to use more marijuana or hashish than you used to in order to get the effect you wanted?			
MRJNDMOR	2	1NEEDED MORE MJ TO GET SAME EFFECT PST 12 MOS			
		1 = Yes.....	1839	3.31	
		2 = No.....	5205	9.36	
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.10	
		91 = NEVER USED MARIJUANA.....	33169	59.65	
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	15070	27.10	
		94 = DON'T KNOW.....	6	0.01	
		97 = REFUSED.....	30	0.05	
		98 = BLANK (NO ANSWER).....	228	0.41	
(DRMJ07)		During the past 12 months, did you notice that using the same amount of marijuana or hashish had less effect on you than it used to?			
MRJLSEFX	2	1USING SAME AMT MJ HAD LESS EFFECT PAST 12 MOS			
		1 = Yes.....	627	1.13	
		2 = No.....	4568	8.22	
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.10	
		91 = NEVER USED MARIJUANA.....	33169	59.65	
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	15070	27.10	
		94 = DON'T KNOW.....	14	0.03	
		97 = REFUSED.....	32	0.06	
		98 = BLANK (NO ANSWER).....	228	0.41	
		99 = LEGITIMATE SKIP.....	1839	3.31	
(DRMJ08)		During the past 12 months, did you want to or try to cut down or stop using marijuana or hashish?			
MRJCUTDN	2	1WANT/TRY TO CUT DOWN/STOP USING MJ PST 12 MOS			
		1 = Yes.....	3361	6.04	
		2 = No.....	3677	6.61	
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.10	
		91 = NEVER USED MARIJUANA.....	33169	59.65	
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	15070	27.10	
		94 = DON'T KNOW.....	7	0.01	
		97 = REFUSED.....	35	0.06	
		98 = BLANK (NO ANSWER).....	228	0.41	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	245
				FREQ	%
(DRMJ09)		During the past 12 months, were you able to cut down or stop using marijuana or hashish every time you wanted to or tried to?			-
MRJCUTEV	2	1TABLE TO CUT/STOP USING MJ EVERY TIME PST 12 MOS			
		1 = Yes.....	2801	5.04	
		2 = No.....	558	1.00	
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.10	
		91 = NEVER USED MARIJUANA.....	33169	59.65	
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	15070	27.10	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	36	0.06	
		98 = BLANK (NO ANSWER).....	235	0.42	
		99 = LEGITIMATE SKIP.....	3677	6.61	
(DRMJ13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of marijuana or hashish?			
MRJEMOPB	2	1MJ CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS			
		1 = Yes.....	940	1.69	
		2 = No.....	6100	10.97	
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.10	
		91 = NEVER USED MARIJUANA.....	33169	59.65	
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	15070	27.10	
		94 = DON'T KNOW.....	9	0.02	
		97 = REFUSED.....	31	0.06	
		98 = BLANK (NO ANSWER).....	228	0.41	
(DRMJ14)		Did you continue to use marijuana or hashish even though you thought it was causing you to have problems with your emotions, nerves, or mental health?			
MRJEMCTD	2	1CONTD USING MARIJUANA DESPITE EMOT PRBS			
		1 = Yes.....	624	1.12	
		2 = No.....	315	0.57	
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.10	
		91 = NEVER USED MARIJUANA.....	33169	59.65	
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	15070	27.10	
		97 = REFUSED.....	32	0.06	
		98 = BLANK (NO ANSWER).....	237	0.43	
		99 = LEGITIMATE SKIP.....	6100	10.97	
(DRMJ15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of marijuana or hashish?			
MRJPHLPB	2	1ANY PHYS PRBS CAUSED/WORSND BY MJ PST 12 MOS			
		1 = Yes.....	302	0.54	
		2 = No.....	6112	10.99	
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.10	
		91 = NEVER USED MARIJUANA.....	33169	59.65	
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	15070	27.10	
		94 = DON'T KNOW.....	13	0.02	
		97 = REFUSED.....	29	0.05	
		98 = BLANK (NO ANSWER).....	228	0.41	
		99 = LEGITIMATE SKIP.....	624	1.12	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	246
				FREQ	%
(DRMJ16)		Did you continue to use marijuana or hashish even though you thought it was causing you to have physical problems?		-	-
MRJPHCTD	2	1CONTD TO USE MARIJUANA DESPITE PHYS PRBS			
		1 = Yes.....	150	0.27	
		2 = No.....	152	0.27	
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.10	
		91 = NEVER USED MARIJUANA.....	33169	59.65	
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	15070	27.10	
		97 = REFUSED.....	29	0.05	
		98 = BLANK (NO ANSWER).....	241	0.43	
		99 = LEGITIMATE SKIP.....	6736	12.11	
(DRMJ17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.			
		During the past 12 months, did using marijuana or hashish cause you to give up or spend less time doing these types of important activities?			
MRJLSACT	2	1LESS ACTIVITIES B/C OF MJ USE PAST 12 MOS			
		1 = Yes.....	1013	1.82	
		2 = No.....	6037	10.86	
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.10	
		91 = NEVER USED MARIJUANA.....	33169	59.65	
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	15070	27.10	
		94 = DON'T KNOW.....	4	0.01	
		97 = REFUSED.....	26	0.05	
		98 = BLANK (NO ANSWER).....	228	0.41	
(DRMJ18)		Sometimes people who use marijuana or hashish have serious problems at home, work or school - such as:			
		- neglecting their children			
		- missing work or school			
		- doing a poor job at work or school			
		- losing a job or dropping out of school			
		During the past 12 months, did using marijuana or hashish cause you to have serious problems like this either at home, work, or school?			
MRJSERPB	2	1MJ CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS			
		1 = Yes.....	732	1.32	
		2 = No.....	6315	11.36	
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.10	
		91 = NEVER USED MARIJUANA.....	33169	59.65	
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	15070	27.10	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	28	0.05	
		98 = BLANK (NO ANSWER).....	228	0.41	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	247
				FREQ	%
(DRMJ19)		During the past 12 months, did you regularly use marijuana or hashish and then do something where using marijuana or hashish might have put you in physical danger?		-	-
MRJPDANG	2	1USING MJ AND DO DANGEROUS ACTIVITIES PST 12 MOS			
		1 = Yes.....	791	1.42	
		2 = No.....	6255	11.25	
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.10	
		91 = NEVER USED MARIJUANA.....	33169	59.65	
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	15070	27.10	
		94 = DON'T KNOW.....	6	0.01	
		97 = REFUSED.....	28	0.05	
		98 = BLANK (NO ANSWER).....	228	0.41	
(DRMJ20)		During the past 12 months, did using marijuana or hashish cause you to do things that repeatedly got you in trouble with the law?			
MRJLAWTR	2	1USING MJ CAUSE PRBS WITH LAW PAST 12 MOS			
		1 = Yes.....	327	0.59	
		2 = No.....	6721	12.09	
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.10	
		91 = NEVER USED MARIJUANA.....	33169	59.65	
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	15070	27.10	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	27	0.05	
		98 = BLANK (NO ANSWER).....	228	0.41	
(DRMJ21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of marijuana or hashish?			
MRJFMPFB	2	1USING MJ CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS			
		1 = Yes.....	783	1.41	
		2 = No.....	6262	11.26	
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.10	
		91 = NEVER USED MARIJUANA.....	33169	59.65	
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	15070	27.10	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	27	0.05	
		98 = BLANK (NO ANSWER).....	228	0.41	
(DRMJ22)		Did you continue to use marijuana or hashish even though you thought it caused problems with family or friends?			
MRJFMCTD	2	1CONTD TO USE MJ DESPITE PRBS W/ FAM/FRNDS			
		1 = Yes.....	562	1.01	
		2 = No.....	220	0.40	
		83 = DID NOT USE MJ PST 12 MOS OR USED <6 DAY Log asn..	55	0.10	
		91 = NEVER USED MARIJUANA.....	33169	59.65	
		93 = DID NOT USE MJ PST 12 MOS OR USED <6 DYS.....	15070	27.10	
		97 = REFUSED.....	28	0.05	
		98 = BLANK (NO ANSWER).....	236	0.42	
		99 = LEGITIMATE SKIP.....	6262	11.26	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	248
				FREQ	%
(DRCC01)		Think about your use of cocaine, (including the form of cocaine called "crack") during the past 12 months as you answer these next questions.		-	-
		During the past 12 months, was there a month or more when you spent a lot of your time getting or using [COKEFILL]?			
COCLOTTM	2	1SPENT MONTH/MORE GETTING/USING COC PAST 12 MOS			
		1 = Yes.....	395	0.71	
		2 = No.....	1557	2.80	
		91 = NEVER USED COCAINE.....	48835	87.83	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4713	8.48	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	13	0.02	
		98 = BLANK (NO ANSWER).....	88	0.16	
(DRCC02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the [COKEFILL] you used?			
COCGTOVR	2	1MONTH+ SPENT GETTING OVER COC EFFECTS PST 12 MOS			
		1 = Yes.....	80	0.14	
		2 = No.....	1479	2.66	
		91 = NEVER USED COCAINE.....	48835	87.83	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4713	8.48	
		97 = REFUSED.....	12	0.02	
		98 = BLANK (NO ANSWER).....	88	0.16	
		99 = LEGITIMATE SKIP.....	395	0.71	
(DRCC04)		During the past 12 months, did you try to set limits on how often or how much [COKEFILL] you would use?			
COCLIMIT	2	1SET LIMITS ON COCAINE USE PAST 12 MONTHS			
		1 = Yes.....	742	1.33	
		2 = No.....	1207	2.17	
		91 = NEVER USED COCAINE.....	48835	87.83	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4713	8.48	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	14	0.03	
		98 = BLANK (NO ANSWER).....	88	0.16	
(DRCC05)		Were you able to keep to the limits you set, or did you often use [COKEFILL] more than you intended to?			
COCKPLMT	2	1ABLE TO KEEP LIMITS OR USED MORE COC PST 12 MOS			
		1 = Usually kept to the limits set.....	538	0.97	
		2 = Often used more than intended.....	202	0.36	
		91 = NEVER USED COCAINE.....	48835	87.83	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4713	8.48	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	15	0.03	
		98 = BLANK (NO ANSWER).....	91	0.16	
		99 = LEGITIMATE SKIP.....	1207	2.17	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	249
				FREQ	%
(DRCC06)		During the past 12 months, did you need to use more [COKEFILL] than you used to in order to get the effect you wanted?			-
COCNDMOR	2	1NEEDED MORE COC TO GET SAME EFFECT PST 12 MOS			
		1 = Yes.....	373	0.67	
		2 = No.....	1576	2.83	
		91 = NEVER USED COCAINE.....	48835	87.83	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4713	8.48	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	15	0.03	
		98 = BLANK (NO ANSWER).....	88	0.16	
(DRCC07)		During the past 12 months, did you notice that using the same amount of [COKEFILL] had less effect on you than it used to?			
COCLSEFX	2	1USING SAME AMT COC HAD LESS EFFECT PAST 12 MOS			
		1 = Yes.....	112	0.20	
		2 = No.....	1457	2.62	
		91 = NEVER USED COCAINE.....	48835	87.83	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4713	8.48	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	16	0.03	
		98 = BLANK (NO ANSWER).....	88	0.16	
		99 = LEGITIMATE SKIP.....	373	0.67	
(DRCC08)		During the past 12 months, did you want to or try to cut down or stop using [COKEFILL]?			
COCCUTDN	2	1WANT/TRY TO CUT DOWN/STOP USING COC PAST 12 MOS			
		1 = Yes.....	1001	1.80	
		2 = No.....	941	1.69	
		91 = NEVER USED COCAINE.....	48835	87.83	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4713	8.48	
		94 = DON'T KNOW.....	6	0.01	
		97 = REFUSED.....	18	0.03	
		98 = BLANK (NO ANSWER).....	88	0.16	
(DRCC09)		During the past 12 months, were you able to cut down or stop using [COKEFILL] every time you wanted to or tried to?			
COCCUTEV	2	1ABLE TO CUT/STOP USING COC EVERY TIME PAST 12 MOS			
		1 = Yes.....	848	1.53	
		2 = No.....	148	0.27	
		91 = NEVER USED COCAINE.....	48835	87.83	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4713	8.48	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	20	0.04	
		98 = BLANK (NO ANSWER).....	94	0.17	
		99 = LEGITIMATE SKIP.....	941	1.69	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	250
				FREQ	%
(DRCC10)		During the past 12 months, did you cut down or stop using [COKEFILL] at least one time?		-	-
COCCUT1X	2	1CUT DOWN/STOP USING COC AT LEAST 1X PST 12 MOS			
		1 = Yes.....	451	0.81	
		2 = No.....	642	1.15	
		91 = NEVER USED COCAINE.....	48835	87.83	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4713	8.48	
		94 = DON'T KNOW.....	6	0.01	
		97 = REFUSED.....	19	0.03	
		98 = BLANK (NO ANSWER).....	88	0.16	
		99 = LEGITIMATE SKIP.....	848	1.53	
(DRCC10A)		During the past 12 months, have you felt kind of blue or down when you cut down or stopped using [COKEFILL]?			
COCFLBLU	2	1WHEN CUT DOWN ON COC, FELT BLUE PAST 12 MONTHS			
		1 = Yes.....	335	0.60	
		2 = No.....	963	1.73	
		91 = NEVER USED COCAINE.....	48835	87.83	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4713	8.48	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	19	0.03	
		98 = BLANK (NO ANSWER).....	94	0.17	
		99 = LEGITIMATE SKIP.....	642	1.15	
(DRCC11)		Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms after you cut back or stopped using [COKEFILL]?			
		- Feeling tired or exhausted			
		- Having bad dreams			
		- Having trouble sleeping or sleeping more than you normally do			
		- Feeling hungry more often			
		- Feeling either very slowed down or like you couldn't sit still			
COCWDS2SX	2	1HAD 2+ COC WITHDRAWAL SYMPTOMS PST 12 MOS			
		1 = Yes.....	276	0.50	
		2 = No.....	59	0.11	
		91 = NEVER USED COCAINE.....	48835	87.83	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4713	8.48	
		97 = REFUSED.....	19	0.03	
		98 = BLANK (NO ANSWER).....	95	0.17	
		99 = LEGITIMATE SKIP.....	1605	2.89	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	251
				FREQ	%
(DRCC12)		Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using [COKEFILL]?	- Feeling tired or exhausted - Having bad dreams - Having trouble sleeping or sleeping more than you normally do - Feeling hungry more often - Feeling either very slowed down or like you couldn't sit still		-
COCWDSMT	2	1HAD 2+ COC WDRAW SYM AT SAME TIME PAST 12 MOS	1 = Yes..... 2 = No..... 91 = NEVER USED COCAINE..... 93 = DID NOT USE COCAINE IN THE PAST 12 MOS..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	218 58 48835 4713 19 95 1664	0.39 0.10 87.83 8.48 0.03 0.17 2.99
(DRCC13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of [COKEFILL]?			
COCEMOPB	2	1COC CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS	1 = Yes..... 2 = No..... 91 = NEVER USED COCAINE..... 93 = DID NOT USE COCAINE IN THE PAST 12 MOS..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER).....	375 1575 48835 4713 1 15 88	0.67 2.83 87.83 8.48 0.00 0.03 0.16
(DRCC14)		Did you continue to use [COKEFILL] even though you thought it was causing you to have problems with your emotions, nerves, or mental health?			
COCEMCTD	2	1CONTD TO USE COC DESPITE EMOT PRBS	1 = Yes..... 2 = No..... 91 = NEVER USED COCAINE..... 93 = DID NOT USE COCAINE IN THE PAST 12 MOS..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	216 157 48835 4713 1 16 89 1575	0.39 0.28 87.83 8.48 0.00 0.03 0.16 2.83

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	252
				FREQ	%
(DRCC15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of [COKEFILL]?			-
COCPHLPB	2	1 ANY PHYS PRBS CAUSED/WORSND BY COC PST 12 MOS			
		1 = Yes.....	87	0.16	
		2 = No.....	1647	2.96	
		91 = NEVER USED COCAINE.....	48835	87.83	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4713	8.48	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	14	0.03	
		98 = BLANK (NO ANSWER).....	88	0.16	
		99 = LEGITIMATE SKIP.....	216	0.39	
(DRCC16)		Did you continue to use [COKEFILL] even though you thought it was causing you to have physical problems?			
COCPHCTD	2	1 CONTD TO USE COC DESPITE PHYS PRBS			
		1 = Yes.....	34	0.06	
		2 = No.....	53	0.10	
		91 = NEVER USED COCAINE.....	48835	87.83	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4713	8.48	
		97 = REFUSED.....	14	0.03	
		98 = BLANK (NO ANSWER).....	90	0.16	
		99 = LEGITIMATE SKIP.....	1863	3.35	
(DRCC17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.			
		During the past 12 months, did using [COKEFILL] cause you to give up or spend less time doing these types of important activities?			
COCLSACT	2	1 LESS ACTIVITIES B/C OF COC USE PAST 12 MOS			
		1 = Yes.....	303	0.54	
		2 = No.....	1642	2.95	
		91 = NEVER USED COCAINE.....	48835	87.83	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4713	8.48	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	16	0.03	
		98 = BLANK (NO ANSWER).....	88	0.16	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	253
				FREQ	%
(DRCC18)		Sometimes people who use [COKEFILL] have serious problems at home, work or school - such as:		-	-
		- neglecting their children - missing work or school - doing a poor job at work or school - losing a job or dropping out of school			
		During the past 12 months, did using [COKEFILL] cause you to have serious problems like this either at home, work, or school?			
COCSERPB	2	1COC CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS			
		1 = Yes.....	254	0.46	
		2 = No.....	1694	3.05	
		91 = NEVER USED COCAINE.....	48835	87.83	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4713	8.48	
		94 = DON'T KNOW.....	4	0.01	
		97 = REFUSED.....	14	0.03	
		98 = BLANK (NO ANSWER).....	88	0.16	
(DRCC19)		During the past 12 months, did you regularly use [COKEFILL] and then do something where using [COKEFILL] might have put you in physical danger?			
COCPDANG	2	1USING COC AND DO DANGEROUS ACTIVITIES PST 12 MOS			
		1 = Yes.....	245	0.44	
		2 = No.....	1703	3.06	
		91 = NEVER USED COCAINE.....	48835	87.83	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4713	8.48	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	15	0.03	
		98 = BLANK (NO ANSWER).....	88	0.16	
(DRCC20)		During the past 12 months, did using [COKEFILL] cause you to do things that repeatedly got you in trouble with the law?			
COCLAWTR	2	1USING COC CAUSE PRBS WITH LAW PAST 12 MOS			
		1 = Yes.....	82	0.15	
		2 = No.....	1867	3.36	
		91 = NEVER USED COCAINE.....	48835	87.83	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4713	8.48	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	15	0.03	
		98 = BLANK (NO ANSWER).....	88	0.16	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	254
				FREQ	%
(DRCC21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of [COKEFILL]?		-	-
COCFMFPB	2	1USING COC CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS			
		1 = Yes.....	282	0.51	
		2 = No.....	1667	3.00	
		91 = NEVER USED COCAINE.....	48835	87.83	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4713	8.48	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	15	0.03	
		98 = BLANK (NO ANSWER).....	88	0.16	
(DRCC22)		Did you continue to use [COKEFILL] even though you thought it caused problems with family or friends?			
COCFMCTD	2	1CONTD TO USE COC DESPITE PRBS W/ FAM/FRNDS			
		1 = Yes.....	180	0.32	
		2 = No.....	102	0.18	
		91 = NEVER USED COCAINE.....	48835	87.83	
		93 = DID NOT USE COCAINE IN THE PAST 12 MOS.....	4713	8.48	
		97 = REFUSED.....	15	0.03	
		98 = BLANK (NO ANSWER).....	90	0.16	
		99 = LEGITIMATE SKIP.....	1667	3.00	
(DRHE01)		NOTE: The heroin variables in the SUBSTANCE DEPENDENCE AND ABUSE module take into account information from follow-up questions that were added to the SPECIAL DRUGS module in 2002 for the variables HRSMKREC and HRSNFREC.			
		Respondents who had not previously reported heroin use in the past 12 months but who reported on follow-up that they smoked or sniffed heroin in the past 12 months were asked the heroin questions in the SUBSTANCE DEPENDENCE AND ABUSE module.			
		Think about your use of heroin during the past 12 months as you answer these next questions.			
		During the past 12 months, was there a month or more when you spent a lot of your time getting or using heroin?			
HERLOTTM	2	1SPENT MON/MORE GETTING/USING HEROIN PST 12 MOS			
		1 = Yes.....	54	0.10	
		2 = No.....	114	0.21	
		91 = NEVER USED HEROIN.....	54869	98.68	
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	530	0.95	
		97 = REFUSED.....	6	0.01	
		98 = BLANK (NO ANSWER).....	29	0.05	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	255
				FREQ	%
(DRHE02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the heroin you used?			-
HERGTOVR	2	1MONTH+ SPENT GETTING OVR HEROIN EFFECTS PST 12 MO			
		1 = Yes.....	9	0.02	
		2 = No.....	105	0.19	
		91 = NEVER USED HEROIN.....	54869	98.68	
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	530	0.95	
		97 = REFUSED.....	6	0.01	
		98 = BLANK (NO ANSWER).....	29	0.05	
		99 = LEGITIMATE SKIP.....	54	0.10	
(DRHE04)		During the past 12 months, did you try to set limits on how often or how much heroin you would use?			
HERLIMIT	2	1SET LIMITS ON HEROIN USE PAST 12 MONTHS			
		1 = Yes.....	70	0.13	
		2 = No.....	97	0.17	
		91 = NEVER USED HEROIN.....	54869	98.68	
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	530	0.95	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	6	0.01	
		98 = BLANK (NO ANSWER).....	29	0.05	
(DRHE05)		Were you able to keep to the limits you set, or did you often use heroin more than you intended to?			
HERKPLMT	2	1ABLE TO KEEP LIMT OR USE MORE HEROIN PST 12 MOS			
		1 = Usually kept to the limits set.....	37	0.07	
		2 = Often used more than intended.....	33	0.06	
		91 = NEVER USED HEROIN.....	54869	98.68	
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	530	0.95	
		97 = REFUSED.....	6	0.01	
		98 = BLANK (NO ANSWER).....	30	0.05	
		99 = LEGITIMATE SKIP.....	97	0.17	
(DRHE06)		During the past 12 months, did you need to use more heroin than you used to in order to get the effect you wanted?			
HERNDMOR	2	1NEEDED MORE HEROIN TO GET SME EFFECT PST 12 MOS			
		1 = Yes.....	54	0.10	
		2 = No.....	112	0.20	
		91 = NEVER USED HEROIN.....	54869	98.68	
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	530	0.95	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	6	0.01	
		98 = BLANK (NO ANSWER).....	29	0.05	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	256
				FREQ	%
(DRHE07)		During the past 12 months, did you notice that using the same amount of heroin had less effect on you than it used to?			-
HERLSEFX	2	1USING SME AMT HEROIN HAD LESS EFFECT PST 12 MOS			
		1 = Yes.....	11	0.02	
		2 = No.....	99	0.18	
		91 = NEVER USED HEROIN.....	54869	98.68	
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	530	0.95	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	7	0.01	
		98 = BLANK (NO ANSWER).....	29	0.05	
		99 = LEGITIMATE SKIP.....	54	0.10	
(DRHE08)		During the past 12 months, did you want to or try to cut down or stop using heroin?			
HERCUTDN	2	1WANT/TRY CUT DOWN/STOP USNG HEROIN PST 12 MOS			
		1 = Yes.....	99	0.18	
		2 = No.....	68	0.12	
		91 = NEVER USED HEROIN.....	54869	98.68	
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	530	0.95	
		97 = REFUSED.....	7	0.01	
		98 = BLANK (NO ANSWER).....	29	0.05	
(DRHE09)		During the past 12 months, were you able to cut down or stop using heroin every time you wanted to or tried to?			
HERCUTEV	2	1ABLE TO CUT/STOP USNG HEROIN EVRY TIME PST 12 MOS			
		1 = Yes.....	65	0.12	
		2 = No.....	34	0.06	
		91 = NEVER USED HEROIN.....	54869	98.68	
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	530	0.95	
		97 = REFUSED.....	7	0.01	
		98 = BLANK (NO ANSWER).....	29	0.05	
		99 = LEGITIMATE SKIP.....	68	0.12	
(DRHE10)		During the past 12 months, did you cut down or stop using heroin at least one time?			
HERCUT1X	2	1CUT DOWN/STOP USNG HEROIN AT LEAST 1X PST 12 MOS			
		1 = Yes.....	50	0.09	
		2 = No.....	52	0.09	
		91 = NEVER USED HEROIN.....	54869	98.68	
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	530	0.95	
		97 = REFUSED.....	7	0.01	
		98 = BLANK (NO ANSWER).....	29	0.05	
		99 = LEGITIMATE SKIP.....	65	0.12	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	257																								
				FREQ	%																								
(DRHE11) Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms after you cut back or stopped using heroin?																													
<ul style="list-style-type: none"> - Feeling kind of blue or down - Vomiting or feeling nauseous - Having cramps or muscle aches - Having teary eyes or a runny nose - Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin - Having diarrhea - Yawning - Having a fever - Having trouble sleeping 																													
HERWD3SX 2 1HAD 3+ HEROIN WITHDRAWAL SYMPTOMS PST 12 MOS																													
<table border="0"> <tr> <td>1 = Yes.....</td> <td>66</td> <td>0.12</td> </tr> <tr> <td>2 = No.....</td> <td>48</td> <td>0.09</td> </tr> <tr> <td>91 = NEVER USED HEROIN.....</td> <td>54869</td> <td>98.68</td> </tr> <tr> <td>93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....</td> <td>530</td> <td>0.95</td> </tr> <tr> <td>94 = DON'T KNOW.....</td> <td>1</td> <td>0.00</td> </tr> <tr> <td>97 = REFUSED.....</td> <td>7</td> <td>0.01</td> </tr> <tr> <td>98 = BLANK (NO ANSWER).....</td> <td>29</td> <td>0.05</td> </tr> <tr> <td>99 = LEGITIMATE SKIP.....</td> <td>52</td> <td>0.09</td> </tr> </table>						1 = Yes.....	66	0.12	2 = No.....	48	0.09	91 = NEVER USED HEROIN.....	54869	98.68	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	530	0.95	94 = DON'T KNOW.....	1	0.00	97 = REFUSED.....	7	0.01	98 = BLANK (NO ANSWER).....	29	0.05	99 = LEGITIMATE SKIP.....	52	0.09
1 = Yes.....	66	0.12																											
2 = No.....	48	0.09																											
91 = NEVER USED HEROIN.....	54869	98.68																											
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	530	0.95																											
94 = DON'T KNOW.....	1	0.00																											
97 = REFUSED.....	7	0.01																											
98 = BLANK (NO ANSWER).....	29	0.05																											
99 = LEGITIMATE SKIP.....	52	0.09																											
(DRHE12) Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using heroin?																													
<ul style="list-style-type: none"> - Feeling kind of blue or down - Vomiting or feeling nauseous - Having cramps or muscle aches - Having teary eyes or a runny nose - Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin - Having diarrhea - Yawning - Having a fever - Having trouble sleeping 																													
HERWDSMT 2 1HAD 3+ HEROIN WDRAW SYM SAME TIME PST 12 MOS																													
<table border="0"> <tr> <td>1 = Yes.....</td> <td>55</td> <td>0.10</td> </tr> <tr> <td>2 = No.....</td> <td>11</td> <td>0.02</td> </tr> <tr> <td>91 = NEVER USED HEROIN.....</td> <td>54869</td> <td>98.68</td> </tr> <tr> <td>93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....</td> <td>530</td> <td>0.95</td> </tr> <tr> <td>97 = REFUSED.....</td> <td>7</td> <td>0.01</td> </tr> <tr> <td>98 = BLANK (NO ANSWER).....</td> <td>30</td> <td>0.05</td> </tr> <tr> <td>99 = LEGITIMATE SKIP.....</td> <td>100</td> <td>0.18</td> </tr> </table>						1 = Yes.....	55	0.10	2 = No.....	11	0.02	91 = NEVER USED HEROIN.....	54869	98.68	93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	530	0.95	97 = REFUSED.....	7	0.01	98 = BLANK (NO ANSWER).....	30	0.05	99 = LEGITIMATE SKIP.....	100	0.18			
1 = Yes.....	55	0.10																											
2 = No.....	11	0.02																											
91 = NEVER USED HEROIN.....	54869	98.68																											
93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	530	0.95																											
97 = REFUSED.....	7	0.01																											
98 = BLANK (NO ANSWER).....	30	0.05																											
99 = LEGITIMATE SKIP.....	100	0.18																											

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	258
				FREQ	%
(DRHE13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of heroin?			-
HEREMOPB	2	1 HEROIN CAUSE PRBS W/EMOT/NERVES PAST 12 MOS			
		1 = Yes.....	59	0.11	
		2 = No.....	107	0.19	
		91 = NEVER USED HEROIN.....	54869	98.68	
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	530	0.95	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	7	0.01	
		98 = BLANK (NO ANSWER).....	29	0.05	
(DRHE14)		Did you continue to use heroin even though you thought it was causing you to have problems with your emotions, nerves, or mental health?			
HEREMCTD	2	1CONTD TO USE HEROIN DESPITE EMOT PRBS			
		1 = Yes.....	45	0.08	
		2 = No.....	14	0.03	
		91 = NEVER USED HEROIN.....	54869	98.68	
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	530	0.95	
		97 = REFUSED.....	7	0.01	
		98 = BLANK (NO ANSWER).....	30	0.05	
		99 = LEGITIMATE SKIP.....	107	0.19	
(DRHE15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of heroin?			
HERPHLPB	2	1 ANY PHYS PRBS CAUSED/WORSND BY HEROIN PST 12 MOS			
		1 = Yes.....	10	0.02	
		2 = No.....	110	0.20	
		91 = NEVER USED HEROIN.....	54869	98.68	
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	530	0.95	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	8	0.01	
		98 = BLANK (NO ANSWER).....	29	0.05	
		99 = LEGITIMATE SKIP.....	45	0.08	
(DRHE16)		Did you continue to use heroin even though you thought it was causing you to have physical problems?			
HERPHCTD	2	1CONTD TO USE HEROIN DESPITE PHYS PRBS			
		1 = Yes.....	4	0.01	
		2 = No.....	6	0.01	
		91 = NEVER USED HEROIN.....	54869	98.68	
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	530	0.95	
		97 = REFUSED.....	8	0.01	
		98 = BLANK (NO ANSWER).....	30	0.05	
		99 = LEGITIMATE SKIP.....	155	0.28	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	259
				FREQ	%
(DRHE17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.			-
		During the past 12 months, did using heroin cause you to give up or spend less time doing these types of important activities?			
HERLSACT	2	1LESS ACTIVITIES B/C OF HEROIN USE PAST 12 MOS			
		1 = Yes.....	59	0.11	
		2 = No.....	107	0.19	
		91 = NEVER USED HEROIN.....	54869	98.68	
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	530	0.95	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	7	0.01	
		98 = BLANK (NO ANSWER).....	29	0.05	
(DRHE18)		Sometimes people who use heroin have serious problems at home, work or school - such as:			
		- neglecting their children			
		- missing work or school			
		- doing a poor job at work or school			
		- losing a job or dropping out of school			
		During the past 12 months, did using heroin cause you to have serious problems like this either at home, work, or school?			
HERSERPB	2	1HEROIN CAUSE SER PRB AT HOM/WRK/SCH PST 12 MOS			
		1 = Yes.....	46	0.08	
		2 = No.....	121	0.22	
		91 = NEVER USED HEROIN.....	54869	98.68	
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	530	0.95	
		97 = REFUSED.....	7	0.01	
		98 = BLANK (NO ANSWER).....	29	0.05	
(DRHE19)		During the past 12 months, did you regularly use heroin and then do something where using heroin might have put you in physical danger?			
HERPDANG	2	1USING HEROIN & DO DANGEROUS ACTIVS PST 12 MOS			
		1 = Yes.....	42	0.08	
		2 = No.....	124	0.22	
		91 = NEVER USED HEROIN.....	54869	98.68	
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	530	0.95	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	7	0.01	
		98 = BLANK (NO ANSWER).....	29	0.05	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	260
				FREQ	%
(DRHE20)		During the past 12 months, did using heroin cause you to do things that repeatedly got you in trouble with the law?			-
HERLAWTR	2	1USING HEROIN CAUSE PRBS WITH LAW PAST 12 MOS			
		1 = Yes.....	18	0.03	
		2 = No.....	148	0.27	
		91 = NEVER USED HEROIN.....	54869	98.68	
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	530	0.95	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	7	0.01	
		98 = BLANK (NO ANSWER).....	29	0.05	
(DRHE21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of heroin?			
HERFMFPB	2	1USING HEROIN CAUSE PRBS W/FAM/FRNDS PST 12 MOS			
		1 = Yes.....	53	0.10	
		2 = No.....	113	0.20	
		91 = NEVER USED HEROIN.....	54869	98.68	
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	530	0.95	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	7	0.01	
		98 = BLANK (NO ANSWER).....	29	0.05	
(DRHE22)		Did you continue to use heroin even though you thought it caused problems with family or friends?			
HERFMCTD	2	1CONTD TO USE HEROIN DESPITE PRBS W/FAM/FRNDS			
		1 = Yes.....	40	0.07	
		2 = No.....	13	0.02	
		91 = NEVER USED HEROIN.....	54869	98.68	
		93 = DID NOT USE HEROIN IN THE PAST 12 MOS.....	530	0.95	
		97 = REFUSED.....	7	0.01	
		98 = BLANK (NO ANSWER).....	30	0.05	
		99 = LEGITIMATE SKIP.....	113	0.20	
(DRLS01)		Think about your use of hallucinogens, such as LSD, "acid", PCP, "Ecstasy", psilocybin (mushrooms), mescaline, or peyote during the past 12 months as you answer these next questions.			
		During the past 12 months, was there a month or more when you spent a lot of your time getting or using hallucinogens?			
HALLOTTM	2	1SPENT MON/MORE GETTING/USING HALLUC PST 12 MOS			
		1 = Yes.....	159	0.29	
		2 = No.....	1702	3.06	
		91 = NEVER USED HALLUCINOGENS.....	47332	85.13	
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6089	10.95	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	6	0.01	
		98 = BLANK (NO ANSWER).....	313	0.56	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	261
LABEL	LEN	DESCRIPTION	FREQ	%
(DRLS02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the hallucinogens you used?		-
HALGTOVR	2	1MONTH+ SPENT GETTING OVR HALLUC EFFECTS PST 12 MO		
		1 = Yes.....	57	0.10
		2 = No.....	1644	2.96
		91 = NEVER USED HALLUCINOGENS.....	47332	85.13
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6089	10.95
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	313	0.56
		99 = LEGITIMATE SKIP.....	159	0.29
(DRLS04)		During the past 12 months, did you try to set limits on how often or how much hallucinogens you would use?		
HALLLIMIT	2	1SET LIMITS ON HALLUCINOGEN USE PAST 12 MONTHS		
		1 = Yes.....	438	0.79
		2 = No.....	1413	2.54
		91 = NEVER USED HALLUCINOGENS.....	47332	85.13
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6089	10.95
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	313	0.56
(DRLS05)		Were you able to keep to the limits you set, or did you often use hallucinogens more than you intended to?		
HALKPLMT	2	1TABLE TO KEEP LIMT OR USE MORE HALLUC PST 12 MOS		
		1 = Usually kept to the limits set.....	398	0.72
		2 = Often used more than intended.....	40	0.07
		91 = NEVER USED HALLUCINOGENS.....	47332	85.13
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6089	10.95
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	319	0.57
		99 = LEGITIMATE SKIP.....	1413	2.54
(DRLS06)		During the past 12 months, did you need to use more hallucinogens than you used to in order to get the effect you wanted?		
HALNDMOR	2	1NEEDED MORE HALLUC TO GET SME EFFECT PST 12 MOS		
		1 = Yes.....	146	0.26
		2 = No.....	1710	3.08
		91 = NEVER USED HALLUCINOGENS.....	47332	85.13
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6089	10.95
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	313	0.56

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	262
				FREQ	%
(DRLS07)		During the past 12 months, did you notice that using the same amount of hallucinogens had less effect on you than it used to?		-	-
HALLSEFX	2	1USING SME AMT HALLUC HAD LESS EFFECT PAST 12 MOS			
		1 = Yes.....	91	0.16	
		2 = No.....	1615	2.90	
		91 = NEVER USED HALLUCINOGENS.....	47332	85.13	
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6089	10.95	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	11	0.02	
		98 = BLANK (NO ANSWER).....	313	0.56	
		99 = LEGITIMATE SKIP.....	146	0.26	
(DRLS08)		During the past 12 months, did you want to or try to cut down or stop using hallucinogens?			
HALCUTDN	2	1WANT/TRY CUT DOWN/STOP USING HALLUC PST 12 MOS			
		1 = Yes.....	560	1.01	
		2 = No.....	1282	2.31	
		91 = NEVER USED HALLUCINOGENS.....	47332	85.13	
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6089	10.95	
		94 = DON'T KNOW.....	7	0.01	
		97 = REFUSED.....	19	0.03	
		98 = BLANK (NO ANSWER).....	313	0.56	
(DRLS09)		During the past 12 months, were you able to cut down or stop using hallucinogens every time you wanted to or tried to?			
HALCUTEV	2	1ABLE TO CUT/STOP USING HALLUC EVRY TIME PST 12 MO			
		1 = Yes.....	529	0.95	
		2 = No.....	31	0.06	
		91 = NEVER USED HALLUCINOGENS.....	47332	85.13	
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6089	10.95	
		97 = REFUSED.....	19	0.03	
		98 = BLANK (NO ANSWER).....	320	0.58	
		99 = LEGITIMATE SKIP.....	1282	2.31	
(DRLS13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of hallucinogens?			
HALEMOPB	2	1HALLUC CAUSE PRBS W/EMOT/NERVES PAST 12 MOS			
		1 = Yes.....	212	0.38	
		2 = No.....	1642	2.95	
		91 = NEVER USED HALLUCINOGENS.....	47332	85.13	
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6089	10.95	
		94 = DON'T KNOW.....	4	0.01	
		97 = REFUSED.....	10	0.02	
		98 = BLANK (NO ANSWER).....	313	0.56	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	263
				FREQ	%
(DRLS14)		Did you continue to use hallucinogens even though you thought this was causing you to have problems with your emotions, nerves, or mental health?			-
HALEMCTD	2	1CONTD TO USE HALLUC DESPITE EMOT PRBS			
		1 = Yes.....	94	0.17	
		2 = No.....	118	0.21	
		91 = NEVER USED HALLUCINOGENS.....	47332	85.13	
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6089	10.95	
		97 = REFUSED.....	10	0.02	
		98 = BLANK (NO ANSWER).....	317	0.57	
		99 = LEGITIMATE SKIP.....	1642	2.95	
(DRLS15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of hallucinogens?			
HALPHLPB	2	1ANY PHYS PRBS CAUSED/WORSND BY HALLUC PST 12 MOS			
		1 = Yes.....	41	0.07	
		2 = No.....	1718	3.09	
		91 = NEVER USED HALLUCINOGENS.....	47332	85.13	
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6089	10.95	
		94 = DON'T KNOW.....	4	0.01	
		97 = REFUSED.....	11	0.02	
		98 = BLANK (NO ANSWER).....	313	0.56	
		99 = LEGITIMATE SKIP.....	94	0.17	
(DRLS16)		Did you continue to use hallucinogens even though you thought this was causing you to have physical problems?			
HALPHCTD	2	1CONTD TO USE HALLUC DESPITE PHYS PRBS			
		1 = Yes.....	18	0.03	
		2 = No.....	23	0.04	
		91 = NEVER USED HALLUCINOGENS.....	47332	85.13	
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6089	10.95	
		97 = REFUSED.....	11	0.02	
		98 = BLANK (NO ANSWER).....	317	0.57	
		99 = LEGITIMATE SKIP.....	1812	3.26	
(DRLS17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.			
		During the past 12 months, did using hallucinogens cause you to give up or spend less time doing these types of important activities?			
HALLSACT	2	1LESS ACTIVITES B/C OF HALLUC USE PAST 12 MOS			
		1 = Yes.....	103	0.19	
		2 = No.....	1749	3.15	
		91 = NEVER USED HALLUCINOGENS.....	47332	85.13	
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6089	10.95	
		94 = DON'T KNOW.....	4	0.01	
		97 = REFUSED.....	12	0.02	
		98 = BLANK (NO ANSWER).....	313	0.56	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	264
				FREQ	%
(DRLS18)		Sometimes people who use hallucinogens have serious problems at home, work or school - such as:		-	-
		- neglecting their children - missing work or school - doing a poor job at work or school - losing a job or dropping out of school			
		During the past 12 months, did using hallucinogens cause you to have serious problems like this either at home, work, or school?			
HALSERPB	2	1HALLUC CAUSE SER PRBS AT HOM/WRK/SCH PST 12 MOS			
		1 = Yes.....	98	0.18	
		2 = No.....	1754	3.15	
		91 = NEVER USED HALLUCINOGENS.....	47332	85.13	
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6089	10.95	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	11	0.02	
		98 = BLANK (NO ANSWER).....	313	0.56	
(DRLS19)		During the past 12 months, did you regularly use hallucinogens and then do something where using hallucinogens put you in physical danger?			
HALPDANG	2	1USING HALLUC & DO DANGEROUS ACTIVS PST 12 MOS			
		1 = Yes.....	123	0.22	
		2 = No.....	1729	3.11	
		91 = NEVER USED HALLUCINOGENS.....	47332	85.13	
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6089	10.95	
		94 = DON'T KNOW.....	6	0.01	
		97 = REFUSED.....	10	0.02	
		98 = BLANK (NO ANSWER).....	313	0.56	
(DRLS20)		During the past 12 months, did using hallucinogens cause you to do things that repeatedly got you in trouble with the law?			
HALLAWTR	2	1USING HALLUC CAUSE PRBS WITH LAW PAST 12 MOS			
		1 = Yes.....	47	0.08	
		2 = No.....	1807	3.25	
		91 = NEVER USED HALLUCINOGENS.....	47332	85.13	
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6089	10.95	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	11	0.02	
		98 = BLANK (NO ANSWER).....	313	0.56	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	265
				FREQ	%
(DRLS21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of hallucinogens?		-	-
HALFMFPB	2	1USING HALLUC CAUSE PRBS W/FAM/FRNDS PST 12 MOS			
		1 = Yes.....	113	0.20	
		2 = No.....	1741	3.13	
		91 = NEVER USED HALLUCINOGENS.....	47332	85.13	
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6089	10.95	
		94 = DON'T KNOW.....	4	0.01	
		97 = REFUSED.....	10	0.02	
		98 = BLANK (NO ANSWER).....	313	0.56	
(DRLS22)		Did you continue to use hallucinogens even though you thought this caused problems with family or friends?			
HALFMCTD	2	1CONTD TO USE HALLUC DESPITE PRBS W/FAM/FRNDS			
		1 = Yes.....	64	0.12	
		2 = No.....	49	0.09	
		91 = NEVER USED HALLUCINOGENS.....	47332	85.13	
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MOS.....	6089	10.95	
		97 = REFUSED.....	10	0.02	
		98 = BLANK (NO ANSWER).....	317	0.57	
		99 = LEGITIMATE SKIP.....	1741	3.13	
(DRIN01)		Think about your use of inhalants, such as amyl nitrite, "poppers," nitrous oxide, gasoline or lighter fluids, glue, spray paints or correction fluids during the past 12 months as you answer these next questions.			
		During the past 12 months, was there a month or more when you spent a lot of your time getting or using inhalants?			
INHLOTTM	2	1SPENT MONTH/MORE GETTING/USING INH PAST 12 MOS			
		1 = Yes.....	91	0.16	
		2 = No.....	1170	2.10	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED INHALANTS.....	48795	87.76	
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	5203	9.36	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	337	0.61	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	266
				FREQ	%
(DRIN02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the inhalants you used?			-
INHGTOVR	2	1MONTH+ SPENT GETTING OVER INH EFFECTS PST 12 MOS			
		1 = Yes.....	32	0.06	
		2 = No.....	1134	2.04	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED INHALANTS.....	48795	87.76	
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	5203	9.36	
		94 = DON'T KNOW.....	4	0.01	
		97 = REFUSED.....	5	0.01	
		98 = BLANK (NO ANSWER).....	337	0.61	
		99 = LEGITIMATE SKIP.....	91	0.16	
(DRIN04)		During the past 12 months, did you try to set limits on how often or how much inhalants you would use?			
INHLIMIT	2	1SET LIMITS ON INHALANT USE PAST 12 MONTHS			
		1 = Yes.....	339	0.61	
		2 = No.....	906	1.63	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED INHALANTS.....	48795	87.76	
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	5203	9.36	
		94 = DON'T KNOW.....	12	0.02	
		97 = REFUSED.....	9	0.02	
		98 = BLANK (NO ANSWER).....	337	0.61	
(DRIN05)		Were you able to keep to the limits you set, or did you often use inhalants more than you intended to?			
INHKPLMT	2	1TABLE TO KEEP LIMITS OR USE MORE INH PAST 12 MOS			
		1 = Usually kept to the limits set.....	312	0.56	
		2 = Often used more than intended.....	23	0.04	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED INHALANTS.....	48795	87.76	
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	5203	9.36	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	10	0.02	
		98 = BLANK (NO ANSWER).....	349	0.63	
		99 = LEGITIMATE SKIP.....	906	1.63	
(DRIN06)		During the past 12 months, did you need to use more inhalants than you used to in order to get the effect you wanted?			
INHNDMOR	2	1NEEDED MORE INH TO GET SAME EFFECT PST 12 MOS			
		1 = Yes.....	97	0.17	
		2 = No.....	1149	2.07	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED INHALANTS.....	48795	87.76	
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	5203	9.36	
		94 = DON'T KNOW.....	9	0.02	
		97 = REFUSED.....	11	0.02	
		98 = BLANK (NO ANSWER).....	337	0.61	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	267
				FREQ	%
(DRIN07)		During the past 12 months, did you notice that using the same amount of inhalants had less effect on you than it used to?			-
INHLSEFX	2	1USING SAME AMT INH HAD LESS EFFECT PAST 12 MOS			
		1 = Yes.....	78	0.14	
		2 = No.....	1053	1.89	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED INHALANTS.....	48795	87.76	
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	5203	9.36	
		94 = DON'T KNOW.....	23	0.04	
		97 = REFUSED.....	15	0.03	
		98 = BLANK (NO ANSWER).....	337	0.61	
		99 = LEGITIMATE SKIP.....	97	0.17	
(DRIN08)		During the past 12 months, did you want to or try to cut down or stop using inhalants?			
INHCUTDN	2	1WANT/TRY TO CUT DOWN/STOP USING INH PAST 12 MOS			
		1 = Yes.....	522	0.94	
		2 = No.....	705	1.27	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED INHALANTS.....	48795	87.76	
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	5203	9.36	
		94 = DON'T KNOW.....	16	0.03	
		97 = REFUSED.....	23	0.04	
		98 = BLANK (NO ANSWER).....	337	0.61	
(DRIN09)		During the past 12 months, were you able to cut down or stop using inhalants every time you wanted to or tried to?			
INHCUTEV	2	1TABLE TO CUT/STOP USING INH EVERY TIME PAST 12 MOS			
		1 = Yes.....	486	0.87	
		2 = No.....	34	0.06	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED INHALANTS.....	48795	87.76	
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	5203	9.36	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	24	0.04	
		98 = BLANK (NO ANSWER).....	353	0.63	
		99 = LEGITIMATE SKIP.....	705	1.27	
(DRIN13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of inhalants?			
INHEMOPB	2	1INH CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS			
		1 = Yes.....	88	0.16	
		2 = No.....	1162	2.09	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED INHALANTS.....	48795	87.76	
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	5203	9.36	
		94 = DON'T KNOW.....	10	0.02	
		97 = REFUSED.....	6	0.01	
		98 = BLANK (NO ANSWER).....	337	0.61	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	268
				FREQ	%
(DRIN14)		Did you continue to use inhalants even though you thought this was causing you to have problems with your emotions, nerves, or mental health?			-
INHEMCTD	2	1CONTD TO USE INHALANTS DESPITE EMOT PRBS			
		1 = Yes.....	46	0.08	
		2 = No.....	42	0.08	
		91 = NEVER USED INHALANTS.....	48795	87.76	
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	5203	9.36	
		97 = REFUSED.....	6	0.01	
		98 = BLANK (NO ANSWER).....	348	0.63	
		99 = LEGITIMATE SKIP.....	1162	2.09	
(DRIN15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of inhalants?			
INPHHLPB	2	1ANY PHYS PRBS CAUSED/WORSND BY INH PST 12 MOS			
		1 = Yes.....	41	0.07	
		2 = No.....	1165	2.10	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED INHALANTS.....	48795	87.76	
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	5203	9.36	
		94 = DON'T KNOW.....	7	0.01	
		97 = REFUSED.....	7	0.01	
		98 = BLANK (NO ANSWER).....	337	0.61	
		99 = LEGITIMATE SKIP.....	46	0.08	
(DRIN16)		Did you continue to use inhalants even though you thought this was causing you to have physical problems?			
INPHHCTD	2	1CONTD TO USE INHALANTS DESPITE PHYS PRBS			
		1 = Yes.....	9	0.02	
		2 = No.....	31	0.06	
		91 = NEVER USED INHALANTS.....	48795	87.76	
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	5203	9.36	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	7	0.01	
		98 = BLANK (NO ANSWER).....	345	0.62	
		99 = LEGITIMATE SKIP.....	1211	2.18	
(DRIN17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.			
		During the past 12 months, did using inhalants cause you to give up or spend less time doing these types of important activities?			
INHLSACT	2	1LESS ACTIVITIES B/C OF INH USE PAST 12 MOS			
		1 = Yes.....	58	0.10	
		2 = No.....	1191	2.14	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED INHALANTS.....	48795	87.76	
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	5203	9.36	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	9	0.02	
		98 = BLANK (NO ANSWER).....	337	0.61	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	269
				FREQ	%
(DRIN18)		Sometimes people who use inhalants have serious problems at home, work or school - such as:		-	-
		- neglecting their children - missing work or school - doing a poor job at work or school - losing a job or dropping out of school			
		During the past 12 months, did using inhalants cause you to have serious problems like this either at home, work, or school?			
INHSERPB	2	1INH CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS			
		1 = Yes.....	63	0.11	
		2 = No.....	1190	2.14	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED INHALANTS.....	48795	87.76	
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	5203	9.36	
		94 = DON'T KNOW.....	7	0.01	
		97 = REFUSED.....	6	0.01	
		98 = BLANK (NO ANSWER).....	337	0.61	
(DRIN19)		During the past 12 months, did you regularly use inhalants and then do something where using inhalants might have put you in physical danger?			
INHPDANG	2	1USING INH AND DO DANGEROUS ACTIVITIES PST 12 MOS			
		1 = Yes.....	79	0.14	
		2 = No.....	1177	2.12	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED INHALANTS.....	48795	87.76	
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	5203	9.36	
		94 = DON'T KNOW.....	6	0.01	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	337	0.61	
(DRIN20)		During the past 12 months, did using inhalants cause you to do things that repeatedly got you in trouble with the law?			
INHLAWTR	2	1USING INH CAUSE PRBS WITH LAW PAST 12 MOS			
		1 = Yes.....	34	0.06	
		2 = No.....	1223	2.20	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED INHALANTS.....	48795	87.76	
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	5203	9.36	
		94 = DON'T KNOW.....	4	0.01	
		97 = REFUSED.....	5	0.01	
		98 = BLANK (NO ANSWER).....	337	0.61	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	270
				FREQ	%
(DRIN21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of inhalants?			-
INHFMFPB	2	1USING INH CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS			
		1 = Yes.....	65	0.12	
		2 = No.....	1191	2.14	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED INHALANTS.....	48795	87.76	
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	5203	9.36	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	5	0.01	
		98 = BLANK (NO ANSWER).....	337	0.61	
(DRIN22)		Did you continue to use inhalants even though you thought this caused problems with family or friends?			
INHFMCTD	2	1CONTD TO USE INH DESPITE PRBS W/ FAM/FRNDS			
		1 = Yes.....	31	0.06	
		2 = No.....	34	0.06	
		91 = NEVER USED INHALANTS.....	48795	87.76	
		93 = DID NOT USE INHALANTS IN THE PAST 12 MOS.....	5203	9.36	
		97 = REFUSED.....	5	0.01	
		98 = BLANK (NO ANSWER).....	343	0.62	
		99 = LEGITIMATE SKIP.....	1191	2.14	
(DRPR01)		Think about your use of prescription pain relievers during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription pain relievers that were not prescribed for you or that you used only for the experience or feeling they caused.			
		During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription pain relievers?			
ANLLOTTM	2	1SPENT MON/MORE GETTNG/USNG PN RLVR PST 12 MOS			
		1 = Yes.....	674	1.21	
		2 = No.....	3503	6.30	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17	
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4684	8.42	
		94 = DON'T KNOW.....	6	0.01	
		97 = REFUSED.....	5	0.01	
		98 = BLANK (NO ANSWER).....	490	0.88	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	271
				FREQ	%
(DRPR02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription pain relievers you used?		-	-
ANLGTORV	2	1MON+ SPNT GETTING OVER PN RLVR EFFECTS PST 12 MOS			
		1 = Yes.....	80	0.14	
		2 = No.....	3423	6.16	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17	
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4684	8.42	
		94 = DON'T KNOW.....	6	0.01	
		97 = REFUSED.....	5	0.01	
		98 = BLANK (NO ANSWER).....	490	0.88	
		99 = LEGITIMATE SKIP.....	674	1.21	
(DRPR04)		During the past 12 months, did you try to set limits on how often or how much prescription pain relievers you would use?			
ANLLIMIT	2	1SET LIMITS ON PAIN RELIEVER USE PAST 12 MONTHS			
		1 = Yes.....	1021	1.84	
		2 = No.....	3133	5.63	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17	
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4684	8.42	
		94 = DON'T KNOW.....	18	0.03	
		97 = REFUSED.....	16	0.03	
		98 = BLANK (NO ANSWER).....	490	0.88	
(DRPR05)		Were you able to keep to the limits you set, or did you often use prescription pain relievers more than you intended to?			
ANLKPLMT	2	1ABLE TO KEEP LIMT/USE MORE PN RLVR PST 12 MOS			
		1 = Usually kept to the limits set.....	873	1.57	
		2 = Often used more than intended.....	148	0.27	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17	
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4684	8.42	
		97 = REFUSED.....	16	0.03	
		98 = BLANK (NO ANSWER).....	508	0.91	
		99 = LEGITIMATE SKIP.....	3133	5.63	
(DRPR06)		During the past 12 months, did you need to use more prescription pain relievers than you used to in order to get the effect you wanted?			
ANLNNDMOR	2	1NEEDED MORE PN RLVR TO GET SME EFFECT PST 12 MOS			
		1 = Yes.....	609	1.10	
		2 = No.....	3552	6.39	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17	
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4684	8.42	
		94 = DON'T KNOW.....	13	0.02	
		97 = REFUSED.....	14	0.03	
		98 = BLANK (NO ANSWER).....	490	0.88	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	272
LABEL	LEN	DESCRIPTION	FREQ	%
(DRPR07)		During the past 12 months, did you notice that using the same amount of prescription pain relievers had less effect on you than it used to?		-
ANLLSEFX	2	1USING SME AMT PN RLVR HAD LESS EFFECT PST 12 MOS		
		1 = Yes.....	259	0.47
		2 = No.....	3276	5.89
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4684	8.42
		94 = DON'T KNOW.....	27	0.05
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	490	0.88
		99 = LEGITIMATE SKIP.....	609	1.10
(DRPR08)		During the past 12 months, did you want to or try to cut down or stop using prescription pain relievers?		
ANLCUTDN	2	1WANT/TRY CUT DOWN/STOP USNG PN RLVR PST 12 MOS		
		1 = Yes.....	1328	2.39
		2 = No.....	2790	5.02
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4684	8.42
		94 = DON'T KNOW.....	38	0.07
		97 = REFUSED.....	32	0.06
		98 = BLANK (NO ANSWER).....	490	0.88
(DRPR09)		During the past 12 months, were you able to cut down or stop using prescription pain relievers every time you wanted to or tried to?		
ANLCUTEV	2	1ABLE TO CUT/STOP USNG PN RLVR EVRY TIME PST 12 MO		
		1 = Yes.....	1164	2.09
		2 = No.....	159	0.29
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4684	8.42
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	34	0.06
		98 = BLANK (NO ANSWER).....	528	0.95
		99 = LEGITIMATE SKIP.....	2790	5.02
(DRPR10)		During the past 12 months, did you cut down or stop using prescription pain relievers at least one time?		
ANLCUT1X	2	1CUT DOWN/STOP USNG PN RLVR AT LEAST 1X PST 12 MOS		
		1 = Yes.....	872	1.57
		2 = No.....	2088	3.76
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4684	8.42
		94 = DON'T KNOW.....	33	0.06
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	490	0.88
		99 = LEGITIMATE SKIP.....	1164	2.09

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	273
LABEL	LEN	DESCRIPTION	FREQ	%
(DRPR11)		Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms after you cut back or stopped using prescription pain relievers?		-
		- Feeling kind of blue or down - Vomiting or feeling nauseous - Having cramps or muscle aches - Having teary eyes or a runny nose - Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin - Having diarrhea - Yawning - Having a fever - Having trouble sleeping		
ANLWD3SX	2	1HAD 3+ PN RLVR WITHDRAWAL SYMPTOMS PST 12 MOS		
		1 = Yes.....	603	1.08
		2 = No.....	1432	2.58
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4684	8.42
		97 = REFUSED.....	32	0.06
		98 = BLANK (NO ANSWER).....	523	0.94
		99 = LEGITIMATE SKIP.....	2088	3.76
(DRPR12)		Please look at the symptoms listed below. During the past 12 months, did you have 3 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using prescription pain relievers?		
		- Feeling kind of blue or down - Vomiting or feeling nauseous - Having cramps or muscle aches - Having teary eyes or a runny nose - Feeling sweaty, having enlarged eye pupils, or having body hair standing up on your skin - Having diarrhea - Yawning - Having a fever - Having trouble sleeping		
ANLWDSMT	2	1HAD 3+ PN RLVR WDRAW SYM SAME TIME PST 12 MOS		
		1 = Yes.....	349	0.63
		2 = No.....	254	0.46
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4684	8.42
		97 = REFUSED.....	32	0.06
		98 = BLANK (NO ANSWER).....	523	0.94
		99 = LEGITIMATE SKIP.....	3520	6.33

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	274
				FREQ	%
(DRPR13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription pain relievers?		-	-
ANLEMOPB	2	1PN RLVR CAUSE PRBS W/EMOT/NERVES PST 12 MOS			
		1 = Yes.....	401	0.72	
		2 = No.....	3757	6.76	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17	
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4684	8.42	
		94 = DON'T KNOW.....	13	0.02	
		97 = REFUSED.....	17	0.03	
		98 = BLANK (NO ANSWER).....	490	0.88	
(DRPR14)		Did you continue to use prescription pain relievers even though you thought this was causing you to have problems with your emotions, nerves, or mental health?			
ANLEMCTD	2	1CONTD TO USE PN RLVR DESPITE EMOT PRBS			
		1 = Yes.....	235	0.42	
		2 = No.....	164	0.29	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17	
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4684	8.42	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	17	0.03	
		98 = BLANK (NO ANSWER).....	503	0.90	
		99 = LEGITIMATE SKIP.....	3757	6.76	
(DRPR15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription pain relievers?			
ANLPHLPB	2	1ANY PHYS PRBS CAUSD/WORSND BY PN RLVR PST 12 MOS			
		1 = Yes.....	94	0.17	
		2 = No.....	3834	6.90	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17	
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4684	8.42	
		94 = DON'T KNOW.....	11	0.02	
		97 = REFUSED.....	14	0.03	
		98 = BLANK (NO ANSWER).....	490	0.88	
		99 = LEGITIMATE SKIP.....	235	0.42	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	275
LABEL	LEN	DESCRIPTION	FREQ	%
(DRPR16)		Did you continue to use prescription pain relievers even though you thought this was causing you to have physical problems?		-
ANLPHCTD	2	1CONTD TO USE PN RLVR DESPITE PHYS PRBS		
		1 = Yes.....	31	0.06
		2 = No.....	63	0.11
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4684	8.42
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	501	0.90
		99 = LEGITIMATE SKIP.....	4069	7.32
(DRPR17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.		
		During the past 12 months, did using prescription pain relievers cause you to give up or spend less time doing these types of important activities?		
ANLLSACT	2	1LESS ACTIVITIES B/C OF PN RLVR USE PAST 12 MOS		
		1 = Yes.....	276	0.50
		2 = No.....	3890	7.00
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4684	8.42
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	490	0.88
(DRPR18)		Sometimes people who use prescription pain relievers have serious problems at home, work or school - such as:		
		- neglecting their children - missing work or school - doing a poor job at work or school - losing a job or dropping out of school		
		During the past 12 months, did using prescription pain relievers cause you to have serious problems like this either at home, work, or school?		
ANLSERPB	2	1PN RLVR CAUSE SER PRB AT HOM/WRK/SCH PST 12 MOS		
		1 = Yes.....	248	0.45
		2 = No.....	3923	7.06
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4684	8.42
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	490	0.88

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	276
				FREQ	%
(DRPR19)		During the past 12 months, did you regularly use prescription pain relievers and then do something where using prescription pain relievers might have put you in physical danger?		-	-
ANLPDANG	2	IUSING PN RLVR & DO DANGEROUS ACTIVS PST 12 MOS			
		1 = Yes.....	260	0.47	
		2 = No.....	3902	7.02	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17	
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4684	8.42	
		94 = DON'T KNOW.....	14	0.03	
		97 = REFUSED.....	12	0.02	
		98 = BLANK (NO ANSWER).....	490	0.88	
(DRPR20)		During the past 12 months, did using prescription pain relievers cause you to do things that repeatedly got you in trouble with the law?			
ANLLAWTR	2	IUSING PN RLVR CAUSE PRBS WITH LAW PAST 12 MOS			
		1 = Yes.....	75	0.13	
		2 = No.....	4090	7.36	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17	
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4684	8.42	
		94 = DON'T KNOW.....	7	0.01	
		97 = REFUSED.....	16	0.03	
		98 = BLANK (NO ANSWER).....	490	0.88	
(DRPR21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription pain relievers?			
ANLFMFPB	2	IUSING PN RLVR CAUSE PRBS W/FAM/FRNDS PST 12 MOS			
		1 = Yes.....	229	0.41	
		2 = No.....	3941	7.09	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17	
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4684	8.42	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	13	0.02	
		98 = BLANK (NO ANSWER).....	490	0.88	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	277
				FREQ	%
(DRPR22)		Did you continue to use prescription pain relievers even though you thought this caused problems with family or friends?		-	-
ANLFMCTD	2	1CONTD TO USE PN RLVR DESPITE PRBS W/FAM/FRNDS			
		1 = Yes.....	145	0.26	
		2 = No.....	83	0.15	
		81 = NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17	
		91 = NEVER USED PAIN RELIEVERS.....	46146	82.99	
		93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS.....	4684	8.42	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	13	0.02	
		98 = BLANK (NO ANSWER).....	495	0.89	
		99 = LEGITIMATE SKIP.....	3941	7.09	
(DRTR01)		Think about your use of prescription tranquilizers during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription tranquilizers that were not prescribed for you or that you used only for the experience or feeling they caused.			
		During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription tranquilizers?			
TRNLOTTM	2	1SPENT MONTH/MORE GETTING/USING TRN PAST 12 MOS			
		1 = Yes.....	132	0.24	
		2 = No.....	1501	2.70	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2887	5.19	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	7	0.01	
		98 = BLANK (NO ANSWER).....	163	0.29	
(DRTR02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription tranquilizers you used?			
TRNGTOVR	2	1MONTH+ SPENT GETTING OVER TRN EFFECTS PST 12 MOS			
		1 = Yes.....	24	0.04	
		2 = No.....	1477	2.66	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2887	5.19	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	7	0.01	
		98 = BLANK (NO ANSWER).....	163	0.29	
		99 = LEGITIMATE SKIP.....	132	0.24	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	278
				FREQ	%
(DRTR04)		During the past 12 months, did you try to set limits on how often or how much prescription tranquilizers you would use?			-
TRNLIMIT	2	1SET LIMITS ON TRANQUILIZER USE PAST 12 MONTHS			
		1 = Yes.....	330	0.59	
		2 = No.....	1298	2.33	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2887	5.19	
		94 = DON'T KNOW.....	6	0.01	
		97 = REFUSED.....	9	0.02	
		98 = BLANK (NO ANSWER).....	163	0.29	
(DRTR05)		Were you able to keep to the limits you set, or did you often use prescription tranquilizers more than you intended to?			
TRNKPLMT	2	1TABLE TO KEEP LIMITS OR USE MORE TRN PAST 12 MOS			
		1 = Usually kept to the limits set.....	296	0.53	
		2 = Often used more than intended.....	34	0.06	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2887	5.19	
		97 = REFUSED.....	9	0.02	
		98 = BLANK (NO ANSWER).....	169	0.30	
		99 = LEGITIMATE SKIP.....	1298	2.33	
(DRTR06)		During the past 12 months, did you need to use more prescription tranquilizers than you used to in order to get the effect you wanted?			
TRNNDMOR	2	1NEEDED MORE TRN TO GET SAME EFFECT PST 12 MOS			
		1 = Yes.....	131	0.24	
		2 = No.....	1499	2.70	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2887	5.19	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	8	0.01	
		98 = BLANK (NO ANSWER).....	163	0.29	
(DRTR07)		During the past 12 months, did you notice that using the same amount of prescription tranquilizers had less effect on you than it used to?			
TRNLSEFX	2	1USING SAME AMT TRN HAD LESS EFFECT PAST 12 MOS			
		1 = Yes.....	63	0.11	
		2 = No.....	1433	2.58	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2887	5.19	
		94 = DON'T KNOW.....	7	0.01	
		97 = REFUSED.....	9	0.02	
		98 = BLANK (NO ANSWER).....	163	0.29	
		99 = LEGITIMATE SKIP.....	131	0.24	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	279
				FREQ	%
(DRTR08)		During the past 12 months, did you want to or try to cut down or stop using prescription tranquilizers?		-	-
TRNCUTDN	2	1WANT/TRY TO CUT DOWN/STOP USING TRN PAST 12 MOS			
		1 = Yes.....	472	0.85	
		2 = No.....	1151	2.07	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2887	5.19	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	12	0.02	
		98 = BLANK (NO ANSWER).....	163	0.29	
(DRTR09)		During the past 12 months, were you able to cut down or stop using prescription tranquilizers every time you wanted to or tried to?			
TRNCUTEV	2	1ABLE TO CUT/STOP USING TRN EVERY TIME PAST 12 MOS			
		1 = Yes.....	431	0.78	
		2 = No.....	41	0.07	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2887	5.19	
		97 = REFUSED.....	12	0.02	
		98 = BLANK (NO ANSWER).....	171	0.31	
		99 = LEGITIMATE SKIP.....	1151	2.07	
(DRTR13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription tranquilizers?			
TRNEMOPB	2	1TRN CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS			
		1 = Yes.....	130	0.23	
		2 = No.....	1500	2.70	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2887	5.19	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	8	0.01	
		98 = BLANK (NO ANSWER).....	163	0.29	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	280
LABEL	LEN	DESCRIPTION	FREQ	%
(DRTR14)		Did you continue to use prescription tranquilizers even though you thought this was causing you to have problems with your emotions, nerves, or mental health?		-
TRNEMCTD	2	1CONTD TO USE TRN DESPITE EMOT PRBS		
		1 = Yes.....	80	0.14
		2 = No.....	49	0.09
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2887	5.19
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	168	0.30
		99 = LEGITIMATE SKIP.....	1500	2.70
(DRTR15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription tranquilizers?		
TRNPHLPB	2	1ANY PHYS PRBS CAUSED/WORSND BY TRN PST 12 MOS		
		1 = Yes.....	23	0.04
		2 = No.....	1527	2.75
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2887	5.19
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	163	0.29
		99 = LEGITIMATE SKIP.....	80	0.14
(DRTR16)		Did you continue to use prescription tranquilizers even though you thought this was causing you to have physical problems?		
TRNPHCTD	2	1CONTD TO USE TRN DESPITE PHYS PRBS		
		1 = Yes.....	6	0.01
		2 = No.....	17	0.03
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2887	5.19
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	168	0.30
		99 = LEGITIMATE SKIP.....	1607	2.89

¹The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	281
				FREQ	%
(DRTR17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.		-	-
		During the past 12 months, did using prescription tranquilizers cause you to give up or spend less time doing these types of important activities?			
TRNLSACT	2	1LESS ACTIVITIES B/C OF TRN USE PAST 12 MOS			
		1 = Yes.....	91	0.16	
		2 = No.....	1541	2.77	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2887	5.19	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	8	0.01	
		98 = BLANK (NO ANSWER).....	163	0.29	
(DRTR18)		Sometimes people who use prescription tranquilizers have serious problems at home, work or school - such as:			
		- neglecting their children			
		- missing work or school			
		- doing a poor job at work or school			
		- losing a job or dropping out of school			
		During the past 12 months, did using prescription tranquilizers cause you to have serious problems like this either at home, work, or school?			
TRNSERPB	2	1TRN CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS			
		1 = Yes.....	82	0.15	
		2 = No.....	1548	2.78	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2887	5.19	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	8	0.01	
		98 = BLANK (NO ANSWER).....	163	0.29	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	282
				FREQ	%
(DRTR19)		During the past 12 months, did you regularly use prescription tranquilizers and then do something where using prescription tranquilizers might have put you in physical danger?		-	-
TRNPDANG	2	1USING TRN AND DO DANGEROUS ACTIVITIES PST 12 MOS			
		1 = Yes.....	112	0.20	
		2 = No.....	1518	2.73	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2887	5.19	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	10	0.02	
		98 = BLANK (NO ANSWER).....	163	0.29	
(DRTR20)		During the past 12 months, did using prescription tranquilizers cause you to do things that repeatedly got you in trouble with the law?			
TRNLAWTR	2	1USING TRN CAUSE PRBS WITH LAW PAST 12 MOS			
		1 = Yes.....	36	0.06	
		2 = No.....	1597	2.87	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2887	5.19	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	8	0.01	
		98 = BLANK (NO ANSWER).....	163	0.29	
(DRTR21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription tranquilizers?			
TRNFMFPB	2	1USING TRN CAUSE PRBS W/FAMILY/FRIENDS PAST 12 MOS			
		1 = Yes.....	90	0.16	
		2 = No.....	1542	2.77	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2887	5.19	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	9	0.02	
		98 = BLANK (NO ANSWER).....	163	0.29	
(DRTR22)		Did you continue to use prescription tranquilizers even though you thought this caused problems with family or friends?			
TRNFMCTD	2	1CONTD TO USE TRN DESPITE PRBS W/ FAM/FRNDS			
		1 = Yes.....	60	0.11	
		2 = No.....	30	0.05	
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55	
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS.....	2887	5.19	
		97 = REFUSED.....	9	0.02	
		98 = BLANK (NO ANSWER).....	165	0.30	
		99 = LEGITIMATE SKIP.....	1542	2.77	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	283
				FREQ	%
(DRST01)		NOTE: The logic for asking the stimulant dependence and abuse questions was updated in 2003 to administer these questions to lifetime stimulant users who reported past year use of methamphetamine with a needle but had not already reported past year stimulant use anywhere else in the interview.			-
		Think about your use of prescription stimulants during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription stimulants that were not prescribed for you or that you used only for the experience or feeling they caused.			
		During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription stimulants?			
STMLOTTM	2	1SPENT MONTH/MORE GETTING/USING STM PAST 12 MOS			
		1 = Yes.....	140	0.25	
		2 = No.....	1111	2.00	
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03	
		91 = NEVER USED STIMULANTS.....	50834	91.42	
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3242	5.83	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	6	0.01	
		98 = BLANK (NO ANSWER).....	250	0.45	
(DRST02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription stimulants you used?			
STMGTOVR	2	1MONTH+ SPENT GETTING OVER STM EFFECTS PST 12 MOS			
		1 = Yes.....	48	0.09	
		2 = No.....	1064	1.91	
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03	
		91 = NEVER USED STIMULANTS.....	50834	91.42	
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3242	5.83	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	5	0.01	
		98 = BLANK (NO ANSWER).....	250	0.45	
		99 = LEGITIMATE SKIP.....	140	0.25	
(DRST04)		During the past 12 months, did you try to set limits on how often or how much prescription stimulants you would use?			
STMLIMIT	2	1SET LIMITS ON STIMULANT USE PAST 12 MONTHS			
		1 = Yes.....	279	0.50	
		2 = No.....	969	1.74	
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03	
		91 = NEVER USED STIMULANTS.....	50834	91.42	
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3242	5.83	
		94 = DON'T KNOW.....	4	0.01	
		97 = REFUSED.....	8	0.01	
		98 = BLANK (NO ANSWER).....	250	0.45	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	284
				FREQ	%
(DRST05)		Were you able to keep to the limits you set, or did you often use prescription stimulants more than you intended to?			-
STMKPLMT	2	1TABLE TO KEEP LIMITS OR USE MORE STM PAST 12 MOS			
		1 = Usually kept to the limits set.....	226	0.41	
		2 = Often used more than intended.....	53	0.10	
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03	
		91 = NEVER USED STIMULANTS.....	50834	91.42	
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3242	5.83	
		97 = REFUSED.....	8	0.01	
		98 = BLANK (NO ANSWER).....	254	0.46	
		99 = LEGITIMATE SKIP.....	969	1.74	
(DRST06)		During the past 12 months, did you need to use more prescription stimulants than you used to in order to get the effect you wanted?			
STMNDMOR	2	1NEEDED MORE STM TO GET SAME EFFECT PST 12 MOS			
		1 = Yes.....	157	0.28	
		2 = No.....	1090	1.96	
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03	
		91 = NEVER USED STIMULANTS.....	50834	91.42	
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3242	5.83	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	8	0.01	
		98 = BLANK (NO ANSWER).....	250	0.45	
(DRST07)		During the past 12 months, did you notice that using the same amount of prescription stimulants had less effect on you than it used to?			
STMSEFX	2	1USING SAME AMT STM HAD LESS EFFECT PAST 12 MOS			
		1 = Yes.....	54	0.10	
		2 = No.....	1034	1.86	
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03	
		91 = NEVER USED STIMULANTS.....	50834	91.42	
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3242	5.83	
		94 = DON'T KNOW.....	9	0.02	
		97 = REFUSED.....	6	0.01	
		98 = BLANK (NO ANSWER).....	250	0.45	
		99 = LEGITIMATE SKIP.....	157	0.28	
(DRST08)		During the past 12 months, did you want to or try to cut down or stop using prescription stimulants?			
STMCUTDN	2	1WANT/TRY TO CUT DOWN/STOP USING STM PAST 12 MOS			
		1 = Yes.....	407	0.73	
		2 = No.....	835	1.50	
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03	
		91 = NEVER USED STIMULANTS.....	50834	91.42	
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3242	5.83	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	10	0.02	
		98 = BLANK (NO ANSWER).....	250	0.45	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	285
				FREQ	%
(DRST09)		During the past 12 months, were you able to cut down or stop using prescription stimulants every time you wanted to or tried to?			-
STMCUTEV	2	1ABLE TO CUT/STOP USING STM EVERY TIME PAST 12 MOS			
		1 = Yes.....	357	0.64	
		2 = No.....	50	0.09	
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03	
		91 = NEVER USED STIMULANTS.....	50834	91.42	
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3242	5.83	
		97 = REFUSED.....	10	0.02	
		98 = BLANK (NO ANSWER).....	258	0.46	
		99 = LEGITIMATE SKIP.....	835	1.50	
(DRST10)		During the past 12 months, did you cut down or stop using prescription stimulants at least one time?			
STMCUT1X	2	1CUT DOWN OR STOP USING STM AT LEAST 1X PST 12 MOS			
		1 = Yes.....	200	0.36	
		2 = No.....	687	1.24	
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03	
		91 = NEVER USED STIMULANTS.....	50834	91.42	
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3242	5.83	
		94 = DON'T KNOW.....	6	0.01	
		97 = REFUSED.....	10	0.02	
		98 = BLANK (NO ANSWER).....	250	0.45	
		99 = LEGITIMATE SKIP.....	357	0.64	
(DRST10A)		During the past 12 months, have you felt kind of blue or down when you cut down or stopped using prescription stimulants?			
STMFLBLU	2	1WHEN CUT DOWN ON STM, FELT BLUE PAST 12 MONTHS			
		1 = Yes.....	154	0.28	
		2 = No.....	403	0.72	
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03	
		91 = NEVER USED STIMULANTS.....	50834	91.42	
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3242	5.83	
		97 = REFUSED.....	10	0.02	
		98 = BLANK (NO ANSWER).....	256	0.46	
		99 = LEGITIMATE SKIP.....	687	1.24	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	286
				FREQ	%
(DRST11) Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms after you cut back or stopped using prescription stimulants?					
			- Feeling tired or exhausted - Having bad dreams - Having trouble sleeping or sleeping more than you normally do - Feeling hungry more often - Feeling either very slowed down or like you couldn't sit still		
STMWD2SX	2	1HAD 2+ STM WITHDRAWAL SYMPTOMS PST 12 MOS			
		1 = Yes.....	128	0.23	
		2 = No.....	26	0.05	
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03	
		91 = NEVER USED STIMULANTS.....	50834	91.42	
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3242	5.83	
		97 = REFUSED.....	10	0.02	
		98 = BLANK (NO ANSWER).....	256	0.46	
		99 = LEGITIMATE SKIP.....	1090	1.96	
(DRST12) Please look at the symptoms listed below. During the past 12 months, did you have 2 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using prescription stimulants?					
			- Feeling tired or exhausted - Having bad dreams - Having trouble sleeping or sleeping more than you normally do - Feeling hungry more often - Feeling either very slowed down or like you couldn't sit still		
STMWDSMT	2	1HAD 2+ STM WDRAW SYM AT SAME TIME PAST 12 MOS			
		1 = Yes.....	108	0.19	
		2 = No.....	19	0.03	
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03	
		91 = NEVER USED STIMULANTS.....	50834	91.42	
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3242	5.83	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	10	0.02	
		98 = BLANK (NO ANSWER).....	256	0.46	
		99 = LEGITIMATE SKIP.....	1116	2.01	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	287
				FREQ	%
(DRST13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription stimulants?		-	-
STMEMOPB	2	1STM CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS			
		1 = Yes.....	182	0.33	
		2 = No.....	1064	1.91	
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03	
		91 = NEVER USED STIMULANTS.....	50834	91.42	
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3242	5.83	
		94 = DON'T KNOW.....	4	0.01	
		97 = REFUSED.....	10	0.02	
		98 = BLANK (NO ANSWER).....	250	0.45	
(DRST14)		Did you continue to use prescription stimulants even though you thought this was causing you to have problems with your emotions, nerves, or mental health?			
STMEMCTD	2	1CONTD TO USE STM DESPITE EMOT PRBS			
		1 = Yes.....	113	0.20	
		2 = No.....	69	0.12	
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03	
		91 = NEVER USED STIMULANTS.....	50834	91.42	
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3242	5.83	
		97 = REFUSED.....	10	0.02	
		98 = BLANK (NO ANSWER).....	254	0.46	
		99 = LEGITIMATE SKIP.....	1064	1.91	
(DRST15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription stimulants?			
STMPHLPB	2	1ANY PHYS PRBS CAUSED/WORSND BY STM PST 12 MOS			
		1 = Yes.....	27	0.05	
		2 = No.....	1106	1.99	
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03	
		91 = NEVER USED STIMULANTS.....	50834	91.42	
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3242	5.83	
		94 = DON'T KNOW.....	5	0.01	
		97 = REFUSED.....	9	0.02	
		98 = BLANK (NO ANSWER).....	250	0.45	
		99 = LEGITIMATE SKIP.....	113	0.20	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	288
LABEL	LEN	DESCRIPTION	FREQ	%
(DRST16)		Did you continue to use prescription stimulants even though this was causing you to have physical problems?		-
STMPHCTD	2	1CONTD TO USE STM DESPITE PHYS PRBS		
		1 = Yes.....	7	0.01
		2 = No.....	20	0.04
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03
		91 = NEVER USED STIMULANTS.....	50834	91.42
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3242	5.83
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	255	0.46
		99 = LEGITIMATE SKIP.....	1219	2.19
(DRST17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.		
		During the past 12 months, did using prescription stimulants cause you to give up or spend less time doing these types of important activities?		
STMLSACT	2	1LESS ACTIVITIES B/C OF STM USE PAST 12 MOS		
		1 = Yes.....	94	0.17
		2 = No.....	1156	2.08
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03
		91 = NEVER USED STIMULANTS.....	50834	91.42
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3242	5.83
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	250	0.45
(DRST18)		Sometimes people who use prescription stimulants have serious problems at home, work or school - such as:		
		- neglecting their children - missing work or school - doing a poor job at work or school - losing a job or dropping out of school		
		During the past 12 months, did using prescription stimulants cause you to have serious problems like this either at home, work, or school?		
STMSERPB	2	1STM CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS		
		1 = Yes.....	96	0.17
		2 = No.....	1151	2.07
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03
		91 = NEVER USED STIMULANTS.....	50834	91.42
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3242	5.83
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	250	0.45

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	289
				FREQ	%
(DRST19)		During the past 12 months, did you regularly use prescription stimulants and then do something where using prescription stimulants might have put you in physical danger?		-	-
STMPDANG	2	IUSING STM AND DO DANGEROUS ACTIVITIES PST 12 MOS			
		1 = Yes.....	90	0.16	
		2 = No.....	1160	2.09	
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03	
		91 = NEVER USED STIMULANTS.....	50834	91.42	
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3242	5.83	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	7	0.01	
		98 = BLANK (NO ANSWER).....	250	0.45	
(DRST20)		During the past 12 months, did using prescription stimulants cause you to do things that repeatedly got you in trouble with the law?			
STMLAWTR	2	IUSING STM CAUSE PRBS WITH LAW PAST 12 MOS			
		1 = Yes.....	34	0.06	
		2 = No.....	1216	2.19	
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03	
		91 = NEVER USED STIMULANTS.....	50834	91.42	
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3242	5.83	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	7	0.01	
		98 = BLANK (NO ANSWER).....	250	0.45	
(DRST21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription stimulants?			
STMFMFPB	2	IUSING STM CAUSE PRBS W/FAMILY/FRIENDS PST 12 MOS			
		1 = Yes.....	105	0.19	
		2 = No.....	1146	2.06	
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03	
		91 = NEVER USED STIMULANTS.....	50834	91.42	
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3242	5.83	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	7	0.01	
		98 = BLANK (NO ANSWER).....	250	0.45	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	290
				FREQ	%
(DRST22)		Did you continue to use prescription stimulants even though you thought this caused problems with family or friends?		-	-
STMFMCTD	2	1CONTD TO USE STM DESPITE PRBS W/ FAM/FRNDS			
		1 = Yes.....	76	0.14	
		2 = No.....	29	0.05	
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03	
		91 = NEVER USED STIMULANTS.....	50834	91.42	
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS.....	3242	5.83	
		97 = REFUSED.....	7	0.01	
		98 = BLANK (NO ANSWER).....	252	0.45	
		99 = LEGITIMATE SKIP.....	1146	2.06	
(DRSV01)		Think about your use of prescription sedatives during the past 12 months as you answer these next questions. Remember, we are only interested in your use of prescription sedatives that were not prescribed for you or that you used only for the experience or feeling they caused.			
		During the past 12 months, was there a month or more when you spent a lot of your time getting or using prescription sedatives?			
SEDLOTTM	2	1SPENT MONTH/MORE GETTING/USING SED PAST 12 MOS			
		1 = Yes.....	20	0.04	
		2 = No.....	213	0.38	
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05	
		91 = NEVER USED SEDATIVES.....	54009	97.13	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	1164	2.09	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	3	0.01	
		98 = BLANK (NO ANSWER).....	165	0.30	
(DRSV02)		During the past 12 months, was there a month or more when you spent a lot of your time getting over the effects of the prescription sedatives you used?			
SEDGTOVR	2	1MONTH+ SPENT GETTING OVER SED EFFECTS PST 12 MOS			
		1 = Yes.....	5	0.01	
		2 = No.....	208	0.37	
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05	
		91 = NEVER USED SEDATIVES.....	54009	97.13	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	1164	2.09	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	165	0.30	
		99 = LEGITIMATE SKIP.....	20	0.04	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	291
				FREQ	%
(DRSV04)		During the past 12 months, did you try to set limits on how often or how much prescription sedatives you would use?		-	-
SEDLIMIT	2	1SET LIMITS ON SEDATIVE USE PAST 12 MONTHS			
		1 = Yes.....	56	0.10	
		2 = No.....	177	0.32	
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05	
		91 = NEVER USED SEDATIVES.....	54009	97.13	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	1164	2.09	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	165	0.30	
(DRSV05)		Were you able to keep to the limits you set, or did you often use prescription sedatives more than you intended to?			
SEDKPLMT	2	1TABLE TO KEEP LIMITS OR USE MORE SED PAST 12 MOS			
		1 = Usually kept to the limits set.....	47	0.08	
		2 = Often used more than intended.....	9	0.02	
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05	
		91 = NEVER USED SEDATIVES.....	54009	97.13	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	1164	2.09	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	166	0.30	
		99 = LEGITIMATE SKIP.....	177	0.32	
(DRSV06)		During the past 12 months, did you need to use more prescription sedatives than you used to in order to get the effect you wanted?			
SEDNDMOR	2	1NEEDED MORE SED TO GET SAME EFFECT PST 12 MOS			
		1 = Yes.....	28	0.05	
		2 = No.....	203	0.37	
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05	
		91 = NEVER USED SEDATIVES.....	54009	97.13	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	1164	2.09	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	165	0.30	
(DRSV07)		During the past 12 months, did you notice that using the same amount of prescription sedatives had less effect on you than it used to?			
SEDLSEFX	2	1USING SAME AMT SED HAD LESS EFFECT PAST 12 MOS			
		1 = Yes.....	15	0.03	
		2 = No.....	188	0.34	
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05	
		91 = NEVER USED SEDATIVES.....	54009	97.13	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	1164	2.09	
		94 = DON'T KNOW.....	4	0.01	
		97 = REFUSED.....	3	0.01	
		98 = BLANK (NO ANSWER).....	165	0.30	
		99 = LEGITIMATE SKIP.....	28	0.05	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	292
LABEL	LEN	DESCRIPTION	FREQ	%
(DRSV08)		During the past 12 months, did you want to or try to cut down or stop using prescription sedatives?		-
SEDCUTDN	2	1WANT/TRY TO CUT DOWN/STOP USING SED PAST 12 MOS		
		1 = Yes.....	78	0.14
		2 = No.....	151	0.27
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05
		91 = NEVER USED SEDATIVES.....	54009	97.13
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	1164	2.09
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	165	0.30
(DRSV09)		During the past 12 months, were you able to cut down or stop using prescription sedatives every time you wanted to or tried to?		
SEDCUTEV	2	1ABLE TO CUT/STOP USING SED EVERY TIME PAST 12 MOS		
		1 = Yes.....	66	0.12
		2 = No.....	11	0.02
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05
		91 = NEVER USED SEDATIVES.....	54009	97.13
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	1164	2.09
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	170	0.31
		99 = LEGITIMATE SKIP.....	151	0.27
(DRSV10)		During the past 12 months, did you cut down or stop using prescription sedatives at least one time?		
SEDCUT1X	2	1CUT DOWN OR STOP USING SED AT LEAST 1X PST 12 MOS		
		1 = Yes.....	45	0.08
		2 = No.....	119	0.21
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05
		91 = NEVER USED SEDATIVES.....	54009	97.13
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	1164	2.09
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	165	0.30
		99 = LEGITIMATE SKIP.....	66	0.12

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	293
				FREQ	%
(DRSV11) Please look at the symptoms listed below. During the past 12 months, did you have 1 or more of these symptoms after you cut back or stopped using prescription sedatives?					
			- Sweating or feeling that your heart was beating fast		
			- Having your hands tremble		
			- Having trouble sleeping or sleeping more than you normally do		
			- Vomiting or feeling nauseous		
			- Seeing, hearing, or feeling things that weren't really there		
			- Feeling like you couldn't sit still		
			- Feeling anxious		
			- Having seizures or fits		
SEDWD1SX	2	1HAD 1+ SED WITHDRAWAL SYMPTOM PST 12 MOS			
		1 = Yes.....	36	0.06	
		2 = No.....	74	0.13	
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05	
		91 = NEVER USED SEDATIVES.....	54009	97.13	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	1164	2.09	
		97 = REFUSED.....	5	0.01	
		98 = BLANK (NO ANSWER).....	169	0.30	
		99 = LEGITIMATE SKIP.....	119	0.21	
(DRSV12) Please look at the symptoms listed below. During the past 12 months, did you have 1 or more of these symptoms at the same time that lasted for longer than a day after you cut back or stopped using prescription sedatives?					
			- Sweating or feeling that your heart was beating fast		
			- Having your hands tremble		
			- Having trouble sleeping or sleeping more than you normally do		
			- Vomiting or feeling nauseous		
			- Seeing, hearing, or feeling things that weren't really there		
			- Feeling like you couldn't sit still		
			- Feeling anxious		
			- Having seizures or fits		
SEDWDSMT	2	1HAD 1+ SED WDRAW SYM AT SAME TIME PAST 12 MOS			
		1 = Yes.....	20	0.04	
		2 = No.....	16	0.03	
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05	
		91 = NEVER USED SEDATIVES.....	54009	97.13	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	1164	2.09	
		97 = REFUSED.....	5	0.01	
		98 = BLANK (NO ANSWER).....	169	0.30	
		99 = LEGITIMATE SKIP.....	193	0.35	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	294
				FREQ	%
(DRSV13)		During the past 12 months, did you have any problems with your emotions, nerves, or mental health that were probably caused or made worse by your use of prescription sedatives?		-	-
SEDEMOPB	2	1SED CAUSE PRBS WITH EMOT/NERVES PAST 12 MOS			
		1 = Yes.....	29	0.05	
		2 = No.....	204	0.37	
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05	
		91 = NEVER USED SEDATIVES.....	54009	97.13	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	1164	2.09	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	165	0.30	
(DRSV14)		Did you continue to use prescription sedatives even though you thought this was causing you to have problems with your emotions, nerves, or mental health?			
SEDEMCTD	2	1CONTD TO USE SED DESPITE EMOT PRBS			
		1 = Yes.....	18	0.03	
		2 = No.....	10	0.02	
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05	
		91 = NEVER USED SEDATIVES.....	54009	97.13	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	1164	2.09	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	166	0.30	
		99 = LEGITIMATE SKIP.....	204	0.37	
(DRSV15)		During the past 12 months, did you have any physical health problems that were probably caused or made worse by your use of prescription sedatives?			
SEDPHLPB	2	1ANY PHYS PRBS CAUSED/WORSND BY SED PST 12 MOS			
		1 = Yes.....	7	0.01	
		2 = No.....	208	0.37	
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05	
		91 = NEVER USED SEDATIVES.....	54009	97.13	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	1164	2.09	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	165	0.30	
		99 = LEGITIMATE SKIP.....	18	0.03	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	295
				FREQ	%
(DRSV16)		Did you continue to use prescription sedatives even though you thought this was causing you to have physical problems?		-	-
SEDPHCTD	2	1CONTD TO USE SED DESPITE PHYS PRBS			
		1 = Yes.....	3	0.01	
		2 = No.....	4	0.01	
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05	
		91 = NEVER USED SEDATIVES.....	54009	97.13	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	1164	2.09	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	166	0.30	
		99 = LEGITIMATE SKIP.....	226	0.41	
(DRSV17)		This question is about important activities such as working, going to school, taking care of children, doing fun things such as hobbies and sports, and spending time with friends and family.			
		During the past 12 months, did using prescription sedatives cause you to give up or spend less time doing these types of important activities?			
SEDLISACT	2	1LESS ACTIVITIES B/C OF SED USE PAST 12 MOS			
		1 = Yes.....	23	0.04	
		2 = No.....	210	0.38	
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05	
		91 = NEVER USED SEDATIVES.....	54009	97.13	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	1164	2.09	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	165	0.30	
(DRSV18)		Sometimes people who use prescription sedatives have serious problems at home, work or school - such as:			
		- neglecting their children - missing work or school - doing a poor job at work or school - losing a job or dropping out of school			
		During the past 12 months, did using prescription sedatives cause you to have serious problems like this either at home, work, or school?			
SEDSERPB	2	1SED CAUSE SERS PRBS AT HOME/WORK/SCH PST 12 MOS			
		1 = Yes.....	24	0.04	
		2 = No.....	208	0.37	
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05	
		91 = NEVER USED SEDATIVES.....	54009	97.13	
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	1164	2.09	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	165	0.30	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	296
LABEL	LEN	DESCRIPTION	FREQ	%
(DRSV19)		During the past 12 months, did you regularly use prescription sedatives and then do something where using prescription sedatives might have put you in physical danger?		-
SEDPDANG	2	IUSING SED AND DO DANGEROUS ACTIVITIES PST 12 MOS		
		1 = Yes.....	21	0.04
		2 = No.....	211	0.38
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05
		91 = NEVER USED SEDATIVES.....	54009	97.13
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	1164	2.09
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	165	0.30
(DRSV20)		During the past 12 months, did using prescription sedatives cause you to do things that repeatedly got you in trouble with the law?		
SEDLAWTR	2	IUSING SED CAUSE PRBS WITH LAW PAST 12 MOS		
		1 = Yes.....	11	0.02
		2 = No.....	221	0.40
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05
		91 = NEVER USED SEDATIVES.....	54009	97.13
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	1164	2.09
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	165	0.30
(DRSV21)		During the past 12 months, did you have any problems with family or friends that were probably caused by your use of prescription sedatives?		
SEDFMFPB	2	IUSING SED CAUSE PRBS W/FAMILY/FRIENDS PAST 12 MOS		
		1 = Yes.....	22	0.04
		2 = No.....	211	0.38
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05
		91 = NEVER USED SEDATIVES.....	54009	97.13
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	1164	2.09
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	165	0.30

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	297
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
(DRSV22)		Did you continue to use prescription sedatives even though you thought this caused problems with family or friends?		
SEDFMCTD	2	1CONTD TO USE SED DESPITE PRBS W/ FAM/FRNDS		
		1 = Yes.....	15	0.03
		2 = No.....	6	0.01
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05
		91 = NEVER USED SEDATIVES.....	54009	97.13
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS.....	1164	2.09
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	166	0.30
		99 = LEGITIMATE SKIP.....	211	0.38

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	IMPUTED SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	298
				FREQ	%

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE					

			NOTE: What follows are the imputation-revised versions of the 17 nicotine dependence variables that make up the Nicotine Dependence Syndrome Scale (NDSS). Missing values were only imputed if only one of the 17 variables had missing values. Users should note that the imputed values for these variables are predicted values from regression models. These predicted values are not integers, and do not correspond directly to the integer responses from the questionnaire. It would be advisable to make the necessary adjustments (such as rounding or otherwise making the non-integer values into integers) when doing cross-tabulations.		
IRCGIRTB	12	IMP REVISED - NEED TO SMOKE TO FEEL LESS IRRITABLE			
		RANGE = 1 - 5		15047	27.06
		91 = NEVER USED.....		23365	42.02
		93 = DID NOT USE CIGARETTES PAST MONTH.....		17128	30.80
		94 = DON'T KNOW.....		28	0.05
		97 = REFUSED.....		10	0.02
		98 = BLANK/DID NOT ANSWER.....		24	0.04
IICGIRTB	2	IMPUTATION INDICATOR - IRCGIRTB			
		1 = QUESTIONNAIRE DATA.....		15028	27.03
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.		19	0.03
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS		40493	72.83
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..		62	0.11
IRCGCRV	12	IMP REV - CRAVE CIGS WHEN DON'T SMOKE FOR FEW HRS			
		RANGE = 1 - 5		15050	27.07
		91 = NEVER USED.....		23365	42.02
		93 = DID NOT USE CIGARETTES PAST MONTH.....		17128	30.80
		94 = DON'T KNOW.....		27	0.05
		97 = REFUSED.....		8	0.01
		98 = BLANK/DID NOT ANSWER.....		24	0.04
IICGCRV	2	IMPUTATION INDICATOR - IRCGCRV			
		1 = QUESTIONNAIRE DATA.....		15049	27.07
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.		1	0.00
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS		40493	72.83
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..		59	0.11
IRCGCRGP	12	IMP REV - CRAVINGS OF CIGS LIKE FORCE CAN'T CNTRL			
		RANGE = 1 - 5		15048	27.06
		91 = NEVER USED.....		23365	42.02
		93 = DID NOT USE CIGARETTES PAST MONTH.....		17128	30.80
		94 = DON'T KNOW.....		27	0.05
		97 = REFUSED.....		10	0.02
		98 = BLANK/DID NOT ANSWER.....		24	0.04
IICGCRGP	2	IMPUTATION INDICATOR - IRCGCRGP			
		1 = QUESTIONNAIRE DATA.....		15044	27.06
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.		4	0.01
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS		40493	72.83
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..		61	0.11

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	299
LABEL	LEN	DESCRIPTION	FREQ	%
IIRCGNCTL	12	IMP REVISED - FEEL A SENSE OF CNTRL OVER SMOKING		-
	RANGE	= 1 - 5	15048	27.06
		91 = NEVER USED.....	23365	42.02
		93 = DID NOT USE CIGARETTES PAST MONTH.....	17128	30.80
		94 = DON'T KNOW.....	26	0.05
		97 = REFUSED.....	11	0.02
		98 = BLANK/DID NOT ANSWER.....	24	0.04
IICGNCTL	2	IMPUTATION INDICATOR - IIRCGNCTL		
		1 = QUESTIONNAIRE DATA.....	15040	27.05
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	8	0.01
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	40493	72.83
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	61	0.11
IRCGAVD	12	IMP REV - TEND TO AVOID PLACES DON'T ALLOW SMOKING		
	RANGE	= 1 - 5	15049	27.07
		91 = NEVER USED.....	23365	42.02
		93 = DID NOT USE CIGARETTES PAST MONTH.....	17128	30.80
		94 = DON'T KNOW.....	25	0.04
		97 = REFUSED.....	11	0.02
		98 = BLANK/DID NOT ANSWER.....	24	0.04
IICGAVD	2	IMPUTATION INDICATOR - IRCGAVD		
		1 = QUESTIONNAIRE DATA.....	15021	27.02
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	28	0.05
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	40493	72.83
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	60	0.11
IRCGPLN	12	IMP REVISED - NO TRAVEL BY AIRPLANE B/C NO SMOKING		
	RANGE	= 0.8216246872 - 5	15057	27.08
		91 = NEVER USED.....	23365	42.02
		93 = DID NOT USE CIGARETTES PAST MONTH.....	17128	30.80
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	12	0.02
		98 = BLANK/DID NOT ANSWER.....	24	0.04
IICGPLN	2	IMPUTATION INDICATOR - IRCGPLN		
		1 = QUESTIONNAIRE DATA.....	15040	27.05
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	17	0.03
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	40493	72.83
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	52	0.09
IRCGROUT	12	IMP REVISED - WORRY THAT YOU WILL RUN OUT OF CIGS		
	RANGE	= 1 - 5	15065	27.09
		91 = NEVER USED.....	23365	42.02
		93 = DID NOT USE CIGARETTES PAST MONTH.....	17128	30.80
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	11	0.02
		98 = BLANK/DID NOT ANSWER.....	24	0.04
IICGROUT	2	IMPUTATION INDICATOR - IRCGROUT		
		1 = QUESTIONNAIRE DATA.....	15064	27.09
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	1	0.00
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	40493	72.83
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	44	0.08

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	300
LABEL	LEN	DESCRIPTION	FREQ	%
IRCGRGDY	12	IMP REVISED - SMOKE CIGS REGULARLY THROUGH DAY		-
		RANGE = 1 - 5	15066	27.10
		91 = NEVER USED.....	23365	42.02
		93 = DID NOT USE CIGARETTES PAST MONTH.....	17128	30.80
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	9	0.02
		98 = BLANK/DID NOT ANSWER.....	24	0.04
IICGRGDY	2	IMPUTATION INDICATOR - IRCGRGDY		
		1 = QUESTIONNAIRE DATA.....	15066	27.10
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	40493	72.83
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	43	0.08
IRCGRGWK	12	IMP PREVISED - SMOKE SAME ON WEEKENDS AND WEEKDAYS		
		RANGE = 1 - 5	15054	27.07
		91 = NEVER USED.....	23365	42.02
		93 = DID NOT USE CIGARETTES PAST MONTH.....	17128	30.80
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED.....	11	0.02
		98 = BLANK/DID NOT ANSWER.....	24	0.04
IICGRGWK	2	IMPUTATION INDICATOR - IRCRGW WK		
		1 = QUESTIONNAIRE DATA.....	15045	27.06
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	9	0.02
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	40493	72.83
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	55	0.10
IRCGRGNM	12	IMP REVISED - SMOKE SAME # OF CIGS FROM DAY TO DAY		
		RANGE = 1 - 5	15054	27.07
		91 = NEVER USED.....	23365	42.02
		93 = DID NOT USE CIGARETTES PAST MONTH.....	17128	30.80
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	12	0.02
		98 = BLANK/DID NOT ANSWER.....	24	0.04
IICGRGNM	2	IMPUTATION INDICATOR - IRCRGNM		
		1 = QUESTIONNAIRE DATA.....	15046	27.06
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	8	0.01
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	40493	72.83
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	55	0.10
IRCGNCG	12	IMP REVISED - # CIGS SMOKE PER DAY OFTEN CHANGES		
		RANGE = 1 - 5	15035	27.04
		91 = NEVER USED.....	23365	42.02
		93 = DID NOT USE CIGARETTES PAST MONTH.....	17128	30.80
		94 = DON'T KNOW.....	34	0.06
		97 = REFUSED.....	16	0.03
		98 = BLANK/DID NOT ANSWER.....	24	0.04
IICGNCG	2	IMPUTATION INDICATOR - IRCGNCG		
		1 = QUESTIONNAIRE DATA.....	15027	27.03
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	8	0.01
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	40493	72.83
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	74	0.13

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	301
LABEL	LEN	DESCRIPTION	FREQ	%
IRCGSLHR	12	IMP REV - HAVE LOT CIGS IN HR, NO CIGS TIL LATER		-
		RANGE = 1 - 5	15038	27.05
		91 = NEVER USED.....	23365	42.02
		93 = DID NOT USE CIGARETTES PAST MONTH.....	17128	30.80
		94 = DON'T KNOW.....	30	0.05
		97 = REFUSED.....	17	0.03
		98 = BLANK/DID NOT ANSWER.....	24	0.04
IICGSLHR	2	IMPUTATION INDICATOR - IRCGSLHR		
		1 = QUESTIONNAIRE DATA.....	15023	27.02
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	15	0.03
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	40493	72.83
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	71	0.13
IRCGINFL	12	IMP REV - # CIGS SMOKE A DAY INFLU BY OTH THINGS		
		RANGE = 1 - 5	15034	27.04
		91 = NEVER USED.....	23365	42.02
		93 = DID NOT USE CIGARETTES PAST MONTH.....	17128	30.80
		94 = DON'T KNOW.....	36	0.06
		97 = REFUSED.....	15	0.03
		98 = BLANK/DID NOT ANSWER.....	24	0.04
IICGINFL	2	IMPUTATION INDICATOR - IRCGINFL		
		1 = QUESTIONNAIRE DATA.....	15025	27.02
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	9	0.02
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	40493	72.83
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	75	0.13
IRCGNINF	12	IMP REVISED - SMOKING NOT AFFECTED BY OTH THINGS		
		RANGE = 1 - 5	15039	27.05
		91 = NEVER USED.....	23365	42.02
		93 = DID NOT USE CIGARETTES PAST MONTH.....	17128	30.80
		94 = DON'T KNOW.....	30	0.05
		97 = REFUSED.....	16	0.03
		98 = BLANK/DID NOT ANSWER.....	24	0.04
IICGNINF	2	IMPUTATION INDICATOR - IRCGNINF		
		1 = QUESTIONNAIRE DATA.....	15027	27.03
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	12	0.02
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	40493	72.83
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	70	0.13
IRCGINCR	12	IMP REV - AMT OF SMOKING INCR. SINCE START SMOKING		
		RANGE = 0.9633297384 - 5	15052	27.07
		91 = NEVER USED.....	23365	42.02
		93 = DID NOT USE CIGARETTES PAST MONTH.....	17128	30.80
		94 = DON'T KNOW.....	21	0.04
		97 = REFUSED.....	12	0.02
		98 = BLANK/DID NOT ANSWER.....	24	0.04
IICGINCR	2	IMPUTATION INDICATOR - IRCGINCR		
		1 = QUESTIONNAIRE DATA.....	15042	27.05
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	10	0.02
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	40493	72.83
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	57	0.10

IMPUTED SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	302
LABEL	LEN	DESCRIPTION	FREQ	%
IRCGSAT	12	IMP REV - NEED TO SMOKE A LOT MORE TO BE SATISFIED		-
	RANGE	= 1 - 5	15053	27.07
		91 = NEVER USED.....	23365	42.02
		93 = DID NOT USE CIGARETTES PAST MONTH.....	17128	30.80
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	14	0.03
		98 = BLANK/DID NOT ANSWER.....	24	0.04
IICGSAT	2	IMPUTATION INDICATOR - IRCGSAT		
		1 = QUESTIONNAIRE DATA.....	15050	27.07
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	3	0.01
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	40493	72.83
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	56	0.10
IRCGLMR	12	IMP REV - SMOKE MUCH MORE NOW BEFORE FEEL ANYTHING		
	RANGE	= 1 - 5	15038	27.05
		91 = NEVER USED.....	23365	42.02
		93 = DID NOT USE CIGARETTES PAST MONTH.....	17128	30.80
		94 = DON'T KNOW.....	32	0.06
		97 = REFUSED.....	15	0.03
		98 = BLANK/DID NOT ANSWER.....	24	0.04
IICGLMR	2	IMPUTATION INDICATOR - IRCGLMR		
		1 = QUESTIONNAIRE DATA.....	14992	26.96
		3 = STATISTICALLY IMPUTED, OTHER 16 NDSS VARS NONMSNG.	46	0.08
		9 = NEVER USED CIGARETTES, OR DIDN'T USE IN PST 30 DYS	40493	72.83
		98 = MISSING, NOT IMPUTED, <16 NDSS VARIABLES NONMSNG..	71	0.13

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	303
				FREQ	%
RECODED SUBSTANCE DEPENDENCE AND ABUSE					

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from the following two sections: Substance Dependence and Abuse or Imputed Substance Dependence and Abuse.					

NOTE: The following recoded dependence variables were defined based on the dependence criteria according to the Nicotine Dependence Syndrome Scale (NDSS) and the Fagerstrom Test of Nicotine Dependence (FTND) for respondents who reported smoking cigarettes in the past month. These variables NDSSANSP, NDSSDNP, FTNDDNP, and DNICNSP are comparable to the variables created in previous NSDUHs that reference exclusion of respondents who smoked specialty cigarettes only. Since the specialty cigarettes module was removed from the 2004 CAI specifications, any reference to specialty cigarettes in the labels of these variables has been removed. The NDSS score, NDSSANSP, is calculated as the average score over 17 questions pertaining to five aspects of dependence. This average score was only computed for those respondents who answered all 17 questions. Respondents who did not have valid responses for all 17 questions were coded as SAS missing. Based on the NDSS score a respondent was defined as having nicotine dependence, NDSSDNP, if their average score was greater than or equal to 2.75. The FTND measure is defined by assessing how soon after waking a respondent had their first cigarette (CIGWAKE). Based on the FTND scale, a respondent was defined as having nicotine dependence, FTNDDNP, if the first cigarette was smoked within 30 minutes of waking up on the days they smoked and the respondent reported smoking cigarettes in the past month. Based on the NDSS and the FTND, a respondent who reported smoking cigarettes was defined as having nicotine dependence in the past month, DNICNSP, if they met either the NDSS or the FTND criteria for dependence. Specific details for each of the nicotine dependence related variables are provided in the Recode Substance Dependence and Abuse Variable Documentation Appendix.					

NDSSANSP	12	NDSS SCORE			
		RANGE = 1 - 5		14971	26.93
		. = Unknown (See comment above).....		40631	73.07
NDSSDNP	1	NICOTINE DEPENDENCE BASED ON NDSS SCORE			
		0 = No/Unknown (NDSSANSP<2.75 or missing).....		50054	90.02
		1 = Yes (NDSSANSP>=2.75).....		5548	9.98
FTNDDNP	1	NICOTINE DEPENDENCE BASED ON FTND SCALE			
		0 = No (Otherwise).....		49224	88.53
		1 = Yes (CIGWAKE=1 or 2).....		6378	11.47
DNICNSP	1	NICOTINE (CIG) DEPENDENCE IN PAST MONTH			
		0 = No (NDSSDNP=0 and FTNDDNP=0).....		47807	85.98
		1 = Yes (NDSSDNP=1 or FTNDDNP=1).....		7795	14.02

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	304
				FREQ	%
-----	-----	-----	-----	-----	-
NOTE: The following recoded dependence variables were defined based on the dependence criteria listed in the Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition (DSM-IV). Specific details for each of the 10 individual drug dependence variables are provided in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.					
A respondent was defined as having marijuana, inhalant, hallucinogen, or tranquilizer dependence (DEPNDMRJ, DEPNDINH, DEPNDHAL, DEPNDTRN) if the respondent reported a positive response to 3 or more of these 6 dependence criteria:					
<ul style="list-style-type: none"> (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of the substance (XXXLOTTM=1 or XXXGTOVR=1) (2) Unable to keep set limits on substance use or used more often than intended (XXXKPLMT=2) (3) Needed to use substance more than before to get desired effects or noticed that using the same amount had less effect than before (XXXNDMOR=1 or XXXLSEFX=1) (4) Unable to cut down or stop using the substance every time he or she tried or wanted to (XXXCUTEV=2) (5) Continued to use substance even though it was causing problems with emotions, nerves, mental health, or physical problems (XXXEMCTD=1 or XXXPHCTD=1) (6) Reduced or gave up participation in important activities due to substance use (XXXLSACT=1) 					
An additional question pertaining to withdrawal symptoms was asked for the following 6 drugs: alcohol, pain relievers, cocaine, heroin, sedatives, and stimulants. The withdrawal question asked the respondent if they had experienced substance specific withdrawal symptoms at one time that lasted for longer than a day after they cut back or stopped using. The specific number and type of listed withdrawal symptoms varied by substance. A respondent was defined as having alcohol, pain reliever, cocaine, heroin, sedative, or stimulant dependence (DEPNDALC, DEPNDANL, DEPNDCCOC, DEPNDHER, DEPNDSED, DEPNDSTM) if the respondent reported a positive response to 3 or more of the 7 dependence criteria (including the six standard criteria listed above plus a seventh withdrawal symptom criteria).					
Given the current editing and imputation procedures, along with the use of both core and non-core questions to determine whether or not a respondent was asked the substance dependence and withdrawal questions, it is possible for these dependence recode variables to be inconsistent with the imputed substance use and frequency of use variables. The types of inconsistencies that can occur differ by substance since different combinations of the skip logic criteria were used for each substance. Specific details about these inconsistencies are included in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.					
DEPNDALC	1	ALCOHOL DEPENDENCE IN THE PAST YEAR			
		0 = No/Unknown (Otherwise).....	53139	95.57	
		1 = Yes (See comment above).....	2463	4.43	

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	305
				FREQ	%
DEPNDANL	1	PAIN RELIEVER DEPENDENCE IN THE PAST YEAR	0 = No/Unknown (Otherwise)..... 1 = Yes (See comment above).....	55227 375	99.33 0.67
DEPNDCCOC	1	COCAINE DEPENDENCE IN THE PAST YEAR	0 = No/Unknown (Otherwise)..... 1 = Yes (See comment above).....	55271 331	99.40 0.60
DEPNDHAL	1	HALLUCINOGEN DEPENDENCE IN THE PAST YEAR	0 = No/Unknown (Otherwise)..... 1 = Yes (See comment above).....	55508 94	99.83 0.17
DEPNDHER	1	HEROIN DEPENDENCE IN THE PAST YEAR	0 = No/Unknown (Otherwise)..... 1 = Yes (See comment above).....	55539 63	99.89 0.11
DEPNDINH	1	INHALANT DEPENDENCE IN THE PAST YEAR	0 = No/Unknown (Otherwise)..... 1 = Yes (See comment above).....	55549 53	99.90 0.10
DEPNDMRJ	1	MARIJUANA DEPENDENCE IN THE PAST YEAR	0 = No/Unknown (Otherwise)..... 1 = Yes (See comment above).....	54382 1220	97.81 2.19
DEPNDSED	1	SEDATIVE DEPENDENCE IN THE PAST YEAR	0 = No/Unknown (Otherwise)..... 1 = Yes (See comment above).....	55577 25	99.96 0.04
DEPNDSTM	1	STIMULANT DEPENDENCE IN THE PAST YEAR	0 = No/Unknown (Otherwise)..... 1 = Yes (See comment above).....	55472 130	99.77 0.23
DEPNDTRN	1	TRANQUILIZER DEPENDENCE IN THE PAST YEAR	0 = No/Unknown (Otherwise)..... 1 = Yes (See comment above).....	55522 80	99.86 0.14
A respondent was defined as having illicit drug dependence, DEPNDILL, if the respondent was classified as dependent (see dependence criteria listed above) on any of these following substances: marijuana (DEPNDMRJ), hallucinogens (DEPNDHAL), inhalants (DEPNDINH), tranquilizers (DEPNDTRN), cocaine (DEPNDCCOC), heroin (DEPNDHER), pain relievers (DEPNDANL), stimulants (DEPNDSTM), or sedatives (DEPNDSED).					
DEPNDILL	1	ILLICIT DRUG DEPENDENCE IN THE PAST YEAR	0 = No/Unknown (Otherwise)..... 1 = Yes (Any source variable listed above=1).....	53709 1893	96.60 3.40

RECODED SUBSTANCE DEPENDENCE AND ABUSE			PAGE:	306
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
		A respondent was defined with dependence on any illicit drug other than marijuana, DEPNDIEM, if the respondent was classified as being dependent (see dependence criteria listed above) on any one of these following substances: hallucinogens (DEPNDHAL), inhalants (DEPNDINH), tranquilizers (DEPNDTRN), cocaine (DEPNDCC), heroin (DEPNDHER), pain relievers (DEPNDANL), stimulants (DEPNDSTM), or sedatives (DEPNDSED). A respondent's marijuana dependency status is not considered in the creation of this variable.		
DEPNDIEM	1	ILLICIT DRUG OTHER THAN MARIJUANA DEP IN PAST YR		
		0 = No/Unknown (Otherwise).....	54716	98.41
		1 = Yes (Any source variable listed above=1).....	886	1.59
		A respondent was defined with dependence on any illicit drug excluding marijuana and not dependent on marijuana, DEPNDXMJ, if the respondent was classified as being not marijuana dependent (DEPNDMRJ=0), but being dependent (see dependence criteria listed above) on any one of these following substances: hallucinogens (DEPNDHAL), inhalants (DEPNDINH), tranquilizers (DEPNDTRN), cocaine (DEPNDCC), heroin (DEPNDHER), pain relievers (DEPNDANL), stimulants (DEPNDSTM), or sedatives (DEPNDSED).		
DEPNDXMJ	1	ILLICIT DRUG EXCLUDING MARIJUANA DEP IN PAST YR		
		0 = No/Unknown (Otherwise).....	54929	98.79
		1 = Yes (DEPNDMRJ=0 & any other source variable=1)....	673	1.21
DEPNDPSY	1	PSYCHOTHERAPEUTIC DEPENDENCE IN THE PAST YR		
		0 = No/Unknown (Otherwise).....	55090	99.08
		1 = Yes (DEPNDTRN, DEPNDANL, DEPNDSTM, OR DEPNDSED=1)....	512	0.92
DPILLALC	1	ILLICIT DRUG OR ALCOHOL DEPENDENCE IN PAST YR		
		0 = No/Unknown (DEPNDILL=0 and DEPNDALC=0).....	51799	93.16
		1 = Yes (DEPNDILL=1 or DEPNDALC=1).....	3803	6.84
DPILANAL	1	ILLICIT DRUGS AND ALCOHOL DEPENDENCE IN PAST YR		
		0 = No/Unknown (DEPNDILL=0 or DEPNDALC=0).....	55049	99.01
		1 = Yes (DEPNDILL=1 and DEPNDALC=1).....	553	0.99

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	307
				FREQ	%

NOTE: The following abuse variables were defined based on the abuse criteria listed in the Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition (DSM-IV). Specific details for each of the 10 individual substance abuse variables are provided in the Recoded Substance Dependence and Abuse Variable Documentation Appendix. A respondent was defined as having alcohol, marijuana, cocaine, heroin, hallucinogen, inhalant, pain reliever, tranquilizer, stimulant, or sedative abuse (ABUSEALC, ABUSEMRJ, ABUSECOC, ABUSEHER, ABUSEHAL, ABUSEINH, ABUSEANL, ABUSETRN, ABUSESTM, ABUSESED) if they reported a positive response to one or more of the following four abuse criteria:					
<ul style="list-style-type: none"> (1) Respondent reported having serious problems due to substance use at home, work or school (XXXSERPB=1) (2) Respondent reported using substance regularly and then did something where substance use might have put them in physical danger (XXXPDANG=1) (3) Respondent reporting substance use causing actions that repeatedly got them in trouble with the law (XXXLAWTR=1) (4) Respondent reported having problems caused by substance use with family or friends (XXXFMPB=1) and continued to use substance even though it was thought to be causing problems with family and friends (XXFMCTD=1) 					
<p>Given the current editing and imputation procedures, along with the use of both core and non-core questions to determine whether or not a respondent was asked the abuse questions, it is possible for these abuse recode variables to be inconsistent with the imputed substance use and frequency of use variables. The types of inconsistencies that can occur differ by substance since different combinations of the skip logic criteria were used for each substance. Specific details about these inconsistencies are included in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.</p>					
ABUSEALC	1	ALCOHOL ABUSE - PAST YEAR			
		0 = No/Unknown (Otherwise).....	52219	93.92	
		1 = Yes (Any one of above criteria and DEPNDALC=0)....	3383	6.08	
ABUSEANL	1	PRESCRIPTION PAIN RELIEVER ABUSE - PAST YEAR			
		0 = No/Unknown (Otherwise).....	55390	99.62	
		1 = Yes (Any one of above criteria and DEPNDANL=0)....	212	0.38	
ABUSECOC	1	COCAINE ABUSE - PAST YEAR			
		0 = No/Unknown (Otherwise).....	55454	99.73	
		1 = Yes (Any one of above criteria and DEPNDcoc=0)....	148	0.27	
ABUSEHAL	1	HALLUCINOGEN ABUSE - PAST YEAR			
		0 = No/Unknown (Otherwise).....	55481	99.78	
		1 = Yes (Any one of above criteria and DEPNDHAL=0)....	121	0.22	
ABUSEHER	1	HEROIN ABUSE - PAST YEAR			
		0 = No/Unknown (Otherwise).....	55587	99.97	
		1 = Yes (Any one of above criteria and DEPNDHER=0)....	15	0.03	

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	308
				FREQ	%
ABUSEINH	1	INHALANT ABUSE - PAST YEAR			-
		0 = No/Unknown (Otherwise).....	55512	99.84	
		1 = Yes (Any one of above criteria and DEPNDINH=0)....	90	0.16	
ABUSEMRJ	1	MARIJUANA ABUSE - PAST YEAR			
		0 = No/Unknown (Otherwise).....	54762	98.49	
		1 = Yes (Any one of above criteria and DEPNDMRJ=0)....	840	1.51	
ABUSESED	1	SEDATIVE ABUSE - PAST YEAR			
		0 = No/Unknown (Otherwise).....	55589	99.98	
		1 = Yes (Any one of above criteria and DEPNDSED=0)....	13	0.02	
ABUSESTM	1	STIMULANT ABUSE - PAST YEAR			
		0 = No/Unknown (Otherwise).....	55540	99.89	
		1 = Yes (Any one of above criteria and DEPNDSTM=0)....	62	0.11	
ABUSETRN	1	TRANQUILIZER ABUSE - PAST YEAR			
		0 = No/Unknown (Otherwise).....	55495	99.81	
		1 = Yes (Any one of above criteria and DEPNDTRN=0)....	107	0.19	
Any illicit drug abuse, ABUSEILL, is defined as abusing (see abuse criteria listed above) any of the following substances: marijuana (ABUSEMRJ), hallucinogens (ABUSEHAL), inhalants (ABUSEINH), tranquilizers (ABUSETRN), cocaine (ABUSECOC), heroin (ABUSEHER), pain relievers (ABUSEANL), stimulants (ABUSESTM), or sedatives (ABUSESED).					
ABUSEILL	1	ANY ILLICIT DRUG ABUSE - PAST YEAR			
		0 = No/Unknown (Otherwise).....	54515	98.05	
		1 = Yes (Any source variable above=1 & DEPNDILL=0)....	1087	1.95	
Any illicit drug abuse other than marijuana abuse, ABUSEIEM, is defined as abusing (see abuse criteria listed above) any one of the following illicit drugs: hallucinogens (ABUSEHAL), inhalants (ABUSEINH), tranquilizers (ABUSETRN), cocaine (ABUSECOC), heroin (ABUSEHER), pain relievers (ABUSEANL), stimulants (ABUSESTM), or sedatives (ABUSESED). A respondent's marijuana abuse status is not considered in the creation of this variable.					
ABUSEIEM	1	ANY ILLICIT DRG OTHER THAN MARIJUANA ABUSE-PST YR			
		0 = No/Unknown (Otherwise).....	55117	99.13	
		1 = Yes (Any source variable above=1 & DEPNDIEM=0)....	485	0.87	
Any illicit drug excluding marijuana abuse, ABUSEXMJ, is defined as abusing (see abuse criteria listed above) any one of the following illicit drugs excluding marijuana: hallucinogens (ABUSEHAL), inhalants (ABUSEINH), tranquilizers (ABUSETRN), cocaine (ABUSECOC), heroin (ABUSEHER), pain relievers (ABUSEANL), stimulants (ABUSESTM), or sedatives (ABUSESED).					
ABUSEXMJ	1	ANY ILLICIT DRG EXCLUDING MARIJUANA ABUSE-PST YR			
		0 = No/Unknown (Otherwise).....	55153	99.19	
		1 = Yes (Any above var=1 & ABUSEMRJ=0 & DEPNDXMJ=0)...	449	0.81	

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	309
				FREQ	%

		Non-medical prescription psychotherapeutic drug abuse, ABUSEPSY, is defined as abusing (see abuse criteria listed above) any one of the following drugs: pain relievers (ABUSEANL), tranquilizers (ABUSETRN), stimulants (ABUSESTM), or sedatives (ABUSESED).			-
ABUSEPSY	1	NON-MEDICAL PSYCHOTHERAPEUTIC DRUG ABUSE - PAST YR			
		0 = No/Unknown (Otherwise).....	55314	99.48	
		1 = Yes (Any source variable above=1 & DEPNDPSY=0)....	288	0.52	
ABILLALC	1	ANY ILLICIT DRUG OR ALCOHOL ABUSE - PAST YEAR			
		0 = No/Unknown (ABUSEILL=0 and ABUSEALC=0).....	51463	92.56	
		1 = Yes (ABUSEILL=1 or ABUSEALC=1).....	4139	7.44	
ABILANAL	1	ANY ILLICIT DRUG AND ALCOHOL ABUSE - PAST YEAR			
		0 = No/Unknown (Otherwise).....	55271	99.40	
		1 = Yes (ABUSEILL=1 & ABUSEALC=1 & DPILLALC=0).....	331	0.60	
NOTE: The following variables were created by using a combination of the abuse and dependence variables.					
Specifications on how the individual abuse and dependence variables were defined can be found on the previous pages and in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.					
ABODALC	1	ALCOHOL ABUSE OR DEPENDENCE - PAST YEAR			
		0 = No/Unknown (ABUSEALC=0 and DEPNDALC=0).....	49756	89.49	
		1 = Yes (ABUSEALC=1 or DEPNDALC=1).....	5846	10.51	
ABODANL	1	PAIN RELIEVER ABUSE OR DEPENDENCE - PAST YEAR			
		0 = No/Unknown (ABUSEANL=0 and DEPNDANL=0).....	55015	98.94	
		1 = Yes (ABUSEANL=1 or DEPNDANL=1).....	587	1.06	
ABODCOC	1	COCAINE ABUSE OR DEPENDENCE - PAST YEAR			
		0 = No/Unknown (ABUSECOC=0 and DEPNDCCOC=0).....	55123	99.14	
		1 = Yes (ABUSECOC=1 or DEPNDCCOC=1).....	479	0.86	
ABODHAL	1	HALLUCINOGEN ABUSE OR DEPENDENCE - PAST YEAR			
		0 = No/Unknown (ABUSEHAL=0 and DEPNDHAL=0).....	55387	99.61	
		1 = Yes (ABUSEHAL=1 or DEPNDHAL=1).....	215	0.39	
ABODHER	1	HEROIN ABUSE OR DEPENDENCE - PAST YEAR			
		0 = No/Unknown (ABUSEHER=0 and DEPNDHER=0).....	55524	99.86	
		1 = Yes (ABUSEHER=1 or DEPNDHER=1).....	78	0.14	
ABODINH	1	INHALANT ABUSE OR DEPENDENCE - PAST YEAR			
		0 = No/Unknown (ABUSEINH=0 and DEPNDINH=0).....	55459	99.74	
		1 = Yes (ABUSEINH=1 or DEPNDINH=1).....	143	0.26	
ABODMRJ	1	MARIJUANA ABUSE OR DEPENDENCE - PAST YEAR			
		0 = No/Unknown (ABUSEMRJ=0 and DEPNDMRJ=0).....	53542	96.30	
		1 = Yes (ABUSEMRJ=1 or DEPNDMRJ=1).....	2060	3.70	
ABODSED	1	SEDATIVE ABUSE OR DEPENDENCE - PAST YEAR			
		0 = No/Unknown (ABUSESED=0 and DEPNDSED=0).....	55564	99.93	
		1 = Yes (ABUSESED=1 or DEPNDSED=1).....	38	0.07	

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE DEPENDENCE AND ABUSE	PAGE:	310
				FREQ	%
-----	-----	-----	-----	-----	-
ABODSTM	1	STIMULANT ABUSE OR DEPENDENCE - PAST YEAR	0 = No/Unknown (ABUSESTM=0 and DEPNDSTM=0)..... 1 = Yes (ABUSESTM=1 or DEPNDSTM=1).....	55410	99.65
				192	0.35
ABODTRN	1	TRANQUILIZER ABUSE OR DEPENDENCE - PAST YEAR	0 = No/Unknown (ABUSETRN=0 and DEPNDTRN=0)..... 1 = Yes (ABUSETRN=1 or DEPNDTRN=1).....	55415	99.66
				187	0.34
ABODILL	1	ANY ILLICIT DRUG ABUSE OR DEPENDENCE - PAST YEAR	0 = No/Unknown (ABUSEILL=0 and DEPNDILL=0)..... 1 = Yes (ABUSEILL=1 or DEPNDILL=1).....	52622	94.64
				2980	5.36
ABODIEM	0	ANY ILL DRG OTHER THAN MRJ ABUSE OR DEP - PST YR	0 = No/Unknown (DEPNDIEM=0 and ABUSEIEM=0)..... 1 = Yes (DEPNDIEM=1 or ABUSEIEM=1).....	54231	97.53
				1371	2.47
ABODPSY	1	PSYCHOTHERAPEUTIC ABUSE OR DEPENDENCE - PAST YEAR	0 = No/Unknown (ABUSEPSY=0 and DEPNDPSY=0)..... 1 = Yes (ABUSEPSY=1 or DEPNDPSY=1).....	54802	98.56
				800	1.44
ABODILAL	1	ANY ILLICIT DRUG OR ALCOHOL ABUSE OR DEP - PST YR	0 = No/Unknown (ABILLALC=0 and DPILLALC=0)..... 1 = Yes (ABILLALC=1 or DPILLALC=1).....	48254	86.78
				7348	13.22
ABDILAAL	1	ANY ILLICIT DRUG AND ALCOHOL ABUSE OR DEP - PST YR	0 = No/Unknown (ABODILL=0 or ABODALC=0)..... 1 = Yes (ABODILL=1 and ABODALC=1).....	54124	97.34
				1478	2.66

LABEL	LEN	DESCRIPTION	SPECIAL TOPICS	PAGE:	311
				FREQ	%
<hr/>					
(SP01) SPECIAL TOPICS					
<hr/>					
The next questions are about encounters with the police or the court system.					
<hr/>					
Not counting minor traffic violations, have you ever been arrested and booked for breaking the law?					
<hr/>					
Being 'booked' means that you were taken into custody and processed by the police or by someone connected with the courts, even if you were then released.					
<hr/>					
BOOKED	2	1 EVER ARRESTED AND BOOKED FOR BREAKING THE LAW			
		1 = Yes.....	8187	14.72	
		2 = No.....	46623	83.85	
		3 = Yes LOGICALLY ASSIGNED.....	633	1.14	
		94 = DON'T KNOW.....	52	0.09	
		97 = REFUSED.....	100	0.18	
		98 = BLANK (NO ANSWER).....	7	0.01	
<hr/>					
(SP02)		Not counting minor traffic violations, how many times during the past 12 months have you been arrested and booked for breaking a law?			
<hr/>					
NOBOOKY2	3	1# TIMES ARRESTED AND BOOKED PAST 12 MONTHS			
		0 = None.....	5547	9.98	
		1 = One time.....	1873	3.37	
		2 = Two times.....	442	0.79	
		3 = Three or more times.....	264	0.47	
		994 = DON'T KNOW.....	24	0.04	
		997 = REFUSED.....	137	0.25	
		998 = BLANK (NO ANSWER).....	692	1.24	
		999 = LEGITIMATE SKIP (BOOKED=2).....	46623	83.85	
<hr/>					
(SP03A)		The next questions are about offenses that are against the law. As you read each question, please answer whether you were arrested and booked for that offense during the past 12 months.			
<hr/>					
In the past 12 months, were you arrested and booked for motor vehicle theft?					
<hr/>					
BKMOVTHFT	2	1ARRSTD & BOOKED FOR MOT VEH THEFT PAST 12 MONTHS			
		1 = Yes.....	107	0.19	
		2 = No.....	2521	4.53	
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00	
		85 = BAD DATA Logically assigned.....	6	0.01	
		89 = LEGITIMATE SKIP Logically assigned.....	274	0.49	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	102	0.18	
		98 = BLANK (NO ANSWER).....	693	1.25	
		99 = LEGITIMATE SKIP.....	51896	93.33	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL TOPICS			PAGE:	312
LABEL	LEN	DESCRIPTION	FREQ	%
(SP03B)		In the past 12 months, were you arrested and booked for larceny or theft? Do not include motor vehicle theft.		-
BKLARCNY	2	1ARRSTD & BOOKED FOR LARCENY/THEFT PAST 12 MONTHS		
		1 = Yes.....	352	0.63
		2 = No.....	2254	4.05
		3 = Yes LOGICALLY ASSIGNED.....	23	0.04
		85 = BAD DATA Logically assigned.....	6	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	274	0.49
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	101	0.18
		98 = BLANK (NO ANSWER).....	693	1.25
		99 = LEGITIMATE SKIP.....	51896	93.33
(SP03C)		In the past 12 months, were you arrested and booked for burglary or breaking and entering?		
BKBURGL	2	1ARRSTD & BOOKED FOR BURGLARY/B & E PAST 12 MOS		
		1 = Yes.....	154	0.28
		2 = No.....	2472	4.45
		3 = Yes LOGICALLY ASSIGNED.....	3	0.01
		85 = BAD DATA Logically assigned.....	6	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	274	0.49
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	102	0.18
		98 = BLANK (NO ANSWER).....	693	1.25
		99 = LEGITIMATE SKIP.....	51896	93.33
(SP03D)		In the past 12 months, were you arrested and booked for aggravated assault?		
BKAGASLT	2	1ARRSTD & BOOKED FOR AGGRAVATED ASSAULT PAST 12 MOS		
		1 = Yes.....	258	0.46
		2 = No.....	2365	4.25
		3 = Yes LOGICALLY ASSIGNED.....	3	0.01
		85 = BAD DATA Logically assigned.....	6	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	274	0.49
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	102	0.18
		98 = BLANK (NO ANSWER).....	693	1.25
		99 = LEGITIMATE SKIP.....	51896	93.33
(SP03E)		In the past 12 months, were you arrested and booked for other assault, such as simple assault or battery?		
BKSMASLT	2	1ARRSTD & BOOKED FOR OTHER ASSAULT PAST 12 MONTHS		
		1 = Yes.....	419	0.75
		2 = No.....	2160	3.88
		3 = Yes LOGICALLY ASSIGNED.....	50	0.09
		85 = BAD DATA Logically assigned.....	6	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	274	0.49
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	103	0.19
		98 = BLANK (NO ANSWER).....	693	1.25
		99 = LEGITIMATE SKIP.....	51896	93.33

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL TOPICS			PAGE:	313
LABEL	LEN	DESCRIPTION	FREQ	%
(SP03F)		In the past 12 months, were you arrested and booked for robbery?		-
BKROB	2	1ARRSTD & BOOKED FOR ROBBERY PAST 12 MONTHS		
		1 = Yes.....	73	0.13
		2 = No.....	2555	4.60
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		85 = BAD DATA Logically assigned.....	6	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	274	0.49
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	103	0.19
		98 = BLANK (NO ANSWER).....	693	1.25
		99 = LEGITIMATE SKIP.....	51896	93.33
(SP03G)		In the past 12 months, were you arrested and booked for forcible rape?		
BKRAPE	2	1ARRSTD & BOOKED FOR FORCIBLE RAPE PAST 12 MONTHS		
		1 = Yes.....	12	0.02
		2 = No.....	2616	4.70
		85 = BAD DATA Logically assigned.....	6	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	274	0.49
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	101	0.18
		98 = BLANK (NO ANSWER).....	693	1.25
		99 = LEGITIMATE SKIP.....	51896	93.33
(SP03H)		In the past 12 months, were you arrested and booked for murder, homicide, or nonnegligent manslaughter?		
BKMURDER	2	1ARRSTD & BOOKED FOR MURDER/HOMICIDE PAST 12 MONTHS		
		1 = Yes.....	13	0.02
		2 = No.....	2615	4.70
		85 = BAD DATA Logically assigned.....	6	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	274	0.49
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	102	0.18
		98 = BLANK (NO ANSWER).....	693	1.25
		99 = LEGITIMATE SKIP.....	51896	93.33
(SP03I)		In the past 12 months, were you arrested and booked for arson?		
BKARSON	2	1ARRSTD & BOOKED FOR ARSON PAST 12 MONTHS		
		1 = Yes.....	36	0.06
		2 = No.....	2591	4.66
		85 = BAD DATA Logically assigned.....	6	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	274	0.49
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	102	0.18
		98 = BLANK (NO ANSWER).....	693	1.25
		99 = LEGITIMATE SKIP.....	51896	93.33

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL TOPICS			PAGE:	314
LABEL	LEN	DESCRIPTION	FREQ	%
(SP03J)		In the past 12 months, were you arrested and booked for driving under the influence of alcohol or drugs?		-
BKDRVINF	2	1ARRSTD & BOOKED FOR DUI PAST 12 MONTHS		
		1 = Yes.....	456	0.82
		2 = No.....	2167	3.90
		3 = Yes LOGICALLY ASSIGNED.....	4	0.01
		85 = BAD DATA Logically assigned.....	6	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	274	0.49
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	103	0.19
		98 = BLANK (NO ANSWER).....	693	1.25
		99 = LEGITIMATE SKIP.....	51896	93.33
(SP03K)		In the past 12 months, were you arrested and booked for drunkenness or other liquor law violations?		
BKDRUNK	2	1ARRSTD & BOOKED FOR DRUNKENNESS PAST 12 MONTHS		
		1 = Yes.....	495	0.89
		2 = No.....	2108	3.79
		3 = Yes LOGICALLY ASSIGNED.....	23	0.04
		85 = BAD DATA Logically assigned.....	6	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	274	0.49
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	105	0.19
		98 = BLANK (NO ANSWER).....	693	1.25
		99 = LEGITIMATE SKIP.....	51896	93.33
(SP03L)		In the past 12 months, were you arrested and booked for possession of tobacco?		
BKPOSTTOB	2	1ARRSTD & BOOKED FOR POSSES OF TOB PAST 12 MOS		
		1 = Yes.....	53	0.10
		2 = No.....	724	1.30
		85 = BAD DATA Logically assigned.....	3	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	26	0.05
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	24	0.04
		98 = BLANK (NO ANSWER).....	342	0.62
		99 = LEGITIMATE SKIP.....	54429	97.89
(SP03M)		In the past 12 months, were you arrested and booked for possession, manufacture, or sale of drugs?		
BKDRUG	2	1ARRSTD & BOOKED FOR POSSES/SALE DRUGS PAST 12 MOS		
		1 = Yes.....	397	0.71
		2 = No.....	2211	3.98
		3 = Yes LOGICALLY ASSIGNED.....	16	0.03
		85 = BAD DATA Logically assigned.....	6	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	274	0.49
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	106	0.19
		98 = BLANK (NO ANSWER).....	693	1.25
		99 = LEGITIMATE SKIP.....	51896	93.33

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL TOPICS			PAGE:	315
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
(SP03N) In the past 12 months, were you arrested and booked for prostitution or commercialized sex?				
<hr/>				
BKPROS	2	1ARRSTD & BOOKED FOR PROSTITUTION PAST 12 MONTHS		
		1 = Yes.....	25	0.04
		2 = No.....	2602	4.68
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		85 = BAD DATA Logically assigned.....	6	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	274	0.49
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	103	0.19
		98 = BLANK (NO ANSWER).....	693	1.25
		99 = LEGITIMATE SKIP.....	51896	93.33
<hr/>				
(SP03O) In the past 12 months, were you arrested and booked for any other sexual offense, not including rape or prostitution?				
<hr/>				
BKSEXOFF	2	1ARRSTD & BOOKED FOR OTH SEX OFFENSE PST 12 MOS		
		1 = Yes.....	38	0.07
		2 = No.....	2587	4.65
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00
		85 = BAD DATA Logically assigned.....	6	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	274	0.49
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	104	0.19
		98 = BLANK (NO ANSWER).....	693	1.25
		99 = LEGITIMATE SKIP.....	51896	93.33
<hr/>				
(SP03P) In the past 12 months, were you arrested and booked for fraud, possessing stolen goods, or vandalism?				
<hr/>				
BKFRAUD	2	1ARRSTD & BOOKED FOR FRAUD/STOL GOODS PAST 12 MOS		
		1 = Yes.....	152	0.27
		2 = No.....	2439	4.39
		3 = Yes LOGICALLY ASSIGNED.....	36	0.06
		85 = BAD DATA Logically assigned.....	6	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	274	0.49
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	104	0.19
		98 = BLANK (NO ANSWER).....	693	1.25
		99 = LEGITIMATE SKIP.....	51896	93.33

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SPECIAL TOPICS	PAGE:	316
				FREQ	%
(SP03Q)		NOTE: For the variable BKOTH, a code of 3 indicates that respondents did not originally answer "yes" to any of the questions about specific offenses for which they were arrested/booked in the past 12 months, including the question about "some other offense." However, these respondents subsequently specified a valid response for an offense in the past 12 months. A code of 5 in BKOTH indicates that respondents reported being arrested/booked at least once in the past 12 months but did not indicate at least one offense for which they were arrested in that period.			-
		In the past 12 months, were you arrested and booked for some other offense besides these that have been named? Please do not include minor traffic violations.			
BKOTH	2	1ARRSTD & BOOKED FOR SOME OTHER OFF PAST 12 MOS			
		1 = Yes.....	647	1.16	
		2 = No.....	1704	3.06	
		3 = Yes LOGICALLY ASSIGNED.....	125	0.22	
		5 = Offense unknown.....	151	0.27	
		85 = BAD DATA Logically assigned.....	5	0.01	
		89 = LEGITIMATE SKIP Logically assigned.....	274	0.49	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	105	0.19	
		98 = BLANK (NO ANSWER).....	693	1.25	
		99 = LEGITIMATE SKIP.....	51896	93.33	

¹The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL TOPICS			PAGE:	317
LABEL	LEN	DESCRIPTION	FREQ	%
BKOTHOF2	2	10 OTHER OFFENSE PAST 12 MONTHS - SPECIFY		-
		1 = Motor vehicle theft.....	2	0.00
		2 = Larceny or theft.....	27	0.05
		3 = Burglary or breaking and entering.....	3	0.01
		4 = Aggravated assault.....	6	0.01
		5 = Other assault, such as simple assault or battery..	58	0.10
		6 = Robbery.....	1	0.00
		10 = Driving under the influence of alcohol or drugs..	5	0.01
		11 = Drunkenness or other liquor law violation.....	37	0.07
		12 = Possession of tobacco.....	1	0.00
		13 = Possession, manufacture, or sale of drugs.....	21	0.04
		14 = Prostitution or commercialized sex.....	1	0.00
		15 = Any other sexual offense, exc rape/prostitution...	1	0.00
		16 = Fraud, possessing stolen goods, vandalism.....	36	0.06
		17 = Some other offense.....	3	0.01
		18 = Weapons law violations.....	26	0.05
		19 = Counterfeiting/Forgery.....	6	0.01
		20 = Violation of court order, parole, probation.....	79	0.14
		21 = Disorderly conduct.....	66	0.12
		22 = Juvenile status offenses.....	9	0.02
		23 = All oth offns: crimes agnst persons/prpty/society	22	0.04
		24 = Traffic violations.....	68	0.12
		25 = Bad checks.....	23	0.04
		26 = Curfew/loitering/vagrancy violations.....	18	0.03
		27 = Trespass of real property.....	34	0.06
		28 = Runaway.....	18	0.03
		29 = Family offenses, nonviolent.....	10	0.02
		31 = Intimidation.....	18	0.03
		36 = Possession of drug paraphernalia.....	3	0.01
		37 = Fireworks law/code violation.....	3	0.01
		38 = Evading/hindering/obstructing police.....	26	0.05
		39 = False report/statement/alarm.....	3	0.01
		85 = BAD DATA Logically assigned.....	43	0.08
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	128	0.23
		98 = BLANK (NO ANSWER).....	911	1.64
		99 = LEGITIMATE SKIP.....	53874	96.89

(SP04) Were you on probation at any time during the past 12 months?

PROBATON	2	10N PROBATION AT ANY TIME PAST 12 MONTHS		
		1 = Yes.....	2089	3.76
		2 = No.....	53352	95.95
		94 = DON'T KNOW.....	87	0.16
		97 = REFUSED.....	66	0.12
		98 = BLANK (NO ANSWER).....	8	0.01

(SP05) Were you on parole, supervised release, or other conditional release from prison at any time during the past 12 months?

PAROLREL	2	10N PAROLE/SUPRV RELEASE PAST 12 MONTHS		
		1 = Yes.....	610	1.10
		2 = No.....	54862	98.67
		94 = DON'T KNOW.....	54	0.10
		97 = REFUSED.....	68	0.12
		98 = BLANK (NO ANSWER).....	8	0.01

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SPECIAL TOPICS			PAGE:	318
LABEL	LEN	DESCRIPTION	FREQ	%
(SP06A)		During the past 12 months, have you driven a vehicle while you were under the influence of a combination of alcohol and illegal drugs used together?		-
DRVALDR	2	1DROVE UNDER INFLU OF ALC & ILL DRUGS PAST 12 MOS		
		1 = Yes.....	2637	4.74
		2 = No.....	8406	15.12
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06
		89 = LEGITIMATE SKIP Logically assigned.....	26	0.05
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	512	0.92
		99 = LEGITIMATE SKIP.....	30951	55.67
(SP06B)		During the past 12 months, have you driven a vehicle while you were under the influence of alcohol/alcohol only?		
DRVAONLY	2	1DROVE UNDER INFLU OF ALC/ALC ONLY PST 12 MOS		
		1 = Yes.....	8010	14.41
		2 = No.....	25778	46.36
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	350	0.63
		99 = LEGITIMATE SKIP.....	8366	15.05
(SP06C)		During the past 12 months, have you driven a vehicle while you were under the influence of illegal drugs/illegal drugs only?		
DRVDONLY	2	1DROVE UNDER INFLU OF DRUGS/DRUGS ONLY PST 12 MOS		
		1 = Yes.....	3245	5.84
		2 = No.....	9133	16.43
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06
		85 = BAD DATA Logically assigned.....	5	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	39	0.07
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	1025	1.84
		99 = LEGITIMATE SKIP.....	29089	52.32

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	RECODED SPECIAL TOPICS	PAGE:	319
				FREQ	%
-----	-----	-----	-----	-----	-
RECODED SPECIAL TOPICS					

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.					
DRIVALC2	1	DROVE VEHICLE WHILE UNDER INFLUENCE OF ALCOHOL			
		1 = Yes (DRVALDR=1 OR DRVAONLY=1).....	8331	14.98	
		2 = No (DRVALDR=2,89,99 AND DRVAONLY=2).....	25074	45.10	
		3 = Unknown (OTHERWISE).....	785	1.41	
		4 = Never/No Use (DRVALDR AND DRVAONLY=81,89,91,99)...	21412	38.51	
DRIVDRG2	1	DROVE VEHICLE UNDER INFLUENCE OF ILLICIT DRUGS			
		1 = Yes (DRVALDR=1 OR DRVDONLY=1).....	3989	7.17	
		2 = No (DRVALDR=2,89,99 AND DRVDONLY=2).....	8342	15.00	
		3 = Unknown (OTHERWISE).....	1097	1.97	
		4 = Never/No Use (DRVALDR AND DRVDONLY=81,89,91,99)...	42174	75.85	
DRIVALD2	1	DROVE VEHICLE UNDER INFLUENCE OF ALC OR ILL DRUGS			
		1 = Yes (DRIVALC2=1 OR DRIVDRG2=1).....	9214	16.57	
		2 = No (OTHERWISE).....	25478	45.82	
		3 = Unknown (DRIVALC2=3 OR DRIVDRG2=3).....	1347	2.42	
		4 = Never/No Use (DRIVALC2=4 AND DRIVDRG2=4).....	19563	35.18	
PAROL	1	PAROLE/SUPERVISED RELEASE STATUS IN THE PAST YEAR			
		. = Unknown Status (PAROLREL=94,97,98).....	130	0.23	
		1 = On Parole/Supervised Release (PAROLREL=1).....	610	1.10	
		2 = Not on Parole/Supervised Release (PAROLREL=2).....	54862	98.67	
PROB	1	PROBATION STATUS IN THE PAST YEAR			
		. = Unknown Probation Status (PROBATON=94,97,98).....	161	0.29	
		1 = On Probation (PROBATON=1).....	2089	3.76	
		2 = Not on Probation (PROBATON=2).....	53352	95.95	

MARIJUANA PURCHASES			PAGE:	320
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
(MJE01) MARIJUANA PURCHASES				
<hr/>				
Now think about the last time you used marijuana. How did you get this marijuana?				
MMGETMJ	2	1HOW DID YOU GET LAST MARIJUANA USED		
		1 = You bought it.....	3664	6.59
		2 = You traded something else for it.....	120	0.22
		3 = You got it for free or shared someone else's.....	5548	9.98
		4 = You grew it yourself.....	70	0.13
		91 = NEVER USED MARIJUANA.....	33169	59.65
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		94 = DON'T KNOW.....	43	0.08
		97 = REFUSED.....	105	0.19
		98 = BLANK (NO ANSWER).....	208	0.37
(MJE02)		How long has it been since you last bought any marijuana?		
MMBTREC1	2	1TIME SINCE YOU LAST BOUGHT MARIJUANA		
		1 = Within the past 30 days, that is since [DATE FILL]	2230	4.01
		2 = More than 30 days ago, but within the past 12 mos.	1061	1.91
		3 = More than 12 months ago.....	356	0.64
		91 = NEVER USED MARIJUANA.....	33169	59.65
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	76	0.14
		98 = BLANK (NO ANSWER).....	282	0.51
		99 = LEGITIMATE SKIP.....	5748	10.34
(MJE03)		During the past 12 months, that is, since [DATE FILL], did you buy any marijuana?		
MMBTPYR	2	1BOUGHT MARIJUANA PAST 12 MONTHS		
		1 = Yes.....	1644	2.96
		2 = No.....	4168	7.50
		91 = NEVER USED MARIJUANA.....	33169	59.65
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	68	0.12
		98 = BLANK (NO ANSWER).....	208	0.37
		99 = LEGITIMATE SKIP.....	3664	6.59
(MJE04)		How long has it been since you last bought any marijuana?		
MMBTREC2	2	1TIME SINCE YOU LAST BOUGHT MARIJUANA		
		1 = Within the past 30 days, that is since [DATE FILL]	605	1.09
		2 = More than 30 days ago, but within the past 12 mos.	1027	1.85
		91 = NEVER USED MARIJUANA.....	33169	59.65
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	71	0.13
		98 = BLANK (NO ANSWER).....	218	0.39
		99 = LEGITIMATE SKIP.....	7832	14.09

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES			PAGE:	321
LABEL	LEN	DESCRIPTION	FREQ	%
(MJE05)		During the past 30 days, that is, since [DATE FILL], on how many days did you buy marijuana?		-
MMBT30DY	2	1# DAYS BOUGHT MARIJUANA PAST 30 DAYS		
		RANGE = 1 - 30	2798	5.03
		91 = NEVER USED MARIJUANA.....	33169	59.65
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		94 = DON'T KNOW.....	32	0.06
		97 = REFUSED.....	81	0.15
		98 = BLANK (NO ANSWER).....	235	0.42
		99 = LEGITIMATE SKIP.....	6612	11.89
(MJE06)		Think about the last time you bought marijuana. Did you buy marijuana that had already been rolled into joints or did you buy the marijuana in loose form?		
MMJNTLOO	2	1LAST MARIJUANA BOUGHT IN JOINTS OR LOOSE		
		1 = You bought joints.....	210	0.38
		2 = You bought the marijuana in loose form.....	5064	9.11
		91 = NEVER USED MARIJUANA.....	33169	59.65
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	87	0.16
		98 = BLANK (NO ANSWER).....	291	0.52
		99 = LEGITIMATE SKIP.....	4100	7.37
(MJE07)		How many joints did you buy the last time you bought marijuana?		
MMJNTNUM	3	1# MARIJUANA JOINTS BOUGHT LAST TIME		
		RANGE = 1 - 500	207	0.37
		991 = NEVER USED MARIJUANA.....	33169	59.65
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		994 = DON'T KNOW.....	2	0.00
		997 = REFUSED.....	88	0.16
		998 = BLANK (NO ANSWER).....	297	0.53
		999 = LEGITIMATE SKIP.....	9164	16.48
(MJE08)		How much did you pay for the joints/joint you bought this last time?		
MMJNPCTB	2	1AMOUNT PAID FOR LAST MARIJUANA JOINTS BOUGHT		
		1 = Less than \$5.00.....	64	0.12
		2 = \$5.00 to \$10.99.....	92	0.17
		3 = \$11.00 to \$20.99.....	25	0.04
		4 = \$21.00 to \$50.99.....	14	0.03
		5 = \$51.00 to \$100.99.....	9	0.02
		9 = \$251.00 to \$300.99.....	1	0.00
		11 = \$501.00 to \$1000.99.....	3	0.01
		12 = More than \$1000.99.....	1	0.00
		91 = NEVER USED MARIJUANA.....	33169	59.65
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		97 = REFUSED.....	88	0.16
		98 = BLANK (NO ANSWER).....	297	0.53
		99 = LEGITIMATE SKIP.....	9164	16.48

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES			PAGE:	322
LABEL	LEN	DESCRIPTION	FREQ	%
(MJE08)		More specifically, which of these categories includes the price you paid for the joint/joints you bought this last time?		-
MMJNPCT	3	1PRICE CATEGORY OF LAST MARIJUANA JOINTS BOUGHT		
		1 = Less than \$5.00.....	64	0.12
		2 = \$5.00 to \$10.99.....	92	0.17
		3 = \$11.00 to \$20.99.....	25	0.04
		41 = \$21.00 to \$30.99.....	8	0.01
		42 = \$31.00 to \$40.99.....	3	0.01
		43 = \$41.00 to \$50.99.....	3	0.01
		51 = \$51.00 to \$60.99.....	4	0.01
		52 = \$61.00 to \$70.99.....	1	0.00
		53 = \$71.00 to \$80.99.....	3	0.01
		54 = \$81.00 to \$90.99.....	1	0.00
		90 = \$251.00 to \$300.99.....	1	0.00
		111 = \$501.00 to \$550.99.....	2	0.00
		120 = \$951.00 to \$1000.99.....	1	0.00
		121 = More than \$1000.99.....	1	0.00
		991 = NEVER USED MARIJUANA.....	33169	59.65
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		997 = REFUSED.....	88	0.16
		998 = BLANK (NO ANSWER).....	297	0.53
		999 = LEGITIMATE SKIP.....	9164	16.48
(MJE14)		Now we want to know how much marijuana you bought the last time you bought marijuana.		
		Do you want to give your answer in grams, ounces, or pounds?		
MMLSUNIT	2	1AMT OF MARIJUANA BOUGHT LAST TIME: GRMS,OZ,LBS		
		1 = Grams.....	3481	6.26
		2 = Ounces.....	1333	2.40
		3 = Pounds.....	111	0.20
		91 = NEVER USED MARIJUANA.....	33169	59.65
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		94 = DON'T KNOW.....	83	0.15
		97 = REFUSED.....	143	0.26
		98 = BLANK (NO ANSWER).....	297	0.53
		99 = LEGITIMATE SKIP.....	4310	7.75
(MJE15)		The last time you bought marijuana, how many grams did you buy?		
MMLSGMS	2	1AMT OF MARIJUANA BOUGHT LAST TIME - GRAMS		
		1 = At least 1 but less than 5 grams.....	2039	3.67
		2 = At least 5 but less than 10 grams.....	1093	1.97
		3 = 10 grams or more.....	315	0.57
		91 = NEVER USED MARIJUANA.....	33169	59.65
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		94 = DON'T KNOW.....	32	0.06
		97 = REFUSED.....	145	0.26
		98 = BLANK (NO ANSWER).....	380	0.68
		99 = LEGITIMATE SKIP.....	5754	10.35

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES			PAGE:	323
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
(MJE16) How many grams of marijuana did you buy?				
MMMLS10GM 3 1AMT OF MARIJUANA BOUGHT LAST TIME - OVER 10 GRAMS				
RANGE = 10 - 64				
991 = NEVER USED MARIJUANA..... 33169 59.65				
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS..... 12675 22.80				
994 = DON'T KNOW..... 5 0.01				
997 = REFUSED..... 147 0.26				
998 = BLANK (NO ANSWER)..... 412 0.74				
999 = LEGITIMATE SKIP..... 8886 15.98				
<hr/>				
(MJE17) The last time you bought marijuana, how many ounces did you buy?				
MMLSOZS 2 1AMT OF MARIJUANA BOUGHT LAST TIME - OUNCES				
1 = At least 1/8, but less than 1/4 of an ounce..... 371 0.67				
2 = At least 1/4 but less than 1/3 of an ounce..... 205 0.37				
3 = At least 1/3 but less than 1/2 of an ounce..... 77 0.14				
4 = At least 1/2 but less than 1 ounce..... 242 0.44				
5 = At least 1 but less than 5 ounces..... 356 0.64				
6 = At least 5 but less than 10 ounces..... 46 0.08				
7 = At least 10 but less than 16 ounces..... 22 0.04				
91 = NEVER USED MARIJUANA..... 33169 59.65				
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS..... 12675 22.80				
94 = DON'T KNOW..... 10 0.02				
97 = REFUSED..... 147 0.26				
98 = BLANK (NO ANSWER)..... 380 0.68				
99 = LEGITIMATE SKIP..... 7902 14.21				
<hr/>				
(MJE18) The last time you bought marijuana, how many pounds did you buy?				
MMMLSLBS 2 1AMT OF MARIJUANA BOUGHT LAST TIME - POUNDS				
1 = At least 1 but less than 2 pounds..... 53 0.10				
2 = At least 2 but less than 3 pounds..... 14 0.03				
3 = At least 3 but less than 4 pounds..... 7 0.01				
4 = At least 4 but less than 5 pounds..... 6 0.01				
5 = 5 or more pounds..... 31 0.06				
91 = NEVER USED MARIJUANA..... 33169 59.65				
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS..... 12675 22.80				
97 = REFUSED..... 143 0.26				
98 = BLANK (NO ANSWER)..... 380 0.68				
99 = LEGITIMATE SKIP..... 9124 16.41				
<hr/>				
(MJE19) How many pounds of marijuana did you buy?				
MMML5LBS 3 1AMT OF MARIJUANA BOUGHT LAST TIME - OVER 5 POUNDS				
RANGE = 5 - 99 31 0.06				
991 = NEVER USED MARIJUANA..... 33169 59.65				
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS..... 12675 22.80				
997 = REFUSED..... 143 0.26				
998 = BLANK (NO ANSWER)..... 380 0.68				
999 = LEGITIMATE SKIP..... 9204 16.55				

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES			PAGE:	324
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
(MJE20)		How much did you pay for the marijuana you bought this last time?		
MMLSPCTB	2	1AMOUNT PAID FOR MARIJUANA BOUGHT LAST TIME		
		1 = Less than \$5.00.....	206	0.37
		2 = \$5.00 to \$10.99.....	978	1.76
		3 = \$11.00 to \$20.99.....	1032	1.86
		4 = \$21.00 to \$50.99.....	1739	3.13
		5 = \$51.00 to \$100.99.....	558	1.00
		6 = \$101.00 to \$150.99.....	151	0.27
		7 = \$151.00 to \$200.99.....	69	0.12
		8 = \$201.00 to \$250.99.....	54	0.10
		9 = \$251.00 to \$300.99.....	44	0.08
		10 = \$301.00 to \$500.99.....	72	0.13
		11 = \$501.00 to \$1000.99.....	46	0.08
		12 = More than \$1000.99.....	42	0.08
		91 = NEVER USED MARIJUANA.....	33169	59.65
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		94 = DON'T KNOW.....	24	0.04
		97 = REFUSED.....	136	0.24
		98 = BLANK (NO ANSWER).....	297	0.53
		99 = LEGITIMATE SKIP.....	4310	7.75

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: September 20, 2012

LABEL	LEN	DESCRIPTION	MARIJUANA PURCHASES		PAGE:	325
			FREQ	%		
(MJE20)		More specifically, which of these categories includes the price you paid for the marijuana you bought this last time?				-
MMLSPCAT	3	1PRICE CATEGORY OF LAST LOOSE MARIJUANA BOUGHT				
		1 = Less than \$5.00.....	206	0.37		
		2 = \$5.00 to \$10.99.....	978	1.76		
		3 = \$11.00 to \$20.99.....	1032	1.86		
		40 = \$21.00 to \$50.99 (No further detail).....	4	0.01		
		41 = \$21.00 to \$30.99.....	700	1.26		
		42 = \$31.00 to \$40.99.....	457	0.82		
		43 = \$41.00 to \$50.99.....	578	1.04		
		50 = \$51.00 to \$100.99 (No further detail).....	1	0.00		
		51 = \$51.00 to \$60.99.....	279	0.50		
		52 = \$61.00 to \$70.99.....	67	0.12		
		53 = \$71.00 to \$80.99.....	69	0.12		
		54 = \$81.00 to \$90.99.....	46	0.08		
		55 = \$91.00 to \$100.99.....	96	0.17		
		61 = \$101.00 to \$110.99.....	33	0.06		
		62 = \$111.00 to \$120.99.....	39	0.07		
		63 = \$121.00 to \$130.99.....	23	0.04		
		64 = \$131.00 to \$140.99.....	8	0.01		
		65 = \$141.00 to \$150.99.....	48	0.09		
		70 = \$151.00 to \$200.99.....	69	0.12		
		80 = \$201.00 to \$250.99.....	54	0.10		
		90 = \$251.00 to \$300.99.....	44	0.08		
		100 = \$301.00 to \$500.99 (No further detail).....	1	0.00		
		101 = \$301.00 to \$350.99.....	28	0.05		
		102 = \$351.00 to \$400.99.....	16	0.03		
		103 = \$401.00 to \$450.99.....	10	0.02		
		104 = \$451.00 to \$500.99.....	17	0.03		
		111 = \$501.00 to \$550.99.....	11	0.02		
		112 = \$551.00 to \$600.99.....	3	0.01		
		113 = \$601.00 to \$650.99.....	2	0.00		
		114 = \$651.00 to \$700.99.....	2	0.00		
		115 = \$701.00 to \$750.99.....	2	0.00		
		116 = \$751.00 to \$800.99.....	1	0.00		
		117 = \$801.00 to \$850.99.....	5	0.01		
		118 = \$851.00 to \$900.99.....	4	0.01		
		119 = \$901.00 to \$950.99.....	1	0.00		
		120 = \$951.00 to \$1000.99.....	15	0.03		
		121 = More than \$1000.99.....	42	0.08		
		991 = NEVER USED MARIJUANA.....	33169	59.65		
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80		
		994 = DON'T KNOW.....	24	0.04		
		997 = REFUSED.....	136	0.24		
		998 = BLANK (NO ANSWER).....	297	0.53		
		999 = LEGITIMATE SKIP.....	4310	7.75		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES			PAGE:	326
LABEL	LEN	DESCRIPTION	FREQ	%
(MJE26)		The last time you bought marijuana, who did you buy it from?		-
MMBUYWHO	2	1WHO SOLD YOU LAST MARIJUANA BOUGHT		
		1 = A friend.....	4049	7.28
		2 = A relative or family member.....	204	0.37
		3 = Someone I had just met or didn't know well.....	894	1.61
		91 = NEVER USED MARIJUANA.....	33169	59.65
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	202	0.36
		98 = BLANK (NO ANSWER).....	291	0.52
		99 = LEGITIMATE SKIP.....	4100	7.37
(MJE27)		The last time you bought marijuana, where were you when you bought it?		
MMBPLACE	2	1WHERE YOU WERE LAST TIME BOUGHT MARIJUANA		
		1 = Inside a public bldg, such as a store, restaurant.	259	0.47
		2 = Inside a school building.....	160	0.29
		3 = Outside on school property.....	97	0.17
		4 = Inside a home, apartment, or dorm.....	2688	4.83
		5 = Outside in a public area, such as a parking lot...	943	1.70
		6 = Some other place.....	1003	1.80
		91 = NEVER USED MARIJUANA.....	33169	59.65
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		94 = DON'T KNOW.....	33	0.06
		97 = REFUSED.....	184	0.33
		98 = BLANK (NO ANSWER).....	291	0.52
		99 = LEGITIMATE SKIP.....	4100	7.37
(MJE28)		The last time you bought marijuana were you at work at your job or business?		
MMBATJOB	2	1AT JOB OR BUSINESS LAST TIME BOUGHT MARIJUANA		
		1 = Yes.....	178	0.32
		2 = No.....	4159	7.48
		3 = Do not work at a job or business.....	695	1.25
		91 = NEVER USED MARIJUANA.....	33169	59.65
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	116	0.21
		98 = BLANK (NO ANSWER).....	291	0.52
		99 = LEGITIMATE SKIP.....	4304	7.74
(MJE29)		The last time you bought marijuana, where did you buy it?		
MMBCLOSE	2	1HOW NEAR YOU WHEN BOUGHT MARIJUANA LAST TIME		
		1 = Near where you are now living.....	2210	3.97
		2 = Somewhere else.....	2983	5.36
		91 = NEVER USED MARIJUANA.....	33169	59.65
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	158	0.28
		98 = BLANK (NO ANSWER).....	291	0.52
		99 = LEGITIMATE SKIP.....	4100	7.37

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES			PAGE:	327
LABEL	LEN	DESCRIPTION	FREQ	%
(MJE30)		Did you sell any of the marijuana you bought this last time?		-
MMBSELL	2	1SELL ANY MARIJUANA BOUGHT LAST TIME		
		1 = Yes.....	620	1.12
		2 = No.....	4630	8.33
		91 = NEVER USED MARIJUANA.....	33169	59.65
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	112	0.20
		98 = BLANK (NO ANSWER).....	291	0.52
		99 = LEGITIMATE SKIP.....	4100	7.37
(MJE31)		Did you give away or share any of the marijuana you bought this last time?		
MMBGIVE	2	1GIVE AWAY/SHARE MARIJUANA BOUGHT LAST TIME		
		1 = Yes.....	3895	7.01
		2 = No.....	1358	2.44
		91 = NEVER USED MARIJUANA.....	33169	59.65
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	107	0.19
		98 = BLANK (NO ANSWER).....	291	0.52
		99 = LEGITIMATE SKIP.....	4100	7.37
(MJE32)		During the past 12 months, that is, since [DATE FILL], did you trade something for marijuana?		
MMTRADE	2	1TRADED SOMETHING FOR MARIJUANA PAST 12 MOS		
		1 = Yes.....	71	0.13
		2 = No.....	3966	7.13
		91 = NEVER USED MARIJUANA.....	33169	59.65
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		97 = REFUSED.....	64	0.12
		98 = BLANK (NO ANSWER).....	286	0.51
		99 = LEGITIMATE SKIP.....	5371	9.66
(MJE33)		During the past 30 days, that is, since [DATE FILL], did you trade something for marijuana?		
MMTRD30D	2	1TRADED SOMETHING FOR MARIJUANA PAST 30 DAYS		
		1 = Yes.....	19	0.03
		2 = No.....	52	0.09
		91 = NEVER USED MARIJUANA.....	33169	59.65
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		97 = REFUSED.....	64	0.12
		98 = BLANK (NO ANSWER).....	286	0.51
		99 = LEGITIMATE SKIP.....	9337	16.79

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES			PAGE:	328
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
(MJE34) How long has it been since you last traded something for marijuana?				
MMTRDREC	2	1TIME SINCE LAST TRADED SOMETHING FOR MARIJUANA		
1 = Within the past 30 days, that is since [DATE FILL] 10 0.02				
2 = More than 30 days ago, but within the past 12 mos. 42 0.08				
3 = More than 12 months ago..... 8 0.01				
91 = NEVER USED MARIJUANA..... 33169 59.65				
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS..... 12675 22.80				
94 = DON'T KNOW..... 2 0.00				
97 = REFUSED..... 65 0.12				
98 = BLANK (NO ANSWER)..... 286 0.51				
99 = LEGITIMATE SKIP..... 9345 16.81				
<hr/>				
(MJE35) During the past 30 days, that is, since [DATE FILL], on how many days did you trade something for marijuana?				
MMT30FRQ	2	1# DAYS TRADED FOR MARIJUANA PAST 30 DAYS		
RANGE = 1 - 29 29 0.05				
91 = NEVER USED MARIJUANA..... 33169 59.65				
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS..... 12675 22.80				
97 = REFUSED..... 64 0.12				
98 = BLANK (NO ANSWER)..... 289 0.52				
99 = LEGITIMATE SKIP..... 9376 16.86				
<hr/>				
(MJE36) Think about the last time you traded something for marijuana. Did you get marijuana that had already been rolled into joints or did you get the marijuana in loose form?				
MMTJNTLS	2	1LAST MARIJUANA TRADED FOR IN JOINTS OR LOOSE		
1 = You got joints..... 18 0.03				
2 = You got the marijuana in loose form..... 103 0.19				
91 = NEVER USED MARIJUANA..... 33169 59.65				
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS..... 12675 22.80				
94 = DON'T KNOW..... 2 0.00				
97 = REFUSED..... 64 0.12				
98 = BLANK (NO ANSWER)..... 289 0.52				
99 = LEGITIMATE SKIP..... 9282 16.69				
<hr/>				
(MJE37) How many joints did you get the last time you traded something for marijuana?				
MMTJNTNM	3	1# MARIJUANA JOINTS TRADED FOR LAST TIME		
RANGE = 1 - 112 18 0.03				
991 = NEVER USED MARIJUANA..... 33169 59.65				
993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS..... 12675 22.80				
997 = REFUSED..... 64 0.12				
998 = BLANK (NO ANSWER)..... 291 0.52				
999 = LEGITIMATE SKIP..... 9385 16.88				

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES			PAGE:	329
LABEL	LEN	DESCRIPTION	FREQ	%
(MJE38)		How much do you think the marijuana in these joints/this joint was worth?		-
MMTJWRCB	2	1AMOUNT WORTH LAST MARIJUANA JOINTS TRADED FOR		
		1 = Less than \$5.00.....	6	0.01
		2 = \$5.00 to \$10.99.....	7	0.01
		4 = \$21.00 to \$50.99.....	2	0.00
		5 = \$51.00 to \$100.99.....	1	0.00
		12 = More than \$1000.99.....	1	0.00
		91 = NEVER USED MARIJUANA.....	33169	59.65
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	64	0.12
		98 = BLANK (NO ANSWER).....	291	0.52
		99 = LEGITIMATE SKIP.....	9385	16.88
(MJE38)		More specifically, which of these categories includes the price you think the marijuana in these joints/this joint was worth?		
MMTJWRTH	3	1PRICE CATEGORY OF LAST MARIJUANA JOINTS TRADED FOR		
		1 = Less than \$5.00.....	6	0.01
		2 = \$5.00 to \$10.99.....	7	0.01
		41 = \$21.00 to \$30.99.....	1	0.00
		42 = \$31.00 to \$40.99.....	1	0.00
		51 = \$51.00 to \$60.99.....	1	0.00
		121 = More than \$1000.99.....	1	0.00
		991 = NEVER USED MARIJUANA.....	33169	59.65
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		994 = DON'T KNOW.....	1	0.00
		997 = REFUSED.....	64	0.12
		998 = BLANK (NO ANSWER).....	291	0.52
		999 = LEGITIMATE SKIP.....	9385	16.88
(MJE44)		Now we want to know how much marijuana you got the last time you traded something for marijuana.		
		Do you want to give your answer in grams, ounces, or pounds?		
MMTLUNIT	2	1AMT OF MARIJUANA TRADED FOR LAST TIME: GRMS,OZ,LBS		
		1 = Grams.....	53	0.10
		2 = Ounces.....	45	0.08
		3 = Pounds.....	2	0.00
		91 = NEVER USED MARIJUANA.....	33169	59.65
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	66	0.12
		98 = BLANK (NO ANSWER).....	291	0.52
		99 = LEGITIMATE SKIP.....	9300	16.73

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES			PAGE:	330
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
(MJE45) The last time you traded something for marijuana, how many grams did you get?				
MMTLGMS	2	1AMT OF MARIJUANA TRADED FOR LAST TIME - GRAMS		
1 = At least 1 but less than 5 grams..... 36 0.06				
2 = At least 5 but less than 10 grams..... 13 0.02				
3 = 10 grams or more..... 3 0.01				
91 = NEVER USED MARIJUANA..... 33169 59.65				
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS..... 12675 22.80				
97 = REFUSED..... 67 0.12				
98 = BLANK (NO ANSWER)..... 292 0.53				
99 = LEGITIMATE SKIP..... 9347 16.81				
<hr/>				
(MJE47) The last time you traded something for marijuana, how many ounces did you get?				
MMTLOZS	2	1AMT OF MARIJUANA TRADED FOR LAST TIME - OUNCES		
1 = At least 1/8, but less than 1/4 of an ounce..... 6 0.01				
2 = At least 1/4 but less than 1/3 of an ounce..... 24 0.04				
3 = At least 1/3 but less than 1/2 of an ounce..... 1 0.00				
4 = At least 1/2 but less than 1 ounce..... 3 0.01				
5 = At least 1 but less than 5 ounces..... 5 0.01				
6 = At least 5 but less than 10 ounces..... 2 0.00				
7 = At least 10 but less than 16 ounces..... 1 0.00				
91 = NEVER USED MARIJUANA..... 33169 59.65				
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS..... 12675 22.80				
94 = DON'T KNOW..... 3 0.01				
97 = REFUSED..... 66 0.12				
98 = BLANK (NO ANSWER)..... 292 0.53				
99 = LEGITIMATE SKIP..... 9355 16.82				
<hr/>				
(MJE50) How much do you think the marijuana you got this last time was worth?				
MMTLWRCB	2	1AMOUNT THE LAST MARIJUANA TRADED FOR WAS WORTH		
1 = Less than \$5.00..... 17 0.03				
2 = \$5.00 to \$10.99..... 31 0.06				
3 = \$11.00 to \$20.99..... 19 0.03				
4 = \$21.00 to \$50.99..... 12 0.02				
5 = \$51.00 to \$100.99..... 10 0.02				
6 = \$101.00 to \$150.99..... 1 0.00				
7 = \$151.00 to \$200.99..... 1 0.00				
8 = \$201.00 to \$250.99..... 1 0.00				
10 = \$301.00 to \$500.99..... 2 0.00				
11 = \$501.00 to \$1000.99..... 4 0.01				
12 = More than \$1000.99..... 1 0.00				
91 = NEVER USED MARIJUANA..... 33169 59.65				
93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS..... 12675 22.80				
94 = DON'T KNOW..... 4 0.01				
97 = REFUSED..... 64 0.12				
98 = BLANK (NO ANSWER)..... 291 0.52				
99 = LEGITIMATE SKIP..... 9300 16.73				

¹The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES			PAGE:	331
LABEL	LEN	DESCRIPTION	FREQ	%
(MJE50)		More specifically, which of these categories includes the price you think the marijuana you got this last time was worth?		-
MMTLWRTH	3	1 PRICE CATEGORY OF LAST LOOSE MARIJUANA TRADED FOR		
		1 = Less than \$5.00.....	17	0.03
		2 = \$5.00 to \$10.99.....	31	0.06
		3 = \$11.00 to \$20.99.....	19	0.03
		41 = \$21.00 to \$30.99.....	5	0.01
		42 = \$31.00 to \$40.99.....	5	0.01
		43 = \$41.00 to \$50.99.....	2	0.00
		51 = \$51.00 to \$60.99.....	6	0.01
		54 = \$81.00 to \$90.99.....	1	0.00
		55 = \$91.00 to \$100.99.....	3	0.01
		61 = \$101.00 to \$110.99.....	1	0.00
		70 = \$151.00 to \$200.99.....	1	0.00
		80 = \$201.00 to \$250.99.....	1	0.00
		101 = \$301.00 to \$350.99.....	1	0.00
		104 = \$451.00 to \$500.99.....	1	0.00
		114 = \$651.00 to \$700.99.....	1	0.00
		116 = \$751.00 to \$800.99.....	1	0.00
		120 = \$951.00 to \$1000.99.....	2	0.00
		121 = More than \$1000.99.....	1	0.00
		991 = NEVER USED MARIJUANA.....	33169	59.65
		993 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		994 = DON'T KNOW.....	4	0.01
		997 = REFUSED.....	64	0.12
		998 = BLANK (NO ANSWER).....	291	0.52
		999 = LEGITIMATE SKIP.....	9300	16.73
(MJE56)		The last time you traded something for marijuana, who did you get it from?		
MMTRDWHO	2	1 WHO GAVE YOU LAST MARIJUANA TRADED FOR		
		1 = A friend.....	88	0.16
		2 = A relative or family member.....	25	0.04
		3 = Someone I had just met or didn't know well.....	12	0.02
		91 = NEVER USED MARIJUANA.....	33169	59.65
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	69	0.12
		98 = BLANK (NO ANSWER).....	286	0.51
		99 = LEGITIMATE SKIP.....	9274	16.68

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	MARIJUANA PURCHASES	PAGE:	332
				FREQ	%
(MJE57)		The last time you traded something for marijuana, where were you when you got it?			-
MMTPPLACE	2	1WHERE YOU WERE LAST TIME TRADED FOR MARIJUANA			
		1 = Inside a public bldg, such as a store, restaurant.	11	0.02	
		2 = Inside a school building.....	22	0.04	
		3 = Outside on school property.....	6	0.01	
		4 = Inside a home, apartment, or dorm.....	47	0.08	
		5 = Outside in a public area, such as a parking lot...	17	0.03	
		6 = Some other place.....	24	0.04	
		91 = NEVER USED MARIJUANA.....	33169	59.65	
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	69	0.12	
		98 = BLANK (NO ANSWER).....	286	0.51	
		99 = LEGITIMATE SKIP.....	9274	16.68	
(MJE58)		The last time you traded something for marijuana, where did you get it?			
MMTCLOSE	2	1HOW NEAR YOU WHEN TRADED FOR MARIJUANA LAST TIME			
		1 = Near where you are now living.....	42	0.08	
		2 = Somewhere else.....	85	0.15	
		91 = NEVER USED MARIJUANA.....	33169	59.65	
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	69	0.12	
		98 = BLANK (NO ANSWER).....	286	0.51	
		99 = LEGITIMATE SKIP.....	9274	16.68	
(MJE59)		The last time you traded something for marijuana, did you keep it all for yourself?			
MMTKEEP	2	1KEEP ALL OF LAST MARIJUANA TRADED FOR			
		1 = Yes.....	48	0.09	
		2 = No.....	80	0.14	
		91 = NEVER USED MARIJUANA.....	33169	59.65	
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	67	0.12	
		98 = BLANK (NO ANSWER).....	286	0.51	
		99 = LEGITIMATE SKIP.....	9274	16.68	
(MJE60)		Did you sell any of the marijuana you got this last time?			
MMTSELL	2	1SELL ANY MARIJUANA YOU TRADED FOR LAST TIME			
		1 = Yes.....	9	0.02	
		2 = No.....	71	0.13	
		91 = NEVER USED MARIJUANA.....	33169	59.65	
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80	
		97 = REFUSED.....	67	0.12	
		98 = BLANK (NO ANSWER).....	289	0.52	
		99 = LEGITIMATE SKIP.....	9322	16.77	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES			PAGE:	333
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
(MJE61)		Did you give away any of the marijuana you got this last time?	<hr/>	
MMTGIVE	2	1GIVE AWAY ANY MARIJUANA YOU TRADED FOR LAST TIME		
		1 = Yes.....	37	0.07
		2 = No.....	43	0.08
		91 = NEVER USED MARIJUANA.....	33169	59.65
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		97 = REFUSED.....	67	0.12
		98 = BLANK (NO ANSWER).....	289	0.52
		99 = LEGITIMATE SKIP.....	9322	16.77
<hr/>				
(MJE62)		The last time you grew marijuana, did you keep it all for yourself?	<hr/>	
MMGKEEP	2	1KEEP ALL MARIJUANA LAST TIME YOU GREW IT		
		1 = Yes.....	13	0.02
		2 = No.....	17	0.03
		91 = NEVER USED MARIJUANA.....	33169	59.65
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		97 = REFUSED.....	64	0.12
		98 = BLANK (NO ANSWER).....	283	0.51
		99 = LEGITIMATE SKIP.....	9381	16.87
<hr/>				
(MJE63)		Did you sell any of the marijuana you grew this last time?	<hr/>	
MMGSELL	2	1SELL ANY MARIJUANA LAST TIME YOU GREW IT		
		1 = Yes.....	6	0.01
		2 = No.....	11	0.02
		91 = NEVER USED MARIJUANA.....	33169	59.65
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		97 = REFUSED.....	64	0.12
		98 = BLANK (NO ANSWER).....	283	0.51
		99 = LEGITIMATE SKIP.....	9394	16.90
<hr/>				
(MJE64)		The last time you grew marijuana, did you give any of it away for free?	<hr/>	
MMGGIVE	2	1GIVE AWAY ANY MARIJUANA LAST TIME YOU GREW IT		
		1 = Yes.....	8	0.01
		2 = No.....	9	0.02
		91 = NEVER USED MARIJUANA.....	33169	59.65
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		97 = REFUSED.....	64	0.12
		98 = BLANK (NO ANSWER).....	283	0.51
		99 = LEGITIMATE SKIP.....	9394	16.90

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES			PAGE:	334
LABEL	LEN	DESCRIPTION	FREQ	%
(MJE65)		The last time you got marijuana for free, who did you get it from?		-
MMFREWHO	2	1WHO GAVE YOU LAST FREE MARIJUANA		
		1 = A friend.....	3282	5.90
		2 = A relative or family member.....	371	0.67
		3 = Someone I had just met or didn't know well.....	227	0.41
		91 = NEVER USED MARIJUANA.....	33169	59.65
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	110	0.20
		98 = BLANK (NO ANSWER).....	285	0.51
		99 = LEGITIMATE SKIP.....	5473	9.84
(MJE66)		The last time you got marijuana for free, where were you when you got it?		
MMFPLACE	2	1WHERE WERE YOU LAST TIME GOT FREE MARIJUANA		
		1 = Inside a public bldg, such as a store, restaurant.	105	0.19
		2 = Inside a school building.....	55	0.10
		3 = Outside on school property.....	70	0.13
		4 = Inside a home, apartment, or dorm.....	2442	4.39
		5 = Outside in a public area, such as a parking lot,..	416	0.75
		6 = Some other place.....	792	1.42
		91 = NEVER USED MARIJUANA.....	33169	59.65
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED.....	100	0.18
		98 = BLANK (NO ANSWER).....	285	0.51
		99 = LEGITIMATE SKIP.....	5473	9.84
(MJE67)		The last time you got marijuana for free, where did you get it?		
MMFCLOSE	2	1HOW NEAR YOU WHEN YOU GOT LAST FREE MARIJUANA		
		1 = Near where you are now living.....	1604	2.88
		2 = Somewhere else.....	2283	4.11
		91 = NEVER USED MARIJUANA.....	33169	59.65
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	95	0.17
		98 = BLANK (NO ANSWER).....	285	0.51
		99 = LEGITIMATE SKIP.....	5473	9.84
(MJE68)		The last time you got marijuana for free, did you keep it all for yourself?		
MMFKEEP	2	1KEEP ALL MARIJUANA GOT LAST TIME FOR FREE		
		1 = Yes.....	298	0.54
		2 = No.....	3616	6.50
		91 = NEVER USED MARIJUANA.....	33169	59.65
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	79	0.14
		98 = BLANK (NO ANSWER).....	285	0.51
		99 = LEGITIMATE SKIP.....	5473	9.84

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

MARIJUANA PURCHASES			PAGE:	335
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
(MJE69)		Did you sell any of the marijuana you got this last time?		
MMFSELL	2	1SELL ANY MARIJUANA GOT LAST TIME FOR FREE		
		1 = Yes.....	52	0.09
		2 = No.....	3562	6.41
		91 = NEVER USED MARIJUANA.....	33169	59.65
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		97 = REFUSED.....	81	0.15
		98 = BLANK (NO ANSWER).....	292	0.53
		99 = LEGITIMATE SKIP.....	5771	10.38
(MJE70)		Did you give away any of the marijuana you got this last time?		
MMFGIVE	2	1GIVE AWAY ANY MARIJUANA GOT LAST TIME FOR FREE		
		1 = Yes.....	1361	2.45
		2 = No.....	2244	4.04
		91 = NEVER USED MARIJUANA.....	33169	59.65
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MOS.....	12675	22.80
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	88	0.16
		98 = BLANK (NO ANSWER).....	292	0.53
		99 = LEGITIMATE SKIP.....	5771	10.38

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	RECODED MARIJUANA PURCHASES	PAGE:	336
				FREQ	%
<hr/>					
RECODED MARIJUANA PURCHASES					
<hr/>					
NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.					
<hr/>					
MJPGOT	1	METHOD OF OBTAINING LAST USED MARIJUANA			
		1 = Bought it (MMGETMJ=1).....	3664	6.59	
		2 = Traded for it (MMGETMJ=2).....	120	0.22	
		3 = Got it for free/shared (MMGETMJ=3).....	5548	9.98	
		4 = Grew it yourself (MMGETMJ=4).....	70	0.13	
		5 = Method Unspecified (MMGETMJ=94,97,98).....	356	0.64	
		6 = Never Used MJ (MMGETMJ=91,93).....	45844	82.45	
<hr/>					
NOTE: The following "source of last used marijuana bought" (MJPBTFRM) and "location where last used marijuana was bought" (MJPBTPLC) variables are defined so that respondents with unknown data for whether they obtained marijuana in the past year by buying it (MMGETMJ) or if they bought marijuana (MMBTPYR) in the past year are included in the "Source Unspecified" level (MJPBTFRM=4) and "Location Unspecified" level (MJPBTPLC=7), respectively. To produce estimates among respondents who reported last obtaining marijuana by buying it or buying marijuana in the past year, the analysis should be restricted to MMGETMJ=1 or MMBTPYR=1.					
<hr/>					
MJPBTFRM	1	SOURCE OF LAST USED MARIJUANA BOUGHT			
		1 = Friend (MMBUYWHO=1).....	4049	7.28	
		2 = Relative or Family Member (MMBUYWHO=2).....	204	0.37	
		3 = Someone Just Met/Did Not Know (MMBUYWHO=3).....	894	1.61	
		4 = Source Unspecified (MMBUYWHO=94,97,98).....	511	0.92	
		5 = Nevr Use MJ/Didn't Buy Last MJ (MMBUYWHO=91,93,99)	49944	89.82	
<hr/>					
For more information on the following variable, MJPBTPLC, see note above MJPBTFRM.					
<hr/>					
MJPBTPLC	1	LOCATION WHERE LAST USED MARIJUANA WAS BOUGHT			
		1 = Inside a Public Building (MMBPLACE=1).....	259	0.47	
		2 = Outside in Public Area (MMBPLACE=5).....	943	1.70	
		3 = Inside School (MMBPLACE=2).....	160	0.29	
		4 = Outside on School Property (MMBPLACE=3).....	97	0.17	
		5 = Inside Home/Apt/Dorm (MMBPLACE=4).....	2688	4.83	
		6 = Some Other Place (MMBPLACE=6).....	1003	1.80	
		7 = Location Unspecified (MMBPLACE=94,97,98).....	508	0.91	
		8 = Nevr Use MJ/Didn't Buy Last MJ (MMBPLACE=91,93,99)	49944	89.82	

LABEL	LEN	DESCRIPTION	PAGE:	337
			FREQ	%
-----	-----	-----	-----	-
NOTE: The following variables, "source of last used free marijuana" (MJPFRGT) and "location where last used free marijuana was received" (MJPFRPL) are defined so that respondents with unknown data for how they got their last used marijuana (MMGETMJ) or whether they bought (MMBTPYR) or traded something (MMTRADE) for marijuana in the past year are included in the "Source Unspecified" (MJPFRGT=4) and "Location Unspecified" (MJPFRPL=7) levels, respectively. To produce estimates among respondents who reported obtaining their last used marijuana for free and reported not buying or not trading something for marijuana in the past year, the analysis using either of these variables should be restricted to MMGETMJ=3 and MMBTPYR=2 and MMTRADE=2.				
MJPFRGT	1	SOURCE OF LAST USED FREE MARIJUANA		
		1 = Friend (MMFREWHO=1).....	3282	5.90
		2 = Relative or Family Member (MMFREWHO=2).....	371	0.67
		3 = Someone Just Met/Did Not Know (MMFREWHO=3).....	227	0.41
		4 = Source Unspecified (MMFREWHO=94,97,98).....	405	0.73
		5 = Nevr Use MJ/Didn't Get Free MJ (MMFREWHO=91,93,99)	51317	92.29
For more information on the following variable, MJPFRPL, see note above MJPFRGT.				
MJPFRPL	1	LOCATION WHERE LAST USED FREE MRJ WAS RECEIVED		
		1 = Inside a Public Building (MMFPLACE=1).....	105	0.19
		2 = Outside in Public Area (MMFPLACE=5).....	416	0.75
		3 = Inside School (MMFPLACE=2).....	55	0.10
		4 = Outside on School Property (MMFPLACE=3).....	70	0.13
		5 = Inside Home/Apt/Dorm (MMFPLACE=4).....	2442	4.39
		6 = Some Other Place (MMFPLACE=6).....	792	1.42
		7 = Location Unspecified (MMFPLACE=94,97,98).....	405	0.73
		8 = Nevr Use MJ/Didn't Get Free MJ (MMFPLACE=91,93,99)	51317	92.29

LABEL	LEN	DESCRIPTION	PAGE:	338
-----	-----	-----	FREQ	%
(LU01)		PRIOR SUBSTANCE USE	-----	-
-----	-----	-----	-----	-----
<p>Question LU12 (Age of last hallucinogen use), corresponding to the edited variable HALAGLST, is to be asked of respondents who last used a hallucinogen more than 30 days ago. The logic for this question [IF LSLAST, LSRECDK OR LSRECRE = 2 OR 3] included the three variables that are used to initially create the raw hallucinogen recency variable, HALLREC, that is stored by the CAI program (not to be confused with the edited variable that has the same name). Within the Hallucinogens module, however, there are 3 places where the raw HALLREC can subsequently be updated to 1 (last used a hallucinogen within the past 30 days). Because LU12 did not check the final value that was stored in the raw HALLREC variable, any respondent whose hallucinogen recency was updated to indicate use within the past 30 days in the Hallucinogens module was asked LU12, and any relevant follow-up questions based on responses to LU12 (LUCC25, LUCC26, LU12a, LU12b, LU12c, LU12d). The logic for LU12 was changed to [IF HALLREC = 2 OR 3] on 3/24/04.</p>				

Question LU17 (Age of last prescription pain reliever use), corresponding to the edited variable **ANLAGLST**, is to be asked of respondents who last used a prescription pain reliever more than 30 days ago. The logic for this question [IF PR09, PRRECDK OR PRRECRE = 2 OR 3] included the three variables that are used to initially create the raw pain reliever recency variable, PRREC, that is stored by the CAI program. Within the Pain Relievers module, however, there is 1 place where PRREC can subsequently be updated to 1 (last used a prescription pain reliever within the past 30 days). Because LU17 did not check the final PRREC value, any respondent whose pain reliever recency was updated to indicate use within the past 30 days in the Pain Relievers module was asked LU17, and any relevant follow-up questions based on responses to LU17 (LUCC35, LUCC36, LU17a, LU17b, LU17c, LU17d). The logic for LU17 was changed to [IF PRREC = 2 OR 3] on 3/24/04.

Question LU19 (Age of last prescription stimulant use), corresponding to the edited variable **STMAGLST**, is to be asked of respondents who last used a prescription stimulant more than 30 days ago. The logic for this question [IF ST09, STRECDK OR STRECRE = 2 or 3] included the three variables that are used to initially create the raw stimulant recency variable, STIMREC, that is stored by the CAI program (not to be confused with the edited variable that has the same name). Within the Stimulants module, however, there is 1 place where the raw STIMREC can subsequently be updated to 1 (last used a prescription stimulant within the past 30 days). Because LU19 did not check the final value that was stored in the raw STIMREC variable, any respondent whose stimulant recency was updated to indicate use within the past 30 days in the Stimulants module was asked LU19, and any relevant follow-up questions based on responses to LU19 (LUCC39, LUCC40, LU19a, LU19b, LU19c, LU19d). The logic for LU19 was changed to [IF STIMREC = 2 OR 3] on 3/24/04.

Variables affected by this patch are denoted by an '*' to the left of the variable name.

NOTE: The variables MRJYRBFR and MRJAGLST were not
Codebook Creation Date: September 20, 2012

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	339		
				FREQ	%		

edited with respect to one another. Therefore, inconsistencies could exist between these two variables.							
Earlier questions were about the past 12 months. This question is about the year before that, that is, from [DATEFILL - 12 MONTHS] to [DATEFILL]. During that year, beginning [DATEFILL - 12 MONTHS] and ending [DATEFILL], did you use marijuana or hashish, even once?							
MRJYRBFR	2	1USE MJ OR HASHISH EVEN ONCE YR BEFORE LAST					
		1 = Yes.....	9362	16.84			
		2 = No.....	12907	23.21			
		91 = NEVER USED MARIJUANA.....	33169	59.65			
		94 = DON'T KNOW.....	83	0.15			
		97 = REFUSED.....	73	0.13			
		98 = BLANK (NO ANSWER).....	8	0.01			
(LU02)		The computer recorded that you last used marijuana or hashish [MJREC FILL]. How old were you the last time you used marijuana or hashish?					
MRJAGLST	3	1HOW OLD WERE YOU THE LAST TIME USED MARIJUANA					
		RANGE = 1 - 82	16110	28.97			
		985 = BAD DATA Logically assigned.....	483	0.87			
		989 = LEGITIMATE SKIP Logically assigned.....	2	0.00			
		991 = NEVER USED MARIJUANA.....	33169	59.65			
		994 = DON'T KNOW.....	284	0.51			
		997 = REFUSED.....	89	0.16			
		998 = BLANK (NO ANSWER).....	139	0.25			
		999 = LEGITIMATE SKIP.....	5326	9.58			
(LU02A)		NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU02a, LU02b, LU02c, and LU02d were used to create the following two variables.					
MRJYLU	4	1YEAR OF LAST MARIJUANA/HASHISH USE - RECODE					
		RANGE = 2002 - 2004	5019	9.03			
		9985 = BAD DATA Logically assigned.....	618	1.11			
		9989 = LEGITIMATE SKIP Logically assn.....	2	0.00			
		9991 = NEVER USED MARIJUANA.....	33169	59.65			
		9994 = DON'T KNOW.....	297	0.53			
		9997 = REFUSED.....	100	0.18			
		9998 = BLANK (NO ANSWER).....	629	1.13			
		9999 = LEGITIMATE SKIP.....	15768	28.36			

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	340
			FREQ	%
MRJMLU	2	1MONTH OF LAST MARIJUANA/HASHISH USE - RECODE		-
		1 = January.....	476	0.86
		2 = February.....	384	0.69
		3 = March.....	371	0.67
		4 = April.....	323	0.58
		5 = May.....	345	0.62
		6 = June.....	425	0.76
		7 = July.....	430	0.77
		8 = August.....	385	0.69
		9 = September.....	359	0.65
		10 = October.....	346	0.62
		11 = November.....	344	0.62
		12 = December.....	394	0.71
		85 = BAD DATA Logically assigned.....	685	1.23
		89 = LEGITIMATE SKIP Logically assn.....	2	0.00
		91 = NEVER USED MARIJUANA.....	33169	59.65
		94 = DON'T KNOW.....	630	1.13
		97 = REFUSED.....	126	0.23
		98 = BLANK (NO ANSWER).....	640	1.15
		99 = LEGITIMATE SKIP.....	15768	28.36

(LU03) The computer recorded that you last smoked part or all of a cigarette [CG06]. How old were you the last time you smoked part or all of a cigarette?

CIGAGLST	3	1HOW OLD WERE YOU THE LAST TIME SMOKED CIGARETTE		
		RANGE = 2 - 87	16336	29.38
		985 = BAD DATA Logically assigned.....	497	0.89
		989 = LEGITIMATE SKIP Logically assigned.....	2	0.00
		991 = NEVER USED CIGARETTES.....	23365	42.02
		994 = DON'T KNOW.....	247	0.44
		997 = REFUSED.....	40	0.07
		998 = BLANK (NO ANSWER).....	29	0.05
		999 = LEGITIMATE SKIP.....	15086	27.13

(LU03A) NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU03a, LU03b, LU03c, and LU03d were used to create the following two variables.

CIGYLU	4	1YEAR OF LAST CIGARETTE USE - RECODE		
		RANGE = 2002 - 2004	4001	7.20
		9985 = BAD DATA Logically assigned.....	450	0.81
		9989 = LEGITIMATE SKIP Logically assn.....	2	0.00
		9991 = NEVER USED CIGARETTES.....	23365	42.02
		9994 = DON'T KNOW.....	262	0.47
		9997 = REFUSED.....	46	0.08
		9998 = BLANK (NO ANSWER).....	546	0.98
		9999 = LEGITIMATE SKIP.....	26930	48.43

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	341
			FREQ	%
CIGMLU	2	1MONTH OF LAST CIGARETTE USE - RECODE		-
		1 = January.....	354	0.64
		2 = February.....	279	0.50
		3 = March.....	307	0.55
		4 = April.....	247	0.44
		5 = May.....	265	0.48
		6 = June.....	342	0.62
		7 = July.....	365	0.66
		8 = August.....	310	0.56
		9 = September.....	279	0.50
		10 = October.....	280	0.50
		11 = November.....	304	0.55
		12 = December.....	326	0.59
		85 = BAD DATA Logically assigned.....	524	0.94
		89 = LEGITIMATE SKIP Logically assn.....	2	0.00
		91 = NEVER USED CIGARETTES.....	23365	42.02
		94 = DON'T KNOW.....	515	0.93
		97 = REFUSED.....	56	0.10
		98 = BLANK (NO ANSWER).....	552	0.99
		99 = LEGITIMATE SKIP.....	26930	48.43

(LU04) Earlier the computer also recorded that there was a period in your life when you smoked cigarettes every day for at least 30 days. How old were you when you last smoked cigarettes daily?

CIGDLLST 3 1HOW OLD WERE YOU THE LAST TIME SMOKED CIGS DAILY

RANGE =	6 - 84	7932	14.27
985 =	BAD DATA Logically assigned.....	137	0.25
991 =	NEVER USED CIGARETTES.....	23365	42.02
994 =	DON'T KNOW.....	100	0.18
997 =	REFUSED.....	21	0.04
998 =	BLANK (NO ANSWER).....	14	0.03
999 =	LEGITIMATE SKIP.....	24033	43.22

(LU04A) NOTE: For respondents whose age at last daily cigarette use was equal to or 1 year less than their current age, responses from questions LU04a, LU04b, LU04c, and LU04d were used to create the following two variables.

CIGDLYLU 4 1YEAR OF LAST CIGARETTE USE EVERY DAY - RECODE

RANGE =	2002 - 2004	2487	4.47
9985 =	BAD DATA Logically assigned.....	305	0.55
9991 =	NEVER USED CIGARETTES.....	23365	42.02
9994 =	DON'T KNOW.....	105	0.19
9997 =	REFUSED.....	23	0.04
9998 =	BLANK (NO ANSWER).....	157	0.28
9999 =	LEGITIMATE SKIP.....	29160	52.44

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	342
				FREQ	%
CIGDLMU	2	1MONTH OF LAST CIGARETTE USE EVERY DAY - RECODE			-
		1 = January.....	306	0.55	
		2 = February.....	207	0.37	
		3 = March.....	162	0.29	
		4 = April.....	229	0.41	
		5 = May.....	141	0.25	
		6 = June.....	158	0.28	
		7 = July.....	234	0.42	
		8 = August.....	186	0.33	
		9 = September.....	161	0.29	
		10 = October.....	194	0.35	
		11 = November.....	168	0.30	
		12 = December.....	237	0.43	
		85 = BAD DATA Logically assigned.....	334	0.60	
		91 = NEVER USED CIGARETTES.....	23365	42.02	
		94 = DON'T KNOW.....	176	0.32	
		97 = REFUSED.....	26	0.05	
		98 = BLANK (NO ANSWER).....	158	0.28	
		99 = LEGITIMATE SKIP.....	29160	52.44	
(LU05)		The computer recorded that you last used snuff [CGSNREC FILL]. How old were you the last time you used snuff?			
SNFAGLST	3	1HOW OLD WERE YOU LAST THE TIME USED SNUFF			
		RANGE = 1 - 80	5368	9.65	
		985 = BAD DATA Logically assigned.....	464	0.83	
		989 = LEGITIMATE SKIP Logically assigned.....	1	0.00	
		991 = NEVER USED SNUFF.....	47850	86.06	
		994 = DON'T KNOW.....	153	0.28	
		997 = REFUSED.....	28	0.05	
		998 = BLANK (NO ANSWER).....	45	0.08	
		999 = LEGITIMATE SKIP.....	1693	3.04	
(LU05A)		NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU05a, LU05b, LU05c, and LU05d, were used to create the following two variables.			
SNUFYLU	4	1YEAR OF LAST SNUFF USE - RECODE			
		RANGE = 2002 - 2004	1047	1.88	
		9985 = BAD DATA Logically assigned.....	166	0.30	
		9989 = LEGITIMATE SKIP Logically assn.....	1	0.00	
		9991 = NEVER USED SNUFF.....	47850	86.06	
		9994 = DON'T KNOW.....	157	0.28	
		9997 = REFUSED.....	30	0.05	
		9998 = BLANK (NO ANSWER).....	512	0.92	
		9999 = LEGITIMATE SKIP.....	5839	10.50	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	343
				FREQ	%
SNUFMLU	2	1MONTH OF LAST SNUFF USE - RECODE			-
		1 = January.....	79	0.14	
		2 = February.....	62	0.11	
		3 = March.....	72	0.13	
		4 = April.....	76	0.14	
		5 = May.....	73	0.13	
		6 = June.....	83	0.15	
		7 = July.....	87	0.16	
		8 = August.....	87	0.16	
		9 = September.....	78	0.14	
		10 = October.....	79	0.14	
		11 = November.....	73	0.13	
		12 = December.....	59	0.11	
		85 = BAD DATA Logically assigned.....	212	0.38	
		89 = LEGITIMATE SKIP Logically assn.....	1	0.00	
		91 = NEVER USED SNUFF.....	47850	86.06	
		94 = DON'T KNOW.....	243	0.44	
		97 = REFUSED.....	32	0.06	
		98 = BLANK (NO ANSWER).....	517	0.93	
		99 = LEGITIMATE SKIP.....	5839	10.50	

(LU06) The computer recorded that you last used chewing tobacco [CG20REC FILL]. How old were you the last time you used chewing tobacco?

CHWAGLST	3	1HOW OLD WERE YOU LAST TIME USED CHEWING TOBACCO			
		RANGE = 1 - 72	5190	9.33	
		985 = BAD DATA Logically assigned.....	341	0.61	
		991 = NEVER USED CHEWING TOBACCO.....	49063	88.24	
		994 = DON'T KNOW.....	150	0.27	
		997 = REFUSED.....	19	0.03	
		998 = BLANK (NO ANSWER).....	16	0.03	
		999 = LEGITIMATE SKIP.....	823	1.48	

(LU06A) NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU06a, LU06b, LU06c, and LU06d were used to create the following two variables.

CHEWYLU	4	1YEAR OF LAST CHEWING TOBACCO USE - RECODE			
		RANGE = 2002 - 2004	978	1.76	
		9985 = BAD DATA Logically assigned.....	134	0.24	
		9991 = NEVER USED CHEWING TOBACCO.....	49063	88.24	
		9994 = DON'T KNOW.....	158	0.28	
		9997 = REFUSED.....	19	0.03	
		9998 = BLANK (NO ANSWER).....	359	0.65	
		9999 = LEGITIMATE SKIP.....	4891	8.80	

¹The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	344
				FREQ	%
CHEWMLU	2	1MONTH OF LAST CHEWING TOBACCO USE - RECODE			-
		1 = January.....	91	0.16	
		2 = February.....	76	0.14	
		3 = March.....	62	0.11	
		4 = April.....	72	0.13	
		5 = May.....	52	0.09	
		6 = June.....	73	0.13	
		7 = July.....	89	0.16	
		8 = August.....	69	0.12	
		9 = September.....	83	0.15	
		10 = October.....	82	0.15	
		11 = November.....	77	0.14	
		12 = December.....	52	0.09	
		85 = BAD DATA Logically assigned.....	159	0.29	
		91 = NEVER USED CHEWING TOBACCO.....	49063	88.24	
		94 = DON'T KNOW.....	229	0.41	
		97 = REFUSED.....	21	0.04	
		98 = BLANK (NO ANSWER).....	361	0.65	
		99 = LEGITIMATE SKIP.....	4891	8.80	
(LU07)		The computer recorded that you last smoked part or all of a cigar [CG37REC FILL]. How old were you the last time you smoked part or all of a cigar?			
CGRAGLST	3	1HOW OLD WERE YOU THE LAST TIME SMOKED CIGAR			
		RANGE = 3 - 84	13054	23.48	
		985 = BAD DATA Logically assigned.....	733	1.32	
		989 = LEGITIMATE SKIP Logically assigned.....	4	0.01	
		991 = NEVER USED CIGARS.....	37209	66.92	
		994 = DON'T KNOW.....	377	0.68	
		997 = REFUSED.....	42	0.08	
		998 = BLANK (NO ANSWER).....	32	0.06	
		999 = LEGITIMATE SKIP.....	4151	7.47	
(LU07A)		NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU07a, LU07b, LU07c, and LU07d were used to create the following two variables.			
CIGARYLU	4	1YEAR OF LAST CIGAR USE - RECODE			
		RANGE = 2002 - 2004	4595	8.26	
		9985 = BAD DATA Logically assigned.....	629	1.13	
		9989 = LEGITIMATE SKIP Logically assn.....	3	0.01	
		9991 = NEVER USED CIGARS.....	37209	66.92	
		9994 = DON'T KNOW.....	389	0.70	
		9997 = REFUSED.....	43	0.08	
		9998 = BLANK (NO ANSWER).....	766	1.38	
		9999 = LEGITIMATE SKIP.....	11968	21.52	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	345
				FREQ	%
CIGARMLU	2	1MONTH OF LAST CIGAR USE - RECODE			-
		1 = January.....	397	0.71	
		2 = February.....	277	0.50	
		3 = March.....	325	0.58	
		4 = April.....	263	0.47	
		5 = May.....	327	0.59	
		6 = June.....	387	0.70	
		7 = July.....	458	0.82	
		8 = August.....	418	0.75	
		9 = September.....	305	0.55	
		10 = October.....	273	0.49	
		11 = November.....	334	0.60	
		12 = December.....	362	0.65	
		85 = BAD DATA Logically assigned.....	720	1.29	
		89 = LEGITIMATE SKIP Logically assn.....	3	0.01	
		91 = NEVER USED CIGARS.....	37209	66.92	
		94 = DON'T KNOW.....	741	1.33	
		97 = REFUSED.....	56	0.10	
		98 = BLANK (NO ANSWER).....	779	1.40	
		99 = LEGITIMATE SKIP.....	11968	21.52	

(LU08) The computer recorded that you last drank an alcoholic beverage [ALCREC FILL]. How old were you the last time you drank an alcoholic beverage?

ALCAGLST	3	1HOW OLD WERE YOU LAST TIME DRANK ALCOHOL BEVERAGE			
		RANGE = 1 - 98	15195	27.33	
		985 = BAD DATA Logically assigned.....	193	0.35	
		989 = LEGITIMATE SKIP Logically assigned.....	8	0.01	
		991 = NEVER USED ALCOHOL.....	14938	26.87	
		994 = DON'T KNOW.....	269	0.48	
		997 = REFUSED.....	76	0.14	
		998 = BLANK (NO ANSWER).....	351	0.63	
		999 = LEGITIMATE SKIP.....	24572	44.19	

(LU08A) NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU08a, LU08b, LU08c, and LU08d were used to create the following two variables.

ALCYLU	4	1YEAR OF LAST ALCOHOL USE - RECODE			
		RANGE = 2002 - 2004	9689	17.43	
		9985 = BAD DATA Logically assigned.....	986	1.77	
		9989 = LEGITIMATE SKIP Logically assn.....	8	0.01	
		9991 = NEVER USED ALCOHOL.....	14938	26.87	
		9994 = DON'T KNOW.....	282	0.51	
		9997 = REFUSED.....	80	0.14	
		9998 = BLANK (NO ANSWER).....	556	1.00	
		9999 = LEGITIMATE SKIP.....	29063	52.27	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	346
			FREQ	%
ALCMLU	2	1MONTH OF LAST ALCOHOL USE - RECODE		-
		1 = January.....	1314	2.36
		2 = February.....	647	1.16
		3 = March.....	682	1.23
		4 = April.....	525	0.94
		5 = May.....	667	1.20
		6 = June.....	725	1.30
		7 = July.....	897	1.61
		8 = August.....	766	1.38
		9 = September.....	627	1.13
		10 = October.....	508	0.91
		11 = November.....	537	0.97
		12 = December.....	1269	2.28
		85 = BAD DATA Logically assigned.....	1058	1.90
		89 = LEGITIMATE SKIP Logically assn.....	8	0.01
		91 = NEVER USED ALCOHOL.....	14938	26.87
		94 = DON'T KNOW.....	709	1.28
		97 = REFUSED.....	96	0.17
		98 = BLANK (NO ANSWER).....	566	1.02
		99 = LEGITIMATE SKIP.....	29063	52.27

(LU09) The computer recorded that you last used cocaine [CCREC FILL]. How old were you the last time you used cocaine?

COAGLST	3	1HOW OLD WERE YOU THE LAST TIME USED COCAINE		
		RANGE = 8 - 65	5563	10.01
		985 = BAD DATA Logically assigned.....	394	0.71
		989 = LEGITIMATE SKIP Logically assigned.....	27	0.05
		991 = NEVER USED COCAINE.....	48839	87.84
		994 = DON'T KNOW.....	113	0.20
		997 = REFUSED.....	36	0.06
		998 = BLANK (NO ANSWER).....	35	0.06
		999 = LEGITIMATE SKIP.....	595	1.07

(LU09A) NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU09a, LU09b, LU09c, and LU09d were used to create the following two variables.

COCYLU	4	1YEAR OF LAST COCAINE USE - RECODE		
		RANGE = 2002 - 2004	1522	2.74
		9985 = BAD DATA Logically assigned.....	215	0.39
		9989 = LEGITIMATE SKIP Logically assn.....	19	0.03
		9991 = NEVER USED COCAINE.....	48839	87.84
		9994 = DON'T KNOW.....	119	0.21
		9997 = REFUSED.....	36	0.06
		9998 = BLANK (NO ANSWER).....	461	0.83
		9999 = LEGITIMATE SKIP.....	4391	7.90

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	347
			FREQ	%
COCMLU	2	1MONTH OF LAST COCAINE USE - RECODE		-
		1 = January.....	128	0.23
		2 = February.....	107	0.19
		3 = March.....	127	0.23
		4 = April.....	94	0.17
		5 = May.....	115	0.21
		6 = June.....	114	0.21
		7 = July.....	111	0.20
		8 = August.....	110	0.20
		9 = September.....	114	0.21
		10 = October.....	101	0.18
		11 = November.....	92	0.17
		12 = December.....	117	0.21
		85 = BAD DATA Logically assigned.....	267	0.48
		89 = LEGITIMATE SKIP Logically assn.....	19	0.03
		91 = NEVER USED COCAINE.....	48839	87.84
		94 = DON'T KNOW.....	243	0.44
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	470	0.85
		99 = LEGITIMATE SKIP.....	4391	7.90
(LU10)		The computer recorded that you last used 'crack' [CKREC FILL]. How old were you the last time you used 'crack'?		
CRKAGLST	3	1HOW OLD WERE YOU THE LAST TIME USED CRACK		
		RANGE = 11 - 64	1369	2.46
		985 = BAD DATA Logically assigned.....	167	0.30
		991 = NEVER USED CRACK.....	53878	96.90
		994 = DON'T KNOW.....	44	0.08
		997 = REFUSED.....	17	0.03
		998 = BLANK (NO ANSWER).....	17	0.03
		999 = LEGITIMATE SKIP.....	110	0.20
(LU10A)		NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU10a, LU10b, LU10c, and LU10d were used to create the following two variables.		
CRKYLU	4	1YEAR OF LAST CRACK USE - RECODE		
		RANGE = 2002 - 2004	319	0.57
		9985 = BAD DATA Logically assigned.....	59	0.11
		9991 = NEVER USED CRACK.....	53878	96.90
		9994 = DON'T KNOW.....	44	0.08
		9997 = REFUSED.....	19	0.03
		9998 = BLANK (NO ANSWER).....	184	0.33
		9999 = LEGITIMATE SKIP.....	1099	1.98

¹The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	348
				FREQ	%
CRKMLU	2	1MONTH OF LAST CRACK USE - RECODE			-
		1 = January.....	29	0.05	
		2 = February.....	18	0.03	
		3 = March.....	32	0.06	
		4 = April.....	19	0.03	
		5 = May.....	15	0.03	
		6 = June.....	23	0.04	
		7 = July.....	38	0.07	
		8 = August.....	17	0.03	
		9 = September.....	19	0.03	
		10 = October.....	20	0.04	
		11 = November.....	16	0.03	
		12 = December.....	26	0.05	
		85 = BAD DATA Logically assigned.....	80	0.14	
		91 = NEVER USED CRACK.....	53878	96.90	
		94 = DON'T KNOW.....	65	0.12	
		97 = REFUSED.....	21	0.04	
		98 = BLANK (NO ANSWER).....	187	0.34	
		99 = LEGITIMATE SKIP.....	1099	1.98	
(LU11)		The computer recorded that you last used heroin [HEREC FILL]. How old were you the last time you used heroin?			
HERAGLST	3	1HOW OLD WERE YOU THE LAST TIME USED HEROIN			
		RANGE = 12 - 49	555	1.00	
		985 = BAD DATA Logically assigned.....	76	0.14	
		991 = NEVER USED HEROIN.....	54874	98.69	
		994 = DON'T KNOW.....	15	0.03	
		997 = REFUSED.....	8	0.01	
		998 = BLANK (NO ANSWER).....	22	0.04	
		999 = LEGITIMATE SKIP.....	52	0.09	
(LU11A)		NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU11a, LU11b, LU11c, and LU11d were used to create the following two variables.			
HERYLU	4	1YEAR OF LAST HEROIN USE - RECODE			
		RANGE = 2002 - 2004	113	0.20	
		9985 = BAD DATA Logically assigned.....	23	0.04	
		9991 = NEVER USED HEROIN.....	54874	98.69	
		9994 = DON'T KNOW.....	16	0.03	
		9997 = REFUSED.....	8	0.01	
		9998 = BLANK (NO ANSWER).....	97	0.17	
		9999 = LEGITIMATE SKIP.....	471	0.85	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	349
				FREQ	%
HERMLU	2	1MONTH OF LAST HEROIN USE - RECODE			-
		1 = January.....	8	0.01	
		2 = February.....	8	0.01	
		3 = March.....	7	0.01	
		4 = April.....	5	0.01	
		5 = May.....	9	0.02	
		6 = June.....	14	0.03	
		7 = July.....	7	0.01	
		8 = August.....	13	0.02	
		9 = September.....	5	0.01	
		10 = October.....	10	0.02	
		11 = November.....	9	0.02	
		12 = December.....	5	0.01	
		85 = BAD DATA Logically assigned.....	29	0.05	
		91 = NEVER USED HEROIN.....	54874	98.69	
		94 = DON'T KNOW.....	18	0.03	
		97 = REFUSED.....	8	0.01	
		98 = BLANK (NO ANSWER).....	102	0.18	
		99 = LEGITIMATE SKIP.....	471	0.85	
(LU12)		The computer recorded that you last used [LSFILL] [HALLREC FILL]. How old were you the last time you used [LSFILL]?			
*HALAGLST	3	1HOW OLD WERE YOU THE LAST TIME USED HALLUCINOGEN			
		RANGE = 1 - 60	6957	12.51	
		985 = BAD DATA Logically assigned.....	441	0.79	
		989 = LEGITIMATE SKIP Logically assigned.....	31	0.06	
		991 = NEVER USED HALLUCINOGENS.....	47332	85.13	
		994 = DON'T KNOW.....	170	0.31	
		997 = REFUSED.....	44	0.08	
		998 = BLANK (NO ANSWER).....	209	0.38	
		999 = LEGITIMATE SKIP.....	418	0.75	
(LU12A)		NOTE: For respondents whose age at first use was equal to or 1 year less than their current age, responses from questions LU12a, LU12b, LU12c, and LU12d were used to create the following two variables.			
*HALYLU	4	1YEAR OF LAST HALLUCINOGEN USE - RECODE			
		RANGE = 2002 - 2004	1593	2.87	
		9985 = BAD DATA Logically assigned.....	216	0.39	
		9989 = LEGITIMATE SKIP Logically assn.....	18	0.03	
		9991 = NEVER USED HALLUCINOGENS.....	47332	85.13	
		9994 = DON'T KNOW.....	174	0.31	
		9997 = REFUSED.....	45	0.08	
		9998 = BLANK (NO ANSWER).....	821	1.48	
		9999 = LEGITIMATE SKIP.....	5403	9.72	

¹The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

PRIOR SUBSTANCE USE			PAGE:	350
LABEL	LEN	DESCRIPTION	FREQ	%
*HALMLU	2	1MONTH OF LAST HALLUCINOGEN USE - RECODE		-
		1 = January.....	124	0.22
		2 = February.....	118	0.21
		3 = March.....	106	0.19
		4 = April.....	106	0.19
		5 = May.....	91	0.16
		6 = June.....	125	0.22
		7 = July.....	164	0.29
		8 = August.....	131	0.24
		9 = September.....	97	0.17
		10 = October.....	112	0.20
		11 = November.....	108	0.19
		12 = December.....	105	0.19
		85 = BAD DATA Logically assigned.....	286	0.51
		89 = LEGITIMATE SKIP Logically assn.....	18	0.03
		91 = NEVER USED HALLUCINOGENS.....	47332	85.13
		94 = DON'T KNOW.....	298	0.54
		97 = REFUSED.....	52	0.09
		98 = BLANK (NO ANSWER).....	826	1.49
		99 = LEGITIMATE SKIP.....	5403	9.72

(LU13) The computer recorded that you last used LSD [LSDREC FILL]. How old were you the last time you used LSD?

LSDAGLST	3	1HOW OLD WERE YOU THE LAST TIME USED LSD		
		RANGE = 9 - 60	4404	7.92
		985 = BAD DATA Logically assigned.....	193	0.35
		989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		991 = NEVER USED LSD.....	50641	91.08
		994 = DON'T KNOW.....	97	0.17
		997 = REFUSED.....	25	0.04
		998 = BLANK (NO ANSWER).....	180	0.32
		999 = LEGITIMATE SKIP.....	61	0.11

(LU13A) NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU13a, LU13b, LU13c, and LU13d were used to create the following two variables.

LSDYLU	4	1YEAR OF LAST LSD USE - RECODE		
		RANGE = 2002 - 2004	351	0.63
		9985 = BAD DATA Logically assigned.....	63	0.11
		9989 = LEGITIMATE SKIP Logically assn.....	1	0.00
		9991 = NEVER USED LSD.....	50641	91.08
		9994 = DON'T KNOW.....	99	0.18
		9997 = REFUSED.....	26	0.05
		9998 = BLANK (NO ANSWER).....	379	0.68
		9999 = LEGITIMATE SKIP.....	4042	7.27

¹The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	351
				FREQ	%
LSDMLU	2	1MONTH OF LAST LSD USE - RECODE			-
		1 = January.....	33	0.06	
		2 = February.....	25	0.04	
		3 = March.....	33	0.06	
		4 = April.....	22	0.04	
		5 = May.....	21	0.04	
		6 = June.....	18	0.03	
		7 = July.....	24	0.04	
		8 = August.....	26	0.05	
		9 = September.....	21	0.04	
		10 = October.....	21	0.04	
		11 = November.....	33	0.06	
		12 = December.....	19	0.03	
		85 = BAD DATA Logically assigned.....	80	0.14	
		89 = LEGITIMATE SKIP Logically assn.....	1	0.00	
		91 = NEVER USED LSD.....	50641	91.08	
		94 = DON'T KNOW.....	128	0.23	
		97 = REFUSED.....	28	0.05	
		98 = BLANK (NO ANSWER).....	386	0.69	
		99 = LEGITIMATE SKIP.....	4042	7.27	

(LU14) The computer recorded that you last used PCP [PCPREC FILL]. How old were you the last time you used PCP?

PCPAGLST	3	1HOW OLD WERE YOU THE LAST TIME USED PCP			
		RANGE = 1 - 49	1039	1.87	
		985 = BAD DATA Logically assigned.....	111	0.20	
		991 = NEVER USED PCP.....	54294	97.65	
		994 = DON'T KNOW.....	46	0.08	
		997 = REFUSED.....	16	0.03	
		998 = BLANK (NO ANSWER).....	78	0.14	
		999 = LEGITIMATE SKIP.....	18	0.03	

(LU14A) NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU14a, LU14b, LU14c, and LU14d were used to create the following two variables.

PCPYLU	4	1YEAR OF LAST PCP USE - RECODE			
		RANGE = 2002 - 2004	114	0.21	
		9985 = BAD DATA Logically assigned.....	30	0.05	
		9991 = NEVER USED PCP.....	54294	97.65	
		9994 = DON'T KNOW.....	46	0.08	
		9997 = REFUSED.....	16	0.03	
		9998 = BLANK (NO ANSWER).....	192	0.35	
		9999 = LEGITIMATE SKIP.....	910	1.64	

¹The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	352
				FREQ	%
PCPMLU	2	1MONTH OF LAST PCP USE - RECODE			-
		1 = January.....	13	0.02	
		2 = February.....	8	0.01	
		3 = March.....	3	0.01	
		4 = April.....	9	0.02	
		5 = May.....	5	0.01	
		6 = June.....	13	0.02	
		7 = July.....	4	0.01	
		8 = August.....	11	0.02	
		9 = September.....	10	0.02	
		10 = October.....	7	0.01	
		11 = November.....	7	0.01	
		12 = December.....	3	0.01	
		85 = BAD DATA Logically assigned.....	41	0.07	
		91 = NEVER USED PCP.....	54294	97.65	
		94 = DON'T KNOW.....	55	0.10	
		97 = REFUSED.....	16	0.03	
		98 = BLANK (NO ANSWER).....	193	0.35	
		99 = LEGITIMATE SKIP.....	910	1.64	

(LU15) The computer recorded that you last used 'Ecstasy' also known as MDMA [ECSTREC FILL]. How old were you the last time you used 'Ecstasy'?

ECSAGLST	3	1HOW OLD WERE YOU THE LAST TIME USED ECSTASY			
		RANGE = 6 - 56	3190	5.74	
		985 = BAD DATA Logically assigned.....	173	0.31	
		991 = NEVER USED ECSTASY.....	51862	93.27	
		994 = DON'T KNOW.....	30	0.05	
		997 = REFUSED.....	16	0.03	
		998 = BLANK (NO ANSWER).....	143	0.26	
		999 = LEGITIMATE SKIP.....	188	0.34	

(LU15A) NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU15a, LU15b, LU15c, and LU15d were used to create the following two variables.

ECSYLU	4	1YEAR OF LAST ECSTASY USE - RECODE			
		RANGE = 2002 - 2004	916	1.65	
		9985 = BAD DATA Logically assigned.....	112	0.20	
		9991 = NEVER USED ECSTASY.....	51862	93.27	
		9994 = DON'T KNOW.....	31	0.06	
		9997 = REFUSED.....	16	0.03	
		9998 = BLANK (NO ANSWER).....	351	0.63	
		9999 = LEGITIMATE SKIP.....	2314	4.16	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	353
			FREQ	%
ECSMLU	2	1MONTH OF LAST ECSTASY USE - RECODE		-
		1 = January.....	87	0.16
		2 = February.....	66	0.12
		3 = March.....	62	0.11
		4 = April.....	66	0.12
		5 = May.....	50	0.09
		6 = June.....	63	0.11
		7 = July.....	66	0.12
		8 = August.....	67	0.12
		9 = September.....	57	0.10
		10 = October.....	71	0.13
		11 = November.....	66	0.12
		12 = December.....	76	0.14
		85 = BAD DATA Logically assigned.....	133	0.24
		91 = NEVER USED ECSTASY.....	51862	93.27
		94 = DON'T KNOW.....	85	0.15
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	394	0.71
		99 = LEGITIMATE SKIP.....	2314	4.16

(LU16) The computer recorded that you last used any inhalants for kicks or to get high [INREC FILL]. How old were you the last time you used any inhalants for kicks or to get high?

INHAGLST	3	1HOW OLD WERE YOU THE LAST TIME USED INHALANTS		
		RANGE = 1 - 63	5321	9.57
		985 = BAD DATA Logically assigned.....	608	1.09
		989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		991 = NEVER USED INHALANTS.....	48795	87.76
		994 = DON'T KNOW.....	272	0.49
		997 = REFUSED.....	80	0.14
		998 = BLANK (NO ANSWER).....	201	0.36
		999 = LEGITIMATE SKIP.....	324	0.58

(LU16A) NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU16a, LU16b, LU16c, and LU16d were used to create the following two variables.

INHYLU	4	1YEAR OF LAST INHALANT USE - RECODE		
		RANGE = 2002 - 2004	1230	2.21
		9985 = BAD DATA Logically assigned.....	214	0.38
		9989 = LEGITIMATE SKIP Logically assn.....	1	0.00
		9991 = NEVER USED INHALANTS.....	48795	87.76
		9994 = DON'T KNOW.....	277	0.50
		9997 = REFUSED.....	86	0.15
		9998 = BLANK (NO ANSWER).....	813	1.46
		9999 = LEGITIMATE SKIP.....	4186	7.53

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	354
			FREQ	%
INHMLU	2	1MONTH OF LAST INHALANT USE - RECODE		-
		1 = January.....	73	0.13
		2 = February.....	66	0.12
		3 = March.....	100	0.18
		4 = April.....	85	0.15
		5 = May.....	65	0.12
		6 = June.....	115	0.21
		7 = July.....	104	0.19
		8 = August.....	94	0.17
		9 = September.....	70	0.13
		10 = October.....	81	0.15
		11 = November.....	80	0.14
		12 = December.....	69	0.12
		85 = BAD DATA Logically assigned.....	273	0.49
		89 = LEGITIMATE SKIP Logically assn.....	1	0.00
		91 = NEVER USED INHALANTS.....	48795	87.76
		94 = DON'T KNOW.....	430	0.77
		97 = REFUSED.....	96	0.17
		98 = BLANK (NO ANSWER).....	819	1.47
		99 = LEGITIMATE SKIP.....	4186	7.53

(LU17) The computer recorded that you last used a prescription pain reliever that was not prescribed for you or that you took only for the experience or feeling it caused [PRREC FILL]. How old were you the last time you used any prescription pain reliever in either of these ways?

*ANLAGLST 3 1HOW OLD WERE YOU THE LAST TIME USED PAIN RELIEVER

RANGE =	1 - 70	6727	12.10
981 =	NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
985 =	BAD DATA Logically assigned.....	393	0.71
989 =	LEGITIMATE SKIP Logically assigned.....	11	0.02
991 =	NEVER USED PAIN RELIEVERS.....	46146	82.99
994 =	DON'T KNOW.....	264	0.47
997 =	REFUSED.....	89	0.16
998 =	BLANK (NO ANSWER).....	317	0.57
999 =	LEGITIMATE SKIP.....	1561	2.81

(LU17A) NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU17a, LU17b, LU17c, and LU17d were used to create the following two variables.

*ANALYLU 4 1YEAR OF LAST PAIN RELIEVER USE - RECODE

RANGE =	2002 - 2004	3103	5.58
9981 =	NEVER USED PAIN RELIEVERS Logically assigned.....	94	0.17
9985 =	BAD DATA Logically assigned.....	480	0.86
9989 =	LEGITIMATE SKIP Logically assn.....	9	0.02
9991 =	NEVER USED PAIN RELIEVERS.....	46146	82.99
9994 =	DON'T KNOW.....	276	0.50
9997 =	REFUSED.....	95	0.17
9998 =	BLANK (NO ANSWER).....	745	1.34
9999 =	LEGITIMATE SKIP.....	4654	8.37

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

PRIOR SUBSTANCE USE			PAGE:	355
LABEL	LEN	DESCRIPTION	FREQ	%
*ANALMLU 2 1MONTH OF LAST PAIN RELIEVER USE - RECODE				
1	= January.....		278	0.50
2	= February.....		223	0.40
3	= March.....		252	0.45
4	= April.....		215	0.39
5	= May.....		216	0.39
6	= June.....		209	0.38
7	= July.....		207	0.37
8	= August.....		201	0.36
9	= September.....		214	0.38
10	= October.....		225	0.40
11	= November.....		225	0.40
12	= December.....		224	0.40
81	= NEVER USED PAIN RELIEVERS Logically assigned.....		94	0.17
85	= BAD DATA Logically assigned.....		581	1.04
89	= LEGITIMATE SKIP Logically assn.....		9	0.02
91	= NEVER USED PAIN RELIEVERS.....		46146	82.99
94	= DON'T KNOW.....		566	1.02
97	= REFUSED.....		104	0.19
98	= BLANK (NO ANSWER).....		759	1.37
99	= LEGITIMATE SKIP.....		4654	8.37

(LU17E) The computer recorded that you last used Oxycontin that was not prescribed for you or that you took only for the experience or feeling it caused [OXYREC FILL]. How old were you the last time you used Oxycontin in either of these ways?

OXYAGLST	3	1HOW OLD WERE YOU THE LAST TIME USED OXYCONTIN		
RANGE	=	11 - 56	945	1.70
981	= NEVER USED OXYCONTIN Logically assigned.....		2716	4.88
985	= BAD DATA Logically assigned.....		84	0.15
989	= LEGITIMATE SKIP Logically assigned.....		1	0.00
991	= NEVER USED OXYCONTIN.....		51510	92.64
994	= DON'T KNOW.....		25	0.04
997	= REFUSED.....		44	0.08
998	= BLANK (NO ANSWER).....		139	0.25
999	= LEGITIMATE SKIP.....		138	0.25

(LU17F) NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU17f, LU17g, LU17h, and LU17i were used to create the following two variables.

OXYCYLU	4	1YEAR OF LAST OXYCONTIN USE - RECODE		
RANGE	=	2002 - 2004	457	0.82
9981	= NEVER USED OXYCONTIN Logically assigned.....		2716	4.88
9985	= BAD DATA Logically assigned.....		83	0.15
9989	= LEGITIMATE SKIP Logically assn.....		1	0.00
9991	= NEVER USED OXYCONTIN.....		51510	92.64
9994	= DON'T KNOW.....		25	0.04
9997	= REFUSED.....		45	0.08
9998	= BLANK (NO ANSWER).....		226	0.41
9999	= LEGITIMATE SKIP.....		539	0.97

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	356
				FREQ	%
OXYCMLU	2	1MONTH OF LAST OXYCONTIN USE - RECODE			-
		1 = January.....	29	0.05	
		2 = February.....	33	0.06	
		3 = March.....	35	0.06	
		4 = April.....	35	0.06	
		5 = May.....	29	0.05	
		6 = June.....	54	0.10	
		7 = July.....	34	0.06	
		8 = August.....	29	0.05	
		9 = September.....	24	0.04	
		10 = October.....	33	0.06	
		11 = November.....	39	0.07	
		12 = December.....	25	0.04	
		81 = NEVER USED OXYCONTIN Logically assigned.....	2716	4.88	
		85 = BAD DATA Logically assigned.....	104	0.19	
		89 = LEGITIMATE SKIP Logically assn.....	1	0.00	
		91 = NEVER USED OXYCONTIN.....	51510	92.64	
		94 = DON'T KNOW.....	60	0.11	
		97 = REFUSED.....	46	0.08	
		98 = BLANK (NO ANSWER).....	227	0.41	
		99 = LEGITIMATE SKIP.....	539	0.97	
(LU18)		The computer recorded that you last used a prescription tranquilizer that was not prescribed for you or that you took only for the experience or feeling it caused [TRREC FILL]. How old were you the last time you used any prescription tranquilizer in either of those ways?			
TRNAGLST	3	1HOW OLD WERE YOU THE LAST TIME USED TRANQUILIZERS			
		RANGE = 1 - 76	3524	6.34	
		981 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		985 = BAD DATA Logically assigned.....	298	0.54	
		991 = NEVER USED TRANQUILIZERS.....	50903	91.55	
		994 = DON'T KNOW.....	177	0.32	
		997 = REFUSED.....	50	0.09	
		998 = BLANK (NO ANSWER).....	114	0.21	
		999 = LEGITIMATE SKIP.....	530	0.95	
(LU18A)		NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU18a, LU18b, LU18c, and LU18d were used to create the following two variables.			
TRANYLU	4	1YEAR OF LAST TRANQUILIZER USE - RECODE			
		RANGE = 2002 - 2004	1227	2.21	
		9981 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01	
		9985 = BAD DATA Logically assigned.....	203	0.37	
		9991 = NEVER USED TRANQUILIZERS.....	50903	91.55	
		9994 = DON'T KNOW.....	181	0.33	
		9997 = REFUSED.....	51	0.09	
		9998 = BLANK (NO ANSWER).....	418	0.75	
		9999 = LEGITIMATE SKIP.....	2613	4.70	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	357
			FREQ	%
TRANMLU	2	1MONTH OF LAST TRANQUILIZER USE - RECODE		-
		1 = January.....	90	0.16
		2 = February.....	89	0.16
		3 = March.....	101	0.18
		4 = April.....	77	0.14
		5 = May.....	82	0.15
		6 = June.....	91	0.16
		7 = July.....	82	0.15
		8 = August.....	91	0.16
		9 = September.....	92	0.17
		10 = October.....	82	0.15
		11 = November.....	89	0.16
		12 = December.....	88	0.16
		81 = NEVER USED TRANQUILIZERS Logically assigned.....	6	0.01
		85 = BAD DATA Logically assigned.....	254	0.46
		91 = NEVER USED TRANQUILIZERS.....	50903	91.55
		94 = DON'T KNOW.....	293	0.53
		97 = REFUSED.....	54	0.10
		98 = BLANK (NO ANSWER).....	425	0.76
		99 = LEGITIMATE SKIP.....	2613	4.70

(LU19) The computer recorded that you last used a prescription stimulant that was not prescribed for you or that you took only for the experience or feeling it caused [STREC FILL]. How old were you the last time you used any prescription stimulant in either of these ways?

*STMAGLST 3 1HOW OLD WERE YOU THE LAST TIME USED STIMULANTS

RANGE =	1 - 75	3688	6.63
981 =	NEVER USED STIMULANTS Logically assigned.....	16	0.03
985 =	BAD DATA Logically assigned.....	150	0.27
989 =	LEGITIMATE SKIP Logically assigned.....	15	0.03
991 =	NEVER USED STIMULANTS.....	50865	91.48
994 =	DON'T KNOW.....	133	0.24
997 =	REFUSED.....	38	0.07
998 =	BLANK (NO ANSWER).....	255	0.46
999 =	LEGITIMATE SKIP.....	442	0.79

(LU19A) NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU19a, LU19b, LU19c, and LU19d were used to create the following two variables.

*STIMYLU 4 1YEAR OF LAST STIMULANT USE - RECODE

RANGE =	2002 - 2004	1000	1.80
9981 =	NEVER USED STIMULANTS Logically assigned.....	16	0.03
9985 =	BAD DATA Logically assigned.....	128	0.23
9989 =	LEGITIMATE SKIP Logically assn.....	10	0.02
9991 =	NEVER USED STIMULANTS.....	50865	91.48
9994 =	DON'T KNOW.....	133	0.24
9997 =	REFUSED.....	41	0.07
9998 =	BLANK (NO ANSWER).....	499	0.90
9999 =	LEGITIMATE SKIP.....	2910	5.23

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	358
			FREQ	%
*STIMMLU	2	1MONTH OF LAST STIMULANT USE - RECODE		-
		1 = January.....	63	0.11
		2 = February.....	80	0.14
		3 = March.....	88	0.16
		4 = April.....	84	0.15
		5 = May.....	87	0.16
		6 = June.....	71	0.13
		7 = July.....	69	0.12
		8 = August.....	58	0.10
		9 = September.....	55	0.10
		10 = October.....	73	0.13
		11 = November.....	75	0.13
		12 = December.....	73	0.13
		81 = NEVER USED STIMULANTS Logically assigned.....	16	0.03
		85 = BAD DATA Logically assigned.....	156	0.28
		89 = LEGITIMATE SKIP Logically assn.....	10	0.02
		91 = NEVER USED STIMULANTS.....	50865	91.48
		94 = DON'T KNOW.....	190	0.34
		97 = REFUSED.....	41	0.07
		98 = BLANK (NO ANSWER).....	538	0.97
		99 = LEGITIMATE SKIP.....	2910	5.23

(LU20) The computer recorded that you last used Methamphetamine, Desoxyn, or Methedrine [MERECL FILL]. How old were you the last time you used Methamphetamine, Desoxyn, or Methedrine?

MTHAGLST	3	1HOW OLD WERE YOU THE LAST TIME USED METH		
		RANGE = 1 - 56	2044	3.68
		981 = NEVER USED METHAMPHETAMINE Logically assigned.....	16	0.03
		985 = BAD DATA Logically assigned.....	122	0.22
		989 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		991 = NEVER USED METHAMPHETAMINE.....	53068	95.44
		994 = DON'T KNOW.....	73	0.13
		997 = REFUSED.....	24	0.04
		998 = BLANK (NO ANSWER).....	72	0.13
		999 = LEGITIMATE SKIP.....	182	0.33

(LU20A) NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU20a, LU20b, LU20c, and LU20d were used to create the following two variables.

METHYLU	4	1YEAR OF LAST METHAMPHETAMINE USE - RECODE		
		RANGE = 2002 - 2004	460	0.83
		9981 = NEVER USED METHAMPHETAMINE Logically assigned.....	16	0.03
		9985 = BAD DATA Logically assigned.....	85	0.15
		9989 = LEGITIMATE SKIP Logically assn.....	1	0.00
		9991 = NEVER USED METHAMPHETAMINE.....	53068	95.44
		9994 = DON'T KNOW.....	74	0.13
		9997 = REFUSED.....	24	0.04
		9998 = BLANK (NO ANSWER).....	194	0.35
		9999 = LEGITIMATE SKIP.....	1680	3.02

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	359
				FREQ	%
METHMLU	2	1MONTH OF LAST METHAMPHETAMINE USE - RECODE			-
		1 = January.....	40	0.07	
		2 = February.....	35	0.06	
		3 = March.....	35	0.06	
		4 = April.....	30	0.05	
		5 = May.....	31	0.06	
		6 = June.....	35	0.06	
		7 = July.....	30	0.05	
		8 = August.....	37	0.07	
		9 = September.....	20	0.04	
		10 = October.....	39	0.07	
		11 = November.....	40	0.07	
		12 = December.....	36	0.06	
		81 = NEVER USED METHAMPHETAMINE Logically assigned.....	16	0.03	
		85 = BAD DATA Logically assigned.....	103	0.19	
		89 = LEGITIMATE SKIP Logically assn.....	1	0.00	
		91 = NEVER USED METHAMPHETAMINE.....	53068	95.44	
		94 = DON'T KNOW.....	106	0.19	
		97 = REFUSED.....	25	0.04	
		98 = BLANK (NO ANSWER).....	195	0.35	
		99 = LEGITIMATE SKIP.....	1680	3.02	

(LU21) The computer recorded that you last used a prescription sedative that was not prescribed for you or that you took only for the experience or feeling it caused [SVREC FILL]. How old were you the last time you used any prescription sedative in either of those ways?

SEDAGLST	3	1HOW OLD WERE YOU THE LAST TIME USED SEDATIVES			
		RANGE = 1 - 66	1188	2.14	
		981 = NEVER USED SEDATIVES Logically assigned.....	26	0.05	
		985 = BAD DATA Logically assigned.....	81	0.15	
		989 = LEGITIMATE SKIP Logically assigned.....	1	0.00	
		991 = NEVER USED SEDATIVES.....	54009	97.13	
		994 = DON'T KNOW.....	73	0.13	
		997 = REFUSED.....	16	0.03	
		998 = BLANK (NO ANSWER).....	144	0.26	
		999 = LEGITIMATE SKIP.....	64	0.12	

(LU21A) NOTE: For respondents whose age at last use was equal to or 1 year less than their current age, responses from questions LU21a, LU21b, LU21c, and LU21d were used to create the following two variables.

SEDYLU	4	1YEAR OF LAST SEDATIVE USE - RECODE			
		RANGE = 2002 - 2004	247	0.44	
		9981 = NEVER USED SEDATIVES Logically assigned.....	26	0.05	
		9985 = BAD DATA Logically assigned.....	57	0.10	
		9989 = LEGITIMATE SKIP Logically assn.....	1	0.00	
		9991 = NEVER USED SEDATIVES.....	54009	97.13	
		9994 = DON'T KNOW.....	77	0.14	
		9997 = REFUSED.....	17	0.03	
		9998 = BLANK (NO ANSWER).....	226	0.41	
		9999 = LEGITIMATE SKIP.....	942	1.69	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	360
			FREQ	%
SEDMLU	2	1MONTH OF LAST SEDATIVE USE - RECODE		-
		1 = January.....	16	0.03
		2 = February.....	22	0.04
		3 = March.....	21	0.04
		4 = April.....	10	0.02
		5 = May.....	12	0.02
		6 = June.....	14	0.03
		7 = July.....	14	0.03
		8 = August.....	21	0.04
		9 = September.....	18	0.03
		10 = October.....	20	0.04
		11 = November.....	18	0.03
		12 = December.....	16	0.03
		81 = NEVER USED SEDATIVES Logically assigned.....	26	0.05
		85 = BAD DATA Logically assigned.....	64	0.12
		89 = LEGITIMATE SKIP Logically assn.....	1	0.00
		91 = NEVER USED SEDATIVES.....	54009	97.13
		94 = DON'T KNOW.....	112	0.20
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	228	0.41
		99 = LEGITIMATE SKIP.....	942	1.69

(LU22) NOTE: Values of 1 or 2 in the variables USEALCG, USEMJCG, and USEALMJ were reset to values of 11 or 12 if respondents were routed to the corresponding questions but one or more of the relevant age-at-first-use variables (e.g., ALCTRY and CIGTRY for USEALCG) had been assigned the code for bad data during the editing of the data in the TOBACCO, ALCOHOL, or MARIJUANA modules.

Earlier, the computer recorded that you started using alcohol and cigarettes when you were [AFUFILL] years old. Which did you use first?

USEALCG	2	1USED ALC OR CIG FIRST WHEN [AFUFILL] YEARS OLD		
		1 = Alcohol.....	2009	3.61
		2 = Cigarettes.....	2747	4.94
		3 = Alcohol LOGICALLY ASSIGNED.....	41	0.07
		4 = Cigarettes LOGICALLY ASSIGNED.....	31	0.06
		11 = Alcohol (see NOTE).....	16	0.03
		12 = Cigarettes (see NOTE).....	26	0.05
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		91 = NEVER USED ALCOHOL/CIGARETTES.....	12931	23.26
		94 = DON'T KNOW.....	36	0.06
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	436	0.78
		99 = LEGITIMATE SKIP.....	37321	67.12

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	361
				FREQ	%
(LU23)		Earlier, the computer recorded that you started using marijuana and cigarettes when you were [AFUFill] years old. Which did you use first?		-	-
USEMJCG	2	1USED MJ OR CIG FIRST WHEN [AFUFill] YEARS OLD			
		1 = Marijuana.....	844	1.52	
		2 = Cigarettes.....	1989	3.58	
		3 = Marijuana LOGICALLY ASSIGNED.....	42	0.08	
		4 = Cigarettes LOGICALLY ASSIGNED.....	20	0.04	
		11 = Marijuana (see NOTE for USEALCG).....	5	0.01	
		12 = Cigarettes (see NOTE for USEALCG).....	18	0.03	
		91 = NEVER USED MARIJUANA/CIGARETTES.....	21220	38.16	
		94 = DON'T KNOW.....	12	0.02	
		97 = REFUSED.....	10	0.02	
		98 = BLANK (NO ANSWER).....	179	0.32	
		99 = LEGITIMATE SKIP.....	31263	56.23	
(LU24)		Earlier, the computer recorded that you started using alcohol and marijuana when you were [AFUFill] years old. Which did you use first?			
USEALMJ	2	1USED ALC OR MJ FIRST WHEN [AFUFill] YEARS OLD			
		1 = Alcohol.....	2755	4.95	
		2 = Marijuana.....	892	1.60	
		3 = Alcohol LOGICALLY ASSIGNED.....	17	0.03	
		4 = Marijuana LOGICALLY ASSIGNED.....	34	0.06	
		11 = Alcohol (see NOTE for USEALCG).....	6	0.01	
		12 = Marijuana (see NOTE for USEALCG).....	5	0.01	
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00	
		91 = NEVER USED ALCOHOL/MARIJUANA.....	14430	25.95	
		94 = DON'T KNOW.....	25	0.04	
		97 = REFUSED.....	8	0.01	
		98 = BLANK (NO ANSWER).....	249	0.45	
		99 = LEGITIMATE SKIP.....	37180	66.87	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PRIOR SUBSTANCE USE	PAGE:	362
				FREQ	%
(LU25)		NOTE: Values of 1, 2, or 3 in the variables USEACM and USENEXT were reset to values of 11, 12, or 13 if one or more of the relevant age-at-first-use variables (ALCTRY, CIGTRY, and MJAGE) had been assigned the code for bad data during the editing of the data in the TOBACCO, ALCOHOL, or MARIJUANA modules.			-
		Earlier, the computer recorded that you started using alcohol, cigarettes and marijuana when you were [AFUFILL] years old. Which did you use first?			
USEACM	2	1USED ALC CIG OR MJ 1ST WHEN [AFUFILL] YEARS OLD			
		1 = Alcohol.....	602	1.08	
		2 = Cigarettes.....	882	1.59	
		3 = Marijuana.....	161	0.29	
		4 = Alcohol LOGICALLY ASSIGNED.....	5	0.01	
		5 = Cigarettes LOGICALLY ASSIGNED.....	9	0.02	
		6 = Marijuana LOGICALLY ASSIGNED.....	7	0.01	
		11 = Alcohol (see NOTE).....	8	0.01	
		12 = Cigarettes (see NOTE).....	9	0.02	
		13 = Marijuana (see NOTE).....	2	0.00	
		85 = BAD DATA Logically assigned.....	7	0.01	
		91 = NEVER USED ALCOHOL/CIGARETTES/MARIJUANA.....	12767	22.96	
		94 = DON'T KNOW.....	7	0.01	
		97 = REFUSED.....	3	0.01	
		98 = BLANK (NO ANSWER).....	63	0.11	
		99 = LEGITIMATE SKIP.....	41070	73.86	
(LU26)		After first using [FILL LU25], which of these did you use next?			
USENEXT	2	1WHAT DID YOU USE AFTER USING [FILL LU25]			
		1 = Alcohol.....	706	1.27	
		2 = Cigarettes.....	479	0.86	
		3 = Marijuana.....	444	0.80	
		4 = Alcohol LOGICALLY ASSIGNED.....	8	0.01	
		5 = Cigarettes LOGICALLY ASSIGNED.....	8	0.01	
		6 = Marijuana LOGICALLY ASSIGNED.....	12	0.02	
		11 = Alcohol (see NOTE for USEACM).....	4	0.01	
		12 = Cigarettes (see NOTE for USEACM).....	1	0.00	
		13 = Marijuana (see NOTE for USEACM).....	14	0.03	
		85 = BAD DATA Logically assigned.....	16	0.03	
		91 = NEVER USED ALCOHOL/CIGARETTES/MARIJUANA.....	12767	22.96	
		97 = REFUSED.....	3	0.01	
		98 = BLANK (NO ANSWER).....	70	0.13	
		99 = LEGITIMATE SKIP.....	41070	73.86	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	RECODED PRIOR SUBSTANCE USE	PAGE:	363
-----	-----	-----	-----	FREQ	%
RECODED PRIOR SUBSTANCE USE					

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from the following two sections: Recoded Drug Use and Prior Substance Use.					
MJPRIOR	1	MARIJUANA USE 12 TO 23 MONTHS PRIOR TO INTERVIEW			
		0 = No (Otherwise).....	46240	83.16	
		1 = Used MRJ 12-23 months ago (MRJYRBFR=1).....	9362	16.84	
MJPRIYR	1	MRJ USE 12-23 MONTHS PRIOR & PST YR MRJ USE			
		0 = No (Otherwise).....	48661	87.52	
		1 = Used in Prior Yr & Past Yr (MRJYR=1 & MJPRIOR=1)..	6941	12.48	
MJPRNOYR	1	MRJ USE 12-23 MONTHS PRIOR & NO PST YR MRJ USE			
		0 = No (Otherwise).....	53181	95.65	
		1 = Used in Pr Yr NOT Pst Yr (MRJYR=0 and MJPRIOR=1)..	2421	4.35	

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	364
				FREQ	%
(TX01) SUBSTANCE TREATMENT					

NOTE: Respondents were not asked questions in the SUBSTANCE TREATMENT module if they did not report lifetime use of alcohol, marijuana, cocaine, heroin, hallucinogens, or inhalants, or lifetime use of prescription-type psychotherapeutics (pain relievers, tranquilizers, stimulants, or sedatives) for nonmedical reasons. Codes of 81 or 91 in the edited SUBSTANCE TREATMENT variables indicate that the questions did not apply because respondents were nonusers of all of these substances.					
These next questions deal with treatment for alcohol and drug problems, not including cigarettes. Please report treatment or counseling designed to help you reduce or stop your alcohol or drug use. Please include detoxification and any other treatment for medical problems associated with your alcohol or drug use.					
Have you ever received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?					
TXEVER	2	1 EVER RECEIVED ALCOHOL OR DRUG TREATMENT			
		1 = Yes.....	3216	5.78	
		2 = No.....	38977	70.10	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	41	0.07	
		97 = REFUSED.....	58	0.10	
		98 = BLANK (NO ANSWER).....	263	0.47	
(TX02)		During the past 12 months, that is since [DATEFILL] have you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes?			
TXYREVER	2	1 EVER RECEIVED ALCOHOL OR DRUG TRMT PAST 12 MOS			
		1 = Yes.....	1047	1.88	
		2 = No.....	2043	3.67	
		3 = Yes LOGICALLY ASSIGNED.....	121	0.22	
		4 = No LOGICALLY ASSIGNED.....	3	0.01	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	59	0.11	
		98 = BLANK (NO ANSWER).....	304	0.55	
		99 = LEGITIMATE SKIP (TXEVER=2).....	38977	70.10	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	365
				FREQ	%
(TX03)		During the past 12 months when you received treatment, was the treatment for alcohol use only, drug use only, or both alcohol and drug use?		-	-
TXYRADG	2	1TRMT FOR ALC, DRUG OR BOTH PAST 12 MONTHS			
		1 = Alcohol use only.....	312	0.56	
		2 = Drug use only.....	268	0.48	
		3 = Both alcohol and drug use.....	383	0.69	
		4 = Alcohol (drug trmt unknown) LOGICALLY ASSIGNED....	1	0.00	
		5 = Drugs (alcohol trmt unknown) LOGICALLY ASSIGNED...	1	0.00	
		11 = Alcohol only (but last tmt for drugs reported)....	38	0.07	
		12 = Drugs only (but last tmt for alc reported).....	36	0.06	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	63	0.11	
		98 = BLANK (NO ANSWER).....	427	0.77	
		99 = LEGITIMATE SKIP.....	41023	73.78	
(TX04A)		During the past 12 months, have you received treatment for your [TXFILL1] in a hospital overnight as an inpatient?			
TXYRHOSP	2	1RCVD TXFILL1 TRMT IN HOSP/OVERNIGHT PST 12 MOS			
		1 = Yes.....	192	0.35	
		2 = No.....	842	1.51	
		5 = Yes LOGICALLY ASSIGNED (from TXLTVMN2).....	7	0.01	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	62	0.11	
		98 = BLANK (NO ANSWER).....	427	0.77	
		99 = LEGITIMATE SKIP.....	41023	73.78	
(TX04A1)		Was the treatment you received in a hospital overnight as an inpatient for your alcohol use, your drug use, or both?			
TXYRHPAD	2	1HOSP/OVERNIGHT TRMT FOR ALC, DRUGS, OR BOTH			
		1 = Alcohol use.....	7	0.01	
		2 = Drug use.....	12	0.02	
		3 = Both alcohol and drug use.....	61	0.11	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	59	0.11	
		98 = BLANK (NO ANSWER).....	464	0.83	
		99 = LEGITIMATE SKIP.....	41953	75.45	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	366
				FREQ	%
(TX04B)		During the past 12 months, have you received treatment for your [TXFILL1] in a residential drug or alcohol rehabilitation facility where you stayed overnight?		-	-
TXYRRFIN	2	1RCVD TXFILL1 TRMT REHAB CENTR/OVERNIGHT PST 12 MO			
		1 = Yes.....	248	0.45	
		2 = No.....	768	1.38	
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00	
		5 = Yes LOGICALLY ASSIGNED (from TXLTYMN2).....	24	0.04	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		85 = BAD DATA Logically assigned.....	3	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	62	0.11	
		98 = BLANK (NO ANSWER).....	427	0.77	
		99 = LEGITIMATE SKIP.....	41023	73.78	
(TX04B1)		Was the treatment you received in a residential drug or alcohol rehabilitation facility where you stayed overnight for your alcohol use, your drug use, or both?			
TXYRINAD	2	1RES ALC/DRG REH TRMT FOR ALC, DRUGS, OR BOTH			
		1 = Alcohol use.....	8	0.01	
		2 = Drug use.....	10	0.02	
		3 = Both alcohol and drug use.....	94	0.17	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	59	0.11	
		98 = BLANK (NO ANSWER).....	474	0.85	
		99 = LEGITIMATE SKIP.....	41911	75.38	
(TX04C)		During the past 12 months, have you received treatment for your [TXFILL1] in a drug or alcohol rehabilitation facility as an outpatient?			
TXYRRFOP	2	1RCVD TXFILL1 TRMT REHAB CENTR/OUTPT PST 12 MOS			
		1 = Yes.....	430	0.77	
		2 = No.....	557	1.00	
		3 = Yes LOGICALLY ASSIGNED.....	2	0.00	
		5 = Yes LOGICALLY ASSIGNED (from TXLTYMN2).....	51	0.09	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		85 = BAD DATA Logically assigned.....	3	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	60	0.11	
		98 = BLANK (NO ANSWER).....	427	0.77	
		99 = LEGITIMATE SKIP.....	41023	73.78	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	367
				FREQ	%
(TX04C1)		Was the treatment you received in a drug or alcohol rehabilitation facility as an outpatient for your alcohol use, your drug use, or both?		-	-
TXYRPOAD	2	1OUTPATIENT TRMT FOR ALC, DRUGS, OR BOTH			
		1 = Alcohol use.....	5	0.01	
		2 = Drug use.....	16	0.03	
		3 = Both alcohol and drug use.....	159	0.29	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	59	0.11	
		98 = BLANK (NO ANSWER).....	496	0.89	
		99 = LEGITIMATE SKIP.....	41820	75.21	
(TX04D)		During the past 12 months, have you received treatment for your [TXXFILL1] in a mental health center or facility as an outpatient?			
TXYRMHC	2	1RCVD TXFILL1 TRMT MNT HEALTH CNTR/OUTPT PST 12 MO			
		1 = Yes.....	246	0.44	
		2 = No.....	759	1.37	
		5 = Yes LOGICALLY ASSIGNED (from TXLTYMN2).....	35	0.06	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		85 = BAD DATA Logically assigned.....	3	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	62	0.11	
		98 = BLANK (NO ANSWER).....	427	0.77	
		99 = LEGITIMATE SKIP.....	41023	73.78	
(TX04D1)		Was the treatment you received in a mental health center or facility as an outpatient for your alcohol use, your drug use, or both?			
TXYRMHAD	2	1MNT HEALTH CNTR TRMT FOR ALC, DRUGS, OR BOTH			
		1 = Alcohol use.....	5	0.01	
		2 = Drug use.....	3	0.01	
		3 = Both alcohol and drug use.....	88	0.16	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	59	0.11	
		98 = BLANK (NO ANSWER).....	477	0.86	
		99 = LEGITIMATE SKIP.....	41923	75.40	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	368
				FREQ	%
(TX04E)		During the past 12 months, have you received treatment for your [TxFill1] in an emergency room?		-	-
TXYRTXER	2	1RCVD TXFILL1 TRMT IN EMERGENCY ROOM PAST 12 MOS			
		1 = Yes.....	113	0.20	
		2 = No.....	916	1.65	
		3 = Yes LOGICALLY ASSIGNED.....	10	0.02	
		5 = Yes LOGICALLY ASSIGNED (from TXLTYMN2).....	3	0.01	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		85 = BAD DATA Logically assigned.....	3	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	61	0.11	
		98 = BLANK (NO ANSWER).....	427	0.77	
		99 = LEGITIMATE SKIP.....	41023	73.78	
(TX04E1)		Was the treatment you received in an emergency room for your alcohol use, your drug use, or both?			
TXYRERAD	2	1EMERGENCY ROOM TRMT FOR ALC, DRUGS, OR BOTH			
		1 = Alcohol use.....	9	0.02	
		2 = Drug use.....	23	0.04	
		3 = Both alcohol and drug use.....	15	0.03	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	59	0.11	
		98 = BLANK (NO ANSWER).....	454	0.82	
		99 = LEGITIMATE SKIP.....	41996	75.53	
(TX04F)		During the past 12 months, have you received treatment for your [TxFill1] in a private doctor's office?			
TXYRDOC	2	1RCVD TXFILL1 TRMT IN PRIV DR.'S OFFICE PST 12 MOS			
		1 = Yes.....	136	0.24	
		2 = No.....	884	1.59	
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00	
		5 = Yes LOGICALLY ASSIGNED (from TXLTYMN2).....	21	0.04	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		85 = BAD DATA Logically assigned.....	3	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	61	0.11	
		98 = BLANK (NO ANSWER).....	427	0.77	
		99 = LEGITIMATE SKIP.....	41023	73.78	
(TX04F1)		Was the treatment you received in a private doctor's office for your alcohol use, your drug use, or both?			
TXYRDCAD	2	1PRIV DR.'S OFFICE TRMT FOR ALC, DRUGS, OR BOTH			
		1 = Alcohol use.....	3	0.01	
		2 = Drug use.....	4	0.01	
		3 = Both alcohol and drug use.....	35	0.06	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	59	0.11	
		98 = BLANK (NO ANSWER).....	456	0.82	
		99 = LEGITIMATE SKIP.....	41999	75.54	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	369
				FREQ	%
(TX04G)		During the past 12 months, have you received treatment for your [TXFILL1] in a prison or jail?		-	-
TXYRJAIL	2	1RCVD TXFILL1 TRMT IN PRISON/JAIL PAST 12 MONTHS			
		1 = Yes.....	92	0.17	
		2 = No.....	945	1.70	
		5 = Yes LOGICALLY ASSIGNED (from TXLTYMN2).....	5	0.01	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	31	0.06	
		85 = BAD DATA Logically assigned.....	3	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	61	0.11	
		98 = BLANK (NO ANSWER).....	427	0.77	
		99 = LEGITIMATE SKIP.....	41023	73.78	
(TX04G1)		Was the treatment you received in a prison or jail for your alcohol use, your drug use, or both?			
TXYRJLAD	2	1PRISON/JAIL TRMT FOR ALC, DRUGS, OR BOTH			
		1 = Alcohol use.....	3	0.01	
		2 = Drug use.....	3	0.01	
		3 = Both alcohol and drug use.....	33	0.06	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	59	0.11	
		98 = BLANK (NO ANSWER).....	453	0.81	
		99 = LEGITIMATE SKIP.....	42005	75.55	
(TX04H)		During the past 12 months, have you received treatment for your [TXFILL1] in a self-help group such as Alcoholics Anonymous or Narcotics Anonymous?			
TXYRSHG	2	1RCVD TXFILL1 TRMT IN SELF-HELP GROUP PAST 12 MOS			
		1 = Yes.....	546	0.98	
		2 = No.....	458	0.82	
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00	
		5 = Yes LOGICALLY ASSIGNED (from TXLTYMN2).....	37	0.07	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	31	0.06	
		85 = BAD DATA Logically assigned.....	3	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	61	0.11	
		98 = BLANK (NO ANSWER).....	427	0.77	
		99 = LEGITIMATE SKIP.....	41023	73.78	
(TX04H1)		Was the treatment you received in a self-help group for your alcohol use, your drug use, or both?			
TXYRSGAD	2	1SELF-HELP GROUP TRMT FOR ALC, DRUGS, OR BOTH			
		1 = Alcohol use.....	26	0.05	
		2 = Drug use.....	21	0.04	
		3 = Both alcohol and drug use.....	183	0.33	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	59	0.11	
		98 = BLANK (NO ANSWER).....	496	0.89	
		99 = LEGITIMATE SKIP.....	41770	75.12	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	370
				FREQ	%
(TX04I)		During the past 12 months, have you received treatment for your [TXFILL1] in some other place besides these that have been listed?		-	-
TXYRSOP	2	1RCVD TXFILL1 TRMT IN SOME OTHER PLACE PAST 12 MOS			
		1 = Yes.....	271	0.49	
		2 = No.....	651	1.17	
		5 = Yes LOGICALLY ASSIGNED (from TXLTYNM2).....	109	0.20	
		7 = Treatment location unknown, LOG ASSN.....	8	0.01	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		85 = BAD DATA Logically assigned.....	3	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	61	0.11	
		98 = BLANK (NO ANSWER).....	427	0.77	
		99 = LEGITIMATE SKIP.....	41023	73.78	
TXYROTS2	3	10THER PLACE RECEIVED TRMT PAST 12 MONTHS			
		9 = Some other place.....	13	0.02	
		21 = Hospital inpatient overnight.....	1	0.00	
		22 = Residential drug or alc rehab facility overnight..	1	0.00	
		23 = Drug or alcohol rehab facility as outpatient.....	3	0.01	
		26 = Private doctor's office.....	1	0.00	
		27 = Prison or jail.....	1	0.00	
		28 = Self-help group.....	4	0.01	
		40 = Home, family, friends.....	24	0.04	
		41 = School, college.....	47	0.08	
		42 = Church/religious/spiritual influence.....	17	0.03	
		45 = Rehab/intervention fac/prgrm, ptnt status unspcfed.	8	0.01	
		47 = Community/city/county/state program, unspecified..	6	0.01	
		48 = Counselor, therapist, psychologist.....	49	0.09	
		49 = Court-mandated/sponsored program.....	30	0.05	
		51 = Alcohol/drug class, location unspecified.....	8	0.01	
		52 = Military/VA Hospital.....	5	0.01	
		53 = Hospital, patient status unspecified.....	6	0.01	
		54 = On the job, Job Corp, EAP.....	3	0.01	
		55 = Youth-oriented facility/organization/program.....	12	0.02	
		56 = Mental health centerfacility, ptnt status unspcfed.	8	0.01	
		63 = Medical clinic.....	4	0.01	
		64 = Methadone clinic/program.....	10	0.02	
		65 = Name of facility/program given.....	69	0.12	
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		985 = BAD DATA Logically assigned.....	22	0.04	
		991 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		994 = DON'T KNOW.....	4	0.01	
		997 = REFUSED.....	67	0.12	
		998 = BLANK (NO ANSWER).....	459	0.83	
		999 = LEGITIMATE SKIP.....	41674	74.95	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	371
				FREQ	%
(TX04II)		Was the treatment you received in this other place for your alcohol use, your drug use, or both?		-	-
TXYROTAD	2	10THER PLACE TRMT FOR ALC, DRUGS, OR BOTH			
		1 = Alcohol use.....	5	0.01	
		2 = Drug use.....	6	0.01	
		3 = Both alcohol and drug use.....	67	0.12	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	59	0.11	
		98 = BLANK (NO ANSWER).....	501	0.90	
		99 = LEGITIMATE SKIP.....	41918	75.39	
(TX05)		During the past 12 months, that is, since [DATEFILL], did you visit a hospital emergency room to receive treatment for your use of cocaine, heroin, marijuana, PCP, LSD, or Methamphetamine?			
TXYRVSER	2	1EVER VISIT EMER RM FOR TRMT OF ILL DRUG PST 12 MO			
		1 = Yes.....	35	0.06	
		2 = No.....	626	1.13	
		6 = NEVER USED RELEVANT DRUGS.....	48	0.09	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	66	0.12	
		98 = BLANK (NO ANSWER).....	445	0.80	
		99 = LEGITIMATE SKIP.....	41335	74.34	
(TX06)		During the past 12 months, how many times did you visit a hospital emergency room to receive treatment for your use of cocaine, heroin, marijuana, PCP, LSD, or Methamphetamine?			
TXYRNME2	3	1# TIMES EMER RM FOR TRMT OF ILL DRUGS PST 12 MOS			
		RANGE = 1 - 6	35	0.06	
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		991 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		997 = REFUSED.....	66	0.12	
		998 = BLANK (NO ANSWER).....	446	0.80	
		999 = LEGITIMATE SKIP.....	42009	75.55	
(TX07)		Are you currently receiving treatment or counseling for your [TXFILL1]?			
TXRCVNOW	2	1CURRENTLY RECEIVING TRMT/COUNSELING FOR TXFILL1			
		1 = Yes.....	396	0.71	
		2 = No.....	644	1.16	
		4 = NO LOGICALLY ASSIGNED.....	1	0.00	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		85 = BAD DATA Logically assigned.....	4	0.01	
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	63	0.11	
		98 = BLANK (NO ANSWER).....	424	0.76	
		99 = LEGITIMATE SKIP.....	41020	73.77	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	372
				FREQ	%
(TX08)		NOTE: The variables NDTXNEDR, NDTXALCR, NDTXMJR, NDTXCOCR, NDTXHERR, NDTXHALR, NDTXINHR, NDTXANLR, NDTXTRNR, NDTXSTMNR, NDTXSEDR, NDTXSODR, NDTXDG1R, NDTXDG2R, NDTXDG3R, NDTXDG4R, NDTXDG5R, and NDTXEFTR are renamed versions of the following variables from the 1999 survey: NDTXNEED, NDTXALC, NDTXMJ, NDTXCOC, NDTXHER, NDTXHAL, NDTXINH, NDTXANL, NDTXTRAN, NDTXSTIM, NDTXSED, NDTXSOD, NDTXDRG1, NDTXDRG2, NDTXDRG3, NDTXDRG4, NDTXDRG5, and NDTXEFRT. These variables were renamed because changes in the skip logic for 2000 affected whether respondents were asked (or not asked) the questions corresponding to these variables.			-
		During the past 12 months, did you need treatment or counseling for your alcohol or drug use?			
NDTXNEDR	2	1NEED TRMT FOR USE OF ALCOHOL OR DRUG PAST 12 MOS			
		1 = Yes.....	362	0.65	
		2 = No.....	40676	73.16	
		11 = Yes (TXYREVER=3).....	25	0.04	
		12 = No (TXYREVER=3).....	95	0.17	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	35	0.06	
		97 = REFUSED.....	51	0.09	
		98 = BLANK (NO ANSWER).....	263	0.47	
		99 = LEGITIMATE SKIP.....	1048	1.88	
(TX09)		During the past 12 months, did you need additional treatment or counseling for your alcohol or drug use?			
NDTXMORE	2	1NEED ADDL TRMT FOR USE OF ALCOHOL/DRUG PST 12 MOS			
		1 = Yes.....	42	0.08	
		2 = No.....	601	1.08	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	488	0.88	
		99 = LEGITIMATE SKIP.....	41419	74.49	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	373
				FREQ	%
(TX10)		During the past 12 months, for which of the following drugs did you need additional treatment or counseling?		-	-
NDTMRALC	2	1NEED ADDL TRMT FOR USE OF ALCOHOL PAST 12 MOS			
		1 = Response entered.....	25	0.04	
		6 = Response not entered.....	17	0.03	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	490	0.88	
		99 = LEGITIMATE SKIP.....	42020	75.57	
NDTMRMJ	2	1NEED ADDL TRMT FOR USE OF MJ/HASH PAST 12 MOS			
		1 = Response entered.....	15	0.03	
		6 = Response not entered.....	27	0.05	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	490	0.88	
		99 = LEGITIMATE SKIP.....	42020	75.57	
NDTMRCOC	2	1NEED ADDL TRMT FOR USE OF COC/CRACK PAST 12 MOS			
		1 = Response entered.....	6	0.01	
		6 = Response not entered.....	36	0.06	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	490	0.88	
		99 = LEGITIMATE SKIP.....	42020	75.57	
NDTMRHER	2	1NEED ADDL TRMT FOR USE OF HEROIN PAST 12 MOS			
		1 = Response entered.....	1	0.00	
		6 = Response not entered.....	41	0.07	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	490	0.88	
		99 = LEGITIMATE SKIP.....	42020	75.57	
NDTMRHAL	2	1NEED ADDL TRMT FOR USE OF HALLUC PAST 12 MOS			
		1 = Response entered.....	1	0.00	
		6 = Response not entered.....	41	0.07	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	490	0.88	
		99 = LEGITIMATE SKIP.....	42020	75.57	
NDTMRINH	2	1NEED ADDL TRMT FOR USE OF INHALANTS PAST 12 MOS			
		6 = Response not entered.....	42	0.08	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	490	0.88	
		99 = LEGITIMATE SKIP.....	42020	75.57	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT		PAGE:	374
			FREQ	%		
NDTMRANL	2	1NEED ADDL TRMT FOR USE OF PAIN REL PST 12 MOS				
		1 = Response entered.....	6	0.01		
		6 = Response not entered.....	36	0.06		
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06		
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41		
		97 = REFUSED.....	4	0.01		
		98 = BLANK (NO ANSWER).....	490	0.88		
		99 = LEGITIMATE SKIP.....	42020	75.57		
NDTMRTRN	2	1NEED ADDL TRMT FOR USE OF TRAN PAST 12 MOS				
		1 = Response entered.....	2	0.00		
		6 = Response not entered.....	40	0.07		
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06		
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41		
		97 = REFUSED.....	4	0.01		
		98 = BLANK (NO ANSWER).....	490	0.88		
		99 = LEGITIMATE SKIP.....	42020	75.57		
NDTMRSTM	2	1NEED ADDL TRMT FOR USE OF STIMULANTS PST 12 MOS				
		1 = Response entered.....	1	0.00		
		6 = Response not entered.....	41	0.07		
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06		
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41		
		97 = REFUSED.....	4	0.01		
		98 = BLANK (NO ANSWER).....	490	0.88		
		99 = LEGITIMATE SKIP.....	42020	75.57		
NDTMRSED	2	1NEED ADDL TRMT FOR USE OF SEDATIVES PST 12 MOS				
		6 = Response not entered.....	42	0.08		
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06		
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41		
		97 = REFUSED.....	4	0.01		
		98 = BLANK (NO ANSWER).....	490	0.88		
		99 = LEGITIMATE SKIP.....	42020	75.57		
NDTMROTH	2	1NEED ADDL TRMT FOR USE OF SOME OTH DRG PST 12 MOS				
		1 = Response entered.....	3	0.01		
		6 = Response not entered.....	39	0.07		
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06		
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41		
		97 = REFUSED.....	4	0.01		
		98 = BLANK (NO ANSWER).....	490	0.88		
		99 = LEGITIMATE SKIP.....	42020	75.57		
(TX11)		During the past 12 months did you need treatment or counseling for your use of alcohol?				
NDTXALCR	2	1NEED TRMT FOR USE OF ALCOHOL PAST 12 MONTHS				
		1 = Yes.....	186	0.33		
		2 = No.....	157	0.28		
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00		
		11 = Yes (TXYREVER=3).....	20	0.04		
		12 = No (TXYREVER=3).....	5	0.01		
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06		
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41		
		97 = REFUSED.....	48	0.09		
		98 = BLANK (NO ANSWER).....	43	0.08		
		99 = LEGITIMATE SKIP.....	42096	75.71		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	375
				FREQ	%
(TX12)		During the past 12 months, did you need treatment or counseling for your use of marijuana or hashish?			-
NDTXMJR	2	1NEED TRMT FOR USE OF MARIJUANA/HASHISH PAST 12 MOS			
		1 = Yes.....	86	0.15	
		2 = No.....	227	0.41	
		11 = Yes (TXYREVER=3).....	12	0.02	
		12 = No (TXYREVER=3).....	8	0.01	
		13 = Yes LOGICALLY ASSIGNED (TXYREVER=3).....	1	0.00	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	28	0.05	
		98 = BLANK (NO ANSWER).....	18	0.03	
		99 = LEGITIMATE SKIP.....	42176	75.85	
(TX13)		During the past 12 months, did you need treatment or counseling for your use of cocaine or 'crack'?			
NDTXCOCR	2	1NEED TRMT FOR USE OF COCAINE/CRACK PAST 12 MONTHS			
		1 = Yes.....	52	0.09	
		2 = No.....	160	0.29	
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00	
		11 = Yes (TXYREVER=3).....	7	0.01	
		12 = No (TXYREVER=3).....	8	0.01	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	8	0.01	
		98 = BLANK (NO ANSWER).....	7	0.01	
		99 = LEGITIMATE SKIP.....	42313	76.10	
(TX14)		During the past 12 months, did you need treatment or counseling for your use of heroin?			
NDTXHERR	2	1NEED TRMT FOR USE OF HEROIN PAST 12 MONTHS			
		1 = Yes.....	10	0.02	
		2 = No.....	29	0.05	
		11 = Yes (TXYREVER=3).....	3	0.01	
		12 = No (TXYREVER=3).....	3	0.01	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	5	0.01	
		98 = BLANK (NO ANSWER).....	15	0.03	
		99 = LEGITIMATE SKIP.....	42491	76.42	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	376
				FREQ	%
(TX15)		During the past 12 months, did you need treatment or counseling for your use of hallucinogens?		-	-
NDTXHALR	2	1NEED TRMT FOR USE OF HALLUCINOGENS PAST 12 MONTHS			
		1 = Yes.....	13	0.02	
		2 = No.....	199	0.36	
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00	
		11 = Yes (TXYREVER=3).....	3	0.01	
		12 = No (TXYREVER=3).....	13	0.02	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	15	0.03	
		98 = BLANK (NO ANSWER).....	98	0.18	
		99 = LEGITIMATE SKIP.....	42214	75.92	
(TX16)		During the past 12 months, did you need treatment or counseling for your use of inhalants?			
NDTXINHR	2	1NEED TRMT FOR USE OF INHALANTS PAST 12 MONTHS			
		1 = Yes.....	6	0.01	
		2 = No.....	144	0.26	
		11 = Yes (TXYREVER=3).....	2	0.00	
		12 = No (TXYREVER=3).....	7	0.01	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	14	0.03	
		98 = BLANK (NO ANSWER).....	60	0.11	
		99 = LEGITIMATE SKIP.....	42323	76.12	
(TX17)		During the past 12 months, did you need treatment or counseling for your use of prescription pain relievers?			
NDTXANLR	2	1NEED TRMT FOR USE OF RX PAIN RELIEVERS PST 12 MOS			
		1 = Yes.....	46	0.08	
		2 = No.....	178	0.32	
		11 = Yes (TXYREVER=3).....	5	0.01	
		12 = No (TXYREVER=3).....	9	0.02	
		13 = Yes LOGICALLY ASSIGNED (TXYREVER=3).....	1	0.00	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	19	0.03	
		98 = BLANK (NO ANSWER).....	120	0.22	
		99 = LEGITIMATE SKIP.....	42177	75.86	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	377
				FREQ	%
(TX18)		During the past 12 months, did you need treatment or counseling for your use of prescription tranquilizers?		-	-
NDTXTRNR	2	1NEED TRMT FOR USE OF RX TRANQUILIZERS PST 12 MOS			
		1 = Yes.....	23	0.04	
		2 = No.....	138	0.25	
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00	
		11 = Yes (TXYREVER=3).....	1	0.00	
		12 = No (TXYREVER=3).....	11	0.02	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	9	0.02	
		98 = BLANK (NO ANSWER).....	55	0.10	
		99 = LEGITIMATE SKIP.....	42318	76.11	
(TX19)		During the past 12 months, did you need treatment or counseling for your use of prescription stimulants?			
NDTXSTMNR	2	1NEED TRMT FOR USE OF RX STIMULANTS PST 12 MOS			
		1 = Yes.....	19	0.03	
		2 = No.....	127	0.23	
		3 = Yes LOGICALLY ASSIGNED.....	10	0.02	
		11 = Yes (TXYREVER=3).....	1	0.00	
		12 = No (TXYREVER=3).....	10	0.02	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	12	0.02	
		98 = BLANK (NO ANSWER).....	52	0.09	
		99 = LEGITIMATE SKIP.....	42325	76.12	
(TX20)		During the past 12 months, did you need treatment or counseling for your use of prescription sedatives?			
NDTXSEDR	2	1NEED TRMT FOR USE OF RX SEDATIVES PST 12 MOS			
		1 = Yes.....	11	0.02	
		2 = No.....	39	0.07	
		12 = No (TXYREVER=3).....	5	0.01	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	6	0.01	
		98 = BLANK (NO ANSWER).....	61	0.11	
		99 = LEGITIMATE SKIP.....	42433	76.32	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	378
				FREQ	%
(TX21)		During the past 12 months, did you need treatment or counseling for your use of some other drug besides the ones just listed?		-	-
NDTXSODR	2	1NEED TRMT FOR USE OF SOME OTHER DRUG PAST 12 MOS			
		1 = Yes.....	30	0.05	
		2 = No.....	283	0.51	
		5 = Drug Unknown LOGICALLY ASSIGNED.....	48	0.09	
		11 = Yes (TXYREVER=3).....	4	0.01	
		12 = No (TXYREVER=3).....	21	0.04	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	52	0.09	
		98 = BLANK (NO ANSWER).....	299	0.54	
		99 = LEGITIMATE SKIP.....	41819	75.21	
NDTXDG1R	4	10THER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 1			
		322 = Methamphetamine ("ice" or "crank"), Meth.....	5	0.01	
		355 = Crystal meth.....	3	0.01	
		426 = Fiorinal.....	1	0.00	
		435 = Tylenol, Tylenol Extra-Strength <OTC>.....	1	0.00	
		702 = Heroin.....	1	0.00	
		801 = OTHER Drugs, NOT OTHERWISE SPECIFIED.....	1	0.00	
		803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....	2	0.00	
		806 = Crack, rock.....	1	0.00	
		807 = Alcohol, beer, ethanol, EtOH, pink champagne.....	1	0.00	
		812 = Cigars.....	1	0.00	
		900 = Not a drug.....	1	0.00	
		2011 = Lexapro.....	1	0.00	
		3023 = Adderall.....	1	0.00	
		3052 = Speed; otherwise unspecified.....	2	0.00	
		6056 = Wet.....	1	0.00	
		9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	31	0.06	
		9985 = BAD DATA Logically assigned.....	6	0.01	
		9991 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		9994 = DON'T KNOW.....	3	0.01	
		9997 = REFUSED.....	54	0.10	
		9998 = BLANK (NO ANSWER).....	347	0.62	
		9999 = LEGITIMATE SKIP.....	42123	75.76	
NDTXDG2R	4	10THER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 2			
		499 = Aleve <OTC>.....	1	0.00	
		847 = GHB, NSC.....	1	0.00	
		9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	31	0.06	
		9985 = BAD DATA Logically assigned.....	6	0.01	
		9991 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		9997 = REFUSED.....	53	0.10	
		9998 = BLANK (NO ANSWER).....	372	0.67	
		9999 = LEGITIMATE SKIP.....	42123	75.76	
NDTXDG3R	4	10THER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 3			
		806 = Crack, rock.....	1	0.00	
		813 = Cigarettes, smoking; tobacco not specified.....	1	0.00	
		9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....	31	0.06	
		9985 = BAD DATA Logically assigned.....	2	0.00	
		9991 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		9997 = REFUSED.....	52	0.09	
		9998 = BLANK (NO ANSWER).....	377	0.68	
		9999 = LEGITIMATE SKIP.....	42123	75.76	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	379
				FREQ	%
NDTXDG4R 4 10THER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 4					
601 = LSD ("acid").....				1	0.00
806 = Crack, rock.....				1	0.00
9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....				31	0.06
9985 = BAD DATA Logically assigned.....				2	0.00
9991 = NEVER USED ALCOHOL OR DRUGS.....				13015	23.41
9997 = REFUSED.....				52	0.09
9998 = BLANK (NO ANSWER).....				377	0.68
9999 = LEGITIMATE SKIP.....				42123	75.76
NDTXDG5R 4 10THER DRUG NEEDED TRMT FOR PST 12 MOS - SPECIFY 5					
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed.....				1	0.00
807 = Alcohol, beer, ethanol, EtoH, pink champagne.....				1	0.00
9981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....				31	0.06
9985 = BAD DATA Logically assigned.....				1	0.00
9991 = NEVER USED ALCOHOL OR DRUGS.....				13015	23.41
9997 = REFUSED.....				52	0.09
9998 = BLANK (NO ANSWER).....				378	0.68
9999 = LEGITIMATE SKIP.....				42123	75.76
(TX22)		NOTE: NDTXEFTR was assigned a code of 11 if the respondent originally reported making an effort to obtain treatment but at least one of the following occurred: (a) the respondent was logically inferred to have gotten treatment in the past 12 months (TXYREVER=3); or (b) the respondent did not perceive a need for treatment for use of any of the specific drugs that he/she was asked about (i.e., all questions about the perceived need for treatment for specific drugs were answered as "no").			
		During the past 12 months, did you make an effort to get treatment or counseling for your use of [TXFILL2]?			
NDTXEFTR 2 1MAKE EFFORT FOR TRMT OF TXFILL2 PAST 12 MONTHS					
1 = Yes.....				98	0.18
2 = No.....				254	0.46
11 = Yes (see note).....				26	0.05
12 = No (TXYREVER=3).....				9	0.02
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....				31	0.06
91 = NEVER USED ALCOHOL OR DRUGS.....				13015	23.41
97 = REFUSED.....				51	0.09
98 = BLANK (NO ANSWER).....				299	0.54
99 = LEGITIMATE SKIP.....				41819	75.21
(TX22A)		Which of these statements explain why you did not get the treatment or counseling you needed for your use of [TXFILL2]?			
NDTXNHCV 2 1NOT GET TRMT COULDN'T AFFORD - NO HLTH CARE COVER					
1 = Response entered.....				85	0.15
6 = Response not entered.....				279	0.50
11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....				11	0.02
81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....				31	0.06
91 = NEVER USED ALCOHOL OR DRUGS.....				13015	23.41
94 = DON'T KNOW.....				8	0.01
97 = REFUSED.....				55	0.10
98 = BLANK (NO ANSWER).....				299	0.54
99 = LEGITIMATE SKIP.....				41819	75.21

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	380
				FREQ	%
NDTXLMCV	2	1TREATMENT NOT COVERED ON HLTH CARE			-
		1 = Response entered.....	30	0.05	
		6 = Response not entered.....	343	0.62	
		11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	2	0.00	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	55	0.10	
		98 = BLANK (NO ANSWER).....	299	0.54	
		99 = LEGITIMATE SKIP.....	41819	75.21	
NDTXNTSP	2	1NO TRANSPORTATION, TOO FAR AWAY, NOT CONVENIENT			
		1 = Response entered.....	19	0.03	
		6 = Response not entered.....	351	0.63	
		11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	5	0.01	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	55	0.10	
		98 = BLANK (NO ANSWER).....	299	0.54	
		99 = LEGITIMATE SKIP.....	41819	75.21	
NDTXTYPE	2	1TREATMENT NOT FOUND FOR TYPE WANTED			
		1 = Response entered.....	26	0.05	
		6 = Response not entered.....	346	0.62	
		11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	3	0.01	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	55	0.10	
		98 = BLANK (NO ANSWER).....	299	0.54	
		99 = LEGITIMATE SKIP.....	41819	75.21	
NDTXREDY	2	1NOT READY TO STOP USING [TXYFILL2]			
		1 = Response entered.....	122	0.22	
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00	
		6 = Response not entered.....	246	0.44	
		11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	5	0.01	
		13 = Yes LOGICALLY ASSIGNED (TXYREVER=3 or NDTXEFTR=11)	1	0.00	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	55	0.10	
		98 = BLANK (NO ANSWER).....	299	0.54	
		99 = LEGITIMATE SKIP.....	41819	75.21	
NDTXOPEN	2	1NO OPENINGS IN THE PROGRAMS			
		1 = Response entered.....	11	0.02	
		6 = Response not entered.....	361	0.65	
		11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	3	0.01	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	55	0.10	
		98 = BLANK (NO ANSWER).....	299	0.54	
		99 = LEGITIMATE SKIP.....	41819	75.21	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	381
				FREQ	%
NDTXWHER	2	1DIDN'T KNOW WHERE TO GET TREATMENT			-
		1 = Response entered.....	57	0.10	
		6 = Response not entered.....	316	0.57	
		11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	2	0.00	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	55	0.10	
		98 = BLANK (NO ANSWER).....	299	0.54	
		99 = LEGITIMATE SKIP.....	41819	75.21	
NDTXNBR	2	1TREATMENT MIGHT CAUSE NEIGHBRS TO HAVE NEG OPIN			
		1 = Response entered.....	45	0.08	
		6 = Response not entered.....	324	0.58	
		11 = Response entered (TXYREVER=3 or NDTXEFTR=3).....	6	0.01	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	55	0.10	
		98 = BLANK (NO ANSWER).....	299	0.54	
		99 = LEGITIMATE SKIP.....	41819	75.21	
NDTXJOB	2	1TREATMENT MIGHT HAVE NEG. EFFECT ON JOB			
		1 = Response entered.....	35	0.06	
		6 = Response not entered.....	339	0.61	
		11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	1	0.00	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	55	0.10	
		98 = BLANK (NO ANSWER).....	299	0.54	
		99 = LEGITIMATE SKIP.....	41819	75.21	
(TX22B)		Which of these statements explain why you did not get the treatment or counseling you needed for your use of [TXFILL2]?			
NDTXNOND	2	1YOU DIDN'T THINK YOU NEEDED TREATMENT AT THE TIME			
		1 = Response entered.....	26	0.05	
		3 = Response entered LOGICALLY ASSIGNED.....	3	0.01	
		6 = Response not entered.....	343	0.62	
		11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	3	0.01	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	55	0.10	
		98 = BLANK (NO ANSWER).....	299	0.54	
		99 = LEGITIMATE SKIP.....	41819	75.21	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	382
				FREQ	%
NDTXHNDL	2	1YOU THOUGHT YOU COULD HANDLE THE PROB W/O TREATMT			-
		1 = Response entered.....	44	0.08	
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00	
		6 = Response not entered.....	327	0.59	
		11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	2	0.00	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	55	0.10	
		98 = BLANK (NO ANSWER).....	299	0.54	
		99 = LEGITIMATE SKIP.....	41819	75.21	
NDTXNHLP	2	1YOU DIDN'T THINK TREATMENT WOULD HELP			
		1 = Response entered.....	14	0.03	
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00	
		6 = Response not entered.....	359	0.65	
		11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	1	0.00	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	55	0.10	
		98 = BLANK (NO ANSWER).....	299	0.54	
		99 = LEGITIMATE SKIP.....	41819	75.21	
NDTXBUSY	2	1YOU DIDN'T HAVE TIME (JOB, CHILDCARE, OR OTH COM)			
		1 = Response entered.....	16	0.03	
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00	
		6 = Response not entered.....	354	0.64	
		11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	3	0.01	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	55	0.10	
		98 = BLANK (NO ANSWER).....	299	0.54	
		99 = LEGITIMATE SKIP.....	41819	75.21	
NDTXFOUT	2	1DIDN'T WANT OTHERS TO FIND OUT YOU NEEDED TRMT			
		1 = Response entered.....	26	0.05	
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00	
		6 = Response not entered.....	347	0.62	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	55	0.10	
		98 = BLANK (NO ANSWER).....	299	0.54	
		99 = LEGITIMATE SKIP.....	41819	75.21	
NDTXSOR	2	1SOME OTHER REASON OR REASONS			
		1 = Response entered.....	42	0.08	
		6 = Response not entered.....	328	0.59	
		11 = Response entered (TXYREVER=3 or NDTXEFTR=11).....	5	0.01	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	8	0.01	
		97 = REFUSED.....	55	0.10	
		98 = BLANK (NO ANSWER).....	299	0.54	
		99 = LEGITIMATE SKIP.....	41819	75.21	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	383
				FREQ	%
(TX23)		During the past 12 months, did you make an effort to get additional treatment or counseling for your use of alcohol or any other drug?		-	-
NDTMREFT	2	1MAKE EFFORT FOR ADDL TRMT FOR ALC/DRG PST 12 MOS			
		1 = Yes.....	24	0.04	
		2 = No.....	18	0.03	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	4	0.01	
		98 = BLANK (NO ANSWER).....	490	0.88	
		99 = LEGITIMATE SKIP.....	42020	75.57	
(TX23A)		Which of these statements explain why you did not get the additional treatment or counseling you needed for your use of alcohol or drugs?			
NDMRNHCV	2	1NOT GET TRMT COULDN'T AFFORD - NO HLTH CARE COVER			
		1 = Response entered.....	13	0.02	
		6 = Response not entered.....	27	0.05	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	6	0.01	
		98 = BLANK (NO ANSWER).....	490	0.88	
		99 = LEGITIMATE SKIP.....	42020	75.57	
NDMRLMCV	2	1TREATMENT NOT COVERED ON HLTH CARE			
		1 = Response entered.....	1	0.00	
		6 = Response not entered.....	39	0.07	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	6	0.01	
		98 = BLANK (NO ANSWER).....	490	0.88	
		99 = LEGITIMATE SKIP.....	42020	75.57	
NDMRNTSP	2	1NO TRANSPORTATION, TOO FAR AWAY, NOT CONVENIENT			
		1 = Response entered.....	3	0.01	
		6 = Response not entered.....	37	0.07	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	6	0.01	
		98 = BLANK (NO ANSWER).....	490	0.88	
		99 = LEGITIMATE SKIP.....	42020	75.57	
NDMRTYPE	2	1TREATMENT NOT FOUND FOR TYPE WANTED			
		1 = Response entered.....	5	0.01	
		6 = Response not entered.....	35	0.06	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	6	0.01	
		98 = BLANK (NO ANSWER).....	490	0.88	
		99 = LEGITIMATE SKIP.....	42020	75.57	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	384
				FREQ	%
NDMRREADY	2	1NOT READY TO STOP USING ALCOHOL OR DRUGS	1 = Response entered..... 6 = Response not entered..... 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.... 91 = NEVER USED ALCOHOL OR DRUGS..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	11 29 31 13015 6 490 42020	0.02 0.05 0.06 23.41 0.01 0.88 75.57
NDMROPEN	2	1NO OPENINGS IN THE PROGRAMS	1 = Response entered..... 6 = Response not entered..... 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.... 91 = NEVER USED ALCOHOL OR DRUGS..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	1 39 31 13015 6 490 42020	0.00 0.07 0.06 23.41 0.01 0.88 75.57
NDMRWHER	2	1DIDN'T KNOW WHERE TO GET TREATMENT	1 = Response entered..... 6 = Response not entered..... 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.... 91 = NEVER USED ALCOHOL OR DRUGS..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	2 38 31 13015 6 490 42020	0.00 0.07 0.06 23.41 0.01 0.88 75.57
NDMRNBR	2	1TREATMENT MIGHT CAUSE NEIGHBRS TO HAVE NEG. OPIN	1 = Response entered..... 6 = Response not entered..... 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.... 91 = NEVER USED ALCOHOL OR DRUGS..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	2 38 31 13015 6 490 42020	0.00 0.07 0.06 23.41 0.01 0.88 75.57
NDMRJOB	2	1TREATMENT MIGHT HAVE NEG. EFFECT ON JOB	1 = Response entered..... 6 = Response not entered..... 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.... 91 = NEVER USED ALCOHOL OR DRUGS..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	3 37 31 13015 6 490 42020	0.01 0.07 0.06 23.41 0.01 0.88 75.57
(TX23B)		Which of these statements explain why you did not get the additional treatment or counseling you needed for your use of alcohol or drugs?			
NDMRNOND	2	1YOU DIDN'T THINK YOU NEEDED TREATMENT AT THE TIME	1 = Response entered..... 6 = Response not entered..... 81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.... 91 = NEVER USED ALCOHOL OR DRUGS..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	5 35 31 13015 6 490 42020	0.01 0.06 0.06 23.41 0.01 0.88 75.57

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	385
				FREQ	%
NDMRHNDL	2	1YOU THOUGHT YOU COULD HANDLE THE PROB W/O TREATMT			-
		1 = Response entered.....	4	0.01	
		6 = Response not entered.....	36	0.06	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	6	0.01	
		98 = BLANK (NO ANSWER).....	490	0.88	
		99 = LEGITIMATE SKIP.....	42020	75.57	
NDMRNHLP	2	1YOU DIDN'T THINK TREATMENT WOULD HELP			
		1 = Response entered.....	1	0.00	
		6 = Response not entered.....	39	0.07	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	6	0.01	
		98 = BLANK (NO ANSWER).....	490	0.88	
		99 = LEGITIMATE SKIP.....	42020	75.57	
NDMRBUSY	2	1YOU DIDN'T HAVE TIME (JOB, CHILDCARE, OR OTH COM)			
		1 = Response entered.....	2	0.00	
		6 = Response not entered.....	38	0.07	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	6	0.01	
		98 = BLANK (NO ANSWER).....	490	0.88	
		99 = LEGITIMATE SKIP.....	42020	75.57	
NDMRFOUT	2	1DIDN'T WANT OTHERS TO FIND OUT YOU NEEDED TRMT			
		1 = Response entered.....	1	0.00	
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00	
		6 = Response not entered.....	38	0.07	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	6	0.01	
		98 = BLANK (NO ANSWER).....	490	0.88	
		99 = LEGITIMATE SKIP.....	42020	75.57	
NDMRSOR	2	1SOME OTHER REASON OR REASONS			
		1 = Response entered.....	3	0.01	
		6 = Response not entered.....	37	0.07	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	6	0.01	
		98 = BLANK (NO ANSWER).....	490	0.88	
		99 = LEGITIMATE SKIP.....	42020	75.57	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	386
				FREQ	%
(TX24)		How long has it been since you were last in treatment or counseling for your alcohol or drug use, not counting cigarettes?			-
TXLASREC	2	1TIME SINCE LAST RCV'D ALCOHOL OR DRUG TREATMENT			
		1 = Within the past 30 days -- that is, since DATEFILL	117	0.21	
		2 = More than 30 days ago but within the past 12 mos..	498	0.90	
		3 = More than 12 months ago.....	2010	3.61	
		7 = Still in treatment LOG ASSN (TXRCVNW=1).....	396	0.71	
		8 = Treatment in past year LOGICALLY ASSIGNED.....	157	0.28	
		9 = Treatment in lifetime LOGICALLY ASSIGNED.....	2	0.00	
		13 = Treatment > 12 mos ago LOG ASSN (TXYREVER=2).....	36	0.06	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	58	0.10	
		98 = BLANK (NO ANSWER).....	304	0.55	
		99 = LEGITIMATE SKIP.....	38977	70.10	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	387
				FREQ	%
(TX25)		NOTE: For most of the remaining questions in the SUBSTANCE TREATMENT module, the wording differed depending on whether respondents previously reported that they were still in treatment or that they were no longer in treatment. Where two question wordings appear for a given variable, the first wording was what respondents received if they reported that they were no longer in treatment. The second wording was what respondents received if they reported that they were still in treatment.			-
		What was the main place where you received treatment the last time you started treatment for your alcohol or other drug use, not counting cigarettes?			
		What is the main place where you are currently receiving treatment for your alcohol or other drug use, not counting cigarettes?			
TXLTYM2	3	1MAIN PLACE RCV TRMT LAST TIME/CURRENTLY			
		1 = A hospital overnight as an inpatient.....	34	0.06	
		2 = A res drug/alcohol rehab facility overnight.....	85	0.15	
		3 = A drug or alcohol rehab facility as an outpatient.	224	0.40	
		4 = A mental health center or facility as outpatient..	116	0.21	
		5 = An emergency room.....	14	0.03	
		6 = A private doctor's office.....	54	0.10	
		7 = A prison or jail.....	20	0.04	
		8 = A self-help group.....	250	0.45	
		9 = Some other place.....	42	0.08	
		40 = Home, family, friends.....	14	0.03	
		41 = School, college.....	40	0.07	
		42 = Church/religious/spiritual influence.....	7	0.01	
		45 = Rehab/intervention fac/prgrm, ptnt status unspcfed.	4	0.01	
		47 = Community/city/county/state pgm or facil; unspecfd.	4	0.01	
		48 = Counselor, therapist, psychologist, psychiatrist..	38	0.07	
		49 = Court-mandated/sponsored program.....	18	0.03	
		51 = Alcohol/drug class or education, locale unspcfed...	7	0.01	
		53 = Hospital; mental health or patient status unspcfed.	6	0.01	
		55 = Youth-oriented facility/organization/program.....	7	0.01	
		56 = Mental hlth ctr/facility/hosp; ptnt status unspcfed	4	0.01	
		62 = Preliminary evaluation, location unspecified.....	3	0.01	
		63 = Medical clinic.....	3	0.01	
		64 = Methadone clinic/program.....	3	0.01	
		65 = Name of facility/program given.....	28	0.05	
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		985 = BAD DATA Logically assigned.....	3	0.01	
		989 = LEGITIMATE SKIP Logically assigned.....	3	0.01	
		991 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		994 = DON'T KNOW.....	11	0.02	
		997 = REFUSED.....	70	0.13	
		998 = BLANK (NO ANSWER).....	424	0.76	
		999 = LEGITIMATE SKIP.....	41020	73.77	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	388
				FREQ	%
(TX26)		The last time you entered treatment, did you receive treatment or counseling for your use of alcohol?			-
		Are you currently receiving treatment or counseling for your use of alcohol?			
TXLTYALC	2	1LAST/CURRENT TREATMENT FOR ALCOHOL			
		1 = Yes.....	607	1.09	
		2 = No.....	346	0.62	
		3 = Yes LOGICALLY ASSIGNED.....	7	0.01	
		5 = Yes LOG ASSN (TXYRADG = 1).....	61	0.11	
		6 = NEVER USED ALCOHOL (TXEVER = 1).....	20	0.04	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		85 = BAD DATA Logically assigned.....	2	0.00	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)....	3	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	64	0.12	
		98 = BLANK (NO ANSWER).....	425	0.76	
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	41020	73.77	
(TX27)		The last time you entered treatment, did you receive treatment or counseling for your use of marijuana or hashish?			
		Are you currently receiving treatment or counseling for your use of marijuana or hashish?			
TXLTYMJ	2	1LAST/CURRENT TREATMENT FOR MARIJUANA/HASHISH			
		1 = Yes.....	438	0.79	
		2 = No.....	500	0.90	
		3 = Yes LOGICALLY ASSIGNED.....	6	0.01	
		6 = NEVER USED MARIJUANA (TXEVER = 1).....	121	0.22	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		85 = BAD DATA Logically assigned.....	2	0.00	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)....	3	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	64	0.12	
		98 = BLANK (NO ANSWER).....	401	0.72	
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	41020	73.77	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	389
				FREQ	%
(TX28)		The last time you entered treatment, did you receive treatment or counseling for your use of cocaine or 'crack'?			-
		Are you currently receiving treatment or counseling for your use of cocaine or 'crack'?			
TXLTYCOC	2	1LAST/CURRENT TREATMENT FOR COCAINE/CRACK			
		1 = Yes.....	203	0.37	
		2 = No.....	340	0.61	
		3 = Yes LOGICALLY ASSIGNED.....	10	0.02	
		6 = NEVER USED COCAINE (TXEVER = 1).....	562	1.01	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		85 = BAD DATA Logically assigned.....	1	0.00	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)....	2	0.00	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	61	0.11	
		98 = BLANK (NO ANSWER).....	354	0.64	
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	41021	73.78	
(TX29)		The last time you entered treatment, did you receive treatment or counseling for your use of heroin?			
		Are you currently receiving treatment or counseling for your use of heroin?			
TXLTYHER	2	1LAST/CURRENT TREATMENT FOR HEROIN			
		1 = Yes.....	71	0.13	
		2 = No.....	61	0.11	
		6 = NEVER USED HEROIN (TXEVER = 1).....	1026	1.85	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)....	2	0.00	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	59	0.11	
		98 = BLANK (NO ANSWER).....	315	0.57	
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	41021	73.78	
(TX30)		The last time you entered treatment, did you receive treatment or counseling for your use of hallucinogens?			
		Are you currently receiving treatment or counseling for your use of hallucinogens?			
TXLTYHAL	2	1LAST/CURRENT TREATMENT FOR HALLUCINOGENS			
		1 = Yes.....	127	0.23	
		2 = No.....	427	0.77	
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00	
		6 = NEVER USED HALLUCINOGENS (TXEVER = 1).....	552	0.99	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)....	2	0.00	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	62	0.11	
		98 = BLANK (NO ANSWER).....	363	0.65	
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	41021	73.78	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	390
				FREQ	%
(TX31)		The last time you entered treatment, did you receive treatment or counseling for your use of inhalants?			-
		Are you currently receiving treatment or counseling for your use of inhalants?			
TXLTYINH	2	1LAST/CURRENT TREATMENT FOR INHALANTS			
		1 = Yes.....	79	0.14	
		2 = No.....	309	0.56	
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00	
		6 = NEVER USED INHALANTS (TXEVER = 1).....	734	1.32	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		85 = BAD DATA Logically assigned.....	1	0.00	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)....	2	0.00	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	62	0.11	
		98 = BLANK (NO ANSWER).....	346	0.62	
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	41021	73.78	
(TX32)		The last time you entered treatment, did you receive treatment or counseling for your use of prescription pain relievers?			
		Are you currently receiving treatment or counseling for your use of prescription pain relievers?			
TXLTYANL	2	1LAST/CURRENT TRMT FOR PRESCRIPTION PAIN RELIEVERS			
		1 = Yes.....	159	0.29	
		2 = No.....	414	0.74	
		3 = Yes LOGICALLY ASSIGNED.....	8	0.01	
		6 = NEVER USED PAIN RELIEVERS (TXEVER = 1).....	529	0.95	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)....	1	0.00	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	61	0.11	
		98 = BLANK (NO ANSWER).....	360	0.65	
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	41022	73.78	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	391
				FREQ	%
(TX33)		The last time you entered treatment, did you receive treatment or counseling for your use of prescription tranquilizers?		-	-
		Are you currently receiving treatment or counseling for your use of prescription tranquilizers?			
TXLTYTRN	2	1LAST/CURRENT TRMT FOR PRESCRIPTION TRANQUILIZERS			
		1 = Yes.....	94	0.17	
		2 = No.....	292	0.53	
		3 = Yes LOGICALLY ASSIGNED.....	4	0.01	
		4 = No Logically assigned.....	1	0.00	
		6 = NEVER USED TRANQUILIZERS (TXEVER = 1).....	737	1.33	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		85 = BAD DATA Logically assigned.....	1	0.00	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)....	2	0.00	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	60	0.11	
		98 = BLANK (NO ANSWER).....	341	0.61	
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	41021	73.78	
(TX34)		The last time you entered treatment, did you receive treatment or counseling for your use of prescription stimulants?			
		Are you currently receiving treatment or counseling for your use of prescription stimulants?			
TXLTYSTM	2	1LAST/CURRENT TRMT FOR PRESCRIPTION STIMULANTS			
		1 = Yes.....	105	0.19	
		2 = No.....	256	0.46	
		3 = Yes LOGICALLY ASSIGNED.....	29	0.05	
		6 = NEVER USED STIMULANTS (TXEVER = 1).....	742	1.33	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		89 = LEGITIMATE SKIP Logically assigned (TXEVER=2)....	3	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	2	0.00	
		97 = REFUSED.....	61	0.11	
		98 = BLANK (NO ANSWER).....	338	0.61	
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	41020	73.77	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	392
				FREQ	%
(TX35)		The last time you entered treatment, did you receive treatment or counseling for your use of prescription sedatives?		-	-
		Are you currently receiving treatment or counseling for your use of prescription sedatives?			
TXLTYSED	2	1LAST/CURRENT TRMT FOR PRESCRIPTION SEDATIVES			
		1 = Yes.....	33	0.06	
		2 = No.....	83	0.15	
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00	
		4 = No LOGICALLY ASSIGNED.....	1	0.00	
		6 = NEVER USED SEDATIVES (TXEVER = 1).....	1036	1.86	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	59	0.11	
		98 = BLANK (NO ANSWER).....	320	0.58	
		99 = LEGITIMATE SKIP (TXEVER=2/TXYREVER=2,4).....	41023	73.78	
(TX36)		The last time you entered treatment, did you receive treatment or counseling for your use of any other drug?			
		Are you currently receiving treatment or counseling for your use of any other drug?			
TXLTYSOD	2	1LAST/CURRENT TRMT FOR SOME OTHER DRUG			
		1 = Yes.....	145	0.26	
		2 = No.....	826	1.49	
		3 = Yes LOGICALLY ASSIGNED.....	7	0.01	
		5 = Treatment drug unknown, LOGICALLY ASSIGNED.....	22	0.04	
		7 = Treatment drug/alc unknown LOG ASSN.....	38	0.07	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		85 = BAD DATA Logically assigned.....	3	0.01	
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	65	0.12	
		98 = BLANK (NO ANSWER).....	424	0.76	
		99 = LEGITIMATE SKIP.....	41020	73.77	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	SUBSTANCE TREATMENT DESCRIPTION	PAGE:	393
			FREQ	%
(TX38)		What was the outcome of the treatment or counseling you last received?		-
TXLTYOU2	2	1OUTCOME OF LAST/CURRENT TREATMENT		
		1 = You are still in treatment.....	396	0.71
		2 = You successfully completed treatment.....	463	0.83
		3 = You left because you had a problem with program...	35	0.06
		4 = You left b/c you couldn't afford to continue.....	14	0.03
		5 = You left because your family needed you.....	12	0.02
		6 = You left because you began using drugs again.....	29	0.05
		7 = Your last treatment had some other outcome.....	16	0.03
		41 = You left because you didn't need/want treatment...	6	0.01
		43 = You were successful b/c of own efforts, not trmt..	3	0.01
		44 = You relapsed/program did not work for you.....	3	0.01
		48 = Discontinued treatment, success unknown.....	5	0.01
		49 = Completed treatment, outcome unknown.....	14	0.03
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06
		85 = BAD DATA Logically assigned.....	29	0.05
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	72	0.13
		98 = BLANK (NO ANSWER).....	427	0.77
		99 = LEGITIMATE SKIP.....	41020	73.77

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	394
				FREQ	%
-----	-----	-----	-----	-----	-
(TX39)			How long did you stay in treatment for your alcohol or drug use during your last treatment at [FILL IN ANSWER FROM TX25]?		
			How long have you been in treatment for your alcohol or drug use at [FILL IN ANSWER FROM TX25] so far?		
			How long did you stay in treatment for your alcohol or drug use during your last treatment?		
			How long have you been in treatment for your alcohol or drug use so far?		
			Please indicate whether you want to give your answer in days, months, or years.		
			How many days have you been in treatment for your alcohol or drug use so far?		
			How many days did you stay in treatment for your alcohol or drug use the last time?		
			How many months have you been in treatment for your alcohol or drug use so far?		
			How many months did you stay in treatment for your alcohol or drug use the last time?		
			How many years have you been in treatment for your alcohol or drug use so far?		
			How many years did you stay in treatment for your alcohol or drug use the last time?		

TXLTYDU2	5	1# DAYS IN ALC/DRG TMT SO FAR/LAST TIME - RECODE			
RANGE	=	1 - 30	424	0.76	
31	=	31 or more.....	577	1.04	
99981	=	NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
99985	=	BAD DATA Logically assigned.....	5	0.01	
99989	=	LEGITIMATE SKIP Logically assigned.....	3	0.01	
99991	=	NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
99994	=	DON'T KNOW.....	25	0.04	
99997	=	REFUSED.....	78	0.14	
99998	=	BLANK (NO ANSWER).....	424	0.76	
99999	=	LEGITIMATE SKIP.....	41020	73.77	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	395
				FREQ	%
(TX42A)		Did private health insurance pay for the last treatment you received, even if it paid only part of the cost?		-	-
		Will private health insurance pay for the treatment you are currently receiving, even if it pays only part of the cost?			
TXPYINS	2	1HEALTH INSURANCE PAY FOR LAST/CURRENT TRMT			
		1 = Yes.....	316	0.57	
		2 = No.....	671	1.21	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		85 = BAD DATA Logically assigned.....	7	0.01	
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	38	0.07	
		97 = REFUSED.....	77	0.14	
		98 = BLANK (NO ANSWER).....	424	0.76	
		99 = LEGITIMATE SKIP.....	41020	73.77	
(TX42B)		Did Medicare pay for the last treatment you received, even if it paid only part of the cost?			
		Will Medicare pay for the treatment you are currently receiving, even if it pays only part of the cost?			
TXPYCARE	2	1MEDICARE PAY FOR LAST/CURRENT TRMT			
		1 = Yes.....	176	0.32	
		2 = No.....	796	1.43	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		85 = BAD DATA Logically assigned.....	7	0.01	
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	55	0.10	
		97 = REFUSED.....	75	0.13	
		98 = BLANK (NO ANSWER).....	424	0.76	
		99 = LEGITIMATE SKIP.....	41020	73.77	
(TX42C)		Did Medicaid pay for the last treatment you received, even if it paid only part of the cost?			
		Will Medicaid pay for the treatment you are currently receiving, even if it pays only part of the cost?			
TXPYCAID	2	1MEDICAID PAY FOR LAST/CURRENT TRMT			
		1 = Yes.....	183	0.33	
		2 = No.....	789	1.42	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		85 = BAD DATA Logically assigned.....	7	0.01	
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	57	0.10	
		97 = REFUSED.....	73	0.13	
		98 = BLANK (NO ANSWER).....	424	0.76	
		99 = LEGITIMATE SKIP.....	41020	73.77	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	396
				FREQ	%
(TX42D)		Did a public assistance program other than Medicaid pay for the last treatment you received, even if it paid only part of the cost?			-
		Will a public assistance program other than Medicaid pay for the treatment you are currently receiving, even if it pays only part of the cost?			
TXPYPPUBP	2	1OTH PUBLIC ASSIST PAY FOR LAST/CURRENT TRMT			
		1 = Yes.....	167	0.30	
		2 = No.....	792	1.42	
		3 = Yes LOGICALLY ASSIGNED.....	4	0.01	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		85 = BAD DATA Logically assigned.....	7	0.01	
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	64	0.12	
		97 = REFUSED.....	75	0.13	
		98 = BLANK (NO ANSWER).....	424	0.76	
		99 = LEGITIMATE SKIP.....	41020	73.77	
(TX42E)		Did you use your own savings or earnings to pay for the last treatment you received, even if you paid only part of the cost?			
		Will you use your own savings or earnings to pay for the treatment you are currently receiving, even if you pay only part of the cost?			
TXPYSAVE	2	1OWN SAVINGS PAY FOR LAST/CURRENT TRMT			
		1 = Yes.....	442	0.79	
		2 = No.....	558	1.00	
		3 = Yes LOGICALLY ASSIGNED.....	6	0.01	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		85 = BAD DATA Logically assigned.....	7	0.01	
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	21	0.04	
		97 = REFUSED.....	75	0.13	
		98 = BLANK (NO ANSWER).....	424	0.76	
		99 = LEGITIMATE SKIP.....	41020	73.77	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	397
				FREQ	%
(TX42F)		Did family members pay for the last treatment you received, even if they paid only part of the cost?			-
		Will family members pay for the treatment you are currently receiving, even if they pay only part of the cost?			
TXPYFMLY	2	1FAMILY MEMBERS PAY FOR LAST/CURRENT TRMT			
		1 = Yes.....	281	0.51	
		2 = No.....	732	1.32	
		3 = Yes LOGICALLY ASSIGNED.....	1	0.00	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		85 = BAD DATA Logically assigned.....	7	0.01	
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	14	0.03	
		97 = REFUSED.....	74	0.13	
		98 = BLANK (NO ANSWER).....	424	0.76	
		99 = LEGITIMATE SKIP.....	41020	73.77	
(TX42G)		Did the courts pay for the last treatment you received, even if it paid only part of the cost?			
		Will the courts pay for the treatment you are currently receiving, even if it pays only part of the cost?			
TXPYCORT	2	1COURTS PAY FOR LAST/CURRENT TRMT			
		1 = Yes.....	130	0.23	
		2 = No.....	863	1.55	
		3 = Yes LOGICALLY ASSIGNED.....	3	0.01	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		85 = BAD DATA Logically assigned.....	7	0.01	
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	30	0.05	
		97 = REFUSED.....	76	0.14	
		98 = BLANK (NO ANSWER).....	424	0.76	
		99 = LEGITIMATE SKIP.....	41020	73.77	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	398
				FREQ	%
(TX42H)		Did CHAMPUS or TRICARE, CHAMPVA, the VA, or some other military health care pay for the last treatment you received, even if it paid only part of the cost?			-
		Will CHAMPUS or TRICARE, CHAMPVA, the VA, or some other military health care pay for the treatment you are currently receiving, even if it pays only part of the cost?			
TXPYMILC	2	1MILITARY HLTH CARE PAY FOR LAST/CURRENT TRMT			
		1 = Yes.....	27	0.05	
		2 = No.....	949	1.71	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		85 = BAD DATA Logically assigned.....	7	0.01	
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	49	0.09	
		97 = REFUSED.....	77	0.14	
		98 = BLANK (NO ANSWER).....	424	0.76	
		99 = LEGITIMATE SKIP.....	41020	73.77	
(TX42I)		Did your employer pay for the last treatment you received, even if it paid only part of the cost?			
		Will your employer pay for the treatment you are currently receiving, even if it pays only part of the cost?			
TXPYEMPL	2	1EMPLOYER PAY FOR LAST/CURRENT TRMT			
		1 = Yes.....	47	0.08	
		2 = No.....	955	1.72	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		85 = BAD DATA Logically assigned.....	7	0.01	
		89 = LEGITIMATE SKIP Logically assigned.....	3	0.01	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	24	0.04	
		97 = REFUSED.....	76	0.14	
		98 = BLANK (NO ANSWER).....	424	0.76	
		99 = LEGITIMATE SKIP.....	41020	73.77	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	399
				FREQ	%
(TX42J)		Was your last treatment paid for by some other source besides those that have been listed?			-
		Will the treatment you are currently receiving be paid for by some other source besides those that have been listed?			
TXPYOS	2	1SOME OTHER SOURCE PAY FOR LAST/CURRENT TRMT			
		1 = Yes.....		131	0.24
		2 = No.....		840	1.51
		4 = No LOG ASSN (free trmt specified).....		3	0.01
		5 = Yes, payment source not specified LOG ASSN.....		23	0.04
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....		31	0.06
		85 = BAD DATA Logically assigned.....		6	0.01
		89 = LEGITIMATE SKIP Logically assigned.....		3	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....		13015	23.41
		94 = DON'T KNOW.....		32	0.06
		97 = REFUSED.....		74	0.13
		98 = BLANK (NO ANSWER).....		424	0.76
		99 = LEGITIMATE SKIP.....		41020	73.77
TXPYSP2	2	10THER PAY FOR LAST/CURRENT TRMT - SPECIFY			
		1 = Private health insurance.....		8	0.01
		3 = Medicaid.....		1	0.00
		4 = Public assistance program other than Medicaid.....		6	0.01
		5 = Own savings or earnings.....		16	0.03
		6 = Family members.....		2	0.00
		7 = Courts.....		5	0.01
		8 = CHAMPUS, TRICARE, CHAMPVA, VA, othr military hlhs.		1	0.00
		9 = Employer.....		1	0.00
		10 = Free.....		12	0.02
		11 = Some other source.....		1	0.00
		12 = Friend/sponsor.....		8	0.01
		13 = Church.....		4	0.01
		14 = School.....		18	0.03
		15 = Treatment program.....		4	0.01
		16 = Indian Health Service/BIA/Tribe.....		4	0.01
		19 = Public assistance, unspecified.....		18	0.03
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned.....		31	0.06
		85 = BAD DATA Logically assigned.....		13	0.02
		89 = LEGITIMATE SKIP Logically assigned.....		5	0.01
		91 = NEVER USED ALCOHOL OR DRUGS.....		13015	23.41
		94 = DON'T KNOW.....		7	0.01
		97 = REFUSED.....		81	0.15
		98 = BLANK (NO ANSWER).....		480	0.86
		99 = LEGITIMATE SKIP.....		41861	75.29

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	400
				FREQ	%
(TX42K)		Was the last treatment you received free?			-
		Is the treatment you are currently receiving free?			
TXPYFRE	2	1LAST/CURRENT TREATMENT WAS/IS FREE			
		1 = Yes.....	61	0.11	
		2 = No.....	23	0.04	
		3 = Yes LOGICALLY ASSIGNED.....	12	0.02	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	69	0.12	
		98 = BLANK (NO ANSWER).....	455	0.82	
		99 = LEGITIMATE SKIP.....	41936	75.42	
(TX43)		Were you enrolled in a treatment program for your alcohol or drug use on October 1, 2003?			
		For this question, please include only treatment you received at a hospital, drug rehabilitation facility, or mental health center.			
TXENROLL	2	1ENROLLED IN TREATMENT PROGRAM ON OCT.1 2003			
		1 = Yes.....	312	0.56	
		2 = No.....	2852	5.13	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		85 = BAD DATA Logically assigned.....	1	0.00	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	34	0.06	
		97 = REFUSED.....	76	0.14	
		98 = BLANK (NO ANSWER).....	304	0.55	
		99 = LEGITIMATE SKIP (TXEVER=2).....	38977	70.10	
(TX44)		Think about all the treatment or counseling you received for your [TXFILL1] during the past 12 months. Was detoxification the only [TXFILL1] treatment you received during the past 12 months?			
TXYRDTXO	2	1WAS DETOX THE ONLY TRMT RCVD PAST 12 MONTHS			
		1 = Yes.....	158	0.28	
		2 = No.....	648	1.17	
		4 = No LOGICALLY ASSIGNED.....	214	0.38	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	15	0.03	
		97 = REFUSED.....	71	0.13	
		98 = BLANK (NO ANSWER).....	427	0.77	
		99 = LEGITIMATE SKIP.....	41023	73.78	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	401
				FREQ	%
(TX45)			NOTE: The variables TXALONEV, TXALONAG, TXDRONEV, TXDRONAG, TXALCDEV, TXALCDAG, TXDRGAEV, and TXDRGAAG pertain to respondents who were lifetime recipients of substance treatment but who had not received treatment in the past year. TXALONEV and TXALONAG pertain to respondents who were lifetime alcohol users but had not reported lifetime use of other drugs. TXDRONEV and TXDRONAG pertain to respondents who did not report lifetime use of alcohol but reported lifetime use of other drugs. TXALCDEV, TXALCDAG, TXDRGAEV, and TXDRGAAG pertain to respondents who were lifetime users of alcohol and other drugs.		-
			NOTE: TXALONEV was assigned a value of 11 or 12 when respondents originally reported that they had not received treatment in the past 12 months but they were logically inferred to have received treatment in that period (TXYREVER=3). Respondents who themselves reported that they had gotten treatment in the past 12 months were asked a different set of questions. However, respondents who reported that they had ever received treatment for their use of alcohol but were logically inferred to have gotten treatment in the past 12 months cannot be inferred to have received alcohol treatment in that period (TXALONEV=11). TXALONEV was assigned a value of 22 when respondents were lifetime users of alcohol but had never used (or misused) marijuana, cocaine, heroin, hallucinogens, inhalants, prescription psychotherapeutics (pain relievers, tranquilizers, stimulants, or sedatives), and they reported that they had never received treatment for their use of alcohol.		
			Earlier you reported that at some time in your life you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes. Have you ever received treatment for your alcohol use?		
TXALONEV	2	1EVER RCVD TMT FOR ALC USE (NO DRUG USE REPORTED)			
		1 = Yes.....		119	0.21
		11 = Yes (TXYREVER=3; see NOTE for TXALONEV).....		6	0.01
		12 = No (TXYREVER=3; see NOTE for TXALONEV).....		8	0.01
		22 = No (but only alcohol user; see NOTE for TXALONEV).		57	0.10
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....		31	0.06
		91 = NEVER USED ALCOHOL OR DRUGS.....		13015	23.41
		97 = REFUSED.....		16	0.03
		98 = BLANK (NO ANSWER).....		278	0.50
		99 = LEGITIMATE SKIP.....		42072	75.67
(TX45A)		How old were you when you first received treatment for your alcohol use?			
TXALONAG	3	1AGE WHEN FIRST RCVD TRMT FOR ALC USE			
		RANGE = 13 - 71		124	0.22
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....		31	0.06
		991 = NEVER USED ALCOHOL OR DRUGS.....		13015	23.41
		994 = DON'T KNOW.....		1	0.00
		997 = REFUSED.....		16	0.03
		998 = BLANK (NO ANSWER).....		335	0.60
		999 = LEGITIMATE SKIP.....		42080	75.68

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	402
				FREQ	%
(TX46)		NOTE: TXDRONEV was assigned a value of 11 or 12 when respondents originally reported that they had not received treatment in the past 12 months but they were logically inferred to have received treatment in that period (TXYREVER=3). Respondents who themselves reported that they had gotten treatment in the past 12 months were asked a different set of questions. However, respondents who reported that they had ever received treatment for their use of drugs cannot be inferred to have received drug treatment in the past 12 months (TXDRONEV=11). TXDRONEV was assigned a value of 22 when respondents were lifetime users of drugs but had never used alcohol, and they reported that they had never received treatment for their use of drugs.			-
		Earlier you reported that at some time in your life you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes. Have you ever received treatment or counseling for your drug use?			
TXDRONEV	2	1 EVER RCVD TMT FOR DRUG USE (NO ALC USE REPORTED)			
		1 = Yes.....	16	0.03	
		11 = Yes (TXYREVER=3; see NOTE for TXDRONEV).....	1	0.00	
		12 = No (TXYREVER=3; see NOTE for TXDRONEV).....	4	0.01	
		22 = No (but only drug user; see NOTE for TXDRONEV)....	8	0.01	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	10	0.02	
		98 = BLANK (NO ANSWER).....	273	0.49	
		99 = LEGITIMATE SKIP.....	42244	75.98	
(TX46A)		How old were you when you first received treatment or counseling for your drug use?			
TXDRONAG	3	1 AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE			
		RANGE = 12 - 43	17	0.03	
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		991 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		997 = REFUSED.....	10	0.02	
		998 = BLANK (NO ANSWER).....	281	0.51	
		999 = LEGITIMATE SKIP.....	42248	75.98	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	403
				FREQ	%
-----	-----	-----	-----	-----	-
(TX47)			NOTE: TXALCDEV and TXDRGAEV were assigned values of 11 or 12 when respondents originally reported that they had not received treatment in the past 12 months but they were logically inferred to have received treatment in that period (TXYREVER=3). Respondents who themselves reported that they had gotten treatment in the past 12 months were asked a different set of questions. Thus, for example, respondents who reported that they had ever received treatment for their use of alcohol cannot be inferred to have received alcohol treatment in the past 12 months (TXALCDEV=11). TXALCDEV and TXDRGAEV were assigned values of 22 when respondents were lifetime users of both alcohol and other drugs but they reported never receiving treatment for their alcohol use (in the question corresponding to TXALCDEV) or for their drug use (in the question corresponding to TXDRGAEV).		
			Earlier you reported that at some time in your life you received treatment or counseling for your use of alcohol or any drug, not counting cigarettes. Have you ever received treatment or counseling for your alcohol use?		
TXALCDEV	2	1 EVER RCV'D TMT FOR ALCOHOL USE (ALSO USED DRUGS)			
		1 = Yes.....		1196	2.15
		2 = No.....		494	0.89
		11 = Yes (TXYREVER=3; see NOTE for TXALCDEV).....		47	0.08
		12 = No (TXYREVER=3; see NOTE for TXALCDEV).....		23	0.04
		22 = No (see NOTE for TXALCDEV).....		178	0.32
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....		31	0.06
		89 = LEGITIMATE SKIP Logically assigned.....		1	0.00
		91 = NEVER USED ALCOHOL OR DRUGS.....		13015	23.41
		94 = DON'T KNOW.....		2	0.00
		97 = REFUSED.....		35	0.06
		98 = BLANK (NO ANSWER).....		290	0.52
		99 = LEGITIMATE SKIP.....		40290	72.46

(TX47A) How old were you when you first received treatment or counseling for your alcohol use?

TXALCDAG	3	1 AGE WHEN FIRST RCV'D TRMT/CNSLG FOR ALC USE			
		RANGE = 1 - 59		1208	2.17
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....		31	0.06
		985 = BAD DATA Logically assigned.....		1	0.00
		991 = NEVER USED ALCOHOL OR DRUGS.....		13015	23.41
		994 = DON'T KNOW.....		33	0.06
		997 = REFUSED.....		36	0.06
		998 = BLANK (NO ANSWER).....		470	0.85
		999 = LEGITIMATE SKIP.....		40808	73.39

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	404
				FREQ	%
(TX48)		Have you ever received treatment or counseling for your drug use?			-
TXDRGAEV	2	1EVER RCV'D TRMT FOR DRUG USE (ALSO USED ALCOHOL)			
		1 = Yes.....	961	1.73	
		2 = No.....	727	1.31	
		11 = Yes (TXYREVER=3; see NOTE for TXALCDEV).....	56	0.10	
		12 = No (TXYREVER=3; see NOTE for TXALCDEV).....	15	0.03	
		22 = No (see NOTE for TXALCDEV).....	178	0.32	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	3	0.01	
		97 = REFUSED.....	35	0.06	
		98 = BLANK (NO ANSWER).....	290	0.52	
		99 = LEGITIMATE SKIP.....	40290	72.46	
(TX48A)		How old were you when you first received treatment or counseling for your drug use?			
TXDRGAAG	3	1AGE WHEN FIRST RCV'D TRMT/CNSLG FOR DRUG USE			
		RANGE = 1 - 55	1004	1.81	
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		991 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		994 = DON'T KNOW.....	12	0.02	
		997 = REFUSED.....	36	0.06	
		998 = BLANK (NO ANSWER).....	471	0.85	
		999 = LEGITIMATE SKIP.....	41033	73.80	
(TX49)		NOTE: The variables TXYALAGE, TXYALDRG, TXYALDAG, TXYDRAGE, TXYDRALC, TXYDRAAG, TXYADAAG, and TXYADDAG pertain to respondents who received substance treatment in the past 12 months. TXYALAGE, TXYALDRG, and TXYALDAG pertain to respondents who reported that they received treatment only for alcohol in the past 12 months. TXYDRAGE, TXYDRALC, and TXYDRAAG pertain to respondents who reported that they received treatment only for other drugs in the past 12 months. TXYADAAG and TXYADDAG pertain to respondents who reported receiving treatment for both alcohol and other drugs in the past 12 months.			
		Earlier you reported that you received treatment or counseling for your use of alcohol during the past 12 months. How old were you when you first received treatment or counseling for your alcohol use?			
TXYALAGE	3	1AGE WHEN FIRST RCV'D TRMT/CNSLG FOR ALC USE			
		RANGE = 1 - 63	345	0.62	
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		985 = BAD DATA Logically assigned.....	2	0.00	
		991 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		994 = DON'T KNOW.....	3	0.01	
		997 = REFUSED.....	61	0.11	
		998 = BLANK (NO ANSWER).....	434	0.78	
		999 = LEGITIMATE SKIP.....	41711	75.02	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	405
				FREQ	%
(TX49A)		Have you ever received treatment or counseling for your use of any drug, not including cigarettes or alcohol?		-	-
TXYALDRG	2	1EVER RCVD TRMT FOR DRUGS (ONLY PAST YR ALC TRMT)			
		1 = Yes.....	40	0.07	
		2 = No.....	247	0.44	
		3 = Yes LOGICALLY ASSIGNED (TXYRADG=11).....	22	0.04	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		85 = BAD DATA Logically assigned.....	2	0.00	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		97 = REFUSED.....	60	0.11	
		98 = BLANK (NO ANSWER).....	434	0.78	
		99 = LEGITIMATE SKIP.....	41751	75.09	
(TX49B)		How old were you when you first received treatment or counseling for your drug use?			
TXYALDAG	3	1AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE			
		RANGE = 1 - 50	40	0.07	
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		985 = BAD DATA Logically assigned.....	2	0.00	
		991 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		997 = REFUSED.....	60	0.11	
		998 = BLANK (NO ANSWER).....	456	0.82	
		999 = LEGITIMATE SKIP.....	41998	75.53	
(TX50)		Earlier you reported that you received treatment or counseling for your drug use during the past 12 months. How old were you when you first received treatment or counseling for your drug use?			
TXYDRAGE	3	1AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE			
		RANGE = 1 - 49	294	0.53	
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		991 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		994 = DON'T KNOW.....	1	0.00	
		997 = REFUSED.....	68	0.12	
		998 = BLANK (NO ANSWER).....	436	0.78	
		999 = LEGITIMATE SKIP.....	41757	75.10	
(TX50A)		Have you ever received treatment or counseling for your alcohol use?			
TXYDRALC	2	1EVER RCVD TMT FOR ALCOHOL (ONLY PAST YR DRUG TMT)			
		1 = Yes.....	37	0.07	
		2 = No.....	231	0.42	
		3 = Yes LOGICALLY ASSIGNED (TXYRADG=12).....	19	0.03	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		94 = DON'T KNOW.....	1	0.00	
		97 = REFUSED.....	61	0.11	
		98 = BLANK (NO ANSWER).....	436	0.78	
		99 = LEGITIMATE SKIP.....	41771	75.12	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	406
				FREQ	%
(TX50B)		How old were you when you first received treatment or counseling for your alcohol use?		-	-
TXYDRAAG	3	1AGE WHEN FIRST RCVD TRMT/CNSLG FOR ALC USE			
		RANGE = 1 - 49		37	0.07
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....		31	0.06
		991 = NEVER USED ALCOHOL OR DRUGS.....		13015	23.41
		997 = REFUSED.....		61	0.11
		998 = BLANK (NO ANSWER).....		456	0.82
		999 = LEGITIMATE SKIP.....		42002	75.54
(TX51)		Earlier, you reported that you received treatment or counseling for your drug and alcohol use during the past 12 months. How old were you when you first received treatment or counseling for your use of alcohol?			
TXYADAAG	3	1AGE WHEN FIRST RCVD TRMT/CNSLG FOR ALC USE			
		RANGE = 1 - 60		367	0.66
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....		31	0.06
		985 = BAD DATA Logically assigned.....		2	0.00
		991 = NEVER USED ALCOHOL OR DRUGS.....		13015	23.41
		994 = DON'T KNOW.....		7	0.01
		997 = REFUSED.....		66	0.12
		998 = BLANK (NO ANSWER).....		511	0.92
		999 = LEGITIMATE SKIP.....		41603	74.82
(TX51A)		How old were you when you first received treatment or counseling for your drug use?			
TXYADDAAG	3	1AGE WHEN FIRST RCVD TRMT/CNSLG FOR DRUG USE			
		RANGE = 2 - 60		366	0.66
		981 = NEVER USED ALCOHOL OR DRUGS Logically assigned....		31	0.06
		985 = BAD DATA Logically assigned.....		1	0.00
		991 = NEVER USED ALCOHOL OR DRUGS.....		13015	23.41
		994 = DON'T KNOW.....		8	0.01
		997 = REFUSED.....		67	0.12
		998 = BLANK (NO ANSWER).....		511	0.92
		999 = LEGITIMATE SKIP.....		41603	74.82
NOTE: TXFGALAG is a "flag" variable that indicates when the first receipt of alcohol treatment in TXALONAG, TXALCDAG, TXYALAGE, TXYDRAAG, or TXYADAAG is inconsistent with the first use of alcohol (from ALCTRY). When TXFGALAG=5, the respondent previously reported never using alcohol. However, the respondent subsequently reported an age for first receipt of alcohol treatment, based on some indication of alcohol treatment in TXYRADG.					
TXFGALAG	2	1CONSISTENCY OF ALC TX AGE WITH ALC AFU			
		0 = 1st alc tx age consistent with alc AFU.....		2000	3.60
		1 = 1st alc tx age differs from alc AFU by 1 yr.....		16	0.03
		2 = 1st alc tx age differs from alc AFU by 2 yrs.....		9	0.02
		3 = 1st alc tx age differs from alc AFU by 3-4 yrs....		6	0.01
		4 = 1st alc tx age differs from alc AFU by >=5 yrs....		34	0.06
		5 = Never used alc in core but reported an alc tx age.		8	0.01
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned...		31	0.06
		91 = NEVER USED ALCOHOL OR DRUGS.....		13015	23.41
		98 = UNKNOWN.....		743	1.34
		99 = LEGITIMATE SKIP.....		39740	71.47

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SUBSTANCE TREATMENT	PAGE:	407
				FREQ	%

NOTE: TXFGDGAG is a "flag" variable that indicates when the first receipt of drug treatment in TXDRONAG, TXDRGAAG, TXYALDAG, TXYDRAGE, or TXYADDAG is inconsistent with the earliest reported first use of drugs. When TXFGDGAG=5, the respondent previously reported never using (or misusing) marijuana, cocaine, heroin, hallucinogens, inhalants, or prescription psychotherapeutics (pain relievers, tranquilizers, stimulants, or sedatives). However, the respondent subsequently reported an age for first receipt of drug treatment, based on some indication of drug treatment in TXYRADG.					

TXFGDGAG	2	1CONSISTENCY OF FIRST DRUG TX AGE WITH DRUG AFUS			
		0 = 1st drug tx age consistent w/min drug AFU.....	1602	2.88	
		1 = 1st drug tx age differs from min drug AFU by 1 yr.	12	0.02	
		2 = 1st drug tx age differs fr min drug AFU by 2 yrs..	3	0.01	
		3 = 1st drug tx age differs fr min drug AFU by 3-4 yrs	5	0.01	
		4 = 1st drug tx age differs fr min drug AFU by >=5 yrs	21	0.04	
		5 = Never used drugs in core but reportd a drug tx age	2	0.00	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		98 = UNKNOWN.....	743	1.34	
		99 = LEGITIMATE SKIP.....	40168	72.24	
NOTE: TXFGADAG is a "flag" variable that indicates when an inconsistency exists between the first receipt of alcohol or drug treatment and the earliest reported first use of alcohol or drugs. If TXFGALAG=5 or TXFGDGAG=5, then TXFGADAG=5.					

TXFGADAG	2	1CONSISTENCY OF FIRST TX AGE WITH ALC/DRUG AFUS			
		0 = 1st tx age consistent w/minimum AFU.....	2603	4.68	
		1 = 1st tx age differs from min AFU by 1 yr.....	26	0.05	
		2 = 1st tx age differs from min AFU by 2 yrs.....	10	0.02	
		3 = 1st tx age differs from min AFU by 3-4 yrs.....	10	0.02	
		4 = 1st tx age differs from min AFU by >=5 yrs.....	49	0.09	
		5 = Any lifetime nonuse with a related tx age.....	10	0.02	
		81 = NEVER USED ALCOHOL OR DRUGS Logically assigned....	31	0.06	
		91 = NEVER USED ALCOHOL OR DRUGS.....	13015	23.41	
		98 = UNKNOWN.....	871	1.57	
		99 = LEGITIMATE SKIP.....	38977	70.10	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE TREATMENT	PAGE:	408
-----	-----	-----	-----	FREQ	%
RECODED SUBSTANCE TREATMENT					

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from two of the preceding sections: Substance Treatment or Recoded Substance Dependence and Abuse.					
TXILALEV	1	RECEIVED TREATMENT FOR DRG OR ALC USE IN LIFETIME			
		0 = No/Unknown (TXEVER=2,81,85,91,94,97,98).....	52386	94.22	
		1 = Yes (TXEVER=1).....	3216	5.78	
ALCTRMT	1	RCVD TRMT AT ANY LOC FOR ALC USE-PST YR			
		0 = No/Unknown (TXYRADG=2,5,81,85,91,94,97,98,99)....	54832	98.62	
		1 = Yes (TXYRADG=1,3,4,11,12).....	770	1.38	
ILLTRMT	1	RCVD TRMT ANY LOC FOR ILL DRG USE-PST YR			
		0 = No/Unknown (TXYRADG=1,4,81,85,91,94,97,98,99)....	54876	98.69	
		1 = Yes (TXYRADG=2,3,5,11,12).....	726	1.31	
TXILLALC	1	RCVD TRMT ANY LOC FOR ALC OR DRG-PST YR			
		0 = No/Unknown (TXYREVER=2,4,81,85,91,94,97,98,99)....	54434	97.90	
		1 = Yes (TXYREVER=1,3).....	1168	2.10	
TXILANAL	1	RCVD TRMT ANY LOC FOR ALC AND DRG-PST YR			
		0 = No/Unknown (TXYRADG=1,2,4,5,81,85,91,94,97,98,99)....	55145	99.18	
		1 = Yes (TXYRADG=3,11,12).....	457	0.82	
NOTE: The following recoded variables contain respondent information about receiving last or current treatment for various drugs.					
TXLTALC2	1	RECEIVED LAST/CURRENT TREATMENT FOR ALCOHOL			
		0 = No/Unknown (TXLTYALC=2,6,81,85,89,91,94,97,98,99)....	54927	98.79	
		1 = Yes (TXLTYALC=1,3,5).....	675	1.21	
TXLTMJ2	1	RECEIVED LAST/CURRENT TREATMENT FOR MARIJUANA			
		0 = No/Unknown (TXLTYMJ=2,6,81,85,89,91,94,97,98,99)....	55158	99.20	
		1 = Yes (TXLTYMJ=1,3).....	444	0.80	
TXLTCOC2	1	RECEIVED LAST/CURRENT TREATMENT FOR COCAINE			
		0 = No/Unknown (TXLTYCOC=2,6,81,85,89,91,94,97,98,99)....	55389	99.62	
		1 = Yes (TXLTYCOC=1,3).....	213	0.38	
TXLTHER2	1	RECEIVED LAST/CURRENT TREATMENT FOR HEROIN			
		0 = No/Unknown (TXLTYHER=2,6,81,89,91,94,97,98,99)....	55531	99.87	
		1 = Yes (TXLTYHER=1).....	71	0.13	
TXLTHAL2	1	RECEIVED LAST/CURRENT TREATMENT FOR HALLUCINOGENS			
		0 = No/Unknown (TXLTYHAL=2,6,81,89,91,94,97,98,99)....	55474	99.77	
		1 = Yes (TXLTYHAL=1,3).....	128	0.23	
TXLTINH2	1	RECEIVED LAST/CURRENT TREATMENT FOR INHALANTS			
		0 = No/Unknown (TXLTYINH=2,6,81,85,89,91,94,97,98,99)....	55522	99.86	
		1 = Yes (TXLTYINH=1,3).....	80	0.14	
TXLTANL2	1	RECEIVED LAST/CURRENT TREATMENT FOR PAIN RELIEVERS			
		0 = No/Unknown (TXLTYANL=2,6,81,89,91,94,97,98,99)....	55435	99.70	
		1 = Yes (TXLTYANL=1,3).....	167	0.30	

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE TREATMENT	PAGE:	409
				FREQ	%
TXLTTRN2	1	RECEIVED LAST/CURRENT TREATMENT FOR TRANQUILIZERS	0 = No/Unk (TXLTYTRN=2,4,6,81,85,89,91,94,97,98,99)... 1 = Yes (TXLTYTRN=1,3).....	55504	99.82
				98	0.18
TXLTSTM2	1	RECEIVED LAST/CURRENT TREATMENT FOR STIMULANTS	0 = No/Unknown (TXLTYSTM=2,6,81,89,91,94,97,98,99)... 1 = Yes (TXLTYSTM=1,3).....	55468	99.76
				134	0.24
TXLTSED2	1	RECEIVED LAST/CURRENT TREATMENT FOR SEDATIVES	0 = No/Unknown (TXLTYSED=2,4,6,81,91,97,98,99)..... 1 = Yes (TXLTYSED=1,3).....	55568	99.94
				34	0.06
The following variable, TXLTILL2, was created by examination of receipt of last/current treatment of marijuana (TXLTMJ2), cocaine (TXLTCOC2), heroin (TXLTHER2), stimulants (TXLTSTM2), sedatives (TXLTSED2), pain relievers (TXLTANL2), hallucinogens (TXLTHAL2), inhalants (TXLTINH2), tranquilizers (TXLTTRN2).					
TXLTILL2	1	RECEIVED LAST/CURRENT TREATMENT FOR ILLICIT DRUGS	0 = No/Unknown (Otherwise)..... 1 = Yes (ANY SOURCE VARIABLE=1).....	54979	98.88
				623	1.12
TXPINS2	1	LAST/CURRENT ILL DRG/ALC TRT PAID FOR BY INSURANCE	0 = No/Unknown (TXPYINS=2,81,85,89,91,94,97,98,99)... 1 = Yes (TXPYINS=1).....	55286	99.43
				316	0.57
TXPCARE2	1	LAST/CURR ILL DRG/ALC TRT PAID FOR BY MEDICARE	0 = No/Unknown (TXPYCARE=2,81,85,89,91,94,97,98,99)... 1 = Yes (TXPYCARE=1).....	55426	99.68
				176	0.32
TXPCAID2	1	LAST/CURRENT ILL DRG/ALC TRT PAID FOR BY MEDICAID	0 = No/Unknown (TXPYCAID=2,81,85,89,91,94,97,98,99)... 1 = Yes (TXPYCAID=1).....	55419	99.67
				183	0.33
TXPPUBP2	1	LAST/CURR ILL DRG/ALC TRT PAID FOR BY PUBLIC ASST	0 = No/Unknown (TXPYPUBP=2,81,85,89,91,94,97,98,99)... 1 = Yes (TXPYPUBP=1,3).....	55431	99.69
				171	0.31
TXPSAVE2	1	LAST/CURR ILL DRG/ALC TRT PAID FOR BY OWN SAVINGS	0 = No/Unknown (TXPYSAVE=2,81,85,89,91,94,97,98,99)... 1 = Yes (TXPYSAVE=1,3).....	55154	99.19
				448	0.81
TXPFMLY2	1	LAST/CURR ILL DRG/ALC TRT PAID FOR BY FAM MEMBERS	0 = No/Unknown (TXPYFMLY=2,81,85,89,91,94,97,98,99)... 1 = Yes (TXPYFMLY=1,3).....	55320	99.49
				282	0.51
TXPCORT2	1	LAST/CURRENT ILL DRG/ALC TRT PAID FOR BY COURTS	0 = No/Unknown (TXPYCORT=2,81,85,89,91,94,97,98,99)... 1 = Yes (TXPYCORT=1,3).....	55469	99.76
				133	0.24
TXPMILC2	1	LAST/CURR ILL DRG/ALC TRT PAID FOR BY MILT HC	0 = No/Unknown (TXPYMILC=2,81,85,89,91,94,97,98,99)... 1 = Yes (TXPYMILC=1).....	55575	99.95
				27	0.05
TXPEMPL2	1	LAST/CURR ILL DRG/ALC TRT PAID FOR BY EMPLOYER	0 = No/Unknown (TXPYEMPL=2,81,85,89,91,94,97,98,99)... 1 = Yes (TXPYEMPL=1).....	55555	99.92
				47	0.08

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE TREATMENT	PAGE:	410
-----	-----	-----	-----	FREQ	%
NOTE: The following recoded variables contain payment information about respondents last or current treatment.					
ALCPINS	1	LAST/CURRENT ALC TREATMENT PAID FOR BY INSURANCE 0 = No/Unknown (TXLTALC2=0 OR TXPINS2=0)..... 1 = Yes (TXLTALC2=1 AND TXPINS2=1).....	55402 99.64 200 0.36		
ALCPCARE	1	LAST/CURRENT ALC TREATMENT PAID FOR BY MEDICARE 0 = No/Unknown (TXLTALC2=0 OR TXPCARE2=0)..... 1 = Yes (TXLTALC2=1 AND TXPCARE2=1).....	55488 99.79 114 0.21		
ALCPCAID	1	LAST/CURRENT ALC TREATMENT PAID FOR BY MEDICAID 0 = No/Unknown (TXLTALC2=0 OR TXPCAID2=0)..... 1 = Yes (TXLTALC2=1 AND TXPCAID2=1).....	55483 99.79 119 0.21		
ALCPPUBP	1	LAST/CURRENT ALC TRTMNT PAID FOR BY PUBLIC ASST 0 = No/Unknown (TXLTALC2=0 OR TXPPUBP2=0)..... 1 = Yes (TXLTALC2=1 AND TXPPUBP2=1).....	55491 99.80 111 0.20		
ALCPSAVE	1	LAST/CURRENT ALC TRTMNT PAID FOR BY OWN SAVINGS 0 = No/Unknown (TXLTALC2=0 OR TXPSAVE2=0)..... 1 = Yes (TXLTALC2=1 AND TXPSAVE2=1).....	55294 99.45 308 0.55		
ALCPFMLY	1	LAST/CURRENT ALC TRTMNT PAID FOR BY FAMILY MEMBERS 0 = No/Unknown (TXLTALC2=0 OR TXPFMLY2=0)..... 1 = Yes (TXLTALC2=1 AND TXPFMLY2=1).....	55438 99.71 164 0.29		
ALPCCORT	1	LAST/CURRENT ALCOHOL TREATMENT PAID FOR BY COURTS 0 = No/Unknown (TXLTALC2=0 OR TXPCORT2=0)..... 1 = Yes (TXLTALC2=1 AND TXPCORT2=1).....	55518 99.85 84 0.15		
ALCPMILC	1	LAST/CURRENT ALC TRT PAID FOR BY MILT HLTH CARE 0 = No/Unknown (TXLTALC2=0 OR TXPMILC2=0)..... 1 = Yes (TXLTALC2=1 AND TXPMILC2=1).....	55583 99.97 19 0.03		
ALCPEMPL	1	LAST/CURRENT ALC TREATMENT PAID FOR BY EMPLOYER 0 = No/Unknown (TXLTALC2=0 OR TXPEMPL2=0)..... 1 = Yes (TXLTALC2=1 AND TXPEMPL2=1).....	55569 99.94 33 0.06		
ILLPINS	1	LAST/CURRENT ILL DRUG TRT PAID FOR BY INSURANCE 0 = No/Unknown (TXLTILL2=0 OR TXPINS2=0)..... 1 = Yes (TXLTILL2=1 AND TXPINS2=1).....	55390 99.62 212 0.38		
ILLPCARE	1	LAST/CURRENT ILL DRUG TRT PAID FOR BY MEDICARE 0 = No/Unknown (TXLTILL2=0 OR TXPCARE2=0)..... 1 = Yes (TXLTILL2=1 AND TXPCARE2=1).....	55481 99.78 121 0.22		
ILLPCAID	1	LAST/CURRENT ILLICIT DRUG TRT PAID FOR BY MEDICAID 0 = No/Unknown (TXLTILL2=0 OR TXPCAID2=0)..... 1 = Yes (TXLTILL2=1 AND TXPCAID2=1).....	55471 99.76 131 0.24		
ILLPPUBP	1	LAST/CURRENT ILL DRUG TRT PAID FOR BY PUBLIC ASST 0 = No/Unknown (TXLTILL2=0 OR TXPPUBP2=0)..... 1 = Yes (TXLTILL2=1 AND TXPPUBP2=1).....	55476 99.77 126 0.23		
ILLPSAVE	1	LAST/CURRENT ILL DRUG TRT PAID FOR BY OWN SAVINGS 0 = No/Unknown (TXLTILL2=0 OR TXPSAVE2=0)..... 1 = Yes (TXLTILL2=1 AND TXPSAVE2=1).....	55380 99.60 222 0.40		

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE TREATMENT	PAGE:	411
				FREQ	%
-----	-----	-----	-----	-----	-
ILLPFMLY	1	LAST/CURRENT ILL DRUG TRT PAID FOR BY FAMLY MEMBR	0 = No/Unknown (TXLTILL2=0 OR TXPFMLY2=0)..... 1 = Yes (TXLTILL2=1 AND TXPFMLY2=1).....	55410	99.65
				192	0.35
ILLPCORT	1	LAST/CURRENT ILL DRUG TREATMENT PAID FOR BY COURTS	0 = No/Unknown (TXLTILL2=0 OR TXPCORT2=0)..... 1 = Yes (TXLTILL2=1 AND TXPCORT2=1).....	55495	99.81
				107	0.19
ILLPMILC	1	LAST/CURRENT ILL DRUG TRT PAID FOR BY MILT HLTCARE	0 = No/Unknown (TXLTILL2=0 OR TXPMILC2=0)..... 1 = Yes (TXLTILL2=1 AND TXPMILC2=1).....	55587	99.97
				15	0.03
ILLPEMPL	1	LAST/CURRENT ILLICIT DRUG TRT PAID FOR BY EMPLOYER	0 = No/Unknown (TXLTILL2=0 OR TXPEMPL2=0)..... 1 = Yes (TXLTILL2=1 AND TXPEMPL2=1).....	55575	99.95
				27	0.05
<p>A respondent was classified as receiving treatment in the past year for alcohol abuse at a specialty facility that is a hospital as an inpatient, a rehabilitation facility as an in or outpatient, or at a mental health facility (SPECTALC) if they met either of these conditions:</p> <ul style="list-style-type: none"> (1) Reported receiving only alcohol treatment in the past year (TXYRADG=1,11) and that treatment was received at one of the four specialty facilities (TXYRHOSP=1,5 or TXYRRFIN=1,3,5 or TXYRRFOP=1,3,5 or TXYRMHC=1,5 or TXYROTS2=21,22,23,45,56,64). (2) Reported receiving both illicit drug and alcohol treatment in the past year (TXYRADG=3) and reported specifically receiving alcohol treatment at one of the four specialty facilities in the follow-up questions (TXYRHPAD=1,3 or TXYRINAD=1,3 or TXYRPOAD=1,3 or TXYRMHAD=1,3 or (TXYROTS2=21,22,23,45,56,64 and TXYROTAD=1,3)). 					
SPECTALC	1	RCVD TRMT AT SPEC FAC FOR ALC USE-PST YR	0 = No/Unknown (Otherwise)..... 1 = Yes (See comment above).....	55170	99.22
				432	0.78

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE TREATMENT	PAGE:	412
				FREQ	%
-----	-----	-----	-----	-----	-
A respondent was classified as receiving treatment in the past year for illicit drug abuse at a specialty facility that is a hospital as an inpatient, a rehabilitation facility as an in or outpatient, or a mental health facility (SPECTILL) if they met either of these conditions:					
(1) Reported receiving only illicit drug treatment in the past year (TXYRADG=2,12) and that treatment was received at one of the four specialty facilities (TXYRHOSP=1,5 or TXYRRFIN=1,3,5 or TXYRROP=1,3,5 or TXYRMHC=1,5 or TXYROTS2=21,22,23,45,56,64).					
(2) Reported receiving both illicit drug and alcohol treatment in the past year (TXYRADG=3) and reported specifically receiving treatment for illicit drug abuse at one of the four specialty facilities in the follow-up questions (TXYRHPAD=2,3 or TXYRINAD=2,3 or TXYRPOAD=2,3 or TXYRMHAD=2,3 or (TXYROTS2=21,22,23,45,56,64 and TXYROTAD=2,3)).					
SPECTILL	1	RCVD TRMT AT SPEC FAC FOR ILL DRG-PST YR			
0 = No/Unknown (Otherwise)..... 55148 99.18					
1 = Yes (See comment above)..... 454 0.82					
A respondent was classified as having received treatment at a specialty facility for illicit drug or alcohol abuse (SPILLALC) if they reported receiving treatment for use of alcohol or any drug in the past year (TXYREVER=1,3) and treatment was received at either a hospital, or a rehabilitation facility as in or outpatient, or a mental health facility (TXYRHOSP=1,5 or TXYRRFIN=1,3,5 or TXYRROP=1,3,5 or TXYRMHC=1,5 or TXYROTS2=21,22,23,45,56,64).					
SPILLALC	1	RCVD TRMT SPEC FAC FOR ALC OR DRG-PST YR			
0 = No/Unknown (Otherwise)..... 54913 98.76					
1 = Yes (See comment above)..... 689 1.24					
SPILANAL	1	RCVD TRMT SPEC FAC FOR ILL DRG AND ALC USE-PST YR			
0 = No/Unknown (Otherwise)..... 55380 99.60					
1 = Yes (SPECTILL=1 and SPECTALC=1)..... 222 0.40					
LASTTXSP	1	LAST/CURRENT TRMT AT SPECIALTY FACILITY-PAST YR			
0 = No/Unknown (Otherwise)..... 55131 99.15					
1 = Yes (TXLTYMN2=1,2,3,4,45,56,64)..... 471 0.85					
TXSPALC	1	RCVD LAST/CURR TRMT AT SP FAC FOR ALC USE- PST YR			
0 = No/Unknown (Otherwise)..... 55307 99.47					
1 = Yes (TXLTALC2=1 and LASTTXSP=1)..... 295 0.53					
TXSPMRJ	1	RCVD LAST/CURR TRMT AT SP FAC FOR MRJ USE - PST YR			
0 = No/Unknown (Otherwise)..... 55392 99.62					
1 = Yes (TXLTMJ2=1 and LASTTXSP=1)..... 210 0.38					
TXSPCO	1	RCVD LAST/CURR TRMT AT SP FAC FOR COC USE - PST YR			
0 = No/Unknown (Otherwise)..... 55480 99.78					
1 = Yes (TXLTCOC2=1 and LASTTXSP=1)..... 122 0.22					

RECODED SUBSTANCE TREATMENT			PAGE:	413
LABEL	LEN	DESCRIPTION	FREQ	%
TXSPHER	1	RCVD LAST/CURR TRMT AT SP FAC FOR HER USE - PST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXLTHER2=1 and LASTTXSP=1).....	55558	99.92
			44	0.08
TXSPHAL	1	RCVD LAST/CURR TRMT AT SP FAC FOR HAL USE - PST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXLTHAL2=1 and LASTTXSP=1).....	55537	99.88
			65	0.12
TXSPINH	1	RCVD LAST/CURR TRMT AT SP FAC FOR INH USE - PST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXLTINH2=1 and LASTTXSP=1).....	55568	99.94
			34	0.06
TXSPANL	1	RCVD LAST/CURR TRMT AT SP FAC FOR PAIN REL USE- PY 0 = No/Unknown (Otherwise)..... 1 = Yes (TXLTANL2=1 and LASTTXSP=1).....	55522	99.86
			80	0.14
TXSPTRN	1	RCVD LAST/CURR TRMT AT SP FAC FOR TRN USE - PST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXLTTRN2=1 and LASTTXSP=1).....	55555	99.92
			47	0.08
TXSPSTM	1	RCVD LAST/CURR TRMT AT SP FAC FOR STM USE-PST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXLTSTM2=1 and LASTTXSP=1).....	55535	99.88
			67	0.12
TXSPSED	1	RCVD LAST/CURR TRMT AT SP FAC FOR SED USE - PST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXLTSED2=1 and LASTTXSP=1).....	55587	99.97
			15	0.03
NOTE: The following recoded variables contain information about where respondent received treatment in the past year.				
ALCHOSP	1	RECEIVED ALC TRT AT A HOSPITAL IN THE PAST YEAR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXYRHOSP=1,5 AND TXYRHPAD=1,3,98,99).....	55479	99.78
			123	0.22
ALCRFIN	1	RCVD ALC TRT AT INP REHAB FAC IN THE PAST YEAR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXYRRFIN=1,5 AND TXYRINAD=1,3,98,99).....	55430	99.69
			172	0.31
ALCRFOP	1	RCVD ALC TRT AT AN OUTP REHAB FAC IN THE PAST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXYRRFOP=1,5 AND TXYRPOAD=1,3,98,99).....	55306	99.47
			296	0.53
ALCMHC	1	RCVD ALC TRT AT A MENTAL HEALTH CENTER IN PAST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXYRMHC=1,5 AND TXYRMHAD=1,3,98,99).....	55424	99.68
			178	0.32
ALCTXER	1	RCVD ALC TRT AT AN EMERGENCY ROOM IN PAST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXYRTXER=1,5 AND TXYRERAD=1,3,98,99).....	55536	99.88
			66	0.12
ALCDOC	1	RECEIVED ALC TRT AT A DOCTOR'S OFFICE IN PAST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXYRDOC=1,3,5 AND TXYRDCAD=1,3,98,99).....	55509	99.83
			93	0.17
ALCJAIL	1	RECEIVED ALC TRT AT A PRISON/JAIL IN THE PAST YEAR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXYRJAIL=1,5 AND TXYRJLAD=1,3,98,99).....	55537	99.88
			65	0.12

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE TREATMENT	PAGE:	414
				FREQ	%
-----	-----	-----	-----	-----	-
ALCSHG	1	RCVD ALC TRT AT A SELF-HELP GROUP IN PAST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXYRSHG=1,3,5 AND TXYRSGAD=1,3,98,99).....		55200	99.28
				402	0.72
DRGHOSP	1	RCVD ILL DRUG TREATMENT AT A HOSPITAL IN PAST YEAR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXYRHOSP=1,5 AND TXYRHPAD=2,3,98,99).....		55466	99.76
				136	0.24
DRGRFIN	1	RCVD ILL DRUG TRT AT AN INP REHAB FAC IN PAST YEAR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXYRRFIN=1 AND TXYRINAD=2,3).....		55415	99.66
				187	0.34
DRGRFOP	1	RCVD ILL DRUG TRT AT AN OUTP REHAB FAC IN PAST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXYRRFOP=1 AND TXYROAD=2,3).....		55279	99.42
				323	0.58
DRGMHC	1	RCVD ILL DRUG TRT AT A MENTAL HLTH CNTR IN PST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXYRMHC=1 AND TXYRMHAD=2,3).....		55421	99.67
				181	0.33
DRGTXER	1	RCVD ILL DRUG TRT AT AN EMERGENCY ROOM IN PAST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXYRTXER=1 AND TXYRERAD=2,3).....		55534	99.88
				68	0.12
DRGDOC	1	RECEIVED ILL DRUG TRT AT A DR'S OFFICE IN PAST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXYRDOC=1,5 AND TXYRDCAD=2,3,98,99).....		55514	99.84
				88	0.16
DRGJAIL	1	RECEIVED ILL DRUG TRT AT A PRISON/JAIL IN THE PY 0 = No/Unknown (Otherwise)..... 1 = Yes (TXYRJAIL=1,5 AND TXYRJLAD=2,3,98,99).....		55540	99.89
				62	0.11
DRGSHG	1	RCVD ILL DRUG TRT AT A SELF-HELP GROUP IN PAST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXYRSHG=1 AND TXYRSGAD=2,3).....		55251	99.37
				351	0.63
LOCHOSP	1	RCVD ILL DRUG OR ALC TRT AT A HOSPITAL IN PAST YR 0 = No/Unknown (TXYRHOSP=2,81,85,91,94,97,98,99)..... 1 = Yes (TXYRHOSP=1,5).....		55403	99.64
				199	0.36
LOCRFIN	1	RCVD ILL DRUG/ALC TRT AT INP REHAB FAC IN PAST YR 0 = No/Unknown (TXYRRFIN=2,81,85,91,97,98,99)..... 1 = Yes (TXYRRFIN=1,3,5).....		55329	99.51
				273	0.49
LOCRFOP	1	RCVD ILL DRUG/ALC TRT AT OUTP REHAB FAC IN PAST YR 0 = No/Unknown (TXYRRFOP=2,81,85,91,94,97,98,99)..... 1 = Yes (TXYRRFOP=1,3,5).....		55119	99.13
				483	0.87
LOCMHC	1	RCVD ILL DRUG/ALC TRT AT MNTL HLTH CNTR IN PAST YR 0 = No/Unknown (TXYRMHC=2,81,85,91,94,97,98,99)..... 1 = Yes (TXYRMHC=1,5).....		55321	99.49
				281	0.51
LOCTXER	1	RCVD ILL DRUG OR ALC TRT AT AN ER IN PAST YR 0 = No/Unknown (TXYRTXER=2,81,85,91,97,98,99)..... 1 = Yes (TXYRTXER=1,3,5).....		55476	99.77
				126	0.23
LOCDOC	1	RCVD ILL DRUG OR ALC TRT AT DR'S OFFICE IN PAST YR 0 = No/Unknown (TXYRDOC=2,81,85,91,97,98,99)..... 1 = Yes (TXYRDOC=1,3,5).....		55444	99.72
				158	0.28

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE TREATMENT	PAGE:	415
				FREQ	%
LOCJAIL	1	RCVD ILL DRUG OR ALC TRT AT PRISON/JAIL IN PAST YR			-
		0 = No/Unknown (TXYRJAIL=2,81,85,91,97,98,99).....	55505	99.83	
		1 = Yes (TXYRJAIL=1,5).....	97	0.17	
LOCSHG	1	RCVD ILL DRUG/ALC TRT AT SELF-HELP GRP IN PAST YR			
		0 = No/Unknown (TXYRSHG=2,81,85,91,97,98,99).....	55018	98.95	
		1 = Yes (TXYRSHG=1,3,5).....	584	1.05	
A respondent was classified as needing treatment for alcohol use in the past year (TXNEDALC) if they met any one of the following 3 criteria:					
		(1) Dependent on alcohol in the past year (DEPNDALC=1)			
		(2) Alcohol abuse in the past year (ABUSEALC=1)			
		(3) Received treatment for alcohol use at a specialty facility in the past year including a hospital as an inpatient, rehabilitation facility (inpatient or outpatient), or mental health center (SPECTALC=1)			
TXNEDALC	1	NEEDED TREATMENT FOR ALCOHOL USE-PAST YEAR			
		0 = No/Unknown (Otherwise).....	49572	89.16	
		1 = Yes (See comment above).....	6030	10.84	
A respondent was defined as needing treatment for illicit drug abuse (ILLNEED) if they met any one of the following 3 criteria in the past year:					
		(1) Dependent on any illicit drug (DEPNILL=1)			
		(2) Any illicit drug abuse (ABUSEILL=1)			
		(3) Received treatment for illicit drug use at a specialty facility including hospital, rehabilitation facility (in or outpatient), or mental health center (SPECTILL=1)			
ILLNEED	1	NEEDED TREATMENT FOR ILLICIT DRUG USE-PAST YEAR			
		0 = No/Unknown (Otherwise).....	52412	94.26	
		1 = Yes (See comment above).....	3190	5.74	
A respondent was classified as needing treatment for illicit drug or alcohol use in the past year (TXNDILAL) if they met any one of the following 3 criteria:					
		(1) Dependent on any illicit drug or alcohol in the past year (DPILLALC=1)			
		(2) Any illicit drug or alcohol abuse in the past year (ABILLALC=1)			
		(3) Received treatment for illicit drug or alcohol use at a specialty facility in the past year including a hospital as an inpatient, rehabilitation facility (inpatient or outpatient), or mental health center (SPILLALC=1)			
TXNDILAL	1	NEEDED TREATMENT FOR ILL DRG OR ALC USE-PST YR			
		0 = No/Unknown (Otherwise).....	48012	86.35	
		1 = Yes (See comment above).....	7590	13.65	

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE TREATMENT	PAGE:	416
-----	-----	-----	-----	FREQ	%
-----	-----	-----	-----	-----	-
			A respondent was classified as needing treatment for substance use in the past year (NDTXXXX2) if they met any one of the following 3 criteria:		
			(1) Dependent on substance in the past year (DEPNDXXX=1)		
			(2) Abuse of Substance in the past year (ABUSEXXX)		
			(3) Received last or current treatment for a specific substance problem at a facility in the past year including a hospital as an inpatient, rehabilitation facility (inpatient or outpatient), or mental health center (TXSPXXX=1).		
NDTXALC2	1	NEEDED TREATMENT FOR ALCOHOL USE - PST YR	0 = No/Unknown (Otherwise).....	49632	89.26
			1 = Yes (See comment above).....	5970	10.74
NDTXMRJ2	1	NEEDED TREATMENT FOR MARIJUANA USE - PST YR	0 = No/Unknown (Otherwise).....	53428	96.09
			1 = Yes (See comment above).....	2174	3.91
NDTXCOC2	1	NEEDED TREATMENT FOR COCAINE USE - PST YR	0 = No/Unknown (Otherwise).....	55049	99.01
			1 = Yes (See comment above).....	553	0.99
NDTXHER2	1	NEEDED TREATMENT FOR HEROIN USE - PST YR	0 = No/Unknown (Otherwise).....	55498	99.81
			1 = Yes (See comment above).....	104	0.19
NDTXHAL2	1	NEEDED TREATMENT FOR HALLUCINOGEN USE - PST YR	0 = No/Unknown (Otherwise).....	55333	99.52
			1 = Yes (See comment above).....	269	0.48
NDTXINH2	1	NEEDED TREATMENT FOR INHALANT USE - PST YR	0 = No/Unknown (Otherwise).....	55426	99.68
			1 = Yes (See comment above).....	176	0.32
NDTXANL2	1	NEEDED TREATMENT FOR PAIN RELIEVER USE - PST YR	0 = No/Unknown (Otherwise).....	54969	98.86
			1 = Yes (See comment above).....	633	1.14
NDTXTRN2	1	NEEDED TREATMENT FOR TRANQUILIZER USE - PST YR	0 = No/Unknown (Otherwise).....	55378	99.60
			1 = Yes (See comment above).....	224	0.40
NDTXSTM2	1	NEEDED TREATMENT FOR STIMULANT USE - PST YR	0 = No/Unknown (Otherwise).....	55360	99.56
			1 = Yes (See comment above).....	242	0.44
NDTXSED2	1	NEEDED TREATMENT FOR SEDATIVE USE - PST YR	0 = No/Unknown (Otherwise).....	55551	99.91
			1 = Yes (See comment above).....	51	0.09

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE TREATMENT	PAGE:	417
-----	-----	-----	-----	FREQ	%
-----	-----	-----	-----	-----	-
			A respondent was classified as feeling a need for treatment for a specific substance in the past year (FLTNDXXX=1) if they met either of these conditions:		
			(1) Reported feeling a need for treatment for their specific substance use in the past year (NDTXXXR=1,3,11,13).		
			(2) Reported feeling a need for ADDITIONAL treatment for their specific substance use in the past year (NDTMRXXX=1).		
FLTNDALC	1	FELT NEED FOR TRMT FOR ALCOHOL USE - PST YR			
		1 = Yes (See comment above).....	232	0.42	
		2 = No/Unknown (Otherwise).....	55370	99.58	
FLTNDMRJ	1	FELT NEED FOR TRMT FOR MARIJUANA USE - PST YR			
		1 = Yes (See comment above).....	114	0.21	
		2 = No/Unknown (Otherwise).....	55488	99.79	
FLTNDcoc	1	FELT NEED FOR TRMT FOR COCAINE USE-PST YR			
		1 = Yes (See comment above).....	66	0.12	
		2 = No/Unknown (Otherwise).....	55536	99.88	
FLTNDHER	1	FELT NEED FOR TRMT FOR HEROIN USE - PST YR			
		1 = Yes (See comment above).....	14	0.03	
		2 = No/Unknown (Otherwise).....	55588	99.97	
FLTNDHAL	1	FELT NEED FOR TRMT FOR HALLUCINOGEN USE - PST YR			
		1 = Yes (See comment above).....	18	0.03	
		2 = No/Unknown (Otherwise).....	55584	99.97	
FLTNDINH	1	FELT NEED FOR TRMT FOR INHALANT USE - PST YR			
		1 = Yes (See comment above).....	8	0.01	
		2 = No/Unknown (Otherwise).....	55594	99.99	
FLTNDANL	1	FELT NEED FOR TRMT FOR PAIN RELIEVER USE - PST YR			
		1 = Yes (See comment above).....	58	0.10	
		2 = No/Unknown (Otherwise).....	55544	99.90	
FLTNDTRN	1	FELT NEED FOR TRMT FOR TRANQUILIZER USE - PST YR			
		1 = Yes (See comment above).....	27	0.05	
		2 = No/Unknown (Otherwise).....	55575	99.95	
FLTNDSTM	1	FELT NEED FOR TRMT FOR STIMULANT USE - PST YR			
		1 = Yes (See comment above).....	31	0.06	
		2 = No/Unknown (Otherwise).....	55571	99.94	
FLTNDSED	1	FELT NEED FOR TRMT FOR SEDATIVE USE - PST YR			
		1 = Yes (See comment above).....	11	0.02	
		2 = No/Unknown (Otherwise).....	55591	99.98	

RECODED SUBSTANCE TREATMENT			PAGE:	418
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
A respondent was classified as feeling a need for illicit drug treatment in the past year (FLTNDILL=1) if they met either of these conditions:				
(1) Reported feeling a need for treatment for their illicit drug or alcohol use (NDTXNEDR=1,11) and for one or more illicit drugs in the past year, specifically including marijuana (NDTXMJR=1,11), cocaine (NDTXCOCR=1,3,11), heroin (NDTXHERR=1,11), hallucinogens (NDTXHALR=1,11), inhalants (NDTXINHR=1,11), pain relievers (NDTXANLR=1,11), tranquilizers (NDTXTRNR=1,11), stimulants (NDTXSTM=1,3,11), sedatives (NDTXSEDR=1), or some other drug (NDTXSODR=1,11).				
(2) Reported feeling a need for ADDITIONAL treatment for their illicit drug or alcohol use (NDTXMORE=1) and for one or more illicit drugs in the past year, specifically including marijuana (NDTMRMJ=1), cocaine (NDTMRCOC=1), heroin (NDTMRHER=1), hallucinogens (NDTMRHAL=1), inhalants (NDTMRINH=1), pain relievers (NDTMRANL=1), tranquilizers (NDTMRTRN=1), stimulants (NDTMRSTM=1), sedatives (NDTMRSED=1), or some other drug (NDTMROTH=1).				
FLTNDILL	1	FELT NEED FOR ILLICIT DRUG TREATMENT-PAST YEAR		
1 = Yes (See comment above).....				279 0.50
2 = No/Unknown (Otherwise).....				55323 99.50
FLNDILAL	1	FELT NEED FOR TRMT FOR ILL DRG OR ALC USE -PST YR		
1 = Yes (NDTXNEDR=1,11 or NDTXMORE=1).....				429 0.77
2 = No/Unknown (Otherwise).....				55173 99.23

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE TREATMENT	PAGE:	419
				FREQ	%

NOTE: The following 11 variables pertain to respondents feeling a need and making an effort to obtain treatment for a specific substance (NDEFXXX) in the past year.					
A respondent was classified as feeling a need for substance use treatment and making an effort to get substance use treatment in the past year (NDEFXXX=1) if they felt a need for treatment for their substance use (FLTNDXXX=1) and if they met either of the following conditions:					
(1) Reported making an effort to get treatment (NDTXEFTR=1,11).					
(2) Reported making an effort to get ADDITIONAL treatment (NDTMREFT=1).					
A respondent was classified as feeling a need for and NOT making an effort to get substance use treatment in the past year (NDEFXXX=2) if they felt a need for treatment for their substance use (FLTNDXXX=1) and if they met either of the following conditions:					
(1) Reported NOT making an effort to get treatment (NDTXEFTR=2,12,98,99).					
(2) Reported NOT making an effort to get ADDITIONAL treatment (NDTMREFT=2,98,99).					
The following variable, NDEFALC, is similar to the variable NDEFFALC which was created in previous NSDUHs. The only difference between the new variable and the old variable is that NDEFALC classify respondents who did not feel a need for illicit drug or alcohol treatment as a level 3 instead of SAS missing.					
NDEFALC	1	FELT NEED/MADE EFFORT FOR TRT FOR ALCOHOL USE			
		1 = Felt Need/Made Effort (See comment above).....	90	0.16	
		2 = Felt Need/Made No Effort (See comment above).....	142	0.26	
		3 = Felt No Need for Alc Trmt/Unk (FLTNDALC=2).....	55370	99.58	
NDEFMRJ	1	FELT NEED/MADE EFFORT FOR TRT FOR MARIJUANA USE			
		1 = Felt Need/Made Effort (See comment above).....	38	0.07	
		2 = Felt Need/Made No Effort (See comment above).....	76	0.14	
		3 = Felt No Need for MRJ TRT/Unknown (FLTNDMRJ=2).....	55488	99.79	
NDEFCOC	1	FELT NEED/MADE EFFORT FOR TRT FOR COCAINE USE			
		1 = Felt Need/Made Effort (See comment above).....	24	0.04	
		2 = Felt Need/Made No Effort (See comment above).....	42	0.08	
		3 = Felt No Need for COC TRT/Unknown (FLTNDCC=2).....	55536	99.88	
NDEFHER	1	FELT NEED AND MADE EFFORT FOR TRT FOR HEROIN USE			
		1 = Felt Need/Made Effort (See comment above).....	8	0.01	
		2 = Felt Need/Made No Effort (See comment above).....	6	0.01	
		3 = Felt No Need for HER TRT/Unknown (FLNTDHER=2).....	55588	99.97	
NDEFHAL	1	FELT NEED/MADE EFFORT FOR TRT FOR HALLUCINOGEN USE			
		1 = Felt Need/Made Effort (See comment above).....	8	0.01	
		2 = Felt Need/Made No Effort (See comment above).....	10	0.02	
		3 = Felt No Need for HAL TRT/Unknown (FLTNDHAL=2).....	55584	99.97	
NDEFINH	1	FELT NEED/MADE EFFORT FOR TRT FOR INHALANT USE			
		1 = Felt Need/Made Effort (See comment above).....	5	0.01	
		2 = Felt Need/Made No Effort (See comment above).....	3	0.01	
		3 = Felt No Need for INH TRT/Unknown (FLTNDINH=2).....	55594	99.99	

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE TREATMENT	PAGE:	420
				FREQ	%
NDEFANL	1	FELT NEED/MADE EFFT FOR TRT FOR PAIN RELIEVER USE			-
		1 = Felt Need/Made Effort (See comment above).....		22	0.04
		2 = Felt Need/Made No Effort (See comment above).....		36	0.06
		3 = Felt No Need for PAIN REL TRT/Unknown (FLTNDAVL=2)		55544	99.90
NDEFTRN	1	FELT NEED/MADE EFFORT FOR TRT FOR TRANQUILIZER USE			
		1 = Felt Need/Made Effort (See comment above).....		11	0.02
		2 = Felt Need/Made No Effort (See comment above).....		16	0.03
		3 = Felt No Need for TRN TRT/Unknown (FLTNTRN=2)....		55575	99.95
NDEFSTM	1	FELT NEED/MADE EFFORT FOR TRT FOR STIMULANT USE			
		1 = Felt Need/Made Effort (See comment above).....		9	0.02
		2 = Felt Need/Made No Effort (See comment above).....		22	0.04
		3 = Felt No Need for STM TRT/Unknown (FLTNSTM=2)....		55571	99.94
NDEFSED	1	FELT NEED/MADE EFFORT FOR TRT FOR SEDATIVE USE			
		1 = Felt Need/Made Effort (See comment above).....		6	0.01
		2 = Felt Need/Made No Effort (See comment above).....		5	0.01
		3 = Felt No Need for SED TRT/Unknown (FLTNSED=2)....		55591	99.98
The following two variables, NDEFIL and NDEFIA, are similar to the variables NDEFFILL and NDEFILAL which were created in previous NSDUHs. The only difference between the new variables and the old variables is that NDEFIL and NDEFIA classify respondents who did not feel a need for illicit drug or alcohol treatment as a level 3 instead of SAS missing.					
NDEFIL	1	FELT NEED/MADE EFFORT FOR TRMT FOR ILLICIT DRG USE			
		1 = Felt Need/Made Effort (See comment above).....		87	0.16
		2 = Felt Need/Made No Effort (See comment above).....		192	0.35
		3 = Felt No Need for Ill Drg Trmt/Unk (FLTNILL=2)....		55323	99.50
A respondent was classified as feeling a need for illicit drug or alcohol treatment and making an effort to get illicit drug or alcohol treatment in the past year (NDEFIA=1) if they felt a need for treatment for their illicit drug or alcohol use (FLNDILAL=1) and if they met either of the following conditions: (1) Reported making an effort to get treatment (NDTXEFTR=1,11). (2) Reported making an effort to get ADDITIONAL treatment (NDTMREFT=1).					
A respondent was classified as feeling a need for and NOT making an effort to get illicit drug or alcohol treatment in the past year (NDEFIA=2) if they felt a need for treatment for their illicit drug or alcohol use (FLNDILAL=1) and if they met either of the following conditions: (1) Reported NOT making an effort to get treatment (NDTXEFTR=2,12,98,99). (2) Reported NOT making an effort to get ADDITIONAL treatment (NDTMREFT=2,98,99).					
NDEFIA	1	FELT NEED/MADE EFFT FOR TRT FOR ILL DRG OR ALC USE			
		1 = Felt Need/Made Effort (See comment above).....		148	0.27
		2 = Felt Need/Made No Effort (See comment above).....		281	0.51
		3 = Felt No Need for Ill Drg/Alc Trmt/Unk (FLNDILAL=2)		55173	99.23

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE TREATMENT	PAGE:	421
				FREQ	%

		The following variable, TXGAPALC, is defined as needing alcohol treatment in the past year, but not receiving alcohol treatment at a specialty facility. This treatment measure is referred to as a treatment gap.			-
TXGAPALC	1	NEEDED TRT FOR ALC USE, NOT RCVD TRT SPEC FAC-PY 0 = No/Unknown (Otherwise)..... 1 = Yes (TXNEDALC=1 and SPECTALC=0).....		50004	89.93
				5598	10.07
The following variable, TXNOSPEC, is defined as needing illicit drug treatment in the past year, but not receiving illicit drug treatment at a specialty facility. This treatment measure is referred to as a treatment gap.					
TXNOSPEC	1	NEEDED TRT FOR ILL DRG USE, NOT RCD TRT SPC FAC-PY 0 = No/Unknown (Otherwise)..... 1 = Yes (ILLNEED=1 and SPECTILL=0).....		52866	95.08
				2736	4.92
The following variable, TXGPILAL, is defined as needing illicit drug or alcohol treatment in the past year, but not receiving illicit drug or alcohol treatment at a specialty facility. This treatment measure is referred to as a treatment gap.					
TXGPILAL	1	NEEDED TRT FOR DRG/ALC USE, NOT RCD TRT SP FAC-PY 0 = No/Unknown (Otherwise)..... 1 = Yes (TXNDILAL=1 and SPILLALC=0).....		48701	87.59
				6901	12.41
TXGPALLC	1	NEEDED TRMT FOR ALC USE, NOT RCD TRMT SPEC FAC-PY 0 = No/Unknown (Otherwise)..... 1 = Yes (NDTXALC2=1 or TXSPALC=0).....		49927	89.79
				5675	10.21
TXGPMJLC	1	NEEDED TRMT FOR MRJ USE, NOT RCD TRMT SPEC FAC-PY 0 = No/Unknown (Otherwise)..... 1 = Yes (NDTXMRJ2=1 or TXSPMRJ=0).....		53638	96.47
				1964	3.53
TXGPCOLC	1	NEEDED TRMT FOR COC USE, NOT RCD TRMT SPEC FAC-PY 0 = No/Unknown (Otherwise)..... 1 = Yes (NDTXCOC2=1 or TXSPCOC=0).....		55171	99.22
				431	0.78
TXGPHELC	1	NEEDED TRMT FOR HER USE, NOT RCD TRMT SPEC FAC-PY 0 = No/Unknown (Otherwise)..... 1 = Yes (NDTXHER2=1 or TXSPHER=0).....		55542	99.89
				60	0.11
TXGPHALC	1	NEEDED TRMT FOR HAL USE, NOT RCD TRMT SPEC FAC-PY 0 = No/Unknown (Otherwise)..... 1 = Yes (NDTXHAL2=1 or TXSPHAL=0).....		55398	99.63
				204	0.37
TXGPINLC	1	NEEDED TRMT FOR INH USE, NOT RCD TRMT SPEC FAC-PY 0 = No/Unknown (Otherwise)..... 1 = Yes (NDTXINH2=1 or TXSPINH=0).....		55460	99.74
				142	0.26
TXGPANLC	1	NEEDED TRT FOR PAIN REL USE, NOT RCD TRT SP FAC-PY 0 = No/Unknown (Otherwise)..... 1 = Yes (NDTXANL2=1 or TXSPANL=0).....		55049	99.01
				553	0.99
TXGPTRLC	1	NEEDED TRMT FOR TRN USE, NOT RCD TRMT SPEC FAC-PY 0 = No/Unknown (Otherwise)..... 1 = Yes (NDTXTRN2=1 or TXSPTRN=0).....		55425	99.68
				177	0.32

RECODED SUBSTANCE TREATMENT			PAGE:	422
LABEL	LEN	DESCRIPTION	FREQ	%
TXGPSTLC	1	NEEDED TRMT FOR STM USE, NOT RCD TRMT SPEC FAC-PY 0 = No/Unknown (Otherwise)..... 1 = Yes (NDTXSTM2=1 or TXSPSTM=0).....	55427 175	99.69 0.31
TXGPSELC	1	NEEDED TRMT FOR SED USE, NOT RCD TRMT SPEC FAC- PY 0 = No/Unknown (Otherwise)..... 1 = Yes (NDTXSED2=1 or TXSPSED=0).....	55566 36	99.94 0.06
NOTE: The following recoded variables contain respondent information about reasons for not receiving substance treatment in the past year or not receiving additional substance treatment in the past year.				
TXRNNHCV	1	NO TRT/ADDL TRT PST YR B/C COULDNT AFFORD/NO INSUR . = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).. 0 = No/Unknown (Otherwise)..... 1 = Yes (FLNDILAL=1 AND (NDTXNHCV=1,11 OR NDMRNHCV=1))	55173 320 109	99.23 0.58 0.20
TXRNLMCV	1	NO TRT/ADDL TRT PST YR B/C INS DIDNT COVR TRT/COST . = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).. 0 = No/Unknown (Otherwise)..... 1 = Yes (FLNDILAL=1 AND (NDTXLMCV=1,11 OR NDMRLMCV=1))	55173 396 33	99.23 0.71 0.06
TXRNNTSP	1	NO TRT/ADDL TRT PST YR B/C NO TRANSPORTATION . = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).. 0 = No/Unknown (Otherwise)..... 1 = Yes (FLNDILAL=1 AND (NDTXNTSP=1,11 OR NDMRNTSP=1))	55173 402 27	99.23 0.72 0.05
TXRNTYPE	1	NO TRT/ADDL TRT PST YR B/C NO PROGRAM HAD TYPE TRT . = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).. 0 = No/Unknown (Otherwise)..... 1 = Yes (FLNDILAL=1 AND NDTXTYPE=1,11 OR NDMRTYPE=1)).	55173 395 34	99.23 0.71 0.06
TXRNNSTP	1	NO TRT/ADDL TRT PST YR B/C NOT READY TO STOP USE . = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).. 0 = No/Unknown (Otherwise)..... 1 = Yes (FLNDILAL=1&(NDTXREDY=1,3,11,13 OR NDMRREADY=1))	55173 289 140	99.23 0.52 0.25
TXRNOOPEN	1	NO TRT/ADDL TRT PST YR B/C NO OPENINGS IN PROGRAM . = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).. 0 = No/Unknown (Otherwise)..... 1 = Yes (FLNDILAL=1 AND (NDTXOPEN=1,11 OR NDMROOPEN=1))	55173 414 15	99.23 0.74 0.03
TXRNWHER	1	NO TRT/ADDL TRT PST YR B/C DIDNT KNOW WHERE TO GO . = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).. 0 = No/Unknown (Otherwise)..... 1 = Yes (FLNDILAL=1 AND (NDTXWHER=1,11 OR NDMRWHER=1))	55173 368 61	99.23 0.66 0.11
TXRNNBR	1	NO TRT/ADDL TRT PST YR B/C CAUSE NBR HAVE NEG OPIN . = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).. 0 = No/Unknown (Otherwise)..... 1 = Yes (FLNDILAL=1 AND (NDTXNBR=1,11 OR NDMRNBR=1))..	55173 376 53	99.23 0.68 0.10
TXRNJOB	1	NO TRT/ADDL TRT PST YR B/C HAVE NEG EFFECT ON JOB . = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).. 0 = No/Unknown (Otherwise)..... 1 = Yes (FLNDILAL=1 AND (NDTXJOB=1,11 OR NDMRJOB=1))..	55173 390 39	99.23 0.70 0.07

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE TREATMENT	PAGE:	423
				FREQ	%
TXRNNOND	1	NO TRT/ADDL TRT PST YR B/C DIDNT FEEL NEED FOR TRT			-
		. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2)..	55173	99.23	
		0 = No/Unknown (Otherwise).....	392	0.71	
		1 = Yes (FLNDILAL=1&(NDTXNOND=1,3,11 OR NDMRNOND=1))..	37	0.07	
TXRNHNDL	1	NO TRT/ADDL TRT PST YR B/C COULD HANDL PRB W/O TRT			
		. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2)..	55173	99.23	
		0 = No/Unknown (Otherwise).....	377	0.68	
		1 = Yes (FLNDILAL=1 & (NDTXHNDL=1,3,11 OR NDMRHNDL=1))	52	0.09	
TXRNNHLP	1	NO TRT/ADDL TRT PST YR B/C DIDNT THINK WOULD HELP			
		. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2)..	55173	99.23	
		0 = No/Unknown (Otherwise).....	412	0.74	
		1 = Yes (FLNDILAL=1&(NDTXNHLP=1,3 or NDMRNHLP=1)).....	17	0.03	
TXRNBUSY	1	NO TRT/ADDL TRT PST YR B/C DIDNT HAVE TIME			
		. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2)..	55173	99.23	
		0 = No/Unknown (Otherwise).....	406	0.73	
		1 = Yes (FLNDILAL=1&(NDTXBUSY=1,3,11 OR NDMRBUSY=1))..	23	0.04	
For the variable TXRNFOU in 2004, no positive responses exist on this data set for the reason did not receive additional substance use treatment of did not think treatment would help (NDMRFOU).					
TXRNFOU	1	NO TRT/ADDL TRT PST YR B/C NOT WANT OTHRS TO KNOW			
		. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2)..	55173	99.23	
		0 = No/Unknown (Otherwise).....	399	0.72	
		1 = Yes (FLNDILAL=1& NDTXFOUT=1,3,11).....	30	0.05	
The following variable, TXRNSTIG, was assigned a positive response if the respondent felt a need for substance use treatment in the past year (FLNDILAL=1) and reported any of the following reasons for not receiving substance use treatment in the past year: treatment might cause neighbors/ community to have negative opinion (NDTXNBR=1,11 or NDMRNBR=1), concerned treatment might have negative effect on their job (NDTXJOB=1,11 or NDMRJOB=1), did not want others to find out (NDTXFOUT=1,3,11), or an other specify reason of afraid would have trouble with the police/social services. A negative response was assigned if the respondent felt a need for substance use treatment in the past year and did not specify any of the reasons listed above.					
TXRNSTIG	1	NO TRT/ADDL TRT PST YR B/C STIGMA ASSOCIATED			
		. = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2)..	55173	99.23	
		0 = No (See comment above).....	336	0.60	
		1 = Yes (See comment above).....	93	0.17	

LABEL	LEN	DESCRIPTION	RECODED SUBSTANCE TREATMENT	PAGE:	424
				FREQ	%

			The following variable, TXRNHDPR, was assigned a positive response if the respondent felt a need for substance use treatment in the past year (FLNDILAL=1) and reported any of the following reasons for not receiving substance use treatment in the past year: could handle problems without treatment (NDTXHNDL=1,3,11 or NDMRHNDL=1), did not feel need for treatment (NDTXNOND=1,3,11 or NDMRNOND=1). A negative response was assigned if the respondent felt a need for substance use treatment in the past year and did not specify any of the reasons listed above.		-
TXRNHDPR	1	NO TRT/ADDL TRT PST YR B/C COULD HANDLE PROB WOUT . = Felt No Need for Drg/Alc Trt Pst Yr (FLNDILAL=2).. 0 = No (See comment above)..... 1 = Yes (See comment above).....		55173	99.23
				352	0.63
				77	0.14
NOTE: The following four variables were created using a combination of the substance treatment, recoded substance treatment and recoded substance dependence and abuse variables. Specifications on how the substance treatment variable was defined can be found in the Substance Treatment section. Specifications on how the recoded substance treatment variable was defined can be found above. Specifications on how the recoded substance dependence and abuse variable was defined can be found in the Recoded Substance Dependence and Abuse section and in the Recoded Substance Dependence and Abuse Variable Documentation Appendix.					
The following variable, TXDANOTX, is defined as receiving illicit drug or alcohol treatment in lifetime and having been dependent on or abused an illicit drug or alcohol in the past year, but not receiving illicit drug or alcohol treatment in the past year.					
TXDANOTX	1	DRG/ALC TRT LIF & DEP/ABUSE NO TRT PST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXEVER=1 & ABODILAL=1 & TXILLALC=0).....		54833	98.62
				769	1.38
The following variable, TXNOTXDA, is defined as receiving illicit drug or alcohol treatment in lifetime, not receiving illicit drug or alcohol treatment in the past year, and not having been dependent on or abused an illicit drug or alcohol in the past year.					
TXNOTXDA	1	DRG/ALC TRT LIF & NO TRT/DEP/ABUSE PST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXEVER=1 & TXILLALC=0 & ABODILAL=0).....		54323	97.70
				1279	2.30
The following variable, TXDANOSP, is defined as receiving illicit drug or alcohol treatment in lifetime and having been dependent on or abused an illicit drug or alcohol in the past year, but not receiving illicit drug or alcohol treatment at a specialty facility in the past year.					
TXDANOSP	1	DRG/ALC TRT LIF & DEP/ABUSE NO SP TRT PST YR 0 = No/Unknown (Otherwise)..... 1 = Yes (TXEVER=1 & ABODILAL=1 & SPILLALC=0).....		54558	98.12
				1044	1.88

RECODED SUBSTANCE TREATMENT			PAGE:	425
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
The following variable, TXNOSPDA, is defined as receiving illicit drug or alcohol treatment in lifetime, not receiving illicit drug or alcohol treatment at a specialty facility in the past year, and not having been dependent on or abused an illicit drug or alcohol in the past year.				
TXNOSPDA	1	DRG/ALC TRT LIF & NO DEP/ABUSE/SPC TRT PST YR		
0 = No/Unknown (Otherwise).....			54119	97.33
1 = Yes (TXEVER=1 & SPILLALC=0 & ABODILAL=0).....			1483	2.67

LABEL	LEN	DESCRIPTION	PREGNANCY AND HEALTH CARE	PAGE:	426
				FREQ	%
(HLTH01) PREGNANCY AND HEALTH CARE					

The next questions are about your health and health care.					
Are you currently pregnant?					
PREGNANT 2 ARE YOU PREGNANT					
1 = Yes.....					
2 = No.....					
94 = DON'T KNOW.....					
97 = REFUSED.....					
98 = BLANK (NO ANSWER).....					
99 = LEGITIMATE SKIP.....					
932 1.68					
23654 42.54					
87 0.16					
19 0.03					
42 0.08					
30868 55.52					
(HLTH03) During the past 12 months, that is since DATEFILL, how many different times have you been treated in an emergency room for any reason?					
NMERTMT2 3 # OF TIMES BEEN TREATED IN EMER ROOM PAST 12 MOS					
RANGE = 0 - 30					
31 = 31 or more.....					
909 1.63					
994 = DON'T KNOW.....					
279 0.50					
997 = REFUSED.....					
8 0.01					
(HLTH04) During the past 12 months, have you stayed overnight or longer as an inpatient in a hospital?					
INHOSPYR 2 STAYED OVERNIGHT AS INPNT IN HOSP PAST 12 MOS					
1 = Yes.....					
2 = No.....					
97 0.17					
94 = DON'T KNOW.....					
51 0.09					
98 = BLANK (NO ANSWER).....					
4543 8.17					
50903 91.55					
(HLTH05) During the past 12 months, how many nights were you an inpatient in a hospital?					
NMNGTHS2 3 # NIGHTS STAYED IN HOSPITAL OVERNIGHT OR LONGER					
RANGE = 1 - 30					
31 = 31 or more.....					
73 0.13					
994 = DON'T KNOW.....					
49 0.09					
997 = REFUSED.....					
61 0.11					
999 = LEGITIMATE SKIP.....					
105 0.19					
50903 91.55					
(WORKSCHL) What were you doing most of the past 12 months?					
DOMOSTYR 2 WHAT WERE YOU DOING MOST OF PAST 12 MOS					
1 = Working at a job or business.....					
2 = Going to school.....					
4996 8.99					
3 = Keeping house.....					
2495 4.49					
4 = Doing something else.....					
1 0.00					
89 = LEGITIMATE SKIP Logically assigned.....					
23 0.04					
94 = DON'T KNOW.....					
36 0.06					
98 = BLANK (NO ANSWER).....					
5 0.01					
18293 32.90					

PREGNANCY AND HEALTH CARE			PAGE:	427
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
(WORKPREV)		Did any physical, mental, or emotional problem prevent you from working at a job or business during most of the past 12 months?		-
PBLMWOR	2	PHYS/MENT/EMOT PROB KEPT FROM WORK PAST 12 MOS		
		1 = Yes.....	1434	2.58
		2 = No.....	4426	7.96
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	5	0.01
		99 = LEGITIMATE SKIP.....	49702	89.39
(WORKLIM)		Did any physical, mental, or emotional problem limit you in the kind or amount of work you could do during most of the past 12 months?		
LIMITWRK	2	PHYS/MENT/EMOT PROB LIMITED WORK IN PAST 12 MOS		
		1 = Yes.....	2311	4.16
		2 = No.....	24331	43.76
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	22	0.04
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	28902	51.98
(PROBTYP)		Was it a physical problem, a mental or emotional problem, or both?		
TYPEPBLM	2	WAS PROB THAT AFFECTED WORK PHYS, MENT, OR BOTH		
		1 = Physical problem.....	2261	4.07
		2 = Mental or emotional problem.....	841	1.51
		3 = Both.....	623	1.12
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	36	0.06
		98 = BLANK (NO ANSWER).....	37	0.07
		99 = LEGITIMATE SKIP.....	51793	93.15

RECODED PREGNANCY AND HEALTH CARE			PAGE:	428
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
RECODED PREGNANCY AND HEALTH CARE				

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.				

PREG	1	PREGNANT FEMALES AGED 12-44		
		0 = Otherwise.....	54670	98.32
		1 = Pregnant Females Aged 12-44 (PREGNANT=1).....	932	1.68
PREG2	1	PREGNANCY STATUS OF FEMALES AGED 12-44		
		. = Unknown (PREGNANT=94,97,98).....	148	0.27
		1 = Pregnant (PREGNANT=1).....	932	1.68
		2 = Not Pregnant (PREGNANT=2).....	23654	42.54
		3 = Males/Females not age 12-44 (PREGNANT=99).....	30868	55.52
TRIMEST	1	CURRENT TRIMESTER OF PREGNANCY-FEMALES AGED 12-44		
		. = UNKNOWN.....	15	0.03
		1 = 1st 3 months of pregnancy.....	269	0.48
		2 = 2nd 3 months of pregnancy.....	328	0.59
		3 = Last 3 months of pregnancy.....	320	0.58
		4 = Males/Not Pregnant Females.....	54670	98.32

LABEL	LEN	DESCRIPTION	PAGE:	429
			FREQ	%
(ADMT01) ADULT MENTAL HEALTH TREATMENT				

These next questions are about treatment and counseling for problems with emotions, nerves or mental health. Please do not include treatment for alcohol or drug use.				

NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.				

During the past 12 months, have you stayed overnight or longer in a hospital or other facility to receive treatment or counseling for any problem you were having with your emotions, nerves, or mental health? Please do not include treatment for alcohol or drug use.				

AUINPYR	2	1STAY OVNT IN HOSP FOR MH TRMT PST 12 MOS		
		1 = Yes.....	410	0.74
		2 = No.....	36866	66.30
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	6	0.01
		99 = LEGITIMATE SKIP.....	18293	32.90
(ADMT02) Where did you stay overnight or longer to receive mental health treatment or counseling during the past 12 months?				
AUINPSYH	2	1MH TRMT IN PRIV/PUB PSYCH HOSP PST 12 MOS		
		1 = Response entered.....	102	0.18
		6 = Response not entered.....	289	0.52
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	20	0.04
		98 = BLANK (NO ANSWER).....	16	0.03
		99 = LEGITIMATE SKIP.....	55160	99.21
AUINPGEN	2	1MH TRMT IN PSYCH UNIT OF GEN HOSP PST 12 MOS		
		1 = Response entered.....	109	0.20
		6 = Response not entered.....	282	0.51
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	20	0.04
		98 = BLANK (NO ANSWER).....	16	0.03
		99 = LEGITIMATE SKIP.....	55160	99.21
AUINMEDU	2	1MH TRMT IN MED UNIT OF GEN HOSP PST 12 MOS		
		1 = Response entered.....	106	0.19
		6 = Response not entered.....	285	0.51
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	20	0.04
		98 = BLANK (NO ANSWER).....	16	0.03
		99 = LEGITIMATE SKIP.....	55160	99.21

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH TREATMENT			PAGE:	430
LABEL	LEN	DESCRIPTION	FREQ	%
AUINAHSP	2	1MH TRMT IN ANOTHER TYPE HOSP PST 12 MOS		-
		1 = Response entered.....	29	0.05
		6 = Response not entered.....	362	0.65
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	20	0.04
		98 = BLANK (NO ANSWER).....	16	0.03
		99 = LEGITIMATE SKIP.....	55160	99.21
AUINRESPD	2	1MH TRMT IN RESID TRMT CENTER PST 12 MOS		
		1 = Response entered.....	32	0.06
		6 = Response not entered.....	359	0.65
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	20	0.04
		98 = BLANK (NO ANSWER).....	16	0.03
		99 = LEGITIMATE SKIP.....	55160	99.21
AUINSFAC	2	1MH TRMT IN SOME OTHER FACIL PST 12 MOS		
		1 = Response entered.....	36	0.06
		6 = Response not entered.....	355	0.64
		85 = BAD DATA Logically assigned.....	2	0.00
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	20	0.04
		98 = BLANK (NO ANSWER).....	16	0.03
		99 = LEGITIMATE SKIP.....	55160	99.21
(ADMT04)		During the past 12 months, how many nights did you spend in a private or public psychiatric hospital for mental health care?		
AUNMPSY2	3	1# NIGHTS IN PRIV/PUB PSYCH HOSP PST 12 MOS		
		RANGE = 1 - 30	95	0.17
		31 = 31 or more.....	5	0.01
		985 = BAD DATA Logically assigned.....	2	0.00
		994 = DON'T KNOW.....	1	0.00
		997 = REFUSED.....	21	0.04
		998 = BLANK (NO ANSWER).....	29	0.05
		999 = LEGITIMATE SKIP.....	55449	99.72
(ADMT05)		During the past 12 months, how many nights did you spend in the psychiatric unit of a general hospital for mental health care?		
AUNMPGE2	3	1# NIGHTS IN PSYCH UNIT OF GEN HOSP PST 12 MOS		
		RANGE = 1 - 30	102	0.18
		31 = 31 or more.....	4	0.01
		985 = BAD DATA Logically assigned.....	2	0.00
		994 = DON'T KNOW.....	3	0.01
		997 = REFUSED.....	20	0.04
		998 = BLANK (NO ANSWER).....	29	0.05
		999 = LEGITIMATE SKIP.....	55442	99.71

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	431
			FREQ	%

(ADMT06)	During the past 12 months, how many nights did you spend in the medical unit of a general hospital for mental health care?			-
AUNMMED2	3	1# NIGHTS IN MED UNIT OF GEN HOSP PST 12 MOS		
RANGE	=	1 - 30	95	0.17
31	=	31 or more.....	2	0.00
985	=	BAD DATA Logically assigned.....	2	0.00
994	=	DON'T KNOW.....	5	0.01
997	=	REFUSED.....	24	0.04
998	=	BLANK (NO ANSWER).....	29	0.05
999	=	LEGITIMATE SKIP.....	55445	99.72
(ADMT07)	During the past 12 months, how many nights did you spend in some other type of hospital for mental health care?			
AUNMAHS2	3	1# NIGHTS IN ANOTHER TYPE OF HOSP PST 12 MOS		
RANGE	=	1 - 30	25	0.04
985	=	BAD DATA Logically assigned.....	2	0.00
994	=	DON'T KNOW.....	4	0.01
997	=	REFUSED.....	20	0.04
998	=	BLANK (NO ANSWER).....	29	0.05
999	=	LEGITIMATE SKIP.....	55522	99.86
(ADMT08)	During the past 12 months, how many nights did you spend in a residential treatment center for mental health care?			
AUNMRES2	3	1# NIGHTS IN RESID TRMT CENTER PST 12 MOS		
RANGE	=	1 - 30	27	0.05
31	=	31 or more.....	5	0.01
985	=	BAD DATA Logically assigned.....	2	0.00
997	=	REFUSED.....	20	0.04
998	=	BLANK (NO ANSWER).....	29	0.05
999	=	LEGITIMATE SKIP.....	55519	99.85
(ADMT09)	During the past 12 months, how many nights did you spend in some other type of facility for mental health care?			
AUNMSFA2	3	1# NIGHTS IN SOME OTHER FACIL PST 12 MOS		
RANGE	=	1 - 28	28	0.05
31	=	31 or more.....	2	0.00
985	=	BAD DATA Logically assigned.....	2	0.00
994	=	DON'T KNOW.....	4	0.01
997	=	REFUSED.....	22	0.04
998	=	BLANK (NO ANSWER).....	29	0.05
999	=	LEGITIMATE SKIP.....	55515	99.84

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	432
			FREQ	%

(ADMT10)		Who paid or will pay for the inpatient mental health care you received during the past 12 months?		-
AUPINSLF	2	1INPAT MH CARE PYMNT: SELF OR LIVE-IN FAM MBR		
		1 = Response entered.....	89	0.16
		6 = Response not entered.....	299	0.54
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	16	0.03
		99 = LEGITIMATE SKIP.....	55160	99.21
AUPINOFM	2	1INPAT MH CARE PYMNT: FAM MBR NOT LIVING W/YOU		
		1 = Response entered.....	15	0.03
		6 = Response not entered.....	373	0.67
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	16	0.03
		99 = LEGITIMATE SKIP.....	55160	99.21
AUPINPHI	2	1INPAT MH CARE PYMNT: PRIVATE HEALTH INSUR		
		1 = Response entered.....	80	0.14
		6 = Response not entered.....	308	0.55
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	16	0.03
		99 = LEGITIMATE SKIP.....	55160	99.21
AUPINMCR	2	1INPATIENT MH CARE PAYMENT: MEDICARE		
		1 = Response entered.....	80	0.14
		6 = Response not entered.....	308	0.55
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	16	0.03
		99 = LEGITIMATE SKIP.....	55160	99.21
AUPINMCD	2	1INPATIENT MH CARE PAYMENT: MEDICAID		
		1 = Response entered.....	89	0.16
		6 = Response not entered.....	299	0.54
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	16	0.03
		99 = LEGITIMATE SKIP.....	55160	99.21
AUPINREH	2	1INPAT MH CARE PYMNT: REHABILITATION PROG		
		1 = Response entered.....	7	0.01
		6 = Response not entered.....	381	0.69
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	16	0.03
		99 = LEGITIMATE SKIP.....	55160	99.21
AUPINEMP	2	1INPATIENT MH CARE PAYMENT: EMPLOYER		
		1 = Response entered.....	19	0.03
		6 = Response not entered.....	369	0.66
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	16	0.03
		99 = LEGITIMATE SKIP.....	55160	99.21

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH TREATMENT			PAGE:	433
LABEL	LEN	DESCRIPTION	FREQ	%
AUPINMIL	2	1INPATIENT MH CARE PAYMENT: MILITARY SOURCE		-
		1 = Response entered.....	12	0.02
		6 = Response not entered.....	376	0.68
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	16	0.03
		99 = LEGITIMATE SKIP.....	55160	99.21
AUPINPUB	2	1INPAT MH CARE PYMNT: OTHER PUBLIC SOURCE		
		1 = Response entered.....	17	0.03
		6 = Response not entered.....	371	0.67
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	16	0.03
		99 = LEGITIMATE SKIP.....	55160	99.21
AUPINPRV	2	1INPAT MH CARE PYMNT: OTHER PRIVATE SOURCE		
		1 = Response entered.....	4	0.01
		6 = Response not entered.....	384	0.69
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	16	0.03
		99 = LEGITIMATE SKIP.....	55160	99.21
AUPINFRE	2	1INPATIENT MENTAL HEALTH CARE WAS FREE		
		1 = Response entered.....	22	0.04
		6 = Response not entered.....	366	0.66
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	16	0.03
		99 = LEGITIMATE SKIP.....	55160	99.21
(ADMT12)		How much did you or your family pay for the inpatient mental health care you received during the past 12 months? Do not count any money that has been or will be reimbursed by insurance or any other source.		
AUPINFM2	2	1AMT YOU/FAMILY PAID FOR INPAT MH CARE		
		1 = Less than \$100.....	19	0.03
		2 = \$100 to \$200.....	4	0.01
		3 = \$201 to \$500.....	13	0.02
		4 = \$501 to \$900.....	6	0.01
		5 = \$901 to \$1,500.....	10	0.02
		6 = \$1,501 to \$2,000.....	7	0.01
		7 = \$2,001 to \$5,000.....	15	0.03
		8 = More than \$5,000.....	13	0.02
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	36	0.06
		99 = LEGITIMATE SKIP.....	55445	99.72

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	434
			FREQ	%
(ADMT13) NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.				
The list below includes some of the places where people can get outpatient treatment or counseling for problems with their emotions, nerves, or mental health.				
During the past 12 months, did you receive any outpatient treatment or counseling for any problem you were having with your emotions, nerves, or mental health at any of the places listed below? Please do not include treatment for alcohol or drug use.				
<ul style="list-style-type: none"> - An outpatient mental health clinic or center - The office of a private therapist, psychologist, psychiatrist, social worker, or counselor that was not part of a clinic - A doctor's office that was not part of a clinic - An outpatient medical clinic - A partial day hospital or day treatment program - Some other place 				
AUOPTYR	2	1RCVD OUTPATIENT MH TRMT PST 12 MOS		
		1 = Yes.....	2797	5.03
		2 = No.....	34436	61.93
		3 = Yes LOGICALLY ASSIGNED (from AUALOTS2).....	1	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	32	0.06
		97 = REFUSED.....	36	0.06
		98 = BLANK (NO ANSWER).....	6	0.01
		99 = LEGITIMATE SKIP.....	18293	32.90
(ADMT14) Where did you receive outpatient mental health treatment or counseling during the past 12 months?				
AUOPMENT	2	1MH TRMT IN OUTPATIENT MH CNTR PST 12 MOS		
		1 = Response entered.....	623	1.12
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	2156	3.88
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	45	0.08
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	52730	94.83
AUOPTHER	2	1MH TRMT IN PRIV THERAPIST'S OFC PST 12 MOS		
		1 = Response entered.....	1455	2.62
		6 = Response not entered.....	1325	2.38
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	45	0.08
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	52730	94.83

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	435
			FREQ	%
AUOPDOC	2	1MH TRMT IN NON-CLINIC DR.'S OFC PST 12 MOS		-
		1 = Response entered.....	590	1.06
		5 = Response entered LOG ASSN (from AUALOTS2).....	1	0.00
		6 = Response not entered.....	2190	3.94
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	45	0.08
		98 = BLANK (NO ANSWER).....	38	0.07
		99 = LEGITIMATE SKIP.....	52730	94.83
AUOPCLNC	2	1MH TRMT IN OUTPAT MED CLINIC PST 12 MOS		
		1 = Response entered.....	219	0.39
		3 = Response entered LOGICALLY ASSIGNED.....	3	0.01
		5 = Response entered LOG ASSN (from AUALOTS2).....	1	0.00
		6 = Response not entered.....	2557	4.60
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	45	0.08
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	52730	94.83
AUOPDTMT	2	1MH TRMT IN DAY TREATMENT PGM PST 12 MOS		
		1 = Response entered.....	54	0.10
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	2725	4.90
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	45	0.08
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	52730	94.83
AUOPOTOP	2	1MH TRMT IN OTHER OUTPAT PLACE PST 12 MOS		
		1 = Response entered.....	187	0.34
		6 = Response not entered.....	2593	4.66
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	45	0.08
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	52730	94.83

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	436
			FREQ	%
AUOPYRS2	2	10TH FACIL RCVRD OUTPAT MH TRMT PAST 12 MOS		-
		1 = An outpatient mental health clinic or center.....	1	0.00
		3 = A doctor's office that was not part of a clinic...	1	0.00
		4 = An outpatient medical clinic.....	3	0.01
		5 = A partial day hospital or day treatment program...	1	0.00
		6 = Some other place.....	13	0.02
		7 = Friend(s)/parent of friend.....	3	0.01
		8 = Family member(s)/home.....	3	0.01
		9 = School or university setting/clinic/center.....	42	0.08
		10 = Spiritual or religious advisor.....	20	0.04
		11 = Support group/self-help group.....	3	0.01
		13 = Therapist/psychologist/counselor; locale unspecifd	6	0.01
		14 = A doctor's office; location unspecified.....	5	0.01
		15 = Work/parents' work/Employee Assistance Program...	10	0.02
		17 = Telephone hotline.....	2	0.00
		18 = Military facility/VA.....	14	0.03
		19 = Emergency room.....	4	0.01
		20 = Indian Health Service/BIA.....	3	0.01
		24 = Clinic/center/home/program; type unspecified.....	5	0.01
		28 = Social Services/Human Services.....	5	0.01
		30 = Self.....	3	0.01
		35 = Chiropractor.....	1	0.00
		38 = Massage therapy/body therapy (not chiro).....	2	0.00
		70 = Name of facility/description of facility given....	18	0.03
		85 = BAD DATA Logically assigned.....	10	0.02
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	47	0.08
		99 = LEGITIMATE SKIP.....	55323	99.50

(ADMT16) During the past 12 months, how many visits did you make to an outpatient mental health clinic or center for mental health care?

AUNMMEN2	3	1# VISITS TO OUTPATIENT MH CNTR PST 12 MOS		
		RANGE = 1 - 30	536	0.96
		31 = 31 or more.....	59	0.11
		994 = DON'T KNOW.....	23	0.04
		997 = REFUSED.....	51	0.09
		998 = BLANK (NO ANSWER).....	47	0.08
		999 = LEGITIMATE SKIP.....	54886	98.71

(ADMT17) During the past 12 months, how many outpatient visits did you make to a private therapist, psychologist, psychiatrist, social worker, or counselor for mental health care?

AUNMTHE2	3	1# VISITS TO PRIV THERAPIST'S OFC PST 12 MOS		
		RANGE = 1 - 30	1318	2.37
		31 = 31 or more.....	105	0.19
		994 = DON'T KNOW.....	31	0.06
		997 = REFUSED.....	46	0.08
		998 = BLANK (NO ANSWER).....	47	0.08
		999 = LEGITIMATE SKIP.....	54055	97.22

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	437
			FREQ	%
(ADMT18) During the past 12 months, how many outpatient visits did you make to a doctor's office for mental health care?				
AUNMDOC2	3	1# VISITS TO NON-CLINIC DR.'S OFC PST 12 MOS		
RANGE		= 1 - 25	578	1.04
		= 31 or more.....	3	0.01
		= DON'T KNOW.....	8	0.01
		= REFUSED.....	46	0.08
		= BLANK (NO ANSWER).....	47	0.08
		= LEGITIMATE SKIP.....	54920	98.77
(ADMT19) During the past 12 months, how many outpatient visits did you make to an outpatient medical clinic for mental health care?				
AUNMCLN2	3	1# VISITS TO OUTPAT MED CLINIC PST 12 MOS		
RANGE		= 1 - 30	204	0.37
		= 31 or more.....	5	0.01
		= DON'T KNOW.....	12	0.02
		= REFUSED.....	46	0.08
		= BLANK (NO ANSWER).....	48	0.09
		= LEGITIMATE SKIP.....	55287	99.43
(ADMT20) During the past 12 months, how many outpatient visits did you make to a partial day hospital or day treatment program for mental health care?				
AUNMDTM2	3	1# VISITS TO DAY TREATMENT PGM PST 12 MOS		
RANGE		= 1 - 30	46	0.08
		= 31 or more.....	4	0.01
		= DON'T KNOW.....	3	0.01
		= REFUSED.....	47	0.08
		= BLANK (NO ANSWER).....	47	0.08
		= LEGITIMATE SKIP.....	55455	99.74
(ADMT21) During the past 12 months, how many outpatient visits did you make to some other type of facility for mental health care?				
AUNMOTO2	3	1# VISIT OTPT SOME OTHER FACILITY PST 12 MOS		
RANGE		= 1 - 30	166	0.30
		= 31 or more.....	7	0.01
		= DON'T KNOW.....	11	0.02
		= REFUSED.....	48	0.09
		= BLANK (NO ANSWER).....	47	0.08
		= LEGITIMATE SKIP.....	55323	99.50
(ADMT22) Who paid or will pay for the outpatient mental health care you received during the past 12 months?				
AUPOPSLF	2	1OUPAT MH CARE PYMNT: SELF OR LIVE-IN FAM MBR		
		= Response entered.....	989	1.78
		= Response not entered.....	1777	3.20
		= DON'T KNOW.....	20	0.04
		= REFUSED.....	47	0.08
		= BLANK (NO ANSWER).....	39	0.07
		= LEGITIMATE SKIP.....	52730	94.83

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	438
			FREQ	%
AUPOPOFM	2	1OUPAT MH CARE PYMNT: FAM MBR NOT LIVING W/YOU		-
		1 = Response entered.....	110	0.20
		6 = Response not entered.....	2656	4.78
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	52730	94.83
AUPOPPIH	2	1OUPAT MH CARE PYMNT: PRIVATE HEALTH INSUR		
		1 = Response entered.....	1053	1.89
		6 = Response not entered.....	1713	3.08
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	52730	94.83
AUPOPMCR	2	1OUTPATIENT MH CARE PAYMENT: MEDICARE		
		1 = Response entered.....	216	0.39
		6 = Response not entered.....	2550	4.59
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	52730	94.83
AUPOPMCD	2	1OUTPATIENT MH CARE PAYMENT: MEDICAID		
		1 = Response entered.....	320	0.58
		6 = Response not entered.....	2446	4.40
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	52730	94.83
AUPOPREH	2	1OUPAT MH CARE PYMNT: REHABILITATION PROG		
		1 = Response entered.....	12	0.02
		6 = Response not entered.....	2754	4.95
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	52730	94.83
AUPOPEMP	2	1OUTPATIENT MH CARE PAYMENT: EMPLOYER		
		1 = Response entered.....	230	0.41
		6 = Response not entered.....	2536	4.56
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	52730	94.83
AUPOPML	2	1OUTPATIENT MH CARE PAYMENT: MILITARY SOURCE		
		1 = Response entered.....	82	0.15
		6 = Response not entered.....	2684	4.83
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	52730	94.83

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	439
			FREQ	%
AUPOPPUB	2	1OUPAT MH CARE PYMNT: OTHER PUBLIC SOURCE		-
		1 = Response entered.....	97	0.17
		6 = Response not entered.....	2669	4.80
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	52730	94.83
AUPOPPrV	2	1OUPAT MH CARE PYMNT: OTHER PRIVATE SOURCE		
		1 = Response entered.....	32	0.06
		6 = Response not entered.....	2734	4.92
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	52730	94.83
AUPOPFRE	2	1OUTPATIENT MENTAL HEALTH CARE WAS FREE		
		1 = Response entered.....	239	0.43
		6 = Response not entered.....	2527	4.54
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	52730	94.83
(ADMT23)		Who paid or will pay most of the cost for the outpatient mental health care you received during the past 12 months?		
AUPOPMOS	2	1PAYMENT FOR MOST OF OUTPATIENT MH CARE		
		1 = Self or a family member living with you.....	115	0.21
		2 = A family member who does not live with you.....	22	0.04
		3 = Private health insurance.....	293	0.53
		4 = Medicare.....	45	0.08
		5 = Medicaid.....	26	0.05
		6 = Rehabilitation program.....	2	0.00
		7 = Employer.....	30	0.05
		8 = VA or other military program.....	4	0.01
		9 = Other public source.....	12	0.02
		10 = Other private source.....	4	0.01
		11 = No one paid because the treatment was free.....	8	0.01
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	60	0.11
		99 = LEGITIMATE SKIP.....	54934	98.80

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	440
			FREQ	%
(ADMT24)		How much did you or your family pay for the outpatient mental health care you received during the past 12 months? Do not count any money that has been or will be reimbursed by insurance or any other source.		-
AUPOPAMT	2	1AMT YOU/FAMILY PAID FOR OUPAT MH CARE		
		1 = Less than \$100.....	310	0.56
		2 = \$100 to \$200.....	212	0.38
		3 = \$201 to \$500.....	219	0.39
		4 = \$501 to \$900.....	105	0.19
		5 = \$901 to \$1,500.....	60	0.11
		6 = \$1,501 to \$2,000.....	41	0.07
		7 = \$2,001 to \$5,000.....	50	0.09
		8 = More than \$5,000.....	17	0.03
		94 = DON'T KNOW.....	58	0.10
		97 = REFUSED.....	50	0.09
		98 = BLANK (NO ANSWER).....	60	0.11
		99 = LEGITIMATE SKIP.....	54420	97.87
(ADMT25)		NOTE: This variable incorporates the value from a probe question that was asked when the respondent answered REFUSED to this question.		
		During the past 12 months, did you take any prescription medication that was prescribed for you to treat a mental or emotional condition?		
AURXYR	2	1TOOK ANY PRESCRIP MED FOR MH COND PAST 12 MOS		
		1 = Yes.....	3804	6.84
		2 = No.....	33454	60.17
		3 = Yes Logically assigned.....	1	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	24	0.04
		98 = BLANK (NO ANSWER).....	6	0.01
		99 = LEGITIMATE SKIP.....	18293	32.90
(ADMT26)		During the past 12 months, was there any time when you needed mental health treatment or counseling for yourself but didn't get it?		
AUUNMTYR	2	1NEEDED MH TRMT BUT DIDN'T GET IT PAST 12 MOS		
		1 = Yes.....	2665	4.79
		2 = No.....	34554	62.15
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	50	0.09
		97 = REFUSED.....	33	0.06
		98 = BLANK (NO ANSWER).....	6	0.01
		99 = LEGITIMATE SKIP.....	18293	32.90

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	441
			FREQ	%
(ADMT27)		Which of these statements explains why you did not get the mental health treatment or counseling you needed?		-
AUUNCOST	2	1NO MH TMT COULDN'T AFFORD COST		
		1 = Response entered.....	1132	2.04
		3 = Response entered LOGICALLY ASSIGNED.....	4	0.01
		6 = Response not entered.....	1516	2.73
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	56	0.10
		99 = LEGITIMATE SKIP.....	52848	95.05
AUUNNBR	2	1NO MH TMT CONCERN ABOUT OPIN OF NEIGHBRS		
		1 = Response entered.....	284	0.51
		6 = Response not entered.....	2368	4.26
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	56	0.10
		99 = LEGITIMATE SKIP.....	52848	95.05
AUUNJOB	2	1NO MH TMT CONCERN ABOUT EFFECT ON JOB		
		1 = Response entered.....	176	0.32
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	2474	4.45
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	56	0.10
		99 = LEGITIMATE SKIP.....	52848	95.05
AUUNNCOV	2	1NO MH TMT HEALTH INSUR DIDN'T COVER		
		1 = Response entered.....	150	0.27
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	2500	4.50
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	56	0.10
		99 = LEGITIMATE SKIP.....	52848	95.05
AUUNENUF	2	1NO MH TMT NOT ENUF HEALTH INSUR COVERAGE		
		1 = Response entered.....	222	0.40
		6 = Response not entered.....	2430	4.37
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	56	0.10
		99 = LEGITIMATE SKIP.....	52848	95.05
AUUNWHER	2	1NO MH TMT DIDN'T KNOW WHERE TO GO FOR SVC		
		1 = Response entered.....	491	0.88
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	2160	3.88
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	56	0.10
		99 = LEGITIMATE SKIP.....	52848	95.05

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	ADULT MENTAL HEALTH TREATMENT		PAGE:	442
			FREQ	%		
AUUNCfid	2	1NO MH TMT CONCERN ABOUT CONFIDENTIALITY				
		1 = Response entered.....	285	0.51		
		6 = Response not entered.....	2367	4.26		
		94 = DON'T KNOW.....	8	0.01		
		97 = REFUSED.....	38	0.07		
		98 = BLANK (NO ANSWER).....	56	0.10		
		99 = LEGITIMATE SKIP.....	52848	95.05		
AUUNCmit	2	1NO MH TMT MIGHT BE COMMITTED/TAKE MEDS				
		1 = Response entered.....	267	0.48		
		3 = Response entered LOGICALLY ASSIGNED.....	8	0.01		
		6 = Response not entered.....	2377	4.28		
		94 = DON'T KNOW.....	8	0.01		
		97 = REFUSED.....	38	0.07		
		98 = BLANK (NO ANSWER).....	56	0.10		
		99 = LEGITIMATE SKIP.....	52848	95.05		
(ADMT27A)		Which of these statements explain why you did not get the mental health treatment or counseling you needed?				
AUUNNOND	2	1NO MH TMT DON'T THINK NEEDED AT THAT TIME				
		1 = Response entered.....	258	0.46		
		3 = Response entered LOGICALLY ASSIGNED.....	21	0.04		
		6 = Response not entered.....	2373	4.27		
		94 = DON'T KNOW.....	8	0.01		
		97 = REFUSED.....	38	0.07		
		98 = BLANK (NO ANSWER).....	56	0.10		
		99 = LEGITIMATE SKIP.....	52848	95.05		
AUUNHndl	2	1NO MH TMT THOUGHT COULD HANDLE WITHOUT TMT				
		1 = Response entered.....	805	1.45		
		3 = Response entered LOGICALLY ASSIGNED.....	7	0.01		
		6 = Response not entered.....	1840	3.31		
		94 = DON'T KNOW.....	8	0.01		
		97 = REFUSED.....	38	0.07		
		98 = BLANK (NO ANSWER).....	56	0.10		
		99 = LEGITIMATE SKIP.....	52848	95.05		
AUUNNHlp	2	1NO MH TMT DIDN'T THINK TMT WOULD HELP				
		1 = Response entered.....	288	0.52		
		3 = Response entered LOGICALLY ASSIGNED.....	11	0.02		
		6 = Response not entered.....	2353	4.23		
		94 = DON'T KNOW.....	8	0.01		
		97 = REFUSED.....	38	0.07		
		98 = BLANK (NO ANSWER).....	56	0.10		
		99 = LEGITIMATE SKIP.....	52848	95.05		
AUUNBUSY	2	1NO MH TMT DIDN'T HAVE TIME				
		1 = Response entered.....	416	0.75		
		3 = Response entered LOGICALLY ASSIGNED.....	9	0.02		
		6 = Response not entered.....	2227	4.01		
		94 = DON'T KNOW.....	8	0.01		
		97 = REFUSED.....	38	0.07		
		98 = BLANK (NO ANSWER).....	56	0.10		
		99 = LEGITIMATE SKIP.....	52848	95.05		

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH TREATMENT			PAGE:	443
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
AUUNFOUT	2	1NO MH TMT DIDN'T WANT OTHERS TO FIND OUT		-
		1 = Response entered.....	234	0.42
		3 = Response entered LOGICALLY ASSIGNED.....	12	0.02
		6 = Response not entered.....	2406	4.33
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	56	0.10
		99 = LEGITIMATE SKIP.....	52848	95.05
<hr/>				
AUUNNTSP	2	1NO MH TMT HAD NO TRANSPORTATION OR TMT TOO FAR		
		1 = Response entered.....	100	0.18
		3 = Response entered LOGICALLY ASSIGNED.....	5	0.01
		6 = Response not entered.....	2547	4.58
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	56	0.10
		99 = LEGITIMATE SKIP.....	52848	95.05
<hr/>				
AUUNSOR	2	1NO MH TMT FOR SOME OTHER REASON		
		1 = Response entered.....	416	0.75
		6 = Response not entered.....	2236	4.02
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	56	0.10
		99 = LEGITIMATE SKIP.....	52848	95.05

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH TREATMENT			PAGE:	444
LABEL	LEN	DESCRIPTION	FREQ	%
AUUNRIM2	2	1MOST IMPORTNT OTH REAS DIDNT GET MH TMT PST 12 MO		-
		1 = You couldn't afford the cost.....	28	0.05
		2 = Concerned neighbors/community have neg opinion....	1	0.00
		3 = Concerned might have a neg effect on your job.....	4	0.01
		4 = Your health insurance does not cover.....	2	0.00
		5 = Your health insurance does not pay enough.....	2	0.00
		6 = You did not know where to go to get services.....	6	0.01
		8 = Concerned might be committed/take medicine.....	13	0.02
		9 = You didn't think you needed treatment at the time.	23	0.04
		10 = You thought could handle problem w/o treatment....	19	0.03
		11 = You didn't think treatment would help.....	13	0.02
		12 = Didn't have time (b/c of job, childcare, other)...	22	0.04
		13 = Didn't want others to find out you needed treatmnt	27	0.05
		14 = No transportation/too far away/hrs inconvenient...	9	0.02
		15 = Some other reason or reasons.....	4	0.01
		16 = Afraid too painful/unpleasant/afraid of diagnosis.	3	0.01
		17 = Others dissuaded/didn't want you to/unsupportive..	22	0.04
		18 = You do not have any health insurance coverage.....	22	0.04
		19 = Ashamed, embarrassed, afraid; reason unspecified..	26	0.05
		20 = You were too stubborn/prideful to go.....	3	0.01
		21 = You did not want to; reason unspecified.....	10	0.02
		22 = Unmotivated/depressed/confused/angry/unworthy....	30	0.05
		23 = Services unavailable in your area/services limited	5	0.01
		24 = Didn't want to talk about your problems w/anyone..	3	0.01
		25 = Didn't like how treated/don't like Drs/hospitals..	15	0.03
		26 = Attempted to get trmt,unsuccessful in finding help	5	0.01
		28 = Couldn't find program/counselor comfortable with..	9	0.02
		30 = Work on your problems with family/friends.....	7	0.01
		31 = Work on problems through religion/spirituality....	3	0.01
		32 = Too much red tape/hassle to get services.....	5	0.01
		33 = There were no openings/long waiting list/delays...	17	0.03
		34 = You had other problems/issues to deal with.....	8	0.01
		70 = You did/had appt for mental health trmt/counseling	4	0.01
		85 = BAD DATA Logically assigned.....	18	0.03
		94 = DON'T KNOW.....	6	0.01
		97 = REFUSED.....	60	0.11
		98 = BLANK (NO ANSWER).....	64	0.12
		99 = LEGITIMATE SKIP.....	55084	99.07

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	445
			FREQ	%
(ADMT29A)		Earlier, we asked whether you have received prescription medicines, inpatient treatment or outpatient treatment for your emotions, nerves or mental health. The list below contains possible sources of treatment, counseling or support that were not mentioned before.		-
		Acupuncturist or acupressurist		
		Chiropractor		
		Herbalist		
		In-person support group or self-help group		
		Internet support group or chat room		
		Spiritual or religious advisor, such as a pastor, priest, rabbi		
		Telephone hotline		
		Massage therapist		
		Did you receive treatment, counseling or support from any other sources such as these during the past 12 months?		
AUALTYR	2	1RCVD ALTERNATIVE MENT HLTH TRMT PAST 12 MOS		
		1 = Yes.....	3782	6.80
		2 = No.....	33422	60.11
		3 = Yes LOGICALLY ASSIGNED (from AUOPYRS2).....	12	0.02
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	36	0.06
		97 = REFUSED.....	49	0.09
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	18293	32.90
(ADMT29B)		From what source did you receive other treatment, counseling or support for problems with your emotions, nerves or mental health in the past 12 months?		
AUALACUP	2	1RCVD ALT MH TMT FROM ACUPUNCTURIST PST 12 MOS		
		1 = Response entered.....	222	0.40
		6 = Response not entered.....	3536	6.36
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	58	0.10
		98 = BLANK (NO ANSWER).....	55	0.10
		99 = LEGITIMATE SKIP.....	51716	93.01
AUALCHIR	2	1RCVD ALT MH TMT FROM CHIROPRACTOR PST 12 MOS		
		1 = Response entered.....	1435	2.58
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		5 = Response entered LOG ASSN (from AUOPYRS2).....	1	0.00
		6 = Response not entered.....	2322	4.18
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	58	0.10
		98 = BLANK (NO ANSWER).....	54	0.10
		99 = LEGITIMATE SKIP.....	51716	93.01
AUALHERB	2	1RCVD ALT MH TMT FROM HERBALIST PAST 12 MONTHS		
		1 = Response entered.....	179	0.32
		6 = Response not entered.....	3579	6.44
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	58	0.10
		98 = BLANK (NO ANSWER).....	55	0.10
		99 = LEGITIMATE SKIP.....	51716	93.01

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH TREATMENT			PAGE:	446
LABEL	LEN	DESCRIPTION	FREQ	%
AUALSGRP	2	1RCVD ALT MH TMT FR IN-PERS SUPPORT GRP PST 12 MOS 1 = Response entered..... 3 = Response entered LOGICALLY ASSIGNED..... 5 = Response entered LOG ASSN (from AUOPYRS2)..... 6 = Response not entered..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	431 2 1 3325 15 58 54 51716	0.78 0.00 0.00 5.98 0.03 0.10 0.10 93.01
AUALINET	2	1RCVD ALT MH TMT FROM INTERNET GROUP PST 12 MOS 1 = Response entered..... 3 = Response entered LOGICALLY ASSIGNED..... 6 = Response not entered..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	158 2 3598 15 58 55 51716	0.28 0.00 6.47 0.03 0.10 0.10 93.01
AUALRELG	2	1RCVD ALT MH TMT FROM RELIGIOUS ADVISOR PST 12 MOS 1 = Response entered..... 3 = Response entered LOGICALLY ASSIGNED..... 5 = Response entered LOG ASSN (from AUOPYRS2)..... 6 = Response not entered..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	1093 7 9 2657 15 58 47 51716	1.97 0.01 0.02 4.78 0.03 0.10 0.08 93.01
AUALHLIN	2	1RCVD ALT MH TMT FROM PHONE HOTLINE PST 12 MOS 1 = Response entered..... 5 = Response entered LOG ASSN (from AUOPYRS2)..... 6 = Response not entered..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	81 2 3677 15 58 53 51716	0.15 0.00 6.61 0.03 0.10 0.10 93.01
AUALMASG	2	1RCVD ALT MH TMT FROM MASSAGE THERAPIST PST 12 MOS 1 = Response entered..... 6 = Response not entered..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	1228 2530 15 58 55 51716	2.21 4.55 0.03 0.10 0.10 93.01
AUALOTH	2	1RCVD ALT MH TMT FROM OTHER SOURCE PST 12 MOS 1 = Response entered..... 6 = Response not entered..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	316 3442 15 58 55 51716	0.57 6.19 0.03 0.10 0.10 93.01

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	447
			FREQ	%
AUALOTS2	2	10TH SOURCE OF ALTERN MH TMT PST 12 MOS - SPECIFY		-
		2 = Chiropractor.....	1	0.00
		4 = In-person support group/self-help group.....	8	0.01
		5 = Internet support group or chat room.....	3	0.01
		6 = Spiritual or religious advisor.....	8	0.01
		9 = Other.....	14	0.03
		17 = A doctor's office that was not part of a clinic...	1	0.00
		18 = An outpatient medical clinic.....	2	0.00
		20 = Home/family/friends.....	81	0.15
		21 = Doctor/primary care doctor/medical; locale unspec.	42	0.08
		22 = Therapist/psychologist/counselor; locale unspecifd	28	0.05
		23 = School/university counselor.....	5	0.01
		24 = Military/VA/Veterans counselor or program/hospital	5	0.01
		25 = Medical specialist; locale unspecified.....	3	0.01
		26 = Health professional, not a Dr.; locale unspecified	13	0.02
		28 = Mentor/sponsor/buddy/mentoring program.....	3	0.01
		29 = Yoga.....	5	0.01
		31 = Medication/taking medication.....	4	0.01
		32 = God/Jesus/Higher Power.....	3	0.01
		33 = Personal action/self-care/self-help (not meds/grp)	9	0.02
		36 = Homeopath/Naturopath.....	3	0.01
		38 = Family/marriage counseling; type/locale unspec....	3	0.01
		39 = Energy/biofield therapist (e.g., Reiki).....	9	0.02
		40 = Touch/manipulation therapy (not chiro/massage)....	5	0.01
		41 = Relig influence other than indiv or higher power..	4	0.01
		44 = Mind/Body Therapy (e.g., biofeedback).....	7	0.01
		70 = Name of facility/program or description given....	7	0.01
		71 = Reason for seeking help given.....	12	0.02
		85 = BAD DATA Logically assigned.....	17	0.03
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	61	0.11
		98 = BLANK (NO ANSWER).....	70	0.13
		99 = LEGITIMATE SKIP.....	55158	99.20

(ADMT30) Please think about the mental health treatment or counseling you received during the past 12 months. Which of these statements best describes how you were prompted to get treatment?

AUMOTVYR	2	1HOW PROMPTED TO GET MH TREATMENT PST 12 MOS		
		1 = I decided on my own to get treatment.....	5639	10.14
		2 = I got trmt bc someone else thought I should.....	952	1.71
		3 = I was ordered to get treatment.....	400	0.72
		94 = DON'T KNOW.....	184	0.33
		97 = REFUSED.....	128	0.23
		98 = BLANK (NO ANSWER).....	97	0.17
		99 = LEGITIMATE SKIP.....	48202	86.69

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	RECODED ADULT MENTAL HEALTH TREATMENT	PAGE:	448
				FREQ	%
<hr/>					
RECODED ADULT MENTAL HEALTH TREATMENT					
<hr/>					
NOTE: The variables in this section are recoded variables that were created from one or more variables from the following sections: Adult Mental Health Treatment or Recoded Substance Treatment.					
<hr/>					
AMHINP2	1	RCVD INPATIENT MENTAL HEALTH TRT IN PST YR			
		. = Unknown/Aged 12-17 (AUINPYR=89,94,97,98,99).....	18326	32.96	
		1 = Yes (AUINPYR=1).....	410	0.74	
		2 = No (AUINPYR=2).....	36866	66.30	
<hr/>					
NOTE: AMHOUTP3 is similar to the variable AMHOUTP2 which was created in previous NSDUHs. The only difference is that those respondents who reported receiving outpatient mental health treatment/counseling in the past year at "Some Other Place" (AUOPTYR=1 and AUOPOTOP=1) only and their write-in response was classified as an invalid outpatient mental health treatment/counseling location or alternative treatment/support (AUOPYRS2=6,7,8,10,11,17,30,35,38) are defined as SAS missing instead of having a positive response. In addition to the responses described above, like AMHOUTP2, AMHOUTP3 was also defined as SAS missing for persons aged 12-17 and those coded as bad data, legitimate skip, don't know, refused, or blank (AUOPTYR=89,94,97,98,99).					
<hr/>					
AMHOUTP3 was assigned a positive response if a respondent indicated they had received outpatient mental health treatment/counseling in the past year (AUOPTYR=1) and they did not indicate an alternative source or invalid outpatient location (AUOPYRS2=6,7,8,10,11,17,30,35,38) as their only location for outpatient treatment.					
<hr/>					
AMHOUTP3	1	RCVD OUTPATIENT MENTAL HEALTH TRT IN PST YR			
		. = Unknown/Aged 12-17 (See comment above).....	18399	33.09	
		1 = Yes (See comment above).....	2767	4.98	
		2 = No (AUOPTYR=2).....	34436	61.93	
<hr/>					
AMHRX2	1	RCVD PRESC MED FOR MENTAL HLTH TRT IN PST YR			
		. = Unknown/Aged 12-17 (AURXYR=89,94,97,98,99).....	18344	32.99	
		1 = Yes (AURXYR=1).....	3804	6.84	
		2 = No (AURXYR=2).....	33454	60.17	
<hr/>					
AMHTXRC3	1	RCVD ANY MENTAL HEALTH TRT IN PST YR			
		. = Unknown/Aged 12-17 (Otherwise).....	18396	33.09	
		1 = Yes (AMHINP2=1 OR AMHOUTP3=1 OR AMHRX2=1).....	4839	8.70	
		2 = No (AMHINP2=2 AND AMHOUTP3=2 AND AMHRX2=2).....	32367	58.21	
<hr/>					
The following variable, AMHTXND2, is defined as feeling a perceived need for mental health treatment/counseling that was not received. This is often referred to as "Unmet need."					
<hr/>					
AMHTXND2	1	PERCEIVED NEED/DID NOT RCV MH TRT IN PST YR			
		. = Unknown/Aged 12-17 (AUUNMTYR=89,94,97,98,99).....	18383	33.06	
		1 = Yes (AUUNMTYR=1).....	2665	4.79	
		2 = No (AUUNMTYR=2).....	34554	62.15	

LABEL	LEN	DESCRIPTION	RECODED ADULT MENTAL HEALTH TREATMENT	PAGE:	449
				FREQ	%

NOTE: MHLMNT2, MHLTHER2, MHLDCT2, MHLCLNC2, MHLDTMT2 MHSCHL2, and MHOOTH2 are similar to MHLCMNT, MHLCTHER, MHLDOC, MHLCLNC, MHLCDTMT, MHLCSCHL, and MHLCOOT which were created in previous NSDUHs. The differences include the use of the revised outpatient mental health treatment/counseling in the past year recode, AMHOUTP3, and respondents who indicated "don't know" or "refused" for their location of outpatient mental health treatment/counseling (source var=94,97) are defined as SAS missing instead of having a negative response.					

NOTE: The following seven variables contain information about the location of outpatient mental health treatment/counseling received in the past year. A respondent must have reported having received outpatient mental health treatment in the past year (AMHOUTP3=1) in order to be asked the questions on the location where treatment was received. A respondent was allowed to report any of five specific locations or "Some Other Place". If a respondent reported "Some Other Place," they were asked to provide a description of the other location in a follow-up question. The first five variables below were created by examination of the variables containing information on the five specific locations, while the last two variables were created by examination of the variables containing information on the other-specify locations which were grouped into two main categories.					

MHLMNT2	1	RCVD OUTP MH TRT AT MH CLINIC/CENTER IN PST YR . = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise) 0 = No (AMHOUTP3=1 AND AUOPMENT=6)..... 1 = Yes (AMHOUTP3=1 AND AUOPMENT=1,3).....	52852 2126 624	95.05 3.82 1.12	
MHLTHER2	1	RCVD OUTP MH TRT AT PRIV THERAPIST OFC IN PST YR . = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise) 0 = No (AMHOUTP3=1 AND AUOPTHER=6)..... 1 = Yes (AMHOUTP3=1 AND AUOPTHER=1).....	52852 1295 1455	95.05 2.33 2.62	
MHLDCT2	1	RCVD OUTP MH TRT AT NON CLINIC DR OFFCE IN PST YR . = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise) 0 = No (AMHOUTP3=1 AND AUOPDOC=6)..... 1 = Yes (AMHOUTP3=1 AND AUOPDOC=1).....	52852 2160 590	95.05 3.88 1.06	
MHLCLNC2	1	RCVD OUTP MH TRT AT MEDICAL CLINIC IN PST YR . = MH Trt Not Rcvd or Unknown/Aged 12-17 (Otherwise). 0 = No (AMHOUTP3=1 AND AUOPCLNC=6)..... 1 = Yes (AMHOUTP3=1 AND AUOPCLNC=1,3).....	52853 2527 222	95.06 4.54 0.40	
MHLDTMT2	1	RCVD OUTP MH TRT AT DAY HOSP OR TRT PGM IN PST YR . = No/Unkwn MH Trt/Unkwn Sourc/Aged 12-17 (Otherwise) 0 = No (AMHOUTP3=1 AND AUOPDTMT=6)..... 1 = Yes (AMHOUTP3=1 AND AUOPDTMT=1,3).....	52852 2695 55	95.05 4.85 0.10	

LABEL	LEN	DESCRIPTION	PAGE:	450
			FREQ	%
-----	-----	-----	-----	-
NOTE: The following variables, MHLSCHL2 and MHLOTH2, were created by examination of the other specified write-in responses for locations where a respondent received outpatient mental health treatment/counseling. See additional information included above the location of outpatient mental health treatment recode variable MHLMNT2.				
<p>The following variable, MHLSCHL2, was assigned a positive response if a respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=1) at some location other than the five locations defined above (AUOPOTOP=1) and the location was classified as "School or University Setting/Clinic/Center" (AUOPYRS2=9). A negative response was assigned if the respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=1) at one of the five locations defined above but not some location other than these five locations (AUOPOTOP=6 AND AUOPYRS2=99), or at some location other than the five locations defined above or "School or University Setting/Clinic/Center" and this location was classified as a valid outpatient treatment location (AUOPYRS2=1,3-6,8,10,11,13-15,18-20,24,28, and 70). Respondents who indicated receiving outpatient treatment in the past year (AMHOUTP3=1) at some location other than the five locations defined above (AUOPOTOP=1) and the location was classified as an invalid or alternative source of treatment (AUOPYRS2= 7,8,10,11,30), bad data, don't know, refused, or blank (AUOPYRS2=85,94,97, 98), indicated not receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=2), or aged 12-17 (AUOPYRS2=99 and AMHOUTP3=.), were set to SAS missing.</p>				
MHLSCHL2	1	RCVD OUTP MH TRT AT A SCHOOL SETTING IN PST YR		
		. = Otherwise (See comment above).....	52879	95.10
		0 = No (See comment above).....	2681	4.82
		1 = Yes (See comment above).....	42	0.08

LABEL	LEN	DESCRIPTION	RECODED ADULT MENTAL HEALTH TREATMENT	PAGE:	451
				FREQ	%
-----	-----	-----	-----	-----	-
The following variable, MHLOTH2, was assigned a positive response if a respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=1) at some location other than the six locations defined above and was classified as a valid location for outpatient mental health treatment/counseling and not considered an alternative source of treatment (AUOPOTOP=1 and AUOPYRSP=12-16, 18, 20-21, 23-25, 27-29, 31-33, 40-41, and 43-69). A negative response was assigned if the respondent indicated receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=1) at one of the first five specified locations but not some location other than these locations (AUOPOTOP=6 AND AUOPYRSP=99), indicated some other location to be one of the six specified locations defined above (AUOPYRSP=1-5 and 9), or provided a name of a facility (AUOPYRSP=70) as the 'other' location. Respondents who indicated receiving outpatient treatment in the past year (AMHOUTP3=1) at some same location other than the five locations defined above (AUOPOTOP=1) and the location was classified as an invalid or alternative source of treatment (AUOPYRSP=7, 8, 10, 11, 17, 22, 26, 30, 34-39, 42, 45, 48, 49, and 71), bad data, don't know, refused, or blank (AUOPYRSP=85, 94, 97, 98), indicated not receiving outpatient mental health treatment/counseling in the past year (AMHOUTP3=2), or aged 12-17 (AUOPYRSP=99 and AMHOUTP3=.), were set to SAS missing.					
MHLOTH2	1	RCVD OUTP MH TRT AT SOME OTHER PLACE IN PST YR			
		. = Otherwise (See comment above).....	52879	95.10	
		0 = No (See comment above).....	2659	4.78	
		1 = Yes (See comment above).....	64	0.12	

NOTE: MHPDSL2, MHPDOFM2, MHPDPHI2, MHPDMCR2, MHPDMCD2, MHPDREH2, MHPDEMP2, MHPDMIL2, MHPDPUB2, MHPDPRV2, and MHPDFRE2 are similar to MHPDSL, MHPDOFM, MHPDPHI, MHPDMCR, MHPDMCD, MHPDREH, MHPDEMP, MHPDMIL, MHPDPUB, MHPDPRV, and MHPDFRE which were created in previous NSDUHs. The differences include the use of the revised outpatient mental health treatment/counseling in the past year recode, AMHOUTP3, and respondents who indicated "don't know" or "refused" for their location of outpatient mental health treatment/counseling (source var=94,97) are defined as SAS missing instead of having a negative response.

NOTE: The following 11 variables contain information about the source of payment for outpatient mental health treatment/counseling received in the past year. A respondent must have reported having received outpatient mental health treatment in the past year (AMHOUTP3=1) in order to be asked questions on the source of payment for treatment. A respondent was allowed to report any of 11 specific sources of payment.

MHPDSL2	1	SELF/HHOLD FAM MBR PAID FOR OUTP MH TRT IN PST YR			
		. = MH Trt Not Rcvd or Unknown/Aged 12-17 (Otherwise).....	52866	95.08	
		0 = No (AMHOUTP3=1 AND AUPOPSLF=6).....	1753	3.15	
		1 = Yes (AMHOUTP3=1 AND AUPOPSLF=1).....	983	1.77	

LABEL	LEN	DESCRIPTION	RECODED ADULT MENTAL HEALTH TREATMENT	PAGE:	452
				FREQ	%
-----	-----	-----	-----	-----	-
MHPDOFM2	1	NON-HHOLD FAM MBR PAID FOR OUTP MH TRT IN PST YR	. = MH Trt Not Rcvd or Unknown/Aged 12-17 (Otherwise). 0 = No (AMHOUTP3=1 AND AUPOPOFM=6)..... 1 = Yes (AMHOUTP3=1 AND AUPOPOFM=1).....	52866 2629 107	95.08 4.73 0.19
MHPDPHI2	1	PRIV HEALTH INSUR PAID FOR OUTP MH TRT IN PST YR	. = MH Trt Not Rcvd or Unknown/Aged 12-17 (Otherwise). 0 = No (AMHOUTP3=1 AND AUPOPPHI=6)..... 1 = Yes (AMHOUTP3=1 AND AUPOPPHI=1).....	52866 1685 1051	95.08 3.03 1.89
MHPDMCR2	1	MEDICARE PAID FOR OUTP MH TRT IN PST YR	. = MH Trt Not Rcvd or Unknown/Aged 12-17 (Otherwise). 0 = No (AMHOUTP3=1 AND AUPOPMCR=6)..... 1 = Yes (AMHOUTP3=1 AND AUPOPMCR=1).....	52866 2522 214	95.08 4.54 0.38
MHPDMCD2	1	MEDICAID PAID FOR OUTP MH TRT IN PST YR	. = MH Trt Not Rcvd or Unknown/Aged 12-17 (Otherwise). 0 = No (AMHOUTP3=1 AND AUPOPMCD=6)..... 1 = Yes (AMHOUTP3=1 AND AUPOPMCD=1).....	52866 2418 318	95.08 4.35 0.57
MHPDREH2	1	REHAB PGM PAID FOR OUTP MH TRT IN PST YR	. = MH Trt Not Rcvd or Unknown/Aged 12-17 (Otherwise). 0 = No (AMHOUTP3=1 AND AUPOPREH=6)..... 1 = Yes (AMHOUTP3=1 AND AUPOPREH=1).....	52866 2724 12	95.08 4.90 0.02
MHPDEMP2	1	EMPLOYER PAID FOR OUTP MH TRT IN PST YR	. = MH Trt Not Rcvd or Unknown/Aged 12-17 (Otherwise). 0 = No (AMHOUTP3=1 AND AUPOPEMP=6)..... 1 = Yes (AMHOUTP3=1 AND AUPOPEMP=1).....	52866 2506 230	95.08 4.51 0.41
MHPDMIL2	1	VA OR MILITARY PGM PAID FOR OUTP MH TRT IN PST YR	. = MH Trt Not Rcvd or Unknown/Aged 12-17 (Otherwise). 0 = No (AMHOUTP3=1 AND AUPOPMIL=6)..... 1 = Yes (AMHOUTP3=1 AND AUPOPMIL=1).....	52866 2654 82	95.08 4.77 0.15
MHPDPUB2	1	OTH PUBLIC SOURCE PAID FOR OUTP MH TRT IN PST YR	. = MH Trt Not Rcvd or Unknown/Aged 12-17 (Otherwise). 0 = No (AMHOUTP3=1 AND AUPOPPUB=6)..... 1 = Yes (AMHOUTP3=1 AND AUPOPPUB=1).....	52866 2640 96	95.08 4.75 0.17
MHPDPRV2	1	OTH PRIVATE SOURCE PAID FOR OUTP MH TRT IN PST YR	. = MH Trt Not Rcvd or Unknown/Aged 12-17 (Otherwise). 0 = No (AMHOUTP3=1 AND AUPOPPRV=6)..... 1 = Yes (AMHOUTP3=1 AND AUPOPPRV=1).....	52866 2705 31	95.08 4.86 0.06
MHPDFRE2	1	FREE - NOBODY PAID FOR OUTP MH TRT IN PST YR	. = MH Trt Not Rcvd or Unknown/Aged 12-17 (Otherwise). 0 = No (AMHOUTP3=1 AND AUPOPFRE=6)..... 1 = Yes (AMHOUTP3=1 AND AUPOPFRE=1).....	52866 2512 224	95.08 4.52 0.40

LABEL	LEN	DESCRIPTION	RECODED ADULT MENTAL HEALTH TREATMENT	PAGE:	453
				FREQ	%

NOTE: MHRCOST2, MHRNBR2, MHRJOBS2, MHRNCOV2, MHRENUF2, MHRWHER2, MHRCFID2, MHRCMIT2, MHRNOND2, MHRHAND2, MHRNOHP2, MHRTIME2, MHRFOUT2, MHRTRAN2, MHSOTH2, MHRCCIN2, MHRNNHN2, MHRSTIG2, and MHROTHC2 are similar to MHRECOST, MHRNNBRS, MHREJOBS, MHRENCOV, MHREENUF, MHRWHER, MHRECFID, MHRECMIT, MHRNNOND, MHRNHAND, MHRNNOHP, MHRNTIME, MHRNFOUT, MHRNTRAN, MHRNSOTH, MHRRECCIN, MHRNNNHN, MHRNSTIG, and MHRNTH, which were created in previous NSDUHs. The only difference are those respondents who indicated "don't know" or "refused" for their location of outpatient mental health treatment/counseling (source var=94,97) are defined as SAS missing instead of having a negative response.					

NOTE: The following 15 variables contain information about the reasons for not receiving mental health treatment/counseling that was needed in the past year. A respondent must have reported not receiving mental health treatment that was needed in the past year (AUUNMTYR=1) in order to be asked the questions on the reason for not receiving treatment. A respondent was allowed to report any of eight specific reasons or "Some Other Reason." If a respondent reported "Some Other Reason," they were allowed to report any of six additional specific reasons or report "Some Other Reason" again. If a respondent reported "Some Other Reason" again, they were then asked to provide the most important other reason in a follow-up question. The first 14 variables below were created by examination of the variables containing information on the fourteen specific reasons; while the last variable was created by examination of the most important other-specify reasons.					

MHRCOST2	1	NO MH TRT IN PST YR B/C COULD NOT AFFORD COST			
		. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)....	52950	95.23	
		0 = No (AUUNMTYR=1 AND AUUNCOST=6).....	1516	2.73	
		1 = Yes (AUUNMTYR=1 AND AUUNCOST=1,3).....	1136	2.04	
MHRNBR2	1	NO MH TRT IN PST YR B/C FEAR OF NEIGHBRS NEG OPIN			
		. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)....	52950	95.23	
		0 = No (AUUNMTYR=1 AND AUUNNBR=6).....	2368	4.26	
		1 = Yes (AUUNMTYR=1 AND AUUNNBR=1).....	284	0.51	
MHRJOBS2	1	NO MH TRT IN PST YR B/C FEAR OF NEG AFFECT ON JOB			
		. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)....	52950	95.23	
		0 = No (AUUNMTYR=1 AND AUUNJOB=6).....	2474	4.45	
		1 = Yes (AUUNMTYR=1 AND AUUNJOB=1,3).....	178	0.32	
MHRNCOV2	1	NO MH TRT IN PST YR B/C INSUR NOT COVER AT ALL			
		. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)....	52950	95.23	
		0 = No (AUUNMTYR=1 AND AUUNNCOV=6).....	2500	4.50	
		1 = Yes (AUUNMTYR=1 AND AUUNNCOV=1,3).....	152	0.27	
MHRENUF2	1	NO MH TRT IN PST YR B/C INSUR NOT PAY ENOUGH			
		. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)....	52950	95.23	
		0 = No (AUUNMTYR=1 AND AUUNENUF=6).....	2430	4.37	
		1 = Yes (AUUNMTYR=1 AND AUUNENUF=1).....	222	0.40	

RECODED ADULT MENTAL HEALTH TREATMENT			PAGE:	454
LABEL	LEN	DESCRIPTION	FREQ	%
MHRWHER2	1	NO MH TRT IN PST YR B/C DID NOT KNOW WHERE TO GO .	52950	95.23
		= No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)....	2160	3.88
		0 = No (AUUNMTYR=1 AND AUUNWHER=6).....	492	0.88
		1 = Yes (AUUNMTYR=1 AND AUUNWHER=1,3).....		
MHRCFID2	1	NO MH TRT IN PST YR B/C CONFIDENTIALITY CONCERNS .	52950	95.23
		= No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)....	2367	4.26
		0 = No (AUUNMTYR=1 AND AUUNCfid=6).....	285	0.51
		1 = Yes (AUUNMTYR=1 AND AUUNCfid=1).....		
MHRCMIT2	1	NO MH TRT IN PST YR B/C FEAR BEING COMMITTED/MED .	52950	95.23
		= No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)....	2377	4.28
		0 = No (AUUNMTYR=1 AND AUUNCMIT=6).....	275	0.49
		1 = Yes (AUUNMTYR=1 AND AUUNCMIT=1,3).....		
MHRNOND2	1	NO MH TRT IN PST YR B/C DIDN'T THINK TRT NEEDED .	52950	95.23
		= No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)....	2373	4.27
		0 = No (AUUNMTYR=1 AND AUUNNOND=6).....	279	0.50
		1 = Yes (AUUNMTYR=1 AND AUUNNOND=1,3).....		
MHRHAND2	1	NO MH TRT IN PST YR B/C THGT COULD HANDLE PRB W/O .	52950	95.23
		= No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)....	1840	3.31
		0 = No (AUUNMTYR=1 AND AUUHNHDL=6).....	812	1.46
		1 = Yes (AUUNMTYR=1 AND AUUHNHDL=1,3).....		
MHRNOHP2	1	NO MH TRT IN PST YR B/C DIDN'T THNK TRT WOULD HELP .	52950	95.23
		= No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)....	2353	4.23
		0 = No (AUUNMTYR=1 AND AUUNNHLP=6).....	299	0.54
		1 = Yes (AUUNMTYR=1 AND AUUNNHLP=1,3).....		
MHRTIME2	1	NO MH TRT IN PST YR B/C DIDN'T HAVE TIME .	52950	95.23
		= No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)....	2227	4.01
		0 = No (AUUNMTYR=1 AND AUUNBUSY=6).....	425	0.76
		1 = Yes (AUUNMTYR=1 AND AUUNBUSY=1,3).....		
MHRFOUT2	1	NO MH TRT IN PST YR B/C DIDNT WANT OTH TO FIND OUT .	52950	95.23
		= No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)....	2406	4.33
		0 = No (AUUNMTYR=1 AND AUUNFOUT=6).....	246	0.44
		1 = Yes (AUUNMTYR=1 AND AUUNFOUT=1,3).....		
MHRTRAN2	1	NO MH TRT IN PST YR B/C NO TRANS OR INCONVENIENT .	52950	95.23
		= No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise)....	2547	4.58
		0 = No (AUUNMTYR=1 AND AUUNNTSP=6).....	105	0.19
		1 = Yes (AUUNMTYR=1 AND AUUNNTSP=1,3).....		

LABEL	LEN	DESCRIPTION	RECODED ADULT MENTAL HEALTH TREATMENT	PAGE:	455
				FREQ	%

The following variable, MHRSOTH2, was assigned a positive response if a respondent reported not receiving mental health treatment that was needed in the past year (AUUNMTYR=1) and the reason for not receiving that treatment was other than the fourteen reasons listed above (AUUNSOR=1 and AUUNRIM2=15-34). A negative response was assigned if a respondent reported not receiving mental health treatment that was needed in the past year (AUUNMTYR=1) and reported one of the reasons listed in the fourteen variables above, respondent did/had apt for mental health trmt/counseling or did not report an other specify reason for not receiving this treatment (AUUNRIM2=1-14,70,85,94,97,99).					
MHRSOTH2 1 NO MH TRT IN PST YR B/C SOME OTHER REASON					
. = No Unmet Need/Unkn Reas/Aged 12-17 (Otherwise).... 52950 95.23					
0 = No (See comment above)..... 2455 4.42					
1 = Yes (See comment above)..... 197 0.35					
The following variable, MHRCCIN2, was assigned a positive response if a respondent reported not receiving mental health treatment that was needed in the past year (AUUNMTYR=1) and reported any of the specific reasons, could not afford the cost (AUUNCOST=1,3), health insurance did not cover the cost (AUUNNCOV=1,3), health insurance did not pay enough of the cost (AUUNENUF=1), or the other specify reason, did not have any health insurance coverage (AUUNRIM2=18), as the reason for not receiving this treatment. A negative response was assigned if a respondent reported not receiving mental health treatment that was needed in the past year and did not specify any of the reasons listed above.					
MHRCCIN2 1 NO MH TRT IN PST YR B/C COULD NOT AFFORD/NO INS					
. = No/Unkwn MH Trt But Needed/Aged 12-17 (Otherwise). 52950 95.23					
0 = No (See comment above)..... 1387 2.49					
1 = Yes (See comment above)..... 1265 2.28					
The following variable, MHRNNHN2, was assigned a positive response if a respondent reported not receiving mental health treatment that was needed in the past year (AUUNMTYR=1) and reported any of the specific reasons, could handle problem without treatment (AUUNHNDL=1,3), did not feel treatment was needed at the time (AUUNNOND=1,3), or an other specify reason, work on their problems with family/friends (AUUNRIM2=30), or work on problems through religion/spirituality (AUUNRIM2=31) as the reason for not receiving this treatment. A negative response was assigned if a respondent reported not receiving mental health treatment that was needed in the past year and did not specify any of the reasons listed above.					
MHRNNHN2 1 NO MH TRT IN PST YR B/C FLT NO NEED/HANDLE PROB					
. = No/Unkwn MH Trt But Needed/Aged 12-17 (Otherwise). 52950 95.23					
0 = No (See comment above)..... 1737 3.12					
1 = Yes (See comment above)..... 915 1.65					

LABEL	LEN	DESCRIPTION	RECODED ADULT MENTAL HEALTH TREATMENT	PAGE:	456
				FREQ	%
-----	-----	-----	-----	-----	-
The following variable, MHRSTIG2, was assigned a positive response if a respondent reported not receiving mental health treatment that was needed in the past year (AUUNMTYR=1) and reported any of the specific reasons, concerns about the opinions of their neighbors (AUUNNBR=1,3), concerns about the effect it would have on their job (AUUNJOB=1,3), concerns about confidentiality (AUUNCID=1), did not want others to find out (AUUNFOUT=1,3), or an other specify reason, ashamed, embarrassed, or afraid (AUUNRIM2=19), as the reason for not receiving this treatment. A negative response was assigned if a respondent reported not receiving mental health treatment that was needed in the past year and did not specify any of the reasons listed above.					
MHRSTIG2	1	NO MH TRT IN PST YR B/C STIGMA ASSOC W/TRT			
		. = No/Unkwn MH Trt But Needed/Aged 12-17 (Otherwise).	52950	95.23	
		0 = No (See comment above).....	1939	3.49	
		1 = Yes (See comment above).....	713	1.28	
The following variable, MHROTHC2, was assigned a positive response if a respondent reported not receiving mental health treatment that was needed in the past year (AUUNMTYR=1) and reported the specific reason, no transportation/inconvenient (AUUNNTSP=1,3), or an other specify reason, services unavailable/limited in area (AUUNRIM2=23), attempted to get treatment but unsuccessful in finding help (AUUNRIM2=26), couldn't find program/counselor comfortable with (AUUNRIM2=28), too much red tape/hassle to get services (AUUNRIM2=32), or there were no openings/long waiting list/delays (AUUNRIM2=33), as the reason for not receiving this treatment. A negative response was assigned if a respondent reported not receiving mental health treatment that was needed in the past year and did not specify any of the reasons listed above.					
MHROTHC2	1	NO MH TRT IN PST YR B/C BARRIERS OTHER THAN COST			
		. = No/Unkwn MH Trt But Needed/Aged 12-17 (Otherwise).	52950	95.23	
		0 = No (See comment above).....	2510	4.51	
		1 = Yes (See comment above).....	142	0.26	

LABEL	LEN	DESCRIPTION	RECODED ADULT MENTAL HEALTH TREATMENT	PAGE:	457
				FREQ	%

NOTE: MHOSPTR2, MHNSPTR2, NMHSPTR2, and MHASPTR2 are similar to MHOSPTRT, MHNSPTRT, NMHSPTRT, and MHASPTRT which were created in previous NSDUHs. The only difference is the use of the revised any mental health treatment/counseling in the past year recode, AMHTXRC3.					
NOTE: The following four variables were created by using a combination of recoded adult mental health treatment and recoded substance treatment variables. Specifications on how the individual recoded adult mental health treatment variable was defined can be found above. Specifications on how the individual recoded substance treatment variable was defined can be found in the Recoded Substance Treatment section.					
MHOSPTR2	1	RCVD MH TRT OR SUB TRT AT SPEC FAC IN PST YR			
		. = Unknown MH/Age 12-17(AMHTXRC3=. and SPILLALC=0,1).	18395	33.08	
		0 = No MH & No/Unk Sub Trt (AMHTXRC3=2 and SPILLALC=0)	32068	57.67	
		1 = MH or Sub at Spc Fac Trt(AMHTXRC3=1 or SPILLALC=1)	5139	9.24	
A respondent was classified as receiving other than mental health treatment only (MHNSPTR2=0) if they reported not receiving mental health treatment (AMHTXRC3=2); reported receiving substance treatment at a specialty facility (SPILLALC=1); or reported receiving both mental health treatment and substance treatment at a specialty facility (AMHTXRC3=1 and SPILLALC=1).					
MHNSPTR2	1	RCVD MH TRT BUT NOT SUB TRT AT SPEC FAC IN PST YR			
		. = Unknown MH/Age 12-17(AMHTXRC3=. and SPILLALC=0,1).	18395	33.08	
		0 = Otherwise (See comment above).....	32603	58.64	
		1 = Mental Health Trt Only (AMHTXRC3=1 and SPILLALC=0)	4604	8.28	
A respondent was classified as receiving other than substance treatment at a specialty facility only (NMHSPTR2=0) if they reported not receiving (or having unknown) substance treatment at a specialty facility (SPILLALC=0); or reported receiving both substance treatment at a specialty facility and mental health treatment (SPILLALC=1 and AMHTXRC3=1).					
NMHSPTR2	1	RCVD SUB TRT AT SPEC FAC BUT NOT MH TRT IN PST YR			
		. = Unknown MH/Aged 12-17(AMHTXRC3=. and SPILLALC=0,1)	18295	32.90	
		0 = Otherwise (See comment above).....	37008	66.56	
		1 = Sub Trt at Spc Fac Only (AMHTXRC3=2 & SPILLALC=1)	299	0.54	
MHASPTR2	1	RCVD BOTH MH TRT AND SUB TRT AT SPEC FAC IN PST YR			
		. = Unknown MH/Aged 12-17 (AMHTXRC3=. & SPILLALC=0,1).	18295	32.90	
		0 = No MH or No/Unk Sub Trt (AMHTXRC3=2 or SPILLALC=0)	37072	66.67	
		1 = MH and Sub Trt at Sp Fac (AMHTXRC3=1 & SPILLALC=1)	235	0.42	
MHALTYR	1	RCVD ALTERNATIVE MH TRMT PAST YR			
		. = Otherwise/Aged 12-17 (AUALTYR=94,97,89,98,99).....	18386	33.07	
		1 = Yes (AUALTYR=1,3).....	3794	6.82	
		2 = No (AUALTYR=2).....	33422	60.11	

LABEL	LEN	DESCRIPTION	RECODED ADULT MENTAL HEALTH TREATMENT	PAGE:	458
				FREQ	%
-----	-----	-----	-----	-----	-
NOTE: The following 9 variables contain information about the source of alternative mental health treatment/support received in the past year. A respondent must have reported having received alternative mental health treatment/support in the past year (AUALTYR=1,3) in order to be asked the questions on the source from which the treatment was received. A respondent was allowed to report any of 8 specific sources or "Other." If a respondent reported "Other," they were asked to provide a description of the other source in a follow-up question. All 9 variables below were created by examination of the variables containing information on the 9 sources, other specify information obtained from the question on outpatient mental health treatment/counseling (AUALTYR=3 and specific source variable for each source=5), and specify information obtained from the "Other" source follow-up question (specific source variable for each source=3).					
MHALACUP	1	RCVD ALT MH TMT FROM ACUPUNCTURIST PAST YR . = No Alt Tmt Rcvd/Unkwn Sourc/Aged 12-17 (Otherwise) 0 = No (AUALTYR=1 and AUALACUP=6)..... 1 = Yes (AUALTYR=1 and AUALACUP=1).....	51844 3536 222	93.24 6.36 0.40	
MHALCHIR	1	RCVD ALT MH TMT FROM CHIROPRACTOR PAST YR . = No Alt Tmt Rcvd/Unkwn Sourc/Aged 12-17 (Otherwise) 0 = No (AUALTYR=1 and AUALCHIR=6)..... 1 = Yes (No (AUALTYR=1,3 and AUALCHIR=1,3,5).....	51843 2322 1437	93.24 4.18 2.58	
MHALHERB	1	RCVD ALT MH TMT FROM HERBALIST PAST YR . = No Alt Tmt Rcvd/Unkwn Sourc/Aged 12-17 (Otherwise) 0 = No (AUALTYR=1 and AUALHERB=6)..... 1 = Yes (AUALTYR=1 and AUALHERB=1).....	51844 3579 179	93.24 6.44 0.32	
MHALSGRP	1	RCVD ALT MH TMT FROM IN-PERSON SUPPORT GRP PAST YR . = No Alt Tmt Rcvd/Unkwn Sourc/Aged 12-17 (Otherwise) 0 = No (AUALTYR=1 and AUALSGRP=6)..... 1 = Yes (AUALTYR=1,3 and AUALSGRP=1,3,5).....	51843 3325 434	93.24 5.98 0.78	
MHALINET	1	RCVD ALT MH TMT FROM INTERNET GROUP PAST YR . = No Alt Tmt Rcvd/Unkwn Sourc/Aged 12-17 (Otherwise) 0 = No (AUALTYR=1 and AUALINET=6)..... 1 = Yes (AUALTYR=1 and AUALINET=1,3).....	51844 3598 160	93.24 6.47 0.29	
MHALRELG	1	RCVD ALT MH TMT FROM RELIGIOUS ADVISOR PAST YR . = No Alt Tmt Rcvd/Unkwn Sourc/Aged 12-17 (Otherwise) 0 = No (AUALTYR=1 and AUALRELG=6)..... 1 = Yes (AUALTYR=1,3 and AUALRELG=1,3,5).....	51836 2657 1109	93.23 4.78 1.99	
MHALHLIN	1	RCVD ALT MH TMT FROM PHONE HOTLINE PAST YR . = No Alt Tmt Rcvd/Unkwn Sourc/Aged 12-17 (Otherwise) 0 = No (AUALTYR=1 and AUALHLIN=6)..... 1 = Yes (AUALTYR=1,3 and AUALHLIN=1,5).....	51842 3677 83	93.24 6.61 0.15	
MHALMASG	1	RCVD ALT MH TMT FROM MASSAGE THERAPIST PAST YR . = No Alt Tmt Rcvd/Unkwn Sourc/Aged 12-17 (Otherwise) 0 = No (AUALTYR=1 and AUALMASG=6)..... 1 = Yes (AUALTYR=1 and AUALMASG=1).....	51844 2530 1228	93.24 4.55 2.21	

RECODED ADULT MENTAL HEALTH TREATMENT			PAGE:	459
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
MHALOTH	1	RCVD ALT MH TMT FROM OTHER SOURCE PAST YR		
		. = No Alt Tmt Rcvd/Unkwn Sourc/Aged 12-17 (Otherwise)	51844	93.24
		0 = No (AUALTYR=1 and AUALOTH=6).....	3442	6.19
		1 = Yes (AUALTYR=1 and AUALOTH=1).....	316	0.57
AMHALTX	1	RCVD ANY MH TRT OR ALTERNATIVE TRT/SUPPORT PST YR		
		. = Unknown/Aged 12-17 (Otherwise).....	18402	33.10
		1 = Yes (AMHTXRC3=1 or MHALTYR=1).....	7292	13.11
		2 = No (AMHTXRC3=2 and MHALTYR=2).....	29908	53.79

LABEL	LEN	DESCRIPTION	SOCIAL AND NEIGHBORHOOD ENVIRONMENT	PAGE:	460
				FREQ	%
(SEN01A) SOCIAL AND NEIGHBORHOOD ENVIRONMENT					

The next questions are about what it's like to live in your neighborhood. By neighborhood, we mean the area around where you live and around your house. It may include places you shop, religious or public institutions, or a local business district. It is the general area around your house where you might perform routine tasks, such as shopping, going to the park, or visiting with neighbors.					

The following statements are about things that people in your neighborhood may or may not do. For each of these statements, please tell me whether you strongly agree, agree, disagree, or strongly disagree.					

This is a close-knit neighborhood.					

Would you say you strongly agree, agree, disagree or strongly disagree?					

SNPCKNIT	2	1CLOSE-KNIT NEIGHBORHOOD			
		1 = Strongly agree.....	5202	9.36	
		2 = Agree.....	17300	31.11	
		3 = Disagree.....	11250	20.23	
		4 = Strongly disagree.....	2625	4.72	
		85 = BAD DATA Logically assigned.....	2	0.00	
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00	
		94 = DON'T KNOW.....	850	1.53	
		97 = REFUSED.....	71	0.13	
		98 = BLANK (NO ANSWER).....	8	0.01	
		99 = LEGITIMATE SKIP.....	18293	32.90	
(SEN01B)		People around here are willing to help their neighbors.			
SNPWHLHP	2	1PEOPLE HERE ARE WILLING TO HELP THEIR NEIGHBORS			
		1 = Strongly agree.....	7637	13.74	
		2 = Agree.....	21550	38.76	
		3 = Disagree.....	5870	10.56	
		4 = Strongly disagree.....	1478	2.66	
		85 = BAD DATA Logically assigned.....	2	0.00	
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00	
		94 = DON'T KNOW.....	729	1.31	
		97 = REFUSED.....	34	0.06	
		98 = BLANK (NO ANSWER).....	8	0.01	
		99 = LEGITIMATE SKIP.....	18293	32.90	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SOCIAL AND NEIGHBORHOOD ENVIRONMENT	PAGE:	461
				FREQ	%
(SEN01C)		People in this neighborhood generally don't get along with each other.			-
SNPNALNG	2	1PEOP IN THE NBRHOOD GENERALLY DON'T GET ALONG			
		1 = Strongly agree.....	1320	2.37	
		2 = Agree.....	4445	7.99	
		3 = Disagree.....	22624	40.69	
		4 = Strongly disagree.....	7880	14.17	
		85 = BAD DATA Logically assigned.....	2	0.00	
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00	
		94 = DON'T KNOW.....	983	1.77	
		97 = REFUSED.....	46	0.08	
		98 = BLANK (NO ANSWER).....	8	0.01	
		99 = LEGITIMATE SKIP.....	18293	32.90	
(SEN01D)		People in this neighborhood do not share the same values.			
SNPDFVAL	2	1PEOP IN NBRHOOD DO NOT SHARE THE SAME VALUES			
		1 = Strongly agree.....	2866	5.15	
		2 = Agree.....	10218	18.38	
		3 = Disagree.....	18007	32.39	
		4 = Strongly disagree.....	3935	7.08	
		85 = BAD DATA Logically assigned.....	2	0.00	
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00	
		94 = DON'T KNOW.....	2197	3.95	
		97 = REFUSED.....	75	0.13	
		98 = BLANK (NO ANSWER).....	8	0.01	
		99 = LEGITIMATE SKIP.....	18293	32.90	
(SEN01E)		People in this neighborhood can be trusted.			
SNPTRUST	2	1PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED			
		1 = Strongly agree.....	5919	10.65	
		2 = Agree.....	19958	35.89	
		3 = Disagree.....	7344	13.21	
		4 = Strongly disagree.....	2370	4.26	
		85 = BAD DATA Logically assigned.....	2	0.00	
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00	
		94 = DON'T KNOW.....	1644	2.96	
		97 = REFUSED.....	63	0.11	
		98 = BLANK (NO ANSWER).....	8	0.01	
		99 = LEGITIMATE SKIP.....	18293	32.90	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SOCIAL AND NEIGHBORHOOD ENVIRONMENT	PAGE:	462
				FREQ	%
(SEN02A)		For each of the following, please tell me if it is very likely, likely, unlikely or very unlikely that people in your neighborhood would act in the following manner.		-	-
		If a group of neighborhood children were skipping school and hanging out on a street corner, how likely is it that your neighbors would do something about it? Would you say it is very likely, likely, unlikely, or very unlikely?			
SNNHGOUT	2	1CHILDREN SKIPPING SCHOOL PEOP WOULD DO SOMETHING			
		1 = Very likely.....	8721	15.68	
		2 = Likely.....	13328	23.97	
		3 = Unlikely.....	9663	17.38	
		4 = Very unlikely.....	4304	7.74	
		85 = BAD DATA Logically assigned.....	2	0.00	
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00	
		94 = DON'T KNOW.....	1231	2.21	
		97 = REFUSED.....	51	0.09	
		98 = BLANK (NO ANSWER).....	8	0.01	
		99 = LEGITIMATE SKIP.....	18293	32.90	
(SEN02B)		If some children were spray-painting graffiti on a local building, how likely is it that your neighbors would do something about it?			
SNNGRFTI	2	1CHILDREN SPRAY-PAINTING GRAFFITI ON A LOCAL BLDG			
		1 = Very likely.....	18626	33.50	
		2 = Likely.....	12535	22.54	
		3 = Unlikely.....	3550	6.38	
		4 = Very unlikely.....	1798	3.23	
		85 = BAD DATA Logically assigned.....	2	0.00	
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00	
		94 = DON'T KNOW.....	752	1.35	
		97 = REFUSED.....	37	0.07	
		98 = BLANK (NO ANSWER).....	8	0.01	
		99 = LEGITIMATE SKIP.....	18293	32.90	
(SEN02C)		If a child was showing disrespect to an adult, how likely is it that people in your neighborhood would scold that child?			
SNNSCOLD	2	1PEOP SCOLD CHILDREN SHOWNG DISRESPECT TO AN ADULT			
		1 = Very likely.....	5939	10.68	
		2 = Likely.....	14221	25.58	
		3 = Unlikely.....	11873	21.35	
		4 = Very unlikely.....	3795	6.83	
		85 = BAD DATA Logically assigned.....	2	0.00	
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00	
		94 = DON'T KNOW.....	1422	2.56	
		97 = REFUSED.....	48	0.09	
		98 = BLANK (NO ANSWER).....	8	0.01	
		99 = LEGITIMATE SKIP.....	18293	32.90	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SOCIAL AND NEIGHBORHOOD ENVIRONMENT	PAGE:	463
				FREQ	%
(SEN02D)		If there was a fight in front of your house and someone was being beaten or threatened, how likely is it that your neighbors would break it up?		-	-
SNNBRKUP	2	1FIGHT OR SOMEONE WAS BEING BEATEN OR THREATENED			
		1 = Very likely.....	13052	23.47	
		2 = Likely.....	15336	27.58	
		3 = Unlikely.....	5813	10.45	
		4 = Very unlikely.....	1968	3.54	
		85 = BAD DATA Logically assigned.....	2	0.00	
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00	
		94 = DON'T KNOW.....	1084	1.95	
		97 = REFUSED.....	45	0.08	
		98 = BLANK (NO ANSWER).....	8	0.01	
		99 = LEGITIMATE SKIP.....	18293	32.90	
(SEN02E)		Suppose that because of budget cuts, the fire station closest to your home was going to be closed down by the city. How likely is it that neighborhood residents would organize to try to do something to keep the fire station open?			
SNNORGNZ	2	1BUDGET CUTS CLOSE FIRE STATION ORGANIZE SOMETHING			
		1 = Very likely.....	12034	21.64	
		2 = Likely.....	14091	25.34	
		3 = Unlikely.....	7144	12.85	
		4 = Very unlikely.....	2316	4.17	
		85 = BAD DATA Logically assigned.....	2	0.00	
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00	
		94 = DON'T KNOW.....	1655	2.98	
		97 = REFUSED.....	58	0.10	
		98 = BLANK (NO ANSWER).....	8	0.01	
		99 = LEGITIMATE SKIP.....	18293	32.90	
(SEN04)		How many times have you moved in the past 5 years?			
SNMOV5Y2	3	1# TIMES MOVED IN PAST 5 YEARS			
		0 = None.....	14088	25.34	
		1 = One time.....	8181	14.71	
		2 = Two times.....	5860	10.54	
		3 = Three times.....	4356	7.83	
		4 = Four times.....	1976	3.55	
		5 = Five times.....	1153	2.07	
		6 = Six or more times.....	1447	2.60	
		985 = BAD DATA Logically assigned.....	2	0.00	
		989 = LEGITIMATE SKIP Logically assigned.....	1	0.00	
		994 = DON'T KNOW.....	164	0.29	
		997 = REFUSED.....	72	0.13	
		998 = BLANK (NO ANSWER).....	9	0.02	
		999 = LEGITIMATE SKIP.....	18293	32.90	

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

SOCIAL AND NEIGHBORHOOD ENVIRONMENT			PAGE:	464
LABEL	LEN	DESCRIPTION	FREQ	%
(SEN12A)		During the past 12 months, how many times have you sold illegal drugs?		-
SNYSELL	2	1 SOLD ILLEGAL DRUGS		
		1 = 0 times.....	35923	64.61
		2 = 1 or 2 times.....	520	0.94
		3 = 3 to 5 times.....	247	0.44
		4 = 6 to 9 times.....	117	0.21
		5 = 10 or more times.....	382	0.69
		85 = BAD DATA Logically assigned.....	2	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	26	0.05
		97 = REFUSED.....	81	0.15
		98 = BLANK (NO ANSWER).....	10	0.02
		99 = LEGITIMATE SKIP.....	18293	32.90
(SEN12B)		During the past 12 months, how many times have you stolen or tried to steal anything worth more than \$50?		
SNYSTOLE	2	1 STOLEN/TRYED TO STEAL ANYTHING WORTH > \$50		
		1 = 0 times.....	36664	65.94
		2 = 1 or 2 times.....	378	0.68
		3 = 3 to 5 times.....	94	0.17
		4 = 6 to 9 times.....	29	0.05
		5 = 10 or more times.....	65	0.12
		85 = BAD DATA Logically assigned.....	2	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	26	0.05
		97 = REFUSED.....	40	0.07
		98 = BLANK (NO ANSWER).....	10	0.02
		99 = LEGITIMATE SKIP.....	18293	32.90
(SEN12C)		During the past 12 months, how many times have you attacked someone with the intent to seriously hurt them?		
SNYATTAK	2	1 ATTACKED SOMEONE W/INTENT TO SERIOUSLY HURT THEM		
		1 = 0 times.....	36111	64.95
		2 = 1 or 2 times.....	933	1.68
		3 = 3 to 5 times.....	126	0.23
		4 = 6 to 9 times.....	29	0.05
		5 = 10 or more times.....	38	0.07
		85 = BAD DATA Logically assigned.....	2	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	41	0.07
		98 = BLANK (NO ANSWER).....	10	0.02
		99 = LEGITIMATE SKIP.....	18293	32.90

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SOCIAL AND NEIGHBORHOOD ENVIRONMENT		PAGE:	465
			FREQ	%		
(SEN13B)		How do you feel about adults trying marijuana or hashish once or twice?				-
SNFAMJEV	2	1HOW YOU FEEL: ADLTS TRYING MJ/HASH				
		1 = Neither approve nor disapprove.....	18412	33.11		
		2 = Somewhat disapprove.....	4990	8.97		
		3 = Strongly disapprove.....	13560	24.39		
		85 = BAD DATA Logically assigned.....	2	0.00		
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00		
		94 = DON'T KNOW.....	245	0.44		
		97 = REFUSED.....	89	0.16		
		98 = BLANK (NO ANSWER).....	10	0.02		
		99 = LEGITIMATE SKIP.....	18293	32.90		
(SENRELAT)		During the past 12 months, how many times did you attend religious services? Please do not include special occasions such as weddings, funerals, or other special events in your answer.				
SNRLGSVC	2	1PAST 12 MOS, HOW MANY RELIG. SERVICES				
		1 = 0 times.....	13131	23.62		
		2 = 1 to 2 times.....	4723	8.49		
		3 = 3 to 5 times.....	4097	7.37		
		4 = 6 to 24 times.....	5595	10.06		
		5 = 25 to 52 times.....	4971	8.94		
		6 = More than 52 times.....	4588	8.25		
		85 = BAD DATA Logically assigned.....	2	0.00		
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00		
		94 = DON'T KNOW.....	95	0.17		
		97 = REFUSED.....	96	0.17		
		98 = BLANK (NO ANSWER).....	10	0.02		
		99 = LEGITIMATE SKIP.....	18293	32.90		
(SENREBEL)		These next questions are about the role that religious beliefs may play in your life. For each statement, please indicate whether you strongly disagree, disagree, agree, or strongly agree.				
		Your religious beliefs are a very important part of your life.				
SNRLGIMP	2	1MY RELIGIOUS BELIEFS ARE VERY IMPORTANT				
		1 = Strongly Disagree.....	5041	9.07		
		2 = Disagree.....	5241	9.43		
		3 = Agree.....	14073	25.31		
		4 = Strongly Agree.....	12495	22.47		
		85 = BAD DATA Logically assigned.....	2	0.00		
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00		
		94 = DON'T KNOW.....	227	0.41		
		97 = REFUSED.....	219	0.39		
		98 = BLANK (NO ANSWER).....	10	0.02		
		99 = LEGITIMATE SKIP.....	18293	32.90		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	SOCIAL AND NEIGHBORHOOD ENVIRONMENT		PAGE: FREQ	466 % -
			-----	-----		
(SENREBE2)		Your religious beliefs influence how you make decisions in your life.				
SNRLDCSN	2	1MY RELIGIOUS BELIEFS INFLUENCE MY DECISIONS				
		1 = Strongly Disagree.....	4906	8.82		
		2 = Disagree.....	6982	12.56		
		3 = Agree.....	14426	25.95		
		4 = Strongly Agree.....	10543	18.96		
		85 = BAD DATA Logically assigned.....	2	0.00		
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00		
		94 = DON'T KNOW.....	225	0.40		
		97 = REFUSED.....	213	0.38		
		98 = BLANK (NO ANSWER).....	11	0.02		
		99 = LEGITIMATE SKIP.....	18293	32.90		
(SENREBE3)		It is important that your friends share your religious beliefs.				
SNRLFRND	2	1IT IS IMPORTANT THAT MY FRIENDS SHARE REL BELIEFS				
		1 = Strongly Disagree.....	9511	17.11		
		2 = Disagree.....	16019	28.81		
		3 = Agree.....	8305	14.94		
		4 = Strongly Agree.....	2975	5.35		
		85 = BAD DATA Logically assigned.....	2	0.00		
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00		
		94 = DON'T KNOW.....	272	0.49		
		97 = REFUSED.....	213	0.38		
		98 = BLANK (NO ANSWER).....	11	0.02		
		99 = LEGITIMATE SKIP.....	18293	32.90		

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	YOUTH EXPERIENCES		PAGE:	467				
			FREQ	%						
<hr/>										
(YE04) YOUTH EXPERIENCES										
<hr/>										
How many times have you moved in the past 5 years?										
YEMOV5Y2	3	1# TIMES MOVED IN PAST 5 YEARS								
		0 = None.....	9298	16.72						
		1 = One time.....	4100	7.37						
		2 = Two times.....	1864	3.35						
		3 = Three times.....	1318	2.37						
		4 = Four times.....	584	1.05						
		5 = Five times.....	324	0.58						
		6 = Six or more times.....	401	0.72						
		994 = DON'T KNOW.....	353	0.63						
		997 = REFUSED.....	48	0.09						
		998 = BLANK (NO ANSWER).....	4	0.01						
		999 = LEGITIMATE SKIP.....	37308	67.10						
<hr/>										
(YE09)		Have you attended any type of school at any time during the past 12 months?								
YEATNDYR	2	1ATTENDED ANY TYPE OF SCHOOL PAST 12 MONTHS								
		1 = Yes.....	16534	29.74						
		2 = No.....	1635	2.94						
		94 = DON'T KNOW.....	101	0.18						
		97 = REFUSED.....	20	0.04						
		98 = BLANK (NO ANSWER).....	4	0.01						
		99 = LEGITIMATE SKIP.....	37308	67.10						
<hr/>										
(YE09A)		Some parents decide to educate their children at home rather than send them to school. Have you been home-schooled at any time during the past 12 months?								
YEHMSLYR	2	1HOME SCHOOLED AT ANY TIME DURING THE PAST 12 MOS								
		1 = Yes.....	114	0.21						
		2 = No.....	1615	2.90						
		94 = DON'T KNOW.....	14	0.03						
		97 = REFUSED.....	13	0.02						
		98 = BLANK (NO ANSWER).....	4	0.01						
		99 = LEGITIMATE SKIP.....	53842	96.83						
<hr/>										
(YE10)		Which of the statements below best describes how you felt overall about going to school during the past 12 months?								
YESCHFLT	2	1HOW YOU FELT OVERALL ABT GOING TO SCHL PAST 12 MOS								
		1 = You liked going to school a lot.....	4524	8.14						
		2 = You kind of liked going to school.....	8493	15.27						
		3 = You didn't like going to school very much.....	2546	4.58						
		4 = You hated going to school.....	1068	1.92						
		94 = DON'T KNOW.....	10	0.02						
		97 = REFUSED.....	19	0.03						
		98 = BLANK (NO ANSWER).....	113	0.20						
		99 = LEGITIMATE SKIP.....	38829	69.83						

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	468
LABEL	LEN	DESCRIPTION	FREQ	%
(YE11)		During the past 12 months, how often did you feel that the school work you were assigned to do was meaningful and important?		-
YESCHWRK	2	1HOW OFTEN FELT SCHL WORK MEANINGFUL PST 12 MOS		
		1 = Always.....	3936	7.08
		2 = Sometimes.....	8887	15.98
		3 = Seldom.....	2920	5.25
		4 = Never.....	881	1.58
		94 = DON'T KNOW.....	21	0.04
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	113	0.20
		99 = LEGITIMATE SKIP.....	38829	69.83
(YE12)		How important do you think the things you have learned in school during the past 12 months are going to be to you later in life?		
YESCHIMP	2	1HOW IMPT THINGS LEARNED PST 12 MOS ARE GOING TO BE		
		1 = Very important.....	8142	14.64
		2 = Somewhat important.....	6465	11.63
		3 = Somewhat unimportant.....	1549	2.79
		4 = Very unimportant.....	473	0.85
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	113	0.20
		99 = LEGITIMATE SKIP.....	38829	69.83
(YE13)		How interesting do you think most of your courses at school during the past 12 months have been?		
YESCHINT	2	1HOW INTERESTING ARE COURSES AT SCHL PAST 12 MONTHS		
		1 = Very interesting.....	3537	6.36
		2 = Somewhat interesting.....	8927	16.06
		3 = Somewhat boring.....	3100	5.58
		4 = Very boring.....	1070	1.92
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	113	0.20
		99 = LEGITIMATE SKIP.....	38829	69.83
(YE14)		During the past 12 months, how often did your teachers at school let you know when you were doing a good job with your school work?		
YETCGJOB	2	1HOW OFTEN TCHR SAY DOING A GOOD JOB PAST 12 MONTHS		
		1 = Always.....	5094	9.16
		2 = Sometimes.....	7727	13.90
		3 = Seldom.....	2856	5.14
		4 = Never.....	938	1.69
		94 = DON'T KNOW.....	24	0.04
		97 = REFUSED.....	20	0.04
		98 = BLANK (NO ANSWER).....	114	0.21
		99 = LEGITIMATE SKIP.....	38829	69.83

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	469
LABEL	LEN	DESCRIPTION	FREQ	%
(YE15)		What were your grades for the last semester or grading period you completed?		-
YELSTGRD	2	1GRADES FOR LAST SEMESTER/GRAADING PERIOD COMPLETED		
		1 = An "A+", "A" or "A-minus" average.....	4507	8.11
		2 = A "B+", "B" or "B-minus" average.....	6674	12.00
		3 = A "C+", "C" or "C-minus" average.....	3668	6.60
		4 = A "D" or less than a "D" average.....	1125	2.02
		5 = My school does not give these grades.....	417	0.75
		94 = DON'T KNOW.....	158	0.28
		97 = REFUSED.....	110	0.20
		98 = BLANK (NO ANSWER).....	114	0.21
		99 = LEGITIMATE SKIP.....	38829	69.83
(YE16A)		How many of the students in your grade at school would you say smoke cigarettes?		
		Please think about the school you would be attending if you were not home-schooled, as you answer these next questions.		
		How many of the students in your grade at school would you say smoke cigarettes?		
YESTSCIG	2	1HOW MANY SDNTS YOU KNOW IN GRADE SMOKE CIGARETTES		
		1 = None of them.....	2305	4.15
		2 = A few of them.....	8672	15.60
		3 = Most of them.....	5120	9.21
		4 = All of them.....	167	0.30
		94 = DON'T KNOW.....	370	0.67
		97 = REFUSED.....	25	0.04
		98 = BLANK (NO ANSWER).....	114	0.21
		99 = LEGITIMATE SKIP.....	38829	69.83
(YE16B)		How many of the students in your grade at school would you say use marijuana or hashish?		
YESTSMJ	2	1HOW MANY SDNTS YOU KNOW IN GRADE USE MJ/HASH		
		1 = None of them.....	3998	7.19
		2 = A few of them.....	7987	14.36
		3 = Most of them.....	3810	6.85
		4 = All of them.....	215	0.39
		94 = DON'T KNOW.....	620	1.12
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	114	0.21
		99 = LEGITIMATE SKIP.....	38829	69.83
(YE16C)		How many of the students in your grade at school would you say drink alcoholic beverages?		
YESTSALC	2	1HOW MANY SDNTS YOU KNOW IN GRADE DRINK ALCOHOL		
		1 = None of them.....	2462	4.43
		2 = A few of them.....	6307	11.34
		3 = Most of them.....	6707	12.06
		4 = All of them.....	712	1.28
		94 = DON'T KNOW.....	445	0.80
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	114	0.21
		99 = LEGITIMATE SKIP.....	38829	69.83

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	YOUTH EXPERIENCES		PAGE: FREQ	470 %
			-----	-----		
(YE16D)		How many of the students in your grade at school would you say get drunk at least once a week?				-
YESTSDNK	2	1HOW MANY SDNTS YOU KNOW GET DRUNK WEEKLY	1 = None of them.....	5276	9.49	
			2 = A few of them.....	7687	13.83	
			3 = Most of them.....	2827	5.08	
			4 = All of them.....	192	0.35	
			94 = DON'T KNOW.....	643	1.16	
			97 = REFUSED.....	34	0.06	
			98 = BLANK (NO ANSWER).....	114	0.21	
			99 = LEGITIMATE SKIP.....	38829	69.83	
(YE06A)		The next questions ask about your parents. By parents, we mean either your biological parents, adoptive parents, stepparents, or adult guardians who live in your household.				
		During the past 12 months, how often did your parents provide help with your homework when you needed it?				
YEPCHKHW	2	1PRNTS CHECK IF YOU'VE DONE HOMEWORK PST 12 MOS	1 = Always.....	8059	14.49	
			2 = Sometimes.....	5125	9.22	
			3 = Seldom.....	2112	3.80	
			4 = Never.....	1310	2.36	
			94 = DON'T KNOW.....	24	0.04	
			97 = REFUSED.....	29	0.05	
			98 = BLANK (NO ANSWER).....	114	0.21	
			99 = LEGITIMATE SKIP.....	38829	69.83	
(YE06B)		During the past 12 months, how often did your parents provide help with your homework when you needed it?				
YEPHLPHW	2	1PRNTS HELPED YOU W/HOMEWORK PAST 12 MONTHS	1 = Always.....	9662	17.38	
			2 = Sometimes.....	3765	6.77	
			3 = Seldom.....	1727	3.11	
			4 = Never.....	1443	2.60	
			94 = DON'T KNOW.....	29	0.05	
			97 = REFUSED.....	33	0.06	
			98 = BLANK (NO ANSWER).....	114	0.21	
			99 = LEGITIMATE SKIP.....	38829	69.83	
(YE06C)		During the past 12 months, how often did your parents make you do chores around the house?				
YEPCHORE	2	1PRNTS MADE YOU DO WORK/CHORES PAST 12 MONTHS	1 = Always.....	8991	16.17	
			2 = Sometimes.....	6916	12.44	
			3 = Seldom.....	1691	3.04	
			4 = Never.....	628	1.13	
			94 = DON'T KNOW.....	36	0.06	
			97 = REFUSED.....	27	0.05	
			98 = BLANK (NO ANSWER).....	5	0.01	
			99 = LEGITIMATE SKIP.....	37308	67.10	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	471
LABEL	LEN	DESCRIPTION	FREQ	%
(YE06D)		During the past 12 months, how often did your parents limit the amount of time you watched TV?		-
YEPLMTTV	2	1PRNTS LIMITED YOUR AMT OF TV TIME PST 12 MOS		
		1 = Always.....	1870	3.36
		2 = Sometimes.....	4766	8.57
		3 = Seldom.....	3945	7.10
		4 = Never.....	7616	13.70
		94 = DON'T KNOW.....	55	0.10
		97 = REFUSED.....	37	0.07
		98 = BLANK (NO ANSWER).....	5	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10
(YE06E)		During the past 12 months, how often did your parents limit the amount of time you went out with friends on school nights?		
YEPLMTSN	2	1PRNTS LIMITED YOUR TIME OUT W/FRNDS PST 12 MOS		
		1 = Always.....	6585	11.84
		2 = Sometimes.....	4746	8.54
		3 = Seldom.....	2639	4.75
		4 = Never.....	2501	4.50
		94 = DON'T KNOW.....	128	0.23
		97 = REFUSED.....	60	0.11
		98 = BLANK (NO ANSWER).....	114	0.21
		99 = LEGITIMATE SKIP.....	38829	69.83
(YE06F)		During the past 12 months, how often did your parents let you know when you'd done a good job?		
YEPGDJOB	2	1PRNTS LET YOU KNOW DONE A GOOD JOB PST 12 MOS		
		1 = Always.....	9631	17.32
		2 = Sometimes.....	6059	10.90
		3 = Seldom.....	1801	3.24
		4 = Never.....	733	1.32
		94 = DON'T KNOW.....	40	0.07
		97 = REFUSED.....	25	0.04
		98 = BLANK (NO ANSWER).....	5	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10
(YE06G)		During the past 12 months, how often did your parents tell you they were proud of you for something you had done?		
YEPPROUD	2	1TELL YOU THEY'RE PROUD OF SOMETHING YOU'D DONE		
		1 = Always.....	9768	17.57
		2 = Sometimes.....	5771	10.38
		3 = Seldom.....	1878	3.38
		4 = Never.....	821	1.48
		94 = DON'T KNOW.....	30	0.05
		97 = REFUSED.....	21	0.04
		98 = BLANK (NO ANSWER).....	5	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	472
LABEL	LEN	DESCRIPTION	FREQ	%
(YE18A)		During the past 12 months, how many times have you argued or had a fight with at least one of your parents?		-
YEYARGUP	2	1ARGUED/HAD A FIGHT WITH AT LEAST ONE OF YOUR PRNTS		
1		= 0 times.....	3046	5.48
2		= 1 or 2 times.....	4838	8.70
3		= 3 to 5 times.....	3750	6.74
4		= 6 to 9 times.....	2032	3.65
5		= 10 or more times.....	4417	7.94
94		= DON'T KNOW.....	130	0.23
97		= REFUSED.....	75	0.13
98		= BLANK (NO ANSWER).....	6	0.01
99		= LEGITIMATE SKIP.....	37308	67.10
(YE18B)		During the past 12 months, how many times have you gotten into a serious fight at school or work?		
YEYFGTSW	2	1GOTTEN INTO A SERIOUS FIGHT AT SCHOOL/WORK		
1		= 0 times.....	13954	25.10
2		= 1 or 2 times.....	3293	5.92
3		= 3 to 5 times.....	652	1.17
4		= 6 to 9 times.....	168	0.30
5		= 10 or more times.....	162	0.29
94		= DON'T KNOW.....	35	0.06
97		= REFUSED.....	24	0.04
98		= BLANK (NO ANSWER).....	6	0.01
99		= LEGITIMATE SKIP.....	37308	67.10
(YE18C)		During the past 12 months, how many times have you taken part in a fight where a group of your friends fought against another group?		
YEYFGTGP	2	1TAKEN PART IN FIGHT WHERE GROUP FIGHTS GROUP		
1		= 0 times.....	15076	27.11
2		= 1 or 2 times.....	2418	4.35
3		= 3 to 5 times.....	486	0.87
4		= 6 to 9 times.....	133	0.24
5		= 10 or more times.....	125	0.22
94		= DON'T KNOW.....	32	0.06
97		= REFUSED.....	18	0.03
98		= BLANK (NO ANSWER).....	6	0.01
99		= LEGITIMATE SKIP.....	37308	67.10
(YE18D)		During the past 12 months, how many times have you carried a handgun?		
YEYHGUN	2	1CARRIED A HANDGUN		
1		= 0 times.....	17612	31.68
2		= 1 or 2 times.....	403	0.72
3		= 3 to 5 times.....	87	0.16
4		= 6 to 9 times.....	39	0.07
5		= 10 or more times.....	104	0.19
94		= DON'T KNOW.....	19	0.03
97		= REFUSED.....	24	0.04
98		= BLANK (NO ANSWER).....	6	0.01
99		= LEGITIMATE SKIP.....	37308	67.10

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	473
LABEL	LEN	DESCRIPTION	FREQ	%
(YE18E)		During the past 12 months, how many times have you sold illegal drugs?		-
YESELL	2	1 SOLD ILLEGAL DRUGS		
		1 = 0 times.....	17534	31.53
		2 = 1 or 2 times.....	360	0.65
		3 = 3 to 5 times.....	133	0.24
		4 = 6 to 9 times.....	62	0.11
		5 = 10 or more times.....	157	0.28
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	6	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10
(YE18F)		During the past 12 months, how many times have you stolen or tried to steal anything worth more than \$50?		
YEYSTOLE	2	1 STOLEN/TRYED TO STEAL ANYTHING WORTH >\$50		
		1 = 0 times.....	17397	31.29
		2 = 1 or 2 times.....	600	1.08
		3 = 3 to 5 times.....	123	0.22
		4 = 6 to 9 times.....	41	0.07
		5 = 10 or more times.....	88	0.16
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	30	0.05
		98 = BLANK (NO ANSWER).....	6	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10
(YE18G)		During the past 12 months, how many times have you attacked someone with the intent to seriously hurt them?		
YEYATTAK	2	1 ATTACKED SOMEONE W/INTENT TO SERIOUSLY HURT THEM		
		1 = 0 times.....	16720	30.07
		2 = 1 or 2 times.....	1261	2.27
		3 = 3 to 5 times.....	146	0.26
		4 = 6 to 9 times.....	47	0.08
		5 = 10 or more times.....	75	0.13
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	6	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10
(YE07A)		How do you think your parents would feel about you smoking one or more packs of cigarettes per day?		
YEPPKCIG	2	1 HOW PRNTS WLD FEEL: YOU SMOKING 1+ PACK CIGS/DAY		
		1 = Neither approve nor disapprove.....	828	1.49
		2 = Somewhat disapprove.....	865	1.56
		3 = Strongly disapprove.....	16339	29.39
		94 = DON'T KNOW.....	207	0.37
		97 = REFUSED.....	49	0.09
		98 = BLANK (NO ANSWER).....	6	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	474
LABEL	LEN	DESCRIPTION	FREQ	%
(YE07B)		How do you think your parents would feel about you trying marijuana or hashish once or twice?		-
YEPMJEV	2	1HOW PRNTS WLD FEEL: YOU TRYING MJ/HASH		
		1 = Neither Approve or Disapprove.....	729	1.31
		2 = Somewhat Disapprove.....	1139	2.05
		3 = Strongly Disapprove.....	16203	29.14
		94 = DON'T KNOW.....	171	0.31
		97 = REFUSED.....	46	0.08
		98 = BLANK (NO ANSWER).....	6	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10
(YE07B1)		How do you think your parents would feel about you using marijuana or hashish once a month or more?		
YEPMJMO	2	1HOW PRNTS WLD FEEL: YOU USING MJ/HASH MONTHLY		
		1 = Neither Approve or Disapprove.....	619	1.11
		2 = Somewhat Disapprove.....	690	1.24
		3 = Strongly Disapprove.....	16755	30.13
		94 = DON'T KNOW.....	181	0.33
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	6	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10
(YE07C)		How do you think your parents would feel about you having one or two drinks of an alcoholic beverage nearly every day?		
YEPALDLY	2	1HOW PRNTS WLD FEEL: YOU DRINKING ALC DAILY		
		1 = Neither Approve or Disapprove.....	658	1.18
		2 = Somewhat Disapprove.....	1365	2.45
		3 = Strongly Disapprove.....	16051	28.87
		94 = DON'T KNOW.....	173	0.31
		97 = REFUSED.....	41	0.07
		98 = BLANK (NO ANSWER).....	6	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10
(YE19A)		How do you feel about someone your age smoking one or more packs of cigarettes a day?		
YEGPKCIG	2	1HOW YOU FEEL S/ONE YOUR AGE SMOKG 1+ PK CIGS/DY		
		1 = Neither approve nor disapprove.....	2155	3.88
		2 = Somewhat disapprove.....	2854	5.13
		3 = Strongly disapprove.....	13089	23.54
		94 = DON'T KNOW.....	147	0.26
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	6	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	475
LABEL	LEN	DESCRIPTION	FREQ	%
(YE19B)		How do you feel about someone your age trying marijuana or hashish once or twice?		-
YEGMJEVR	2	1HOW YOU FEEL S/ONE YOUR AGE TRYING MJ/HASH		
		1 = Neither approve nor disapprove.....	3560	6.40
		2 = Somewhat disapprove.....	3071	5.52
		3 = Strongly disapprove.....	11467	20.62
		94 = DON'T KNOW.....	143	0.26
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	6	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10
(YE19B1)		How do you feel about someone your age using marijuana once a month or more?		
YEGMJMO	2	1HOW YOU FEEL S/ONE YOUR AGE USING MJ/HASH MONTHLY		
		1 = Neither approve nor disapprove.....	3386	6.09
		2 = Somewhat disapprove.....	2990	5.38
		3 = Strongly disapprove.....	11732	21.10
		94 = DON'T KNOW.....	140	0.25
		97 = REFUSED.....	40	0.07
		98 = BLANK (NO ANSWER).....	6	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10
(YE19C)		How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day?		
YEGALDLY	2	1HOW YOU FEEL S/ONE YOUR AGE DRINKING ALC DLY		
		1 = Neither approve nor disapprove.....	2783	5.01
		2 = Somewhat disapprove.....	3501	6.30
		3 = Strongly disapprove.....	11824	21.27
		94 = DON'T KNOW.....	141	0.25
		97 = REFUSED.....	39	0.07
		98 = BLANK (NO ANSWER).....	6	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10
(YE20A)		How do you think your close friends would feel about you smoking one or more packs of cigarettes a day?		
YEFPKCIG	2	1HOW YOU FEEL FRIENDS SMOKING 1+ PACK CIGS/DAY		
		1 = Neither approve nor disapprove.....	2676	4.81
		2 = Somewhat disapprove.....	3456	6.22
		3 = Strongly disapprove.....	11918	21.43
		94 = DON'T KNOW.....	198	0.36
		97 = REFUSED.....	40	0.07
		98 = BLANK (NO ANSWER).....	6	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	476
LABEL	LEN	DESCRIPTION	FREQ	%
(YE20B)		How do you think your close friends would feel about you trying marijuana or hashish once or twice?		-
YEFMJEV	2	1HOW YOU FEEL FRIENDS USING MJ 1X/MO		
		1 = Neither approve nor disapprove.....	3491	6.28
		2 = Somewhat disapprove.....	3043	5.47
		3 = Strongly disapprove.....	11518	20.72
		94 = DON'T KNOW.....	192	0.35
		97 = REFUSED.....	44	0.08
		98 = BLANK (NO ANSWER).....	6	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10
(YE20B1)		How do you think your close friends would feel about you using marijuana or hashish once a month or more?		
YEFMJMO	2	1HOW YOU FEEL FRIENDS USING MJ MONTHLY		
		1 = Neither approve nor disapprove.....	3106	5.59
		2 = Somewhat disapprove.....	2784	5.01
		3 = Strongly disapprove.....	12160	21.87
		94 = DON'T KNOW.....	193	0.35
		97 = REFUSED.....	45	0.08
		98 = BLANK (NO ANSWER).....	6	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10
(YE20C)		How do you think your close friends would feel about you having one or two drinks of an alcoholic beverage nearly every day?		
YEFALDLY	2	1HOW YOU FEEL FRIENDS DRINKING ALC DAILY		
		1 = Neither approve nor disapprove.....	3086	5.55
		2 = Somewhat disapprove.....	3701	6.66
		3 = Strongly disapprove.....	11264	20.26
		94 = DON'T KNOW.....	193	0.35
		97 = REFUSED.....	44	0.08
		98 = BLANK (NO ANSWER).....	6	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10
(YE22)		NOTE: In the variables YETLKPAR, YETLKBGF, YETLKOTA and YETLKSOP, codes of 11 were assigned if the respondent indicated that there was no one that he/she could talk to about a serious problem but the respondent also indicated 1 or more people that he/she could talk to about a serious problem.		
		If you wanted to talk to someone about a serious problem, which of the following people would you turn to?		
YETLKNON	2	1THERE IS NOBODY I CAN TALK TO ABOUT SERIOUS PROBS		
		1 = Response entered.....	638	1.15
		6 = Response not entered.....	17306	31.12
		11 = Response entered (& other responses entered).....	235	0.42
		94 = DON'T KNOW.....	66	0.12
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	6	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	477
LABEL	LEN	DESCRIPTION	FREQ	%
YETLKPAR	2	1MY MOTHER/FATHER/GUARDIAN		-
		1 = Response entered.....	12046	21.66
		6 = Response not entered.....	6062	10.90
		11 = Response entered (YETLKNON=11).....	71	0.13
		94 = DON'T KNOW.....	66	0.12
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	6	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10
YETLKBGF	2	1MY BOYFRIEND/GIRLFRIEND		
		1 = Response entered.....	6444	11.59
		6 = Response not entered.....	11633	20.92
		11 = Response entered (YETLKNON=11).....	102	0.18
		94 = DON'T KNOW.....	66	0.12
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	6	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10
YETLKOTA	2	1SOME OTHER ADULT		
		1 = Response entered.....	5286	9.51
		6 = Response not entered.....	12815	23.05
		11 = Response entered (YETLKNON=11).....	78	0.14
		94 = DON'T KNOW.....	66	0.12
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	6	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10
YETLKSOP	2	1SOME OTHER PERSON		
		1 = Response entered.....	7045	12.67
		6 = Response not entered.....	11015	19.81
		11 = Response entered (YETLKNON=11).....	119	0.21
		94 = DON'T KNOW.....	66	0.12
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	6	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10
(YE08)		Now think about the past 12 months, that is, from DATEFILL through today. During the past 12 months, have you talked with at least one of your parents about the dangers of tobacco, alcohol, or drug use? By parents, we mean either your biological parents, adoptive parents, stepparents, or adult guardians -- whether or not they live with you.		
YEPRTDNG	2	1HAVE YOU TALKED W/PARENT(S) ABT DANGER OF TOB/ALC		
		1 = Yes.....	10982	19.75
		2 = No.....	7152	12.86
		94 = DON'T KNOW.....	116	0.21
		97 = REFUSED.....	38	0.07
		98 = BLANK (NO ANSWER).....	6	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	478
LABEL	LEN	DESCRIPTION	FREQ	%
(YE23B)		During the past 12 months have you participated in a problem solving, communication skills or self-esteem group?		-
YEPRBSLV	2	1PRBLM SOLVING/COMMUNICATION SKILLS/SELF-ESTEEM GR		
		1 = Yes.....	4360	7.84
		2 = No.....	13670	24.59
		94 = DON'T KNOW.....	227	0.41
		97 = REFUSED.....	31	0.06
		98 = BLANK (NO ANSWER).....	6	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10
(YE23C)		During the past 12 months have you participated in a violence prevention program, where you learn ways to avoid fights and control anger?		
YEVIOPRV	2	1VIOLENCE PREVENTION PROGRAMS		
		1 = Yes.....	2990	5.38
		2 = No.....	15166	27.28
		94 = DON'T KNOW.....	104	0.19
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	6	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10
(YE23G)		During the past 12 months have you participated in an alcohol, tobacco or drug prevention program outside of school, where you learn about the dangers of using, and how to resist using, alcohol, tobacco, or drugs?		
YEDGPRGP	2	1ALCOHOL/TOBACCO/DRUG PREV PGMS OUTSIDE SCHL		
		1 = Yes.....	2215	3.98
		2 = No.....	15965	28.71
		94 = DON'T KNOW.....	78	0.14
		97 = REFUSED.....	30	0.05
		98 = BLANK (NO ANSWER).....	6	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10
(YE23J)		During the past 12 months have you participated in a program or meeting to help you deal with drug or alcohol use by you or another member of your family, such as Alcoholics Anonymous, Alateen, or individual or group counseling?		
YESLFHLP	2	1AA/ALATEEN/INDIVIDUAL OR GROUP COUNSELING		
		1 = Yes.....	982	1.77
		2 = No.....	17155	30.85
		94 = DON'T KNOW.....	108	0.19
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	6	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	YOUTH EXPERIENCES		PAGE: FREQ	479 %
			-----	-----		
(YE23O)		During the past 12 months have you participated in pregnancy or sexually transmitted disease prevention programs?				-
YEPRGSTD	2	1PREGNANCY OR SEXUALLY TRANSMITTED DISEASE PGMS				
		1 = Yes.....	2553	4.59		
		2 = No.....	15638	28.12		
		94 = DON'T KNOW.....	70	0.13		
		97 = REFUSED.....	27	0.05		
		98 = BLANK (NO ANSWER).....	6	0.01		
		99 = LEGITIMATE SKIP.....	37308	67.10		
(YE23P)		During the past 12 months, in how many different kinds of school-based activities, such as team sports, cheerleading, choir, band, student government, or clubs, have you participated?				
YESCHACT	2	1# OF SCHOOL-BASED ACT. PARTIC. IN PAST 12 MONTHS				
		0 = None.....	2947	5.30		
		1 = One.....	4603	8.28		
		2 = Two.....	4498	8.09		
		3 = 3 or more.....	6173	11.10		
		94 = DON'T KNOW.....	44	0.08		
		97 = REFUSED.....	22	0.04		
		98 = BLANK (NO ANSWER).....	7	0.01		
		99 = LEGITIMATE SKIP.....	37308	67.10		
(YE23Q)		During the past 12 months, in how many different kinds of community-based activities, such as volunteer activities, sports, clubs, or groups have you participated?				
YEComACT	2	1# OF COMM.-BASED ACT. PARTIC. IN PAST 12 MONTHS				
		0 = None.....	4889	8.79		
		1 = One.....	5303	9.54		
		2 = Two.....	3698	6.65		
		3 = 3 or more.....	4278	7.69		
		94 = DON'T KNOW.....	96	0.17		
		97 = REFUSED.....	23	0.04		
		98 = BLANK (NO ANSWER).....	7	0.01		
		99 = LEGITIMATE SKIP.....	37308	67.10		
(YE23R)		During the past 12 months, in how many different kinds of church or faith-based activities, such as clubs, youth groups, Saturday or Sunday school, prayer groups, youth trips, service or volunteer activities have you participated?				
YEFAIACT	2	1# OF FAITH-BASED ACT. PARTIC. IN PAST 12 MONTHS				
		0 = None.....	6524	11.73		
		1 = One.....	4250	7.64		
		2 = Two.....	2451	4.41		
		3 = 3 or more.....	4948	8.90		
		94 = DON'T KNOW.....	82	0.15		
		97 = REFUSED.....	32	0.06		
		98 = BLANK (NO ANSWER).....	7	0.01		
		99 = LEGITIMATE SKIP.....	37308	67.10		

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	YOUTH EXPERIENCES		PAGE: FREQ	480 %
			-----	-----		
(YE23S)		During the past 12 months, in how many different kinds of other activities, such as dance lessons, piano lessons, karate lessons, or horseback riding lessons, have you participated?				-
YEOTHACT	2	1# OF OTHER ACT. PARTIC. IN PAST 12 MONTHS				
		0 = None.....		10530	18.94	
		1 = One.....		4216	7.58	
		2 = Two.....		1655	2.98	
		3 = 3 or more.....		1789	3.22	
		94 = DON'T KNOW.....		73	0.13	
		97 = REFUSED.....		24	0.04	
		98 = BLANK (NO ANSWER).....		7	0.01	
		99 = LEGITIMATE SKIP.....		37308	67.10	
(YE24A)		During the past 12 months have you had a special class about drugs or alcohol in school?				
YEDECLAS	2	1A SPECIAL CLASS ABOUT DRUGS OR ALCOHOL				
		1 = Yes.....		8263	14.86	
		2 = No.....		8309	14.94	
		94 = DON'T KNOW.....		57	0.10	
		97 = REFUSED.....		29	0.05	
		98 = BLANK (NO ANSWER).....		115	0.21	
		99 = LEGITIMATE SKIP.....		38829	69.83	
(YE24B)		During the past 12 months have you had films, lectures, discussions, or printed information about drugs or alcohol in one of your regular school classes such as health or physical education?				
YEDERGLR	2	1FILMS/LECTURES/DISCUS/INFO ABOUT DRG/ALC IN CLASS				
		1 = Yes.....		11316	20.35	
		2 = No.....		5241	9.43	
		94 = DON'T KNOW.....		74	0.13	
		97 = REFUSED.....		27	0.05	
		98 = BLANK (NO ANSWER).....		115	0.21	
		99 = LEGITIMATE SKIP.....		38829	69.83	
(YE24C)		During the past 12 months have you had films, lectures, discussions, or printed information about drugs or alcohol outside of one of your regular classes such as in a special assembly?				
YEDESPCL	2	1FILMS/LECTURES/DISCUS/INFO ABOUT DRG/ALC OUT CLAS				
		1 = Yes.....		6772	12.18	
		2 = No.....		9747	17.53	
		94 = DON'T KNOW.....		112	0.20	
		97 = REFUSED.....		27	0.05	
		98 = BLANK (NO ANSWER).....		115	0.21	
		99 = LEGITIMATE SKIP.....		38829	69.83	

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	481
LABEL	LEN	DESCRIPTION	FREQ	%
(YE25)		During the past 12 months have you seen or heard any alcohol or drug prevention messages from sources outside school such as posters, pamphlets, radio, or TV?		-
YEPVNTYR	2	1SEEN/HEARD ALC/DRG PREV MESSAGES FRM SOURC OUT SC		
		1 = Yes.....	15152	27.25
		2 = No.....	2994	5.38
		94 = DON'T KNOW.....	117	0.21
		97 = REFUSED.....	25	0.04
		98 = BLANK (NO ANSWER).....	6	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10
(YERELATT)		During the past 12 months, how many times did you attend religious services? Please do not include special occasions such as weddings, funerals, or other special events in your answer.		
YERLGSVC	2	1PAST 12 MOS, HOW MANY RELIG. SERVICES		
		1 = 0 times.....	5759	10.36
		2 = 1 to 2 times.....	2550	4.59
		3 = 3 to 5 times.....	1528	2.75
		4 = 6 to 24 times.....	2373	4.27
		5 = 25 to 52 times.....	2361	4.25
		6 = More than 52 times.....	3345	6.02
		94 = DON'T KNOW.....	307	0.55
		97 = REFUSED.....	64	0.12
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10
(YEREBEL1)		These next questions are about the role that religious beliefs may play in your life. For each statement, please indicate whether you strongly disagree, disagree, agree, or strongly agree.		
		Your religious beliefs are a very important part of your life.		
YERLGIMP	2	1MY RELIGIOUS BELIEFS ARE VERY IMPORTANT		
		1 = Strongly Disagree.....	1749	3.15
		2 = Disagree.....	2492	4.48
		3 = Agree.....	7495	13.48
		4 = Strongly Agree.....	6164	11.09
		94 = DON'T KNOW.....	280	0.50
		97 = REFUSED.....	107	0.19
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH EXPERIENCES			PAGE:	482
LABEL	LEN	DESCRIPTION	FREQ	%
(YEREBEL2)		Your religious beliefs influence how you make decisions in your life.		-
YERLDCSN	2	1MY RELIGIOUS BELIEFS INFLUENCE MY DECISIONS		
		1 = Strongly Disagree.....	2129	3.83
		2 = Disagree.....	3743	6.73
		3 = Agree.....	7275	13.08
		4 = Strongly Agree.....	4727	8.50
		94 = DON'T KNOW.....	309	0.56
		97 = REFUSED.....	104	0.19
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10
(YEREBEL3)		It is important that your friends share your religious beliefs.		
YERLFRND	2	1IT IS IMPORTANT THAT MY FRIENDS SHARE REL BELIEFS		
		1 = Strongly Disagree.....	4971	8.94
		2 = Disagree.....	6953	12.50
		3 = Agree.....	4377	7.87
		4 = Strongly Agree.....	1586	2.85
		94 = DON'T KNOW.....	299	0.54
		97 = REFUSED.....	101	0.18
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	RECODED YOUTH EXPERIENCES	PAGE:	483
				FREQ	%

RECODED YOUTH EXPERIENCES					

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.					

MVIN5YR2	1	NUM OF TIMES YOUTH MOVED IN PAST 5 YRS			
		. = Otherwise (YEMOV5Y2=994,997,998,999).....	37713	67.83	
		1 = More than 1 time (YEMOV5Y2=2 to 90).....	4491	8.08	
		2 = None or one time (YEMOV5Y2=0,1).....	13398	24.10	
SCHFELT	1	HOW YTH FELT: ABT GOING TO SCHL IN PAST YR			
		. = Otherwise (YESCHFLT=94,97,98,99).....	38971	70.09	
		1 = Liked A Lot/Kind of Liked (YESCHFLT=1,2).....	13017	23.41	
		2 = Didn't Like Very Much/Hated (YESCHFLT=3,4).....	3614	6.50	
SCHWORK	1	HOW YTH FELT: SCHL WORK IMPT IN PST YR			
		. = Otherwise (YESCHWRK=94,97,98,99).....	38978	70.10	
		1 = Always/Sometimes (YESCHWRK=1,2).....	12823	23.06	
		2 = Seldom/Never (YESCHWRK=3,4).....	3801	6.84	
SCHIMPT	1	HOW YTH FELT: THINGS LEARNED IN PST YR IMP IN LIFE			
		. = Otherwise (YESCHIMP=94,97,98,99).....	38973	70.09	
		1 = Very/Somewhat Important (YESCHIMP=1,2).....	14607	26.27	
		2 = Very/Somewhat Unimportant (YESCHIMP=3,4).....	2022	3.64	
SCHINTST	1	HOW YTH FELT: CLASS AT SCHL INTERST IN PST YR			
		. = Otherwise (YESCHINT=94,97,98,99).....	38968	70.08	
		1 = Very/Somewhat Interesting (YESCHINT=1,2).....	12464	22.42	
		2 = Very/Somewhat Boring (YESCHINT=3,4).....	4170	7.50	
TCHGJOB	1	TEACHER LET YTH KNOW DOING GOOD JOB IN PST YR			
		. = Otherwise (YETCGJOB=94,97,98,99).....	38987	70.12	
		1 = Always/Sometimes (YETCGJOB=1,2).....	12821	23.06	
		2 = Seldom/Never (YETCGJOB=3,4).....	3794	6.82	
AVGGRADE	1	GRADE AVG FOR LAST GRADING PERIOD COMPLETED			
		. = Otherwise (YELSTGRD=5,94,97,98,99).....	39628	71.27	
		1 = D or Lower (YELSTGRD=4).....	1125	2.02	
		2 = A, B, or C (YELSTGRD=1,2,3).....	14849	26.71	
STNDSCIG	1	STUDENTS IN YTH GRADE SMOKE CIGARETTES			
		. = Otherwise (YESTSCIG=94,97,98,99).....	39338	70.75	
		1 = All/Most (YESTSCIG=3,4).....	5287	9.51	
		2 = Few/None (YESTSCIG=1,2).....	10977	19.74	
STNDSMJ	1	STUDENTS IN YTH GRADE USE MJ/HASHISH			
		. = Otherwise (YESTSMJ=94,97,98,99).....	39592	71.21	
		1 = All/Most (YESTSMJ=3,4).....	4025	7.24	
		2 = Few/None (YESTSMJ=1,2).....	11985	21.55	
STNDALC	1	STUDENTS IN YTH GRADE DRINK ALC BEVERAGES			
		. = Otherwise (YESTSALC=94,97,98,99).....	39414	70.89	
		1 = All/Most (YESTSALC=3,4).....	7419	13.34	
		2 = Few/None (YESTSALC=1,2).....	8769	15.77	

LABEL	LEN	DESCRIPTION	RECODED YOUTH EXPERIENCES	PAGE:	484
				FREQ	%
STNDDNK	1	STUDENTS IN YTH GRADE GET DRUNK ONCE/WK	. = Otherwise (YESTSDNK=94,97,98,99).....	39620	71.26
			1 = All/Most (YESTSDNK=3,4).....	3019	5.43
			2 = None/Few (YESTSDNK=1,2).....	12963	23.31
PARCHKHW	1	PARENTS CHECK IF HMWK DONE IN PST YR	. = Otherwise (YPECHKHW=94,97,98,99).....	38996	70.13
			1 = Always/Sometimes (YPECHKHW=1,2).....	13184	23.71
			2 = Seldom/Never (YPECHKHW=3,4).....	3422	6.15
PARHLPHW	1	PARENTS HELP W/ HMWK IN PST YR	. = Otherwise (YPEHLPHW=94,97,98,99).....	39005	70.15
			1 = Always/Sometimes (YPEHLPHW=1,2).....	13427	24.15
			2 = Seldom/Never (YPEHLPHW=3,4).....	3170	5.70
PRCHORE2	1	PARENTS MAKE YTH DO CHORES AROUND HOUSE IN PST YR	. = Otherwise (YPECHORE=94,97,98,99).....	37376	67.22
			1 = Always/Sometimes (YPECHORE=1,2).....	15907	28.61
			2 = Seldom/Never (YPECHORE=3,4).....	2319	4.17
PRLMTTV2	1	PARENTS LIMIT AMT OF TV IN PST YR	. = Otherwise (YEPLMTTV=94,97,98,99).....	37405	67.27
			1 = Always/Sometimes (YEPLMTTV=1,2).....	6636	11.93
			2 = Seldom/Never (YEPLMTTV=3,4).....	11561	20.79
PARLMTSN	1	PARENTS LIMIT TIME OUT ON SCH NIGHT IN PST YR	. = Otherwise (YEPLMTSN=94,97,98,99).....	39131	70.38
			1 = Always/Sometimes (YEPLMTSN=1,2).....	11331	20.38
			2 = Seldom/Never (YEPLMTSN=3,4).....	5140	9.24
PRGDJOB2	1	PARENTS TELL YTH HAD DONE GOOD JOB IN PST YR	. = Otherwise (YPEGDJOB=94,97,98,99).....	37378	67.22
			1 = Always/Sometimes (YPEGDJOB=1,2).....	15690	28.22
			2 = Seldom/Never (YPEGDJOB=3,4).....	2534	4.56
PRPROUD2	1	PARENTS TELL YTH PROUD OF THINGS DONE IN PST YR	. = Otherwise (YEPPROUD=94,97,98,99).....	37364	67.20
			1 = Always/Sometimes (YEPPROUD=1,2).....	15539	27.95
			2 = Seldom/Never (YEPPROUD=3,4).....	2699	4.85
ARGUPAR	1	TIMES ARGUED/HAD A FIGHT WITH ONE PARENT IN PST YR	. = Otherwise (YEYARGUP=94,97,98,99).....	37519	67.48
			1 = 9 or Fewer (YEYARGUP=1,2,3,4).....	13666	24.58
			2 = 10 or More (YEYARGUP=5).....	4417	7.94
YOFIGHT2	1	YOUTH HAD SERIOUS FIGHT AT SCHOOL/WORK	. = Otherwise (YEYFGTSW=94,97,98,99).....	37373	67.22
			1 = One or more times (YEYFGTSW=2,3,4,5).....	4275	7.69
			2 = None (YEYFGTSW=1).....	13954	25.10
YOGRPFT2	1	YOUTH FOUGHT W/GROUP VS OTHER GROUP	. = Otherwise (YEYFGTGP=94,97,98,99).....	37364	67.20
			1 = One or more times (YEYFGTGP=2,3,4,5).....	3162	5.69
			2 = None (YEYFGTGP=1).....	15076	27.11
YOHGUN2	1	YOUTH CARRIED A HANDGUN	. = Otherwise (YEYHGUN=94,97,98,99).....	37357	67.19
			1 = One or more times (YEYHGUN=2,3,4,5).....	633	1.14
			2 = None (YEYHGUN=1).....	17612	31.68

RECODED YOUTH EXPERIENCES			PAGE:	485
LABEL	LEN	DESCRIPTION	FREQ	%
YOSELL2	1	YOUTH SOLD ILLEGAL DRUGS		-
		. = Otherwise (YEYSELL=94,97,98,99).....	37356	67.18
		1 = One or more times (YEYSELL=2,3,4,5).....	712	1.28
		2 = None (YEYSELL=1).....	17534	31.53
YOSTOLE2	1	YOUTH STOLE/TRYED TO STEAL ITEM >\$50		
		. = Otherwise (YEYSTOLE=94,97,98,99).....	37353	67.18
		1 = One or more times (YEYSTOLE=2,3,4,5).....	852	1.53
		2 = None (YEYSTOLE=1).....	17397	31.29
YOATTAK2	1	YOUTH ATTACKED W/INTENT TO SERIOUSLY HARM		
		. = Otherwise (YEYATTAK=94,97,98,99).....	37353	67.18
		1 = One or more times (YEYATTAK=2,3,4,5).....	1529	2.75
		2 = None (YEYATTAK=1).....	16720	30.07
PRPKCIG2	1	YTH THINK: PARENTS FEEL ABT YTH SMOKE PACK CIG/DAY		
		. = Otherwise (YEPPKCIG=94,97,98,99).....	37570	67.57
		1 = Strongly disapprove (YEPPKCIG=3).....	16339	29.39
		2 = Somewhat disapprove or neither (YEPPKCIG=1,2)....	1693	3.04
PRMJEVR2	1	YTH THINK: PARENTS FEEL ABT YTH TRY MJ/HASH		
		. = Otherwise (YEPMJEVR=94,97,98,99).....	37531	67.50
		1 = Strongly disapprove (YEPMJEVR=3).....	16203	29.14
		2 = Somewhat disapprove or neither (YEPMJEVR=1,2)....	1868	3.36
PRMJMO	1	YTH THINK: PARENTS FEEL ABT YTH USE MJ/HASH MNTHLY		
		. = Otherwise (YEPMJMO=94,97,98,99).....	37538	67.51
		1 = Strongly Disapprove (YEPMJMO=3).....	16755	30.13
		2 = Somewhat Dis/Neither App Nor Dis (YEPMJMO=1,2)....	1309	2.35
PRALDLY2	1	YTH THINK: PARNTS FEEL ABT YTH DRK 1-2 ALC BEV/DAY		
		. = Otherwise (YEPALDLY=94,97,98,99).....	37528	67.49
		1 = Strongly disapprove (YEPALDLY=3).....	16051	28.87
		2 = Somewhat disapprove or neither (YEPALDLY=1,2)....	2023	3.64
YFLPKCG2	1	HOW YTH FEELS: PEERS SMOKE PACK/DAY CIG		
		. = Otherwise (YEGPKCIG=94,97,98,99).....	37504	67.45
		1 = Somewhat or strongly disapprove (YEGPKCIG=2,3)....	15943	28.67
		2 = Neither approve or disapprove (YEGPKCIG=1).....	2155	3.88
YFLTMRJ2	1	HOW YTH FEELS: PEERS TRY MJ/HASH		
		. = Otherwise (YEGMJEVR=94,97,98,99).....	37504	67.45
		1 = Somewhat or strongly disapprove (YEGMJEVR=2,3)....	14538	26.15
		2 = Neither approve or disapprove (YEGMJEVR=1).....	3560	6.40
YFLMJMO	1	HOW YTH FEELS: PEERS USING MJ/HASH MONTHLY		
		. = Otherwise (YEGMJMO=94,97,98,99).....	37494	67.43
		1 = Strongly/Somewhat Disapprove (YEGMJMO=2,3)....	14722	26.48
		2 = Neither Approve Nor Disapprove (YEGMJMO=1).....	3386	6.09
YFLADLY2	1	HOW YTH FEELS: PEERS DRNK 1-2 ALC BEV/DAY		
		. = Otherwise (YEGALDLY=94,97,98,99).....	37494	67.43
		1 = Somewhat or strongly disapprove (YEGALDLY=2,3)....	15325	27.56
		2 = Neither approve or disapprove (YEGALDLY=1).....	2783	5.01
FRDPCIG2	1	YTH THINK: CLSE FRND FEEL ABT YTH SMK 1+ PAC DAILY		
		. = Otherwise (YEFPKCIG=94,97,98,99).....	37552	67.54
		1 = Strongly/Somewhat Disapprove (YEFPKCIG=2,3)....	15374	27.65
		2 = Neither Approve Nor Disapprove (YEFPKCIG=1).....	2676	4.81

RECODED YOUTH EXPERIENCES			PAGE:	486
LABEL	LEN	DESCRIPTION	FREQ	%
FRDMEVR2	1	YTH THINK: CLOSE FRNDS FEEL ABT YTH TRY MJ/HASH		-
		. = Otherwise (YEFMJEVR=94,97,98,99).....	37550	67.53
		1 = Strongly/Somewhat Disapprove (YEFMJEVR=2,3).....	14561	26.19
		2 = Neither Approve Nor Disapprove (YEFMJEVR=1).....	3491	6.28
FRDMJMON	1	YTH THINK: CLSE FRNDS FEEL ABT YTH USE MJ/HASH MON		
		. = Otherwise (YEFMJMO=94,97,98,99).....	37552	67.54
		1 = Strongly/Somewhat Disapprove (YEFMJMO=2,3).....	14944	26.88
		2 = Neither Approve Nor Disapprove (YEFMJMO=1).....	3106	5.59
FRDADLY2	1	YTH THINK: CLSE FRND FEEL ABT YTH HAVE 1-2 ALC/DAY		
		. = Otherwise (YEFALDLY=94,97,98,99).....	37551	67.54
		1 = Strongly/Somewhat Disapprove (YEFALDLY=2,3).....	14965	26.91
		2 = Neither Approve Nor Disapprove (YEFALDLY=1).....	3086	5.55
<p>The following variable, TALKPROB, was created from the variables containing information on who youths would talk with about serious problems: No one (YETLKNON), parent/guardian (YETLKPAR), boyfriend/girlfriend (YETLKBGF), other adults (YETLKOTA), or some other person (YETLKSOP). Youths who did not report a positive response to at least one of the source variables, youths who reported both being able to talk with no one (YETLKNON=1) and being able to talk to someone (YETLKPAR, YETLKBGF, YETLKOTA, or YETLKSOP=11), and respondents over the age of 17 (all source variables = 99) were coded as SAS missing.</p>				
TALKPROB	1	WHO YTH TALKS WITH ABOUT SERIOUS PROBLEMS		
		. = Otherwise (See comment above).....	37658	67.73
		1 = No One (YETLKNON=1).....	638	1.15
		2 = Someone (YETLKPAR,YETLKBGF,YETLKOTA,or YETLKSOP=1).....	17306	31.12
PRTALK3	1	TALKED W/PARENT ABT DANGER TOB/ALC/DRG		
		. = Otherwise (YEPRTDNG=94,97,98,99).....	37468	67.39
		1 = Yes (YEPRTDNG=1).....	10982	19.75
		2 = No (YEPRTDNG=2).....	7152	12.86
PRBSOLV2	1	PARTICIPATED IN PRBSLV/COMMSKILL/SELFESTEEM GROUP		
		. = Otherwise (YEPRBSLV=94,97,98,99).....	37572	67.57
		1 = Yes (YEPRBSLV=1).....	4360	7.84
		2 = No (YEPRBSLV=2).....	13670	24.59
PREVIOL2	1	PARTICIPATED IN VIOLENCE PREVENTION PROGRAM		
		. = Otherwise (YEVIOPRV=94,97,98,99).....	37446	67.35
		1 = Yes (YEVIOPRV=1).....	2990	5.38
		2 = No (YEVIOPRV=2).....	15166	27.28
PRVDRG02	1	PARTICIPATED IN DRUG PREV PROGRAM OUTSIDE SCHOOL		
		. = Otherwise (YEDGPRGP=94,97,98,99).....	37422	67.30
		1 = YES (YEDGPRGP=1).....	2215	3.98
		2 = NO (YEDGPRGP=2).....	15965	28.71
GRPCNSL2	1	PARTICIPATED IN PROGRAM TO HELP SUBSTANCE ABUSE		
		. = Otherwise (YESLFHLP=94,97,98,99).....	37465	67.38
		1 = Yes (YESLFHLP=1).....	982	1.77
		2 = No (YESLFHLP=2).....	17155	30.85

LABEL	LEN	DESCRIPTION	RECODED YOUTH EXPERIENCES	PAGE:	487
				FREQ	%
PREPGPM2	1	PARTICIPATED IN PREG/STD PREV PROGRAM			-
		. = Otherwise (YEPRGSTD=94,97,98,99).....	37411	67.28	
		1 = Yes (YEPRGSTD=1).....	2553	4.59	
		2 = No (YEPRGSTD=2).....	15638	28.12	
The following variable, YTHACT2 was created by counting the number of positive responses reported over the following 4 youth activity questions: School-based (YESCHACT), community-based (YECOMACT), church or faith-based (YEFAIACT), or other activities (YEOTHACT). Youth respondents who reported participation in 2 or more activities were included in the two or more category regardless of how many other activity questions were answered. Youth respondents who did not answer 2 or more of the 4 youth activity questions with a "yes" or "no" response were coded as SAS missing. To be included in the none or one category, a youth respondent must have answered 2 or more of the activity questions and reported they participated in either zero or one activity.					
YTHACT2	1	YTH PARTICPATED IN YOUTH ACTIVITIES			
		. = Otherwise (See comment above).....	37355	67.18	
		1 = None or 1 Activity (See comment above).....	2538	4.56	
		2 = 2 or More Activities (2 or more source vars=1)....	15709	28.25	
DGSPCLS2	1	YOUTH TAKEN SPECIAL CLASS ABOUT DRUGS			
		. = Otherwise (YEDECLAS=94,97,98,99).....	39030	70.20	
		1 = Yes (YEDECLAS=1).....	8263	14.86	
		2 = No (YEDECLAS=2).....	8309	14.94	
DGRGCLS2	1	YOUTH DRUG EDUC IN REGULAR CLASS			
		. = Otherwise (YEDERGLR=94,97,98,99).....	39045	70.22	
		1 = Yes (YEDERGLR=1).....	11316	20.35	
		2 = No (YEDERGLR=2).....	5241	9.43	
DRGLECT2	1	YOUTH DRUG EDUC OUTSIDE REG CLASS			
		. = Otherwise (YEDESPCL=94,97,98,99).....	39083	70.29	
		1 = Yes (YEDESPCL=1).....	6772	12.18	
		2 = No (YEDESPCL=2).....	9747	17.53	
DRPRVME3	1	YOUTH SEEN DRUG PREV MSG OUTSIDE SCH			
		. = Otherwise (YEPVNTRYR=94,97,98,99).....	37456	67.36	
		1 = Yes (YEPVNTRYR=1).....	15152	27.25	
		2 = No (YEPVNTRYR=2).....	2994	5.38	
ANYEDUC3	1	YOUTH HAD ANY DRUG EDUC IN SCHOOL			
		. = OTHERWISE.....	39030	70.20	
		1 = Yes (DGSPCLS2=1 OR DGRGCLS2=1 OR DRGLECT2=1).....	13070	23.51	
		2 = No (DGSPCLS2=2 & DGRGCLS2=2 & DRGLECT2=2).....	3502	6.30	
RLGATTD	1	NUM TIMES ATTEND RELIG SERVICES IN PST YR			
		. = Otherwise (YERLG SVC=94,97,98,99).....	37686	67.78	
		1 = 25 or more (YERLG SVC=5,6).....	5706	10.26	
		2 = Less than 25 (YERLG SVC=1,2,3,4).....	12210	21.96	
RLGIMPT	1	RELIG BELIEFS VERY IMPORTANT IN LIFE			
		. = Otherwise (YERLGIMP=94,97,98,99).....	37702	67.81	
		1 = Agree/Strongly Agree (YERLGIMP=3,4).....	13659	24.57	
		2 = Disagree/Strongly Disagree (YERLGIMP=1,2).....	4241	7.63	

RECODED YOUTH EXPERIENCES			PAGE:	488
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
RLGDCSN	1	RELIG BELIEFS INFLUENCE LIFE DECISIONS		
		. = Otherwise (YERLDCSN=94,97,98,99).....	37728	67.85
		1 = Agree/Strongly Agree (YERLDCSN=3,4).....	12002	21.59
		2 = Disagree/Strongly Disagree (YERLDCSN=1,2).....	5872	10.56
RLGFRND	1	IMPT FOR FRNDS TO SHARE RELIG BELIEFS		
		. = Otherwise (YERLFRND=94,97,98,99).....	37715	67.83
		1 = Agree/Strongly Agree (YERLFRND=3,4).....	5963	10.72
		2 = Disagree/Strongly Disagree (YERLFRND=1,2).....	11924	21.45

LABEL	LEN	DESCRIPTION	PAGE:	489
			FREQ	%
ADULT MENTAL HEALTH				
ADULT MENTAL HEALTH				
NOTE: The variable ADLTSAMP reflects the split-sample design in the 2004 NSDUH for respondents aged 18 or older. Adults in Sample A received all relevant questions in the Adult Mental Health module. Adults in Sample B received only the questions corresponding to the edited variables DSTNRVOS, DSTHOPLS, DSTRSTLS, DSTCHEER, DSTEFFRT, and DSTNGOOD. Remaining variables in the Adult Mental Health module were assigned legitimate skip codes for adults in Sample B.				
ADLTSAMP	2	1ADULT MENTAL HEALTH SPLIT SAMPLE INDICATOR		
		1 = Sample A.....	18624	33.50
		2 = Sample B.....	18678	33.59
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		98 = BLANK (NO ANSWER).....	6	0.01
		99 = LEGITIMATE SKIP.....	18293	32.90
(PNATTACK)		The next questions are about problems with your emotions, nerves, or mental health in the past 12 months.		
		During the past 12 months, did you have a sudden attack of fear when out of the blue you became very frightened, anxious, or uneasy?		
PANATAK	2	1HAD SUDDEN ATTACK OF FEAR PAST 12 MONTHS		
		1 = Yes.....	2845	5.12
		2 = No.....	15740	28.31
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	36971	66.49
(PNREACT)		Attacks like this often cause physical reactions like sweating, shortness of breath, a racing heart, or dizziness. During the past 12 months, did you have physical reactions like these when you had a sudden attack of fear?		
PANREAC	2	1PHYS RXNS WHEN HAVING ATTACKS PAST 12 MONTHS		
		1 = Yes.....	2200	3.96
		2 = No.....	640	1.15
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	27	0.05
		99 = LEGITIMATE SKIP.....	52712	94.80

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	490
			FREQ	%
(PNATKNUM)		About how many of these sudden attacks of fear did you have in the past 12 months? If you can't remember the exact number, just give your best estimate.		-
PANATKN2	3	1NUMBER OF ATTACKS OF FEAR PAST 12 MONTHS		
		1 = 1-10 times.....	1757	3.16
		2 = 11-12 times.....	69	0.12
		3 = 13-20 times.....	134	0.24
		4 = 21-30 times.....	81	0.15
		5 = 31-40 times.....	22	0.04
		6 = 41-52 times.....	38	0.07
		7 = 53-60 times.....	7	0.01
		8 = 61-100 times.....	21	0.04
		9 = 101-200 times.....	17	0.03
		10 = 201-300 times.....	9	0.02
		11 = 301-365 times.....	4	0.01
		12 = 366 or more times.....	4	0.01
		994 = DON'T KNOW.....	32	0.06
		997 = REFUSED.....	24	0.04
		998 = BLANK (NO ANSWER).....	31	0.06
		999 = LEGITIMATE SKIP.....	53352	95.95
(DEFEEL)		During the past 12 months, did you have a period of time lasting two weeks or longer when most of the time you felt sad, empty, or depressed?		
MDEDP2WK	2	1FELT DEPRESSED FOR 2+ WKS IN PAST 12 MONTHS		
		1 = Yes.....	4292	7.72
		2 = No.....	14297	25.71
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	36971	66.49

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH			PAGE:	491
LABEL	LEN	DESCRIPTION	FREQ	%
(DEWEEK1)		NOTE: For the question pertaining to MDEDPWKR, respondents were asked to report the number of weeks that they felt depressed. By definition, respondents needed to have reported a period of 2 or more weeks in the past 12 months when they felt depressed in order to be asked to report the number of weeks they felt depressed. Thus, there are no responses of "1 week" in MDEDPWKR.		-
		During the past 12 months, about how many weeks did you feel sad, empty, or depressed?		
		If you can't remember the exact number, just give your best estimate.		
MDEDPWKR	2	1# OF WEEKS FELT DEPRESSED IN PAST 12 MONTHS		
		1 = 2-4 weeks.....	1955	3.52
		2 = 5-8 weeks.....	856	1.54
		3 = 9-12 weeks.....	484	0.87
		4 = 13-16 weeks.....	139	0.25
		5 = 17-18 weeks.....	6	0.01
		6 = 19-20 weeks.....	144	0.26
		7 = 21-22 weeks.....	10	0.02
		8 = 23-24 weeks.....	57	0.10
		9 = 25-26 weeks.....	69	0.12
		10 = 27-36 weeks.....	176	0.32
		11 = 37-44 weeks.....	81	0.15
		12 = 45-51 weeks.....	86	0.15
		13 = All 52 weeks.....	102	0.18
		94 = DON'T KNOW.....	109	0.20
		97 = REFUSED.....	35	0.06
		98 = BLANK (NO ANSWER).....	24	0.04
		99 = LEGITIMATE SKIP.....	51269	92.21
(DEDAYS)		During those [DEWEEK1 FILL] weeks, did you feel sad or depressed nearly every day, or just some days?		
MDEDAYFQ	2	1HOW OFT FELT DEPRESSED IN THOSE WKS, PST 12 MOS		
		1 = Nearly every day.....	1618	2.91
		2 = Just some days.....	2544	4.58
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	36	0.06
		98 = BLANK (NO ANSWER).....	133	0.24
		99 = LEGITIMATE SKIP.....	51269	92.21

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	492
			FREQ	%
(DEDAYSAD)		On the days you felt sad or depressed, did you usually feel that way all day long, most of the day, about half the day, or less than half the day?		-
MDEDAYLN	2	1HOW MUCH OF DAY FELT DEPRESSED PAST 12 MONTHS		
		1 = All day long.....	463	0.83
		2 = Most of the day.....	823	1.48
		3 = About half the day.....	282	0.51
		4 = Less then half the day.....	51	0.09
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	35	0.06
		98 = BLANK (NO ANSWER).....	133	0.24
		99 = LEGITIMATE SKIP.....	53813	96.78
(DEFEELPR)		During those [DEWEEK1 FILL] weeks when you felt sad or depressed, did you also have any changes in sleep, energy, appetite, or the ability to concentrate?		
MDECHNGS	2	1ANY CHANGES WHEN FELT DEPRESSED PAST 12 MONTHS		
		1 = Yes.....	1480	2.66
		2 = No.....	88	0.16
		97 = REFUSED.....	35	0.06
		98 = BLANK (NO ANSWER).....	135	0.24
		99 = LEGITIMATE SKIP.....	53864	96.87
(DELOST)		During the past 12 months, did you have a period of time lasting two weeks or longer when you lost interest in most things like work, hobbies, and other things you usually enjoy?		
MDELOSIN	2	1LOST INTEREST IN THINGS 2+ WKS IN PAST 12 MOS		
		1 = Yes.....	2128	3.83
		2 = No.....	14882	26.77
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	23	0.04
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	38539	69.31

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH			PAGE:	493
LABEL	LEN	DESCRIPTION	FREQ	%
(DEWEEK2)		NOTE: For the question pertaining to MDELIWK2, respondents were asked to report the number of weeks that they lost interest in things. By definition, respondents needed to have reported a period of 2 or more weeks in the past 12 months when they lost interest in order to be asked to report the number of weeks they lost interest in things. Thus, there are no responses of "1 week" in MDELIWK2.		-
		During the past 12 months, about how many weeks did you lose interest in most things? If you can't remember the exact number, just give your best estimate.		
MDELIWK2	2	1# OF WEEKS LOST INTEREST IN THINGS PAST 12 MOS		
		1 = 2-4 weeks.....	1332	2.40
		2 = 5-8 weeks.....	331	0.60
		3 = 9-12 weeks.....	164	0.29
		4 = 13-16 weeks.....	53	0.10
		5 = 17-18 weeks.....	4	0.01
		6 = 19-20 weeks.....	46	0.08
		7 = 21-22 weeks.....	4	0.01
		8 = 23-24 weeks.....	15	0.03
		9 = 25-26 weeks.....	17	0.03
		10 = 27-36 weeks.....	38	0.07
		11 = 37-44 weeks.....	15	0.03
		12 = 45-51 weeks.....	9	0.02
		13 = All 52 weeks.....	10	0.02
		94 = DON'T KNOW.....	79	0.14
		97 = REFUSED.....	33	0.06
		98 = BLANK (NO ANSWER).....	30	0.05
		99 = LEGITIMATE SKIP.....	53422	96.08
(DEDAYS2)		During those [DEWEEK2 FILL] weeks, did you lack interest in most things nearly every day, or just some days?		
MDELIFQ	2	1HOW OFT LOST INTEREST IN THOSE WKS, PST 12 MOS		
		1 = Nearly every day.....	340	0.61
		2 = Just some days.....	1697	3.05
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	33	0.06
		98 = BLANK (NO ANSWER).....	109	0.20
		99 = LEGITIMATE SKIP.....	53422	96.08
(DEDAYLST)		On the days you lost interest, did you usually feel that way all day long, most of the day, about half the day, or less than half the day?		
MDELILN	2	1HOW MUCH OF DAY LOST INTEREST PAST 12 MONTHS		
		1 = All day long.....	90	0.16
		2 = Most of the day.....	173	0.31
		3 = About half the day.....	57	0.10
		4 = Less than half the day.....	19	0.03
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	34	0.06
		98 = BLANK (NO ANSWER).....	109	0.20
		99 = LEGITIMATE SKIP.....	55119	99.13

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	494
			FREQ	%
(DELOSTPR)		During those [DEWEEK2 FILL] weeks when you lost interest in things, did you also have any changes in sleep, energy, appetite, or your ability to concentrate?		-
MDELICHG	2	1 ANY CHANGES WHEN LOST INTEREST PAST 12 MONTHS		
		1 = Yes.....	294	0.53
		2 = No.....	25	0.04
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	34	0.06
		98 = BLANK (NO ANSWER).....	110	0.20
		99 = LEGITIMATE SKIP.....	55138	99.17
(MAFEEL)		During the past 12 months, were there at least four days in a row when you were so excited or hyper that you either got into trouble or people worried about your being so excited, or a doctor said you were manic?		
MNCHYPER	2	1 FELT HYPER FOR 4+ DAYS IN A ROW IN PAST 12 MOS		
		1 = Yes.....	487	0.88
		2 = No.....	18102	32.56
		4 = No LOGICALLY ASSIGNED (MNCEVER = 2).....	7	0.01
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	36971	66.49
(MASLEEP)		During the time when you were extremely excited or hyper, did you find that you could hardly sleep at all but still you didn't feel tired?		
MNCNOSLP	2	1 COULDN'T SLEEP WHEN FELT HYPER		
		1 = Yes.....	360	0.65
		2 = No.....	127	0.23
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	22	0.04
		99 = LEGITIMATE SKIP.....	55081	99.06
(MAPWRS)		During the time when you were extremely excited or hyper, did you feel that you had special powers or that you could do things people really cannot do?		
MNCSPWRS	2	1 FEELING OF SPECIAL POWERS WHEN FELT HYPER		
		1 = Yes.....	107	0.19
		2 = No.....	378	0.68
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	22	0.04
		99 = LEGITIMATE SKIP.....	55081	99.06

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	495
			FREQ	%
(MAFEELEV)		In your entire life, did you ever have a time lasting at least 4 days in a row when you were so excited or hyper that you either got into trouble or people worried about your being so excited or a doctor said you were manic?		-
MNCEVER	2	1EVER FELT HYPER FOR 4+ DAYS IN A ROW		
		1 = Yes.....	473	0.85
		2 = No.....	17611	31.67
		5 = Yes LOGICALLY ASSIGNED (MNCHYPER = 1).....	487	0.88
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	36	0.06
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	36971	66.49
(MAMED)		During the past 12 months, did you take any prescription medication to prevent another one of these manic episodes from occurring?		
		NOTE: Respondents who reported feeling hyper in the past 12 months (MNCHYPER=1) were not asked whether they took medications to prevent manic episodes from occurring in the past 12 months.		
MNCMEDS	2	1TOOK MEDS TO PREVENT MANIC EPISODE PST 12 MOS		
		1 = Yes.....	73	0.13
		2 = No.....	400	0.72
		5 = Hyper in past 12 mos LOG ASSN (MNCHYPER = 1).....	487	0.88
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	43	0.08
		99 = LEGITIMATE SKIP.....	54583	98.17
(PHSOCIAL)		Are you much more nervous, anxious, or fearful than most people would be about social or performance situations, like giving a speech, meeting new people, going to parties, speaking up at a meeting, or being in a dating situation?		
PHBSOCL	2	1MORE NERVOUS THAN MOST PEOPLE ABOUT SOC SITNS		
		1 = Yes.....	4178	7.51
		2 = No.....	14379	25.86
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	42	0.08
		97 = REFUSED.....	24	0.04
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	36971	66.49

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	496
			FREQ	%
(PHUPSET1)		Thinking about the social or performance situation that you fear the most, how strong is your fear when you find yourself in that situation?		-
PHBLEVEL	2	1STRENGTH OF FEAR IN SOC SITN FEARED THE MOST		
		1 = Your fear is mild.....	1162	2.09
		2 = Your fear is moderate.....	2229	4.01
		3 = Your fear is severe.....	772	1.39
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	49	0.09
		99 = LEGITIMATE SKIP.....	51351	92.35
(PHAVOID1)		How often do you try to avoid this type of social or performance situation?		
PHBAVOID	2	1HOW OFTEN TRY TO AVOID FEARED SOC SITN		
		1 = Often.....	1364	2.45
		2 = Sometimes.....	1258	2.26
		3 = Rarely.....	302	0.54
		4 = Never.....	76	0.14
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	62	0.11
		99 = LEGITIMATE SKIP.....	52513	94.44
(PHLIFE1)		How much does your fear or avoidance of this social or performance situation interfere with your everyday life or activities?		
PHBINTFR	2	1HOW MUCH FEAR OF SOC SITN INTERFERES W/LIFE		
		1 = Not at all.....	829	1.49
		2 = A little.....	1273	2.29
		3 = Some.....	617	1.11
		4 = A lot.....	278	0.50
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	62	0.11
		99 = LEGITIMATE SKIP.....	52513	94.44
(PHCROWD)		Are you much more nervous, anxious, or fearful than most people would be about being in crowds?		
PHBCRWDS	2	1MORE NERVOUS THAN MOST PEOPLE ABOUT CROWDS		
		1 = Yes.....	2241	4.03
		2 = No.....	16320	29.35
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	39	0.07
		97 = REFUSED.....	23	0.04
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	36971	66.49

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH			PAGE:	497
LABEL	LEN	DESCRIPTION	FREQ	%
(PHPUBLIC)		Are you much more nervous, anxious, or fearful than most people would be about going to public places?		-
PHBPUBPL	2	1MORE NERVOUS THN MOST PPL ABOUT PUBLIC PLACES		
		1 = Yes.....	1238	2.23
		2 = No.....	17331	31.17
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	36	0.06
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	36971	66.49
(PHTRAVL)		Are you much more nervous, anxious, or fearful than most people would be about traveling in a bus, train, or car?		
PHBTRAVL	2	1MORE NERVOUS THAN MOST PPL ABOUT TRAVELING		
		1 = Yes.....	1008	1.81
		2 = No.....	17575	31.61
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	25	0.04
		97 = REFUSED.....	15	0.03
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	36971	66.49
(PHAWAY)		Are you much more nervous, anxious, or fearful than most people would be about being away from home alone?		
PHBAWYHM	2	1MORE NERVOUS THAN MOST PPL BEING AWAY FROM HOME		
		1 = Yes.....	1560	2.81
		2 = No.....	17014	30.60
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	31	0.06
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	36971	66.49
(PHWORST)		Think about your fears of [PHOFILL1, PHOFILL2, and PHOFILL UNTIL ALL PHOFILLS INSERTED]. Which of these fears is the strongest?		
PHBWRSFR	2	1WHICH FEAR IS THE STRONGEST/WORST		
		1 = Being in crowds.....	702	1.26
		2 = Going to public places.....	227	0.41
		3 = Traveling in a bus, train, or car.....	204	0.37
		4 = Being away from home alone.....	447	0.80
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	17	0.03
		98 = BLANK (NO ANSWER).....	45	0.08
		99 = LEGITIMATE SKIP.....	53955	97.04

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	498
			FREQ	%
(PHFEAR)		How strong is your fear when you find yourself [WSTFILL]?		-
PHBWRSSST	2	1STRENGTH OF FEAR IN SITN WHERE FEAR IS WORST		
		1 = Your fear is mild.....	1355	2.44
		2 = Your fear is moderate.....	1591	2.86
		3 = Your fear is severe.....	453	0.81
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	72	0.13
		99 = LEGITIMATE SKIP.....	52098	93.70
(PHAVD)		How often do you try to avoid [WSTFILL]?		
PHBWRSAY	2	1HOW OFTEN TRY TO AVOID WORST FEAR		
		1 = Often.....	909	1.63
		2 = Sometimes.....	816	1.47
		3 = Rarely.....	218	0.39
		4 = Never.....	99	0.18
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	87	0.16
		99 = LEGITIMATE SKIP.....	53453	96.14
(PHINT)		How much does your fear or avoidance of [WSTFILL] interfere with your everyday life or activities?		
PHBWRSIN	2	1HOW MUCH WORST FEAR INTERFERES W/LIFE		
		1 = Not at all.....	603	1.08
		2 = A little.....	812	1.46
		3 = Some.....	406	0.73
		4 = A lot.....	217	0.39
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	87	0.16
		99 = LEGITIMATE SKIP.....	53453	96.14
(GAWORRY)		People differ a lot in how much they worry. In general, would you say you worry more than, about the same as, or less than most other people worry about everyday problems?		
GADWORMR	2	1HOW MUCH WORRY ABOUT EVERYDAY PROBLEMS		
		1 = More.....	3168	5.70
		2 = About the same.....	10890	19.59
		3 = Less.....	4407	7.93
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	126	0.23
		97 = REFUSED.....	32	0.06
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	36971	66.49

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH			PAGE:	499
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
(GAWORLOT)		Do you worry a lot more, somewhat more, or only a little more than most other people?		-
GADWORLT	2	1WORRY A LOT/SOMEWHAT/A LITTLE MORE THAN OTHERS		
		1 = A lot more.....	1337	2.40
		2 = Somewhat more.....	1383	2.49
		3 = A little more.....	439	0.79
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	148	0.27
		99 = LEGITIMATE SKIP.....	52269	94.01
(GANERV)		In general, would you say you are more nervous or anxious than most other people?		
GADNRVOS	2	1MORE NERVOUS OR ANXIOUS THAN MOST OTHER PEOPLE		
		1 = Yes.....	1052	1.89
		2 = No.....	14314	25.74
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	69	0.12
		97 = REFUSED.....	20	0.04
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	40139	72.19
(GANRVIOT)		Are you a lot more, somewhat more, or only a little more nervous or anxious than most other people?		
GADNRVLT	2	1NERVOUS A LOT/SOMEWHAT/A LITTLE MORE THAN OTHERS		
		1 = A lot more.....	109	0.20
		2 = Somewhat more.....	571	1.03
		3 = A little more.....	364	0.65
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	20	0.04
		98 = BLANK (NO ANSWER).....	77	0.14
		99 = LEGITIMATE SKIP.....	54454	97.94

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	500
			FREQ	%
(GAWEEK1)		During the past 12 months, about how many weeks did you worry more than most other people? If you can't remember the exact number, just give your best estimate.		-
		During the past 12 months, about how many weeks did you feel more nervous or anxious than most other people? If you can't remember the exact number, just give your best estimate.		
GADWKS2	2	1# WKS WORRY/NERVOUS MORE THAN OTHERS, PST 12 MOS		
		1 = 1-4 weeks.....	283	0.51
		2 = 5-8 weeks.....	174	0.31
		3 = 9-12 weeks.....	198	0.36
		4 = 13-16 weeks.....	50	0.09
		5 = 17-18 weeks.....	6	0.01
		6 = 19-20 weeks.....	87	0.16
		7 = 21-22 weeks.....	12	0.02
		8 = 23-24 weeks.....	26	0.05
		9 = 25-26 weeks.....	50	0.09
		10 = 27-36 weeks.....	126	0.23
		11 = 37-44 weeks.....	70	0.13
		12 = 45-51 weeks.....	103	0.19
		13 = All 52 weeks.....	190	0.34
		94 = DON'T KNOW.....	65	0.12
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	92	0.17
		99 = LEGITIMATE SKIP.....	54043	97.20
(GANUMWOR)		During those [GAWEEK1 FILL] weeks, did you worry about one or two particular things or about a number of different things?		
		During those [GAWEEK1 FILL] weeks, were you nervous or anxious about one or two particular things or about a number of different things?		
GADNMWOR	2	1# THINGS WORRIED/NERVOUS ABOUT IN THOSE WKS		
		1 = One or two particular things.....	94	0.17
		2 = A number of different things.....	410	0.74
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	157	0.28
		99 = LEGITIMATE SKIP.....	54914	98.76

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	501
			FREQ	%
(GAWORSTR)		During those [GAWEEK1 FILL] weeks, how often was your worry so strong that you couldn't put it out of your mind?		-
		During those [GAWEEK1 FILL] weeks, how often was your nervousness or anxiety so strong that you couldn't put it out of your mind?		
GADSTRON	2	1HOW OFTEN WAS WORRY/ANXIETY STRONG IN THOSE WKS		
		1 = All of the time.....	88	0.16
		2 = Most of the time.....	148	0.27
		3 = Some of the time.....	148	0.27
		4 = A little of the time.....	23	0.04
		5 = Never.....	3	0.01
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	157	0.28
		99 = LEGITIMATE SKIP.....	55008	98.93
(GAPROB)		During those [GAWEEK1 FILL] weeks when you were so worried, did you have other problems, like difficulties in sleep or concentration, or feeling dizzy, easily tired, on edge, or irritable?		
		During those [GAWEEK1 FILL] weeks when you were so nervous or anxious, did you have other problems, like difficulties in sleep or concentration, or feeling dizzy, easily tired, on edge, or irritable?		
GADOPROB	2	1HAD OTHER PROBS IN THOSE WKS WHEN WORRIED/NERVOS		
		1 = Yes.....	370	0.67
		2 = No.....	37	0.07
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	157	0.28
		99 = LEGITIMATE SKIP.....	55011	98.94
(PTEXPER)		The next questions are about reactions people have after extremely stressful experiences. In your life, have you ever had an extremely stressful experience such as being in combat, being involved in a life-threatening accident, being involved in a disaster, being physically beaten or sexually abused, or any other event which was extremely upsetting or stressful for you?		
PTSEVER	2	1EVER HAD EXTREMELY STRESSFUL EXPERIENCE		
		1 = Yes.....	6983	12.56
		2 = No.....	11568	20.81
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	32	0.06
		97 = REFUSED.....	40	0.07
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	36971	66.49

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	502
			FREQ	%
(PTREACT)		After experiences like this, people sometimes have reactions like memories that are upsetting, feeling emotionally distant from other people, trouble sleeping or concentrating, and feeling jumpy or easily startled.		-
		During the past 12 months, did you have any of these reactions to any extremely stressful experience, even if the experience was long ago?		
PTSPYEAR	2	1HAD RXNS TO STRESSFUL EXPERIENCE, PAST 12 MONTHS		
		1 = Yes.....	2955	5.31
		2 = No.....	4026	7.24
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	41	0.07
		98 = BLANK (NO ANSWER).....	39	0.07
		99 = LEGITIMATE SKIP.....	48540	87.30
(PTWORST)		Think of the time during the past 12 months when those reactions were the worst. How often did you have those reactions during that time?		
PTSWRSFQ	2	1HOW OFTEN HAD RXNS WHEN WORST IN PAST 12 MONTHS		
		1 = Several times a day.....	350	0.63
		2 = Once or twice a day.....	421	0.76
		3 = Several times a week.....	498	0.90
		4 = Once or twice a week.....	613	1.10
		5 = Less than once a week.....	1038	1.87
		94 = DON'T KNOW.....	29	0.05
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	40	0.07
		99 = LEGITIMATE SKIP.....	52566	94.54
(PTWEEK1)		During the past 12 months, in about how many weeks did you have reactions like this at least several times a week? If you can't remember the exact number, just give your best estimate.		
PTSWKS2	2	1# WKS HAD RXNS SEVERAL TIMES A WK, PAST 12 MOS		
		1 = 1-4 weeks.....	582	1.05
		2 = 5-8 weeks.....	212	0.38
		3 = 9-12 weeks.....	133	0.24
		4 = 13-16 weeks.....	37	0.07
		5 = 17-18 weeks.....	5	0.01
		6 = 19-20 weeks.....	46	0.08
		7 = 21-22 weeks.....	2	0.00
		8 = 23-24 weeks.....	12	0.02
		9 = 25-26 weeks.....	32	0.06
		10 = 27-36 weeks.....	59	0.11
		11 = 37-44 weeks.....	25	0.04
		12 = 45-51 weeks.....	40	0.07
		13 = All 52 weeks.....	41	0.07
		94 = DON'T KNOW.....	34	0.06
		97 = REFUSED.....	56	0.10
		98 = BLANK (NO ANSWER).....	69	0.12
		99 = LEGITIMATE SKIP.....	54217	97.51

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	503
			FREQ	%
(SEEDR)		NOTE: The variable MHSEEDR was assigned a code of 11 when respondents reported that they saw a doctor or mental health professional in the past 12 months but they reported not being hospitalized overnight and reported zero outpatient visits. When the variable MHSEEDR was assigned a code of 11, the overnight hospitalization variable MHHOSPOV was assigned a code of 12.		-
		During the past 12 months, did you see a doctor or mental health professional for any problem with your emotions, nerves, or mental health?		
MHSEEDR	2	1SAW DR FOR PROB WITH EMOTIONS, PAST 12 MONTHS		
		1 = Yes.....	1701	3.06
		2 = No.....	16668	29.98
		11 = Yes (MHOPNUM2 = 0 & MHHOSPOV = 12).....	223	0.40
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	20	0.04
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	36971	66.49
(HOSPTL)		During the past 12 months, were you hospitalized overnight for problems with your emotions, nerves, or mental health?		
MHHOSPOV	2	1HOSP OVERNITE FOR PROB W/EMOTIONS, PST 12 MOS		
		1 = Yes.....	135	0.24
		2 = No.....	1563	2.81
		12 = No (MHSEEDR = 11 & MHOPNUM2 = 0).....	223	0.40
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	18	0.03
		99 = LEGITIMATE SKIP.....	53640	96.47
(DRVVISITS)		During the past 12 months, not counting when you were hospitalized, how many outpatient visits did you make to any doctor or mental health professional for problems with your emotions, nerves, or mental health?		
		During the past 12 months, how many outpatient visits did you make to any doctor or mental health professional for problems with your emotions, nerves, or mental health?		
MHOPNUM2	3	1# OUTPAT VISIT FOR PROB W/EMOTIONS, PST 12 MOS		
		RANGE = 1 - 30	1576	2.83
		0 = No visits.....	241	0.43
		31 = 31 or more.....	81	0.15
		994 = DON'T KNOW.....	18	0.03
		997 = REFUSED.....	28	0.05
		998 = BLANK (NO ANSWER).....	18	0.03
		999 = LEGITIMATE SKIP.....	53640	96.47

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH			PAGE:	504
LABEL	LEN	DESCRIPTION	FREQ	%
(MEDS)		During the past 12 months, were you prescribed any medicine for problems with your emotions, nerves, or mental health?		-
MHMEDS	2	1PREScribed ANY MEDS FOR EMOT PROB, PST 12 MOS		
		1 = Yes.....	1434	2.58
		2 = No.....	487	0.88
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	22	0.04
		98 = BLANK (NO ANSWER).....	18	0.03
		99 = LEGITIMATE SKIP.....	53640	96.47
(MEDWEEK)		NOTE: Respondents who reported that they were prescribed medication for problems with their emotions, nerves, or mental health (MHMEDS=1) were asked to report the number of weeks that they took prescribed medication. Indications that respondents were prescribed medication do not necessarily imply that respondents took the medication. Therefore, responses of "0 weeks" in MHMEDWK2 were considered to be valid values.		
		During the past 12 months, about how many weeks did you take medicine that was prescribed for mental health problems?		
MHMEDWK2	2	1# WKS TOOK MEDS FOR MENT HLTH PROB, PST 12 MOS		
		0 = 0 weeks.....	58	0.10
		1 = 1-4 weeks.....	248	0.45
		2 = 5-8 weeks.....	150	0.27
		3 = 9-12 weeks.....	117	0.21
		4 = 13-16 weeks.....	45	0.08
		5 = 17-18 weeks.....	5	0.01
		6 = 19-20 weeks.....	43	0.08
		7 = 21-22 weeks.....	6	0.01
		8 = 23-24 weeks.....	39	0.07
		9 = 25-26 weeks.....	25	0.04
		10 = 27-36 weeks.....	85	0.15
		11 = 37-44 weeks.....	36	0.06
		12 = 45-51 weeks.....	90	0.16
		13 = All 52 weeks.....	449	0.81
		94 = DON'T KNOW.....	31	0.06
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	19	0.03
		99 = LEGITIMATE SKIP.....	54127	97.35

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH			PAGE:	505
LABEL	LEN	DESCRIPTION	FREQ	%
(DSNERV1)		Most people have periods when they are not at their best emotionally. Think of one month in the past 12 months when you were the most depressed, anxious, or emotionally stressed. If there was no month like this, think of a typical month.		-
		During that month, how often did you feel nervous?		
DSTNRVOS	2	1HOW OFT FELT NERVOUS IN WORST MONTH, PST 12 MOS		
		1 = All of the time.....	1259	2.26
		2 = Most of the time.....	3522	6.33
		3 = Some of the time.....	8342	15.00
		4 = A little of the time.....	13480	24.24
		5 = None of the time.....	10356	18.63
		85 = BAD DATA Logically assigned.....	1	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	209	0.38
		97 = REFUSED.....	128	0.23
		98 = BLANK (NO ANSWER).....	11	0.02
		99 = LEGITIMATE SKIP.....	18293	32.90
(DSNERV2)		During that same month when you were at your worst emotionally...		
		how often did you feel so nervous that nothing could calm you down?		
DSTNCALM	2	1HOW OFTEN COULDN'T CALM DOWN IN WORST MONTH		
		1 = All of the time.....	239	0.43
		2 = Most of the time.....	707	1.27
		3 = Some of the time.....	1554	2.79
		4 = A little of the time.....	3404	6.12
		5 = None of the time.....	6743	12.13
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	70	0.13
		98 = BLANK (NO ANSWER).....	135	0.24
		99 = LEGITIMATE SKIP.....	42734	76.86
(DSTIRED)		During that same month when you were at your worst emotionally...		
		how often did you feel tired out for no good reason?		
DSTTIRE	2	1HOW OFTEN TIRED OUT IN WORST MONTH		
		1 = All of the time.....	909	1.63
		2 = Most of the time.....	1946	3.50
		3 = Some of the time.....	3585	6.45
		4 = A little of the time.....	5220	9.39
		5 = None of the time.....	6808	12.24
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	100	0.18
		97 = REFUSED.....	55	0.10
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	36971	66.49

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH			PAGE:	506
LABEL	LEN	DESCRIPTION	FREQ	%
(DSHOPDE)		During that same month when you were at your worst emotionally...		-
		how often did you feel hopeless?		
DSTHOPLS	2	1HOW OFTEN FELT HOPELESS IN WORST MONTH		
		1 = All of the time.....	1302	2.34
		2 = Most of the time.....	2845	5.12
		3 = Some of the time.....	5300	9.53
		4 = A little of the time.....	8045	14.47
		5 = None of the time.....	19529	35.12
		85 = BAD DATA Logically assigned.....	1	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	164	0.29
		97 = REFUSED.....	111	0.20
		98 = BLANK (NO ANSWER).....	11	0.02
		99 = LEGITIMATE SKIP.....	18293	32.90
(DSFIDG)		During that same month when you were at your worst emotionally...		
		how often did you feel restless or fidgety?		
DSTRSTLSS	2	1HOW OFTEN FELT RESTLESS IN WORST MONTH		
		1 = All of the time.....	1306	2.35
		2 = Most of the time.....	3180	5.72
		3 = Some of the time.....	7096	12.76
		4 = A little of the time.....	10825	19.47
		5 = None of the time.....	14592	26.24
		85 = BAD DATA Logically assigned.....	1	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	178	0.32
		97 = REFUSED.....	119	0.21
		98 = BLANK (NO ANSWER).....	11	0.02
		99 = LEGITIMATE SKIP.....	18293	32.90
(DSSITSTL)		During that same month when you were at your worst emotionally...		
		how often did you feel so restless or fidgety that you could not sit still?		
DSTSITST	2	1HOW OFTEN COULDN'T SIT STILL IN WORST MONTH		
		1 = All of the time.....	272	0.49
		2 = Most of the time.....	738	1.33
		3 = Some of the time.....	1776	3.19
		4 = A little of the time.....	3243	5.83
		5 = None of the time.....	3916	7.04
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	64	0.12
		98 = BLANK (NO ANSWER).....	107	0.19
		99 = LEGITIMATE SKIP.....	45483	81.80

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	507
			FREQ	%
(DSDEPR)		During that same month when you were at your worst emotionally...		-
		how often did you feel sad or depressed?		
DSTDEPRS	2	1HOW OFTEN FELT DEPRESSED IN WORST MONTH		
		1 = All of the time.....	874	1.57
		2 = Most of the time.....	2002	3.60
		3 = Some of the time.....	3342	6.01
		4 = A little of the time.....	5479	9.85
		5 = None of the time.....	6791	12.21
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	82	0.15
		97 = REFUSED.....	53	0.10
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	36971	66.49
(DSNOCHR)		During that same month when you were at your worst emotionally...		
		how often did you feel so sad or depressed that nothing could cheer you up?		
DSTCHEER	2	1HOW OFTEN COULDN'T BE CHEERED UP IN WORST MONTH		
		1 = All of the time.....	1208	2.17
		2 = Most of the time.....	2725	4.90
		3 = Some of the time.....	5051	9.08
		4 = A little of the time.....	7468	13.43
		5 = None of the time.....	13782	24.79
		85 = BAD DATA Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	80	0.14
		97 = REFUSED.....	109	0.20
		98 = BLANK (NO ANSWER).....	93	0.17
		99 = LEGITIMATE SKIP.....	25085	45.12
(DSEFFORT)		During that same month when you were at your worst emotionally...		
		how often did you feel that everything was an effort?		
DSTEFFRT	2	1HOW OFTEN FELT EVERYTHING AN EFFORT IN WORST MON		
		1 = All of the time.....	1880	3.38
		2 = Most of the time.....	3647	6.56
		3 = Some of the time.....	6620	11.91
		4 = A little of the time.....	9863	17.74
		5 = None of the time.....	14900	26.80
		85 = BAD DATA Logically assigned.....	1	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	258	0.46
		97 = REFUSED.....	128	0.23
		98 = BLANK (NO ANSWER).....	11	0.02
		99 = LEGITIMATE SKIP.....	18293	32.90

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH			PAGE:	508
LABEL	LEN	DESCRIPTION	FREQ	%
(DSDOWN)		During that same month when you were at your worst emotionally...		-
		how often did you feel down on yourself, no good, or worthless?		
DSTNGOOD	2	1HOW OFTEN FELT NO GOOD IN WORST MONTH		
		1 = All of the time.....	1596	2.87
		2 = Most of the time.....	2868	5.16
		3 = Some of the time.....	5120	9.21
		4 = A little of the time.....	8238	14.82
		5 = None of the time.....	19201	34.53
		85 = BAD DATA Logically assigned.....	1	0.00
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	164	0.29
		97 = REFUSED.....	109	0.20
		98 = BLANK (NO ANSWER).....	11	0.02
		99 = LEGITIMATE SKIP.....	18293	32.90
(LITHINK)		The next questions are about how much your emotions, nerves, or mental health caused you to have difficulties in daily activities over the past 12 months.		
		In answering, think of one month in the past 12 months when your emotions, nerves, or mental health interfered most with your daily activities. If you had several months like this, please think of the most recent month.		
		During that month, how much difficulty did you have in thinking clearly?		
IMPTHINK	2	1HOW MUCH PROB THINKING IN WORST MON, PST 12 MOS		
		1 = No difficulty.....	4862	8.74
		2 = Mild difficulty.....	4137	7.44
		3 = Moderate difficulty.....	1492	2.68
		4 = Severe difficulty.....	317	0.57
		94 = DON'T KNOW.....	41	0.07
		97 = REFUSED.....	35	0.06
		98 = BLANK (NO ANSWER).....	294	0.53
		99 = LEGITIMATE SKIP.....	44424	79.90
(LIUNDRST)		During that one month when your emotions, nerves or mental health interfered most with your daily activities...		
		how much difficulty did you have understanding what was going on around you?		
IMPUNDST	2	1HOW MUCH PROB UNDERSTANDING IN WORST MONTH		
		1 = No difficulty.....	7658	13.77
		2 = Mild difficulty.....	2346	4.22
		3 = Moderate difficulty.....	676	1.22
		4 = Severe difficulty.....	145	0.26
		94 = DON'T KNOW.....	29	0.05
		97 = REFUSED.....	30	0.05
		98 = BLANK (NO ANSWER).....	294	0.53
		99 = LEGITIMATE SKIP.....	44424	79.90

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH			PAGE:	509
LABEL	LEN	DESCRIPTION	FREQ	%
(LIREMEM)		During that one month when your emotions, nerves or mental health interfered most with your daily activities...		-
		how much difficulty did you have remembering to do things you needed to do?		
IMPREMBR	2	1HOW MUCH PROB REMEMBERING IN WORST MONTH		
		1 = No difficulty.....	4569	8.22
		2 = Mild difficulty.....	4421	7.95
		3 = Moderate difficulty.....	1449	2.61
		4 = Severe difficulty.....	386	0.69
		94 = DON'T KNOW.....	30	0.05
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	294	0.53
		99 = LEGITIMATE SKIP.....	44424	79.90
(LICONCEN)		During that one month when your emotions, nerves or mental health interfered most with your daily activities...		
		how much difficulty did you have concentrating on doing something important when other things were going on around you?		
IMPCONC	2	1HOW MUCH PROB CONCENTRATING IN WORST MONTH		
		1 = No difficulty.....	4312	7.76
		2 = Mild difficulty.....	4498	8.09
		3 = Moderate difficulty.....	1600	2.88
		4 = Severe difficulty.....	409	0.74
		94 = DON'T KNOW.....	31	0.06
		97 = REFUSED.....	34	0.06
		98 = BLANK (NO ANSWER).....	294	0.53
		99 = LEGITIMATE SKIP.....	44424	79.90
(LIMONEY1)		During that one month when your emotions, nerves or mental health interfered most with your daily activities...		
		how much difficulty did you have managing money on your own, such as keeping track of expenses or remembering to pay bills?		
IMPMONY	2	1HOW MUCH PROB MANAGING MONEY IN WORST MONTH		
		1 = No difficulty.....	6096	10.96
		2 = Mild difficulty.....	2699	4.85
		3 = Moderate difficulty.....	1176	2.12
		4 = Severe difficulty.....	482	0.87
		5 = You didn't manage money on your own.....	373	0.67
		94 = DON'T KNOW.....	26	0.05
		97 = REFUSED.....	32	0.06
		98 = BLANK (NO ANSWER).....	294	0.53
		99 = LEGITIMATE SKIP.....	44424	79.90

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH			PAGE:	510
LABEL	LEN	DESCRIPTION	FREQ	%
(LIMONEY2)		Did problems with your emotions, nerves, or mental health keep you from managing your own money?		-
IMPMONY2	2	1PROB WITH EMOTIONS KEPT R FROM MANAGING MONEY		
		1 = Yes.....	73	0.13
		2 = No.....	299	0.54
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	32	0.06
		98 = BLANK (NO ANSWER).....	320	0.58
		99 = LEGITIMATE SKIP.....	54877	98.70
(LILEARN1)		During that one month when your emotions, nerves or mental health interfered most with your daily activities...		
		how much difficulty did you have learning a new task?		
IMPLERN	2	1HOW MUCH PROB LEARNING A TASK IN WORST MONTH		
		1 = No difficulty.....	6341	11.40
		2 = Mild difficulty.....	2887	5.19
		3 = Moderate difficulty.....	911	1.64
		4 = Severe difficulty.....	209	0.38
		5 = You didn't try to learn a new task.....	470	0.85
		94 = DON'T KNOW.....	39	0.07
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	294	0.53
		99 = LEGITIMATE SKIP.....	44424	79.90
(LILEARN2)		Did problems with your emotions, nerves, or mental health keep you from learning a new task?		
IMPLERNM	2	1PROB WITH EMOTIONS KEPT R FROM LEARNING A TASK		
		1 = Yes.....	72	0.13
		2 = No.....	391	0.70
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	333	0.60
		99 = LEGITIMATE SKIP.....	54772	98.51
(LIWASH1)		During that one month when your emotions, nerves or mental health interfered most with your daily activities...		
		how much difficulty did you have washing, dressing, and feeding yourself on your own?		
IMPWASH	2	1HOW MUCH PROB WASHING/DRESSING/FEEDING, WORS MO		
		1 = No difficulty.....	9331	16.78
		2 = Mild difficulty.....	1024	1.84
		3 = Moderate difficulty.....	358	0.64
		4 = Severe difficulty.....	93	0.17
		5 = You didn't wash,dress,or feed yourself on your own	38	0.07
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	24	0.04
		98 = BLANK (NO ANSWER).....	294	0.53
		99 = LEGITIMATE SKIP.....	44424	79.90

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	511
			FREQ	%
(LIWASH2)		Did problems with your emotions, nerves, or mental health keep you from washing, dressing, or feeding yourself on your own?		-
IMPWASHM	2	1PROB W/EMOTIONS KEPT R FROM WASH/DRESS/FEEDING		
		1 = Yes.....	20	0.04
		2 = No.....	18	0.03
		97 = REFUSED.....	24	0.04
		98 = BLANK (NO ANSWER).....	310	0.56
		99 = LEGITIMATE SKIP.....	55230	99.33
(LIGOOUT1)		During that one month when your emotions, nerves or mental health interfered most with your daily activities...		
		how much difficulty did you have going out of the house and getting around on your own?		
IMPGO	2	1HOW MUCH PROB LEAVING HOUSE IN WORST MONTH		
		1 = No difficulty.....	8389	15.09
		2 = Mild difficulty.....	1566	2.82
		3 = Moderate difficulty.....	557	1.00
		4 = Severe difficulty.....	204	0.37
		5 = You didn't leave the house on your own.....	122	0.22
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	294	0.53
		99 = LEGITIMATE SKIP.....	44424	79.90
(LIGOOUT2)		Did problems with your emotions, nerves, or mental health keep you from leaving the house on your own?		
IMPGOM	2	1PROB WITH EMOTIONS KEPT R FROM LEAVING HOUSE		
		1 = Yes.....	63	0.11
		2 = No.....	59	0.11
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	312	0.56
		99 = LEGITIMATE SKIP.....	55140	99.17
(LISTRAN1)		During that one month when your emotions, nerves or mental health interfered most with your daily activities...		
		how much difficulty did you have dealing with people you did not know well?		
IMPDLPP	2	1HOW MUCH PROB DEALING W/PEOPLE IN WORST MONTH		
		1 = No difficulty.....	6343	11.41
		2 = Mild difficulty.....	2888	5.19
		3 = Moderate difficulty.....	1031	1.85
		4 = Severe difficulty.....	356	0.64
		5 = You didn't deal with people you did not know well.	221	0.40
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	294	0.53
		99 = LEGITIMATE SKIP.....	44424	79.90

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT MENTAL HEALTH			PAGE:	512
LABEL	LEN	DESCRIPTION	FREQ	%
(LISTRAN2)		Did problems with your emotions, nerves, or mental health keep you from dealing with people you did not know well?		-
IMPDLPPM	2	1PROB W/EMOTIONS KEPT R FROM DEALING W/PEOPLE		
		1 = Yes.....	86	0.15
		2 = No.....	132	0.24
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	311	0.56
		99 = LEGITIMATE SKIP.....	55042	98.99
(LISOC1)		During that one month when your emotions, nerves or mental health interfered most with your daily activities...		
		how much difficulty did you have participating in social activities, like visiting friends or going to parties?		
IMPSOCL	2	1HOW MUCH PROB PARTICIPATNG IN SOC ACTIVS,WRST MON		
		1 = No difficulty.....	5738	10.32
		2 = Mild difficulty.....	2925	5.26
		3 = Moderate difficulty.....	1320	2.37
		4 = Severe difficulty.....	515	0.93
		5 = You didn't participate in social activities.....	339	0.61
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	294	0.53
		99 = LEGITIMATE SKIP.....	44424	79.90
(LISOC2)		Did problems with your emotions, nerves, or mental health keep you from participating in social activities?		
IMPSOCLM	2	1PROB W/EMOTIONS KEPT R FROM SOCIAL ACTIVITIES		
		1 = Yes.....	180	0.32
		2 = No.....	158	0.28
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	312	0.56
		99 = LEGITIMATE SKIP.....	54922	98.78
(LIPRSNL)		During that one month when your emotions, nerves or mental health interfered most with your daily activities...		
		how much difficulty did you have getting along with people in your personal life?		
IMP GT ALG	2	1HOW MUCH PROB W/PEOP IN PERS LIFE, WORST MONTH		
		1 = No difficulty.....	5543	9.97
		2 = Mild difficulty.....	3675	6.61
		3 = Moderate difficulty.....	1261	2.27
		4 = Severe difficulty.....	359	0.65
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	294	0.53
		99 = LEGITIMATE SKIP.....	44424	79.90

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	513
			FREQ	%

(LIEMOTNS)		During that one month when your emotions, nerves or mental health interfered most with your daily activities...		-
		how much difficulty did you have controlling your emotions when you were around people?		
IMPCTRLE	2	1HOW MUCH PROB CONTROLLING EMOT, WORST MONTH		
		1 = No difficulty.....	6012	10.81
		2 = Mild difficulty.....	3506	6.31
		3 = Moderate difficulty.....	1019	1.83
		4 = Severe difficulty.....	301	0.54
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	294	0.53
		99 = LEGITIMATE SKIP.....	44424	79.90
(LIRELAX)		During that one month when your emotions, nerves or mental health interfered most with your daily activities...		
		how much difficulty did you have doing things to relax at home?		
IMPRELAX	2	1HOW MUCH PROB RELAXING AT HOME, WORST MONTH		
		1 = No difficulty.....	5733	10.31
		2 = Mild difficulty.....	3447	6.20
		3 = Moderate difficulty.....	1291	2.32
		4 = Severe difficulty.....	368	0.66
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	294	0.53
		99 = LEGITIMATE SKIP.....	44424	79.90
(LIHHRES1)		During that one month when your emotions, nerves or mental health interfered most with your daily activities...		
		how much difficulty did you have taking care of household responsibilities?		
IMPHRSP	2	1HOW MUCH PROB W/HOUSEHOLD RESPONSIBILITY, WRST MON		
		1 = No difficulty.....	5814	10.46
		2 = Mild difficulty.....	3226	5.80
		3 = Moderate difficulty.....	1201	2.16
		4 = Severe difficulty.....	391	0.70
		5 = You didn't take care of household responsibilities	208	0.37
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	294	0.53
		99 = LEGITIMATE SKIP.....	44424	79.90

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	514
			FREQ	%
(LIHHRES2)		Did problems with your emotions, nerves, or mental health keep you from taking care of household responsibilities?		-
IMPHRSPM	2	1PROB W/EMOTIONS KEPT R FROM HOUSEHOLD RESPONS		
		1 = Yes.....	94	0.17
		2 = No.....	113	0.20
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	312	0.56
		99 = LEGITIMATE SKIP.....	55056	99.02
(LIWKRES1)		During that one month when your emotions, nerves or mental health interfered most with your daily activities...		
		how much difficulty did you have taking care of your daily responsibilities at work or school?		
IMPDLRSP	2	1HOW MUCH PROB W/DAILY RESPONS IN WORST MONTH		
		1 = No difficulty.....	6131	11.03
		2 = Mild difficulty.....	2979	5.36
		3 = Moderate difficulty.....	940	1.69
		4 = Severe difficulty.....	315	0.57
		5 = You didn't work or go to school.....	462	0.83
		94 = DON'T KNOW.....	29	0.05
		97 = REFUSED.....	28	0.05
		98 = BLANK (NO ANSWER).....	294	0.53
		99 = LEGITIMATE SKIP.....	44424	79.90
(LIWKQUIC)		During that one month when your emotions, nerves or mental health interfered most with your daily activities...		
		how much difficulty did you have getting your daily work done as quickly as needed?		
IMPDLWRK	2	1HOW MUCH PROB W/DAILY RESPONSIBILITY IN WORST MON		
		1 = No difficulty.....	5217	9.38
		2 = Mild difficulty.....	3765	6.77
		3 = Moderate difficulty.....	1107	1.99
		4 = Severe difficulty.....	288	0.52
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	294	0.53
		99 = LEGITIMATE SKIP.....	44886	80.73

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	515
			FREQ	%
(IMWEEK1)		During the past 12 months, about how many weeks did you have any of these difficulties because of your emotions, nerves, or mental health? If you can't remember the exact number, just give your best estimate.		-
IMPWKS2	2	1# WEEKS HAD THESE DIFFICULTIES, PAST 12 MONTHS		
		1 = 1-4 weeks.....	2979	5.36
		2 = 5-8 weeks.....	906	1.63
		3 = 9-12 weeks.....	437	0.79
		4 = 13-16 weeks.....	144	0.26
		5 = 17-18 weeks.....	11	0.02
		6 = 19-20 weeks.....	133	0.24
		7 = 21-22 weeks.....	10	0.02
		8 = 23-24 weeks.....	58	0.10
		9 = 25-26 weeks.....	68	0.12
		10 = 27-36 weeks.....	168	0.30
		11 = 37-44 weeks.....	87	0.16
		12 = 45-51 weeks.....	61	0.11
		13 = All 52 weeks.....	101	0.18
		94 = DON'T KNOW.....	179	0.32
		97 = REFUSED.....	45	0.08
		98 = BLANK (NO ANSWER).....	377	0.68
		99 = LEGITIMATE SKIP.....	49838	89.63
(IMDAYS)		During (that [IMWEEK1] week/those [IMWEEK1] weeks), did you have these kinds of difficulties every day, most days, or only one or two days a week?		
IMPDAYFQ	2	1HOW OFTEN HAD THESE DIFFICULTIES IN THOSE WKS		
		1 = Every day.....	405	0.73
		2 = Most days.....	2138	3.85
		3 = Only one or two days a week.....	2610	4.69
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	556	1.00
		99 = LEGITIMATE SKIP.....	49838	89.63
(IMHELP)		You mentioned earlier in the interview that you saw a professional or received prescription medications for your emotional problems in the past 12 months. How much did the counseling or medicine improve your ability to manage daily activities like those asked about in the previous questions?		
MHSVCHLP	2	1HOW MUCH DID MH SVCS IMPROV ABIL TO MANAG ACTIVS		
		1 = None.....	343	0.62
		2 = A little.....	425	0.76
		3 = Some.....	574	1.03
		4 = A lot.....	756	1.36
		5 = A great deal.....	568	1.02
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED.....	18	0.03
		98 = BLANK (NO ANSWER).....	71	0.13
		99 = LEGITIMATE SKIP.....	52833	95.02

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	516		
			FREQ	%		

RECODED ADULT MENTAL HEALTH						

NOTE: The variables in this section are recoded variables that were created from one or more of the variables from the following two sections: Adult Mental Health or Substance Dependence and Abuse.						

NOTE: In the 2004 NSDUH, a split sample design for respondents aged 18 and older was implemented.						

Adults in Sample A (ADLTSAMP=1) were administered the "long form" Adult Mental Health module used in the 2001-2003 NSDUHs. This "long form" module was made up of an array of questions that included a truncated version of the CIDI-SF scale, the K10/K6 scale, and the WHO-DAS scale.						

Adults in Sample B (ADLTSAMP=2) were administered a "short form" Adult Mental Health module consisting of only 6 questions used in the 2001-2003 NSDUHs. The "short form" module included only questions that make up the K6 scale.						

NOTE: The following recoded serious psychological distress variables, SPD_USCR and SPD_UADJ, were defined for both samples based on data collected from a series of six questions asking respondents how frequently they experienced symptoms of psychological distress during the one month in the past year when they were at their worst emotionally. These questions are known as the K6 and include the following symptoms of distress: feeling nervous (DSTNRVOS), feeling hopeless (DSTHOPLS), feeling restless or fidgety (DSTRSTLS), feeling so sad or depressed that nothing could cheer you up (DSTCHEER), feeling everything was an effort (DSTEFFRT), and feeling no good or worthless (DSTNGOOD). SPD_USCR and SPD_UADJ from sample A (the long form) are comparable to the variables SMI_SUM and SMI, which were created for the 2001-2003 NSDUHs. Respondents aged 18 or older not assigned to one of the adult mental health split samples (ADLTSAMP not equal to 1,2) as well as respondents aged 12 to 17 are included in the missing category. Despite using the same six items to create the variables SPD_USCR and SPD_UADJ, responses are not comparable between samples A and B. As a result, in the 2004 Detailed Tables, the 2004 SPD estimates were generated using the unadjusted SPD variable (SPD_UADJ) for respondents in sample A only (ADLTSAMP=1) weighted by SPDWT_C. SPDWT_C essentially weights the adult half-sample up to generate estimates similar in magnitude to those for the entire adult sample. The 2004 SPD (SMI) estimates are comparable with SPD estimates from the 2003 NSDUH and prior NSDUHs where the "long form" module was administered. Similarly, estimates can be generated using the unadjusted SPD variable (SPD_UADJ) for respondents in sample B only (ADLTSAMP=2) weighted by SPDWT_C which will be comparable with SPD estimates from the 2005 NSDUH and subsequent NSDUHs where the "short form" module is administered. Specific details about the variables, SPD_USCR and SPD_UADJ, and more information on how to compare the 2004 SPD variables with SPD (SMI) variables from other NSDUH years (including weighting information) are provided in the Recoded Adult Mental Health: Serious Psychological Distress Variable Documentation Appendix.						

SPD_USCR	2	SCORE INDICATING LEVEL OF SPD				
		RANGE = 0 - 24			37302	67.09
		. = (See comment above).....			18300	32.91

RECODED ADULT MENTAL HEALTH			PAGE:	517
LABEL	LEN	DESCRIPTION	FREQ	%
SPD_UADJ	1	SERIOUS PSYCHOLOGICAL DISTRESS INDICATOR		-
		. = (See comment above).....	18300	32.91
		0 = No (AGE2>=7 and SPD_USCR<13).....	31884	57.34
		1 = Yes (AGE2>=7 and SPD_USCR>=13).....	5418	9.74
NOTE: The following recoded serious psychological distress variables, SPD_ASCR and SPD_ADJ, were created similar to variables SPD_USCR and SPD_UADJ. The only difference is that these variables contain a statistical adjustment in which the 2004 sample B "short-form" scores were transformed to match the distributional characteristics of the 2004 sample A "long-form" scores using the cumulative distribution function (CDF) adjustment method. These adjusted variables were developed specifically to allow analyses of the entire 2004 sample of respondents aged 18 and older with 2003 and earlier NSDUHs weighted by ANALWT_C. These variables were not used in the 2004 Detailed Tables. These variables were used for exploratory analyses and producing state level SPD estimates using combined year data from 2004 and earlier NSDUHs. Specific details about the development and use of the SPD variables are provided in the note above SPD_USCR and the Recoded Adult Mental Health: Serious Psychological Distress Variable Documentation Appendix.				
SPD_ASCR	2	SCORE INDICATING LEVEL OF ADJUSTED SPD		
		RANGE = 0 - 24	37302	67.09
		. = (See comment above SPD_USCR).....	18300	32.91
SPD_ADJ	1	SERIOUS PSYCHOLOGICAL DISTRESS INDICATOR-ADJUSTED		
		. = (See comment above SPD_USCR).....	18300	32.91
		0 = No (AGE2>=7 and SPD_ASCR<13).....	32720	58.85
		1 = Yes (AGE2>=7 and SPD_ASCR>=13).....	4582	8.24
NOTE: The following recoded serious psychological distress variables, SPD_RSCR and SPD_RADJ, were created similarly to variables SPD_ASCR and SPD_ADJ. A different adjustment was implemented in which the 2004 sample A "long-form" scores were transformed to match the distributional characteristics of the 2004 sample B "short-form" scores using the cumulative distribution function (CDF) adjustment method. These reverse adjusted variables were developed specifically to allow analyses of the entire 2004 sample of respondents aged 18 or older with 2005 and subsequent NSDUHs weighted by ANALWT_C. These variables were not used in the 2004 Detailed Tables. These variables were used to produce state level estimates for SPD using combined year data from 2004 and subsequent NSDUHs. Specific details about the development and use of the SPD variables are provided in the note above SPD_USCR and the Recoded Adult Mental Health: Serious Psychological Distress Variable Documentation Appendix.				
SPD_RSCR	2	SCORE INDICATING LEVEL OF REVERSE ADJUSTED SPD		
		RANGE = 0 - 24	37302	67.09
		. = (See comment above SPD_USCR).....	18300	32.91
SPD_RADJ	1	SPD INDICATOR-REVERSE ADJUSTED		
		. = (See comment above SPD_USCR).....	18300	32.91
		0 = No (AGE2>=7 and SPD_RSCR<13).....	31070	55.88
		1 = Yes (AGE2>=7 and SPD_RSCR>=13).....	6232	11.21

RECODED ADULT MENTAL HEALTH			PAGE:	518
LABEL	LEN	DESCRIPTION	FREQ	%
MHSVHP	1	HELP RECEIVED FROM MH TRT IMPROV ABIL TO MANAG ACT		-
		. = Unknown/Aged 12-17 (MHSVCHLP=94,97,98,99).....	52936	95.21
		1 = A lot or a great deal (MHSVCHLP=4,5).....	1324	2.38
		2 = Some or a little (MHSVCHLP=2,3).....	999	1.80
		3 = None (MHSVCHLP=1).....	343	0.62

NOTE: The following 5 variables were created by using a combination of the recoded adult mental health and recoded substance dependence and abuse variables. Specifications on how the recoded adult mental health variable was defined can be found above and in the Recoded Adult Mental Health: Serious Psychological Distress Variable Documentation Appendix. Specifications on how the recoded substance dependence and abuse variable was defined can be found in the Recoded Substance Dependence and Abuse section and in the Recoded Substance Dependence and Abuse Variable Documentation Appendix. Respondents aged 12 to 17 or who were not assigned to one of the adult mental health split samples (ADLTSAMP are not equal to 1,2) are included in the missing category.

SPDODPAU	1	SPD OR DRUG/ALCOHOL DEPENDENCE OR ABUSE		
		. = (See comment above).....	18300	32.91
		1 = SPD or Drg/Alc Dep/Abus (SPD_UADJ=1 or ABODILAL=1)	9495	17.08
		2 = No SPD & No Dep/Abuse (SPD_UADJ=0 and ABODILAL=0).	27807	50.01

SPDADPAU	1	SPD AND DRUG/ALCOHOL DEPENDENCE OR ABUSE		
		. = (See comment above).....	18300	32.91
		1 = SPD & Drg/Alc Dep/Abus (SPD_UADJ=1 and ABODILAL=1)	1595	2.87
		2 = No SPD or No Dep/Abuse (SPD_UADJ=0 or ABODILAL=0).	35707	64.22

NSPNDPAU	1	NO SPD AND NO DRUG/ALCOHOL DEPENDENCE OR ABUSE		
		. = (See comment above).....	18300	32.91
		1 = No SPD and No Dep/Abus (SPD_UADJ=0 and ABODILAL=0)	27807	50.01
		2 = SPD or Drg/Alc Dep/Abus (SPD_UADJ=1 or ABODILAL=1)	9495	17.08

A respondent was classified as having other than serious psychological distress (SPD) only (SPDNDPAU=2) if they were defined as having SPD and illicit drug/alcohol dependence or abuse (SPD_UADJ=1 and ABODILAL=1); or not having SPD but having dependence or abuse (SPD_UADJ=0 and ABODILAL=1); or not having either SPD or dependence or abuse (SPD_UADJ=0 and ABODILAL=0). Respondents aged 12 to 17 or who were not assigned to one of the adult mental health split samples (ADLTSAMP not equal to 1,2) are included in the missing category.

SPDNDPAU	1	SPD BUT NO DRUG/ALCOHOL DEPENDENCE OR ABUSE		
		. = (See comment above).....	18300	32.91
		1 = SPD Only (SPD_UADJ=1 and ABODILAL=0).....	3823	6.88
		2 = Otherwise (See comment above).....	33479	60.21

RECODED ADULT MENTAL HEALTH			PAGE:	519
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
<p>A respondent was classified as not having illicit drug or alcohol dependence or abuse only (NSPDDPAU=2) if they were defined as having SPD and illicit drug/alcohol dependence or abuse (SPD_UADJ=1 and ABODILAL=1); or having SPD but not having dependence or abuse (SPD_UADJ=1 and ABODILAL=0); or not having either SPD or dependence or abuse (SPD_UADJ=0 and ABODILAL=0). Respondents aged 12 to 17 or who were not assigned to one of the adult mental health split samples (ADLTSAMP not equal to 1,2) are included in the missing category.</p>				
NSPDDPAU	1	NO SPD BUT DRUG/ALCOHOL DEPENDENCE OR ABUSE		
<p>. = (See comment above)..... 18300 32.91 1 = Drug/Alc Dep/Abuse Only (SPD_UADJ=0 & ABODILAL=1) 4077 7.33 2 = Otherwise (See comment above)..... 33225 59.76</p>				
<p>A respondent was classified as not having illicit drug or alcohol dependence or abuse only (NSPDDPAB=2) if they were defined as having SPD and illicit drug/alcohol dependence or abuse (SPD_ADJ=1 and ABODILAL=1); or having SPD but not having dependence or abuse (SPD_ADJ=1 and ABODILAL=0); or not having either SPD or dependence or abuse (SPD_ADJ=0 and ABODILAL=0). Respondents aged 12 to 17 or who were not assigned to one of the adult mental health split samples (ADLTSAMP not equal to 1,2) are included in the missing category.</p>				
NSPDDPAB	1	NO SPD BUT DRUG/ALCOHOL DEPENDENCE OR ABUSE-ADJ		
<p>. = (See comment above)..... 18300 32.91 1 = Drug/Alc Dep/Abuse Only (SPD_ADJ=0 and ABODILAL=1) 4304 7.74 2 = Otherwise (See comment above)..... 32998 59.35</p>				

LABEL	LEN	DESCRIPTION	PAGE:	520
			FREQ	%
<hr/>				
(ASC21) ADULT DEPRESSION				
<hr/>				
D_MDEA3 is a computed variable within the Adult Depression module that gives a value to the change in appetite/weight symptom of depression. This variable is computed based on answers to questions about whether respondents ate more, ate less, gained more than 10 pounds without trying to, or lost more than 10 pounds without trying to, during their worst depressive episode. In the calculation for D_MDEA3, a pair of parentheses was missing. This omission resulted in respondents who had legitimately skipped the symptom questions being erroneously classified as 2 instead of blank. Because this logic fed into the computation for the overall depressive episode variable (DSMMDEA2), DSMMDEA2 also was erroneously set to 2 rather than to blank. Additionally, a condition was missing that resulted in respondents being erroneously classified as blank instead of 2 in D_MDEA3, if they had indicated that they gained or lost weight, but only because they were growing, pregnant, sick, or dieting. This logic also fed into the computation for DSMMDEA2, but in an extremely minor way. Neither logic problem affected the routing of the instrument, only the computation of the variables D_MDEA3 and DSMMDEA2. These errors were fixed on 3/24/04.				
<hr/>				
D_MDEA7 is a computed variable within the Adult Depression module that gives a value to the Self-Worth symptom of depression. This variable is computed based on answers to questions about whether respondents felt they were as good as other people or if they felt totally worthless nearly every day during their worst depressive episode. In the variable's calculation, a condition was missing. This omission resulted in respondents who said DK or REF to feeling worthless nearly every day being erroneously classified as blank instead of as DK or REF. This logic fed into the computation for DSMMDEA2, but in an extremely minor way. This problem did not affect routing of the instrument, only the computation of the variable D_MDEA7. This error was fixed on 3/24/04.				
<hr/>				
AD26D in the Adult Depression module (number of pounds that respondents gained without trying to during the worst depressive episode) was supposed to be asked of respondents who reported gaining weight without trying, and the weight gain was not due to growing or, if female, pregnancy. However, if respondents reported that their worst or most recent depressive episode happened when they were aged 21 or older, question AD26C1 (whether respondents gained weight because they were growing) was not asked. Consequently, males were not asked question AD26D, and females were not asked questions AD26C2 (whether they gained weight because they were pregnant) or AD26D. These respondents could have been scored as 1 in the symptom variable D_MDEA3, if they had been routed to AD26D, and had reported a weight gain of 10 or more pounds. This error was fixed on 6/22/04.				
<hr/>				
Variables affected by this patch are denoted by an '*' to the left of the variable name.				
<hr/>				
NOTE: Editing of the Adult Depression variables took into account the split-sample design in the 2004 NSDUH for respondents aged 18 or older. See the variable ADLTSAMP				

Codebook Creation Date: September 20, 2012

LABEL	LEN	DESCRIPTION	PAGE:	521
			FREQ	%

in the Adult Mental Health Module for documentation of the split-sample allocation. Adults in Sample B were administered the Adult Depression module, and adults in Sample A were skipped out of this module. Thus, the variables in the Adult Depression module were assigned legitimate skip codes for adults in Sample A.				
Have you ever in your life had a period of time lasting several days or longer when most of the day you felt sad, empty or depressed?				
ADDPREV	2	1SEVERAL DAYS OR LNGR WHEN FELT SAD/EMPTY/DPRSD		
		1 = Yes.....	8035	14.45
		2 = No.....	10565	19.00
		94 = DON'T KNOW.....	34	0.06
		97 = REFUSED.....	40	0.07
		98 = BLANK (NO ANSWER).....	10	0.02
		99 = LEGITIMATE SKIP.....	36918	66.40
(ASC22) Have you ever had a period of time lasting several days or longer when most of the day you were very discouraged about how things were going in your life?				
ADDSCDEV	2	1SEVERAL DAYS OR LNGR FELT DISCOURAGED ABT LIFE		
		1 = Yes.....	1956	3.52
		2 = No.....	8611	15.49
		94 = DON'T KNOW.....	35	0.06
		97 = REFUSED.....	37	0.07
		98 = BLANK (NO ANSWER).....	10	0.02
		99 = LEGITIMATE SKIP.....	44953	80.85
(ASC23) Have you ever had a period of time lasting several days or longer when you lost interest in most things you usually enjoy like work, hobbies, and personal relationships?				
ADLOSEV	2	1EVER HAD PER OF TIME LST INTRST IN ENJOYABLE THGS		
		1 = Yes.....	550	0.99
		2 = No.....	8073	14.52
		94 = DON'T KNOW.....	24	0.04
		97 = REFUSED.....	36	0.06
		98 = BLANK (NO ANSWER).....	10	0.02
		99 = LEGITIMATE SKIP.....	46909	84.37
(AD01) During times when you felt sad, empty, or depressed most of the day, did you ever feel discouraged about how things were going in your life?				
ADPPDISC	2	1FEEL DISCRGD ABOUT LIFE WHEN SAD/EMPTY/DEPRESSED		
		1 = Yes.....	7265	13.07
		2 = No.....	756	1.36
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	54	0.10
		99 = LEGITIMATE SKIP.....	47513	85.45

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	522
			FREQ	%
(AD01A)		During the times when you felt sad, empty, or depressed, did you ever lose interest in most things like work, hobbies, and other things you usually enjoy?		-
ADDPLSIN	2	1EVER LOSE INT IN THINGS WHEN SAD/EMPTY/DEPRESSED		
		1 = Yes.....	5914	10.64
		2 = No.....	2109	3.79
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	54	0.10
		99 = LEGITIMATE SKIP.....	47513	85.45
(AD02)		During times when you felt discouraged about how things were going in your life, did you ever lose interest in most things like work, hobbies, and other things you usually enjoy?		
ADDSLSIN	2	1EVER LOSE INT IN THNGS WHEN FEELING DISCOURGAGED		
		1 = Yes.....	791	1.42
		2 = No.....	1162	2.09
		94 = DON'T KNOW.....	3	0.01
		98 = BLANK (NO ANSWER).....	57	0.10
		99 = LEGITIMATE SKIP.....	53589	96.38
(AD09)		Did you ever have a period of time like this that lasted most of the day nearly every day for two weeks or longer?		
ADLSI2WK	2	1PERIOD OF TIME LASTED EVERY DAY FOR 2 WKS /LNGR		
		1 = Yes.....	87	0.16
		2 = No.....	460	0.83
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	70	0.13
		99 = LEGITIMATE SKIP.....	54982	98.88
(AD12)		Think about the times when you [FEELFILL]. Did you ever have a period of time like this that lasted most of the day, nearly every day, for two weeks or longer?		
ADDPRT2WK	2	1TIME WHEN [FEELFILL] LSTD EVRYDY 2 WKS OR LNGR		
		1 = Yes.....	5607	10.08
		2 = No.....	4345	7.81
		94 = DON'T KNOW.....	32	0.06
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	57	0.10
		99 = LEGITIMATE SKIP.....	45554	81.93

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	523
			FREQ	%
(AD16)		Think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent. During those times, how long did your [FEELNOUN] usually last?		-
ADWRHRS	2	1TIME THAT MOST SEVERE/FREQUENT MOOD LASTED		
		1 = Less than 1 hour.....	693	1.25
		2 = At least 1 hour but no more than 3 hours.....	1612	2.90
		3 = At least 3 hours but no more than 5 hours.....	1171	2.11
		4 = 5 hours or more.....	2166	3.90
		94 = DON'T KNOW.....	48	0.09
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	112	0.20
		99 = LEGITIMATE SKIP.....	49796	89.56
(AD17)		Still thinking of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent, how severe was your emotional distress during those times?		
ADWRDST	2	1HOW SEVERE WAS EMOTIONAL DISTRESS DURING 2 WKS		
		1 = Mild.....	740	1.33
		2 = Moderate.....	2264	4.07
		3 = Severe.....	1477	2.66
		4 = Very Severe.....	488	0.88
		94 = DON'T KNOW.....	22	0.04
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	112	0.20
		99 = LEGITIMATE SKIP.....	50489	90.80
(AD18)		Again, think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.		
		How often, during those times, was your emotional distress so severe that nothing could cheer you up?		
ADWRCHR	2	1EMOT DISTRSS SO SEVERE NOTHING COULD CHEER YOU UP		
		1 = Often.....	1125	2.02
		2 = Sometimes.....	2286	4.11
		3 = Rarely.....	1160	2.09
		4 = Never.....	411	0.74
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	112	0.20
		99 = LEGITIMATE SKIP.....	50489	90.80

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	524
			FREQ	%
(AD19)		Once again, please think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE]most severe and frequent.		-
		How often, during those times, was your emotional distress so severe that you could not carry out your daily activities?		
ADWRIMP	2	1EMOT DISTRSS SO SEVERE COULD NT DO DLY ACTIVITIES		
		1 = Often.....	623	1.12
		2 = Sometimes.....	1504	2.70
		3 = Rarely.....	1562	2.81
		4 = Never.....	1296	2.33
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	112	0.20
		99 = LEGITIMATE SKIP.....	50489	90.80
(AD21)		People who have problems with their mood often have other problems at the same time. These problems may include things like changes in:		
		- sleep		
		- appetite		
		- energy		
		- the ability to concentrate and remember		
		- feelings of low self-worth		
		Did you ever have any of these problems during a period of time when you [FEELFILL] for two weeks or longer?		
ADDPPROB	2	1EVER HAVE OTH PRBLMS DURING 2 WKS OR LONGER		
		1 = Yes.....	3808	6.85
		2 = No.....	1017	1.83
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	112	0.20
		99 = LEGITIMATE SKIP.....	50654	91.10

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	525
			FREQ	%
(AD22)		Think again about these other problems we just mentioned. They include things like changes in		-
		- sleep - appetite - energy - the ability to concentrate and remember - feelings of low self-worth		
		Please think of a time when you [FEELFILL] for two weeks or longer and you also had the largest number of these other problems at the same time.		
		Is there one particular time like this that stands out in your mind as the worst one you ever had?		
ADWRPROB	2	1ONE PARTICULAR TIME THAT IS THE WORST ONE EVER		
		1 = Yes.....	2736	4.92
		2 = No.....	1051	1.89
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	123	0.22
		99 = LEGITIMATE SKIP.....	51671	92.93
(AD22A)		How old were you when that worst period of time started?		
		Then think of the most recent time when you [FEELFILL] for two weeks or longer and you also had the largest number of these other problems at the same time.		
		How old were you when that time started?		
ADWRAGE	3	1AGE WHEN WORST PERIOD OF TIME STARTED		
		RANGE = 1 - 86	3729	6.71
		985 = BAD DATA Logically assigned.....	5	0.01
		994 = DON'T KNOW.....	69	0.12
		997 = REFUSED.....	5	0.01
		998 = BLANK (NO ANSWER).....	123	0.22
		999 = LEGITIMATE SKIP.....	51671	92.93
(AD24A)		In answering the next questions, think about the period of time when your [FEELNOUN] and other problems were the worst.		
		In answering the next questions, think about the most recent period of time when you [FEELFILL] and had other problems at the same time.		
		During that time, did you feel sad, empty, or depressed most of the day nearly every day?		
ADWRDEPR	2	1WHEN PRBLMS WORST FELT SAD/EMPTY/DPRSD EVERY DAY		
		1 = Yes.....	2977	5.35
		2 = No.....	822	1.48
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	123	0.22
		99 = LEGITIMATE SKIP.....	51671	92.93

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	526
			FREQ	%
(AD24C)		During that [TIMEFILL] period of time, did you feel discouraged about how things were going in your life most of the day nearly every day?		-
ADWRDISC	2	1WHEN PRBLMS WORST FELT DISCRGED ABT LIFE EVERYDAY 1 = Yes..... 2 = No..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	3034 765 5 4 123 51671	5.46 1.38 0.01 0.01 0.22 92.93
(AD24E)		During that [TIMEFILL] period of time, did you lose interest in almost all things like work and hobbies and things you like to do for fun?		
ADWRLSIN	2	1WHEN PRBLMS WORST LOSE INTRST IN ENJOYABLE THINGS 1 = Yes..... 2 = No..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	2862 945 1 123 51671	5.15 1.70 0.00 0.22 92.93
(AD24F)		During that [TIMEFILL] period of time, did you lose the ability to take pleasure in having good things happen to you, like winning something or being praised or complimented?		
ADWRPLSR	2	1WHEN PRBLMS WORST LOSE PLSURE IN GOOD THINGS 1 = Yes..... 2 = No..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	2404 1391 11 2 123 51671	4.32 2.50 0.02 0.00 0.22 92.93
(AD26A)		The next questions are about changes in appetite and weight.		
		In answering the next questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.		
		Did you have a much smaller appetite than usual nearly every day during that time?		
ADWRELES	2	1WHEN PRBLMS WORST HAVE SMALLER APPETITE EVERY DAY 1 = Yes..... 2 = No..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	2121 1356 19 1 127 51978	3.81 2.44 0.03 0.00 0.23 93.48

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT DEPRESSION			PAGE:	527
LABEL	LEN	DESCRIPTION	FREQ	%
(AD26B)		Did you have a much larger appetite than usual nearly every day?		-
ADWREMR0	2	1WHEN PRBLMS WORST HAVE LARGER APPETITE EVERY DAY		
		1 = Yes.....	731	1.31
		2 = No.....	627	1.13
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	127	0.23
		99 = LEGITIMATE SKIP.....	54099	97.30
(AD26C)		Did you gain weight without trying to during that [TIMEFILL] period of time?		
ADWRGAIN	2	1WHEN PRBLMS WORST DID YOU GAIN WEIGHT W/O TRYING		
		1 = Yes.....	724	1.30
		2 = No.....	641	1.15
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	127	0.23
		99 = LEGITIMATE SKIP.....	54099	97.30
(AD26C1)		Did you gain weight without trying to because you were growing?		
ADWRGROW	2	1WHEN PRBLMS WORST GAIN WGHT W/O TRYING BC GROWING		
		1 = Yes.....	56	0.10
		2 = No.....	245	0.44
		94 = DON'T KNOW.....	3	0.01
		98 = BLANK (NO ANSWER).....	144	0.26
		99 = LEGITIMATE SKIP.....	55154	99.19
(AD26C2)		Did you gain weight without trying to because you were pregnant?		
*ADWRPREG	2	1WHEN PRBLMS WORST GAIN WGHT W/O TRYING BC PRGN		
		1 = Yes.....	31	0.06
		2 = No.....	295	0.53
		90 = NOT ASKED THE QUESTION Logically assigned.....	207	0.37
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	78	0.14
		99 = LEGITIMATE SKIP.....	54989	98.90
(AD26D)		How many pounds did you gain?		
		Please enter your answer as a whole number.		
ADWRGNL2	3	1WHEN PRBLMS WORST # LBS GAINED WITHOUT TRYING		
		RANGE = 1 - 50	337	0.61
		51 = 51 or more pounds.....	27	0.05
		990 = NOT ASKED THE QUESTION Logically assigned.....	253	0.46
		994 = DON'T KNOW.....	9	0.02
		997 = REFUSED.....	2	0.00
		998 = BLANK (NO ANSWER).....	147	0.26
		999 = LEGITIMATE SKIP.....	54827	98.61

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	528
			FREQ	%
(AD26E)		Did you lose weight without trying to?		-
ADWRLOSE	2	1WHEN PRBLMS WORST DID YOU LOSE WEIGHT W/O TRYING		
		1 = Yes.....	1769	3.18
		2 = No.....	989	1.78
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	128	0.23
		99 = LEGITIMATE SKIP.....	52701	94.78
(AD26E1)		Did you lose weight without trying to because you were sick or on a diet?		
ADWRDIET	2	1WHEN PRBLMS WORST LOSE WGHT W/O TRYING BC SICK/DT		
		1 = Yes.....	477	0.86
		2 = No.....	1290	2.32
		94 = DON'T KNOW.....	2	0.00
		98 = BLANK (NO ANSWER).....	143	0.26
		99 = LEGITIMATE SKIP.....	53690	96.56
(AD26F)		How many pounds did you lose?		
		Please enter your answer as a whole number.		
ADWRLSL2	3	1WHEN PRBLMS WORST # LBS LOST WITHOUT TRYING		
		RANGE = 0 - 50	1225	2.20
		51 = 51 or more pounds.....	31	0.06
		994 = DON'T KNOW.....	36	0.06
		998 = BLANK (NO ANSWER).....	143	0.26
		999 = LEGITIMATE SKIP.....	54167	97.42
(AD26G)		Again, please think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.		
		Did you have a lot more trouble than usual falling asleep, staying asleep, or waking too early nearly every night during that [TIMEFILL] period of time?		
ADWRSLEP	2	1WHEN PRBLMS WORST HAVE PRBS SLEEPING/WAKING EARLY		
		1 = Yes.....	2851	5.13
		2 = No.....	637	1.15
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	127	0.23
		99 = LEGITIMATE SKIP.....	51978	93.48
(AD26H)		During that [TIMEFILL] period of time, did you sleep a lot more than usual nearly every night?		
ADWRSMOR	2	1WHEN PRBLMS WORST SLEEP A LOT MORE THAN USUAL		
		1 = Yes.....	391	0.70
		2 = No.....	247	0.44
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	127	0.23
		99 = LEGITIMATE SKIP.....	54829	98.61

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	529
			FREQ	%
(AD26J)		During that [TIMEFILL] period of time, did you feel tired or low in energy nearly every day, even when you had not been working very hard?		-
ADWRENRG	2	1WHEN PRBLMS WORST FEEL TIRED/LOW ON ENERGY EVRYDY		
		1 = Yes.....	3173	5.71
		2 = No.....	320	0.58
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	127	0.23
		99 = LEGITIMATE SKIP.....	51978	93.48
(AD26L)		Did you talk or move more slowly than is normal for you nearly every day?		
ADWRSLOW	2	1WHEN PRBLMS WORST TALK/MOVE SLOWER THAN USUAL		
		1 = Yes.....	2138	3.85
		2 = No.....	1322	2.38
		94 = DON'T KNOW.....	36	0.06
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	127	0.23
		99 = LEGITIMATE SKIP.....	51978	93.48
(AD26M)		Did anyone else notice that you were talking or moving slowly?		
ADWRSLNO	2	1WHEN PRBLMS WORST PEOP NOTICE SLOWER THAN USUAL		
		1 = Yes.....	1569	2.82
		2 = No.....	548	0.99
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	164	0.29
		99 = LEGITIMATE SKIP.....	53300	95.86
(AD26N)		Were you so restless or jittery nearly every day that you paced up and down or couldn't sit still?		
ADWRJITT	2	1WHEN PRBLMS WORST RSTLSS/JITTRY/PACING EVERYDAY		
		1 = Yes.....	350	0.63
		2 = No.....	1001	1.80
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	127	0.23
		99 = LEGITIMATE SKIP.....	54116	97.33
(AD26O)		Did anyone else notice that you were restless?		
ADWRJINO	2	1WHEN PRBLMS WORST PEOP NOTICE YOU WERE RSTLSS		
		1 = Yes.....	266	0.48
		2 = No.....	79	0.14
		94 = DON'T KNOW.....	5	0.01
		98 = BLANK (NO ANSWER).....	135	0.24
		99 = LEGITIMATE SKIP.....	55117	99.13

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	530
			FREQ	%
(AD26P)		The next questions are about changes in your ability to concentrate, and your feelings about yourself.		-
		Again, in answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.		
		During that [TIMEFILL] time, did your thoughts come much more slowly than usual or seem confused nearly every day?		
ADWRTHOT	2	1WHEN PRBLMS WORST THIGHTS SLOWER/MORE CONFUSING		
		1 = Yes.....	2015	3.62
		2 = No.....	1454	2.62
		94 = DON'T KNOW.....	26	0.05
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	127	0.23
		99 = LEGITIMATE SKIP.....	51978	93.48
(AD26R)		Did you have a lot more trouble concentrating than usual nearly every day?		
ADWRCONC	2	1WHEN PRBLMS WORST HAVE TROUBLE CONCENTRATING		
		1 = Yes.....	2580	4.64
		2 = No.....	904	1.63
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	127	0.23
		99 = LEGITIMATE SKIP.....	51978	93.48
(AD26S)		Were you unable to make decisions about things you ordinarily have no trouble deciding about?		
ADWRDCSN	2	1WHEN PRBLMS WORST UNABLE TO MAKE DECISIONS		
		1 = Yes.....	2078	3.74
		2 = No.....	1401	2.52
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	127	0.23
		99 = LEGITIMATE SKIP.....	51978	93.48
(AD26U)		Did you feel that you were not as good as other people nearly every day?		
ADWRNODG	2	1WHEN PRBLMS WRST FEEL NOT AS GOOD AS OTHER PEOPLE		
		1 = Yes.....	2435	4.38
		2 = No.....	1052	1.89
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	127	0.23
		99 = LEGITIMATE SKIP.....	51978	93.48
(AD26V)		Did you feel totally worthless nearly every day?		
ADWRWRTH	2	1WHEN PRBLMS WORST FEEL TOTALLY WORTHLESS EVERYDAY		
		1 = Yes.....	1795	3.23
		2 = No.....	637	1.15
		94 = DON'T KNOW.....	3	0.01
		98 = BLANK (NO ANSWER).....	137	0.25
		99 = LEGITIMATE SKIP.....	53030	95.37

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	531
			FREQ	%
(AD26AA)		The next questions are about thoughts of death or suicide.		-
		Again, in answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.		
		Did you often think a lot about death, either your own, someone else's, or death in general?		
ADWRDLOT	2	1WHEN PRBLMS WORST THINK A LOT ABOUT DEATH		
		1 = Yes.....	1886	3.39
		2 = No.....	1605	2.89
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	127	0.23
		99 = LEGITIMATE SKIP.....	51978	93.48
(AD26BB)		During that period, did you ever think that it would be better if you were dead?		
ADWRDBTR	2	1WHEN PRBLMS WORST THINK IT WOULD BE BETTER IF DEAD		
		1 = Yes.....	1749	3.15
		2 = No.....	1736	3.12
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	127	0.23
		99 = LEGITIMATE SKIP.....	51978	93.48
(AD26CC)		Did you think about committing suicide?		
ADWRSTHK	2	1WHEN PRBLMS WORST THINK ABOUT COMMITTING SUICIDE		
		1 = Yes.....	1353	2.43
		2 = No.....	2135	3.84
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	127	0.23
		99 = LEGITIMATE SKIP.....	51978	93.48
(AD26DD)		Did you make a suicide plan?		
ADWRSPNL	2	1WHEN PRBLMS WORST MAKE A SUICIDE PLAN		
		1 = Yes.....	466	0.84
		2 = No.....	883	1.59
		94 = DON'T KNOW.....	4	0.01
		98 = BLANK (NO ANSWER).....	136	0.24
		99 = LEGITIMATE SKIP.....	54113	97.32
(AD26EE)		Did you make a suicide attempt?		
ADWRSATP	2	1WHEN PRBLMS WORST MAKE A SUICIDE ATTEMPT		
		1 = Yes.....	380	0.68
		2 = No.....	967	1.74
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	136	0.24
		99 = LEGITIMATE SKIP.....	54113	97.32

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT DEPRESSION			PAGE:	532
LABEL	LEN	DESCRIPTION	FREQ	%
AD_MDEA1	2	1SAD/EMPTY/DEPRESSED MOST OF DAY OR DISCOURAGED		-
		1 = Has symptom.....	3251	5.85
		2 = Does not have symptom.....	551	0.99
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	1	0.00
		98 = OTHER MISSING/NOT APPLICABLE.....	14876	26.75
		99 = LEGITIMATE SKIP.....	36918	66.40
AD_MDEA2	2	1LOST INTEREST OR PLEASURE IN MOST THINGS		
		1 = Has symptom.....	3118	5.61
		2 = Does not have symptom.....	685	1.23
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	1	0.00
		98 = OTHER MISSING/NOT APPLICABLE.....	14876	26.75
		99 = LEGITIMATE SKIP.....	36918	66.40
*AD_MDEA3	2	1CHANGES IN APPETITE OR WT		
		1 = Has symptom.....	2928	5.27
		2 = Does not have symptom.....	494	0.89
		94 = DON'T KNOW.....	28	0.05
		97 = REFUSED.....	2	0.00
		98 = OTHER MISSING/NOT APPLICABLE.....	15232	27.39
		99 = LEGITIMATE SKIP.....	36918	66.40
AD_MDEA4	2	1SLEEP PROBLEMS		
		1 = Has symptom.....	3242	5.83
		2 = Does not have symptom.....	244	0.44
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	1	0.00
		98 = OTHER MISSING/NOT APPLICABLE.....	15187	27.31
		99 = LEGITIMATE SKIP.....	36918	66.40
AD_MDEA5	2	1OTHERS NOTICED THAT R WAS RESTLESS OR LETHARGIC		
		1 = Has symptom.....	1835	3.30
		2 = Does not have symptom.....	1636	2.94
		94 = DON'T KNOW.....	25	0.04
		97 = REFUSED.....	1	0.00
		98 = OTHER MISSING/NOT APPLICABLE.....	15187	27.31
		99 = LEGITIMATE SKIP.....	36918	66.40
AD_MDEA6	2	1FELT TIRED/LOW ENERGY NEARLY EVERY DAY		
		1 = Has symptom.....	3173	5.71
		2 = Does not have symptom.....	320	0.58
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	1	0.00
		98 = OTHER MISSING/NOT APPLICABLE.....	15187	27.31
		99 = LEGITIMATE SKIP.....	36918	66.40
*AD_MDEA7	2	1FELT WORTHLESS NEARLY EVERY DAY		
		1 = Has symptom.....	1795	3.23
		2 = Does not have symptom.....	1699	3.06
		94 = DON'T KNOW.....	3	0.01
		98 = OTHER MISSING/NOT APPLICABLE.....	15187	27.31
		99 = LEGITIMATE SKIP.....	36918	66.40

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT DEPRESSION			PAGE:	533
LABEL	LEN	DESCRIPTION	FREQ	%
AD_MDEA8	2	1INABILITY TO CONCENTRATE OR MAKE DECISIONS		-
		1 = Has symptom.....	2845	5.12
		2 = Does not have symptom.....	638	1.15
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	1	0.00
		98 = OTHER MISSING/NOT APPLICABLE.....	15187	27.31
		99 = LEGITIMATE SKIP.....	36918	66.40
AD_MDEA9	2	1ANY THOUGHTS OR PLANS OF SUICIDE		
		1 = Has symptom.....	2236	4.02
		2 = Does not have symptom.....	1253	2.25
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	3	0.01
		98 = OTHER MISSING/NOT APPLICABLE.....	15187	27.31
		99 = LEGITIMATE SKIP.....	36918	66.40
*ADSMMDDEA	2	1SCORE OF SYMPTOM INDICATORS 1 THRU 9		
		1 = Has 5 or more symptoms.....	3164	5.69
		2 = Has less than 5 symptoms.....	633	1.14
		94 = SUM OF SYMPTOMS AND DON'T KNOW >=5.....	10	0.02
		97 = SUM OF SYMPTOMS AND REFUSED >=5.....	1	0.00
		98 = OTHER MISSING/NOT APPLICABLE.....	14876	26.75
		99 = LEGITIMATE SKIP.....	36918	66.40
(AD28)		You mentioned having some of the problems I just asked you about.		
		During that [TIMEFILL] period of time, how much did your [FEELNOUN] and these other problems interfere with your work, your social life, or your personal relationships?		
ADPBINTF	2	1WHEN PRBLMS WORST INTERFERE WITH WORK/ PRSNL LIFE		
		1 = Not at all.....	75	0.13
		2 = A little.....	497	0.89
		3 = Some.....	968	1.74
		4 = A lot.....	1141	2.05
		5 = Extremely.....	560	1.01
		94 = DON'T KNOW.....	2	0.00
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	134	0.24
		99 = LEGITIMATE SKIP.....	52223	93.92
(AD28A)		During that [TIMEFILL] period of time, how often were you unable to carry out your daily activities because of these problems with your mood?		
ADPBIDLYA	2	1WHEN PRBLMS WORST UNABLE TO CARRY OUT DLY ACTVTS		
		1 = Often.....	739	1.33
		2 = Sometimes.....	1392	2.50
		3 = Rarely.....	759	1.37
		4 = Never.....	276	0.50
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	134	0.24
		99 = LEGITIMATE SKIP.....	52298	94.06

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	534
			FREQ	%
(AD37)		Think of the very first period of time in your life lasting two weeks or longer when you [FEELFILL] for most of the day nearly every day and also had some of the other problems we just asked about.		-
		Can you remember your exact age?		
ADPBRMBR	2	1RMBR AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED		
		1 = Yes.....	2139	3.85
		2 = No.....	1079	1.94
		94 = DON'T KNOW.....	21	0.04
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	134	0.24
		99 = LEGITIMATE SKIP.....	52223	93.92
(AD37A)		How old were you?		
ADPBAGE	3	1AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED		
		RANGE = 1 - 87	3126	5.62
		985 = BAD DATA Logically assigned.....	2	0.00
		994 = DON'T KNOW.....	105	0.19
		997 = REFUSED.....	6	0.01
		998 = BLANK (NO ANSWER).....	140	0.25
		999 = LEGITIMATE SKIP.....	52223	93.92
(AD52)		In your entire life, how many times did you feel [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?		
		If you are not sure of your answer, just make your best guess.		
ADPBNUM	4	1# TIMES FELT THIS WAY FOR 2 WKS/LNGR DURING LIFE		
		RANGE = 1 - 1000	3009	5.41
		9994 = DON'T KNOW.....	219	0.39
		9997 = REFUSED.....	17	0.03
		9998 = BLANK (NO ANSWER).....	134	0.24
		9999 = LEGITIMATE SKIP.....	52223	93.92
(AD38)		In the past 12 months, did you have a period of time when you felt [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?		
ADPB2WK	2	1FELT THIS 2 WKS+ W/OTH PRBS DURING PAST 12 MOS		
		1 = Yes.....	1860	3.35
		2 = No.....	1373	2.47
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	134	0.24
		99 = LEGITIMATE SKIP.....	52223	93.92

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	535
			FREQ	%

(AD66A) Think about the time in the past 12 months when [NUMPROBS] with your mood [WASWERE] most severe.

Using the 0 to 10 scale shown below, where 0 means no interference and 10 means very severe interference, select the number that describes how much [NUMPROBS] interfered with each of the following activities during that period. You can use any number between 0 and 10 to answer. If this activity doesn't apply to you, type in 95.

How much did your [FEELNOUN] interfere with your home management, like cleaning, shopping, and working around the house, apartment, or yard?

ADPSHMGT	2	1HOW MUCH DID FEELINGS INTERFERE WITH HOME MNGMT		
0 = No Interference.....			67	0.12
1 = Mild - 1.....			57	0.10
2 = Mild - 2.....			74	0.13
3 = Mild - 3.....			122	0.22
4 = Moderate - 4.....			144	0.26
5 = Moderate - 5.....			302	0.54
6 = Moderate - 6.....			272	0.49
7 = Severe - 7.....			268	0.48
8 = Severe - 8.....			206	0.37
9 = Severe - 9.....			97	0.17
10 = Very Severe Interference.....			169	0.30
94 = DON'T KNOW.....			7	0.01
95 = ACTIVITY DOES NOT APPLY.....			71	0.13
97 = REFUSED.....			4	0.01
98 = BLANK (NO ANSWER).....			146	0.26
99 = LEGITIMATE SKIP.....			53596	96.39

(AD66B) During that time in the past 12 months when your [FEELNOUN] was most severe, how much did this interfere with your ability to work?

You can use any number between 0 and 10 to answer. If this activity doesn't apply to you, type in 95.

ADPSWORK	2	1HOW MUCH DID FEELING INTERFERE WITH ABLTY TO WORK		
0 = No Interference.....			124	0.22
1 = Mild - 1.....			76	0.14
2 = Mild - 2.....			150	0.27
3 = Mild - 3.....			196	0.35
4 = Moderate - 4.....			208	0.37
5 = Moderate - 5.....			240	0.43
6 = Moderate - 6.....			185	0.33
7 = Severe - 7.....			178	0.32
8 = Severe - 8.....			145	0.26
9 = Severe - 9.....			64	0.12
10 = Very Severe Interference.....			134	0.24
94 = DON'T KNOW.....			4	0.01
95 = ACTIVITY DOES NOT APPLY.....			154	0.28
97 = REFUSED.....			2	0.00
98 = BLANK (NO ANSWER).....			146	0.26
99 = LEGITIMATE SKIP.....			53596	96.39

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	536
			FREQ	%
(AD66C)		How much did your [FEELNOUN] interfere with your ability to form and maintain close relationships with other people during that period of time?		-
		You can use any number between 0 and 10 to answer. If this activity doesn't apply to you, type in 95.		
ADPSRELS	2	1HOW MUCH DID FEELING INTERFERE WITH RELATIONSHIPS		
		0 = No Interference.....	63	0.11
		1 = Mild - 1.....	58	0.10
		2 = Mild - 2.....	109	0.20
		3 = Mild - 3.....	171	0.31
		4 = Moderate - 4.....	138	0.25
		5 = Moderate - 5.....	251	0.45
		6 = Moderate - 6.....	245	0.44
		7 = Severe - 7.....	243	0.44
		8 = Severe - 8.....	211	0.38
		9 = Severe - 9.....	134	0.24
		10 = Very Severe Interference.....	173	0.31
		94 = DON'T KNOW.....	6	0.01
		95 = ACTIVITY DOES NOT APPLY.....	54	0.10
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	146	0.26
		99 = LEGITIMATE SKIP.....	53596	96.39
(AD66D)		How much did [NUMPROBS] interfere with your social life during that period of time?		
		You can use any number between 0 and 10 to answer. If this activity doesn't apply to you, type in 95.		
ADPSSOC	2	1HOW MUCH DID FEELINGS INTERFERE WITH SOCIAL LIFE		
		0 = No Interference.....	60	0.11
		1 = Mild - 1.....	47	0.08
		2 = Mild - 2.....	87	0.16
		3 = Mild - 3.....	129	0.23
		4 = Moderate - 4.....	140	0.25
		5 = Moderate - 5.....	246	0.44
		6 = Moderate - 6.....	247	0.44
		7 = Severe - 7.....	258	0.46
		8 = Severe - 8.....	229	0.41
		9 = Severe - 9.....	145	0.26
		10 = Very Severe Interference.....	208	0.37
		94 = DON'T KNOW.....	6	0.01
		95 = ACTIVITY DOES NOT APPLY.....	54	0.10
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	146	0.26
		99 = LEGITIMATE SKIP.....	53596	96.39

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	537
			FREQ	%
(AD68)		About how many days out of 365 in the past 12 months were you totally unable to work or carry out your normal activities because of your [FEELNOUN]?		-
		You can use any number between 0 and 365 to answer		
ADPSDAYS	3	1# DYS UNABLE TO WORK/CARRY OUT DLY ACT PST 12 MOS		
		RANGE = 0 - 365	1786	3.21
		994 = DON'T KNOW.....	50	0.09
		997 = REFUSED.....	2	0.00
		998 = BLANK (NO ANSWER).....	146	0.26
		999 = LEGITIMATE SKIP.....	53618	96.43
(AD86)		Here is a list of professionals some people talk to about the problems we have been asking about:		
		<ul style="list-style-type: none"> - General practitioner or family doctor - Other medical doctor like a cardiologist, gynecologist, urologist - Psychologist - Psychiatrist or psychotherapist - Social Worker - Counselor - Other mental health professional, like a mental health nurse - A nurse, occupational therapist, or other health professional - A religious or spiritual advisor like a minister, priest, or rabbi - Another healer, like an herbalist, chiropractor, acupuncturist, or massage therapist 		
		At any time in the past 12 months, did you see or talk to a medical doctor or other professional about your [FEELNOUN]?		
ADSEEDOC	2	1SEE/TALK TO DR/OTH PROF ABT FEELINGS PAST 12 MOS		
		1 = Yes.....	1300	2.34
		2 = No.....	1944	3.50
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	134	0.24
		99 = LEGITIMATE SKIP.....	52223	93.92
(AD86A)		During the past 12 months, which professionals did you see or talk to about [NUMPROBS] with your mood?		
		Select all that apply from the categories shown below. To select more than one answer from the list, press the space bar between each number you type. When you have finished, press the [ENTER] key to go to the next question.		
ADFAMDOC	2	1GEN/FAM DOC TALKED W/ABT FEELINGS PAST 12 MOS		
		1 = Response entered.....	686	1.23
		6 = Response not entered.....	604	1.09
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	134	0.24
		99 = LEGITIMATE SKIP.....	54167	97.42

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT DEPRESSION			PAGE:	538
LABEL	LEN	DESCRIPTION	FREQ	%
ADOTHDOC	2	10TH DR TALKED W/ABOUT FEELINGS PAST 12 MOS		-
		1 = Response entered.....	114	0.21
		3 = Response entered LOGICALLY ASSIGNED.....	6	0.01
		6 = Response not entered.....	1170	2.10
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	134	0.24
		99 = LEGITIMATE SKIP.....	54167	97.42
ADPSYCH	2	1PSYCHOLOGIST TALKED W/ABOUT FEELINGS PAST 12 MOS		
		1 = Response entered.....	315	0.57
		6 = Response not entered.....	975	1.75
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	134	0.24
		99 = LEGITIMATE SKIP.....	54167	97.42
ADPSYMD	2	1PSYCHIATRIST TALKED W/ABOUT FEELINGS PAST 12 MOS		
		1 = Response entered.....	328	0.59
		6 = Response not entered.....	962	1.73
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	134	0.24
		99 = LEGITIMATE SKIP.....	54167	97.42
ADSOCWRK	2	1SOCIAL WORKER TALKED W/ABOUT FEELINGS PAST 12 MOS		
		1 = Response entered.....	129	0.23
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	1160	2.09
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	134	0.24
		99 = LEGITIMATE SKIP.....	54167	97.42
ADCOUNS	2	1COUNSELOR TALKED W/ABOUT FEELINGS PAST 12 MOS		
		1 = Response entered.....	307	0.55
		6 = Response not entered.....	983	1.77
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	134	0.24
		99 = LEGITIMATE SKIP.....	54167	97.42
ADOTHMHP	2	1MENTAL PROF TALKED W/ABOUT FEELINGS PAST 12 MOS		
		1 = Response entered.....	70	0.13
		6 = Response not entered.....	1220	2.19
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	134	0.24
		99 = LEGITIMATE SKIP.....	54167	97.42
ADNURSE	2	1NURSE ETC.TALKED W/ABOUT FEELINGS PAST 12 MOS		
		1 = Response entered.....	81	0.15
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	1208	2.17
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	134	0.24
		99 = LEGITIMATE SKIP.....	54167	97.42

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADULT DEPRESSION			PAGE:	539
LABEL	LEN	DESCRIPTION	FREQ	%
ADRELIG	2	1RELIGIOUS ADVSR TLKED W/ABOUT FEELINGS PST 12 MOS		-
		1 = Response entered.....	236	0.42
		3 = Response entered LOGICALLY ASSIGNED.....	3	0.01
		6 = Response not entered.....	1051	1.89
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	134	0.24
		99 = LEGITIMATE SKIP.....	54167	97.42
ADHERBAL	2	1HERBALIST TALKED W/ABOUT FEELINGS PAST 12 MOS		
		1 = Response entered.....	68	0.12
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	1221	2.20
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	134	0.24
		99 = LEGITIMATE SKIP.....	54167	97.42
ADOTHHELP	2	1OTH HELP PROF TALKED W/ABOUT FEELINGS PAST 12 MOS		
		1 = Response entered.....	42	0.08
		6 = Response not entered.....	1248	2.24
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	134	0.24
		99 = LEGITIMATE SKIP.....	54167	97.42
(AD86B)		Are you currently receiving professional treatment or counseling for [NUMPROBS] with your mood?		
ADTMNTNOW	2	1CURRENTLY RCVNG PROF TREATMENT/COUNSLG FOR MOOD		
		1 = Yes.....	609	1.10
		2 = No.....	689	1.24
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	134	0.24
		99 = LEGITIMATE SKIP.....	54167	97.42
(AD86C)		During the past 12 months, did you take prescription medication that was prescribed for [NUMPROBS]?		
ADRX12MO	2	1TAKE PRES MEDS PRESCRIBED FOR MOOD PAST 12 MONTHS		
		1 = Yes.....	1043	1.88
		2 = No.....	2200	3.96
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	134	0.24
		99 = LEGITIMATE SKIP.....	52223	93.92
(AD86D)		Are you currently taking prescription medication that was prescribed for [NUMPROBS]?		
ADRXNOW	2	1CURRENTLY TAKING PRESC MEDS PRESCRIBED FOR MOOD		
		1 = Yes.....	766	1.38
		2 = No.....	277	0.50
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	134	0.24
		99 = LEGITIMATE SKIP.....	54423	97.88

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	540
			FREQ	%
(AD86E)		During the past 12 months, how much has this prescription medication helped you?		-
ADRXLHP	2	1HOW MUCH HAS PRESC MEDS FOR MOOD HELPED PST 12 MO		
		1 = Not at all.....	76	0.14
		2 = A little.....	142	0.26
		3 = Some.....	241	0.43
		4 = A lot.....	353	0.63
		5 = Extremely.....	230	0.41
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	134	0.24
		99 = LEGITIMATE SKIP.....	54423	97.88
(AD86F)		During the past 12 months, how much has treatment or counseling helped you?		
ADTMTHLP	2	1HOW MUCH HAS TRMT/COUNSLG HELPED PST 12 MOS		
		1 = Not at all.....	201	0.36
		2 = A little.....	229	0.41
		3 = Some.....	322	0.58
		4 = A lot.....	345	0.62
		5 = Extremely.....	189	0.34
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	134	0.24
		99 = LEGITIMATE SKIP.....	54167	97.42

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	RECODED ADULT DEPRESSION	PAGE:	541
				FREQ	%

RECODED ADULT DEPRESSION					

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section. Specific details about the recoded variables are provided in the Recoded Depression Variable Documentation Appendix.					
NOTE: The following 4 variables make up the four role domains (home management, work, close relationships with others, and social life) of the Sheehan Disability Scale (SDS), which measures the impact of a disorder on a person's life.					
ASDSHOME	1	ADULT: MDE INTERFERE WITH HOME MANAGEMENT			
		.	= Unknown/Out of Scope (ADPSHMG=94,95,97,98,99).....	53824	96.80
		1	= No Interference (ADPSHMG=0).....	67	0.12
		2	= Mild Interference (ADPSHMG=1,2,3).....	253	0.46
		3	= Moderate Interference (ADPSHMG=4,5,6).....	718	1.29
		4	= Severe Interference (ADPSHMG=7,8,9).....	571	1.03
		5	= Very Severe Interference (ADPSHMG=10).....	169	0.30
ASDSWRK	1	ADULT: MDE INTERFERE WITH ABILITY TO WORK			
		.	= Unknown/Out of Scope (ADPSWORK=94,95,97,98,99).....	53902	96.94
		1	= No Interference (ADPSWORK=0).....	124	0.22
		2	= Mild Interference (ADPSWORK=1,2,3).....	422	0.76
		3	= Moderate Interference (ADPSWORK=4,5,6).....	633	1.14
		4	= Severe Interference (ADPSWORK=7,8,9).....	387	0.70
		5	= Very Severe Interference (ADPSWORK=10).....	134	0.24
ASDSREL	1	ADULT: MDE INTERFERE WITH CLOSE RELATIONSHIPS			
		.	= Unknown/Out of Scope (ADPSRELS=94,95,97,98,99).....	53806	96.77
		1	= No Interference (ADPSRELS=0).....	63	0.11
		2	= Mild Interference (ADPSRELS=1,2,3).....	338	0.61
		3	= Moderate Interference (ADPSRELS=4,5,6).....	634	1.14
		4	= Severe Interference (ADPSRELS=7,8,9).....	588	1.06
		5	= Very Severe Interference (ADPSRELS=10).....	173	0.31
ASDSSOC	1	ADULT: MDE INTERFERE WITH SOCIAL LIFE			
		.	= Unknown/Out of Scope (ADPSSOC=94,95,97,98,99).....	53806	96.77
		1	= No Interference (ADPSSOC=0).....	60	0.11
		2	= Mild Interference (ADPSSOC=1,2,3).....	263	0.47
		3	= Moderate Interference (ADPSSOC=4,5,6).....	633	1.14
		4	= Severe Interference (ADPSSOC=7,8,9).....	632	1.14
		5	= Very Severe Interference (ADPSSOC=10).....	208	0.37
The following variable, ASDSOVRL, is assigned the maximum level of interference from ASDSHOME, ASDSWRK, ASDSREL, and ASDSSOC, Max(ASDSHOME, ASDSWRK, ASDREL, AND ASDSSOC).					
ASDsovrl	1	ADULT: OVERALL SEVERITY LEVEL OF MDE INTERFERENCE			
		.	= Unknown/Out of Scope (Otherwise).....	53759	96.69
		1	= No Interference (See comment above).....	11	0.02
		2	= Mild Interference (See comment above).....	101	0.18
		3	= Moderate Interference (See comment above).....	556	1.00
		4	= Severe Interference (See comment above).....	842	1.51
		5	= Very Severe Interference (See comment above).....	333	0.60

LABEL	LEN	DESCRIPTION	RECODED ADULT DEPRESSION	PAGE:	542
-----	-----	-----	-----	FREQ	%
-----	-----	-----	-----	-----	-
ASDSDAYS	3	ADULT: # DAYS OUT OF ROLE FROM MDE INTEFERENCE	The following variable, ASDSDAYS, is set equal to ADPSDAYS when ADPSDAYS is between 0 and 365.		
	RANGE =	0 - 365		1786	3.21
	.	= Unknown/Out of Scope (Otherwise).....		53816	96.79

LABEL	LEN	DESCRIPTION	PAGE:	543
			FREQ	%
(YSU01) YOUTH MENTAL HEALTH TREATMENT				

These next questions are about treatment and counseling for problems with your behaviors or emotions that were not caused by alcohol or drugs.				

During the past 12 months, have you stayed overnight or longer in any type of hospital to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs?				

YUHOSPYR	2	1STAY OVNT IN HOSP FOR EMOT TRMT PST 12 MOS		
		1 = Yes.....	357	0.64
		2 = No.....	17849	32.10
		94 = DON'T KNOW.....	49	0.09
		97 = REFUSED.....	32	0.06
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10
(YSU02) During the past 12 months, how many nights altogether did you stay in a hospital to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs?				

YUHOSPN2	3	1# NIGHTS STAYED IN HOSP FOR EMOT TRMT PST 12 MOS		
		RANGE = 1 - 30	313	0.56
		31 = 31 or more.....	10	0.02
		994 = DON'T KNOW.....	18	0.03
		997 = REFUSED.....	48	0.09
		998 = BLANK (NO ANSWER).....	56	0.10
		999 = LEGITIMATE SKIP.....	55157	99.20
(YSU03) Think about the last time you stayed overnight or longer in a hospital to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason you were admitted there?				

YUHOSUIC	2	1STAYED IN HOSP BEC THOUGHT/TRYED TO KILL SELF		
		1 = Response entered.....	118	0.21
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	206	0.37
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	45	0.08
		98 = BLANK (NO ANSWER).....	56	0.10
		99 = LEGITIMATE SKIP.....	55157	99.20

YUHODEPR	2	1STAYED IN HOSP BEC YOU FELT DEPRESSED		
		1 = Response entered.....	94	0.17
		3 = Response entered LOGICALLY ASSIGNED.....	3	0.01
		6 = Response not entered.....	228	0.41
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	45	0.08
		98 = BLANK (NO ANSWER).....	56	0.10
		99 = LEGITIMATE SKIP.....	55157	99.20

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	544
LABEL	LEN	DESCRIPTION	FREQ	%
YUHOFEAR	2	1STAYED IN HOSP BEC YOU FELT AFRAID/TENSE		-
		1 = Response entered.....	37	0.07
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	287	0.52
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	45	0.08
		98 = BLANK (NO ANSWER).....	56	0.10
		99 = LEGITIMATE SKIP.....	55157	99.20
YUHOBKRU	2	1STAYED IN HOSP BEC BREAKING RULES/ACTING OUT		
		1 = Response entered.....	54	0.10
		6 = Response not entered.....	271	0.49
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	45	0.08
		98 = BLANK (NO ANSWER).....	56	0.10
		99 = LEGITIMATE SKIP.....	55157	99.20
YUHOEATP	2	1STAYED IN HOSP BEC YOU HAD EATING PROBS		
		1 = Response entered.....	22	0.04
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	302	0.54
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	45	0.08
		98 = BLANK (NO ANSWER).....	56	0.10
		99 = LEGITIMATE SKIP.....	55157	99.20
YUHOSOR	2	1STAYED IN HOSP FOR SOME OTHER REASON		
		1 = Response entered.....	155	0.28
		6 = Response not entered.....	170	0.31
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	45	0.08
		98 = BLANK (NO ANSWER).....	56	0.10
		99 = LEGITIMATE SKIP.....	55157	99.20
(YSU25)		During the past 12 months, did you receive special education services while in your regular classroom or have you been placed in a special classroom, a special program, or a special school because you had emotional or behavioral problems that were not caused by alcohol or drugs?		
YUSPEDYR	2	1SPECIAL EDUC SVCS FOR EMOT PROB PST 12 MOS		
		1 = Yes.....	773	1.39
		2 = No.....	15677	28.20
		94 = DON'T KNOW.....	41	0.07
		97 = REFUSED.....	61	0.11
		98 = BLANK (NO ANSWER).....	107	0.19
		99 = LEGITIMATE SKIP.....	38943	70.04

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	YOUTH MENTAL HEALTH TREATMENT		PAGE: FREQ	545 %
			-----	-----		
(YSU26)		During the past 12 months, did you talk to school counselors, school psychologists, or had regular meetings with your teachers about problems with your emotions or behaviors that were not caused by alcohol or drugs?				-
YUSHCNYR	2	1TALKED W/SCH COUNS FOR EMOT PROB PST 12 MOS				
		1 = Yes.....	1990	3.58		
		2 = No.....	14476	26.04		
		94 = DON'T KNOW.....	29	0.05		
		97 = REFUSED.....	57	0.10		
		98 = BLANK (NO ANSWER).....	107	0.19		
		99 = LEGITIMATE SKIP.....	38943	70.04		
(YSU27)		Think about the last time you talked to school counselors, school psychologists, or had regular meetings with your teachers about problems with your emotions or behaviors that were not caused by alcohol or drugs. What was the reason for your talk?				
YUSHSUIC	2	1TLKED W/SCH COUNS BEC THOT/TRYED TO KILL SELF				
		1 = Response entered.....	217	0.39		
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00		
		6 = Response not entered.....	1722	3.10		
		94 = DON'T KNOW.....	26	0.05		
		97 = REFUSED.....	80	0.14		
		98 = BLANK (NO ANSWER).....	136	0.24		
		99 = LEGITIMATE SKIP.....	53419	96.07		
YUSHDEPR	2	1TLKED W/SCH COUNS BEC YOU FELT DEPRESSED				
		1 = Response entered.....	830	1.49		
		3 = Response entered LOGICALLY ASSIGNED.....	7	0.01		
		6 = Response not entered.....	1104	1.99		
		94 = DON'T KNOW.....	26	0.05		
		97 = REFUSED.....	80	0.14		
		98 = BLANK (NO ANSWER).....	136	0.24		
		99 = LEGITIMATE SKIP.....	53419	96.07		
YUSHFEAR	2	1TLKED W/SCH COUNS BEC YOU FELT AFRAID/TENSE				
		1 = Response entered.....	321	0.58		
		3 = Response entered LOGICALLY ASSIGNED.....	11	0.02		
		6 = Response not entered.....	1609	2.89		
		94 = DON'T KNOW.....	26	0.05		
		97 = REFUSED.....	80	0.14		
		98 = BLANK (NO ANSWER).....	136	0.24		
		99 = LEGITIMATE SKIP.....	53419	96.07		
YUSHBKRU	2	1TLKED W/SCH COUNS BEC BRKING RULES/ACT OUT				
		1 = Response entered.....	429	0.77		
		3 = Response entered LOGICALLY ASSIGNED.....	29	0.05		
		6 = Response not entered.....	1483	2.67		
		94 = DON'T KNOW.....	26	0.05		
		97 = REFUSED.....	80	0.14		
		98 = BLANK (NO ANSWER).....	136	0.24		
		99 = LEGITIMATE SKIP.....	53419	96.07		

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	546
LABEL	LEN	DESCRIPTION	FREQ	%
YUSHEATP	2	1TLKED W/SCH COUNS BEC YOU HAD EATING PROBS		-
		1 = Response entered.....	98	0.18
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	1842	3.31
		94 = DON'T KNOW.....	26	0.05
		97 = REFUSED.....	80	0.14
		98 = BLANK (NO ANSWER).....	136	0.24
		99 = LEGITIMATE SKIP.....	53419	96.07
YUSHSOR	2	1TLKED W/SCH COUNS FOR SOME OTHER REASON		
		1 = Response entered.....	1073	1.93
		6 = Response not entered.....	868	1.56
		94 = DON'T KNOW.....	26	0.05
		97 = REFUSED.....	80	0.14
		98 = BLANK (NO ANSWER).....	136	0.24
		99 = LEGITIMATE SKIP.....	53419	96.07
(YSU28)		Have you ever been in jail or in a detention center?		
YUJAILEV	2	1EVER BEEN IN JAIL OR DETENTION CENTER		
		1 = Yes.....	1128	2.03
		2 = No.....	17080	30.72
		94 = DON'T KNOW.....	35	0.06
		97 = REFUSED.....	44	0.08
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10
(YSU29)		Have you ever been in foster care?		
YUFCAREV	2	1EVER BEEN IN FOSTER CARE		
		1 = Yes.....	445	0.80
		2 = No.....	17671	31.78
		5 = Yes LOGICALLY ASSIGNED (from skip pattern).....	113	0.20
		94 = DON'T KNOW.....	31	0.06
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10
(YSU04)		During the past 12 months, did you stay overnight or longer in a residential treatment center to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs?		
YURSIDYR	2	1STAYED IN RESID CTR FOR EMOT TRMT PST 12 MOS		
		1 = Yes.....	223	0.40
		2 = No.....	17982	32.34
		94 = DON'T KNOW.....	43	0.08
		97 = REFUSED.....	39	0.07
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	547
LABEL	LEN	DESCRIPTION	FREQ	%

(YSU05) During the past 12 months, how many nights altogether did you stay in a residential treatment center to receive treatment for emotional or behavioral problems that were not caused by alcohol or drugs?				
YURSIDN2 3 1# NIGHTS IN RESID CTR FOR EMOT TRMT PST 12 MOS				
RANGE = 1 - 30				
31 = 31 or more..... 178 0.32				
994 = DON'T KNOW..... 28 0.05				
997 = REFUSED..... 15 0.03				
998 = BLANK (NO ANSWER)..... 41 0.07				
999 = LEGITIMATE SKIP..... 50 0.09				
55290 99.44				
(YSU06) Think about the last time you stayed overnight or longer in a residential treatment center to receive treatment for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason you were admitted there?				
YURSSUIC 2 1STAYED IN RESID CTR BEC THOT/TRYED TO KILL SELF				
1 = Response entered..... 86 0.15				
3 = Response entered LOGICALLY ASSIGNED..... 1 0.00				
6 = Response not entered..... 122 0.22				
94 = DON'T KNOW..... 8 0.01				
97 = REFUSED..... 45 0.08				
98 = BLANK (NO ANSWER)..... 50 0.09				
99 = LEGITIMATE SKIP..... 55290 99.44				
YURSDEPR 2 1STAYED IN RESID CTR BEC YOU FELT DEPRESSED				
1 = Response entered..... 79 0.14				
3 = Response entered LOGICALLY ASSIGNED..... 1 0.00				
6 = Response not entered..... 129 0.23				
94 = DON'T KNOW..... 8 0.01				
97 = REFUSED..... 45 0.08				
98 = BLANK (NO ANSWER)..... 50 0.09				
99 = LEGITIMATE SKIP..... 55290 99.44				
YURSFEAR 2 1STAYED IN RESID CTR BEC YOU FELT AFRAID/TENSE				
1 = Response entered..... 27 0.05				
6 = Response not entered..... 182 0.33				
94 = DON'T KNOW..... 8 0.01				
97 = REFUSED..... 45 0.08				
98 = BLANK (NO ANSWER)..... 50 0.09				
99 = LEGITIMATE SKIP..... 55290 99.44				
YURSBKRU 2 1STAYED IN RESID CTR BEC BRKING RULES/ACT OUT				
1 = Response entered..... 61 0.11				
6 = Response not entered..... 148 0.27				
94 = DON'T KNOW..... 8 0.01				
97 = REFUSED..... 45 0.08				
98 = BLANK (NO ANSWER)..... 50 0.09				
99 = LEGITIMATE SKIP..... 55290 99.44				

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	548
LABEL	LEN	DESCRIPTION	FREQ	%
YURSEATP	2	1STAYED IN RESID CTR BEC YOU HAD EATING PROBS		-
		1 = Response entered.....	22	0.04
		6 = Response not entered.....	187	0.34
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	45	0.08
		98 = BLANK (NO ANSWER).....	50	0.09
		99 = LEGITIMATE SKIP.....	55290	99.44
YURSSOR	2	1STAYED IN RESID CTR FOR SOME OTHER REASON		
		1 = Response entered.....	60	0.11
		6 = Response not entered.....	149	0.27
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	45	0.08
		98 = BLANK (NO ANSWER).....	50	0.09
		99 = LEGITIMATE SKIP.....	55290	99.44
(YSU07)		During the past 12 months, did you stay overnight or longer in foster care or in a therapeutic foster care home because you had emotional or behavioral problems that were not caused by alcohol or drugs?		
YUFCAHYR	2	1SPENT TIME IN FOST CARE FOR EMOT PROB PST 12 MOS		
		1 = Yes.....	113	0.20
		2 = No.....	18102	32.56
		4 = NO LOGICALLY ASSIGNED.....	38	0.07
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10
(YSU08)		During the past 12 months, how many nights altogether did you stay in foster care or in a therapeutic foster care home because you had emotional or behavioral problems that were not caused by alcohol or drugs?		
YUFCAHRY2	3	1# NIGHTS IN FOST CARE FOR EMOT PROB PST 12 MOS		
		RANGE = 1 - 30	83	0.15
		31 = 31 or more.....	15	0.03
		994 = DON'T KNOW.....	11	0.02
		997 = REFUSED.....	23	0.04
		998 = BLANK (NO ANSWER).....	22	0.04
		999 = LEGITIMATE SKIP.....	55448	99.72
(YSU09)		Think about the last time you stayed overnight or longer in foster care or in a therapeutic foster care home because you had emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason you were placed there?		
YUFCSUIC	2	1STAYED IN FOST CARE BEC THOT/TRYED TO KILL SELF		
		1 = Response entered.....	35	0.06
		6 = Response not entered.....	68	0.12
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	22	0.04
		99 = LEGITIMATE SKIP.....	55448	99.72

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	549
LABEL	LEN	DESCRIPTION	FREQ	%
YUFCDEPR	2	1STAYED IN FOST CARE BEC YOU FELT DEPRESSED		-
		1 = Response entered.....	22	0.04
		6 = Response not entered.....	81	0.15
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	22	0.04
		99 = LEGITIMATE SKIP.....	55448	99.72
YUFCFEAR	2	1STAYED IN FOST CARE BEC YOU FELT AFRAID/TENSE		
		1 = Response entered.....	15	0.03
		6 = Response not entered.....	88	0.16
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	22	0.04
		99 = LEGITIMATE SKIP.....	55448	99.72
YUFCBKRU	2	1STAYED IN FOST CARE BEC BRKING RULES/ACT OUT		
		1 = Response entered.....	20	0.04
		6 = Response not entered.....	83	0.15
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	22	0.04
		99 = LEGITIMATE SKIP.....	55448	99.72
YUFCEATP	2	1STAYED IN FOST CARE BEC YOU HAD EATING PROBS		
		1 = Response entered.....	7	0.01
		6 = Response not entered.....	96	0.17
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	22	0.04
		99 = LEGITIMATE SKIP.....	55448	99.72
YUFCSOR	2	1STAYED IN FOST CARE FOR SOME OTHER REASON		
		1 = Response entered.....	34	0.06
		6 = Response not entered.....	69	0.12
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	26	0.05
		98 = BLANK (NO ANSWER).....	22	0.04
		99 = LEGITIMATE SKIP.....	55448	99.72
(YSU10)		During the past 12 months, did you receive treatment or counseling at a partial day hospital or day treatment program because you had problems with your behavior or emotions that were not caused by alcohol or drugs?		
YUDYTXYR	2	1SPENT TIME IN DAY TRMT PROG PAST 12 MOS		
		1 = Yes.....	345	0.62
		2 = No.....	17842	32.09
		94 = DON'T KNOW.....	56	0.10
		97 = REFUSED.....	44	0.08
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	550
LABEL	LEN	DESCRIPTION	FREQ	%
(YSU11)		During the past 12 months, how many times did you visit a partial day hospital or day treatment program because you had emotional or behavioral problems that were not caused by alcohol or drugs?		-
YUDYTXN2	3	1# TIMES VISITED DAY TRMT PROG PAST 12 MOS		
	RANGE =	1 - 30	308	0.55
	31	= 31 or more.....	12	0.02
	994	= DON'T KNOW.....	23	0.04
	997	= REFUSED.....	46	0.08
	998	= BLANK (NO ANSWER).....	63	0.11
	999	= LEGITIMATE SKIP.....	55150	99.19
(YSU12)		Think about the last time you visited a partial day hospital or day treatment program because you had emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your visit?		
YUDYSUIC	2	1VISITED DAY TRMT BEC THOT/TRYED TO KILL SELF		
	1	= Response entered.....	113	0.20
	3	= Response entered LOGICALLY ASSIGNED.....	1	0.00
	6	= Response not entered.....	216	0.39
	94	= DON'T KNOW.....	12	0.02
	97	= REFUSED.....	47	0.08
	98	= BLANK (NO ANSWER).....	63	0.11
	99	= LEGITIMATE SKIP.....	55150	99.19
YUDYDEPR	2	1VISITED DAY TRMT BEC YOU FELT DEPRESSED		
	1	= Response entered.....	175	0.31
	3	= Response entered LOGICALLY ASSIGNED.....	3	0.01
	6	= Response not entered.....	152	0.27
	94	= DON'T KNOW.....	12	0.02
	97	= REFUSED.....	47	0.08
	98	= BLANK (NO ANSWER).....	63	0.11
	99	= LEGITIMATE SKIP.....	55150	99.19
YUDYFEAR	2	1VISITED DAY TRMT BEC YOU FELT AFRAID/TENSE		
	1	= Response entered.....	73	0.13
	3	= Response entered LOGICALLY ASSIGNED.....	3	0.01
	6	= Response not entered.....	254	0.46
	94	= DON'T KNOW.....	12	0.02
	97	= REFUSED.....	47	0.08
	98	= BLANK (NO ANSWER).....	63	0.11
	99	= LEGITIMATE SKIP.....	55150	99.19
YUDYBKRU	2	1VISITED DAY TRMT BEC BRKING RULES/ACT OUT		
	1	= Response entered.....	80	0.14
	3	= Response entered LOGICALLY ASSIGNED.....	4	0.01
	6	= Response not entered.....	246	0.44
	94	= DON'T KNOW.....	12	0.02
	97	= REFUSED.....	47	0.08
	98	= BLANK (NO ANSWER).....	63	0.11
	99	= LEGITIMATE SKIP.....	55150	99.19

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	551
LABEL	LEN	DESCRIPTION	FREQ	%
YUDYEATP	2	1VISITED DAY TRMT BEC YOU HAD EATING PROBS		-
		1 = Response entered.....	24	0.04
		6 = Response not entered.....	306	0.55
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	63	0.11
		99 = LEGITIMATE SKIP.....	55150	99.19
YUDYSOR	2	1VISITED DAY TRMT FOR SOME OTHER REASON		
		1 = Response entered.....	125	0.22
		6 = Response not entered.....	205	0.37
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	63	0.11
		99 = LEGITIMATE SKIP.....	55150	99.19
(YSU13)		During the past 12 months, did you receive treatment or counseling at a mental health clinic or center because you had problems with your behavior or emotions that were not caused by alcohol or drugs?		
YUMHCRYR	2	1RCVD EMOT TRMT IN MENT HLTH CLNC PST 12 MOS		
		1 = Yes.....	548	0.99
		2 = No.....	17646	31.74
		94 = DON'T KNOW.....	50	0.09
		97 = REFUSED.....	43	0.08
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10
(YSU14)		During the past 12 months, how many times did you visit a mental health clinic or center to receive treatment or counseling because you had emotional or behavioral problems that were not caused by alcohol or drugs?		
YUMHCRN2	3	1# TIMES VISITED MENT HLTH CLNC PST 12 MOS		
		RANGE = 1 - 30	476	0.86
		31 = 31 or more.....	27	0.05
		994 = DON'T KNOW.....	41	0.07
		997 = REFUSED.....	47	0.08
		998 = BLANK (NO ANSWER).....	57	0.10
		999 = LEGITIMATE SKIP.....	54954	98.83
(YSU15)		Think about the last time you visited a mental health clinic or center to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your visit?		
YUMHSUIC	2	1VISITED MH CLNC BEC THOUGHT/TRYED TO KILL SELF		
		1 = Response entered.....	196	0.35
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	332	0.60
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	50	0.09
		98 = BLANK (NO ANSWER).....	57	0.10
		99 = LEGITIMATE SKIP.....	54954	98.83

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	552
LABEL	LEN	DESCRIPTION	FREQ	%
YUMHDEPR	2	1VISITED MH CLNC BEC YOU FELT DEPRESSED		-
		1 = Response entered.....	317	0.57
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	210	0.38
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	50	0.09
		98 = BLANK (NO ANSWER).....	57	0.10
		99 = LEGITIMATE SKIP.....	54954	98.83
YUMHFEAR	2	1VISITED MH CLNC BEC YOU FELT AFRAID/TENSE		
		1 = Response entered.....	108	0.19
		3 = Response entered LOGICALLY ASSIGNED.....	6	0.01
		6 = Response not entered.....	415	0.75
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	50	0.09
		98 = BLANK (NO ANSWER).....	57	0.10
		99 = LEGITIMATE SKIP.....	54954	98.83
YUMHBKRU	2	1VISITED MH CLNC BEC BREAKING RULES/ACTING OUT		
		1 = Response entered.....	129	0.23
		3 = Response entered LOGICALLY ASSIGNED.....	9	0.02
		6 = Response not entered.....	391	0.70
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	50	0.09
		98 = BLANK (NO ANSWER).....	57	0.10
		99 = LEGITIMATE SKIP.....	54954	98.83
YUMHEATP	2	1VISITED MH CLNC BEC YOU HAD EATING PROBS		
		1 = Response entered.....	62	0.11
		6 = Response not entered.....	467	0.84
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	50	0.09
		98 = BLANK (NO ANSWER).....	57	0.10
		99 = LEGITIMATE SKIP.....	54954	98.83
YUMHSOR	2	1VISITED MH CLNC FOR SOME OTHER REASON		
		1 = Response entered.....	215	0.39
		6 = Response not entered.....	314	0.56
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	50	0.09
		98 = BLANK (NO ANSWER).....	57	0.10
		99 = LEGITIMATE SKIP.....	54954	98.83
(YSU16)		During the past 12 months, did you receive treatment or counseling from a private therapist, psychologist, psychiatrist, social worker, or counselor for emotional or behavioral problems that were not caused by alcohol or drugs?		
YUTPSTYR	2	1RCVD EMOT TRMT FROM THERAPIST PST 12 MOS		
		1 = Yes.....	1906	3.43
		2 = No.....	16270	29.26
		94 = DON'T KNOW.....	55	0.10
		97 = REFUSED.....	56	0.10
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	553
LABEL	LEN	DESCRIPTION	FREQ	%
(YSU17)		During the past 12 months, how many times did you receive treatment or counseling from a private therapist, psychologist, psychiatrist, social worker, or counselor for emotional or behavioral problems that were not caused by alcohol or drugs?		-
YUTPSTN2	3	1# TIMES VISITED THERAPIST PAST 12 MONTHS		
		RANGE = 1 - 30	1676	3.01
		31 = 31 or more.....	101	0.18
		994 = DON'T KNOW.....	118	0.21
		997 = REFUSED.....	67	0.12
		998 = BLANK (NO ANSWER).....	62	0.11
		999 = LEGITIMATE SKIP.....	53578	96.36
(YSU18)		Think about the last time you visited a private therapist, psychologist, psychiatrist, social worker, or counselor to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your visit?		
YUTPSUIC	2	1VISITED THERAPIST BEC THOT/TRYED TO KILL SELF		
		1 = Response entered.....	389	0.70
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	1482	2.67
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	70	0.13
		98 = BLANK (NO ANSWER).....	62	0.11
		99 = LEGITIMATE SKIP.....	53578	96.36
YUTPDEPR	2	1VISITED THERAPIST BEC YOU FELT DEPRESSED		
		1 = Response entered.....	960	1.73
		3 = Response entered LOGICALLY ASSIGNED.....	16	0.03
		6 = Response not entered.....	897	1.61
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	70	0.13
		98 = BLANK (NO ANSWER).....	62	0.11
		99 = LEGITIMATE SKIP.....	53578	96.36
YUTPFEAR	2	1VISITED THERAPIST BEC YOU FELT AFRAID/TENSE		
		1 = Response entered.....	339	0.61
		3 = Response entered LOGICALLY ASSIGNED.....	25	0.04
		6 = Response not entered.....	1509	2.71
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	70	0.13
		98 = BLANK (NO ANSWER).....	62	0.11
		99 = LEGITIMATE SKIP.....	53578	96.36
YUTPBKRU	2	1VISITED THERAPIST BEC BRKING RULES/ACT OUT		
		1 = Response entered.....	407	0.73
		3 = Response entered LOGICALLY ASSIGNED.....	31	0.06
		6 = Response not entered.....	1435	2.58
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	70	0.13
		98 = BLANK (NO ANSWER).....	62	0.11
		99 = LEGITIMATE SKIP.....	53578	96.36

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	554
LABEL	LEN	DESCRIPTION	FREQ	%
YUTPEATP	2	1VISITED THERAPIST BEC YOU HAD EATING PROBS		-
		1 = Response entered.....	138	0.25
		6 = Response not entered.....	1735	3.12
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	70	0.13
		98 = BLANK (NO ANSWER).....	62	0.11
		99 = LEGITIMATE SKIP.....	53578	96.36
YUTPSOR	2	1VISITED THERAPIST FOR SOME OTHER REASON		
		1 = Response entered.....	978	1.76
		6 = Response not entered.....	895	1.61
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	70	0.13
		98 = BLANK (NO ANSWER).....	62	0.11
		99 = LEGITIMATE SKIP.....	53578	96.36
(YSU19)		During the past 12 months, did you receive treatment or counseling from an in-home therapist, counselor, or family preservation worker for emotional or behavioral problems that were not caused by alcohol or drugs?		
YUIHTPYR	2	1RCVD EMOT TRMT FROM IN HOME COUNS PST 12 MOS		
		1 = Yes.....	551	0.99
		2 = No.....	17603	31.66
		94 = DON'T KNOW.....	72	0.13
		97 = REFUSED.....	61	0.11
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10
(YSU20)		During the past 12 months, how many times did you receive treatment or counseling from an in-home therapist, counselor, or family preservation worker for emotional or behavioral problems that were not caused by alcohol or drugs?		
YUIHTPN2	2	1# TIMES RCVD TRMT FR IN HOME COUNS PST 12 MOS		
		RANGE = 1 - 30	485	0.87
		31 = 31 or more.....	25	0.04
		994 = DON'T KNOW.....	38	0.07
		997 = REFUSED.....	64	0.12
		998 = BLANK (NO ANSWER).....	79	0.14
		999 = LEGITIMATE SKIP.....	54911	98.76
(YSU21)		Think about the last time you saw an in-home therapist, counselor, or family preservation worker to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for this visit?		
YUIHSUIC	2	1SAW IN HOME COUNS BEC THOT/TRYED TO KILL SELF		
		1 = Response entered.....	113	0.20
		6 = Response not entered.....	421	0.76
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	69	0.12
		98 = BLANK (NO ANSWER).....	79	0.14
		99 = LEGITIMATE SKIP.....	54911	98.76

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	555
LABEL	LEN	DESCRIPTION	FREQ	%
YUIHDEPR	2	1SAW IN HOME COUNS BEC YOU FELT DEPRESSED		-
		1 = Response entered.....	237	0.43
		3 = Response entered LOGICALLY ASSIGNED.....	3	0.01
		6 = Response not entered.....	294	0.53
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	69	0.12
		98 = BLANK (NO ANSWER).....	79	0.14
		99 = LEGITIMATE SKIP.....	54911	98.76
YUIHFEAR	2	1SAW IN HOME COUNS BEC YOU FELT AFRAID/TENSE		
		1 = Response entered.....	82	0.15
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	451	0.81
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	69	0.12
		98 = BLANK (NO ANSWER).....	79	0.14
		99 = LEGITIMATE SKIP.....	54911	98.76
YUIHBKRU	2	1SAW IN HOME COUNS BEC BRKING RULES/ACT OUT		
		1 = Response entered.....	147	0.26
		3 = Response entered LOGICALLY ASSIGNED.....	9	0.02
		6 = Response not entered.....	378	0.68
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	69	0.12
		98 = BLANK (NO ANSWER).....	79	0.14
		99 = LEGITIMATE SKIP.....	54911	98.76
YUIHEATP	2	1SAW IN HOME COUNS BEC YOU HAD EATING PROBS		
		1 = Response entered.....	30	0.05
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	503	0.90
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	69	0.12
		98 = BLANK (NO ANSWER).....	79	0.14
		99 = LEGITIMATE SKIP.....	54911	98.76
YUIHSOR	2	1SAW IN HOME COUNS FOR SOME OTHER REASON		
		1 = Response entered.....	234	0.42
		6 = Response not entered.....	300	0.54
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	69	0.12
		98 = BLANK (NO ANSWER).....	79	0.14
		99 = LEGITIMATE SKIP.....	54911	98.76
(YSU22)		During the past 12 months, did you receive treatment or counseling from a pediatrician or other family doctor for emotional or behavioral problems that were not caused by alcohol or drugs?		
YUFDOCYR	2	1RCVD EMOT TRMT FROM FAMLY DOC PST 12 MOS		
		1 = Yes.....	623	1.12
		2 = No.....	17534	31.53
		94 = DON'T KNOW.....	74	0.13
		97 = REFUSED.....	56	0.10
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	556
			FREQ	%
(YSU23)		During the past 12 months, how many times did you receive treatment or counseling from a pediatrician or other family doctor for emotional or behavioral problems that were not caused by alcohol or drugs?		-
YUFDOCN2	3	1# TIMES RCV'D TRMT FROM FAMILY DOC PST 12 MOS		
	RANGE =	1 - 30	585	1.05
		31 = 31 or more.....	5	0.01
		994 = DON'T KNOW.....	31	0.06
		997 = REFUSED.....	58	0.10
		998 = BLANK (NO ANSWER).....	81	0.15
		999 = LEGITIMATE SKIP.....	54842	98.63
(YSU24)		Think about the last time you visited a pediatrician or other family doctor to receive treatment or counseling for emotional or behavioral problems that were not caused by alcohol or drugs. What was the reason for your visit?		
YUFDSUIC	2	1SAW FAMLY DOC BEC THOUGHT/TRYED TO KILL SELF		
	1	= Response entered.....	91	0.16
	6	= Response not entered.....	504	0.91
	94	= DON'T KNOW.....	16	0.03
	97	= REFUSED.....	68	0.12
	98	= BLANK (NO ANSWER).....	81	0.15
	99	= LEGITIMATE SKIP.....	54842	98.63
YUFDDEPR	2	1SAW FAMLY DOC BEC YOU FELT DEPRESSED		
	1	= Response entered.....	247	0.44
	3	= Response entered LOGICALLY ASSIGNED.....	10	0.02
	6	= Response not entered.....	338	0.61
	94	= DON'T KNOW.....	16	0.03
	97	= REFUSED.....	68	0.12
	98	= BLANK (NO ANSWER).....	81	0.15
	99	= LEGITIMATE SKIP.....	54842	98.63
YUFDFEAR	2	1SAW FAMLY DOC BEC YOU FELT AFRAID/TENSE		
	1	= Response entered.....	84	0.15
	3	= Response entered LOGICALLY ASSIGNED.....	8	0.01
	6	= Response not entered.....	503	0.90
	94	= DON'T KNOW.....	16	0.03
	97	= REFUSED.....	68	0.12
	98	= BLANK (NO ANSWER).....	81	0.15
	99	= LEGITIMATE SKIP.....	54842	98.63
YUFDBKRU	2	1SAW FAMLY DOC BEC BREAKING RULES/ACTING OUT		
	1	= Response entered.....	95	0.17
	3	= Response entered LOGICALLY ASSIGNED.....	4	0.01
	6	= Response not entered.....	496	0.89
	94	= DON'T KNOW.....	16	0.03
	97	= REFUSED.....	68	0.12
	98	= BLANK (NO ANSWER).....	81	0.15
	99	= LEGITIMATE SKIP.....	54842	98.63

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

YOUTH MENTAL HEALTH TREATMENT			PAGE:	557
LABEL	LEN	DESCRIPTION	FREQ	%
YUFDEATP	2	1SAW FAMLY DOC BEC YOU HAD EATING PROBS		-
		1 = Response entered.....	65	0.12
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	529	0.95
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	68	0.12
		98 = BLANK (NO ANSWER).....	81	0.15
		99 = LEGITIMATE SKIP.....	54842	98.63
YUFDSOR	2	1SAW FAMLY DOC FOR SOME OTHER REASON		
		1 = Response entered.....	282	0.51
		6 = Response not entered.....	313	0.56
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	68	0.12
		98 = BLANK (NO ANSWER).....	81	0.15
		99 = LEGITIMATE SKIP.....	54842	98.63

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

Codebook Creation Date: September 20, 2012

LABEL	LEN	DESCRIPTION	RECODED YOUTH MENTAL HEALTH TREATMENT	PAGE:	558
				FREQ	%

RECODED YOUTH MENTAL HEALTH TREATMENT					

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section.					
The following recoded variables contain information about whether youths received treatment/counseling in the past year from each of 10 specific sources for problems with behaviors or emotions that were not caused by alcohol or drugs.					
YHOSP	1	STAYED OVNT IN HOSP FOR EMOT TRMT IN PST YR			
		. = Unknown/Aged 18+ (YUHOSPYR=94,97,98,99).....	37396	67.26	
		0 = No (YUHOSPYR=2).....	17849	32.10	
		1 = Yes (YUHOSPYR=1).....	357	0.64	
YRESID	1	STAYED IN RESID CTR FOR EMOT TRMT IN PST YR			
		. = Unknown/Aged 18+ (YURSIDYR=94,97,98,99).....	37397	67.26	
		0 = No (YURSIDYR=2).....	17982	32.34	
		1 = Yes (YURSIDYR=1).....	223	0.40	
YFOST	1	SPENT TIME IN FOST CARE FOR EMOT PROB IN PST YR			
		. = Unknown/Aged 18+ (YUFCARYR=94,97,98,99).....	37349	67.17	
		0 = No (YUFCARYR=2,4).....	18140	32.62	
		1 = Yes (YUFCARYR=1).....	113	0.20	
YDAYTRT	1	SPENT TIME IN DAY TRMT PRG FOR EMOT PRB IN PST YR			
		. = Unknown/Aged 18+ (YUDYTXYR=94,97,98,99).....	37415	67.29	
		0 = No (YUDYTXYR=2).....	17842	32.09	
		1 = Yes (YUDYTXYR=1).....	345	0.62	
YCLIN	1	RCVD EMOT TRMT IN MENT HLTH CLNC IN PST YR			
		. = Unknown/Aged 18+ (YUMHCRYR=94,97,98,99).....	37408	67.28	
		0 = No (YUMHCRYR=2).....	17646	31.74	
		1 = Yes (YUMHCRYR=1).....	548	0.99	
YTHER	1	RCVD EMOT TRMT FROM THERAPIST IN PST YR			
		. = Unknown/Aged 18+ (YUTPSTYR=94,97,98,99).....	37426	67.31	
		0 = No (YUTPSTYR=2).....	16270	29.26	
		1 = Yes (YUTPSTYR=1).....	1906	3.43	
YHOME	1	RCVD EMOT TRMT FROM IN-HOME COUNS IN PST YR			
		. = Unknown/Aged 18+ (YUIHTPYR=94,97,98,99).....	37448	67.35	
		0 = No (YUIHTPYR=2).....	17603	31.66	
		1 = Yes (YUIHTPYR=1).....	551	0.99	
YPED	1	RCVD EMOT TRMT FROM FAMLY DOC IN PST YR			
		. = Unknown/Aged 18+ (YUFDOCYR=94,97,98,99).....	37445	67.34	
		0 = No (YUFDOCYR=2).....	17534	31.53	
		1 = Yes (YUFDOCYR=1).....	623	1.12	
YSPED	1	SPECIAL EDUC SVCS FOR EMOT PROB IN PST YR			
		. = Unknown/Aged 18+ (Otherwise).....	37517	67.47	
		0 = No (YUSPEDYR=2 OR [AGE2<7 AND YUSPEDYR=99]).....	17312	31.14	
		1 = Yes (YUSPEDYR=1).....	773	1.39	

RECODED YOUTH MENTAL HEALTH TREATMENT			PAGE:	559
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
YSCHL	1	TALKED W/SCH COUNS FOR EMOT PROB IN PST YR		
		. = Unknown/Aged 18+ (Otherwise).....	37501	67.45
		0 = No (YUSHCNYR=2 OR [AGE2<7 AND YUSHCNYR=99]).....	16111	28.98
		1 = Yes (YUSHCNYR=1).....	1990	3.58

The following variable, ANYTRT10, indicates whether a youth reported receiving treatment/counseling in the past year from any of 10 specific sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created by counting the number of positive responses (source variables=1), and the number of questions answered (source variables=1,2,4) to the following 10 source of treatment questions: hospital (YUHOSPYR), residential treatment facility (YURSIDYR), foster care (YUFCARYR), day treatment facility (YUDYTXYR), mental health clinic (YUMHCRYR), private therapist (YUTPSTYR), in-home therapist (YUIHTPYR), family doctor (YUFDOCYR), through special education (YUSPEDYR), and school counselor (YUSHCNYR). Youths who reported a positive response to one or more of the 10 questions were included in the yes category regardless of how many of the 10 questions they answered. Youths who did not report a positive response, but answered 5 or more of the 10 questions were included in the no category. Youths who did not report a positive response, but answered fewer than 5 of the 10 questions, and adults were included in the unknown category.

ANYTRT10	2	RCVD MH TRT FROM ANY OF 10 SOURCES IN PST YR		
		. = Unknown/Aged 18+ (See comment above).....	37367	67.20
		0 = No (See comment above).....	14068	25.30
		1 = Yes (Any above source variables=1).....	4167	7.49

RECODED YOUTH MENTAL HEALTH TREATMENT			PAGE:	560
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
<p>The following variable, ANYTRT9, indicates whether a youth reported receiving treatment/counseling in the past year from any of 9 specific sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created by counting the number of positive responses (source variables=1), and the number of questions answered (source variables=1,2,4) to the following 9 source of treatment questions: hospital (YUHOSPYR), residential treatment facility (YURSIDYR), foster care (YUFCARYR), day treatment facility (YUDYTXYR), mental health clinic (YUMHCRYR), private therapist (YUTPSTYR), in-home therapist (YUIHTPYR), family doctor (YUFDOCYR), and school counselor (YUSHCNYR). This variable was created in the same manner as ANYTRT10 (see above), except that the source of treatment question about special education (YUSPEDYR) was not included as a source variable. This variable was omitted because CAI did not include a follow-up question about the reasons for receiving mental health treatment at this source of treatment. Youths who reported a positive response to one or more of the 9 questions were included in the yes category regardless of how many of the 9 questions they answered. Youths who did not report a positive response, but answered 5 or more of the 9 questions were included in the no category. Youths who did not report a positive response, but answered fewer than 5 of the 9 questions, and adults were included in the unknown category.</p>				
ANYTRT9	2	RCVD MH TRT FROM ANY OF 9 SOURCES IN PST YR		
			. = Unknown/Aged 18+ (See comment above).....	37369 67.21
			0 = No (See comment above).....	14356 25.82
			1 = Yes (Any above source variables=1).....	3877 6.97

RECODED YOUTH MENTAL HEALTH TREATMENT			PAGE:	561
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
NOTE: The following five variables were created to generate multi-year trend estimates for the 2007 Detailed Tables. These variables contain information on the general types of mental health services received by youths in the past year for problems with behavior or emotions that were not caused by alcohol or drugs.				
<p>The following variable, ANYMHIN, indicates whether a youth reported receiving specialty inpatient/residential mental health services in the past year from any of 3 specific inpatient/residential sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created based on the following 3 sources of treatment variables: stayed overnight in hospital (YHOSP), stayed in residential treatment facility (YRESID), and spent time in foster care (YFOST). Youths who reported a positive response (source variable=1) to one or more of the 3 questions were included in the yes category regardless of how many of the 3 questions they answered. Youths who did not report a positive response, but answered all 3 of the questions were included in the no category. Youths who did not report a positive response and did not answer all the questions, and adults were included in the unknown/18+ category.</p>				

ANYMHIN	1	YTH RCVD SPEC INPATIENT MH SERVICES IN PY				
			. = Unknown/Aged 18+ (Otherwise).....	37416	67.29	
			0 = No (YHOSP, YRESID, and YFOST = 0).....	17699	31.83	
			1 = Yes (YHOSP, YRESID, or YFOST = 1).....	487	0.88	

The following variable, ANYMHOUT, indicates whether a youth reported receiving specialty outpatient mental health services in the past year from any of 4 specific outpatient sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created based on the following 4 source of treatment variables: spent time in a day treatment facility (YDAYTRT), received treatment from a mental health clinic (YCLIN), from a private therapist (YTHER), and from an in-home therapist (YHOME). Youths who reported a positive response (source variable=1) to one or more of the 4 questions were included in the yes category regardless of how many of the 4 questions they answered. Youths who did not report a positive response, but answered all 4 of the questions were included in the no category. Youths who did not report a positive response and did not answer all the questions, and adults were included in the unknown/18+ category.

ANYMHOUT	1	YTH RCVD SPEC OUTPATIENT MH SERVICES IN PY				
			. = Unknown/Aged 18+ (Otherwise).....	37461	67.37	
			0 = No (YDAYTRT, YCLIN, YTHER, and YHOME = 0).....	15906	28.61	
			1 = Yes (YDAYTRT, YCLIN, YTHER, or YHOME = 1).....	2235	4.02	

RECODED YOUTH MENTAL HEALTH TREATMENT			PAGE:	562
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
		The following variable, ANYSMH, indicates whether a youth reported receiving specialty mental health services in the past year from any of 7 specific inpatient/residential or outpatient specialty sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created based on the following 7 source of treatment variables: stayed overnight in a hospital (YHOSP), stayed in a residential treatment facility (YRESID), spent time in foster care (YFOST), spent time in a day treatment facility (YDAYTRT), received treatment from a mental health clinic (YCLIN), from a private therapist (YTHEP), and from an in-home therapist (YHOME). Youths who reported a positive response (source variable=1) to one or more of the 7 questions were included in the yes category regardless of how many of the 7 questions they answered. Youths who did not report a positive response, but answered all 7 of the questions were included in the no category. Youths who did not report a positive response and did not answer all the questions, and adults were included in the unknown/18+ category.		-
ANYSMH	1	YTH RCVD SPECIALTY MENTAL HEALTH SRVC IN PST YR		
		. = Unknown/Aged 18+ (See comment above).....	37478	67.40
		0 = No (All above source variables=0).....	15649	28.14
		1 = Yes (Any above source variable=1).....	2475	4.45
<hr/>				
The following variable, ANYMHED, indicates whether a youth enrolled in school reported receiving mental health services in the past year from education sources for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created using the following source of treatment variables: talked to school counselors, school psychologist, or regular teacher for problems (YSCHL) and received special education services in the classroom or placed in a special classroom, program, or school (YSPED). Youths who reported a positive response (source variable=1) to one or more of these questions were included in the yes category regardless of how many of the questions they answered. Youths who did not report a positive response, but answered both questions were included in the no category. Youths who did not report a positive response and did not answer both questions, and adults were included in the unknown/18+ category.				
ANYMHED	1	YTH RCVD EDUCATION MENTAL HEALTH SRVC IN PST YR		
		. = Unknown/Aged 18+ (Otherwise).....	37523	67.48
		0 = No (YSCHL and YSPED = 0).....	15688	28.21
		1 = Yes (YSCHL or YSPED = 1).....	2391	4.30

RECODED YOUTH MENTAL HEALTH TREATMENT			PAGE:	563
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
<p>The following variable, ANYSMHPS, indicates whether a youth reported receiving specialty mental health services along with services from either education or general medical (family doctor/pediatrician) settings in the past year for problems with behavior or emotions that were not caused by alcohol or drugs. This variable was created using the following 3 source of treatment variables: received specialty mental health services (ANYSMH), education setting-based mental health services (ANYMHED), and treatment from a family doctor/pediatrician (YPED). Included in the unknown/18+ category were adults, and youths who did not provide enough information to determine whether mental health care was received at both a specialty mental health service along with services from either an education or general medical setting [ANYSMH=. or {ANYSMH=1 and ((ANYMHED=0 and YPED=.) or (ANYMHED=. and YPED=0) or (ANYMHED=. and YPED=.))}].</p>				
ANYSMHPS	1	YTH RCV'D SPECIALTY AND EDUC OR MED MH SRVC IN PY		
. = Unknown/Aged 18+ (See comment above).....			37450	67.35
0 = No (ANYSMH=0 or (ANYMHED=0 and YPED=0)).....			17052	30.67
1 = Yes (ANYSMH=1 and (ANYMHED=1 or YPED=1)).....			1100	1.98

LABEL	LEN	DESCRIPTION	RECODED YOUTH MENTAL HEALTH TREATMENT	PAGE:	564
				FREQ	%
-----	-----	-----	-----	-----	-
NOTE: For each reported source of treatment/counseling for problems with behavior or emotions that were not caused by alcohol or drugs (see ANYTRT9), the respondent was asked to report which of 5 specific reasons was the reason for the last time he/she received treatment from this source. In addition, the respondent could also answer "other". If a respondent reported "other", then he/she was asked to list the other reason (or reasons). A respondent was allowed to enter up to 5 additional reasons for treatment from each source. The 5 specific reasons were: thought about or tried suicide, felt depressed, felt afraid or tense, acting out or breaking rules, and eating problems. Multiple reasons could be reported for each source of treatment, thus the response categories are not mutually exclusive. For each of the 9 sources of treatment there are 5 variables that contain data about the 5 specific reasons for treatment, resulting in 45 variables that include data about the specific reasons. In addition, for each of the 9 sources there are 5 variables that contain data about the other specified reasons, resulting in 45 additional variables. The following recoded variables indicate the reasons youth reported for receiving treatment across all the reported sources of treatment in the past year. Note that these variables are only defined for youth who received treatment from one or more of the 9 sources and reported at least one reason for treatment.					
The following variable, REASSUIC, indicates whether respondents received treatment/counseling from at least one source in the past year because they thought about or tried to kill themselves. This recode was created by examination of the following source variables: YUHOSUIC, YURSSUIC, YUFCSUIC, YUDYSUIC, YUMHSUIC, YUTPSUIC, YUIHSUIC, YUFDSUIC, and YUSHSUIC. Due to editing procedures, write-in other specify values were not used in this variable. Adults, youth that did not report receiving treatment in the past year, and youth that reported receiving treatment in the past year at one or more of the 9 sources, but did not indicate any reasons for their treatment were assigned to the unknown category.					
REASSUIC	1	RCVD MENTAL HLTH TRT IN PST YR B/C TRIED SUICIDE			
		. = No Trt/Unknwn Reason/Aged 18+ (See comment above).	52095	93.69	
		0 = Reason not indicated (Otherwise).....	2845	5.12	
		1 = Reason indicated (See comment above).....	662	1.19	

LABEL	LEN	DESCRIPTION	RECODED YOUTH MENTAL HEALTH TREATMENT	PAGE:	565
				FREQ	%
-----	-----	-----	-----	-----	-
The following variable, REASDEPR, indicates whether respondents received treatment/counseling from at least one source in the past year because they felt depressed. This recode was created by examination of the following source variables, YUHODEPR, YURSDEPR, YUFCDDEPR, YUDYDEPR, YUMHDEPR, YUTPDEPR, YUIHDEPR, YUFDDDEPR, and YUSHDEPR, as well as the write-in other specify variables. Adults, youth that did not report receiving treatment in the past year, and youth that reported receiving treatment in the past year at one or more of the 9 sources, but did not indicate any reasons for their treatment were assigned to the unknown category.					
REASDEPR	1	RCVD MENTAL HLTH TRT IN PST YR B/C DEPRESSED			
		.	= No Trt/Unknwn Reason/Aged 18+ (See comment above).	52095	93.69
		0	= Reason not indicated (Otherwise).....	1722	3.10
		1	= Reason indicated (See comment above).....	1785	3.21
The following variable, REASFEAR, indicates whether respondents received treatment/counseling from at least one source in the past year because they felt very afraid or tense. This recode was created by examination of the following source variables: YUHOFEAR, YURSFEAR, YUFCFEAR, YUDYFEAR, YUMHFEAR, YUTPFEAR, YUIHFEAR, YUFDFEAR, and YUSHFEAR. Due to editing procedures, write-in other specify values were not used in this variable. Adults, youth that did not report receiving treatment in the past year, and youth that reported receiving treatment in the past year at one or more of the 9 sources, but did not indicate any reasons for their treatment were assigned to the unknown category.					
REASFEAR	1	RCVD MENTAL HLTH TRT IN PST YR B/C AFRAID/TENSE			
		.	= No Trt/Unknwn Reason/Aged 18+ (See comment above).	52095	93.69
		0	= Reason not indicated (Otherwise).....	2774	4.99
		1	= Reason indicated (See comment above).....	733	1.32
The following variable, REASBRAK, indicates whether respondents received treatment/counseling from at least one source in the past year because they were breaking rules and "acting out." This recode was created by examination of the following source variables: YUHOBKRU, YURSBKRU, YUFCBKRU, YUDYBKRU, YUMHBKRU, YUTPBKRU, YUIHBKRU, YUFDBKRU, and YUSHBKRU, as well as the write-in other specify variables. Adults, youth that did not report receiving treatment in the past year, and youth that reported receiving treatment in the past year at one or more of the 9 sources, but did not indicate any reasons for their treatment were assigned to the unknown category.					
REASBRAK	1	RCVD MENTAL HLTH TRT IN PST YR B/C BREAKING RULES			
		.	= No Trt/Unknwn Reason/Aged 18+ (See comment above).	52095	93.69
		0	= Reason not indicated (Otherwise).....	2371	4.26
		1	= Reason indicated (See comment above).....	1136	2.04

LABEL	LEN	DESCRIPTION	RECODED YOUTH MENTAL HEALTH TREATMENT	PAGE:	566
				FREQ	%
-----	-----	-----	-----	-----	-
The following variable, REASEATP, indicates whether respondents received treatment/counseling from at least one source in the past year because they had eating problems. This recode was created by examination of the following source variables: YUHOEATP, YURSEATP, YUFCEATP, YUDYEATP, YUMHEATP, YUTPEATP, YUIHEATP, YUFDEATP, and YUSHEATP. Due to editing procedures, write-in other specify values were not used in this variable. Adults, youth that did not report receiving treatment in the past year, and youth that reported receiving treatment in the past year at one or more of the 9 sources, but did not indicate any reasons for their treatment were assigned to the unknown category.					
REASEATP	1	RCVD MENTAL HLTH TRT IN PST YR B/C EATING PROBLEMS			
		. = No Trt/Unknwn Reason/Aged 18+ (See comment above).	52095	93.69	
		0 = Reason not indicated (Otherwise).....	3212	5.78	
		1 = Reason indicated (See comment above).....	295	0.53	
NOTE: The following 5 recoded variables indicate whether a youth reported some other reason as the reason he/she received treatment/counseling from any one of the reported sources in the past year. These recodes were created by consolidating the other reported responses into five broad categories: family problems, social problems, problems at school, other diagnosed mental/neurological disorders, and other reasons. Adults, youth that did not report receiving treatment/counseling in the past year, and youth that reported receiving treatment/counseling in the past year at one or more of the 9 sources, but did not indicate any reasons for their treatment/counseling were assigned to the unknown category.					
REASFAM	1	RCVD MENTAL HLTH TRT IN PST YR B/C FAMILY PROBLEMS			
		. = No Trt/Unknwn Reason/Aged 18+ (See comment above).	52095	93.69	
		0 = Reason not specified (Otherwise).....	3056	5.50	
		1 = Reason specified (See comment above).....	451	0.81	
REASSOC	1	RCVD MENTAL HLTH TRT IN PST YR B/C SOCIAL PROBLEMS			
		. = No Trt/Unknwn Reason/Aged 18+ (See comment above).	52095	93.69	
		0 = Reason not specified (Otherwise).....	3223	5.80	
		1 = Reason specified (See comment above).....	284	0.51	
REASSCH	1	RCVD MENTAL HLTH TRT IN PST YR B/C SCHOOL ISSUES			
		. = No Trt/Unknwn Reason/Aged 18+ (See comment above).	52095	93.69	
		0 = Reason not specified (Otherwise).....	3124	5.62	
		1 = Reason specified (See comment above).....	383	0.69	
REASMEN	1	RCVD MENTAL HLTH TRT IN PST YR B/C OTH DISORDER			
		. = No Trt/Unknwn Reason/Aged 18+ (See comment above).	52095	93.69	
		0 = Reason not specified (Otherwise).....	3392	6.10	
		1 = Reason specified (See comment above).....	115	0.21	

RECODED YOUTH MENTAL HEALTH TREATMENT			PAGE:	567
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
<p>The following variable, REASOTH, was assigned a positive response if a respondent reported some other reason for receiving mental health treatment in the past year other than the four reasons listed above. Since the reasons are not mutually exclusive, a respondent can report one or more of the four reasons in addition to the other reason. Please note that this variable is not directly comparable to the similarly named variable from 2001.</p>				
REASOTH	1	RCVD MENTAL HLTH TRT IN PST YR B/C OTHER REASONS		
		. = No Trt/Unknwn Reason/Aged 18+ (See comment above).	52095	93.69
		0 = Other reason not specified (Otherwise).....	2800	5.04
		1 = Other reason specified (See comment above).....	707	1.27

ADOLESCENT DEPRESSION			PAGE:	568
LABEL	LEN	DESCRIPTION	FREQ	%
(YDS21)		ADOLESCENT DEPRESSION		
		-----	-----	-
		D_MDEA3Y is a computed variable within the Adolescent Depression module that gives a value to the change in appetite/weight symptom of depression. This variable is computed based on answers to questions about whether respondents ate more, ate less, gained more than 10 pounds without trying to, or lost more than 10 pounds without trying to, during their worst depressive episode. In the variable's calculation, a pair of parentheses were missing. This omission resulted in respondents who had legitimately skipped the symptom questions being erroneously classified as 2 instead of blank. Because this logic fed into the computation for the overall depressive episode variable (DSMMDEAY), DSMMDEAY also was erroneously set to 2 rather than blank. Additionally, a condition was missing that resulted in respondents being erroneously classified as blank instead of 2, if they had indicated that they gained or lost weight, but only because they were growing, pregnant, sick or dieting . This logic also fed into the computation for DSMDEAY, but in an extremely minor way. Neither logic problem affected the routing of the instrument, only the computation of the variables D_MDEA3Y and DSMMDEAY. These errors were fixed on 3/24/04.		
		D_MDEA7Y is a computed variable within the Adolscent Depression module that gives a value to the Self-Worth symptom of depression. This variable is computed based on answers to questions about whether respondents felt they were as good as other people or if they felt totally worthless nearly every day, during their worst depressive episode. In the variaible's calculation, a condition was missing. This omission resulted in respondents who said DK or REF to feeling worthless nearly every day being erroneously classified as blank instead of as DK or REF. This logic fed into the computation for DSMMDEAY, but in an extremely minor way. This problem did not affect routing of the instrument, only the computation of the variable D_MDEA7Y. This error was fixed on 3/24/04.		
		Variables affected by this patch are denoted by an '*' to the left of the variable name.		
		Have you ever in your life had a period of time lasting several days or longer when most of the day you felt sad, empty, or depressed?		
YODPREV	2	1EVER HAD SEVERAL DAYS WHRE FELT SAD/EMPTY/DEPRSSD		
		1 = Yes.....	9042	16.26
		2 = No.....	9119	16.40
		94 = DON'T KNOW.....	79	0.14
		97 = REFUSED.....	47	0.08
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	37308	67.10

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	569
			FREQ	%
(YDS22)		Have you ever had a period of time lasting several days or longer when most of the day you felt very discouraged or hopeless about how things were going in your life?		-
YODSCEV	2	1EVER HAD PER OF TIME WHERE FELT DISCRGD OR HPELSS		
		1 = Yes.....	897	1.61
		2 = No.....	8237	14.81
		94 = DON'T KNOW.....	69	0.12
		97 = REFUSED.....	42	0.08
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	46350	83.36
(YDS23)		Have you ever had a period of time lasting several days or longer when you lost interest and became bored with most things you usually enjoy, like work, hobbies, and personal relationships?		
YOLOSEV	2	1EVER HAD PER OF TIME LST INTRST IN ENJOYABLE THGS		
		1 = Yes.....	1189	2.14
		2 = No.....	7075	12.72
		94 = DON'T KNOW.....	51	0.09
		97 = REFUSED.....	33	0.06
		98 = BLANK (NO ANSWER).....	7	0.01
		99 = LEGITIMATE SKIP.....	47247	84.97
(YD01)		During times when you felt sad, empty, or depressed most of the day, did you ever feel discouraged about how things were going in your life?		
YODPDISC	2	1FEEL DISCRGD ABOUT LIFE WHEN SAD/EMPTY/DEPRESSED		
		1 = Yes.....	7638	13.74
		2 = No.....	1355	2.44
		94 = DON'T KNOW.....	39	0.07
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	60	0.11
		99 = LEGITIMATE SKIP.....	46500	83.63
(YD01A)		During the times when you felt sad, empty, or depressed, did you ever lose interest and become really bored with most things like school, work, hobbies, and other things that are usually fun for you, like listening to music, watching TV, movies, or sports, playing computer games, or going out with friends?		
YODPLSIN	2	1EVER LOSE INT IN THINGS WHEN SAD/EMPTY/DEPRESSED		
		1 = Yes.....	6273	11.28
		2 = No.....	2737	4.92
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	60	0.11
		99 = LEGITIMATE SKIP.....	46500	83.63

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADOLESCENT DEPRESSION			PAGE:	570
LABEL	LEN	DESCRIPTION	FREQ	%
(YD02)		During times when you felt discouraged about how things were going in your life, did you ever lose interest and become really bored with most things like school, work, hobbies, and other things that are usually fun for you, like listening to music, watching TV, movies, or sports, playing computer games, or going out with friends?		-
YODSLSIN	2	1 EVER LOSE INT IN THGS WHEN FEELING DISCOURGAGED		
		1 = Yes.....	438	0.79
		2 = No.....	455	0.82
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	72	0.13
		99 = LEGITIMATE SKIP.....	54633	98.26
(YD09)		Did you ever have a period of time like this that lasted most of the day almost every day for two weeks or longer?		
YOLSI2WK	2	1 PERIOD OF TIME LASTED EVERY DAY FOR 2 WKS /LNGR		
		1 = Yes.....	124	0.22
		2 = No.....	1050	1.89
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	91	0.16
		99 = LEGITIMATE SKIP.....	54322	97.70
(YD12)		Think about the times when you [FEELFILL]. Did you ever have a period of time like this that lasted most of the day, almost every day, for two weeks or longer?		
YODPR2WK	2	1 TIME WHEN [FEELFILL] LSTD EVRYDY 2 WKS OR LNGR		
		1 = Yes.....	5173	9.30
		2 = No.....	4721	8.49
		94 = DON'T KNOW.....	31	0.06
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	72	0.13
		99 = LEGITIMATE SKIP.....	45591	82.00
(YD16)		Think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent. During those times, how long did your [FEELNOUN] usually last?		
YOWRHRS	2	1 TIME THAT MOST SEVERE/FREQUENT MOOD LASTED		
		1 = Less than 1 hour.....	926	1.67
		2 = At least 1 hour but no more than 3 hours.....	1531	2.75
		3 = At least 3 hours but no more than 5 hours.....	1159	2.08
		4 = 5 hours or more.....	1581	2.84
		94 = DON'T KNOW.....	81	0.15
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	151	0.27
		99 = LEGITIMATE SKIP.....	50154	90.20

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADOLESCENT DEPRESSION			PAGE:	571
LABEL	LEN	DESCRIPTION	FREQ	%
(YD17)		Still thinking of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent, how strong were your bad feelings during those times?		-
YOWRDST	2	1HOW STRONG WERE BAD FEELINGS DURING 2 WKS		
		1 = Mild.....	647	1.16
		2 = Moderate.....	1707	3.07
		3 = Severe.....	1335	2.40
		4 = Very Severe.....	618	1.11
		94 = DON'T KNOW.....	48	0.09
		97 = REFUSED.....	16	0.03
		98 = BLANK (NO ANSWER).....	151	0.27
		99 = LEGITIMATE SKIP.....	51080	91.87
(YD18)		Again, think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.		
		How often, during those times, did you feel so bad that nothing could cheer you up?		
YOWRCHR	2	1BAD FEELINGS SO SEVERE NOTHING COULD CHEER YOU UP		
		1 = Often.....	1281	2.30
		2 = Sometimes.....	1892	3.40
		3 = Not very often.....	839	1.51
		4 = Never.....	320	0.58
		94 = DON'T KNOW.....	26	0.05
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	151	0.27
		99 = LEGITIMATE SKIP.....	51080	91.87
(YD19)		Once again, please think of times lasting two weeks or longer when [NUMPROBS] with your mood [WASWERE] most severe and frequent.		
		How often, during those times, did you feel so bad that you could not carry out your daily activities?		
YOWRIMP	2	1MOOD SO SEVERE COULDN'T DO DLY ACTIVITIES		
		1 = Often.....	751	1.35
		2 = Sometimes.....	1597	2.87
		3 = Not very often.....	1167	2.10
		4 = Never.....	812	1.46
		94 = DON'T KNOW.....	32	0.06
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	151	0.27
		99 = LEGITIMATE SKIP.....	51080	91.87

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADOLESCENT DEPRESSION			PAGE:	572
LABEL	LEN	DESCRIPTION	FREQ	%
(YD21)		People who have problems with their mood often have other problems at the same time. These problems may include things like changes in:		-
		- sleep		
		- eating		
		- energy		
		- the ability to keep their mind on things		
		- feeling badly about themselves		
		Did you ever have any of these problems during a period of time when you [FEELFILL] for two weeks or longer?		
YODPPROB	2	1EVER HAVE OTH PRBLMS DURING 2 WKS OR LONGER		
		1 = Yes.....	3102	5.58
		2 = No.....	1149	2.07
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	151	0.27
		99 = LEGITIMATE SKIP.....	51172	92.03
(YD22)		Think again about these other problems we just mentioned. They include things like changes in:		
		- sleep		
		- eating		
		- energy		
		- the ability to keep their mind on things		
		- feeling badly about themselves		
		Can you think of the worst time when you [FEELFILL] for two weeks or longer and also had these other problems at the same time?		
YOWRPROB	2	1ONE PARTICULAR TIME THAT IS THE WORST ONE EVER		
		1 = Yes.....	2357	4.24
		2 = No.....	724	1.30
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	179	0.32
		99 = LEGITIMATE SKIP.....	52321	94.10
(YD22A)		How old were you when that worst period of time started?		
		Then think of the most recent time you [FEELFILL] for two weeks or longer and you had these other problems at the same time.		
		How old were you when that time started?		
YOWRAGE	3	1AGE WHEN WORST PERIOD OF TIME STARTED		
		RANGE = 1 - 17	3012	5.42
		985 = BAD DATA Logically assigned.....	2	0.00
		994 = DON'T KNOW.....	75	0.13
		997 = REFUSED.....	13	0.02
		998 = BLANK (NO ANSWER).....	179	0.32
		999 = LEGITIMATE SKIP.....	52321	94.10

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	573
			FREQ	%
(YD24A)		In answering the next questions, think about the period of time when your [FEELNOUN] and other problems were the worst.		-
		In answering the next questions, think about the most recent period of time when you [FEELFILL] and had other problems at the same time.		
		During that time, did you feel sad, empty, or depressed for most of the day nearly every day?		
YOWRDEPR	2	1WHEN PRBLMS WORST FELT SAD/EMPTY/DPRSD EVERY DAY		
		1 = Yes.....	2330	4.19
		2 = No.....	755	1.36
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	179	0.32
		99 = LEGITIMATE SKIP.....	52321	94.10
(YD24C)		During that [TIMEFILL] period of time, did you feel discouraged about how things were going in your life most of the day nearly every day?		
YOWRDISC	2	1WHEN PRBLMS WRST FELT DISCRGED ABT LIFE EVERY DAY		
		1 = Yes.....	2296	4.13
		2 = No.....	778	1.40
		94 = DON'T KNOW.....	19	0.03
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	179	0.32
		99 = LEGITIMATE SKIP.....	52321	94.10
(YD24E)		During that [TIMEFILL] period of time, did you become bored with almost everything like school, work, hobbies, and things you like to do for fun?		
YOWRLSIN	2	1WHEN PRBLMS WORST LOSE INTRST IN ENJOYABLE THINGS		
		1 = Yes.....	2425	4.36
		2 = No.....	664	1.19
		94 = DON'T KNOW.....	8	0.01
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	179	0.32
		99 = LEGITIMATE SKIP.....	52321	94.10
(YD24F)		During that [TIMEFILL] period of time, did you feel like nothing was fun even when good things were happening?		
YOWRPLSR	2	1WHEN PRBLMS WORST FEEL NO FUN IN GOOD THINGS		
		1 = Yes.....	2163	3.89
		2 = No.....	924	1.66
		94 = DON'T KNOW.....	11	0.02
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	179	0.32
		99 = LEGITIMATE SKIP.....	52321	94.10

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADOLESCENT DEPRESSION			PAGE:	574
LABEL	LEN	DESCRIPTION	FREQ	%
(YD26A)		The next questions are about changes in appetite and weight.		-
In answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.				
Did you eat much less than usual almost every day during that time?				
YOWRELES	2	1WHEN PRBLMS WORST EAT LESS THAN USUAL EVERY DAY		
		1 = Yes.....	1444	2.60
		2 = No.....	1457	2.62
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	186	0.33
		99 = LEGITIMATE SKIP.....	52492	94.41
(YD26B)		Did you eat much more than usual almost every day?		
YOWREMOR	2	1WHEN PRBLMS WORST EAT MORE THAN USUAL EVERY DAY		
		1 = Yes.....	581	1.04
		2 = No.....	884	1.59
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	186	0.33
		99 = LEGITIMATE SKIP.....	53936	97.00
(YD26C)		Did you gain weight without trying to during that [TIMEFILL] period of time?		
YOWRGAIN	2	1WHEN PRBLMS WORST DID YOU GAIN WEIGHT W/O TRYING		
		1 = Yes.....	481	0.87
		2 = No.....	977	1.76
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	186	0.33
		99 = LEGITIMATE SKIP.....	53936	97.00
(YD26C1)		Did you gain weight without trying to because you were growing?		
YOWRGROW	2	1WHEN PRBLMS WORST GAIN WGHT W/O TRYING BC GROWING		
		1 = Yes.....	195	0.35
		2 = No.....	268	0.48
		94 = DON'T KNOW.....	18	0.03
		98 = BLANK (NO ANSWER).....	208	0.37
		99 = LEGITIMATE SKIP.....	54913	98.76
(YD26C2)		Did you gain weight without trying to because you were pregnant?		
YOWRPREG	2	1WHEN PRBLMS WRST GAIN WGHT W/O TRYING BC PREGNANT		
		1 = Yes.....	2	0.00
		2 = No.....	230	0.41
		98 = BLANK (NO ANSWER).....	96	0.17
		99 = LEGITIMATE SKIP.....	55274	99.41

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADOLESCENT DEPRESSION			PAGE:	575
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
(YD26D) How many pounds did you gain?				
Please enter your answer as a whole number.				
YOWRGNL2	3	1WHEN PRBLMS WORST # LBS GAINED WITHOUT TRYING		
RANGE = 1 - 50			248	0.45
51 = 51 or more pounds.....			17	0.03
994 = DON'T KNOW.....			15	0.03
997 = REFUSED.....			4	0.01
998 = BLANK (NO ANSWER).....			208	0.37
999 = LEGITIMATE SKIP.....			55110	99.12
<hr/>				
(YD26E) Did you lose weight without trying to?				
YOWRLOSE	2	1WHEN PRBLMS WORST DID YOU LOSE WEIGHT W/O TRYING		
1 = Yes.....			1088	1.96
2 = No.....			1314	2.36
94 = DON'T KNOW.....			37	0.07
97 = REFUSED.....			4	0.01
98 = BLANK (NO ANSWER).....			187	0.34
99 = LEGITIMATE SKIP.....			52972	95.27
<hr/>				
(YD26E1) Did you lose weight without trying to because you were sick or on a diet?				
YOWRDIET	2	1WHEN PRBLMS WORST LOSE WGHT W/O TRYING BC SICK/DT		
1 = Yes.....			381	0.69
2 = No.....			704	1.27
94 = DON'T KNOW.....			2	0.00
97 = REFUSED.....			1	0.00
98 = BLANK (NO ANSWER).....			228	0.41
99 = LEGITIMATE SKIP.....			54286	97.63
<hr/>				
(YD26F) How many pounds did you lose?				
Please enter your answer as a whole number.				
YOWRLSL2	3	1WHEN PRBLMS WORST # LBS LOST WITHOUT TRYING		
RANGE = 0 - 50			666	1.20
51 = 51 or more pounds.....			6	0.01
994 = DON'T KNOW.....			33	0.06
997 = REFUSED.....			2	0.00
998 = BLANK (NO ANSWER).....			228	0.41
999 = LEGITIMATE SKIP.....			54667	98.32

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADOLESCENT DEPRESSION			PAGE:	576
LABEL	LEN	DESCRIPTION	FREQ	%
(YD26G)		Again, please think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.		-
		Did you have a lot more trouble than usual falling asleep or staying asleep most nights or waking too early most mornings during that [TIMEFILL] time?		
YOWRSLEP	2	1WHEN PRBLMS WORST HAVE PRBS SLEEPING/WAKING EARLY		
		1 = Yes.....	2180	3.92
		2 = No.....	719	1.29
		94 = DON'T KNOW.....	17	0.03
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	186	0.33
		99 = LEGITIMATE SKIP.....	52492	94.41
(YD26H)		During that [TIMEFILL] period of time, did you sleep a lot more than usual?		
YOWRSMOR	2	1WHEN PRBLMS WORST SLEEP A LOT MORE THAN USUAL		
		1 = Yes.....	378	0.68
		2 = No.....	349	0.63
		94 = DON'T KNOW.....	14	0.03
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	186	0.33
		99 = LEGITIMATE SKIP.....	54672	98.33
(YD26J)		On most days during that [TIMEFILL] period of time, did you feel that you didn't have much energy?		
YOWRENRG	2	1WHEN PRBLMS WORST FEEL TIRED/LOW ON ENERGY EVRYDY		
		1 = Yes.....	2470	4.44
		2 = No.....	435	0.78
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	186	0.33
		99 = LEGITIMATE SKIP.....	52492	94.41
(YD26L)		Did you feel as though you were talking or moving more slowly than usual on most days during that [TIMEFILL] period of time?		
YOWRSLOW	2	1WHEN PRBLMS WORST TALK/MOVE SLOWER THAN USUAL		
		1 = Yes.....	2023	3.64
		2 = No.....	879	1.58
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	186	0.33
		99 = LEGITIMATE SKIP.....	52492	94.41

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	577
			FREQ	%
(YD26M)		Did anyone else notice that you were talking or moving more slowly than usual?		-
YOWRSLNO	2	1WHEN PRBLMS WORST PEOP NOTICE SLOWER THAN USUAL		
		1 = Yes.....	1407	2.53
		2 = No.....	592	1.06
		94 = DON'T KNOW.....	23	0.04
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	208	0.37
		99 = LEGITIMATE SKIP.....	53371	95.99
(YD26N)		Were you so restless or jittery that you walked up or down or couldn't sit still?		
YOWRJITT	2	1WHEN PRBLMS WORST RSTLSS/JITTRY/PACING EVERYDAY		
		1 = Yes.....	278	0.50
		2 = No.....	609	1.10
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	186	0.33
		99 = LEGITIMATE SKIP.....	54515	98.05
(YD26O)		Did anyone else notice that you couldn't sit still?		
YOWRJINO	2	1WHEN PRBLMS WRST PEOP NOTICE YOU CLDN'T SIT STILL		
		1 = Yes.....	162	0.29
		2 = No.....	112	0.20
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	200	0.36
		99 = LEGITIMATE SKIP.....	55124	99.14
(YD26P)		The next questions are about changes in your ability to concentrate, and your feelings about yourself.		
		Again, in answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.		
		On most days during that [TIMEFILL] time, did your thinking seem slower than usual or seem mixed up?		
YOWRTHOT	2	1WHEN PRBLMS WORST THGHTS SLOWER/MIXED UP		
		1 = Yes.....	2040	3.67
		2 = No.....	863	1.55
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	186	0.33
		99 = LEGITIMATE SKIP.....	52492	94.41

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	578
			FREQ	%
(YD26R)		On most days, did you have a lot more trouble than usual keeping your mind on things?		-
YOWRCONG	2	1WHEN PRBLMS WRST HAVE TRBLE KEEPING MIND ON THNGS		
		1 = Yes.....	2399	4.31
		2 = No.....	515	0.93
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	186	0.33
		99 = LEGITIMATE SKIP.....	52492	94.41
(YD26S)		Were you unable to make up your mind about things you ordinarily have no trouble deciding about?		
YOWRDCSN	2	1WHEN PRBLMS WORST UNABLE TO MAKE DECISIONS		
		1 = Yes.....	1830	3.29
		2 = No.....	1065	1.92
		94 = DON'T KNOW.....	22	0.04
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	186	0.33
		99 = LEGITIMATE SKIP.....	52492	94.41
(YD26U)		Did you feel that you were not as good as other people nearly every day?		
YOWRNODG	2	1WHEN PRBLMS WRST FEEL NOT AS GOOD AS OTHER PEOPLE		
		1 = Yes.....	2106	3.79
		2 = No.....	804	1.45
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	186	0.33
		99 = LEGITIMATE SKIP.....	52492	94.41
(YD26V)		Did you feel totally worthless nearly every day?		
YOWWRWTH	2	1WHEN PRBLMS WORST FEEL TOTALLY WORTHLESS EVERYDAY		
		1 = Yes.....	1498	2.69
		2 = No.....	607	1.09
		94 = DON'T KNOW.....	1	0.00
		98 = BLANK (NO ANSWER).....	200	0.36
		99 = LEGITIMATE SKIP.....	53296	95.85
(YD26AA)		The next questions are about thoughts of death or suicide.		
		Again, in answering these questions, think about the period of time/most recent period of time when your [FEELNOUN] and other problems were the worst.		
		Did you often think a lot about death, either your own, someone else's, or death in general?		
YOWRDLOT	2	1WHEN PRBLMS WORST THINK A LOT ABOUT DEATH		
		1 = Yes.....	1877	3.38
		2 = No.....	1027	1.85
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	19	0.03
		98 = BLANK (NO ANSWER).....	186	0.33
		99 = LEGITIMATE SKIP.....	52492	94.41

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	579
			FREQ	%
(YD26BB)		During that period, did you ever think that it would be better if you were dead?		-
YOWRDBTR	2	1WHEN PRBLMS WRST THINK IT WOULD BE BETTER IF DEAD		
		1 = Yes.....	1789	3.22
		2 = No.....	1100	1.98
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	25	0.04
		98 = BLANK (NO ANSWER).....	186	0.33
		99 = LEGITIMATE SKIP.....	52492	94.41
(YD26CC)		Did you think about killing yourself?		
YOWRSTHK	2	1WHEN PRBLMS WORST THINK ABOUT KILLING YOURSELF		
		1 = Yes.....	1443	2.60
		2 = No.....	1449	2.61
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	27	0.05
		98 = BLANK (NO ANSWER).....	186	0.33
		99 = LEGITIMATE SKIP.....	52492	94.41
(YD26DD)		Did you make a plan to kill yourself?		
YOWRSPLN	2	1WHEN PRBLMS WORST MAKE A PLAN TO KILL YOURSELF		
		1 = Yes.....	680	1.22
		2 = No.....	760	1.37
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	218	0.39
		99 = LEGITIMATE SKIP.....	53941	97.01
(YD26EE)		Did you make a suicide attempt or try to kill yourself?		
YOWRSATP	2	1WHEN PRBLMS WORST MAKE A SUICIDE ATTEMPT		
		1 = Yes.....	562	1.01
		2 = No.....	872	1.57
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	218	0.39
		99 = LEGITIMATE SKIP.....	53941	97.01
YO_MDEA1	2	1SAD/EMPTY/DEPRESSED MOST OF DAY OR DISCOURAGED		
		1 = Has symptom.....	2593	4.66
		2 = Does not have symptom.....	491	0.88
		94 = DON'T KNOW.....	13	0.02
		97 = REFUSED.....	5	0.01
		98 = OTHER MISSING/NOT APPLICABLE.....	15192	27.32
		99 = LEGITIMATE SKIP.....	37308	67.10
YO_MDEA2	2	1LOST INTEREST OR PLEASURE IN MOST THINGS		
		1 = Has symptom.....	2752	4.95
		2 = Does not have symptom.....	424	0.76
		94 = DON'T KNOW.....	20	0.04
		97 = REFUSED.....	7	0.01
		98 = OTHER MISSING/NOT APPLICABLE.....	15091	27.14
		99 = LEGITIMATE SKIP.....	37308	67.10

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADOLESCENT DEPRESSION			PAGE:	580
LABEL	LEN	DESCRIPTION	FREQ	%
*YO_MDEA3	2	1CHANGES IN APPETITE OR WT		-
		1 = Has symptom.....	2099	3.78
		2 = Does not have symptom.....	787	1.42
		94 = DON'T KNOW.....	32	0.06
		97 = REFUSED.....	6	0.01
		98 = OTHER MISSING/NOT APPLICABLE.....	15370	27.64
		99 = LEGITIMATE SKIP.....	37308	67.10
YO_MDEA4	2	1SLEEP PROBLEMS		
		1 = Has symptom.....	2558	4.60
		2 = Does not have symptom.....	341	0.61
		94 = DON'T KNOW.....	21	0.04
		97 = REFUSED.....	4	0.01
		98 = OTHER MISSING/NOT APPLICABLE.....	15370	27.64
		99 = LEGITIMATE SKIP.....	37308	67.10
YO_MDEA5	2	1OTHERS NOTICED THAT R WAS RESTLESS OR LETHARGIC		
		1 = Has symptom.....	1569	2.82
		2 = Does not have symptom.....	1327	2.39
		94 = DON'T KNOW.....	26	0.05
		97 = REFUSED.....	2	0.00
		98 = OTHER MISSING/NOT APPLICABLE.....	15370	27.64
		99 = LEGITIMATE SKIP.....	37308	67.10
YO_MDEA6	2	1FELT TIRED/LOW ENERGY NEARLY EVERY DAY		
		1 = Has symptom.....	2470	4.44
		2 = Does not have symptom.....	435	0.78
		94 = DON'T KNOW.....	16	0.03
		97 = REFUSED.....	3	0.01
		98 = OTHER MISSING/NOT APPLICABLE.....	15370	27.64
		99 = LEGITIMATE SKIP.....	37308	67.10
*YO_MDEA7	2	1FELT WORTHLESS NEARLY EVERY DAY		
		1 = Has symptom.....	1498	2.69
		2 = Does not have symptom.....	1425	2.56
		94 = DON'T KNOW.....	1	0.00
		98 = OTHER MISSING/NOT APPLICABLE.....	15370	27.64
		99 = LEGITIMATE SKIP.....	37308	67.10
YO_MDEA8	2	1INABILITY TO CONCENTRATE OR MAKE DECISIONS		
		1 = Has symptom.....	2597	4.67
		2 = Does not have symptom.....	317	0.57
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	3	0.01
		98 = OTHER MISSING/NOT APPLICABLE.....	15370	27.64
		99 = LEGITIMATE SKIP.....	37308	67.10
YO_MDEA9	2	1ANY THOUGHTS OR PLANS OF SUICIDE		
		1 = Has symptom.....	2207	3.97
		2 = Does not have symptom.....	695	1.25
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	17	0.03
		98 = OTHER MISSING/NOT APPLICABLE.....	15370	27.64
		99 = LEGITIMATE SKIP.....	37308	67.10

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADOLESCENT DEPRESSION			PAGE:	581
LABEL	LEN	DESCRIPTION	FREQ	%
*YODSMMD	2	1SCORE OF SYMPTOM INDICATORS 1 THRU 9		-
		1 = Has 5 or more symptoms.....	2619	4.71
		2 = Has less than 5 symptoms.....	563	1.01
		94 = SUM OF SYMPTOMS AND DON'T KNOW >=5.....	15	0.03
		97 = SUM OF SYMPTOMS AND REFUSED >=5.....	6	0.01
		98 = OTHER MISSING/NOT APPLICABLE.....	15091	27.14
		99 = LEGITIMATE SKIP.....	37308	67.10
(YD28)		You mentioned having some of the problems I just asked you about.		
		During that [TIMEFILL] period of time, how much did your [FEELNOUN] interfere or cause problems with your school work, your job, or your relationships with family and friends?		
YOPBINTF	2	1WHEN PRBLMS WORST INTERFERE WITH SCHL/ PRSNL LIFE		
		1 = Not at all.....	131	0.24
		2 = A little.....	550	0.99
		3 = Some.....	858	1.54
		4 = A lot.....	809	1.45
		5 = Extremely.....	369	0.66
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	200	0.36
		99 = LEGITIMATE SKIP.....	52677	94.74
(YD28A)		During that [TIMEFILL] period of time, how often were you unable to carry out your daily activities or to take care of yourself because of these problems with your mood?		
YOPBDLYA	2	1WHEN PRBLMS WORST UNABLE TO CARRY OUT DLY ACTVTS		
		1 = Often.....	440	0.79
		2 = Sometimes.....	1214	2.18
		3 = Not very often.....	666	1.20
		4 = Never.....	254	0.46
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	8	0.01
		98 = BLANK (NO ANSWER).....	200	0.36
		99 = LEGITIMATE SKIP.....	52808	94.98
(YD37)		Think of the very first period of time in your life lasting two weeks or longer when you [FEELFILL] and also had some of the other problems we just asked about.		
		Can you remember your exact age?		
YOPBRMBR	2	1RMBR AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED		
		1 = Yes.....	1560	2.81
		2 = No.....	1144	2.06
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	200	0.36
		99 = LEGITIMATE SKIP.....	52677	94.74

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADOLESCENT DEPRESSION			PAGE:	582
LABEL	LEN	DESCRIPTION	FREQ	%
<hr/>				
(YD37A) How old were you?				
YOPBAGE	3	1AGE WHEN FIRST 2+ WK PERIOD OF TIME STARTED		
RANGE = 1 - 17				
994 = DON'T KNOW.....				
997 = REFUSED.....				
998 = BLANK (NO ANSWER).....				
999 = LEGITIMATE SKIP.....				
			2578	4.64
			133	0.24
			11	0.02
			203	0.37
			52677	94.74
 (YD52) In your entire life, how many times did you feel [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?				
If you are not sure of your answer, just make your best guess.				
YOPBNUM	4	1# TIMES FELT THIS WAY FOR 2 WKS/LNGR DURING LIFE		
RANGE = 1 - 1000				
9994 = DON'T KNOW.....				
9997 = REFUSED.....				
9998 = BLANK (NO ANSWER).....				
9999 = LEGITIMATE SKIP.....				
			2380	4.28
			310	0.56
			35	0.06
			200	0.36
			52677	94.74
 (YD38) In the past 12 months, did you have a period of time when you felt [FEELNOUN] for two weeks or longer while also having some of the other problems we asked about?				
YOPB2WK	2	1FELT THIS WAY 2 WKS+ W/OTH PRBS DURING PST 12 MOS		
1 = Yes.....				
2 = No.....				
94 = DON'T KNOW.....				
97 = REFUSED.....				
98 = BLANK (NO ANSWER).....				
99 = LEGITIMATE SKIP.....				
			1723	3.10
			959	1.72
			33	0.06
			10	0.02
			200	0.36
			52677	94.74

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	583
			FREQ	%
(YD66A)		Think about the time in the past 12 months when [NUMPROBS] with your mood [WASWERE] the worst.		-
		Using the 0 to 10 scale shown below, where 0 means no problems and 10 means very severe problems, select the number that describes how much your [FEELNOUN] caused problems with each of the following activities during that time. You can use any number between 0 and 10 to answer. If this activity doesn't apply to you, type in 95.		
		How much did your [FEELNOUN] cause problems with your chores at home?		
YOPSHMGT	2	1HOW MUCH DID FEELINGS INTERFERE WITH HOME CHORES		
		0 = No Problems.....	110	0.20
		1 = Mild - 1.....	74	0.13
		2 = Mild - 2.....	120	0.22
		3 = Mild - 3.....	162	0.29
		4 = Moderate - 4.....	159	0.29
		5 = Moderate - 5.....	269	0.48
		6 = Moderate - 6.....	246	0.44
		7 = Severe - 7.....	171	0.31
		8 = Severe - 8.....	152	0.27
		9 = Severe - 9.....	76	0.14
		10 = Very Severe Problems.....	104	0.19
		94 = DON'T KNOW.....	8	0.01
		95 = ACTIVITY DOES NOT APPLY.....	69	0.12
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	243	0.44
		99 = LEGITIMATE SKIP.....	53636	96.46
(YD66B)		During that time in the past 12 months when your [FEELNOUN] was worst, how much did this cause problems with your ability to do well at school or work?		
		You can use any number between 0 and 10 to answer. If this activity doesn't apply to you, type in 95.		
YOPSWORK	2	1HOW MCH DID FLNGS INTRFR W/ABLTY TO DO WLL SCH/WK		
		0 = No Problems.....	82	0.15
		1 = Mild - 1.....	65	0.12
		2 = Mild - 2.....	103	0.19
		3 = Mild - 3.....	128	0.23
		4 = Moderate - 4.....	148	0.27
		5 = Moderate - 5.....	246	0.44
		6 = Moderate - 6.....	228	0.41
		7 = Severe - 7.....	186	0.33
		8 = Severe - 8.....	190	0.34
		9 = Severe - 9.....	131	0.24
		10 = Very Severe Problems.....	137	0.25
		94 = DON'T KNOW.....	6	0.01
		95 = ACTIVITY DOES NOT APPLY.....	69	0.12
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	243	0.44
		99 = LEGITIMATE SKIP.....	53636	96.46

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	584
			FREQ	%
(YD66C)		How much did your [FEELNOUN] cause problems with your ability to get along with your family during that time?		-
		You can use any number between 0 and 10 to answer. If this activity doesn't apply to you, type in 95.		
YOPSRELS	2	1HOW MUCH DID FLNGS INTRFR W/GETTING ALONG W/FAM		
		0 = No Problems.....	65	0.12
		1 = Mild - 1.....	54	0.10
		2 = Mild - 2.....	75	0.13
		3 = Mild - 3.....	120	0.22
		4 = Moderate - 4.....	130	0.23
		5 = Moderate - 5.....	200	0.36
		6 = Moderate - 6.....	213	0.38
		7 = Severe - 7.....	215	0.39
		8 = Severe - 8.....	205	0.37
		9 = Severe - 9.....	168	0.30
		10 = Very Severe Problems.....	230	0.41
		94 = DON'T KNOW.....	5	0.01
		95 = ACTIVITY DOES NOT APPLY.....	32	0.06
		97 = REFUSED.....	11	0.02
		98 = BLANK (NO ANSWER).....	243	0.44
		99 = LEGITIMATE SKIP.....	53636	96.46
(YD66D)		How much did your [FEELNOUN] cause problems with your social life during that time?		
		You can use any number between 0 and 10 to answer. If this activity doesn't apply to you, type in 95.		
YOPSSOC	2	1HOW MUCH DID FEELINGS INTERFERE WITH SOCIAL LIFE		
		0 = No Problems.....	53	0.10
		1 = Mild - 1.....	49	0.09
		2 = Mild - 2.....	79	0.14
		3 = Mild - 3.....	109	0.20
		4 = Moderate - 4.....	145	0.26
		5 = Moderate - 5.....	245	0.44
		6 = Moderate - 6.....	220	0.40
		7 = Severe - 7.....	220	0.40
		8 = Severe - 8.....	208	0.37
		9 = Severe - 9.....	162	0.29
		10 = Very Severe Problems.....	184	0.33
		94 = DON'T KNOW.....	7	0.01
		95 = ACTIVITY DOES NOT APPLY.....	33	0.06
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	243	0.44
		99 = LEGITIMATE SKIP.....	53636	96.46

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	PAGE:	585
			FREQ	%
(YD68)		About how many days out of 365 in the past 12 months were you totally unable to go to school or work or carry out your normal activities because of your [FEELNOUN]?		-
		You can use any number between 0 and 365 to answer.		
YOPSDAYS	3	1# DYS UNABLE TO WORK/CARRY OUT DLY ACT PST 12 MOS		
		RANGE = 0 - 365	1645	2.96
		994 = DON'T KNOW.....	52	0.09
		997 = REFUSED.....	9	0.02
		998 = BLANK (NO ANSWER).....	243	0.44
		999 = LEGITIMATE SKIP.....	53653	96.49
(YD86)		Here is a list of professionals some people talk to about the problems we have been asking about:		
		<ul style="list-style-type: none"> - General practitioner or family doctor - Other medical doctor like a cardiologist, gynecologist, urologist - Psychologist - Psychiatrist or psychotherapist - Social Worker - Counselor - Other mental health professional, like a mental health nurse - A nurse, occupational therapist, or other health professional - A religious or spiritual advisor like a minister, priest, or rabbi - Another healer, like an herbalist, chiropractor, acupuncturist, or massage therapist 		
		At any time in the past 12 months, did you see or talk to a medical doctor or other professional about your [FEELNOUN]?		
YOSEEDOC	2	1SEE/TALK TO A DR/OTH PROF ABT FEELINGS PAST 12 MOS		
		1 = Yes.....	865	1.56
		2 = No.....	1847	3.32
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	200	0.36
		99 = LEGITIMATE SKIP.....	52677	94.74
(YD86A)		During the past 12 months, which professionals did you see or talk to about [NUMPROBS] with your mood?		
		To select more than one answer from the list, press the space bar between each number you type. When you have finished, press the [ENTER] key to go to the next question.		
YOFAMDOC	2	1GEN/FAM DOC TALKED W/ABT FEELINGS PAST 12 MOS		
		1 = Response entered.....	224	0.40
		6 = Response not entered.....	623	1.12
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	207	0.37
		99 = LEGITIMATE SKIP.....	54524	98.06

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADOLESCENT DEPRESSION			PAGE:	586
LABEL	LEN	DESCRIPTION	FREQ	%
YOOTHDOC	2	10TH DR TALKED W/ABOUT FEELINGS PAST 12 MOS		-
		1 = Response entered.....	38	0.07
		3 = Response entered LOGICALLY ASSIGNED.....	5	0.01
		6 = Response not entered.....	804	1.45
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	207	0.37
		99 = LEGITIMATE SKIP.....	54524	98.06
YOPSYCH	2	1PSYCHOLOGIST TALKED W/ABOUT FEELINGS PAST 12 MOS		
		1 = Response entered.....	275	0.49
		3 = Response entered LOGICALLY ASSIGNED.....	1	0.00
		6 = Response not entered.....	571	1.03
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	207	0.37
		99 = LEGITIMATE SKIP.....	54524	98.06
YOPSYMD	2	1PSYCHIATRIST TALKED W/ABOUT FEELINGS PAST 12 MOS		
		1 = Response entered.....	185	0.33
		6 = Response not entered.....	662	1.19
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	207	0.37
		99 = LEGITIMATE SKIP.....	54524	98.06
YOSOCWRK	2	1SOCIAL WORKER TALKED W/ABOUT FEELINGS PAST 12 MOS		
		1 = Response entered.....	112	0.20
		6 = Response not entered.....	735	1.32
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	207	0.37
		99 = LEGITIMATE SKIP.....	54524	98.06
YOCOUNS	2	1COUNSELOR TALKED W/ABOUT FEELINGS PAST 12 MOS		
		1 = Response entered.....	509	0.92
		3 = Response entered LOGICALLY ASSIGNED.....	2	0.00
		6 = Response not entered.....	336	0.60
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	207	0.37
		99 = LEGITIMATE SKIP.....	54524	98.06
YOOTHMHP	2	1MENTAL PROF TALKED W/ABOUT FEELINGS PAST 12 MOS		
		1 = Response entered.....	60	0.11
		6 = Response not entered.....	787	1.42
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	207	0.37
		99 = LEGITIMATE SKIP.....	54524	98.06
YONURSE	2	1NURSE ETC.TALKED W/ABOUT FEELINGS PAST 12 MOS		
		1 = Response entered.....	75	0.13
		6 = Response not entered.....	772	1.39
		94 = DON'T KNOW.....	12	0.02
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	207	0.37
		99 = LEGITIMATE SKIP.....	54524	98.06

The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADOLESCENT DEPRESSION			PAGE:	587
LABEL	LEN	DESCRIPTION	FREQ	%
YORELIG	2	1RELIGIOUS ADVSR TLKED W/ABOUT FEELINGS PST 12 MOS 1 = Response entered..... 3 = Response entered LOGICALLY ASSIGNED..... 6 = Response not entered..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	140 2 705 12 12 207 54524	0.25 0.00 1.27 0.02 0.02 0.37 98.06
YOHERBAL	2	1HERBALIST TALKED W/ABOUT FEELINGS PAST 12 MOS 1 = Response entered..... 6 = Response not entered..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	20 827 12 12 207 54524	0.04 1.49 0.02 0.02 0.37 98.06
YOOTHHLP	2	1OTH HELP PROF TALKED W/ABOUT FEELINGS PAST 12 MOS 1 = Response entered..... 6 = Response not entered..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	58 789 12 12 207 54524	0.10 1.42 0.02 0.02 0.37 98.06
(YD86B)		Are you currently receiving treatment or counseling for [NUMPROBS] with your mood?		
YOTMTNOW	2	1CURRENTLY RCVNG TREATMENT/COUNSLG FOR MOOD 1 = Yes..... 2 = No..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	347 515 3 6 207 54524	0.62 0.93 0.01 0.01 0.37 98.06
(YD86C)		During the past 12 months, did you take prescription medication that was prescribed for [NUMPROBS]?		
YORX12MO	2	1TAKE PRES MEDS PRESCRIBED FOR MOOD PAST 12 MONTHS 1 = Yes..... 2 = No..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	465 2249 6 5 200 52677	0.84 4.04 0.01 0.01 0.36 94.74
(YD86D)		Are you currently taking prescription medication that was prescribed for [NUMPROBS]?		
YORXNOW	2	1CURRENTLY TAKING PRESC MEDS PRESCRIBED FOR MOOD 1 = Yes..... 2 = No..... 97 = REFUSED..... 98 = BLANK (NO ANSWER)..... 99 = LEGITIMATE SKIP.....	295 170 5 206 54926	0.53 0.31 0.01 0.37 98.78

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

ADOLESCENT DEPRESSION			PAGE:	588
LABEL	LEN	DESCRIPTION	FREQ	%
(YD86E)		During the past 12 months, how much has this prescription medication helped you?		-
YORXHLP	2	1HOW MUCH HAS PRESC MEDS FOR MOOD HELPED PST 12 MOS		
		1 = Not at all.....	75	0.13
		2 = A little.....	65	0.12
		3 = Some.....	113	0.20
		4 = A lot.....	112	0.20
		5 = Extremely.....	97	0.17
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	206	0.37
		99 = LEGITIMATE SKIP.....	54926	98.78
(YD86F)		During the past 12 months, how much has treatment or counseling helped you?		
YOTMTHLP	2	1HOW MUCH HAS TRMT/COUNSLG HELPED PST 12 MOS		
		1 = Not at all.....	180	0.32
		2 = A little.....	170	0.31
		3 = Some.....	205	0.37
		4 = A lot.....	190	0.34
		5 = Extremely.....	109	0.20
		94 = DON'T KNOW.....	7	0.01
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	207	0.37
		99 = LEGITIMATE SKIP.....	54524	98.06

1The values in the section may be inconsistent with values from the core section(s). Items in this section were edited when respondents legitimately skipped out of these items based on prior answers in the core section(s). Otherwise, non-core items generally were not edited to make them consistent with core items, and core items were not edited to make them consistent with non-core items.

LABEL	LEN	DESCRIPTION	RECODED ADOLESCENT DEPRESSION	PAGE:	589
				FREQ	%
RECODED ADOLESCENT DEPRESSION					

NOTE: The variables in this section are recoded variables that were created from one or more of the edited variables from the preceding section. Specific details about the recoded variables are provided in the Recoded Depression Variable Documentation Appendix.					

NOTE: The following 4 variables make up the four role domains (chores at home, school or work, close relationships with family, and social life) of the Sheehan Disability Scale (SDS), which measures the impact of a disorder on a person's life.					

YSDSHOME	1	YOUTH: MDE INTERFERE WITH CHORES AT HOME			
		.	= Unknown/Out of Scope (YOPSHMGT=94,95,97,98,99).....	53959	97.05
		1	= No Interference (YOPSHMGT=0).....	110	0.20
		2	= Mild Interference (YOPSHMGT=1,2,3).....	356	0.64
		3	= Moderate Interference (YOPSHMGT=4,5,6).....	674	1.21
		4	= Severe Interference (YOPSHMGT=7,8,9).....	399	0.72
		5	= Very Severe Interference (YOPSHMGT=10).....	104	0.19
YSDSWRK	1	YOUTH: MDE INTERFERE WITH SCHOOL OR WORK			
		.	= Unknown/Out of Scope (YOPSWORK=94,95,97,98,99).....	53958	97.04
		1	= No Interference (YOPSWORK=0).....	82	0.15
		2	= Mild Interference (YOPSWORK=1,2,3).....	296	0.53
		3	= Moderate Interference (YOPSWORK=4,5,6).....	622	1.12
		4	= Severe Interference (YOPSWORK=7,8,9).....	507	0.91
		5	= Very Severe Interference (YOPSWORK=10).....	137	0.25
YSDSREL	1	YOUTH: MDE INTERFERE WITH FAMILY RELATIONSHIPS			
		.	= Unknown/Out of Scope (YOPSRELS=94,95,97,98,99).....	53927	96.99
		1	= No Interference (YOPSRELS=0).....	65	0.12
		2	= Mild Interference (YOPSRELS=1,2,3).....	249	0.45
		3	= Moderate Interference (YOPSRELS=4,5,6).....	543	0.98
		4	= Severe Interference (YOPSRELS=7,8,9).....	588	1.06
		5	= Very Severe Interference (YOPSRELS=10).....	230	0.41
YSDSSOC	1	YOUTH: MDE INTERFERE WITH SOCIAL LIFE			
		.	= Unknown/Out of Scope (YOPSSOC=94,95,97,98,99).....	53928	96.99
		1	= No Interference (YOPSSOC=0).....	53	0.10
		2	= Mild Interference (YOPSSOC=1,2,3).....	237	0.43
		3	= Moderate Interference (YOPSSOC=4,5,6).....	610	1.10
		4	= Severe Interference (YOPSSOC=7,8,9).....	590	1.06
		5	= Very Severe Interference (YOPSSOC=10).....	184	0.33
The following variable, YSDSOVRL, is assigned the maximum level of interference from YSDSHOME, YSDSWRK, YSDSREL, and YSDSSOC. Max(YSDSHOME, YSDSWRK, YSDSREL, and YSDSSOC).					
YSDSOVRL	1	YOUTH: OVERALL SEVERITY LEVEL OF MDE INTERFERENCE			
		.	= Unknown/Out of Scope (Otherwise).....	53892	96.92
		1	= No Interference (See comment above).....	13	0.02
		2	= Mild Interference (See comment above).....	90	0.16
		3	= Moderate Interference (See comment above).....	419	0.75
		4	= Severe Interference (See comment above).....	784	1.41
		5	= Very Severe Interference (See comment above).....	404	0.73

RECODED ADOLESCENT DEPRESSION			PAGE:	590
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	The following variable, YSDSDAYS, is set equal to YOPSDAYS when YOPSDAYS is between 0 and 365.	-----	-
YSDSDAYS	3	YOUTH: # DAYS OUT OF ROLE FROM MDE INTERFERENCE	1645	2.96
		RANGE = 0 - 365	53957	97.04
		. = Unknown/Out of Scope (Otherwise).....		

LABEL	LEN	DESCRIPTION	PAGE:	591
			FREQ	%
<hr/>				
RECODED ADULT AND ADOLESCENT DEPRESSION				
<hr/>				
NOTE: The variables in this section are recoded variables that were created from one or more of the variables from the following two sections: Adult Depression or Adolescent depression. Specific details about the recoded variables are provided in the Recoded Depression Variable documentation Appendix.				
<hr/>				
A respondent was classified as having a major depressive episode (MDE) in their lifetime (MDELT=1) if they reported experiencing at least 5 out of 9 criteria used to define a person as having had MDE in their lifetime, where at least one of the criteria is a depressed mood or loss of interest or pleasure in daily activities (ADSMMDA=1 or YODSMMD=1).				
<hr/>				
A respondent was classified as NOT having a major depressive episode (MDE) in their lifetime (MDELT=2) if they met either of these conditions:				
<hr/>				
(1) Reported experiencing fewer than 5 out of the 9 criteria used to define a person as having had MDE in their lifetime (ADSMMDA=2 or YODSMMD=2)				
<hr/>				
(2) If the number of criteria used to define a person as having had MDE in their lifetime is unknown (ADSMMDA=98 or YODSMMD=98) and reported at least one of the following:				
<hr/>				
(I) Never having had a period of time lasting several days or longer when felt sad, empty, or depressed (ADDPREV=2 or YODPREV=2), discouraged about how things were going in life (ADDSCEV=2 or YODSCEV=2), and lost interest in most things usually enjoy (ADLOSEV=2 or YOLOSEV=2).				
<hr/>				
(II) Never having had a period of time when being sad, discouraged, or having lost interest in most things usually enjoy lasting nearly every day for two weeks or longer [(ADLSI2WK=2 or YOLSI2WK=2) and (ADDPR2WK=2 or YODPR2WK=2)].				
<hr/>				
(III) Having a period of time when being sad, discouraged, or having lost interest in most things usually enjoy lasted nearly every day for two weeks or longer and the sadness, discouragement, or loss of interest lasted less than an hour when mood was most severe and frequent (ADWRHRS=1 or (YOWRHRS=1)).				
<hr/>				
(IV) Having a period of time when being sad, discouraged, or having lost interest in most things usually enjoy lasted nearly every day for two weeks or longer and during those times when mood was most severe and frequent, emotional distress was mild (ADWRDST=1 or YOWRDST=1), there was never a time when emotional distress was so severe that you could not be cheered up (ADWRCHR=4 or YOWRCHR=4), and there was never a time when your emotional distress was so severe that you could not carry out your daily				
<hr/>				

Codebook Creation Date: September 20, 2012

LABEL	LEN	DESCRIPTION	RECODED ADULT AND ADOLESCENT DEPRESSION	PAGE:	592
				FREQ	%
-----	-----	-----	activities (ADWRIMP=4 or YOWRIMP=4).	-----	-
(v) Having a period of time when being sad, discouraged, or having lost interest in most things usually enjoy lasted nearly every day for two weeks or longer and never had any other problems during those weeks, such as changes in sleep, appetite, energy, the ability to concentrate and remember, or feelings of low self-worth (ADDPPROB=2 or YODPPROB=2).					
MDELT	1	HAD LIFETIME MAJOR DEPRESSIVE EPISODE (MDE)			
		. = Unknown (Otherwise).....	389	0.70	
		1 = Yes (ADSMMDA=1 OR YODSMDE=1).....	5783	10.40	
		2 = No (See comment above).....	30800	55.39	
		3 = Out of Scope (ADLTSAMP=1,98).....	18630	33.51	
MDEYR	1	HAD PAST YEAR MAJOR DEPRESSIVE EPISODE (MDE)			
		. = Unknown (Otherwise).....	440	0.79	
		1 = Yes (MDELT=1 & (ADPB2WK=1 OR YOPB2WK=1)).....	3506	6.31	
		2 = No (MDELT=2 or [MDELT=1&(ADPB2WK=2 or YOPB2WK=2)])	33026	59.40	
		3 = Out of Scope (MDELT=3).....	18630	33.51	
TXMDEYR	1	SAW OR TALKED TO MD OR PROF FOR MDE IN PAST YEAR			
		. = Unknown/Out of Scope (Otherwise).....	49646	89.29	
		0 = No (ADSEEDOC=2 or YOSEEDOC=2).....	3791	6.82	
		1 = Yes (ADSEEDOC=1 or YOSEEDOC=1).....	2165	3.89	
RXMDEYR	1	USED PRESCRIPTION MEDICATION FOR MDE IN PAST YEAR			
		. = Unknown/Out of Scope (Otherwise).....	49645	89.29	
		0 = No (ADRX12MO=2 or YORX12MO=2).....	4449	8.00	
		1 = Yes (ADRX12MO=1 or YORX12MO=1).....	1508	2.71	
NOTE: In the following 3 variables, a person is defined as having received treatment/counseling if one saw or talked to a medical doctor or other professional for MDE.					
MDETXRX	1	RCVD TRT/CNSLNG OR RX MED FOR MDE IN PAST YEAR			
		. = Unknown/Out of Scope (Otherwise).....	49651	89.30	
		0 = No (TXMDEYR=0 and RXMDEYR=0).....	3536	6.36	
		1 = Yes (TXMDEYR=1 or RXMDEYR=1).....	2415	4.34	
MDETXARX	1	RCVD TRT/CNSLNG AND RX MED FOR MDE IN PAST YEAR			
		. = Unknown/Out of Scope (Otherwise).....	49640	89.28	
		0 = No (TXMDEYR=0 or RXMDEYR=0).....	4704	8.46	
		1 = Yes (TXMDEYR=1 and RXMDEYR=1).....	1258	2.26	
MDETXO	1	RCVD TRT/CNSLNG ONLY FOR MDE IN PAST YEAR			
		. = Unknown/Out of Scope (Otherwise).....	49649	89.29	
		0 = No (TXMDEYR=0 or RXMDEYR=1).....	5049	9.08	
		1 = Yes (TXMDEYR=1 and RXMDEYR=0).....	904	1.63	
MDERXO	1	RCVD RX MEDICATION ONLY FOR MDE IN PAST YEAR			
		. = Unknown/Out of Scope (Otherwise).....	49642	89.28	
		0 = No (RXMDEYR=0 or TXMDEYR=1).....	5710	10.27	
		1 = Yes (RXMDEYR=1 and TXMDEYR=0).....	250	0.45	

RECODED ADULT AND ADOLESCENT DEPRESSION			PAGE:	593
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
		A respondent was classified as NOT having seen or talked to a general practitioner or family doctor about MDE during the past year (DOCMDE=0) if they met either of these conditions:		
		(1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).		
		(2) Response not entered for whether a general practitioner or family doctor was seen or talked to during the past year (ADFAMDOC=6 or YOFAMDOC=6).		
DOCMDE	1	SAW/TALK TO GENERAL PRAC OR FAM MD ABOUT MDE - PY		
		. = Unknown/Out of Scope (Otherwise).....	49674	89.34
		0 = No (See comment above).....	5018	9.02
		1 = Yes (ADFAMDOC=1,3 or YOFAMDOC=1).....	910	1.64
		A respondent was classified as NOT having seen or talked to other medical doctor about MDE during the past year (OMDMDE=0) if they met either of these conditions:		
		(1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).		
		(2) Response not entered for whether other medical doctor was seen or talked to during the past year (ADOTHDOC=6 or YOOTHDOC=6).		
OMDMDE	1	SAW/TALK TO OTHER MD ABOUT MDE - PY		
		. = Unknown/Out of Scope (Otherwise).....	49674	89.34
		0 = No (See comment above).....	5765	10.37
		1 = Yes (ADOTHDOC=1,3 or YOOTHDOC=1,3).....	163	0.29
		A respondent was classified as NOT having seen or talked to a psychologist about MDE during the past year (PSY1MDE=0) if they met either of these conditions:		
		(1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).		
		(2) Response not entered for whether a psychologist was seen or talked to during the past year (ADPSYCH=6 or YOPSYCH=6).		
PSY1MDE	1	SAW/TALK TO PSYCHOLOGIST ABOUT MDE - PY		
		. = Unknown/Out of Scope (Otherwise).....	49674	89.34
		0 = No (See comment above).....	5337	9.60
		1 = Yes (ADPSYCH=1 or YOPSYCH=1,3).....	591	1.06

RECODED ADULT AND ADOLESCENT DEPRESSION			PAGE:	594
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
A respondent was classified as NOT having seen or talked to a psychiatrist or psychotherapist about MDE during the past year (PSY2MDE=0) if they met either of these conditions:				
(1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).				
(2) Response not entered for whether a psychiatrist or psychotherapist was seen or talked to during the past year (ADPSYMD=6 or YOPSYMD=6).				
PSY2MDE	1	SAW/TALK TO PSYCHIATRIST/PSYCHOTHER ABOUT MDE -PY		
. = Unknown/Out of Scope (Otherwise)..... 49674 89.34				
0 = No (See comment above)..... 5415 9.74				
1 = Yes (ADPSYMD=1 or YOPSYMD=1)..... 513 0.92				
A respondent was classified as NOT having seen or talked to a social worker about MDE during the past year (SOCMDE=0) if they met either of these conditions:				
(1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).				
(2) Response not entered for whether a social worker was seen or talked to during the past year (ADSOCWRK=6 or YOSOCWRK=6).				
SOCMDE	1	SAW/TALK TO SOCIAL WORKER ABOUT MDE - PY		
. = Unknown/Out of Scope (Otherwise)..... 49674 89.34				
0 = MDE (See comment above)..... 5686 10.23				
1 = Yes (ADSOCWRK=1,3 or YOSOCWRK=1)..... 242 0.44				
A respondent was classified as NOT having seen or talked to a counselor about MDE during the past year (COUNMDE=0) if they met either of these conditions:				
(1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).				
(2) Response not entered for whether a counselor was seen or talked to during the past year (ADCOUNS=6 or YOCOUNS=6).				
COUNMDE	1	SAW/TALK TO COUNSELOR ABOUT MDE - PY		
. = Unknown/Out of Scope (Otherwise)..... 49674 89.34				
0 = No (See comment above)..... 5110 9.19				
1 = Yes (ADCOUNS=1 or YOCOUNS=1,3)..... 818 1.47				

LABEL	LEN	DESCRIPTION	PAGE:	595
			FREQ	%
-----	-----	-----	-----	-
The following variable, OMHMDE, indicates whether a person saw or talked to a mental health professional, such as a mental health nurse or other therapist where type not specified, in the past year for MDE.				
A respondent was classified as having seen or talked to other mental health professional about MDE during the past year (OMHMDE=1) if they met either of these conditions:				
(1) Reported seeing or talking to a medical doctor or other professional during the past year (ADOTHMHP =1 or YOOTHMHP=1).				
(2) Response entered for whether other mental health professional was seen or talked to during the past year.				
A respondent was classified as NOT having seen or talked to other mental health professional about MDE during the past year (OMHMDE=0) if they met either of these conditions:				
(1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).				
(2) Response not entered for whether other mental health professional was seen or talked to during the past year (ADOTHMHP=6 or YOOTHMHP=6).				
OMHMDE	1	SAW/TALK TO OTHER MENTAL HEALTH PROF ABOUT MDE -PY		
		. = Unknown/Out of Scope (Otherwise).....	49674	89.34
		0 = No (See comment above).....	5794	10.42
		1 = Yes (See comment above).....	134	0.24
A respondent was classified as NOT having seen or talked to a nurse, occupational therapist, or other health professional about MDE during the past year (NURSMDE=0) if they met either of these conditions:				
(1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).				
(2) Response not entered for whether nurse was seen or talked to during the past year (ADNURSE=6 or YONURSE=6).				
NURSMDE	1	SAW/TALK TO NURSE/OCC THERA/HTH PROF ABOUT MDE-PY		
		. = Unknown/Out of Scope (Otherwise).....	49674	89.34
		0 = No (See comment above).....	5771	10.38
		1 = Yes (ADNURSE=1,3 or YONURSE=1).....	157	0.28

LABEL	LEN	DESCRIPTION	RECODED ADULT AND ADOLESCENT DEPRESSION	PAGE:	596
				FREQ	%

A respondent was classified as NOT having seen or talked to a religious or spiritual advisor about MDE during the past year (RELMDE=0) if they met either of these conditions:					
(1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).					
(2) Response not entered for whether religious or spiritual advisor was seen or talked to during the past year (ADRELIB=6 or YORELIB=6).					
RELMDE	1	SAW/TALK TO RELIG OR SPIRITUAL ADVISOR ABOUT MDE-PY			
		. = Unknown/Out of Scope (Otherwise).....	49674	89.34	
		0 = No (See comment above).....	5547	9.98	
		1 = Yes (ADRELIB=1,3 or YORELIB=1,3).....	381	0.69	
A respondent was classified as NOT having seen or talked to an herbalist, chiropractor, acupuncturist, or massage therapist about MDE during the past year (HBCHMDE=0) if they met either of these conditions:					
(1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).					
(2) Response not entered for whether an herbalist, chiropractor, acupuncturist, or massage therapist was seen or talked to during the past year (ABHERBAL=6 or YOHERBAL=6).					
HBCHMDE	1	SAW/TALK TO HRB/CHIRO/ACUPU/MSGE THER ABOUT MDE-PY			
		. = Unknown/Out of Scope.....	49674	89.34	
		0 = No (See comment above).....	5839	10.50	
		1 = Yes (ADHERBAL=1,3 or YOHERBAL=1).....	89	0.16	
A respondent was classified as NOT having seen or talked to another professional about MDE during the past year (OTHMDE=0) if they met either of these conditions:					
(1) Reported NOT seeing or talking to a medical doctor or other professional during the past year (ADSEEDOC=2 or YOSEEDOC=2).					
(2) Response not entered for whether other mental health professional was seen or talked to during the past year (ADOTHHLP=6 or YOOTHHLP=6).					
OTHMDE	1	SAW/TALK TO OTHER PROF ABOUT MDE-PY			
		. = Unknown/Out of Scope (Otherwise).....	49711	89.41	
		0 = No (See comment above).....	5863	10.54	
		1 = (ADOTHHLP=1 or YOOTHHLP=1).....	28	0.05	
TXHPMDE	1	PERCEPTION OF HELP RCV'D FROM MDE TRT/CNSLG			
		. = Unknown/Out of Scope (Otherwise).....	53462	96.15	
		1 = No Help at All (ADTMTHLP=1 or YOTMTHLP=1).....	381	0.69	
		2 = A Little Help (ADTMTHLP=2 or YOTMTHLP=2).....	399	0.72	
		3 = Some Help (ADTMTHLP=3 or YOTMTHLP=3).....	527	0.95	
		4 = A Lot of Help (ADTMTHLP=4 or YOTMTHLP=4).....	535	0.96	
		5 = Extremely Helpful (ADTMTHLP=5 or YOTMTHLP=5).....	298	0.54	

RECODED ADULT AND ADOLESCENT DEPRESSION			PAGE:	597
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
RXHPMDE	1	PERCEPTION OF HELP RCVD FROM MDE RX MEDICATION		
		. = Unknown/Out of Scope (Otherwise).....	54098	97.30
		1 = No Help at All (ADRXHLP=1 or YORXHLP=1).....	151	0.27
		2 = A Little Help (ADRXHLP=2 or YORXHLP=2).....	207	0.37
		3 = Some Help (ADRXHLP=3 or YORXHLP=3).....	354	0.64
		4 = A Lot of Help (ADRXHLP=4 or YORXHLP=4).....	465	0.84
		5 = Extremely Helpful (ADRXHLP=5 or YORXHLP=5).....	327	0.59

LABEL	LEN	DESCRIPTION	HOUSEHOLD COMPOSITION (ROSTER)	PAGE:	598
				FREQ	%
<hr/>					
HOUSEHOLD COMPOSITION (ROSTER)					
<hr/>					
NOTE: The following variable, EDFAM18, replaces the variable IRFAM18 (the imputation-revised indicator for having family members in the household aged 18 or older) from previous years. Previously, the edited proxy variables were created using IRFAM18. However, the procedures for creating the edited proxy variables changed due to changes in the proxy questions in the questionnaire. The new procedures required an edited form of this indicator.					
EDFAM18	2	EDITED INDICATOR: FAMILY IN HH 18 OR OLDER			
		0 = R has other family members >=18.....	46508	83.64	
		1 = R does not have other family members >=18.....	9066	16.31	
		98 = UNKNOWN.....	28	0.05	
IMOTHER	1	MOTHER IN HH			
		1 = R is 12-17, mother in hh.....	16617	29.89	
		2 = R is 12-17, no mother in hh.....	1667	3.00	
		3 = R is 12-17, don't know whether mother is in hh....	10	0.02	
		4 = R is 18 or older.....	37308	67.10	
IFATHER	1	FATHER IN HH			
		1 = R is 12-17, father in hh.....	13158	23.66	
		2 = R is 12-17, no father in hh.....	5120	9.21	
		3 = R is 12-17, don't know whether father is in hh....	16	0.03	
		4 = R is 18 or older.....	37308	67.10	
NRCH17_2	1	RECODED # R's CHILDREN < 18 IN HOUSEHOLD			
		RANGE = 0 - 2	53231	95.74	
		. = Missing.....	45	0.08	
		3 = 3 or more.....	2326	4.18	
IRHHSIZ2	1	RECODE - IMPUTATION-REVISED # PERSONS IN HH			
		1 = One person in household.....	3565	6.41	
		2 = Two people in household.....	11838	21.29	
		3 = Three people in household.....	12977	23.34	
		4 = Four people in household.....	14303	25.72	
		5 = Five people in household.....	7513	13.51	
		6 = 6 to 25 people in household.....	5406	9.72	
IIHHSIZ2	1	IRHHSIZ2-IMPUTATION INDICATOR			
		1 = Questionnaire data.....	55570	99.94	
		3 = Statistically imputed data.....	32	0.06	
IRKI17_2	1	RECODE - IMPUTATION-REVISED # KIDS AGED<18 IN HH			
		1 = No children under 18.....	20583	37.02	
		2 = One child under 18.....	13637	24.53	
		3 = Two children under 18.....	12509	22.50	
		4 = Three or more children under 18.....	8873	15.96	
IICKI17_2	1	IRKI17_2-IMPUTATION INDICATOR			
		1 = Questionnaire data.....	55459	99.74	
		3 = Statistically imputed data.....	143	0.26	
IRHH65_2	1	REC - IMPUTATION-REVISED # OF PER IN HH AGED>=65			
		1 = No people 65 or older in household.....	51443	92.52	
		2 = One person 65 or older in household.....	2848	5.12	
		3 = Two or more people 65 or older in household.....	1311	2.36	

HOUSEHOLD COMPOSITION (ROSTER)			PAGE:	599
LABEL	LEN	DESCRIPTION	FREQ	%
---	---	---	---	-
IHH65_2	1	IRHH65_2-IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55338	99.53
		2 = Logically assigned data.....	35	0.06
		3 = Statistically imputed data.....	229	0.41
IRFAMSZ2	1	IMP-REVISED - NO OF R'S FAMILY MEMBERS IN HHLD		
		1 = One R's family member in household.....	7385	13.28
		2 = Two R's family members in household.....	10851	19.52
		3 = Three R's family members in household.....	12027	21.63
		4 = Four R's family members in household.....	13590	24.44
		5 = Five R's family members in household.....	7019	12.62
		6 = Six or more R's family members in household.....	4730	8.51
IIFAMSZ2	1	IRFAMSZ2 - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55553	99.91
		3 = Statistically Imputed data.....	49	0.09
IRKIDFA2	1	IMP-REV - NO OF R'S FAMILY MBRS IN HH AGED 0-17		
		1 = No R'S family mbrs in HH aged 0-17.....	21061	37.88
		2 = One R'S family mbrs in HH aged 0-17.....	13649	24.55
		3 = Two R'S family mbrs in HH aged 0-17.....	12322	22.16
		4 = Three or more R'S family mbrs in HH aged 0-17.....	8570	15.41
IIKIDFA2	1	IRKIDFA2 - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55512	99.84
		3 = Statistically Imputed data.....	90	0.16

LABEL	LEN	DESCRIPTION	PAGE:	600
			FREQ	%
INCOME AND INSURANCE				
INCOME AND INSURANCE				
PRXYDATA	2	IS PROXY ANSWERING INSURANCE/ INCOME QS		
		1 = Yes.....	17242	31.01
		2 = No.....	100	0.18
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	36	0.06
		98 = BLANK (NO ANSWER).....	34	0.06
		99 = LEGITIMATE SKIP (Respondent answering).....	38181	68.67
NOTE: The variables which immediately follow refer to questions about the kinds and amounts of income received. Only imputed variables are included since other variables do not provide any additional analytic utility. Users can differentiate between imputed and non-imputed values using the imputation indicators. Questions about income from the questionnaire are not reproduced since the variables below do not correspond exactly to those questions. Edited and imputed health insurance variables, with the accompanying questionnaire questions, follow the income variables.				
IRPSOC	1	IMP. REVISED - RESP RECEIVE SS OR RR PAYMENTS		
		1 = Yes.....	4019	7.23
		2 = No.....	51583	92.77
IIPSOC	1	IRPSOC - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55391	99.62
		3 = Statistically imputed data.....	211	0.38
IRFAMSOC	1	IMP. REVISED - FAM RECEIVE SS OR RR PAYMENTS		
		1 = Yes.....	7112	12.79
		2 = No.....	48490	87.21
IIFAMSOC	1	IRFAMSOC - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55016	98.95
		3 = Statistically imputed data.....	586	1.05
IRPSSI	1	IMP. REVISED - RESP RECEIVE SSI		
		1 = Yes.....	1679	3.02
		2 = No.....	53923	96.98
IIPSSI	1	IRPSSI - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	55334	99.52
		3 = Statistically imputed data.....	268	0.48
IRFAMSSI	1	IMP. REVISED - FAM RECEIVE SSI		
		1 = Yes.....	3599	6.47
		2 = No.....	52003	93.53
IIFAMSSI	1	IRFAMSSI - IMPUTATION INDICATOR		
		1 = Questionnaire data.....	54864	98.67
		3 = Statistically imputed data.....	738	1.33

INCOME AND INSURANCE			PAGE:	601
LABEL	LEN	DESCRIPTION	FREQ	%
IRPWAG	1	IMP. REVISED - RESP RECEIVE INCOME FROM JOB 1 = Yes..... 2 = No.....	34878 20724	62.73 37.27
IIPWAG	1	IRPWAG - IMPUTATION INDICATOR 1 = Questionnaire data..... 3 = Statistically imputed data.....	55521 81	99.85 0.15
IRFAMWAG	1	IMP. REVISED - FAM REC INCOME FROM JOB 1 = Yes..... 2 = No.....	51115 4487	91.93 8.07
IIFAMWAG	1	IRFAMWAG - IMPUTATION INDICATOR 1 = Questionnaire data..... 3 = Statistically imputed data.....	55484 118	99.79 0.21
IRFSTAMP	1	IMP. REVISED - RESP/OTH FAM MEM REC FOOD STAMPS 1 = Yes..... 2 = No.....	6286 49316	11.31 88.69
IIFSTAMP	1	IRFSTAMP - IMPUTATION INDICATOR 1 = Questionnaire data..... 3 = Statistically imputed data.....	55394 208	99.63 0.37
IRPPMT	1	IMP. REVISED - RESP RECEIVE PUBLIC ASSIST 1 = Yes..... 2 = No.....	1627 53975	2.93 97.07
IIPPMT	1	IRPPMT - IMPUTATION INDICATOR 1 = Questionnaire data..... 3 = Statistically imputed data.....	55356 246	99.56 0.44
IRFAMPMT	1	IMP. REVISED - FAM RECEIVE PUBLIC ASSIST 1 = Yes..... 2 = No.....	2371 53231	4.26 95.74
IIFAMPMT	1	IRFAMPMT - IMPUTATION INDICATOR 1 = Questionnaire data..... 3 = Statistically imputed data.....	55113 489	99.12 0.88
IRPSVC	1	IMP. REVISED - RESP REC WELFARE/JOB PL/CHILD CARE 1 = Yes..... 2 = No.....	1964 53638	3.53 96.47
IIPSV	1	IRPSVC - IMPUTATION INDICATOR 1 = Questionnaire data..... 3 = Statistically imputed data.....	55429 173	99.69 0.31
IRFAMSVC	1	IMP. REVISED - FAM REC WELFARE/JOB PL/CHILDCARE 1 = Yes..... 2 = No.....	2950 52652	5.31 94.69
IIFAMSV	1	IRFAMSVC - IMPUTATION INDICATOR 1 = Questionnaire data..... 3 = Statistically imputed data.....	55230 372	99.33 0.67
IRWELMOS	2	IMP. REVISED - NO.OF MONTHS ON WELFARE RANGE = 1 - 12 99 = LEGITIMATE SKIP.....	4250 51352	7.64 92.36

LABEL	LEN	DESCRIPTION	PAGE:	602
			FREQ	%
-----	-----	-----	-----	-
IIWELMOS	1	IRWELMOS - IMPUTATION INDICATOR 1 = Questionnaire data..... 3 = Statistically imputed data..... 9 = Legitimate skip.....	4077	7.33
			699	1.26
			50826	91.41
IRPINT	1	IMP. REVISED - RESP REC INTEREST SAVING/DIVIDEND 1 = Yes..... 2 = No.....	29780	53.56
			25822	46.44
IIPINT	1	IRPINT - IMPUTATION INDICATOR 1 = Questionnaire data..... 3 = Statistically imputed data.....	55157	99.20
			445	0.80
IRFAMINT	1	IMP. REV - FAM REC INTEREST SAVING/DIVIDEND 1 = Yes..... 2 = No.....	37324	67.13
			18278	32.87
IIFAMINT	1	IRFAMINT - IMPUTATION INDICATOR 1 = Questionnaire data..... 3 = Statistically imputed data.....	54356	97.76
			1246	2.24
IRPCHD	1	IMP. REVISED - RESP REC CHILD SUPPORT PAYMENTS 1 = Yes..... 2 = No.....	2080	3.74
			53522	96.26
IIPCHD	1	IRPCHD - IMPUTATION INDICATOR 1 = Questionnaire data..... 3 = Statistically imputed data.....	55476	99.77
			126	0.23
IRFAMCHD	1	IMP. REVISED - FAM REC CHILD SUPPORT PAYMENTS 1 = Yes..... 2 = No.....	6772	12.18
			48830	87.82
IIFAMCHD	1	IRFAMCHD - IMPUTATION INDICATOR 1 = Questionnaire data..... 3 = Statistically imputed data.....	55288	99.44
			314	0.56
IRPOTH	1	IMP. REVISED - RESP REC OTH INCOME FROM OTH SOURCE 1 = Yes..... 2 = No.....	3631	6.53
			51971	93.47
IIPOTH	1	IRPOTH - IMPUTATION INDICATOR 1 = Questionnaire data..... 3 = Statistically imputed data.....	55421	99.67
			181	0.33
IRFAMOTH	1	IMP. REVISED - FAM REC OTH INC FR OTH SOURCE 1 = Yes..... 2 = No.....	7865	14.15
			47737	85.85
IIFAMOTH	1	IRFAMOTH - IMPUTATION INDICATOR 1 = Questionnaire data..... 3 = Statistically imputed data.....	55024	98.96
			578	1.04

LABEL	LEN	DESCRIPTION	INCOME AND INSURANCE		PAGE:	603
			FREQ	%		
IRPINC3	1	RECODE - IMP.REVISED-RESP'S TOT INC				
		1 = Less than \$10,000 (Including Loss).....	32131	57.79		
		2 = \$10,000 - \$19,999.....	8582	15.43		
		3 = \$20,000 - \$29,999.....	5475	9.85		
		4 = \$30,000 - \$39,999.....	3489	6.27		
		5 = \$40,000 - \$49,999.....	2164	3.89		
		6 = \$50,000 - \$74,999.....	2257	4.06		
		7 = \$75,000 or more.....	1504	2.70		
IIPINC3	1	IRPINC3 - IMPUTATION INDICATOR				
		1 = Questionnaire data.....	53711	96.60		
		3 = Statistically imputed data.....	1891	3.40		
IRFAMIN3	1	RECODE - IMP.REVISED - TOT FAM INCOME				
		1 = Less than \$10,000 (Including Loss).....	6042	10.87		
		2 = \$10,000 - \$19,999.....	7531	13.54		
		3 = \$20,000 - \$29,999.....	7132	12.83		
		4 = \$30,000 - \$39,999.....	6714	12.08		
		5 = \$40,000 - \$49,999.....	6462	11.62		
		6 = \$50,000 - \$74,999.....	9670	17.39		
		7 = \$75,000 or more.....	12051	21.67		
IIFAMIN3	1	IRFAMIN3 - IMPUTATION INDICATOR				
		1 = Questionnaire data.....	49421	88.88		
		3 = Statistically imputed data.....	6181	11.12		
(QHI01)		The next questions are about SAMPLE MEMBER'S health insurance coverage and the kinds and amounts of income that SAMPLE MEMBER and other people in your family receive.				
		NOTE: Beginning in 2003, respondents under the age of 65 who reported that they were covered by Medicare were asked to confirm their answer.				
		Medicare is a health insurance program for persons 65 and older and for certain disabled persons. (Are you/Is SAMPLE MEMBER) covered by Medicare?				
MEDICARE	2	COVERED BY MEDICARE				
		1 = Yes.....	2637	4.74		
		2 = No.....	52778	94.92		
		94 = DON'T KNOW.....	147	0.26		
		97 = REFUSED.....	18	0.03		
		98 = BLANK (NO ANSWER).....	22	0.04		

LABEL	LEN	DESCRIPTION	INCOME AND INSURANCE	PAGE:	604
				FREQ	%
(QHI02)		NOTE: The variable CAIDCHIP was created from responses to the first question shown below for respondents who were aged 20 or older. For respondents who were aged 12 to 19, CAIDCHIP was created from responses to the two questions shown below. This variable replaces the variable MEDICAID that was present in prior years. Beginning in 2003, respondents aged 65 or older who reported that they were covered by Medicaid were asked to confirm their answer.			-
		Medicaid is a public assistance program that pays for medical care for low income and disabled persons. The Medicaid program in [STATE FILL] is also called [MEDIFILL].			
		(Are you/Is SAMPLE MEMBER) covered by Medicaid?			
		(Are you/Is SAMPLE MEMBER) currently covered by [CHIPFILL]?			
CAIDCHIP	2	COVERED BY MEDICAID/CHIP			
		1 = Yes.....	8347	15.01	
		2 = No.....	46810	84.19	
		85 = BAD DATA Logically assigned.....	20	0.04	
		94 = DON'T KNOW.....	379	0.68	
		97 = REFUSED.....	24	0.04	
		98 = BLANK (NO ANSWER).....	22	0.04	
(QHI03)		(Are you/Is SAMPLE MEMBER) currently covered by TRICARE, or CHAMPUS, CHAMPVA, the VA, or military health care?			
		These programs cover active duty and retired career military personnel and their dependents and survivors and also disabled veterans and their dependents and survivors.			
CHAMPUS	2	COV BY TRICARE, CHAMPUS, CHAMPVA, VA, MILITARY			
		1 = Yes.....	1706	3.07	
		2 = No.....	53668	96.52	
		94 = DON'T KNOW.....	186	0.33	
		97 = REFUSED.....	20	0.04	
		98 = BLANK (NO ANSWER).....	22	0.04	
(QHI06)		Private health insurance can be obtained through work, such as through an employer, union, or professional association or by paying premiums directly to a health insurance company.			
		(Are you/Is SAMPLE MEMBER) currently covered by private health insurance?			
PRVHLTIN	2	COVERED BY PRIVATE INSURANCE			
		1 = Yes.....	36378	65.43	
		2 = No.....	18835	33.87	
		94 = DON'T KNOW.....	344	0.62	
		97 = REFUSED.....	23	0.04	
		98 = BLANK (NO ANSWER).....	22	0.04	

LABEL	LEN	DESCRIPTION	PAGE:	605
			FREQ	%
(QHI07)		(Was your/SAMPLE MEMBER'S) private health insurance obtained through work, such as through an employer, union, or professional association?		-
GRPHLTIN	2	PRIVATE PLAN OFFERED THROUGH EMPLOYER OR UNION		
		1 = Yes.....	33257	59.81
		2 = No.....	3006	5.41
		94 = DON'T KNOW.....	113	0.20
		97 = REFUSED.....	25	0.04
		98 = BLANK (NO ANSWER).....	366	0.66
		99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	18835	33.87
(QHI08)		Does (your/SAMPLE MEMBER'S) private health insurance include coverage for treatment for any of the following conditions?		
		Alcohol abuse or alcoholism?		
HLTINALC	2	ALCOHOL ABUSE OR ALCOHOLISM		
		1 = Yes.....	16956	30.50
		2 = No.....	4316	7.76
		94 = DON'T KNOW.....	15099	27.16
		97 = REFUSED.....	30	0.05
		98 = BLANK (NO ANSWER).....	366	0.66
		99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	18835	33.87
(QHI09)		Drug abuse?		
HLTINDRUG	2	DRUG ABUSE		
		1 = Yes.....	16968	30.52
		2 = No.....	4412	7.93
		94 = DON'T KNOW.....	14988	26.96
		97 = REFUSED.....	33	0.06
		98 = BLANK (NO ANSWER).....	366	0.66
		99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	18835	33.87
(QHI10)		Mental or emotional problems?		
HLTINMNT	2	MENTAL OR EMOTIONAL DIFFICULTIES		
		1 = Yes.....	23755	42.72
		2 = No.....	2947	5.30
		94 = DON'T KNOW.....	9670	17.39
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	366	0.66
		99 = LEGITIMATE SKIP (PRVHLTIN = 2).....	18835	33.87
(QHI11)		(Are you/Is SAMPLE MEMBER) currently covered by any kind of health insurance, that is, any policy or program that provides or pays for medical care?		
HLTINNOS	2	COVERED BY HEALTH INSUR (NOT OTHERWISE SPECIFIED)		
		1 = Yes.....	1112	2.00
		2 = No.....	8662	15.58
		94 = DON'T KNOW.....	22	0.04
		98 = BLANK (NO ANSWER).....	22	0.04
		99 = LEGITIMATE SKIP.....	45784	82.34

LABEL	LEN	DESCRIPTION	INCOME AND INSURANCE		PAGE: FREQ	606 %
			-----	-----		
(QHI13) During the past 12 months, was there any time when (you/SAMPLE MEMBER) did not have any kind of health insurance or coverage?						
HLCNOTYR	2	ANYTIME DID NOT HAVE HEALTH INS/COVER PAST 12 MOS				
		1 = Yes.....	4085	7.35		
		2 = No.....	42298	76.07		
		85 = BAD DATA Logically assigned.....	2	0.00		
		94 = DON'T KNOW.....	122	0.22		
		97 = REFUSED.....	25	0.04		
		98 = BLANK (NO ANSWER).....	408	0.73		
		99 = LEGITIMATE SKIP.....	8662	15.58		
(QHI14) During the past 12 months, about how many months were (you/SAMPLE MEMBER) without any kind of health insurance or coverage?						
HLCNOTMO	2	PAST 12 MOS, HOW MANY MOS W/O COVERAGE				
		RANGE = 1 - 12	4051	7.29		
		94 = DON'T KNOW.....	33	0.06		
		97 = REFUSED.....	26	0.05		
		98 = BLANK (NO ANSWER).....	532	0.96		
		99 = LEGITIMATE SKIP.....	50960	91.65		
(QHI15) About how long has it been since (you/SAMPLE MEMBER) last had any kind of health coverage?						
HLCLAST	2	TIME SINCE LAST HAD HEALTH CARE COVERAGE				
		1 = Within the past 6 months.....	1628	2.93		
		2 = More than 6 months ago, but within the past year..	1194	2.15		
		3 = More than 1 year ago, but within the past 3 years.	2206	3.97		
		4 = More than 3 years ago.....	1984	3.57		
		5 = Never had coverage.....	1586	2.85		
		94 = DON'T KNOW.....	60	0.11		
		97 = REFUSED.....	29	0.05		
		98 = BLANK (NO ANSWER).....	410	0.74		
		99 = LEGITIMATE SKIP.....	46505	83.64		

INCOME AND INSURANCE			PAGE:	607
LABEL	LEN	DESCRIPTION	FREQ	%
(QHI17) Which of the reasons on this card is the main reason why (you/SAMPLE MEMBER) stopped being covered by health insurance?				
HLLOSRSN	2	MAIN REASON STOPPED COVERED BY HEALTH INSURANCE		
1	= Pers in family w/health ins lost job/chng employer	1524	2.74	
2	= Lost Medicaid/Med Assist b/c new job/incr income.	473	0.85	
3	= Lost Medicaid/Med Assist some other reason.....	486	0.87	
4	= Cost is too high/can't afford premiums.....	1658	2.98	
5	= Became ineligible because of age or leaving school	1275	2.29	
6	= Employer does not offer coverage, or not eligible.	570	1.03	
7	= Got divorced or separated from person w/insurance.	136	0.24	
8	= Death of spouse or parent.....	22	0.04	
9	= Insurance company refused coverage.....	64	0.12	
10	= Don't need it.....	198	0.36	
11	= Received Medicaid/med insur only while pregnant...	271	0.49	
12	= Some other reason.....	344	0.62	
85	= BAD DATA Logically assigned.....	4	0.01	
94	= DON'T KNOW.....	34	0.06	
97	= REFUSED.....	42	0.08	
98	= BLANK (NO ANSWER).....	410	0.74	
99	= LEGITIMATE SKIP.....	48091	86.49	
(QHI18) Which of the reasons on this card describe why (you/SAMPLE MEMBER) have never had health insurance coverage?				
HLNVCOST	2	COST TOO HIGH		
1	= Response entered.....	908	1.63	
6	= Response not entered.....	665	1.20	
94	= DON'T KNOW.....	9	0.02	
97	= REFUSED.....	29	0.05	
98	= BLANK (NO ANSWER).....	428	0.77	
99	= LEGITIMATE SKIP.....	53563	96.33	
HLNVOFFR	2	EMPLOYER DOESN'T OFFER		
1	= Response entered.....	342	0.62	
6	= Response not entered.....	1231	2.21	
94	= DON'T KNOW.....	9	0.02	
97	= REFUSED.....	29	0.05	
98	= BLANK (NO ANSWER).....	428	0.77	
99	= LEGITIMATE SKIP.....	53563	96.33	
HLNVREF	2	INSURANCE COMPANY REFUSED COVERAGE		
1	= Response entered.....	24	0.04	
6	= Response not entered.....	1549	2.79	
94	= DON'T KNOW.....	9	0.02	
97	= REFUSED.....	29	0.05	
98	= BLANK (NO ANSWER).....	428	0.77	
99	= LEGITIMATE SKIP.....	53563	96.33	
HLNVNEED	2	DON'T NEED IT		
1	= Response entered.....	223	0.40	
6	= Response not entered.....	1350	2.43	
94	= DON'T KNOW.....	9	0.02	
97	= REFUSED.....	29	0.05	
98	= BLANK (NO ANSWER).....	428	0.77	
99	= LEGITIMATE SKIP.....	53563	96.33	

INCOME AND INSURANCE			PAGE:	608
LABEL	LEN	DESCRIPTION	FREQ	%
HLNVSOR	2	NEVER HAD HLTH INS SOME OTHER REASON		-
		1 = Response entered.....	140	0.25
		6 = Response not entered.....	1433	2.58
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	428	0.77
		99 = LEGITIMATE SKIP.....	53563	96.33

The following variable, IRPINSUR, is the imputation revised version of the edited variable PRVHLTIN.

IRPINSUR	1	IMPUTATION - REVISED PRIVATE HEALTH INSURANCE		
		1 = Yes, respondent does have private health insurance	36638	65.89
		2 = No, respondent does not have private health insur.	18964	34.11

IIPINSUR	1	IMPUTATION - INDICATOR IRPINSUR		
		1 = Questionnaire data.....	55213	99.30
		3 = Statistically imputed data.....	389	0.70

For IRINSUR, a respondent is classified as having any health insurance (IRINSUR=1) if he/she satisfied ANY of the following conditions.

- (1) Covered by Private Health Insurance (PRVHLTIN=1)
- (2) Covered by Medicare (MEDICARE=1)
- (3) Covered by Medicaid (answered question QHI02 as yes)
- (4) Covered by Champus, Champva, Va, or Military (CHAMPUS=1)

A respondent is classified as NOT having any health insurance (IRINSUR=2) if he/she met EVERY one of the following conditions.

- (1) Not covered by Private Health Insurance (PRVHLTIN=2)
- (2) Not covered by Medicare (MEDICARE=2)
- (3) Not covered by Medicaid (answered question QHI02 as no)
- (4) Not covered by Champus, Champva, Va, or Military (CHAMPUS=2)

Responses to question QHI02 were used in part to create the variable CAIDCHIP. However, CAIDCHIP took into account responses to another question that was not used to create IRINSUR.

If the respondent is not classified as having or not having any health insurance according to the respondent's answers to questions about private health insurance, Medicare, Medicaid, or military health coverage, then he/she is imputed to either of these two categories, where consistency is maintained between IRINSUR, IRINSUR3, and IRPINSUR.

IRINSUR	1	IMPUTATION - REVISED HEALTH INSURANCE		
		1 = Yes, respondent does have health insurance.....	44829	80.62
		2 = No, respondent does not have health insurance.....	10773	19.38

IIINSUR	1	IMPUTATION - INDICATOR IRINSUR		
		1 = Questionnaire data.....	55175	99.23
		2 = Logically assigned data.....	2	0.00
		3 = Statistically imputed data.....	425	0.76

INCOME AND INSURANCE			PAGE:	609
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
<p>The IRINSUR3 variable is similar to IRINSUR. The only difference is that it uses the variable CAIDCHIP (Covered by Medicaid or state health insurance programs for children) instead of MEDICAID (Covered by Medicaid), and it uses an additional variable, HLTINNOS (covered by any other health insurance). This results from changes in the 2001 questionnaire when compared to previous years.</p>				

For IRINSUR3, a respondent is classified as having any health insurance (IRINSUR3=1) if he/she satisfied ANY of the following conditions.

- (1) Covered by Private Health Insurance (PRVHLTIN=1)
- (2) Covered by Medicare (MEDICARE=1)
- (3) Covered by Medicaid or state health insurance programs for children (CAIDCHIP=1)
- (4) Covered by Champus, Champva, Va, or Military (CHAMPUS=1)
- (5) Covered by any type of health insurance (not otherwise specified) (HLTINNOS=1)

A respondent is classified as NOT having any health insurance (IRINSUR3=2) if he/she met EVERY one of the following conditions.

- (1) Not covered by Private Health Insurance (PRVHLTIN=2)
- (2) Not covered by Medicare (MEDICARE=2)
- (3) Not covered by Medicaid or state health insurance programs for children (CAIDCHIP=2)
- (4) Not covered by Champus, Champva, Va, or Military (CHAMPUS=2)
- (5) Not covered by any type of health insurance (not otherwise specified) (HLTINNOS=2)

If the respondent is not classified as having or not having any health insurance according to PRVHLTIN, MEDICARE, CAIDCHIP, CHAMPUS, and HLTINNOS, then he/she is imputed to either of these categories, where consistency is maintained between IRINSUR, IRINSUR3, and IRPINSUR.

IRINSUR3	1	IMPUTATION - REVISED HEALTH INSURANCE			
		1 = Yes, respondent does have health insurance.....	46841	84.24	
		2 = No, respondent does not have health insurance....	8761	15.76	
IIINSUR3	1	IMPUTATION - INDICATOR IRINSUR3			
		1 = Questionnaire data.....	55165	99.21	
		2 = Logically assigned data.....	2	0.00	
		3 = Statistically imputed data.....	435	0.78	

LABEL	LEN	DESCRIPTION	INCOME AND INSURANCE		PAGE:	610
			FREQ	%		-
Starting in 2002, missing values in the variables describing the type of health insurance were imputed. In particular, missing values in the edited variables PRVHLTIN (private health insurance), MEDICARE, CAIDCHIP (Medicaid/children's state-assisted health insurance), CHAMPUS, and a modified version of HLTINNOS (other health insurance) were imputed. The overall health insurance variable was then created by combining the information from the detailed imputation-revised variables in the variable IRINSUR4. This differs from the method used in 1999-2001 where the edited health insurance variables were combined before imputation to create a recoded overall health insurance variable, the missing values of which were imputed in the variable IRINSUR3. As in previous years, missing values in PRVHLTIN were imputed. However, the name has changed (IRPINSUR in 1999-2001, IRPRVHLT in 2002) to reflect the fact that the imputation of missing values in PRVHLTIN was univariate from 1999-2001, and multivariate (with the other detailed variables) in 2002.						
IRMCDCHP	1	IMPUTATION REVISED CAIDCHIP				
		1 = Yes, R has Medicaid/Child state health insurance..	8462	15.22		
		2 = No, R doesn't have Medicaid/Child state health ins	47140	84.78		
IIMCDCHP	1	IMPUTATION INDICATOR FOR IRMCDCHP				
		1 = Questionnaire data.....	55157	99.20		
		3 = Statistically imputed data.....	445	0.80		
IRMEDICR	1	IMPUTATION REVISED MEDICARE				
		1 = Yes, respondent does have Medicare.....	2640	4.75		
		2 = No, respondent does not have Medicare.....	52962	95.25		
IIMEDICR	1	IMPUTATION INDICATOR FOR IRMEDICR				
		1 = Questionnaire data.....	55415	99.66		
		3 = Statistically imputed data.....	187	0.34		
IRCHMPUS	1	IMPUTATION REVISED CHAMPUS				
		1 = Yes, R has Tricare, Champus, VA, Military health..	1710	3.08		
		2 = No,R doesn't have Tricare,Chmps,VA,Military health	53892	96.92		
IICHMPUS	1	IMPUTATION INDICATOR FOR IRCHMPUS				
		1 = Questionnaire data.....	55374	99.59		
		3 = Statistically imputed data.....	228	0.41		
IRPRVHLT	1	IMPUTATION REVISED PRIVATE HEALTH INSURANCE				
		1 = Yes, R does have private health insurance.....	36602	65.83		
		2 = No, R does not have private health insurance.....	19000	34.17		
IIPRVHLT	1	IMPUTATION INDICATOR FOR IRPRVHLT				
		1 = Questionnaire data.....	55213	99.30		
		3 = Statistically imputed data.....	389	0.70		

LABEL	LEN	DESCRIPTION	PAGE:	611
			FREQ	%
-----	-----	-----	-----	-
A respondent is eligible for the other health insurance question if they satisfied the following conditions.				
(1) Not Covered by Private Insurance (IRPRVHLT=2)				
(2) Not Covered by Medicare (IRMEDICR=2)				
(3) Not Covered by Medicaid/CHIPCOV (IRMCDCHP=2)				
(4) Not Covered by Champus, ChampVA, VA, or Military (IRCHMPUS=2)				
Otherwise, they are not eligible and IROTHHLT=99				
IROTHHLT	2	IMPUTATION REVISED OTHER HEALTH INSURANCE		
		1 = Yes, R is covered by other health insurance.....	1138	2.05
		2 = No, R is not covered by other health insurance....	8761	15.76
		99 = Legitimate Skip.....	45703	82.20
IIOTHHLT	1	IMPUTATION INDICATOR FOR IROTHHLT		
		1 = Questionnaire data.....	9774	17.58
		3 = Statistically imputed data.....	435	0.78
		9 = Legitimate skip.....	45393	81.64

LABEL	LEN	DESCRIPTION	RECODED INCOME AND INSURANCE	PAGE:	612
				FREQ	%
<hr/>					
RECODED INCOME AND INSURANCE					
<hr/>					
NOTE: The variables in this section are recoded variables that were created from one or more of the variables from the preceding section.					
<hr/>					
The following variable, GOVTPROG, was created by examination of these government assistance program variables: Supplemental Security Income (IRFAMSSI), food stamps (IRFSTAMP), cash assistance (IRFAMPMT), and non-cash assistance (IRFAMSVC).					
<hr/>					
GOVTPROG	1	PARTICIPATED IN ONE OR MORE GOVT ASSIST PROGRAMS			
		1 = YES (ANY SOURCE VARIABLE=1).....	9835	17.69	
		2 = NO (ALL SOURCE VARIABLES=2).....	45767	82.31	
<hr/>					
INCOME	1	TOTAL FAMILY INCOME RECODE			
		1 = Less than \$20,000.....	13573	24.41	
		2 = \$20,000 - \$49,999.....	20308	36.52	
		3 = \$50,000 - \$74,999.....	9670	17.39	
		4 = \$75,000 or More.....	12051	21.67	
<hr/>					
NOTE: The following variable, POVERTY, was created by the examination of family size (IRFAMSZ2), number of children in household (IRKIDFA2), and level of total family income (IRFAMIN3). Levels are based on the prior year's federal poverty thresholds, as published by the U.S. Census. A poverty threshold was assigned for each combination of family size (IRFAMSZ2) and number of children (IRKIDFA2) in the household. For each level of income (IRFAMIN3), the midpoint of each range was assigned as the effective family income. However, for the highest level of income, \$75,000 or More, an effective family income of \$120,000 was assigned. Effective family income was divided by the poverty threshold and multiplied by 100 to show family income as a percentage of the federal poverty threshold.					
<hr/>					
POVERTY	1	FAM INCOME AS PERCENTAGE OF FED POVERTY THRESHOLD			
		1 = <100% of fed poverty threshold (See comment above)	10174	18.30	
		2 = 100-199% of fed pov threshold (See comment above).	11940	21.47	
		3 = >=200% of fed pov threshold (See comment above)...	33488	60.23	
<hr/>					
NOTE: The variable HLCALLFG is a created "flag" variable that indicates when a respondent (or proxy) reported that the respondent was covered by all of the following: Medicare, Medicaid, the Children's Health Insurance Program (if aged 12 to 19), military health care, and private health insurance. The variable HLCALL99 also is a created "flag" variable that indicates when respondents were reported to be covered by Medicare, Medicaid, military health care, and private health insurance. This HLCALL99 variable is comparable to HLCALLFG in 1999, when these four types of health insurance were the only types of current coverage that were asked about in the interview.					
<hr/>					
HLCALLFG	2	FLAG IF EVERY FORM OF HEALTH INS REPORTED			
		1 = Answered yes to all current health insurance Qs...	10	0.02	
		98 = BLANK (NO ANSWER).....	55592	99.98	

RECODED INCOME AND INSURANCE			PAGE:	613
LABEL	LEN	DESCRIPTION	FREQ	%
HLCALL99	2	YES TO MEDICARE/MEDICAID/CHAMPUS/PRVHLTIN 1 = Yes (see comment above)..... 98 = BLANK (NO ANSWER).....	10	0.02
			55592	99.98
NOTE: The following variable, ANYHTI2, was created from the source variables MEDICARE, CAIDCHIP, CHAMPUS, PRVHLTIN, and HLTINNOS.				
ANYHTI2	2	COVERED BY ANY HEALTH INSURANCE - RECODE 1 = Yes..... 2 = No..... 94 = DON'T KNOW..... 97 = REFUSED..... 98 = OTHER MISSING.....	46505	83.64
			8662	15.58
			386	0.69
			25	0.04
			24	0.04
For IRINSUR4, a respondent is classified as having any health insurance (IRINSUR4=1) if they satisfied ANY of the following conditions. (1) Covered by Private Insurance (IRPRVHLT=1) (2) Covered by Medicare (IRMEDICR=1) (3) Covered by Medicaid/CHIPCOV (IRMCDCHP=1) (4) Covered by Champus, ChampVA, VA, or Military (IRCHMPUS=1) (5) Covered by Other Health Insurance (IROTHHLT=1)				
A respondent is classified as NOT having any health insurance (IRINSUR4=2) if they meet EVERY one of the following conditions. (1) Not Covered by Private Insurance (IRPRVHLT=2) (2) Not Covered by Medicare (IRMEDICR=2) (3) Not Covered by Medicaid/CHIPCOV (IRMCDCHP=2) (4) Not Covered by Champus, ChampVA, VA, or Military (IRCHMPUS=2) (5) Not Covered by Other Health Insurance (IROTHHLT=2)				
IRINSUR4	1	IMPUTATION REVISED OVERALL HEALTH INSURANCE 1 = Yes, respondent is covered by health insurance.... 2 = No, respondent is not covered by health insurance.	46841	84.24
			8761	15.76
IIINSUR4	1	IMPUTATION INDICATOR FOR IRINSUR4 1 = Questionnaire data..... 3 = Statistically imputed data.....	55167	99.22
			435	0.78
OTHINS	1	OTHER HEALTH INSURANCE 1 = Yes (IRMEDICR=1 or IRCHMPUS=1 or IROTHHLT=1).... 2 = No (Otherwise).....	5242	9.43
			50360	90.57

LABEL	LEN	DESCRIPTION	PAGE :	614
			FREQ	%
INTERVIEW INFORMATION				-
LANGVER	1	LANGUAGE VERSION		
		1 = English.....	53490	96.20
		2 = Spanish.....	2112	3.80
QUARTER	1	QUARTER INDICATOR		
		1 = Quarter 1.....	13912	25.02
		2 = Quarter 2.....	15227	27.39
		3 = Quarter 3.....	13502	24.28
		4 = Quarter 4.....	12961	23.31
GQTYPE	1	TYPE OF GROUP QUARTER		
		= Not a Group Quarter.....	54428	97.89
		B = Boarding House.....	6	0.01
		C = College Dorm.....	978	1.76
		O = Other.....	180	0.32
		S = Shelter.....	10	0.02

LABEL	LEN	DESCRIPTION	PAGE:	615
			FREQ	%
<hr/>				
(AGE1) CORE DEMOGRAPHICS				
<hr/>				
NOTE: After a respondent has entered his/her birthdate in the first part of the questionnaire, he/she has multiple opportunities to change his/her age in response to consistency checks throughout the questionnaire. It is therefore possible for the age recorded by the respondent at the beginning of the questionnaire to be different than the age at the end of the questionnaire. The final age variable is determined using these two constituent age variables, in addition to the age calculated from the raw birthdate and the final edited interview date, the age entered in the questionnaire roster (if it exists), and the pre-interview screener age.				
<hr/>				
AGE2	2	RECODE - FINAL EDITED AGE		
		1 = Respondent is 12 years old.....	2874	5.17
		2 = Respondent is 13 years old.....	3186	5.73
		3 = Respondent is 14 years old.....	3139	5.65
		4 = Respondent is 15 years old.....	3116	5.60
		5 = Respondent is 16 years old.....	3010	5.41
		6 = Respondent is 17 years old.....	2969	5.34
		7 = Respondent is 18 years old.....	2686	4.83
		8 = Respondent is 19 years old.....	2370	4.26
		9 = Respondent is 20 years old.....	2255	4.06
		10 = Respondent is 21 years old.....	2277	4.10
		11 = Respondent is 22 or 23 years old.....	4545	8.17
		12 = Respondent is 24 or 25 years old.....	4342	7.81
		13 = Respondent is between 26 and 29 years old.....	2609	4.69
		14 = Respondent is between 30 and 34 years old.....	3101	5.58
		15 = Respondent is between 35 and 49 years old.....	8052	14.48
		16 = Respondent is between 50 and 64 years old.....	3072	5.52
		17 = Respondent is 65 years old or older.....	1999	3.60
<hr/>				
(QD08) How many times have you been married?				
<hr/>				
NOMARR2	2	NUMBER OF TIMES MARRIED		
		1 = One time.....	14982	26.95
		2 = Two or more times.....	3832	6.89
		94 = DON'T KNOW.....	3	0.01
		97 = REFUSED.....	10	0.02
		99 = LEGITIMATE SKIP.....	36775	66.14
<hr/>				
(QD09) Have you ever been in the United States' armed forces?				
<hr/>				
SERVICE	2	EVER BEEN IN THE US ARMED FORCES		
		1 = Yes.....	2519	4.53
		2 = No.....	37756	67.90
		94 = DON'T KNOW.....	1	0.00
		98 = BLANK (NO ANSWER).....	1	0.00
		99 = LEGITIMATE SKIP.....	15325	27.56

CORE DEMOGRAPHICS			PAGE:	616
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
(QD10)		Are you currently on active duty in the armed forces, in a reserves component, or now separated or retired from either reserves or active duty?		
MILSTAT	2	CURRENT MILITARY STATUS		
		2 = In a reserves component.....	202	0.36
		3 = Now separated/retired from reserves/active duty...	2317	4.17
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	1	0.00
		99 = LEGITIMATE SKIP.....	53081	95.47
(QD12)		This question is about your overall health. Would you say your health in general is excellent, very good, good, fair, or poor?		
HEALTH	2	OVERALL HEALTH		
		1 = Excellent.....	16462	29.61
		2 = Very good.....	21898	39.38
		3 = Good.....	13246	23.82
		4 = Fair.....	3388	6.09
		5 = Poor.....	596	1.07
		94 = DON'T KNOW.....	10	0.02
		97 = REFUSED.....	2	0.00

LABEL	LEN	DESCRIPTION	PAGE:	617
			FREQ	%

IMPUTED DEMOGRAPHICS				

		Beginning with the 2002 survey, missing values for the gender question (QD01) were no longer permitted. Thus, no imputation was required. This variable has the prefix 'IR', which stands for 'Imputation Revised', only for the sake of consistency with data sets from earlier surveys.		

IRSEX	1	IMPUTATION REVISED GENDER		
		1 = Male.....	26713	48.04
		2 = Female.....	28889	51.96

IRMARIT	2	IMPUTATION REVISED MARITAL STATUS		
		1 = Married.....	14471	26.03
		2 = Widowed.....	896	1.61
		3 = Divorced or Separated.....	3455	6.21
		4 = Never Been Married.....	27581	49.60
		99 = LEGITIMATE SKIP Respondent is <= 14 years old.....	9199	16.54

IIMARIT	1	IMPUTATION INDICATOR MARITAL STATUS		
		1 = Marital status from questionnaire.....	46395	83.44
		3 = Marital status statistically imputed.....	8	0.01
		9 = LEGITIMATE SKIP Respondent is <= 14 years old.....	9199	16.54

IREDUC2	2	RECODE - IMPUTATION REVISED EDUCATION		
		1 = Fifth grade or less.....	1553	2.79
		2 = Sixth grade.....	3266	5.87
		3 = Seventh grade.....	3305	5.94
		4 = Eighth grade.....	3779	6.80
		5 = Ninth grade.....	4083	7.34
		6 = Tenth grade.....	4235	7.62
		7 = Eleventh grade.....	4603	8.28
		8 = Twelfth grade.....	12862	23.13
		9 = Freshman/13th year.....	3999	7.19
		10 = Sophomore/14th year or Junior/15th year.....	6524	11.73
		11 = Senior/16th year or GradProf School (or higher)...	7393	13.30

IIEDUC2	1	IMPUTATION REVISED EDUCATION INDICATOR		
		1 = Education from questionnaire.....	55592	99.98
		3 = Education statistically imputed.....	10	0.02

LABEL	LEN	DESCRIPTION	PAGE:	618
			FREQ	%
RECODED CORE DEMOGRAPHICS				

RECODED CORE DEMOGRAPHICS				

CATAGE	1	AGE CATEGORY		
		1 = 12-17 Years Old.....	18294	32.90
		2 = 18-25 Years Old.....	18475	33.23
		3 = 26-34 Years Old.....	5710	10.27
		4 = 35 or Older.....	13123	23.60
CATAG2	1	AGE CATEGORY RECODE (3 LEVELS)		
		1 = 12-17 Years Old.....	18294	32.90
		2 = 18-25 Years Old.....	18475	33.23
		3 = 26 or Older.....	18833	33.87
CATAG3	1	AGE CATEGORY RECODE (5 LEVELS)		
		1 = 12-17 Years Old.....	18294	32.90
		2 = 18-25 Years Old.....	18475	33.23
		3 = 26-34 Years Old.....	5710	10.27
		4 = 35-49 Years Old.....	8052	14.48
		5 = 50 or Older.....	5071	9.12
CATAG7	1	AGE CATEGORY RECODE (7 LEVELS)		
		1 = 12-13 Years Old.....	6060	10.90
		2 = 14-15 Years Old.....	6255	11.25
		3 = 16-17 Years Old.....	5979	10.75
		4 = 18-20 Years Old.....	7311	13.15
		5 = 21-25 Years Old.....	11164	20.08
		6 = 26-34 Years Old.....	5710	10.27
		7 = 35 or Older.....	13123	23.60
PREGAGE2	1	PREGNANCY AGE CATEGORY RECODE		
		1 = 15-17 Years Old.....	9095	16.36
		2 = 18-25 Years Old.....	18475	33.23
		3 = 26-44 Years Old.....	11048	19.87
		4 = Otherwise (12-14, 45 or Older).....	16984	30.55
SEXAGE	1	COMBINED GENDER BY AGE CATEGORY INDICATOR		
		1 = Males Aged 12-17 (IRSEX=1 AND 1<=AGE2<=6).....	9330	16.78
		2 = Females Aged 12-17 (IRSEX=2 AND 1<=AGE2<=6).....	8964	16.12
		3 = Males Aged 18-25 (IRSEX=1 AND 7<=AGE2<=12).....	8661	15.58
		4 = Females Aged 18-25 (IRSEX=2 AND 7<=AGE2<=12).....	9814	17.65
		5 = Otherwise.....	18833	33.87
NEWRACE2	1	RACE/HISPANICITY RECODE (7 LEVELS)		
		1 = NonHisp White.....	36524	65.69
		2 = NonHisp Black/Afr Am.....	6910	12.43
		3 = NonHisp Native Am/AK Native.....	784	1.41
		4 = NonHisp Native HI/Other Pac Isl.....	218	0.39
		5 = NonHisp Asian.....	1812	3.26
		6 = NonHisp more than one race.....	1524	2.74
		7 = Hispanic.....	7830	14.08

RECODED CORE DEMOGRAPHICS			PAGE:	619
LABEL	LEN	DESCRIPTION	FREQ	%
SEXRACE 1 COMBINED GENDER BY RACE INDICATOR				
		1 = Male, White, Not Hisp (IRSEX=1 AND NEWRACE2=1)....	17764	31.95
		2 = Female, White, Not Hisp (IRSEX=2 AND NEWRACE2=1)...	18760	33.74
		3 = Male, Black, Not Hisp (IRSEX=1 AND NEWRACE2=2)....	3051	5.49
		4 = Female, Black, Not Hisp (IRSEX=2 AND NEWRACE2=2)...	3859	6.94
		5 = Male, Hispanic (IRSEX=1 AND NEWRACE2=7).....	3813	6.86
		6 = Female, Hispanic (IRSEX=2 AND NEWRACE2=7).....	4017	7.22
		7 = Otherwise.....	4338	7.80
EDUCCAT2 1 EDUCATION RECODE				
		1 = Less than high school.....	6740	12.12
		2 = High school graduate.....	12668	22.78
		3 = Some college.....	10507	18.90
		4 = College graduate.....	7393	13.30
		5 = 12 to 17 year olds (1<=AGE2<=6).....	18294	32.90
This variable was created new this year for use in the Healthy People tables to provide comparable data for the Healthy People 2010 Objective (http://www.healthypeople.gov/).				
EDUCATHP 1 EDUCATION RECODE FOR HEALTHY PEOPLE				
		1 = Less than high school (EDUCCAT2=1).....	6740	12.12
		2 = High school graduate (EDUCCAT2=2).....	12668	22.78
		3 = Some College/College Graduate (EDUCCAT2=3,4).....	17900	32.19
		4 = 12 to 17 year olds (EDUCCAT2=5).....	18294	32.90
HEALTH2 1 OVERALL HEALTH RECODE				
		. = Unknown (HEALTH=94,97).....	12	0.02
		1 = Excellent (HEALTH=1).....	16462	29.61
		2 = Very Good (HEALTH=2).....	21898	39.38
		3 = Good (HEALTH=3).....	13246	23.82
		4 = Fair/Poor (HEALTH=4,5).....	3984	7.17

LABEL	LEN	DESCRIPTION	PAGE:	620
			FREQ	%
<hr/>				
(QD13) NON-CORE DEMOGRAPHICS				
<hr/>				
For the remaining questions, I will read the question out loud, you can tell me your answer, and I will enter it into the computer.				
<hr/>				
How many times in the past 12 months have you moved?				
<hr/>				
MOVESPY2	3	# TIMES MOVED PAST 12 MONTHS		
		0 = None.....	37897	68.16
		1 = One time.....	10945	19.68
		2 = Two times.....	3823	6.88
		3 = Three or more times.....	2891	5.20
		994 = DON'T KNOW.....	25	0.04
		997 = REFUSED.....	4	0.01
		998 = BLANK (NO ANSWER).....	17	0.03
<hr/>				
(QD17)		NOTE: The school enrollment variable SCHENRL is analogous to the variable ENROLED from prior years. SCHENRL takes into account information from follow-up probes if respondents originally reported that they were not enrolled in school. Based on these probes, respondents were coded as yes (i.e., enrolled) if they were on break from school and intended to return to school once their break was over. SCHENRL was assigned a code of 11 if the respondent reported currently being enrolled but there was uncertainty about the respondent's school enrollment status.		
<hr/>				
The next questions are about school. Are you now attending or are you currently enrolled in school? By "school," we mean an elementary school, a junior high or middle school, a high school, or a college or university. Please include home schooling as well.				
<hr/>				
SCHENRL	2	NOW ENROLLED IN ANY SCHOOL		
		1 = Yes.....	27280	49.06
		2 = No.....	28283	50.87
		3 = Yes LOGICALLY ASSIGNED (LFSCHWH2=778).....	1	0.00
		4 = No LOGICALLY ASSIGNED.....	2	0.00
		5 = Yes LOGICALLY ASSIGNED (LFSCHWH2=601).....	9	0.02
		11 = Yes (SCHDSKIP = 30).....	6	0.01
		97 = REFUSED.....	2	0.00
		98 = BLANK (NO ANSWER).....	19	0.03

LABEL	LEN	DESCRIPTION	PAGE:	621
			FREQ	%
(QD18)		NOTE: This variable corresponds to the variable EDUCNOW2 from 1999 and 2000.		-
		What grade or year of school are you now attending? Please tell me the number from the card.		
		What grade or year of school will you be attending when your vacation is over? Please tell me the number from the card.		
EDUCATN2	2	WHAT GRADE IN NOW/WILL BE IN		
		1 = 5th Grade or lower.....	96	0.17
		2 = 6th Grade.....	1127	2.03
		3 = 7th Grade.....	2905	5.22
		4 = 8th Grade.....	3182	5.72
		5 = 9th Grade.....	3191	5.74
		6 = 10th Grade.....	3058	5.50
		7 = 11th Grade.....	2852	5.13
		8 = 12th Grade.....	2665	4.79
		9 = College or university/1st year.....	2429	4.37
		10 = College or university/2nd Year, 3rd year.....	3434	6.18
		11 = College or university/4th Year, 5th or higher year.....	2332	4.19
		12 = Missing.....	46	0.08
		13 = LEGITIMATE SKIP.....	28285	50.87
(QD18A)		Is your school public, private, charter, or are you home schooled?		
SCHTYPE	2	PUBLIC, PRIVATE, CHARTER, OR HOME SCHOOL		
		1 = Public school.....	16925	30.44
		2 = Private school.....	1465	2.63
		3 = Charter school.....	276	0.50
		4 = Home schooled.....	385	0.69
		14 = Home schooled LOG ASSN (LFSCHWH2=601).....	2	0.00
		94 = DON'T KNOW.....	15	0.03
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	50	0.09
		99 = LEGITIMATE SKIP.....	36480	65.61
(QD18B)		Is your private school run by a religious organization? For example, is it Catholic, Protestant, Jewish, Islamic or any other type of religious school?		
SCHRELGS	2	PRIVATE SCHOOL RUN BY A RELIGIOUS ORGANIZATION		
		1 = Yes.....	1152	2.07
		2 = No.....	308	0.55
		94 = DON'T KNOW.....	5	0.01
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	65	0.12
		99 = LEGITIMATE SKIP.....	54068	97.24

LABEL	LEN	DESCRIPTION	PAGE:	622
			FREQ	%
(QD18C)		NOTE: The variable SCHLOGRD has values of 101 through 112 when the lowest grade that respondents reported at their school is higher than their current grade from EDUCATN2.		-
		What is the lowest grade or year at the school you go to? The lowest grade is the one attended by the youngest students at your school. Please tell me the number from the card.		
SCHLOGRD	3	LOWEST GRADE AT THE SCHOOL		
		0 = Kindergarten or Lower.....	2480	4.46
		1 = 1st Grade.....	180	0.32
		2 = 2nd Grade.....	18	0.03
		3 = 3rd Grade.....	43	0.08
		4 = 4th Grade.....	102	0.18
		5 = 5th Grade.....	465	0.84
		6 = 6th Grade.....	3548	6.38
		7 = 7th Grade.....	2085	3.75
		8 = 8th Grade.....	242	0.44
		9 = 9th Grade.....	8813	15.85
		10 = 10th Grade.....	505	0.91
		11 = 11th Grade.....	76	0.14
		12 = 12th Grade.....	35	0.06
		106 = 6th Grade (see note).....	3	0.01
		107 = 7th Grade (see note).....	4	0.01
		108 = 8th Grade (see note).....	4	0.01
		109 = 9th Grade (see note).....	12	0.02
		112 = 12th Grade (see note).....	15	0.03
		994 = DON'T KNOW.....	35	0.06
		997 = REFUSED.....	5	0.01
		998 = BLANK (NO ANSWER).....	65	0.12
		999 = LEGITIMATE SKIP.....	36867	66.31

LABEL	LEN	DESCRIPTION	PAGE:	623
			FREQ	%
(QD18D) NOTE: The variable SCHHIGRD has values of 100 through 111 when the highest grade that respondents reported at their school is lower than their current grade from EDUCATN2.				
Please look at this showcard again. What is the highest grade or year at the school you go to? Please tell me the number from the card.				
SCHHIGRD	3	HIGHEST GRADE AT THE SCHOOL		
4 = 4th Grade.....			2	0.00
5 = 5th Grade.....			50	0.09
6 = 6th Grade.....			343	0.62
7 = 7th Grade.....			115	0.21
8 = 8th Grade.....			5255	9.45
9 = 9th Grade.....			585	1.05
10 = 10th Grade.....			88	0.16
11 = 11th Grade.....			33	0.06
12 = 12th Grade.....			12048	21.67
100 = Kindergarten or Lower (see note).....			12	0.02
101 = 1st Grade (see note).....			3	0.01
102 = 2nd Grade (see note).....			5	0.01
103 = 3rd Grade (see note).....			1	0.00
105 = 5th Grade (see note).....			9	0.02
106 = 6th Grade (see note).....			21	0.04
107 = 7th Grade (see note).....			11	0.02
108 = 8th Grade (see note).....			40	0.07
109 = 9th Grade (see note).....			14	0.03
110 = 10th Grade (see note).....			3	0.01
111 = 11th Grade (see note).....			3	0.01
994 = DON'T KNOW.....			23	0.04
997 = REFUSED.....			6	0.01
998 = BLANK (NO ANSWER).....			65	0.12
999 = LEGITIMATE SKIP.....			36867	66.31
(QD19) NOTE: The variable SDNTFTPPT corresponds to the variable STUDNT that existed in prior years. The name was changed in 2002 because the wording of the question was different for respondents who reported that they were "not" enrolled but were on school break and intended to return to school when their break was over.				
Are you a full-time student or a part-time student?				
Will you be a full-time student or a part-time student?				
SDNTFTPPT	2	FULL OR PART TIME		
1 = FULL-TIME.....			24870	44.73
2 = PART-TIME.....			2404	4.32
89 = LEGITIMATE SKIP Logically assigned.....			2	0.00
94 = DON'T KNOW.....			12	0.02
97 = REFUSED.....			2	0.00
98 = BLANK (NO ANSWER).....			29	0.05
99 = LEGITIMATE SKIP.....			28283	50.87

NON-CORE DEMOGRAPHICS			PAGE:	624
LABEL	LEN	DESCRIPTION	FREQ	%
(QD20)		During the past 30 days, that is from DATEFILL up to and including today, how many whole days of school did you miss because you were sick or injured?		-
SCHDSICK	2	HOW MANY DAYS MISSED SCHOOL FROM SICK		
		RANGE = 1 - 30	7767	13.97
		0 = None.....	13700	24.64
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		90 = SCHOOL NOT IN SESSION.....	3338	6.00
		94 = DON'T KNOW.....	63	0.11
		97 = REFUSED.....	4	0.01
		98 = BLANK (NO ANSWER).....	41	0.07
		99 = LEGITIMATE SKIP.....	30688	55.19
(QD21)		During the past 30 days, that is since DATEFILL, how many whole days did you miss because you skipped or "cut" or just didn't want to be there?		
SCHDSKIP	2	HOW MANY DAYS MISSED SCHOOL FROM SKIPPING		
		RANGE = 1 - 30	3898	7.01
		0 = None.....	17606	31.66
		89 = LEGITIMATE SKIP Logically assigned.....	1	0.00
		94 = DON'T KNOW.....	25	0.04
		97 = REFUSED.....	5	0.01
		98 = BLANK (NO ANSWER).....	41	0.07
		99 = LEGITIMATE SKIP.....	34026	61.20
(QD22)		Have you received a high school diploma?		
HSDIPLMA	2	RECEIVED DIPLOMA		
		1 = Yes.....	4295	7.72
		2 = No.....	2959	5.32
		3 = Yes LOG ASSN.....	5	0.01
		4 = NO LOGICALLY ASSIGNED.....	57	0.10
		89 = LEGITIMATE SKIP Logically assigned.....	10	0.02
		97 = REFUSED.....	1	0.00
		98 = BLANK (NO ANSWER).....	12	0.02
		99 = LEGITIMATE SKIP.....	48263	86.80
(QD23)		Have you received a GED certificate of high school completion?		
HSGED	2	RECEIVED GED		
		1 = Yes.....	609	1.10
		2 = No.....	2352	4.23
		89 = LEGITIMATE SKIP Logically assigned.....	10	0.02
		94 = DON'T KNOW.....	1	0.00
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	69	0.12
		99 = LEGITIMATE SKIP.....	52558	94.53

NON-CORE DEMOGRAPHICS			PAGE:	625
LABEL	LEN	DESCRIPTION	FREQ	%
(QD24)		Please look at this card and tell me which one of these reasons best describes why you left school before receiving a high school diploma. Just give me the number.		-
LFSCHWH2	3	WHY YOU LEFT SCHOOL		
		1 = School was boring or I didn't want to be there....	567	1.02
		2 = I got pregnant/I got someone pregnant.....	427	0.77
		3 = I got in trouble or expelled for selling drugs....	18	0.03
		4 = I got in trouble or expelled for using drugs.....	18	0.03
		5 = I got in trouble or expelled for some other reason	184	0.33
		6 = I often got into trouble.....	151	0.27
		7 = I had to get a job (or work more hours).....	453	0.81
		8 = I was getting bad grades.....	158	0.28
		9 = I wasn't learning anything.....	93	0.17
		10 = I got married (or moved in with my boy/girlfriend)	106	0.19
		11 = I moved here from another country/didn't enroll...	113	0.20
		12 = I was treated badly at school.....	88	0.16
		13 = I became ill (or injured).....	49	0.09
		14 = I went to jail/prison.....	34	0.06
		15 = I had responsibilities at home/personal problems..	319	0.57
		16 = Other reason.....	31	0.06
		43 = Parents/guardian/partner wouldn't allow me to....	5	0.01
		45 = Too stressful/couldn't adjust.....	4	0.01
		46 = Learning disabled.....	4	0.01
		49 = Afraid of gangs/fear of violence/crime.....	5	0.01
		50 = Moved away/didn't re-enroll.....	18	0.03
		51 = Skipping school/excessive absenteeism.....	5	0.01
		52 = Too expensive/couldn't afford.....	16	0.03
		54 = No transportation/school too far away.....	4	0.01
		56 = Grade,credit discrepancies/lacked credits/document	15	0.03
		57 = Involved with too many activities to go to school.	4	0.01
		58 = All the schooling/preferrred that was available....	3	0.01
		59 = Wasn't requird/didn't have to go/not needed/custom	9	0.02
		60 = Against my religion/beliefs.....	4	0.01
		63 = I was stupid/foolish/lazy.....	4	0.01
		65 = Joined military.....	3	0.01
		66 = Too old.....	3	0.01
		67 = Wanted to work/do apprenticeship instead.....	8	0.01
		69 = Just quit; reason unspecified.....	2	0.00
		71 = Didn't pass/take end of grade/school test.....	19	0.03
		601 = Home schooled.....	9	0.02
		606 = Received GED.....	1	0.00
		607 = Pursuing GED/proficiency exam/re-enrolling.....	4	0.01
		650 = Received high school diploma.....	5	0.01
		778 = I am still in school.....	1	0.00
		994 = DON'T KNOW.....	7	0.01
		997 = REFUSED.....	4	0.01
		998 = BLANK (NO ANSWER).....	69	0.12
		999 = LEGITIMATE SKIP.....	52558	94.53

LABEL	LEN	DESCRIPTION	PAGE:	626
			FREQ	%
(QD25)		How old were you when you stopped attending school?		-
LFTSCHA2	3	AGE WHEN STOPPED ATTENDING SCHOOL		
	RANGE	= 11 - 18	2780	5.00
		10 = Left at age 10 or younger.....	20	0.04
		19 = Left at age 19 or older.....	133	0.24
		985 = BAD DATA Logically assigned.....	16	0.03
		989 = LEGITIMATE SKIP Logically assigned.....	10	0.02
		994 = DON'T KNOW.....	12	0.02
		997 = REFUSED.....	4	0.01
		998 = BLANK (NO ANSWER).....	69	0.12
		999 = LEGITIMATE SKIP.....	52558	94.53
(QI24)		The last question is: How many different telephone numbers do you have in this household? Don't count business numbers or extensions with the same number.		
TELNO2	2	# OF TELEPHONE LINES IN HOUSEHOLD		
	0	= None.....	5845	10.51
	1	= One.....	43126	77.56
	2	= Two or more.....	6571	11.82
	94	= DON'T KNOW.....	13	0.02
	97	= REFUSED.....	24	0.04
	98	= BLANK (NO ANSWER).....	23	0.04

LABEL	LEN	DESCRIPTION	PAGE:	627
			FREQ	%
RECODED NON-CORE DEMOGRAPHICS				

RECODED NON-CORE DEMOGRAPHICS				

		A respondent was defined as a full-time college student if they were aged 18 to 22, enrolled in school (SCHENRL=1,5,11), enrolled at the college level (EDUCATN2=9,10,11), and a full-time student (SDNFTPT=1). Respondents in the category "Other persons aged 18 to 22" include those not enrolled in school, enrolled in college part time, enrolled in other grades either full or part-time, or enrolled with no other information available.		
COLLENR	1	COLLEGE ENROLLMENT - FULL TIME		
		. = Unknwn Enrollment, Aged 18-22 (SCHENRL=97,98).....	3	0.01
		1 = Full-Time College Student Aged 18-22.....	4669	8.40
		2 = Other Persons Aged 18-22.....	7210	12.97
		3 = Persons Aged 12-17, 23 or Older.....	43720	78.63
		A respondent was defined as a full or part-time college student if they were aged 18 to 22, enrolled in school (SCHENRL=1,5,11), enrolled at the college level (EDUCATN2=9,10,11), and if they were a full-time (SDNFTPT=1) or part-time (SDNFTPT=2) student. Otherwise a respondent was defined as not enrolled in college (SCHENRL=2) or as an "Other Person Aged 18-22" (enrolled in other grades either full or part-time, or enrolled with no other information available).		
COLLENR2	1	COLLEGE ENROLLMENT		
		. = Unknwn Enrollment, Aged 18-22 (SCHENRL=97,98).....	3	0.01
		1 = Full-Time College Student Aged 18-22.....	4669	8.40
		2 = Part-Time College Student Aged 18-22.....	751	1.35
		3 = Not Enrolled (SCHENRL=2,4) Aged 18-22.....	5271	9.48
		4 = Others Persons Aged 18-22.....	1188	2.14
		5 = Persons Aged 12-17, or 23 or Older.....	43720	78.63

LABEL	LEN	DESCRIPTION	PAGE:	628
			FREQ	%
EMPLOYMENT AND WORKPLACE				
EMPLOYMENT AND WORKPLACE				
		NOTE: The variable JBSTATR2 was created from questions that asked respondents whether they worked in the past week, whether they usually work 35 or more hours per week, and where relevant, reasons why they did not work in the past week. Respondents who did not know or refused to report whether they worked in the past week but indicated that they did not work in the past 12 months were classified in JBSTATR2 as not having a job. In addition, respondents who reported that they had no job but were looking for work were not classified as being in the labor force unless they reported making specific efforts to find work.		
JBSTATR2	3	WORK SITUATION IN PAST WEEK - RECODE		
		1 = Worked at full-time job, past week.....	19191	34.51
		2 = Worked at part time job, past week.....	8311	14.95
		3 = Has job or volunteer worker, did not work past wk.	2385	4.29
		4 = Unemployed/on layoff, looking for work.....	2867	5.16
		5 = Disabled.....	1193	2.15
		6 = Keeping house full-time.....	2396	4.31
		7 = In school/training.....	5881	10.58
		8 = Retired.....	1787	3.21
		9 = Does not have a job, some other reason.....	2371	4.26
		10 = MISSING.....	21	0.04
		11 = LEGITIMATE SKIP.....	9199	16.54
(QD27)		Even though you did not work at any time last week, did you have a job or business?		
WRKHAVJB	2	DID YOU HAVE A JOB OR BUSINESS		
		1 = Yes.....	2494	4.49
		2 = No.....	16379	29.46
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	18	0.03
		99 = LEGITIMATE SKIP.....	36708	66.02
(QD28)		How many hours did you work last week at all jobs or businesses?		
WRKHRWSW2	3	HOW MANY HOURS WORKED LAST WEEK		
		RANGE = 1 - 60	26429	47.53
		61 = 61 or more.....	1050	1.89
		994 = DON'T KNOW.....	24	0.04
		997 = REFUSED.....	9	0.02
		998 = BLANK (NO ANSWER).....	18	0.03
		999 = LEGITIMATE SKIP.....	28072	50.49

LABEL	LEN	DESCRIPTION	PAGE:	629
			FREQ	%

NOTE: The industry variable WRKIDST2 corresponds to the variable WRKINDU2 prior to 2003. The variable name was changed to reflect changes to the industry codes in the 2003 NSDUH. Because of changes in 2003, caution is advised in comparing data from WRKIDST2 with data in WRKINDU2 from prior years. Industry categories do not correspond exactly between the two variables. Even when the same broad industry categories appear in the two variables, the types of industries or the definitions of the specific industries within these broad categories may not be the same. As in previous years, respondents with multiple jobs chose which job to describe. Hence, it is possible that some respondents described their work in the National Guard or Military Reserves even though they responded previously that they are not currently on active duty in the Armed Forces.				

Which of these categories best describes the business or industry in which you work?				

WRKIDST2	4	TYPE OF BUSINESS OR INDUSTRY		
		1 = Agriculture, Forestry, Fishing, & Hunting.....	549	0.99
		2 = Mining.....	99	0.18
		3 = Construction.....	2493	4.48
		4 = Manufacturing, Nondurable Goods.....	1019	1.83
		5 = Manufacturing, Durable Goods.....	1712	3.08
		6 = Transportation & Utilities.....	1072	1.93
		7 = Information & Communications.....	675	1.21
		8 = Wholesale Trade, Durable Goods.....	388	0.70
		9 = Wholesale Trade, Nondurable Goods.....	405	0.73
		10 = Retail Trade.....	4336	7.80
		11 = Finance, Insur, Real Estate, Rental & Leasing....	1519	2.73
		12 = Professional/Scientific/Mgmt/Admin/Waste Mgmt....	2824	5.08
		13 = Education, Health & Social Services.....	5378	9.67
		14 = Arts/Entertain/Recreation/Accommodation/Food Svcs.	4766	8.57
		15 = Public Administration.....	1063	1.91
		16 = Other Services (Except Public Admin).....	1618	2.91
		17 = Armed Forces.....	15	0.03
		9990 = NOT REPORTED/NOT CODABLE.....	51	0.09
		9994 = DON'T KNOW.....	3	0.01
		9997 = REFUSED.....	21	0.04
		9998 = BLANK (NO ANSWER).....	18	0.03
		9999 = LEGITIMATE SKIP.....	25578	46.00

LABEL	LEN	DESCRIPTION	PAGE:	630
			FREQ	%
NOTE: The occupation variable WRKOCUP2 corresponds to the variable WRKOCCU2 prior to 2003. The variable name was changed to reflect changes to the occupation codes in the 2003 NSDUH. Because of changes in 2003, caution is advised in comparing data from WRKOCUP2 with data in WRKOCCU2 from prior years. Occupation categories do not correspond exactly between the two variables. Even when the same broad occupation categories appear in the two variables, the types of occupations or the definitions of the specific occupations within these broad categories may not be the same. As in previous years, respondents with multiple jobs chose which job to describe. Hence, it is possible that some respondents described their work in the National Guard or Military Reserves even though they responded previously that they are not currently on active duty in the Armed Forces.				
		What kind of work do you do? That is, what is your occupation?		
WRKOCUP2	4	KIND OF WORK/JOB TITLE PRIMARY JOB		
		1 = Executive/Administrative/Managerial/Financial.....	2641	4.75
		2 = Professional (not Education/Entertainment/Media)..	2324	4.18
		3 = Education and Related Occupations.....	1462	2.63
		4 = Entertainers, Sports, Media, and Communications...	626	1.13
		5 = Technicians and Related Support Occupations.....	1467	2.64
		6 = Sales Occupations.....	4131	7.43
		7 = Office & Administrative Support Workers.....	4120	7.41
		8 = Protective Service Occupations.....	553	0.99
		9 = Service Occupations, Except Protective.....	5629	10.12
		10 = Farming, Fishing, & Forestry Occupations.....	360	0.65
		11 = Installation, Maintenance & Repair Workers.....	956	1.72
		12 = Construction Trades & Extraction Workers.....	2040	3.67
		13 = Production, Machinery Setters/Operators/Tenders...	1810	3.26
		14 = Transportation & Material Moving Workers.....	1821	3.28
		15 = Armed Forces.....	15	0.03
		9990 = NOT REPORTED/NOT CODABLE.....	47	0.08
		9997 = REFUSED.....	4	0.01
		9998 = BLANK (NO ANSWER).....	18	0.03
		9999 = LEGITIMATE SKIP.....	25578	46.00
(INOC06)		Which of these categories best describes the business in which you work?		
WRKBZCA2	2	CATEG THAT BEST DESCR BUSINESS YOU WORK IN		
		1 = Private for-profit company or business.....	21001	37.77
		2 = Private not-for-profit company or business.....	2108	3.79
		3 = Local government (city, county, etc.).....	1745	3.14
		4 = State government.....	1577	2.84
		5 = Federal/Foreign government or international.....	747	1.34
		6 = Self-employed in an incorporated business.....	868	1.56
		7 = Self-employed in an unincorporated business.....	1450	2.61
		8 = Working without pay in a family business/farm.....	122	0.22
		94 = DON'T KNOW.....	356	0.64
		97 = REFUSED.....	29	0.05
		98 = BLANK (NO ANSWER).....	21	0.04
		99 = LEGITIMATE SKIP.....	25578	46.00

EMPLOYMENT AND WORKPLACE			PAGE:	631
LABEL	LEN	DESCRIPTION	FREQ	%
(QD33)		Now, think about the past 12 months, from DATEFILL through today. Did you work at a job or business at any time during the past 12 months?		-
WRKEDYR	2	PAST 12 MOS, WORKED AT ANY JOB		
		1 = Yes.....	5882	10.58
		2 = No.....	10499	18.88
		97 = REFUSED.....	3	0.01
		98 = BLANK (NO ANSWER).....	16	0.03
		99 = LEGITIMATE SKIP.....	39202	70.50
(QD34)		Have you been self-employed at any time during the past 12 months?		
WRKSLFEM	2	PAST 12 MOS, SELF EMPLOYED		
		1 = Yes.....	2971	5.34
		2 = No.....	30415	54.70
		3 = Yes LOGICALLY ASSIGNED (raw var not blank).....	84	0.15
		5 = Yes LOGICALLY ASSIGNED (from skip pattern).....	2403	4.32
		94 = DON'T KNOW.....	9	0.02
		97 = REFUSED.....	6	0.01
		98 = BLANK (NO ANSWER).....	16	0.03
		99 = LEGITIMATE SKIP.....	19698	35.43
(QD35)		How many different employers, including yourself, have you had in the past 12 months?		
WRKJOBS2	2	PAST 12 MOS, HOW MANY EMPLOYERS		
		1 = One.....	23172	41.67
		2 = Two.....	8996	16.18
		3 = Three.....	2497	4.49
		4 = Four or more.....	1193	2.15
		94 = DON'T KNOW.....	18	0.03
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	16	0.03
		99 = LEGITIMATE SKIP.....	19698	35.43
(QD37)		During the past 12 months, was there ever a time when you did not have at least one job or business?		
WRKUNEMP	2	PAST 12 MOS, TIME WITH NO JOB		
		1 = Yes.....	6690	12.03
		2 = No.....	23305	41.91
		94 = DON'T KNOW.....	4	0.01
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	18	0.03
		99 = LEGITIMATE SKIP.....	25578	46.00
(QD38)		In how many weeks during the past 12 months did you not have at least one job or business?		
WRKUNWKS	2	HOW MANY WKS W/O JOB IN PAST 12 MOS		
		RANGE = 1 - 52	6618	11.90
		85 = BAD DATA Logically assigned.....	8	0.01
		94 = DON'T KNOW.....	62	0.11
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	22	0.04
		99 = LEGITIMATE SKIP.....	48883	87.92

EMPLOYMENT AND WORKPLACE			PAGE:	632
LABEL	LEN	DESCRIPTION	FREQ	%
WRKLSTY2	4	WHAT YEAR LAST WORKED		-
RANGE		= 1961 - 2004	11148	20.05
1960		= 1960 or earlier.....	79	0.14
9985		= BAD DATA Logically assigned.....	3	0.01
9991		= NEVER WORKED AT A JOB OR BUSINESS.....	5057	9.09
9994		= DON'T KNOW.....	78	0.14
9997		= REFUSED.....	14	0.03
9998		= BLANK (NO ANSWER).....	21	0.04
9999		= LEGITIMATE SKIP.....	39202	70.50

NOTE: The industry variable WRKIDSY2 corresponds to the variable WRKINDY2 prior to 2003. The variable name was changed to reflect changes to the industry codes in the 2003 NSDUH. Because of these changes, caution is advised in comparing data from WRKIDSY2 with data in WRKINDY2 from prior years. Industry categories do not correspond exactly between the two variables. Even when the same broad industry categories appear in the two variables, the types of industries or the definitions of the specific industries within these broad categories may not be the same.

Which of these categories best describes the business or industry in which you worked?

WRKIDSY2	4	TYPE OF BUSINESS OR INDUSTRY		
1		= Agriculture, Forestry, Fishing, & Hunting.....	178	0.32
2		= Mining.....	13	0.02
3		= Construction.....	468	0.84
4		= Manufacturing, Nondurable Goods.....	174	0.31
5		= Manufacturing, Durable Goods.....	234	0.42
6		= Transportation & Utilities.....	119	0.21
7		= Information & Communications.....	110	0.20
8		= Wholesale Trade, Durable Goods.....	56	0.10
9		= Wholesale Trade, Nondurable Goods.....	70	0.13
10		= Retail Trade.....	977	1.76
11		= Finance, Insur, Real Estate, Rental & Leasing.....	171	0.31
12		= Professional/Scientific/Mgmt/Admin/Waste Mgmt	591	1.06
13		= Education, Health & Social Services.....	827	1.49
14		= Arts/Entertain/Recreation/Accommodation/Food Svcs.	1471	2.65
15		= Public Administration.....	132	0.24
16		= Other Services (Except Public Admin).....	249	0.45
17		= Armed Forces.....	13	0.02
9990		= NOT REPORTED/NOT CODABLE.....	25	0.04
9994		= DON'T KNOW.....	1	0.00
9997		= REFUSED.....	4	0.01
9998		= BLANK (NO ANSWER).....	18	0.03
9999		= LEGITIMATE SKIP.....	49701	89.39

LABEL	LEN	DESCRIPTION	PAGE:	633
			FREQ	%
NOTE: The occupation variable WRKOCUY2 corresponds to the variable WRKOCCY2 prior to 2003. The variable name was changed to reflect changes to the occupation codes in the 2003 NSDUH. Because of these changes, caution is advised in comparing data from WRKOCUY2 with data in WRKOCCY2 from prior years. Occupation categories do not correspond exactly between the two variables. Even when the same broad occupation categories appear in the two variables, the types of occupations or the definitions of the specific occupations within these broad categories may not be the same.				
What kind of work did you do? That is, what was your occupation?				
WRKOCUY2	4	KIND OF WORK/JOB TITLE PRIMARY JOB		
		1 = Executive/Administrative/Managerial/Financial.....	204	0.37
		2 = Professional (not Education/Entertainment/Media)..	174	0.31
		3 = Education and Related Occupations.....	212	0.38
		4 = Entertainers, Sports, Media, and Communications...	142	0.26
		5 = Technicians and Related Support Occupations.....	185	0.33
		6 = Sales Occupations.....	1016	1.83
		7 = Office & Administrative Support Workers.....	759	1.37
		8 = Protective Service Occupations.....	127	0.23
		9 = Service Occupations, Except Protective.....	1640	2.95
		10 = Farming, Fishing, & Forestry Occupations.....	147	0.26
		11 = Installation, Maintenance & Repair Workers.....	103	0.19
		12 = Construction Trades & Extraction Workers.....	429	0.77
		13 = Production, Machinery Setters/Operators/Tenders..	318	0.57
		14 = Transportation & Material Moving Workers.....	398	0.72
		15 = Armed Forces.....	13	0.02
		9990 = NOT REPORTED/NOT CODABLE.....	12	0.02
		9994 = DON'T KNOW.....	1	0.00
		9997 = REFUSED.....	3	0.01
		9998 = BLANK (NO ANSWER).....	18	0.03
		9999 = LEGITIMATE SKIP.....	49701	89.39
(INOC12)		Which of these categories best describes the business in which you worked?		
WRKBZCY2	2	CATEG THAT BEST DESCRI BUSINESS YOU WORKED		
		1 = Private for-profit company or business.....	4399	7.91
		2 = Private not-for-profit company or business.....	344	0.62
		3 = Local government (city, county, etc.).....	392	0.71
		4 = State government.....	211	0.38
		5 = Federal/Foreign government or international.....	107	0.19
		6 = Self-employed in an incorporated business.....	80	0.14
		7 = Self-employed in an unincorporated business.....	193	0.35
		8 = Working without pay in a family business/farm.....	41	0.07
		94 = DON'T KNOW.....	108	0.19
		97 = REFUSED.....	7	0.01
		98 = BLANK (NO ANSWER).....	19	0.03
		99 = LEGITIMATE SKIP.....	49701	89.39

LABEL	LEN	DESCRIPTION	EMPLOYMENT AND WORKPLACE	PAGE:	634
				FREQ	%
(QD40)		During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of work did you miss because you were sick or injured?			-
WORKDAYS	2	# DAYS MISSED WORK FOR INJURY/ILLNESS PAST 30 DAYS			
		RANGE = 1 - 30		6688	12.03
		0 = None.....		23286	41.88
		85 = BAD DATA Logically assigned.....		10	0.02
		94 = DON'T KNOW.....		16	0.03
		97 = REFUSED.....		6	0.01
		98 = BLANK (NO ANSWER).....		18	0.03
		99 = LEGITIMATE SKIP.....		25578	46.00
(QD41)		During the past 30 days, that is from [DATEFILL] up to and including today, how many whole days of work did you miss because you just didn't want to be there?			
WORKBLAH	2	# DAYS SKIPPED WORK PAST 30 DAYS			
		RANGE = 1 - 30		3174	5.71
		0 = None.....		26803	48.21
		85 = BAD DATA Logically assigned.....		7	0.01
		94 = DON'T KNOW.....		14	0.03
		97 = REFUSED.....		8	0.01
		98 = BLANK (NO ANSWER).....		18	0.03
		99 = LEGITIMATE SKIP.....		25578	46.00
(QD42)		Thinking about the location where you work, how many people work for your employer out of this office, store, etc.?			
LOCSIZE	2	# PEOPLE THAT WORK FOR EMPLOYER - RESP'S LOCATION			
		1 = Less than 10 people.....		8825	15.87
		2 = 10-24 people.....		6501	11.69
		3 = 25-99 people.....		6836	12.29
		4 = 100-499 people.....		4701	8.45
		5 = 500 people or more.....		3025	5.44
		94 = DON'T KNOW.....		101	0.18
		97 = REFUSED.....		17	0.03
		98 = BLANK (NO ANSWER).....		18	0.03
		99 = LEGITIMATE SKIP.....		25578	46.00
(QD43)		At your workplace, is there a written policy about employee use of alcohol or drugs?			
DRGPLCY	2	WORKPLACE HAVE WRITTEN POLICY DRUG/ALCOHOL USE			
		1 = Yes.....		21005	37.78
		2 = No.....		7551	13.58
		94 = DON'T KNOW.....		1441	2.59
		97 = REFUSED.....		9	0.02
		98 = BLANK (NO ANSWER).....		18	0.03
		99 = LEGITIMATE SKIP.....		25578	46.00

LABEL	LEN	DESCRIPTION	EMPLOYMENT AND WORKPLACE	PAGE:	635
				FREQ	%
(QD44)		Does this policy cover only alcohol, only drugs, or both alcohol and drugs?		-	-
PLCYCOV	2	DID POLICY COVER ALCOHOL, DRUGS, OR BOTH			
		1 = Only alcohol.....	191	0.34	
		2 = Only drugs.....	715	1.29	
		3 = Both alcohol and drugs.....	19794	35.60	
		94 = DON'T KNOW.....	304	0.55	
		97 = REFUSED.....	10	0.02	
		98 = BLANK (NO ANSWER).....	1459	2.62	
		99 = LEGITIMATE SKIP.....	33129	59.58	
(QD45)		At your workplace, have you ever been given any educational information regarding the use of alcohol or drugs?			
WKDRGED	2	AT WORK, GIVEN EDUCATION ON DRUGS/ALC			
		1 = Yes.....	9587	17.24	
		2 = No.....	19228	34.58	
		3 = Don't remember.....	987	1.78	
		94 = DON'T KNOW.....	195	0.35	
		97 = REFUSED.....	9	0.02	
		98 = BLANK (NO ANSWER).....	18	0.03	
		99 = LEGITIMATE SKIP.....	25578	46.00	
(QD46)		Through your workplace, is there access to any type of employee assistance program or other type of counseling program for employees who have alcohol or drug-related problems?			
DRGPRGM	2	ANY ASSISTANCE PROGRAM OFFERED THROUGH WRK			
		1 = Yes.....	11050	19.87	
		2 = No.....	15146	27.24	
		94 = DON'T KNOW.....	3799	6.83	
		97 = REFUSED.....	11	0.02	
		98 = BLANK (NO ANSWER).....	18	0.03	
		99 = LEGITIMATE SKIP.....	25578	46.00	
(QD47)		Does your workplace ever test its employees for alcohol use?			
USALCTST	2	WORKPLACE TESTS FOR ALCOHOL USAGE			
		1 = Yes.....	7935	14.27	
		2 = No.....	20468	36.81	
		94 = DON'T KNOW.....	1593	2.87	
		97 = REFUSED.....	10	0.02	
		98 = BLANK (NO ANSWER).....	18	0.03	
		99 = LEGITIMATE SKIP.....	25578	46.00	
(QD48)		Does your workplace ever test its employees for drug use?			
USDRGTST	2	WORKPLACE TESTS FOR DRUG USAGE			
		1 = Yes.....	11768	21.16	
		2 = No.....	16901	30.40	
		94 = DON'T KNOW.....	1327	2.39	
		97 = REFUSED.....	10	0.02	
		98 = BLANK (NO ANSWER).....	18	0.03	
		99 = LEGITIMATE SKIP.....	25578	46.00	

EMPLOYMENT AND WORKPLACE			PAGE:	636
LABEL	LEN	DESCRIPTION	FREQ	%
(QD49)		Does your workplace test its employees for drug or alcohol use as part of the hiring process?		-
TSTHIRE	2	TEST FOR DRUG/ALC AS HIRING PROCESS		
		1 = Yes.....	9680	17.41
		2 = No.....	2123	3.82
		94 = DON'T KNOW.....	156	0.28
		97 = REFUSED.....	9	0.02
		98 = BLANK (NO ANSWER).....	1407	2.53
		99 = LEGITIMATE SKIP.....	42227	75.95
(QD50)		Does your workplace test its employees for drug or alcohol use on a random basis?		
TSTRAND	2	TEST ON RANDOM BASIS		
		1 = Yes.....	6799	12.23
		2 = No.....	4568	8.22
		94 = DON'T KNOW.....	591	1.06
		97 = REFUSED.....	10	0.02
		98 = BLANK (NO ANSWER).....	1407	2.53
		99 = LEGITIMATE SKIP.....	42227	75.95
(QD51)		According to the policy at your workplace, what happens to an employee the first time he or she tests positive for illicit drugs?		
FIRSTPOS	2	WHAT HAPPENS FIRST TIME CAUGHT		
		1 = Handled on indiv basis/policy does not spec what..	1511	2.72
		2 = Employee is fired.....	5706	10.26
		3 = Employee is referred for treatment or counseling..	2334	4.20
		4 = Nothing happens.....	35	0.06
		5 = Something else happens.....	516	0.93
		94 = DON'T KNOW.....	1852	3.33
		97 = REFUSED.....	14	0.03
		98 = BLANK (NO ANSWER).....	1407	2.53
		99 = LEGITIMATE SKIP.....	42227	75.95
(QD52)		Would you be more or less likely to want to work for an employer that tests its employees for drug use as part of the hiring process? Would you say more likely, less likely, or would it make no difference to you?		
WRKHIRE	2	WOULD YOU WORK FOR EMP DOES DRUG TEST PRE-HIRE		
		1 = More likely.....	11704	21.05
		2 = Less likely.....	1594	2.87
		3 = Would it make no difference to you.....	16640	29.93
		94 = DON'T KNOW.....	54	0.10
		97 = REFUSED.....	13	0.02
		98 = BLANK (NO ANSWER).....	19	0.03
		99 = LEGITIMATE SKIP.....	25578	46.00

EMPLOYMENT AND WORKPLACE			PAGE:	637
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
(QD53)		Would you be more or less likely to want to work for an employer that tests its employees for drug or alcohol use on a random basis? Would you say more likely, less likely, or would it make no difference to you?		
WORKRAND	2	WOULD YOU WORK FOR EMP DOES DRUG/ALC TEST RANDOMLY		
		1 = More likely.....	9911	17.82
		2 = Less likely.....	2817	5.07
		3 = Would make no difference.....	17216	30.96
		94 = DON'T KNOW.....	49	0.09
		97 = REFUSED.....	12	0.02
		98 = BLANK (NO ANSWER).....	19	0.03
		99 = LEGITIMATE SKIP.....	25578	46.00

LABEL	LEN	DESCRIPTION	IMPUTED EMPLOYMENT AND WORKPLACE	PAGE:	638
				FREQ	%
IMPUTED EMPLOYMENT AND WORKPLACE					

			The following variable, EMPSTATY, was created to promote consistency across survey years. The similar variable EMPSTAT3 was created in 1999 and 2000; it could not be created in the survey years since 2001 because of changes to the questionnaire. (See the comment before JBSTATR2 for more details.) The levels of EMPSTATY are close to those in the Current Population Survey. The main difference is that EMPSTATY considers people who did not have a job last week and were not looking for a job all to be unemployed. In comparison, the CPS definition requires people who did not have a job last week and were not looking for a job to be waiting to be recalled to their old job, in order for them to be classified as unemployed.		-

EMPSTATY	2	IMPUTATION REVISED EMPLOYMENT STATUS			
		1 = Employed full time.....	20237	36.40	
		2 = Employed part time.....	9572	17.22	
		3 = Unemployed.....	3237	5.82	
		4 = Other (incl. not in labor force).....	13357	24.02	
		99 = 12-14 year olds.....	9199	16.54	
IIEMPSTY	1	IMPUTATION INDICATOR EMPLOYMENT STATUS			
		1 = Employment status from questionnaire.....	46369	83.39	
		3 = Employment statistically imputed.....	34	0.06	
		9 = 12-14 years old.....	9199	16.54	
II2EMSTY	1	IMPUTATION INDICATOR EMPLOYMENT STATUS (DETAILS)			
		1 = Employment status from questionnaire.....	46369	83.39	
		3 = Emp. statistically imputed (unrestricted).....	21	0.04	
		4 = Emp. stat. imp. (restr. to full-time or part-time).....	13	0.02	
		9 = 12-14 years old.....	9199	16.54	
EMPSTAT4 is a recode of EMPSTATY and AGE2. Respondents aged 15-17 are assigned a skip code, regardless of their answers to the employment status questions.					
EMPSTAT4	2	IMPUTATION REVISED EMPLOYMENT STATUS 18+			
		1 = Employed full time.....	19818	35.64	
		2 = Employed part time.....	6902	12.41	
		3 = Unemployed.....	2168	3.90	
		4 = Other (incl. not in labor force).....	8420	15.14	
		99 = 12-17 year olds.....	18294	32.90	
IIEMPST4	1	IMPUTATION INDICATOR EMPLOYMENT STATUS 18+			
		1 = Employment status from questionnaire.....	37277	67.04	
		3 = Employment statistically imputed.....	31	0.06	
		9 = 12-17 years old.....	18294	32.90	
II2EMST4	1	IMP. IND. EMPLOYMENT STATUS 18+ (DETAILS)			
		1 = Employment status from questionnaire.....	37277	67.04	
		3 = Emp. statistically imputed (unrestricted).....	19	0.03	
		4 = Emp. stat. imp. (restr. to full-time or part-time).....	12	0.02	
		9 = 12-17 years old.....	18294	32.90	

LABEL	LEN	DESCRIPTION	PAGE:	639
			FREQ	%
		GEOGRAPHIC		-

		The variable PDEN is based on 1990 Census data and the June 1990 Metropolitan Area classifications provided by the Office of Management and Budget (OMB).		
PDEN	1	POPULATION DENSITY: THREE LEVELS		
		1 = Segment in a MSA with 1 million or more persons...	19851	35.70
		2 = Segment in a MSA with fewer than 1 million persons	20389	36.67
		3 = Segment not in a MSA.....	15362	27.63

		The variable PDEN00 is based on 2000 Census data and the June 2003 Core Based Statistical Area classifications provided by the Office of Management and Budget (OMB).		
PDEN00	1	POPULATION DENSITY 2000		
		1 = Segment in a CBSA with 1 million or more persons..	23536	42.33
		2 = Segm. in a CBSA with fewer than 1 million persons.	27154	48.84
		3 = Segment not in a CBSA.....	4912	8.83

LABEL	LEN	DESCRIPTION	SAMPLE WEIGHTING AND ESTIMATION VARS	PAGE:	640
-----	-----		-----	FREQ	%
SAMPLE WEIGHTING AND ESTIMATION VARS					

<p>NOTE: In the 2004 NSDUH, a split sample design for respondents aged 18+ was implemented. Adults in Sample A (ADLTSAMP=1) were administered the Adult Mental Health module, but were not administered the Adult Depression module. Adults in Sample B (ADLTSAMP=2) were administered only 6 core questions from the Adult Mental Health module as well as the Adult Depression module. Adults not assigned to either Sample A or B (ADLTSAMP=98) and Youths which were not included in the split sample (ADLTSAMP=89 or 99) were not administered either the Adult Mental Health nor Adult Depression modules. Thus in 2004, additional person level analysis weights other than ANALWT_C have been created. The two additional person level weights are SPDWT_C and DEPWT_C. These weights have been created for specific types of person level analyses. See comments above these variables for more specific information.</p>					

[ANALWT_C](#) 8 FIN PRSN-LEVEL SMPLE WGHT

The following variable, SPDWT_C, is a weight variable created for Serious Psychological Distress (SPD) analysis for adult Sample A or Sample B. A separate poststratification adjustment was done for both Sample A and Sample B so that the weights for both subsamples were controlled to the Census population estimates for the civilian noninstitutional population aged 18+. SPDWT_C is set to zero for youths aged 12-17 and 6 adults not assigned to either portion of the split sample. SPDWT_C can be used for generating SPD estimates using Sample A data, or using Sample B data. However, if SPD estimates are generated using both Sample A and Sample B combined data then ANALWT_C should be used. SPDWT_C can also be used for producing adult depression estimates for Sample B.
 NOTE: For specific details of defining SPD, please refer to the Recoded Adult Mental Health: Serious Psychological Distress Variable Documentation Appendix.

[SPDWT_C](#) 12 ANALYSIS WEIGHTS FOR SPD ESTIMATES

The following variable, DEPWT_C, has been created to allow estimates for both the Youth and Adult Depression data to be generated in one analysis. This is accomplished by combining into one variable the final person level analysis weight (ANALWT_C) for youths aged 12-17 and the split sample weight (SPDWT_C) for adults aged 18+ in Sample B, and assigning a weight of zero for adults 18+ not in Sample B (ADLTSAMP=2).
 Specifically:
 DEPWT_C=ANALWT_C when 1<=AGE2<=6
 DEPWT_C=SPDWT_C when AGE2>=7 and ADLTSAMP=2
 DEPWT_C=0 when AGE2>=7 and ADLTSAMP not 2.

[DEPWT_C](#) 12 COMBINED WEIGHT FOR DEPRESSION ANALYSIS

SAMPLE WEIGHTING AND ESTIMATION VARS			PAGE :	641
LABEL	LEN	DESCRIPTION	FREQ	%
-----	-----	-----	-----	-
VESTR	5	ANALYSIS STRATUM		
VEREP	2	ANALYSIS REPLICATE		

VARIABLE NAME	PAGE
ABDILAAL.....	310
ABILANAL.....	309
ABILLALC.....	309
ABODALC.....	309
ABODANL.....	309
ABODCOC.....	309
ABODHAL.....	309
ABODHER.....	309
ABODIEM.....	310
ABODILAL.....	310
ABODILL.....	310
ABODINH.....	309
ABODMRJ.....	309
ABODPSY.....	310
ABODSED.....	309
ABODSTM.....	310
ABODTRN.....	310
ABUSEALC.....	307
ABUSEANL.....	307
ABUSECC.....	307
ABUSEHAL.....	307
ABUSEHER.....	307
ABUSEIEM.....	308
ABUSEILL.....	308
ABUSEINH.....	308
ABUSEMRJ.....	308
ABUSEPSY.....	309
ABUSESED.....	308
ABUSESTM.....	308
ABUSETRN.....	308
ABUSEXMJ.....	308
ADCOUNS.....	538
ADDPDISC.....	521
ADDPLSIN.....	522
ADDPPROB.....	524
ADDPR2WK.....	522
ADDPREV.....	521
ADDSCEV.....	521
ADDSSLIN.....	522
ADFAMDOC.....	537
ADHERBAL.....	539
ADLOSEV.....	521
ADLSI2WK.....	522
ADLTSAMP.....	489
ADNURSE.....	538

VARIABLE NAME	PAGE
ADOTHDOC.....	538
ADOTHHLP.....	539
ADOTHMHP.....	538
ADPB2WK.....	534
ADPBAGE.....	534
ADPBDLYA.....	533
ADPBINTF.....	533
ADPBNUM.....	534
ADPBRMBR.....	534
ADPSDAYS.....	537
ADPSHMGT.....	535
ADPSRELS.....	536
ADPSSOC.....	536
ADPSWORK.....	535
ADPSYCH.....	538
ADPSYMD.....	538
ADRELIG.....	539
ADRX12MO.....	539
ADRXHLP.....	540
ADRXNOW.....	539
ADSEEDOC.....	537
ADSMMDEA.....	533
ADSOCWRK.....	538
ADTMTHLP.....	540
ADTMTNOW.....	539
ADWRAGE.....	525
ADWRCHR.....	523
ADWRCONC.....	530
ADWRDBTR.....	531
ADWRDCSN.....	530
ADWRDEPR.....	525
ADWRDIET.....	528
ADWRDISC.....	526
ADWRDLCT.....	531
ADWRDST.....	523
ADWRELES.....	526
ADWREMOR.....	527
ADWRENRG.....	529
ADWRGAIN.....	527
ADWRGNL2.....	527
ADWRGROW.....	527
ADWRHRS.....	523
ADWRIMP.....	524
ADWRJINO.....	529
ADWRJITT.....	529

VARIABLE NAME	PAGE
ADWRLOSE.....	528
ADWRLSIN.....	526
ADWRSLSL2.....	528
ADWRNOGD.....	530
ADWRPLSR.....	526
ADWRPREG.....	527
ADWRPROB.....	525
ADWRSATP.....	531
ADWRSLEP.....	528
ADWRSLNO.....	529
ADWRSLOW.....	529
ADWRSMOR.....	528
ADWRSPLN.....	531
ADWRSTHK.....	531
ADWRTHOT.....	530
ADWRWRTH.....	530
AD_MDEA1.....	532
AD_MDEA2.....	532
AD_MDEA3.....	532
AD_MDEA4.....	532
AD_MDEA5.....	532
AD_MDEA6.....	532
AD_MDEA7.....	532
AD_MDEA8.....	533
AD_MDEA9.....	533
AEROS.....	57
AEROS2.....	164
AGE2.....	615
AL30EST.....	24
ALBSTWAY.....	23
ALCAFU.....	171
ALCAFU2.....	171
ALCAFU3.....	172
ALCAGLST.....	345
ALCAVGM.....	174
ALCCUT1X.....	238
ALCCUTDN.....	238
ALCCUTEV.....	238
ALCDAYS.....	24
ALCDOC.....	413
ALCEMCTD.....	240
ALCEMOPB.....	240
ALCEVER.....	21
ALCFLAG.....	155
ALCFMCTD.....	242

VARIABLE NAME	PAGE
-----	-----
ALCFMFPB.....	242
ALCGTOVR.....	237
ALCHOSP.....	413
ALCJAIL.....	413
ALCKPLMT.....	237
ALCLAWIR.....	242
ALCLIMIT.....	237
ALCLOTTM.....	236
ALCLSACT.....	241
ALCLSEFX.....	238
ALCMDAYS.....	173
ALCMFU.....	22
ALCMHC.....	413
ALCMLU.....	346
ALCMON.....	155
ALCNDMOR.....	237
ALCONFL.....	175
ALCONMO.....	175
ALCONYR.....	175
ALCPAID.....	410
ALCPCARE.....	410
ALCPCORT.....	410
ALCPDANG.....	242
ALCPEMPL.....	410
ALCPFMLY.....	410
ALCPHCTD.....	241
ALCPHLPB.....	240
ALCPINS.....	410
ALCPMILC.....	410
ALCPPUBP.....	410
ALCPSAVE.....	410
ALCREC.....	22
ALCRFIN.....	413
ALCRFOP.....	413
ALCSERPB.....	241
ALCSHG.....	414
ALCTRMT.....	408
ALCTRY.....	21
ALCTXER.....	413
ALCW2SX.....	239
ALCWDSMT.....	239
ALCYDAYS.....	172
ALCYFU.....	21
ALCYLU.....	345
ALCYR.....	155

VARIABLE NAME	PAGE
-----	-----
ALCYRTOT.....	22
ALDAYPMO.....	23
ALDAYPWK.....	23
ALDAYPYR.....	23
ALDYSFG.....	24
ALFQFLG.....	22
ALFRAME3.....	186
ALLAST3.....	185
ALLUSEFL.....	177
ALLUSEMO.....	177
ALLUSEYR.....	177
ALMONAVE.....	186
ALRECDK.....	185
ALRECRE.....	186
ALTOTFG.....	22
ALWKAVE.....	187
ALYRAVE.....	186
AMDXPHEN.....	170
AMHALTX.....	459
AMHINP2.....	448
AMHOUTP3.....	448
AMHRX2.....	448
AMHTXND2.....	448
AMHTXRC3.....	448
AMYLNIT.....	55
AMYLNIT2.....	163
AMYTAL.....	114
AMYTAL2.....	170
ANALAGE.....	78
ANALMFU.....	79
ANALMLU.....	355
ANALNEWA.....	71
ANALNEWB.....	74
ANALNEWC.....	76
ANALNEWD.....	77
ANALNEWE.....	77
ANALREC.....	80
ANALWT_C.....	640
ANALYFU.....	79
ANALYLU.....	354
ANLAGLST.....	354
ANLCARD.....	66
ANLCUT1X.....	272
ANLCUTDN.....	272
ANLCUTEV.....	272

VARIABLE NAME	PAGE
ANLEMCTD.....	274
ANLEMOPB.....	274
ANLEVER.....	78
ANLFLAG.....	157
ANLFMCTD.....	277
ANLFMFNB.....	276
ANLGTOVR.....	271
ANLKPLMT.....	271
ANLLAWTR.....	276
ANLLIMIT.....	271
ANLLOTTM.....	270
ANLLSACT.....	275
ANLLSEFX.....	272
ANLMON.....	157
ANLNNDMOR.....	271
ANLNOLST.....	70
ANLPDANG.....	276
ANLPHCTD.....	275
ANLPHLPB.....	274
ANLSERPB.....	275
ANLWD3SX.....	273
ANLWD5MT.....	273
ANLYR.....	157
ANLYRTOT.....	80
ANYBARB.....	171
ANYEDUC3.....	487
ANYHTI2.....	613
ANYMHED.....	562
ANYMHIN.....	561
ANYMHOUT.....	561
ANYSMH.....	562
ANYSMHPS.....	563
ANYTRT10.....	559
ANYTRT9.....	560
APPSELDG.....	226
ARGUPAR.....	484
ASDSDAYS.....	542
ASDSHOME.....	541
ASDSOVRL.....	541
ASDSREL.....	541
ASDSSOC.....	541
ASDSWRK.....	541
ATARAX.....	88
ATARAX2.....	167
AUALACUP.....	445

VARIABLE NAME	PAGE
AUALCHIR.....	445
AUALHERB.....	445
AUALHLIN.....	446
AUALINET.....	446
AUALMASG.....	446
AUALOTH.....	446
AUALOTS2.....	447
AUALRELG.....	446
AUALSGRP.....	446
AUALTYR.....	445
AUINAHSP.....	430
AUINMEDU.....	429
AUINPGEN.....	429
AUINPSYH.....	429
AUINPYR.....	429
AUINRESD.....	430
AUINSFAC.....	430
AUMOTVYR.....	447
AUNMAHS2.....	431
AUNMCLN2.....	437
AUNMDOC2.....	437
AUNMDTM2.....	437
AUNMMED2.....	431
AUNMMEN2.....	436
AUNMOTO2.....	437
AUNMPGE2.....	430
AUNMPSY2.....	430
AUNMRES2.....	431
AUNMSFA2.....	431
AUNMTHE2.....	436
AUOPCLNC.....	435
AUOPDOC.....	435
AUOPDTMT.....	435
AUOPMENT.....	434
AUOPOTOP.....	435
AUOPTHER.....	434
AUOPTYR.....	434
AUOPYRS2.....	436
AUPINEMP.....	432
AUPINFM2.....	433
AUPINFRE.....	433
AUPINMCD.....	432
AUPINMCR.....	432
AUPINMIL.....	433
AUPINOFM.....	432

VARIABLE NAME	PAGE
AUPINPHI.....	432
AUPINPRV.....	433
AUPINPUB.....	433
AUPINREH.....	432
AUPINSLF.....	432
AUPOPMAMT.....	440
AUPOPEMP.....	438
AUPOPFR.....	439
AUPOPMCD.....	438
AUPOPMCR.....	438
AUPOPMIL.....	438
AUPOPMOS.....	439
AUPOPOFM.....	438
AUPOPPHI.....	438
AUPOPPRV.....	439
AUPOPPUB.....	439
AUPOPREH.....	438
AUPOPSLF.....	437
AURXYR.....	440
AUUNBUSY.....	442
AUUNCFIG.....	442
AUUNCMIT.....	442
AUUNCOST.....	441
AUUNENUF.....	441
AUUNFOUT.....	443
AUUNHNDL.....	442
AUUNJOB.....	441
AUUNMTYR.....	440
AUUNNBR.....	441
AUUNNCOV.....	441
AUUNNHLP.....	442
AUUNNOND.....	442
AUUNNTSP.....	443
AUUNRIM2.....	444
AUUNSOR.....	443
AUUNWHER.....	441
AVGGRADE.....	483
BENZOS.....	168
BINGEDRK.....	162
BINGEHVY.....	163
BKAGASLT.....	312
BKARSON.....	313
BKBURGL.....	312
BKDRUG.....	314
BKDRUNK.....	314

VARIABLE NAME	PAGE
BKDRVINF.....	314
BKFRAUD.....	315
BKLARCNY.....	312
BKMURDER.....	313
BKMVTHTF.....	311
BKOTH.....	316
BKOTHOF2.....	317
BKPOSTOB.....	314
BKPROS.....	315
BKRAPE.....	313
BKRLOB.....	313
BKSEXOFF.....	315
BKSMASLT.....	312
BLNT30C1.....	228
BLNT30C2.....	228
BLNT30DY.....	228
BLNTEVER.....	227
BLNTNOMJ.....	229
BLNTREC.....	227
BOOKED.....	311
BRCGR5_2.....	154
BRNCGR03.....	152
BRNCIG03.....	151
BRNCIG05.....	153
BRSMK3_2.....	152
BRSMK5_2.....	154
BUSPAR.....	88
BUSPAR2.....	167
BUTISOL.....	114
BUTISOL2.....	170
CAIDCHIP.....	604
CATAG2.....	618
CATAG3.....	618
CATAG7.....	618
CATAGE.....	618
CC30EST.....	33
CCBSTWAY.....	32
CCDAYPMO.....	32
CCDAYPWK.....	33
CCDAYPYR.....	32
CCFQFLG.....	31
CCFRAME3.....	189
CCLAST3.....	188
CCMONAVE.....	190
CCRECDK.....	189

VARIABLE NAME	PAGE
CCRECRE.....	189
CCTOTFG.....	31
CCWKAVE.....	190
CCYRAVE.....	189
CDCGMO.....	162
CDNOCGMO.....	162
CDUFLAG.....	162
CG05.....	182
CG06.....	182
CG06DK.....	182
CG06RE.....	182
CG19.....	183
CG20.....	184
CG20DK.....	184
CG20RE.....	184
CG27.....	183
CG28.....	183
CG28DK.....	183
CG28RE.....	183
CG30EST.....	4
CG36.....	184
CG37.....	184
CG37DK.....	185
CG37RE.....	185
CG43.....	185
CGALONFL.....	175
CGALONMO.....	175
CGALONYR.....	175
CGR30BR2.....	19
CGR3OUSE.....	18
CGRAGLST.....	344
CGRFLAG.....	149
CGRMON.....	149
CGRYR.....	149
CH30EST.....	14
CHAMPUS.....	604
CHEWEVER.....	12
CHEWMFU.....	13
CHEWMLU.....	344
CHEWREC.....	13
CHEWTRY.....	12
CHEYFUF.....	12
CHEYLU.....	343
CHHYD.....	115
CHHYD2.....	170

VARIABLE NAME	PAGE
CHW30BR2.....	14
CHW30USE.....	13
CHWAGLST.....	343
CHWFLAG.....	149
CHWMON.....	149
CHWYR.....	149
CI30EST.....	18
CIG100LF.....	8
CIG30AV.....	4
CIG30BR2.....	5
CIG30MEN.....	7
CIG30RO2.....	7
CIG30TYP.....	6
CIG30USE.....	4
CIGAFU.....	171
CIGAGE.....	7
CIGAGLST.....	340
CIGALCMO.....	162
CIGAREVR.....	17
CIGARMFU.....	17
CIGARMLU.....	345
CIGARREC.....	18
CIGARTRY.....	17
CIGARYFU.....	17
CIGARYLU.....	344
CIGAVGD.....	174
CIGAVGM.....	174
CIGAVOID.....	231
CIGCMPNY.....	155
CIGCRAGP.....	230
CIGCRAVE.....	230
CIGDLLST.....	341
CIGDLMFU.....	8
CIGDLMLU.....	342
CIGDLYFU.....	8
CIGDLYLU.....	341
CIGDLYMO.....	7
CIGEVER.....	2
CIGFLAG.....	149
CIGFNLK.....	232
CIGFNSMK.....	231
CIGINCRS.....	235
CIGINCTL.....	231
CIGINFLU.....	234
CIGIRTEL.....	230

VARIABLE NAME	PAGE
CIGLOTMR.....	236
CIGMDAYS.....	173
CIGMFU.....	3
CIGMLU.....	341
CIGMON.....	149
CIGNMCHG.....	234
CIGNOINF.....	235
CIGOFRSM.....	2
CIGONFL.....	175
CIGONMO.....	175
CIGONYR.....	175
CIGPDAY.....	174
CIGPLANE.....	232
CIGREC.....	3
CIGREGDY.....	233
CIGREGNM.....	233
CIGREGWK.....	233
CIGRNOUT.....	232
CIGSATIS.....	235
CIGSVLHR.....	234
CIGTRY.....	2
CIGWAKE.....	236
CIGWILYR.....	2
CIGYFU.....	3
CIGYLU.....	340
CIGYR.....	149
CKFRAME3.....	191
CKLAST3.....	190
CKMONAVE.....	191
CKRECDK.....	190
CKRECRE.....	190
CKWKAVE.....	191
CKYRAVE.....	191
CLEFLU.....	55
CLEFLU2.....	163
COCAGE.....	30
COAGLST.....	346
COCCUT1X.....	250
COCCUTDN.....	249
COCCUTEV.....	249
COCEMCTD.....	251
COCEMOPB.....	251
COCEVER.....	30
COCFLAG.....	155
COCFLBLU.....	250

VARIABLE NAME	PAGE
COCFMCTD.....	254
COCFMPB.....	254
COCGTOVR.....	248
COCKPLMT.....	248
COCLAWTR.....	253
COCLIMIT.....	248
COCLOTTM.....	248
COCLSACT.....	252
COCLSEFX.....	249
COCMDAYS.....	173
COCMFU.....	31
COCMLU.....	347
COCMON.....	155
COCNDMOR.....	249
COCNEIDL.....	210
COCPDANG.....	253
COCPHCTD.....	252
COCPHLPB.....	252
COCREC.....	31
COCSERPB.....	253
COCUS30A.....	33
COCWDSMT.....	250
COCYDAYS.....	251
COCYFU.....	172
COCYLU.....	30
COCYR.....	346
COCYRTOT.....	155
CODEINE.....	31
CODEINE2.....	66
COLLENR.....	164
COLLENR2.....	627
COLLENR2.....	627
CONDLREC.....	210
COUNMDE.....	594
CPNMTHFG.....	159
CPNMTHMN.....	159
CPNMTHYR.....	159
CPNPSYFG.....	160
CPNPSYMN.....	160
CPNPSYYR.....	160
CPNSTMFG.....	160
CPNSTMMN.....	158
CPNSTMYR.....	158
CR30EST.....	37
CRAKREC.....	35

VARIABLE NAME	PAGE
CRBSTWAY.....	36
CRDAYPMO.....	36
CRDAYPWK.....	36
CRDAYPYR.....	36
CRFQFLG.....	35
CRKAGE.....	34
CRKAGLST.....	347
CRKEVER.....	34
CRKFLAG.....	156
CRKMFU.....	35
CRKMLU.....	348
CRKMON.....	156
CRKUS30A.....	37
CRKYFU.....	34
CRKYLU.....	347
CRKYR.....	156
CRKYRTOT.....	35
CRTOTFC.....	35
CYLERT.....	100
CYLERT2.....	169
DALMANE.....	115
DALMANE2.....	170
DARVTL2.....	164
DARVTLCL.....	65
DCIGAFU.....	171
DCIGMON.....	162
DEMEROL.....	66
DEMEROL2.....	164
DEPNDALC.....	304
DEPNDANL.....	305
DEPNDCCOC.....	305
DEPNDHAL.....	305
DEPNDHER.....	305
DEPNDIEM.....	306
DEPNDILL.....	305
DEPNDINH.....	305
DEPNDMRJ.....	305
DEPNDPSY.....	306
DEPNDSED.....	305
DEPNDSTM.....	305
DEPNDTRN.....	305
DEPNDXMJ.....	306
DEPWT_C.....	640
DETAMP.....	101
DETAMP2.....	169

VARIABLE NAME	PAGE
DEXED	100
DEXED2	169
DGRGCLS2	487
DGSPCLS2	487
DIDREX	101
DIDREX2	169
DIETPIL2	169
DIETPILS	99
DILAUD	67
DILAUD2	164
DNICNSP	303
DOCMD	593
DOMOSTYR	426
DPILANAL	306
DPILLALC	306
DR5DAY	25
DRGDOC	414
DRGHOSP	414
DRGJAIL	414
DRGLECT2	487
DRGMHC	414
DRGPLCY	634
DRGPRGM	635
DRGRFIN	414
DRGRFOP	414
DRGSHG	414
DRGTXER	414
DRIVALC2	319
DRIVALD2	319
DRIVDRG2	319
DRPRVME3	487
DRVALDR	318
DRVAONLY	318
DRVONLY	318
DSTCHEER	507
DSTDEPRS	507
DSTEFFRT	507
DSTHOPLS	506
DSTNCALM	505
DSTNGOOD	508
DSTNRVOS	505
DSTRSTLS	506
DSTSITST	506
DSTTIRE	505
ECSAGE	53

VARIABLE NAME	PAGE
ECSAGLST.....	352
ECSFLAG.....	157
ECSMFU.....	54
ECSMLU.....	353
ECSMON.....	157
ECSREC.....	54
ECSTASY.....	42
ECSYFU.....	54
ECSYLU.....	352
ECSYR.....	157
EDFAM18.....	598
EDUCATHP.....	619
EDUCATN2.....	621
EDUCCAT2.....	619
EMPSTAT4.....	638
EMPSTATY.....	638
EQUANIL.....	89
EQUANIL2.....	167
ESKAT.....	101
ESKAT2.....	169
ETHER.....	56
ETHER2.....	163
FILEDATE.....	1
FIORICET.....	67
FIORICT2.....	164
FIORINAL.....	67
FIORINL2.....	164
FIRSTPOS.....	636
FLEXERIL.....	89
FLEXERL2.....	167
FLNDILAL.....	418
FLTNDALC.....	417
FLTN DANL.....	417
FLTN DCCC.....	417
FLTN DHAL.....	417
FLTN DHER.....	417
FLTN DILL.....	418
FLTN DINH.....	417
FLTN DMRJ.....	417
FLTN DSED.....	417
FLTN DSTM.....	417
FLTN DTRN.....	417
FRDADLY2.....	486
FRDMEVR2.....	486
FRDMJMON.....	486

VARIABLE NAME	PAGE
FRDPCIG2.....	485
FTNDDNSP.....	303
FUALC18.....	178
FUALC21.....	178
FUANL18.....	179
FUANL21.....	179
FUCD218.....	178
FUCD221.....	178
FUCGR18.....	178
FUCGR21.....	178
FUCIG18.....	178
FUCIG21.....	178
FUCOC18.....	178
FUCOC21.....	178
FUCRK18.....	178
FUCRK21.....	179
FUECS18.....	179
FUECS21.....	179
FUHAL18.....	179
FUHAL21.....	179
FUHER18.....	179
FUHER21.....	179
FUIEM18.....	180
FUIEM21.....	181
FUINH18.....	179
FUINH21.....	179
FULSD18.....	179
FULSD21.....	179
FUMJ18.....	178
FUMJ21.....	178
FUMTH18.....	180
FUMTH21.....	180
FUOXY18.....	180
FUOXY21.....	180
FUPCP18.....	179
FUPCP21.....	179
FUPSY18.....	180
FUPSY21.....	180
FUSED18.....	180
FUSED21.....	180
FUSLT18.....	178
FUSLT21.....	178
FUSTM18.....	180
FUSTM21.....	180
FUSUM18.....	180

VARIABLE NAME	PAGE
FUSUM21.....	180
FUTRN18.....	180
FUTRN21.....	180
GADNMWOR.....	500
GADNRVLT.....	499
GADNRVOS.....	499
GADOPROB.....	501
GADSTRON.....	501
GADWKS2.....	500
GADWRLT.....	499
GADWORMR.....	498
GAS.....	56
GAS2.....	163
GLUE.....	56
GLUE2.....	163
GNNDCLEN.....	215
GNNDGET2.....	216
GNNDLSH1.....	215
GNNDLSH2.....	215
GNNDREUS.....	214
GOVTPROG.....	612
GQTYPE.....	614
GRPCNSL2.....	486
GRPHLTIN.....	605
GRSKCOCC.....	225
GRSKCREG.....	225
GRSKD4_5.....	225
GRSKD5WK.....	226
GRSKHREG.....	225
GRSKHTRY.....	225
GRSKLREG.....	225
GRSKLTRY.....	225
GRSKMOCC.....	225
GRSKMREG.....	225
GRSKPKCG.....	225
HAL30USE.....	51
HALAGLST.....	349
HALCION.....	115
HALCION2.....	170
HALCUTDN.....	262
HALCUTEV.....	262
HALEMCTD.....	263
HALEMOPB.....	262
HALFLAG.....	156
HALFMCTD.....	265

ALPHA INDEX OF VARIABLE NAMES PAGE: 660

VARIABLE NAME	PAGE
HALFMFPB.....	265
HALGTOVR.....	261
HALKPLMT.....	261
HALLAGE.....	48
HALLAWTR.....	264
HALLIMIT.....	261
HALLOTTM.....	260
HALLREC.....	49
HALLSACT.....	263
HALLSEFX.....	262
HALMDAYS.....	173
HALMFU.....	49
HALMLIU.....	350
HALMON.....	156
HALNDMOR.....	261
HALNEWA.....	43
HALNEWB.....	46
HALNEWC.....	47
HALNEWD.....	48
HALNEWE.....	48
HALNOLST.....	42
HALPDANG.....	264
HALPHCTD.....	263
HALPHLPB.....	263
HALSERPB.....	264
HALYDAYS.....	172
HALYFU.....	48
HALYLU.....	349
HALYR.....	156
HALYRTOT.....	49
HBCHMDE.....	596
HEALTH.....	616
HEALTH2.....	619
HEFRAME3.....	192
HELAST3.....	191
HEMONAVE.....	192
HEOTNDL.....	208
HEOTOTH.....	208
HEOTSMK.....	208
HEOTSNF.....	208
HEOTSP.....	208
HER30USE.....	40
HERAGE.....	38
HERAGLST.....	348
HERCUT1X.....	256

VARIABLE NAME	PAGE
-----	-----
HERCUTDN.....	256
HERCUTEV.....	256
HERECDK.....	191
HERECRE.....	192
HEREMCTD.....	258
HEREMOPB.....	258
HEREVER.....	38
HERFLAG.....	156
HERFMCTD.....	260
HERFMFPB.....	260
HERGTOVR.....	255
HERKPLMT.....	255
HERLAWTR.....	260
HERLIMIT.....	255
HERLOTTM.....	254
HERLSACT.....	259
HERLSEFX.....	256
HERMFU.....	38
HERMLU.....	349
HERMON.....	156
HERNDMOR.....	255
HERNEEDL.....	208
HERPDANG.....	259
HERPHCTD.....	258
HERPHLPB.....	258
HERREC.....	39
HERSERPB.....	259
HERSMOK2.....	218
HERSMOKE.....	207
HERSNIF2.....	218
HERSNIFF.....	207
HERWD3SX.....	257
HERWDSMT.....	257
HERYFU.....	38
HERYLU.....	348
HERYR.....	156
HERYRTOT.....	39
HEWKAVE.....	192
HEYRAVE.....	192
HL30EST.....	51
HLBSTWAY.....	50
HLCALL99.....	613
HLCALLFG.....	612
HLCLAST.....	606
HLCNOTMO.....	606

ALPHA INDEX OF VARIABLE NAMES PAGE: 662

VARIABLE NAME	PAGE
HLCNOTYR.....	606
HLDAYPMO.....	50
HLDAYPWK.....	50
HLDAYPYR.....	50
HLFQFLG.....	49
HLLOSRSN.....	607
HLNVCOST.....	607
HLNVNEED.....	607
HLNVOFFR.....	607
HLNVREF.....	607
HLNVSOR.....	608
HLTINALC.....	605
HLTINDRG.....	605
HLTINMNT.....	605
HLTINNOS.....	605
HLTOTFG.....	49
HR30EST.....	40
HRBSTWAY.....	39
HRDAYPMO.....	40
HRDAYPWK.....	40
HRDAYPYR.....	40
HRFQFLG.....	39
HRNDLREC.....	209
HRSMKREC.....	207
HRSNFREC.....	207
HRTOTFG.....	39
HSDIPLMA.....	624
HSGED.....	624
HVYDRK2.....	163
HYDCODOP.....	166
HYDROCD2.....	164
HYDROCOD.....	67
ICAONFL.....	177
ICAONMO.....	177
ICAONYR.....	177
IEALONFL.....	176
IEALONMO.....	176
IEALONYR.....	176
IECGONFL.....	176
IECGONMO.....	176
IECGONYR.....	176
IEMAGE.....	162
IEMFLAG.....	161
IEMMON.....	162
IEMONFL.....	175

VARIABLE NAME	PAGE
IEMONMO.....	175
IEMONYR.....	175
IEMYFU.....	162
IEMYR.....	161
IFATHER.....	598
II2ALCD5.....	138
II2ALCFM.....	138
II2ALCFY.....	132
II2ALCRC.....	126
II2ANLFY.....	134
II2ANLRC.....	129
II2CGRFM.....	137
II2CGRRC.....	124
II2CHWFM.....	137
II2CHWRG.....	125
II2CIGFM.....	137
II2CIGRC.....	124
II2COCFM.....	139
II2COCFY.....	132
II2COCRC.....	127
II2CRKFM.....	139
II2CRKFY.....	133
II2CRKRC.....	127
II2ECSRC.....	128
II2EMST4.....	638
II2EMSTY.....	638
II2HALFM.....	140
II2HALFY.....	133
II2HALRC.....	127
II2HERFM.....	140
II2HERFY.....	133
II2HERRC.....	127
II2INHFM.....	140
II2INHFY.....	134
II2INHRC.....	129
II2LSDRC.....	128
II2MJFM.....	139
II2MJFY.....	132
II2MJRC.....	126
II2MTHFY.....	135
II2MTHRC.....	130
II2OXYFY.....	134
II2OXYRC.....	129
II2PCPRC.....	128
II2SEDFY.....	136

VARIABLE NAME	PAGE
II2SEDRC.....	131
II2SLTRC.....	125
II2SNFFM.....	138
II2SNFRC.....	126
II2STMFY.....	135
II2STMRC.....	130
II2TRNFY.....	135
II2TRNR.....	130
IIALCAGE.....	143
IIALCD5.....	138
IIALCFM.....	138
IIALCFY.....	132
IIALCRC.....	126
IIALCYFU.....	143
IIANLAGE.....	146
IIANLFY.....	134
IIANLRC.....	129
IIANLYFU.....	146
IICD2YFU.....	141
IICDUAGE.....	141
IICGAVD.....	299
IICGCRGP.....	298
IICGCRV.....	298
IICGINCR.....	301
IICGINFL.....	301
IICGIRTB.....	298
IICGLMR.....	302
IICGNCG.....	300
IICGNCTL.....	299
IICGNINF.....	301
IICGPLN.....	299
IICGRAGE.....	141
IICGRFM.....	137
IICRGDY.....	300
IICGRGNM.....	300
IICGRGWK.....	300
IICGROUT.....	299
IICGRRC.....	124
IICGRYFU.....	142
IICGSAT.....	302
IICGSLHR.....	301
IICHMPUS.....	610
IICHWAGE.....	142
IICHWFM.....	137
IICHWR.....	125

ALPHA INDEX OF VARIABLE NAMES PAGE: 665

VARIABLE NAME	PAGE
IICHWYFU.....	142
IICIGAGE.....	141
IICIGFM.....	137
IICIGRC.....	124
IICIGYFU.....	141
IICOCAGE.....	143
IICOCFM.....	139
IICOCFY.....	132
IICOCRC.....	126
IICOCYFU.....	143
IICRKAGE.....	144
IICRKFM.....	139
IICRKFY.....	133
IICRKRC.....	127
IICRKYFU.....	144
IIECSAGE.....	145
IIECSRC.....	128
IIECSYFU.....	145
IIEDUC2.....	617
IIEMPST4.....	638
IIEMPSTY.....	638
IIFAMCHD.....	602
IIFAMIN3.....	603
IIFAMINT.....	602
IIFAMOTH.....	602
IIFAMPMT.....	601
IIFAMSCC.....	600
IIFAMSSI.....	600
IIFAMSVC.....	601
IIFAMSZ2.....	599
IIFAMWAG.....	601
IIFSTAMP.....	601
IIHALAGE.....	144
IIHALFM.....	140
IIHALFY.....	133
IIHALRC.....	127
IIHALYFU.....	144
IIHERAGE.....	144
IIHERFM.....	139
IIHERFY.....	133
IIHERRC.....	127
IIHERYFU.....	144
IIHH65_2.....	599
IIHHSIZ2.....	598
IIINHAGE.....	146

VARIABLE NAME	PAGE
IIINHFM.....	140
IIINHPY.....	134
IIINHRC.....	129
IIINHYFU.....	146
IIINSUR.....	608
IIINSUR3.....	609
IIINSUR4.....	613
IIKI17_2.....	598
IIKIDFA2.....	599
II LSDAGE.....	145
II LSDR.....	128
II LSDYFU.....	145
II MARIT.....	617
II MCDCHP.....	610
II MEDICR.....	610
II MJAGE.....	143
II MJFM.....	139
II MJFY.....	132
II MJRC.....	126
II MJYFU.....	143
II MTHAGE.....	147
II MTHFY.....	135
II MTHRC.....	130
II MTHYFU.....	148
II OTHHLT.....	611
II OXYAGE.....	146
II OXYFY.....	134
II OXYRC.....	129
II OXYYFU.....	147
II PCHD.....	602
II PCPAGE.....	145
II PCPRC.....	128
II PCPYFU.....	145
II PINC3.....	603
II PINSUR.....	608
II PINT.....	602
II PIPLF.....	124
II PIPMN.....	125
II POTH.....	602
II PPMT.....	601
II PRVHLT.....	610
II PSOC.....	600
II PSSI.....	600
II PSVC.....	601
II PWAG.....	601

VARIABLE NAME	PAGE
IISEDAGE.....	148
IISEDFY.....	135
IISEDRC.....	130
IISEDYFU.....	148
IISLTAGE.....	142
IISLTTRC.....	125
IISLTYFU.....	142
IISNFAGE.....	142
IISNFFM.....	138
IISNFR.....	125
IISNFYFU.....	142
IISTMAGE.....	147
IISTMFY.....	135
IISTMRC.....	130
IISTMYFU.....	147
IITRNAGE.....	147
IITRNFY.....	134
IITRNRC.....	129
IITRNYFU.....	147
IIWELMOS.....	602
ILLNEED.....	415
ILLPCAID.....	410
ILLPCARE.....	410
ILLPCORT.....	411
ILLPEMPL.....	411
ILLPFMLY.....	411
ILLPINS.....	410
ILLPMILC.....	411
ILLPPUBP.....	410
ILLPSAVE.....	410
ILLTRMT.....	408
IMOTHER.....	598
IMPCONC.....	509
IMPCTRLE.....	513
IMPDAYFQ.....	515
IMPDLPP.....	511
IMPDLPPM.....	512
IMPDLRSP.....	514
IMPDLWRK.....	514
IMPGO.....	511
IMPgom.....	511
IMPGTALG.....	512
IMPHRSP.....	513
IMPHRSPM.....	514
IMPLERN.....	510

VARIABLE NAME	PAGE
IMPLERNM.....	510
IMPMONY.....	509
IMPMONYM.....	510
IMPRELAX.....	513
IMPREMBR.....	509
IMPSCCL.....	512
IMPSCCLM.....	512
IMPTHINK.....	508
IMPUNDST.....	508
IMPWASH.....	510
IMPWASHM.....	511
IMPWKS2.....	515
IN30EST.....	64
INBSTWAY.....	63
INCOME.....	612
INDAYPMO.....	63
INDAYPWK.....	64
INDAYPYR.....	63
INFQFLG.....	62
INFRAME3.....	196
INHAGE.....	61
INHAGLST.....	353
INHCUTDN.....	267
INHCUTEV.....	267
INHDY30A.....	64
INHEMCTD.....	268
INHEMOB.....	267
INHEVER.....	61
INHFLAG.....	157
INHFMCTD.....	270
INHFMFPB.....	270
INHGTOVR.....	266
INHKPLMT.....	266
INHLAWIR.....	269
INHLIMIT.....	266
INHLOTTM.....	265
INHLSACT.....	268
INHLSEFX.....	267
INHMDAYS.....	173
INHMFU.....	62
INHMLU.....	354
INHMON.....	157
INHNDMOR.....	266
INHNEWA.....	59
INHNEWB.....	60

VARIABLE NAME	PAGE
INHNEWC.....	60
INHNEWD.....	60
INHNEWE.....	60
INHNOLST.....	58
INHOSPYR.....	426
INHPDANG.....	269
INHPHCTD.....	268
INPHPLPB.....	268
INHREC.....	62
INHSERPB.....	269
INHYDAYS.....	172
INHYFU.....	61
INHYLU.....	353
INHYR.....	157
INHYRTOT.....	62
INLAST.....	195
INMONAVE.....	196
INRECDK.....	195
INRECRE.....	195
INTOTFG.....	62
INWKAVE.....	196
INYRAVE.....	196
IONAMIN.....	101
IONAMIN2.....	169
IRALCAGE.....	143
IRALCD5.....	138
IRALCFM.....	138
IRALCFY.....	132
IRALCRC.....	126
IRALCYFU.....	143
IRANLAGE.....	146
IRANLFY.....	134
IRANLRC.....	129
IRANLYFU.....	146
IRCD2YFU.....	141
IRCDUAGE.....	141
IRCGAVD.....	299
IRCGCRGP.....	298
IRCGCRV.....	298
IRCGINCR.....	301
IRCGINFL.....	301
IRCGIRTB.....	298
IRCGLMR.....	302
IRCGNCG.....	300
IRCGNCTL.....	299

VARIABLE NAME	PAGE
-----	-----
IRCGNINF.....	301
IRCGPLN.....	299
IRCGRAGE.....	141
IRCGRFM.....	137
IRCGRGDY.....	300
IRCGRGM.....	300
IRCGRGWK.....	300
IRCGROUT.....	299
IRCGRRC.....	124
IRCGRYFU.....	141
IRCGSAT.....	302
IRCGSLHR.....	301
IRCHMPUS.....	610
IRCHWAGE.....	142
IRCHWFM.....	137
IRCHWRC.....	125
IRCHWYFU.....	142
IRCIGAGE.....	141
IRCIGFM.....	137
IRCIGRC.....	124
IRCIGYFU.....	141
IRCOCAGE.....	143
IRCOCFM.....	139
IRCOCFY.....	132
IRCOCRC.....	126
IRCOCYFU.....	143
IRCRKAGE.....	143
IRCRKFM.....	139
IRCRKFY.....	133
IRCRKRC.....	127
IRCRKYFU.....	144
IРЕCSAGE.....	145
IРЕCSRC.....	128
IРЕCSYFU.....	145
IREDUC2.....	617
IRFAMCHD.....	602
IRFAMIN3.....	603
IRFAMINT.....	602
IRFAMOTH.....	602
IRFAMPMT.....	601
IRFAMSOC.....	600
IRFAMSSI.....	600
IRFAMSVC.....	601
IRFAMSZ2.....	599
IRFAMWAG.....	601

VARIABLE NAME	PAGE
IRFSTAMP.....	601
IRHALAGE.....	144
IRHALFM.....	140
IRHALFY.....	133
IRHALRC.....	127
IRHALYFU.....	144
IRHERAGE.....	144
IRHERFM.....	139
IRHERFY.....	133
IRHERRC.....	127
IRHERYFU.....	144
IRHH65_2.....	598
IRHHSIZ2.....	598
IRINHAGE.....	145
IRINHFM.....	140
IRINHPY.....	133
IRINHRC.....	128
IRINHYFU.....	146
IRINSUR.....	608
IRINSUR3.....	609
IRINSUR4.....	613
IRKI17_2.....	598
IRKIDFA2.....	599
IRLSDAGE.....	144
IRLSDRC.....	128
IRLSDYFU.....	145
IRMARIT.....	617
IRMCDCHP.....	610
IRMEDICR.....	610
IRMJAGE.....	143
IRMJFM.....	138
IRMJFY.....	132
IRMJRC.....	126
IRMJYFU.....	143
IRMTHAGE.....	147
IRMTHFY.....	135
IRMTHRC.....	130
IRMTHYFU.....	147
IROTHHLT.....	611
IROXYAGE.....	146
IROXYFY.....	134
IROXYRC.....	129
IROXYYFU.....	146
IRPCHD.....	602
IRPCPAGE.....	145

VARIABLE NAME	PAGE
IRPCPRC.....	128
IRPCPYFU.....	145
IRPINC3.....	603
IRPINSUR.....	608
IRPINT.....	602
IRPIPLF.....	124
IRPIPMN.....	124
IRPOTH.....	602
IRPPMT.....	601
IRPRVHLT.....	610
IRPSOC.....	600
IRPSSI.....	600
IRPSVC.....	601
IRPWAG.....	601
IRSEDADE.....	148
IRSEDFY.....	135
IRSEDRC.....	130
IRSEDYFU.....	148
IRSEX.....	617
IRSLTAGE.....	142
IRSLTRC.....	125
IRSLTYFU.....	142
IRSNPAGE.....	142
IRSNFFM.....	138
IRSNFRC.....	125
IRSNFYFU.....	142
IRSTMAGE.....	147
IRSTMFY.....	135
IRSTMRC.....	130
IRSTMYFU.....	147
IRTRNAGE.....	147
IRTRNFY.....	134
IRTRNRG.....	129
IRTRNYFU.....	147
IRWELMOS.....	601
JBSTATR2.....	628
KLONOPI2.....	167
KLONOPIN.....	87
LANGVER.....	614
LASTTXSP.....	412
LFSCHWH2.....	625
LFTSCHA2.....	626
LGAS.....	57
LGAS2.....	164
LIBRIUM.....	89

VARIABLE NAME	PAGE
LIBRIUM2.....	167
LIMBTRL2.....	167
LIMBTROL.....	89
LIMITWRK.....	427
LOCDOC.....	414
LOCHOSP.....	414
LOCJAIL.....	415
LOCMHC.....	414
LOCRFIN.....	414
LOCRFOP.....	414
LOCSHG.....	415
LOCSIZE.....	634
LOCTXER.....	414
LS10.....	194
LS16.....	194
LS22.....	194
LSD.....	41
LSDAGE.....	51
LSDAGLST.....	350
LSDFLAG.....	156
LSDMFU.....	52
LSDMLU.....	351
LSDMON.....	156
LSDREC.....	52
LSDYFU.....	51
LSDYLU.....	350
LSDYR.....	156
LSFRAME3.....	193
LSLAST.....	193
LSMONAVE.....	194
LSRECDK.....	193
LSRECRE.....	193
LSWKAVE.....	194
LSYRAVE.....	194
MAZANOR.....	101
MAZANOR2.....	169
MAZINDOL.....	170
MCAONFL.....	177
MCAONMO.....	177
MCAONYR.....	177
MDECHNGS.....	492
MDEDAYFQ.....	491
MDEDAYLN.....	492
MDEDP2WK.....	490
MDEDPWKR.....	491

VARIABLE NAME	PAGE
MDELICHG.....	494
MDELIFQ.....	493
MDELILN.....	493
MDELIWK2.....	493
MDELOSIN.....	492
MDELT.....	592
MDERXO.....	592
MDETXARX.....	592
MDETXO.....	592
MDETXRX.....	592
MDEYR.....	592
MEDICARE.....	603
MEPROB.....	89
MEPROB2.....	167
MEPROBPD.....	168
MESC.....	42
MESC2.....	163
METHAGE.....	109
METHAQ.....	113
METHAQ2.....	170
METHDES.....	99
METHDES2.....	169
METHDON.....	67
METHDON2.....	164
METHMFU.....	110
METHMLU.....	359
METHREC.....	110
METHYFU.....	110
METHYLU.....	358
MHALACUP.....	458
MHALCHIR.....	458
MHALHERB.....	458
MHALHLIN.....	458
MHALINET.....	458
MHALMASG.....	458
MHALOTH.....	459
MHALRELG.....	458
MHALSGRP.....	458
MHALTYR.....	457
MHASPTR2.....	457
MHHOSPOV.....	503
MHLCLNC2.....	449
MHLDODC2.....	449
MHLDTMT2.....	449
MHLMNT2.....	449

VARIABLE NAME	PAGE
MHLOTH2.....	451
MHLSCHL2.....	450
MHLTHER2.....	449
MHMEDS.....	504
MHMEDWK2.....	504
MHNSPTR2.....	457
MHOPNUM2.....	503
MHOSPTR2.....	457
MHPDEMP2.....	452
MHPDFRE2.....	452
MHPDMCD2.....	452
MHPDMCR2.....	452
MHPDML2.....	452
MHPDOFM2.....	452
MHPDPHI2.....	452
MHPDPRV2.....	452
MHPDPUB2.....	452
MHPDREH2.....	452
MHPDSL2.....	451
MHRCCIN2.....	455
MHRCFID2.....	454
MHRCMIT2.....	454
MHRCOST2.....	453
MHRENUF2.....	453
MHRFOUT2.....	454
MHRHAND2.....	454
MHRJOBS2.....	453
MHRNBRS2.....	453
MHRNCOV2.....	453
MHRNNHN2.....	455
MHRNOHP2.....	454
MHRNOND2.....	454
MHROTHC2.....	456
MHSOTH2.....	455
MHRSTIG2.....	456
MHRTIME2.....	454
MHRTRAN2.....	454
MHRWHER2.....	454
MHSEEDR.....	503
MHSVCHLP.....	515
MHSVHP.....	518
MIAONFL.....	177
MIAONMO.....	177
MIAONYR.....	177
MICONFL.....	177

VARIABLE NAME	PAGE
MICONMO.....	177
MICONYR.....	177
MILSTAT.....	616
MILTOWN.....	90
MILTOWN2.....	167
MJAFU.....	172
MJAGE.....	26
MJALONFL.....	176
MJALONMO.....	176
MJALONYR.....	176
MJCГОNFL.....	176
MJCГОNМО.....	176
MJCГОNYR.....	176
MJDAY30A.....	29
MJEVER.....	26
MJFQFLG.....	27
MJFRAME3.....	188
MJIEONFL.....	176
MJIEONMO.....	176
MJIEONYR.....	176
MJLAST3.....	187
MJMFU.....	27
MJMONAVE.....	188
MJOFLAG.....	161
MJOMON2.....	161
MJOYR2.....	161
MJPBTFRM.....	336
MJPBTPLC.....	336
MJPFREGT.....	337
MJPREPL.....	337
MJPGOT.....	336
MJPRIOR.....	363
MJPRIYR.....	363
MJPRNOYR.....	363
MJREC.....	27
MJRECDK.....	187
MJRECRE.....	187
MJWKAVE.....	188
MJYFU.....	26
MJYRAVE.....	188
MJYRTOT.....	27
MMBATJOB.....	326
MMBCLOSE.....	326
MMBGIVE.....	327
MMBPLACE.....	326

VARIABLE NAME	PAGE
-----	-----
MMBSELL.....	327
MMBT30DY.....	321
MMBTPYR.....	320
MMBTREC1.....	320
MMBTREC2.....	320
MMBUYWHO.....	326
MMFCLOSE.....	334
MMFGIVE.....	335
MMFKEEP.....	334
MMFPLACE.....	334
MMFREWHO.....	334
MMFSELL.....	335
MMGETMJ.....	320
MMGGIVE.....	333
MMGKEEP.....	333
MMGSELL.....	333
MMJNPCTB.....	322
MMJNPTCB.....	321
MMJNTL00.....	321
MMJNTNUM.....	321
MMLS10GM.....	323
MMLS5LBS.....	323
MMLSGMS.....	322
MMLS LBS.....	323
MMLSOZS.....	323
MMLSPCAT.....	325
MMLSPCTB.....	324
MMLSUNIT.....	322
MMT30FRQ.....	328
MMTCLOSE.....	332
MMTGIVE.....	333
MMTJNTTLS.....	328
MMTJNTNM.....	328
MMTJWRCB.....	329
MMTJWRTH.....	329
MMTKEEP.....	332
MMTLGMS.....	330
MMTLOZS.....	330
MMTLUNIT.....	329
MMTLWRCB.....	330
MMTLWRTH.....	331
MMTPLACE.....	332
MMTRADE.....	327
MMTRD30D.....	327
MMTRDREC.....	328

VARIABLE NAME	PAGE
MMTRDWHO.....	331
MMTSELL.....	332
MNCEVER.....	495
MNCHYPER.....	494
MNCMEDS.....	495
MNCNOSLP.....	494
MNCSPWRS.....	494
MORPHIN2.....	165
MORPHINE.....	68
MOVESPY2.....	620
MR30EST.....	29
MRBSTWAY.....	28
MRDAYPMO.....	28
MRDAYPWK.....	28
MRDAYPYR.....	28
MRJAGLST.....	339
MRJCUTDN.....	244
MRJCUTEV.....	245
MRJEMCTD.....	245
MRJEMOPB.....	245
MRJFLAG.....	155
MRJFMCTD.....	247
MRJFMPB.....	247
MRJGTOVR.....	243
MRJKPLMT.....	244
MRJLAWTR.....	247
MRJLIMIT.....	243
MRJLOTTM.....	243
MRJLSACT.....	246
MRJLSEFX.....	244
MRJMDAYS.....	173
MRJMLU.....	340
MRJMON.....	155
MRJNDMOR.....	244
MRJONFL.....	175
MRJONMO.....	175
MRJONYR.....	175
MRJPDANG.....	247
MRJPHCTD.....	246
MRJPHLPB.....	245
MRJSERPB.....	246
MRJYDAYS.....	172
MRJYLU.....	339
MRJYR.....	155
MRJYRBFR.....	339

VARIABLE NAME	PAGE
MRTOTFG.....	27
MTBSTWAY.....	111
MTDAYPMO.....	112
MTDAYPWK.....	112
MTDAYPYR.....	112
MTFQFLG.....	111
MTHAGLST.....	358
MTHFLAG.....	158
MTHMON.....	159
MTHNEEDL.....	209
MTHYDAYS.....	173
MTHYR.....	158
MTHYRTOT.....	111
MTNDLREC.....	209
MTTOTFG.....	111
MUSCRELX.....	168
MVIN5YR2.....	483
NDEFALC.....	419
NDEFANL.....	420
NDEFCCOC.....	419
NDEFHAL.....	419
NDEFHER.....	419
NDEFIA.....	420
NDEFIL.....	420
NDEFINH.....	419
NDEFMRJ.....	419
NDEFSED.....	420
NDEFSTM.....	420
NDEFTRN.....	420
NDMRBUSY.....	385
NDMRFOUT.....	385
NDMRHNDL.....	385
NDMRJOB.....	384
NDMRLMCV.....	383
NDMRNBR.....	384
NDMRNHCV.....	383
NDMRNHLP.....	385
NDMRNOND.....	384
NDMRNTSP.....	383
NDMROPEN.....	384
NDMRREADY.....	384
NDMRSOR.....	385
NDMRTYPE.....	383
NDMRWHER.....	384
NDSSANSPP.....	303

VARIABLE NAME	PAGE
NDSSDNSP.....	303
NDTMRALC.....	373
NDTMRANL.....	374
NDTMRCC.....	373
NDTMREFT.....	383
NDTMRHAL.....	373
NDTMRHER.....	373
NDTMRINH.....	373
NDTMRMJ.....	373
NDTMROTH.....	374
NDTMRSED.....	374
NDTMRSTM.....	374
NDTMRTRN.....	374
NDTXALC2.....	416
NDTXALCR.....	374
NDTXANL2.....	416
NDTXANLR.....	376
NDTXBUSY.....	382
NDTXCOC2.....	416
NDTXCOCR.....	375
NDTXDG1R.....	378
NDTXDG2R.....	378
NDTXDG3R.....	378
NDTXDG4R.....	379
NDTXDG5R.....	379
NDTXEFTR.....	379
NDTXFOUT.....	382
NDTXHAL2.....	416
NDTXHALR.....	376
NDTXHER2.....	416
NDTXHERR.....	375
NDTXHNDL.....	382
NDTXINH2.....	416
NDTXINHR.....	376
NDTXJOB.....	381
NDTXLMCV.....	380
NDTXMJR.....	375
NDTXMORE.....	372
NDTXMRJ2.....	416
NDTXNBR.....	381
NDTXNEDR.....	372
NDTXNHCV.....	379
NDTXNHL.....	382
NDTXNOND.....	381
NDTXNTSP.....	380

VARIABLE NAME	PAGE
NDTXOPEN.....	380
NDTXREDY.....	380
NDTXSED2.....	416
NDTXSEDR.....	377
NDTXSODR.....	378
NDTXSOR.....	382
NDTXSTM2.....	416
NDTXSTM.....	377
NDTXTRN2.....	416
NDTXTRNR.....	377
NDXTYPE.....	380
NDTXWHER.....	381
NEDCOC.....	218
NEDFLG01.....	218
NEDHER.....	218
NEDLRECR.....	217
NEDMTH.....	218
NEDSTM.....	218
NEMBBAR2.....	170
NEMBBARB.....	113
NEWRACE2.....	618
NILALMON.....	163
NITOXID.....	57
NITOXID2.....	164
NMERTMT2.....	426
NMHSPTR2.....	457
NMNNGTHS2.....	426
NOBOOKY2.....	311
NODR30A.....	24
NOMARR2.....	615
NOUSEFL.....	174
NOUSEMO.....	174
NOUSEYR.....	174
NRCH17_2.....	598
NSPDDPAB.....	519
NSPDDPAU.....	519
NSPNPDAU.....	518
NURSMDE.....	595
OBLA.....	101
OBLA2.....	169
OMDMDE.....	593
OMHMDE.....	595
OSTNEEDL.....	210
OSTNLREC.....	210
OTDGNDLA.....	212

VARIABLE NAME	PAGE
OTDGNDLB.....	213
OTDGNDLC.....	214
OTDGNDLD.....	214
OTDGNDLE.....	214
OTDGNEDL.....	211
OTHANL.....	165
OTHINS.....	613
OTHMDE.....	596
OTHSED.....	171
OTHSTM.....	170
OTHTRN.....	168
OXBSTWAY.....	85
OXDAYPMO.....	85
OXDAYPWK.....	86
OXDAYPYR.....	85
OXFQFLG.....	84
OXTOTFG.....	84
OXYAGLST.....	355
OXYCAGE.....	83
OXYCMFU.....	84
OXYCMLU.....	356
OXYCODOP.....	166
OXYCODP2.....	166
OXYCONT2.....	165
OXYCONTN.....	68
OXYCREC.....	84
OXYCYFU.....	83
OXYCYLU.....	355
OXYFLAG.....	157
OXYMON.....	157
OXYYR.....	157
OXYYRTOT.....	84
PANATAK.....	489
PANATKN2.....	490
PANREAC.....	489
PARCHKHW.....	484
PARHLPW.....	484
PARLMTSN.....	484
PAROL.....	319
PAROLREL.....	317
PBLMWORK.....	427
PCP.....	41
PCPAGE.....	52
PCPAGLST.....	351
PCPFLAG.....	156

VARIABLE NAME	PAGE
PCPMFU	53
PCPMLU	352
PCPMON	156
PCPREC	53
PCPYFU	52
PCPYLU	351
PCPYR	156
PDEN	639
PDEN00	639
PERCTYL2	164
PERCTYLX	65
PEYOTE	41
PEYOTE2	163
PHBAVOID	496
PHBAWYHM	497
PHBCRWDS	496
PHBINTFR	496
PHBLEVEL	496
PHBPUBPL	497
PHBSOCL	495
PHBTRAVL	497
PHBWRSAV	498
PHBWRSSFR	497
PHBWRSSIN	498
PHBWRSSST	498
PHENCOD	68
PHENCOD2	165
PHENOBAR	115
PHENOBR2	170
PIPE30DY	20
PIPEVER	20
PIPFAG	149
PIPMON	149
PLACIDY2	171
PLACIDYL	115
PLCYCOV	635
PLEGINE	102
PLEGINE2	169
POVERTY	612
PR09	196
PR10	197
PR11	198
PR12	198
PR13	198
PR19	198

VARIABLE NAME	PAGE
PR20.....	199
PR21.....	199
PR22.....	199
PR23.....	199
PRALDLY2.....	485
PRBSOLV2.....	486
PRBSTWAY.....	81
PRCHORE2.....	484
PRDAYPMO.....	82
PRDAYPWK.....	82
PRDAYPYR.....	81
PREG.....	428
PREG2.....	428
PREGAGE2.....	618
PREGNANT.....	426
PREGPGM2.....	487
PRELUDIN.....	102
PRELUDN2.....	169
PREVIOL2.....	486
PRFQFLG.....	80
PRGDJOB2.....	484
PRLMTTV2.....	484
PRMJEV2.....	485
PRMJMO.....	485
PROB.....	319
PROBATON.....	317
PROCODNP.....	166
PROPOXY.....	68
PROPOXY2.....	165
PRPKC1G2.....	485
PRPROUD2.....	484
PRRECDK.....	197
PRRECRE.....	197
PRTALK3.....	486
PRTOTFG.....	80
PRVDRGO2.....	486
PRVHLTIN.....	604
PRXYDATA.....	600
PSILCY.....	42
PSILCY2.....	163
PSY1MDE.....	593
PSY2MDE.....	594
PSYAGE2.....	160
PSYFLAG2.....	159
PSYMON2.....	160

VARIABLE NAME	PAGE
PSYYFU2.....	160
PSYYR2.....	160
PTSEVER.....	501
PTSPYEAR.....	502
PTSWKS2.....	502
PTSWRSFQ.....	502
QUARTER.....	614
QUESTID.....	1
RDIFCOC.....	226
RDIFCRK.....	226
RDIFHER.....	226
RDIFLSD.....	226
RDIFMJ.....	226
REASBRAK.....	565
REASDEPR.....	565
REASEATP.....	566
REASFAM.....	566
REASFEAR.....	565
REASMEN.....	566
REASOTH.....	567
REASSCH.....	566
REASSOC.....	566
REASSUIC.....	564
RELMDE.....	596
RESTTMA2.....	170
RESTTMAZ.....	114
RITMPHE2.....	169
RITMPHEN.....	100
RK5ALDLY.....	221
RK5ALWK.....	221
RKCOCOCC.....	221
RKCOCREG.....	221
RKDIFCOC.....	222
RKDIFCRK.....	222
RKDIFHER.....	223
RKDIFLSD.....	222
RKFQDBLT.....	224
RKFQDNGR.....	223
RKFQPBLT.....	223
RKFQRSKY.....	223
RKHERREG.....	220
RKLSDREG.....	220
RKTRYHER.....	220
RKTRYLSD.....	220
RLGATTD.....	487

VARIABLE NAME	PAGE
RLGDCSN.....	488
RLGFRND.....	488
RLGIMPT.....	487
ROHYPNL2.....	167
ROHYPNOL.....	90
RSKDFM.....	222
RSKMJOCC.....	219
RSKMJREG.....	219
RSKPCKIG.....	219
RSKSELL.....	223
RSNMRJMO.....	228
RSNOMRJ.....	228
RTDALHAL.....	171
RXHPMDE.....	597
RXMDEYR.....	592
SANOREX.....	102
SANOREX2.....	169
SCHDSICK.....	624
SCHDSKIP.....	624
SCHENRL.....	620
SCHFELT.....	483
SCHHIGRD.....	623
SCHIMPT.....	483
SCHINTST.....	483
SCHLOGRD.....	622
SCHRELGS.....	621
SCHTYPE.....	621
SCHWORK.....	483
SDNTFTPT.....	623
SEDADE.....	119
SEDAGLST.....	359
SEDCARD.....	114
SEDCUT1X.....	292
SEDCUTDN.....	292
SEDCUTEV.....	292
SEDEMCTD.....	294
SEDEMOPB.....	294
SEDEVER.....	119
SEDFLAG.....	159
SEDFMCTD.....	297
SEDFMFNB.....	296
SEDGTOVR.....	290
SEDKPLMT.....	291
SEDLAWTR.....	296
SEDLIMIT.....	291

VARIABLE NAME	PAGE
SEDLLOTTM.....	290
SEDLSACT.....	295
SEDLSEFX.....	291
SEDMFU.....	120
SEDMLU.....	360
SEDMON.....	159
SEDNDMOR.....	291
SEDNEWA.....	117
SEDNEWB.....	118
SEDNEWC.....	118
SEDNEWD.....	118
SEDNEWE.....	118
SEDNOLST.....	116
SEDPDANG.....	296
SEDPHCTD.....	295
SEDPHLPB.....	294
SEDREC.....	121
SEDSERPB.....	295
SEDWD1SX.....	293
SEWDMSMT.....	293
SEDYFU.....	120
SEDYLU.....	359
SEDYR.....	159
SEDYRTOT.....	121
SERAX.....	90
SERAX2.....	168
SERVICE.....	615
SEXAGE.....	618
SEXRACE.....	619
SK65A.....	68
SK65A2.....	165
SLT30BR2.....	16
SLT30FAV.....	16
SLTMFU.....	15
SLTREC.....	16
SLTRY.....	15
SLTYFU.....	15
SMKFLAG.....	149
SMKMON.....	149
SMKYR.....	149
SN30EST.....	11
SNF30BR2.....	11
SNF30USE.....	10
SNFAGLST.....	342
SNFAMJEV.....	465

VARIABLE NAME	PAGE
SNFEVER.....	9
SNFFLAG.....	150
SNFMON.....	150
SNFREC.....	10
SNFYR.....	150
SNMOV5Y2.....	463
SNNBRKUP.....	463
SNNGRFTI.....	462
SNNHGOUT.....	462
SNNORGNZ.....	463
SNNSCOLD.....	462
SNPCKNIT.....	460
SNPDFVAL.....	461
SNPNALNG.....	461
SNPTRUST.....	461
SNPWLHLP.....	460
SNRLDCSN.....	466
SNRLFRND.....	466
SNRLGIMP.....	465
SNRLGSVC.....	465
SNUFMFU.....	10
SNUFMLU.....	343
SNUFTRY.....	9
SNUFYFU.....	9
SNUFYLU.....	342
SNYATTAK.....	464
SNYSELL.....	464
SNYSTOLE.....	464
SOCMDE.....	594
SOLVENT.....	56
SOLVENT2.....	164
SOMA.....	90
SOMA2.....	168
SPDADPAU.....	518
SPDNDDPAU.....	518
SPDODPAU.....	518
SPDWT_C.....	640
SPD_ADJ.....	517
SPD_ASCR.....	517
SPD_RADJ.....	517
SPD_RSCR.....	517
SPD_UADJ.....	517
SPD_USCR.....	516
SPECTALC.....	411
SPECTILL.....	412

VARIABLE NAME	PAGE
SPILANAL.....	412
SPILLALC.....	412
SPPAINT.....	57
SPPAINT2.....	164
ST09.....	201
ST10.....	202
ST11.....	202
ST12.....	202
ST13.....	203
ST19.....	203
ST20.....	203
ST21.....	203
ST22.....	204
ST23.....	204
STADOL.....	69
STADOL2.....	165
STBSTWAY.....	108
STDAYPMO.....	109
STDAYPWK.....	109
STDAYPYR.....	108
STFQFLG.....	107
STIMAGE.....	105
STIMMFU.....	106
STIMMLU.....	358
STIMNEWA.....	103
STIMNEWB.....	104
STIMNEWC.....	104
STIMNEWD.....	105
STIMNEWE.....	105
STIMREC.....	107
STIMYFU.....	106
STIMYLU.....	357
STMAGLST.....	357
STMCARD.....	100
STMCUT1X.....	285
STMCUTDN.....	284
STMCUTEV.....	285
STMEMCTD.....	287
STMEMOPB.....	287
STMEVER.....	105
STMFLAG.....	158
STMFLBLU.....	285
STMFMCTD.....	290
STMFMPB.....	289
STMGTOVR.....	283

VARIABLE NAME	PAGE
STMKPLMT.....	284
STMLAWTR.....	289
STMLIMIT.....	283
STMLOTTM.....	283
STMLSACT.....	288
STMLSEFX.....	284
STMMON.....	158
STMNDMOR.....	284
STMNOLST.....	102
STMPDANG.....	289
STMPHCTD.....	288
STMPHLPB.....	287
STMSERPB.....	288
STMWD2SX.....	286
STMWDSTM.....	286
STMYDAYS.....	173
STMYR.....	158
STMYRTOT.....	107
STNDALC.....	483
STNDDNK.....	484
STNDSCIIG.....	483
STNDSMJ.....	483
STNEEDLR.....	217
STNLRECR.....	217
STRECDK.....	201
STRECRE.....	202
STTOTFG.....	107
SUMAGE.....	161
SUMFLAG.....	160
SUMMON.....	161
SUMYFU.....	161
SUMYR.....	160
SV09.....	204
SV10.....	205
SV11.....	205
SV12.....	205
SV13.....	206
SVBSTWAY.....	122
SVDAYPMO.....	122
SVDAYPWK.....	123
SVDAYPYR.....	122
SVFQFLG.....	121
SVRECDK.....	204
SVRECRE.....	205
SVTOTFG.....	121

VARIABLE NAME	PAGE
TALACEN.....	69
TALACEN2.....	165
TALKPROB.....	486
TALWIN.....	69
TALWIN2.....	165
TALWINX.....	69
TALWINX2.....	165
TCHGJOB.....	483
TELNO2.....	626
TENUATE.....	102
TENUATE2.....	169
TOBFLAG.....	150
TOBMON.....	150
TOBYR.....	150
TOTCOKE.....	189
TOTCRACK.....	190
TOTDRINK.....	186
TOTHALL.....	193
TOTHERO.....	192
TOTINHAL.....	195
TOTMJ.....	187
TR09.....	199
TR10.....	200
TR11.....	200
TR12.....	201
TR13.....	201
TRAMADL2.....	165
TRAMADOL.....	69
TRAMADP.....	167
TRANAGE.....	95
TRANMFU.....	96
TRANMLU.....	357
TRANREC.....	96
TRANXEN2.....	168
TRANXENE.....	90
TRANYFU.....	95
TRANYLU.....	356
TRBSTWAY.....	97
TRDAYPMO.....	97
TRDAYPWK.....	98
TRDAYPYR.....	97
TRFQFLG.....	96
TRIMEST.....	428
TRNAGLST.....	356
TRNCARD.....	88

ALPHA INDEX OF VARIABLE NAMES PAGE: 692

VARIABLE NAME	PAGE
TRNCUTDN.....	279
TRNCUTEV.....	279
TRNEMCTD.....	280
TRNEMOPB.....	279
TRNEVER.....	95
TRNEWA.....	92
TRNEWB.....	93
TRNEWC.....	94
TRNEWD.....	94
TRNEWE.....	94
TRNFMCTD.....	282
TRNFMFPB.....	282
TRNGTOVR.....	277
TRNKPLMT.....	278
TRNLAWTR.....	282
TRNLIMIT.....	278
TRNILOTTM.....	277
TRNLSACT.....	281
TRNLSEFX.....	278
TRNNNDMOR.....	278
TRNOLST.....	91
TRNPDANG.....	282
TRNPHCTD.....	280
TRNPHLPB.....	280
TRNSERP.....	281
TRNYRTOT.....	96
TRQFLAG.....	157
TRQMON.....	157
TRQYR.....	157
TRRECDK.....	200
TRRECRE.....	200
TRTOTFG.....	96
TSTHIRE.....	636
TSTRAND.....	636
TUINAL.....	116
TUINAL2.....	171
TXALCDAG.....	403
TXALCDEV.....	403
TXALONAG.....	401
TXALONEV.....	401
TXDANOSP.....	424
TXDANOTX.....	424
TXDRGAAG.....	404
TXDRGAEV.....	404
TXDRONAG.....	402

VARIABLE NAME	PAGE
TXDRONEV.....	402
TXENROLL.....	400
TXEVER.....	364
TXFGADAG.....	407
TXFGLAG.....	406
TXFGDGAG.....	407
TXGAPALC.....	421
TXGPALLC.....	421
TXGPANLC.....	421
TXGPCOLC.....	421
TXGPHALC.....	421
TXGPHELC.....	421
TXGPILAL.....	421
TXGPINLC.....	421
TXGPMJLC.....	421
TXGPSELC.....	422
TXGPSTLC.....	422
TXGPTRLC.....	421
TXHPMDE.....	596
TXILALEV.....	408
TXILANAL.....	408
TXILLALC.....	408
TXLASREC.....	386
TXLTALC2.....	408
TXLTANL2.....	408
TXLTCOC2.....	408
TXLTHAL2.....	408
TXLTHER2.....	408
TXLTILL2.....	409
TXLTINH2.....	408
TXLTMJ2.....	408
TXLTSED2.....	409
TXLTSTM2.....	409
TXLTTRN2.....	409
TXLTYALC.....	388
TXLTYANL.....	390
TXLTYCOC.....	389
TXLTYDU2.....	394
TXLTYHAL.....	389
TXLTYHER.....	389
TXLTYINH.....	390
TXLTYMJ.....	388
TXLTYMN2.....	387
TXLTYOU2.....	393
TXLTYSED.....	392

VARIABLE NAME	PAGE
TXLTYSOD.....	392
TXLTYSTM.....	391
TXLTYTRN.....	391
TXMDEYR.....	592
TXNDILAL.....	415
TXNEDALC.....	415
TXNOSPDA.....	425
TXNOSPEC.....	421
TXNOTXDA.....	424
TXPCAI2.....	409
TXPCARE2.....	409
TXPCORT2.....	409
TXPEMPL2.....	409
TXPFMLY2.....	409
TXPINS2.....	409
TXPMILC2.....	409
TXPPUBP2.....	409
TXPSAVE2.....	409
TXPYCAID.....	395
TXPYCARE.....	395
TXPYCORT.....	397
TXPYEMPL.....	398
TXPYFMLY.....	397
TXPYFRE.....	400
TXPYINS.....	395
TXPYMILC.....	398
TXPYPUBP.....	396
TXPYSAVE.....	396
TXPYSOS.....	399
TXPYSP2.....	399
TXRCVNOW.....	371
TXRNBUSY.....	423
TXRNfout.....	423
TXRNHDPR.....	424
TXRNHndl.....	423
TXRNJOB.....	422
TXRNLMCV.....	422
TXRNNBR.....	422
TXRNNHCV.....	422
TXRNNHLP.....	423
TXRNNOND.....	423
TXRNNSTP.....	422
TXRNNTSP.....	422
TXRNOPEN.....	422
TXRNSTIG.....	423

ALPHA INDEX OF VARIABLE NAMES PAGE: 695

VARIABLE NAME	PAGE
TXRNTYPE.....	422
TXRNWHER.....	422
TXSPALC.....	412
TXSPANL.....	413
TXSPCOC.....	412
TXSPHAL.....	413
TXSPHER.....	413
TXSPINH.....	413
TXSPMRJ.....	412
TXSPSED.....	413
TXSPSTM.....	413
TXSPTRN.....	413
TXYADAAG.....	406
TXYADDAG.....	406
TXYALAGE.....	404
TXYALDAG.....	405
TXYALDRG.....	405
TXYDRAAG.....	406
TXYDRAGE.....	405
TXYDRALC.....	405
TXYRADG.....	365
TXYRDCAD.....	368
TXYRDOC.....	368
TXYRDTXO.....	400
TXYRERAD.....	368
TXYREVER.....	364
TXYRHOSP.....	365
TXYRHPAD.....	365
TXYRINAD.....	366
TXYRJAIL.....	369
TXYRJLAD.....	369
TXYRMHAD.....	367
TXYRMHC.....	367
TXYRNME2.....	371
TXYROTAD.....	371
TXYROTS2.....	370
TXYROAD.....	367
TXYRRFIN.....	366
TXYRRFOP.....	366
TXYRSGAD.....	369
TXYRSHG.....	369
TXYRSOP.....	370
TXYRTXER.....	368
TXYRVSER.....	371
TYPEPBLM.....	427

VARIABLE NAME	PAGE
ULTRAM.....	70
ULTRAM2.....	165
USALCTST.....	635
USDRGTST.....	635
USEACM.....	362
USEALCG.....	360
USEALMJ.....	361
USEMJCG.....	361
USENEXT.....	362
VALMDIA2.....	167
VALMDIAZ.....	88
VEREP.....	641
VESTR.....	641
VICOLOR.....	66
VICOLOR2.....	164
VISTAR.....	91
VISTAR2.....	168
WKDRGED.....	635
WORKBLAH.....	634
WORKDAYS.....	634
WORKRAND.....	637
WRKBZCA2.....	630
WRKBZY2.....	633
WRKEDYR.....	631
WRKHAVJB.....	628
WRKHIRE.....	636
WRKHRSW2.....	628
WRKIDST2.....	629
WRKIDSY2.....	632
WRKJOBS2.....	631
WRKLSTY2.....	632
WRKOCUP2.....	630
WRKOCUY2.....	633
WRKSLFEM.....	631
WRKUNEMP.....	631
WRKUNWKS.....	631
XNAXATV2.....	167
XNAXATVN.....	87
YCLIN.....	558
YDAYTRT.....	558
YEATNDYR.....	467
YECOMACT.....	479
YEDECLAS.....	480
YEDERGLR.....	480
YEDESPCL.....	480

VARIABLE NAME	PAGE
YEDGPRGP.....	478
YEFAIACT.....	479
YEFALDLY.....	476
YEFMJEVR.....	476
YEFMJMO.....	476
YEFPKCIG.....	475
YEGALDLY.....	475
YEGMJEVR.....	475
YEGMJMO.....	475
YEGPKCIG.....	474
YEHMSLYR.....	467
YELSTGRD.....	469
YEMOV5Y2.....	467
YEOTHACT.....	480
YEPALDLY.....	474
YPECHKHW.....	470
YPECHORE.....	470
YEPGDJOB.....	471
YEPHLPHW.....	470
YEPLMTSN.....	471
YEPLMTTV.....	471
YEPMJEV.....	474
YEPMJMO.....	474
YEPPKCIG.....	473
YEPPROUD.....	471
YEPRBSLV.....	478
YEPRGSTD.....	479
YEPRTDNG.....	477
YEPVNTRY.....	481
YERLDCSN.....	482
YERLFFRND.....	482
YERLGIMP.....	481
YERLGSVC.....	481
YESCHACT.....	479
YESCHFLT.....	467
YESCHIMP.....	468
YESCHINT.....	468
YESCHWRK.....	468
YESLFHLP.....	478
YESTSALC.....	469
YESTSCIG.....	469
YESTSDNK.....	470
YESTSMJ.....	469
YETCGJOB.....	468
YETLKBF.....	477

VARIABLE NAME	PAGE
-----	-----
YETLKNON.....	476
YETLKOTA.....	477
YETLKPAR.....	477
YETLKSOP.....	477
YEVIOPRV.....	478
YEYARGUP.....	472
YEYATTAK.....	473
YEYFGTGP.....	472
YEYFGTSW.....	472
YEYHGUN.....	472
YEYSELL.....	473
YEYSTOLE.....	473
YFLADLY2.....	485
YFLMJMO.....	485
YFLPKCG2.....	485
YFLTMRJ2.....	485
YFOST.....	558
YHOME.....	558
YHOSP.....	558
YOATTAK2.....	485
YOCOUNS.....	586
YODPDISC.....	569
YODPLSIN.....	569
YODPPROB.....	572
YODPR2WK.....	570
YODPREV.....	568
YODSCEV.....	569
YODSLSIN.....	570
YODSMMDE.....	581
YOFAMDOC.....	585
YOFIGHT2.....	484
YOGRPFT2.....	484
YOHERBAL.....	587
YOHGUN2.....	484
YOLOSEV.....	569
YOLSI2WK.....	570
YONURSE.....	586
YOOTHDOC.....	586
YOOTHHLP.....	587
YOOTHMHP.....	586
YOPB2WK.....	582
YOPBAGE.....	582
YOPBDLYA.....	581
YOPBINTF.....	581
YOPBNUM.....	582

ALPHA INDEX OF VARIABLE NAMES PAGE: 699

VARIABLE NAME	PAGE
YOPBRMBR.....	581
YOPSDAYS.....	585
YOPSHMGT.....	583
YOPSRELS.....	584
YOPSSOC.....	584
YOPSWORK.....	583
YOPSYCH.....	586
YOPSYMD.....	586
YORELIG.....	587
YORX12MO.....	587
YORXHLP.....	588
YORXNOW.....	587
YOSEEDOC.....	585
YOSELL2.....	485
YOSOCWRK.....	586
YOSTOLE2.....	485
YOTMTHLP.....	588
YOTMTNOW.....	587
YOWRAGE.....	572
YOWRCHR.....	571
YOWRCONC.....	578
YOWRDBTR.....	579
YOWRDCSN.....	578
YOWRDEPR.....	573
YOWRDIE.....	575
YOWRDISC.....	573
YOWRDLCT.....	578
YOWRDST.....	571
YOWRELES.....	574
YOWREMOR.....	574
YOWRENRG.....	576
YOWRGAIN.....	574
YOWRGNL2.....	575
YOWRGROW.....	574
YOWRHRS.....	570
YOWRIMP.....	571
YOWRTINO.....	577
YOWRJITT.....	577
YOWRLOSE.....	575
YOWRLSIN.....	573
YOWRLSL2.....	575
YOWRNOD.....	578
YOWRPLSR.....	573
YOWRPREG.....	574
YOWRPROB.....	572

VARIABLE NAME	PAGE
YOWRSATP.....	579
YOWRSLEP.....	576
YOWRSLNO.....	577
YOWRSLOW.....	576
YOWRSMOR.....	576
YOWRSPLN.....	579
YWRSTH.....	579
YWRTHOT.....	577
YOWRRTH.....	578
YO_MDEA1.....	579
YO_MDEA2.....	579
YO_MDEA3.....	580
YO_MDEA4.....	580
YO_MDEA5.....	580
YO_MDEA6.....	580
YO_MDEA7.....	580
YO_MDEA8.....	580
YO_MDEA9.....	580
YPED.....	558
YRESID.....	558
YSCHL.....	559
YSDSDAYS.....	590
YSDSHOME.....	589
YSDSOVRL.....	589
YSDSREL.....	589
YSDSSOC.....	589
YSDSWRK.....	589
YSPED.....	558
YTHACT2.....	487
YTHER.....	558
YUDYBKRU.....	550
YUDYDEPR.....	550
YUDYEATP.....	551
YUDYFEAR.....	550
YUDYSOR.....	551
YUDYSUIC.....	550
YUDYTXN2.....	550
YUDYTXYR.....	549
YUFCAREV.....	546
YUFCARN2.....	548
YUFCARYR.....	548
YUFCBKRU.....	549
YUFCDEPR.....	549
YUFCEATP.....	549
YUFCFEAR.....	549

VARIABLE NAME	PAGE
YUFCSOR.....	549
YUFCSUIC.....	548
YUFDBKRU.....	556
YUFDDEPR.....	556
YUFDEATP.....	557
YUFDFEAR.....	556
YUFDOCN2.....	556
YUFDOCYR.....	555
YUFDSOR.....	557
YUFDSUIC.....	556
YUHOBKRU.....	544
YUHODEPR.....	543
YUHOEATP.....	544
YUHOFEAR.....	544
YUHOSOR.....	544
YUHOSPN2.....	543
YUHOSPYR.....	543
YUHOSUIC.....	543
YUIHBKRU.....	555
YUIHDEPR.....	555
YUIHEATP.....	555
YUIHFEAR.....	555
YUIHSOR.....	555
YUIHSUIC.....	554
YUIHTPN2.....	554
YUIHTPYR.....	554
YUJAILEV.....	546
YUMHBKRU.....	552
YUMHCRN2.....	551
YUMHCRYR.....	551
YUMHDEPR.....	552
YUMHEATP.....	552
YUMHFEAR.....	552
YUMHSOR.....	552
YUMHSUIC.....	551
YURSBKRU.....	547
YURSDEPR.....	547
YURSEATP.....	548
YURSFEAR.....	547
YURSIDN2.....	547
YURSIDYR.....	546
YURSSOR.....	548
YURSSUIC.....	547
YUSHBKRU.....	545
YUSHCNYR.....	545

ALPHA INDEX OF VARIABLE NAMES PAGE: 702

VARIABLE NAME	PAGE
-----	-----
YUSHDEPR.....	545
YUSHREATP.....	546
YUSHFEAR.....	545
YUSHSOR.....	546
YUSHSUIC.....	545
YUSPEDYR.....	544
YUTPBKRU.....	553
YUTPDEPR.....	553
YUTPEATP.....	554
YUTPFEAR.....	553
YUTPSOR.....	554
YUTPSTN2.....	553
YUTPSTYR.....	552
YUTPSUIC.....	553

VARIABLE NAME	PAGE
QUESTID.....	1
FILEDATE.....	1
CIGEVER.....	2
CIGOFRSM.....	2
CIGWILYR.....	2
CIGTRY.....	2
CIGYFU.....	3
CIGMFU.....	3
CIGREC.....	3
CIG30USE.....	4
CG30EST.....	4
CIG30AV.....	4
CIG30BR2.....	5
CIG30TYP.....	6
CIG30MEN.....	7
CIG30RC2.....	7
CIGDLYMO.....	7
CIGAGE.....	7
CIGDLYFU.....	8
CIGDLMFU.....	8
CIG100LF.....	8
SNFEVER.....	9
SNUFTRY.....	9
SNUFYFU.....	9
SNUFMFU.....	10
SNFREC.....	10
SNF30USE.....	10
SN30EST.....	11
SNF30BR2.....	11
CHEWEVER.....	12
CHEWTRY.....	12
CHEWFU.....	12
CHEWMFU.....	13
CHEWREC.....	13
CHW30USE.....	13
CH30EST.....	14
CHW30BR2.....	14
SLTTRY.....	15
SLTYFU.....	15
SLTMFU.....	15
SLTREC.....	16
SLT30BR2.....	16
SLT30FAV.....	16
CIGAREVR.....	17
CIGARTRY.....	17

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
CIGARYFU.....	17
CIGARMFU.....	17
CIGARREC.....	18
CGR30USE.....	18
CI30EST.....	18
CGR30BR2.....	19
PIPEVER.....	20
PIPE30DY.....	20
ALCEVER.....	21
ALCTRY.....	21
ALCYFU.....	21
ALCMFU.....	22
ALCREC.....	22
ALCYRTOT.....	22
ALTOTFG.....	22
ALFQFLG.....	22
ALBSTWAY.....	23
ALDAYPYR.....	23
ALDAYPMO.....	23
ALDAYPWK.....	23
ALCDAYS.....	24
AL30EST.....	24
ALDYSFG.....	24
NODR30A.....	24
DR5DAY.....	25
MJEVER.....	26
MJAGE.....	26
MJYFU.....	26
MJMFU.....	27
MJREC.....	27
MJYRTOT.....	27
MRTOTFG.....	27
MJFQFLG.....	27
MRBSTWAY.....	28
MRDAYPYR.....	28
MRDAYPMO.....	28
MRDAYPWK.....	28
MJDAY30A.....	29
MR30EST.....	29
COCEVER.....	30
COCAGE.....	30
COCYFU.....	30
COCMFU.....	31
COCREC.....	31
COCYRTOT.....	31

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
CCTOTFG.....	31
CCFQFLG.....	31
CCBSTWAY.....	32
CCDAYPYR.....	32
CCDAYPMO.....	32
CCDAYPWK.....	33
COCUS30A.....	33
CC30EST.....	33
CRKEVER.....	34
CRKAGE.....	34
CRKYFU.....	34
CRKMFU.....	35
CRAKREC.....	35
CRKYRTOT.....	35
CRTOTFG.....	35
CRFQFLG.....	35
CRBSTWAY.....	36
CRDAYPYR.....	36
CRDAYPMO.....	36
CRDAYPWK.....	36
CRKUS30A.....	37
CR30EST.....	37
HEREVER.....	38
HERAGE.....	38
HERYFU.....	38
HERMFU.....	38
HERREC.....	39
HERYRTOT.....	39
HRTOTFG.....	39
HRFQFLG.....	39
HRBSTWAY.....	39
HRDAYPYR.....	40
HRDAYPMO.....	40
HRDAYPWK.....	40
HER30USE.....	40
HR30EST.....	40
LSD.....	41
PCP.....	41
PEYOTE.....	41
MESC.....	42
PSILCY.....	42
ECSTASY.....	42
HALNOLST.....	42
HALNEWA.....	43
HALNEWB.....	46

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
-----	-----
HALNEWC.....	47
HALNEWD.....	48
HALNEWE.....	48
HALLAGE.....	48
HALYFU.....	48
HALMFU.....	49
HALLREC.....	49
HALYRTOT.....	49
HLTOTFG.....	49
HLFQFLG.....	49
HLBSTWAY.....	50
HLDAYPYR.....	50
HLDAYPMO.....	50
HLDAYPWK.....	50
HAL30USE.....	51
HL30EST.....	51
LSDAGE.....	51
LSDYFU.....	51
LSDFMU.....	52
LSDREC.....	52
PCPAGE.....	52
PCPYFU.....	52
PCPMFU.....	53
PCPREC.....	53
ECSAGE.....	53
ECSYFU.....	54
ECSMFU.....	54
ECSREC.....	54
AMYLNIT.....	55
CLEFLU.....	55
GAS.....	56
GLUE.....	56
ETHER.....	56
SOLVENT.....	56
LGAS.....	57
NITOXID.....	57
SPPAINT.....	57
AEROS.....	57
INHNOLST.....	58
INHNEWA.....	59
INHNEWB.....	60
INHNEWC.....	60
INHNEWD.....	60
INHNEWE.....	60
INHEVER.....	61

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
INHAGE	61
INHYFU	61
INHMFU	62
INHREC	62
INHYRTOT	62
INTOTFG	62
INFQFLG	62
INBSTWAY	63
INDAYPYR	63
INDAYPMO	63
INDAYPWK	64
INHDY30A	64
IN30EST	64
DARVTYLC	65
PERCTYLX	65
VICOLOR	66
ANLCARD	66
CODEINE	66
DEMEROL	66
DILAUD	67
FIORICET	67
FIORINAL	67
HYDROCOD	67
METHDON	67
MORPHINE	68
OXYCONTIN	68
PHENCOD	68
PROPOXY	68
SK65A	68
STADOL	69
TALACEN	69
TALWIN	69
TALWINNX	69
TRAMADOL	69
ULTRAM	70
ANLNOLST	70
ANALNEWA	71
ANALNEWB	74
ANALNEWC	76
ANALNEWD	77
ANALNEWE	77
ANLEVER	78
ANALAGE	78
ANALYFU	79
ANALMFU	79

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
ANALREC.....	80
ANLYRTOT.....	80
PRTOTFG.....	80
PRFQFLG.....	80
PRBSTWAY.....	81
PRDAYPYR.....	81
PRDAYPMO.....	82
PRDAYPWK.....	82
OXYCAGE.....	83
OXYCYFU.....	83
OXYCMFU.....	84
OXYCREC.....	84
OXYYRTCT.....	84
OXTOTFG.....	84
OXFQFLG.....	84
OXBSTWAY.....	85
OXDAYPYR.....	85
OXDAYPMO.....	85
OXDAYPWK.....	86
KLONOPIN.....	87
XNAXATVN.....	87
VALMDIAZ.....	88
TRNCARD.....	88
ATARAX.....	88
BUSPAR.....	88
EQUANIL.....	89
FLEXERIL.....	89
LIBRIUM.....	89
LIMBTROL.....	89
MEPROB.....	89
MILTOWN.....	90
ROHYPNOL.....	90
SERAX.....	90
SOMA.....	90
TRANXENE.....	90
VISTAR.....	91
TRNOLST.....	91
TRNEWA.....	92
TRNEWB.....	93
TRNEWC.....	94
TRNEWD.....	94
TRNEWE.....	94
TRNEVER.....	95
TRANAGE.....	95
TRANYFU.....	95

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
TRANMFU.....	96
TRANREC.....	96
TRNYRTOT.....	96
TRTOTFG.....	96
TRFQFLG.....	96
TRBSTWAY.....	97
TRDAYPYR.....	97
TRDAYPMO.....	97
TRDAYPWK.....	98
METHDES.....	99
DIETPILS.....	99
RITMPHEN.....	100
STMCARD.....	100
CYLERT.....	100
DEXED.....	100
DETAMP.....	101
DIDREX.....	101
ESKAT.....	101
IONAMIN.....	101
MAZANOR.....	101
OBLA.....	101
PLEGINE.....	102
PRELUDIN.....	102
SANOREX.....	102
TENUATE.....	102
STMNOLST.....	102
STIMNEWA.....	103
STIMNEWB.....	104
STIMNEWC.....	104
STIMNEWD.....	105
STIMNEWE.....	105
STIMEVER.....	105
STIMAGE.....	105
STIMYFU.....	106
STIMMFU.....	106
STIMREC.....	107
STMRTOT.....	107
STTOTFG.....	107
STFQFLG.....	107
STBSTWAY.....	108
STDAYPYR.....	108
STDAYPMO.....	109
STDAYPWK.....	109
METHAGE.....	109
METHYFU.....	110

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
METHMFU.....	110
METHREC.....	110
MTHYRTOT.....	111
MTTOTFG.....	111
MTFQFLG.....	111
MTBSTWAY.....	111
MTDAYPYR.....	112
MTDAYPMO.....	112
MTDAYPWK.....	112
METHAQ.....	113
NEMBBARB.....	113
RESTTMAZ.....	114
SEDCARD.....	114
AMYTAL.....	114
BUTISOL.....	114
CHHYD.....	115
DALMANE.....	115
HALCION.....	115
PHENOBAR.....	115
PLACIDYL.....	115
TUINAL.....	116
SEDNOLST.....	116
SEDNEWA.....	117
SEDNEWB.....	118
SEDNEWC.....	118
SEDNEWD.....	118
SEDNEWE.....	118
SEDEVER.....	119
SEDAGE.....	119
SEDYFU.....	120
SEDMFU.....	120
SEDREC.....	121
SEDYRTOT.....	121
SVTOTFG.....	121
SVFQFLG.....	121
SVBSTWAY.....	122
SVDAYPYR.....	122
SVDAYPMO.....	122
SVDAYPWK.....	123
IRCIGRC.....	124
IICIGRC.....	124
II2CIGRC.....	124
IRCGRRRC.....	124
IICGRRC.....	124
II2CGRRC.....	124

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
-----	-----
IRPIPLF.....	124
IIPIPLF.....	124
IRPIPMN.....	124
IIPIPMN.....	125
IRSLTRC.....	125
IIISLTRC.....	125
II2SLTRC.....	125
IRCHWRC.....	125
IIICHWRC.....	125
II2CHWRC.....	125
IRSNFRC.....	125
IIISNFRC.....	125
II2SNFRC.....	126
IRALCRC.....	126
IIIALCRC.....	126
II2ALCRC.....	126
IRMJRC.....	126
IIIMJRC.....	126
II2MJRC.....	126
IRCO_CRC.....	126
IICOCRC.....	126
II2COCRC.....	127
IRCRKRC.....	127
IIICRKRC.....	127
II2CRKRC.....	127
IRHERRC.....	127
IIIHERRC.....	127
II2HERRC.....	127
IRHALRC.....	127
IIHALRC.....	127
II2HALRC.....	127
IRLSDRC.....	128
IIILSDRC.....	128
II2LSDRC.....	128
IRPCPRC.....	128
IIIPCPRC.....	128
II2PCPRC.....	128
IRECSRC.....	128
IIIECSR.....	128
II2ECSR.....	128
IRINHRC.....	128
IIIINHRC.....	129
II2INHRC.....	129
IRANLRC.....	129
IIANLRC.....	129

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
II2ANLRC.....	129
IROXYRC.....	129
IIIOXYRC.....	129
II2OXYRC.....	129
IRTRNRC.....	129
IIITRNRC.....	129
II2TRNRC.....	130
IRSTMRC.....	130
IIISTMRC.....	130
II2STMRC.....	130
IRMTHRC.....	130
IIMTHRC.....	130
II2MTHRC.....	130
IRSEDRC.....	130
IIISEDRC.....	130
II2SEDRC.....	131
IRALCFY.....	132
IIALCFY.....	132
II2ALCFY.....	132
IRMJFY.....	132
IIMJFY.....	132
II2MJFY.....	132
IRCOCFY.....	132
IICOCFY.....	132
II2COCFY.....	132
IRCRKFY.....	133
IICRKFY.....	133
II2CRKFY.....	133
IRHERFY.....	133
IIIHERFY.....	133
II2HERFY.....	133
IRHALFY.....	133
IIHALFY.....	133
II2HALFY.....	133
IRINHFY.....	133
IIINHFY.....	134
II2INHFY.....	134
IRANLFY.....	134
IIANLFY.....	134
II2ANLFY.....	134
IROXYFY.....	134
IIIOXYFY.....	134
II2OXYFY.....	134
IRTRNFY.....	134
IIITRNFY.....	134

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
II2TRNFY.....	135
IRSTMFY.....	135
IISTMFY.....	135
II2STMFY.....	135
IRMTHFY.....	135
IIMTHFY.....	135
II2MTHFY.....	135
IRSEDFY.....	135
IIISEDFY.....	135
II2SEDFY.....	136
IRCIGFM.....	137
IICIGFM.....	137
II2CIGFM.....	137
IRCGRFM.....	137
IICGRFM.....	137
II2CGRFM.....	137
IRCHWFM.....	137
IIICHWFM.....	137
II2CHWFM.....	137
IRSNFFM.....	138
IISNFFM.....	138
II2SNFFM.....	138
IRALCFM.....	138
IIALCFM.....	138
II2ALCFM.....	138
IRALCD5.....	138
IIALCD5.....	138
II2ALCD5.....	138
IRMJFM.....	138
IIIMJFM.....	139
II2MJFM.....	139
IRCOCFM.....	139
IICOFCM.....	139
II2COCFM.....	139
IRCRKFM.....	139
IICRKFM.....	139
II2CRKFM.....	139
IRHERFM.....	139
IIIHERFM.....	139
II2HERFM.....	140
IRHALFM.....	140
IIHALFM.....	140
II2HALFM.....	140
IRINHFM.....	140
IIINHFM.....	140

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
II2INHFM.....	140
IRCIGAGE.....	141
IICIGAGE.....	141
IRCGYFU.....	141
IICIGYFU.....	141
IRCDUAGE.....	141
IICDUAGE.....	141
IRCD2YFU.....	141
IICD2YFU.....	141
IRCGRAGE.....	141
IICGRAGE.....	141
IRCGRYFU.....	141
IICGRYFU.....	142
IRSLTAGE.....	142
IISLTAGE.....	142
IRSLTYFU.....	142
IISLTYFU.....	142
IRCHWAGE.....	142
IICHWAGE.....	142
IRCHWYFU.....	142
IICHWYFU.....	142
IRSNFAGE.....	142
IISNFAGE.....	142
IRSNFYFU.....	142
IISNFYFU.....	142
IRALCAGE.....	143
IIALCAGE.....	143
IRALCYFU.....	143
IIALCYFU.....	143
IRMJAGE.....	143
IIMJAGE.....	143
IRMJYFU.....	143
IIMJYFU.....	143
IRCOCAFE.....	143
IICOCAGE.....	143
IRCOCYFU.....	143
IICOCYFU.....	143
IRCRKAGE.....	143
IICRKAGE.....	144
IRCRKYFU.....	144
IICRKYFU.....	144
IRHERAGE.....	144
IIHERAGE.....	144
IRHERYFU.....	144
IIHERYFU.....	144

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
IRHALAGE.....	144
IIHALAGE.....	144
IRHALYFU.....	144
IIHALYFU.....	144
IRLSDAGE.....	144
IIILSDAGE.....	145
IRLSDYFU.....	145
IIILSDYFU.....	145
IRPCPAGE.....	145
IIIPCPAGE.....	145
IRPCPYFU.....	145
IIIPCPYFU.....	145
IRECSAGE.....	145
IIECSAGE.....	145
IRECSYFU.....	145
IIECSYFU.....	145
IRINHAGE.....	145
IIINHAGE.....	146
IRINHYFU.....	146
IIINHYFU.....	146
IRANLAGE.....	146
IIANLAGE.....	146
IRANLYFU.....	146
IIANLYFU.....	146
IROXYAGE.....	146
IIoxyage.....	146
IROXYFU.....	146
IIoxyyfu.....	147
IRTRNAGE.....	147
IIITRNAGE.....	147
IRTRNYFU.....	147
IIITRNYFU.....	147
IRSTMAGE.....	147
IIISTMAGE.....	147
IRSTMYFU.....	147
IIISTMYFU.....	147
IRMTHAGE.....	147
IIIMTHAGE.....	147
IRMTHYFU.....	147
IIIMTHYFU.....	148
IRSEDAGE.....	148
IISEDAGE.....	148
IRSEDYFU.....	148
IISEDYFU.....	148
CIGFLAG.....	149

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
CIGYR	149
CIGMON	149
CGRFLAG	149
CGRYR	149
CGRMON	149
PIPFLAG	149
PIPMON	149
SMKFLAG	149
SMKYR	149
SMKMON	149
CHWFLAG	149
CHWYR	149
CHWMON	149
SNFFLAG	150
SNFYR	150
SNFMON	150
TOBFLAG	150
TOBYR	150
TOBMON	150
BRNCIG03	151
BRNCGR03	152
BRSMK3_2	152
BRNCIG05	153
BRCGR5_2	154
BRSMK5_2	154
CIGCMPNY	155
ALCFLAG	155
ALCYR	155
ALCMON	155
MRJFLAG	155
MRJYR	155
MRJMON	155
COCFLAG	155
COCYR	155
COCMON	155
CRKFLAG	156
CRKYR	156
CRKMON	156
HERFLAG	156
HERYR	156
HERMON	156
HALFLAG	156
HALYR	156
HALMON	156
LSDFLAG	156

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
LSDYR	156
LSDMON	156
PCPFLAG	156
PCPYR	156
PCPMON	156
ECSFLAG	157
ECSYR	157
ECSMON	157
INHFLAG	157
INHYR	157
INHMON	157
ANLFLAG	157
ANLYR	157
ANLMON	157
OXYFLAG	157
OXYYR	157
OXYMON	157
TRQFLAG	157
TRQYR	157
TRQMON	157
STMFLAG	158
STMYR	158
STMMON	158
CPNSTMFG	158
CPNSTMYR	158
CPNSTMMN	158
MTHFLAG	158
MTHYR	158
MTHMON	159
CPNMTHFG	159
CPNMTHYR	159
CPNMTHMN	159
SEDFLAG	159
SEDYR	159
SEDMON	159
PSYFLAG	159
PSYYR2	160
PSYMON2	160
CPNPSYFG	160
CPNPSYYR	160
CPNPSYMN	160
PSYAGE2	160
PSYYFU2	160
SUMFLAG	160
SUMYR	160

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
SUMMON.....	161
SUMAGE.....	161
SUMYFU.....	161
MJOFLAG.....	161
MJOYR2.....	161
MJOMON2.....	161
IEMFLAG.....	161
IEMLYR.....	161
IEMMON.....	162
IEMAGE.....	162
IEMLYFU.....	162
CDUFLAG.....	162
DCIGMON.....	162
CDCGMO.....	162
CDNOCGMO.....	162
CIGALCMO.....	162
BINGEDRK.....	162
HVYDRK2.....	163
BINGEHVY.....	163
NILALMON.....	163
PEYOTE2.....	163
MESC2.....	163
PSILCY2.....	163
AMYLINIT2.....	163
CLEFLU2.....	163
GAS2.....	163
GLUE2.....	163
ETHER2.....	163
SOLVENT2.....	164
LGAS2.....	164
NITOXID2.....	164
SPPAINT2.....	164
AEROS2.....	164
DARVITYL2.....	164
PERCTYL2.....	164
VICOLOR2.....	164
CODEINE2.....	164
DEMEROL2.....	164
DILAUD2.....	164
FIORICT2.....	164
FIORINL2.....	164
HYDROCD2.....	164
METHDON2.....	164
MORPHIN2.....	165
OXYCONT2.....	165

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
-----	-----
PHENCOD2.....	165
PROPOXY2.....	165
SK65A2.....	165
STADOL2.....	165
TALACEN2.....	165
TALWIN2.....	165
TALWINX2.....	165
TRAMADL2.....	165
ULTRAM2.....	165
OTHANL.....	165
PROCODNP.....	166
OXYCODOP.....	166
OXYCODP2.....	166
HYDCODOP.....	166
TRAMADP.....	167
KLONOP12.....	167
XNAXATV2.....	167
VALMDIA2.....	167
ATARAX2.....	167
BUSPAR2.....	167
EQUANIL2.....	167
FLEXERL2.....	167
LIBRIUM2.....	167
LIMBTRL2.....	167
MEPROB2.....	167
MILTOWN2.....	167
ROHYPNL2.....	167
SERAX2.....	168
SOMA2.....	168
TRANXEN2.....	168
VISTAR2.....	168
OTHTRN.....	168
BENZOS.....	168
MEPROBD.....	168
MUSCRELX.....	168
METHDES2.....	169
DIETPIL2.....	169
RITMPHE2.....	169
CYLERT2.....	169
DEXED2.....	169
DETAMP2.....	169
DIDREX2.....	169
ESKAT2.....	169
IONAMIN2.....	169
MAZANOR2.....	169

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
OBLA2	169
PLEGINE2	169
PRELUDN2	169
SANOREX2	169
TENUATE2	169
OTHSTM	170
AMDXPHEN	170
MAZINDOL	170
METHAQ2	170
NEMBBAR2	170
RESTTMA2	170
AMYTAL2	170
BUTISOL2	170
CHHYD2	170
DALMANE2	170
HALCION2	170
PHENOBR2	170
PLACIDY2	171
TUINAL2	171
OTHSED	171
RTDALHAL	171
ANYBARB	171
CIGAFU	171
DCIGAFU	171
ALCAFU	171
ALCAFU2	171
ALCAFU3	172
MJAFU	172
ALCYDAYS	172
MRJYDAYS	172
COCYDAYS	172
HALYDAYS	172
INHYDAYS	172
STMYDAYS	173
MTHYDAYS	173
CIGMDAYS	173
ALCMDAYS	173
MRJMDAYS	173
COCMDAYS	173
HALMDAYS	173
INHMDAYS	173
CIGPDAY	174
CIGAVGD	174
CIGAVGM	174
ALCAVGM	174

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
NOUSEFL.....	174
NOUSEYR.....	174
NOUSEMO.....	174
CIGONFL.....	175
CIGONYR.....	175
CIGONMO.....	175
ALCONFL.....	175
ALCONYR.....	175
ALCONMO.....	175
MRJONFL.....	175
MRJONYR.....	175
MRJONMO.....	175
IEMONFL.....	175
IEMONYR.....	175
IEMONMO.....	175
CGALONFL.....	175
CGALONYR.....	175
CGALONMO.....	175
MJCGONFL.....	176
MJCGONYR.....	176
MJCGONMO.....	176
MJALONFL.....	176
MJALONYR.....	176
MJALONMO.....	176
MJIEONFL.....	176
MJIEONYR.....	176
MJIEONMO.....	176
IECGONFL.....	176
IECGONYR.....	176
IECGONMO.....	176
IEALONFL.....	176
IEALONYR.....	176
IEALONMO.....	176
MCAONFL.....	177
MCAONYR.....	177
MCAONMO.....	177
MICONFL.....	177
MICONYR.....	177
MICONMO.....	177
MIAONFL.....	177
MIAONYR.....	177
MIAONMO.....	177
ICAONFL.....	177
ICAONYR.....	177
ICAONMO.....	177

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
ALLUSEFL.....	177
ALLUSEYR.....	177
ALLUSEMO.....	177
FUCIG18.....	178
FUCIG21.....	178
FUCD218.....	178
FUCD221.....	178
FUCGR18.....	178
FUCGR21.....	178
FUSLT18.....	178
FUSLT21.....	178
FUALC18.....	178
FUALC21.....	178
FUMJ18.....	178
FUMJ21.....	178
FUCOC18.....	178
FUCOC21.....	178
FUCRK18.....	178
FUCRK21.....	179
FUHER18.....	179
FUHER21.....	179
FUHAL18.....	179
FUHAL21.....	179
FULSD18.....	179
FULSD21.....	179
FUPCP18.....	179
FUPCP21.....	179
FUECS18.....	179
FUECS21.....	179
FUINH18.....	179
FUINH21.....	179
FUANL18.....	179
FUANL21.....	179
FUOXY18.....	180
FUOXY21.....	180
FUTRN18.....	180
FUTRN21.....	180
FUSTM18.....	180
FUSTM21.....	180
FUMTH18.....	180
FUMTH21.....	180
FUSED18.....	180
FUSED21.....	180
FUPSY18.....	180
FUPSY21.....	180

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
FUSUM18.....	180
FUSUM21.....	180
FUIEM18.....	180
FUIEM21.....	181
CG05.....	182
CG06.....	182
CG06DK.....	182
CG06RE.....	182
CG27.....	183
CG28.....	183
CG28DK.....	183
CG28RE.....	183
CG19.....	183
CG20.....	184
CG20DK.....	184
CG20RE.....	184
CG36.....	184
CG37.....	184
CG37DK.....	185
CG37RE.....	185
CG43.....	185
ALLAST3.....	185
ALRECDK.....	185
ALRECRE.....	186
TOTDRINK.....	186
ALFRAME3.....	186
ALYRAVE.....	186
ALMONAVE.....	186
ALWKAVE.....	187
MJLAST3.....	187
MJRECDK.....	187
MJRECRE.....	187
TOTMJ.....	187
MJFRAME3.....	188
MJYRAVE.....	188
MJMONAVE.....	188
MJWKAVE.....	188
CCLAST3.....	188
CCRECDK.....	189
CCRECRE.....	189
TOTCOKE.....	189
CCFRAME3.....	189
CCYRAVE.....	189
CCMONAVE.....	190
CCWKAVE.....	190

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
-----	-----
CKLAST3.....	190
CKRECDK.....	190
CKRECRE.....	190
TOTCRACK.....	190
CKFRAME3.....	191
CKYRAVE.....	191
CKMONAVE.....	191
CKWKAVE.....	191
HELAST3.....	191
HERECDK.....	191
HERECRE.....	192
TOTHERO.....	192
HEFRAME3.....	192
HEYRAVE.....	192
HEMONAVE.....	192
HEWKAVE.....	192
LSSLAST.....	193
LSRECDK.....	193
LSRECRE.....	193
TOTHALL.....	193
LSFRAME3.....	193
LSYRAVE.....	194
LSMONAVE.....	194
LSWKAVE.....	194
LS10.....	194
LS16.....	194
LS22.....	194
INLAST.....	195
INRECDK.....	195
INRECRE.....	195
TOTINHAL.....	195
INFRAF3.....	196
INYRAVE.....	196
INMONAVE.....	196
INWKAVE.....	196
PR09.....	196
PRRECDK.....	197
PRRECRE.....	197
PR10.....	197
PR11.....	198
PR12.....	198
PR13.....	198
PR19.....	198
PR20.....	199
PR21.....	199

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
PR22.....	199
PR23.....	199
TR09.....	199
TRRECDK.....	200
TRRECRE.....	200
TR10.....	200
TR11.....	200
TR12.....	201
TR13.....	201
ST09.....	201
STRECDK.....	201
STRECRE.....	202
ST10.....	202
ST11.....	202
ST12.....	202
ST13.....	203
ST19.....	203
ST20.....	203
ST21.....	203
ST22.....	204
ST23.....	204
SV09.....	204
SVRECDK.....	204
SVRECRE.....	205
SV10.....	205
SV11.....	205
SV12.....	205
SV13.....	206
HERSMOKE.....	207
HRSMKREC.....	207
HERSNIFF.....	207
HRSNFREC.....	207
HERNEEDL.....	208
HEOTSMK.....	208
HEOTSNAF.....	208
HEOTNDL.....	208
HEOTOTH.....	208
HEOTSP.....	208
HRNDLREC.....	209
MTHNEEDL.....	209
MTNDLREC.....	209
OSTNEEDL.....	210
OSTNLREC.....	210
COCNEEDL.....	210
CONDLREC.....	210

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
OTDGNEDL.....	211
OTDGNDLA.....	212
OTDGNDLB.....	213
OTDGNDLC.....	214
OTDGNDLD.....	214
OTDGNDLE.....	214
GNNDREUS.....	214
GNNDLSH1.....	215
GNNDCLEN.....	215
GNNDLSH2.....	215
GNNDGET2.....	216
STNEEDLR.....	217
STNLRECR.....	217
NEDLRECR.....	217
NEDFLG01.....	218
NEDHER.....	218
NEDCOC.....	218
NEDSTM.....	218
NEDMTH.....	218
HERSMOK2.....	218
HERSNIF2.....	218
RSKPKCIG.....	219
RSKMTOCC.....	219
RSKMJREG.....	219
RKTRYLSD.....	220
RKLSDREG.....	220
RKTRYHER.....	220
RKHERRREG.....	220
RKCOCOCC.....	221
RKCOCREG.....	221
RK5ALDLY.....	221
RK5ALWK.....	221
RSKDIFMJ.....	222
RKDIFLSD.....	222
RKDIFCOC.....	222
RKDIFCRK.....	222
RKDIFHER.....	223
RSKSELL.....	223
RKFQDNGR.....	223
RKFQRSKY.....	223
RKFQPBLT.....	223
RKFQDBLT.....	224
GRSKPKCG.....	225
GRSKMOCC.....	225
GRSKMREG.....	225

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
GRSKCOCC.....	225
GRSKCREG.....	225
GRSKHTRY.....	225
GRSKHREG.....	225
GRSKLTRY.....	225
GRSKLREG.....	225
GRSKD4_5.....	225
GRSKD5WK.....	226
RDIFMJ.....	226
RDIFCOC.....	226
RDIFCRK.....	226
RDIFHER.....	226
RDIFLSD.....	226
APPSELDG.....	226
BLNTEVER.....	227
BLNTREC.....	227
BLNT30DY.....	228
BLNT30C1.....	228
BLNT30C2.....	228
RSNOMRJ.....	228
RSNMRJMO.....	228
BLNTNOMJ.....	229
CIGIRTBL.....	230
CIGCRAVE.....	230
CIGCRAGP.....	230
CIGINCTL.....	231
CIGAVOID.....	231
CIGFNSMK.....	231
CIGFNLKE.....	232
CIGPLANE.....	232
CIGRNOUT.....	232
CIGREGDY.....	233
CIGREGWK.....	233
CIGREGNM.....	233
CIGNMCHG.....	234
CIGSVLHR.....	234
CIGINFLU.....	234
CIGNOINF.....	235
CIGINCRS.....	235
CIGSATIS.....	235
CIGLOTMR.....	236
CIGWAKE.....	236
ALCLOTTM.....	236
ALCGTOVR.....	237
ALCLIMIT.....	237

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
-----	-----
ALCKPLMT.....	237
ALCNNDMOR.....	237
ALCLSEFX.....	238
ALCCUTDN.....	238
ALCCUTEV.....	238
ALCCUT1X.....	238
ALCW2SX.....	239
ALCWDSMT.....	239
ALCEMOPB.....	240
ALCEMCTD.....	240
ALCPHLPB.....	240
ALCPHCTD.....	241
ALCLSACT.....	241
ALCSERP.....	241
ALCPDANG.....	242
ALCLAWTR.....	242
ALCFMFPB.....	242
ALCFMCTD.....	242
MRJLOTTM.....	243
MRJGTOVR.....	243
MRJLIMIT.....	243
MRJKPLMT.....	244
MRJNNDMOR.....	244
MRJLSEFX.....	244
MRJCUTDN.....	244
MRJCUTEV.....	245
MRJEMOPB.....	245
MRJEMCTD.....	245
MRJPFLPB.....	245
MRJPHCTD.....	246
MRJLSACT.....	246
MRJSERP.....	246
MRJPDANG.....	247
MRJLAWTR.....	247
MRJFMFPB.....	247
MRJFMCTD.....	247
COCLOTTM.....	248
COCGTOVR.....	248
COCLIMIT.....	248
COCKPLMT.....	248
COCNNDMOR.....	249
COCLSEFX.....	249
COCCUTDN.....	249
COCCUTEV.....	249
COCCUT1X.....	250

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
COFLBLU.....	250
COCD2SX.....	250
COCDMSMT.....	251
COCEMOPB.....	251
COCEMCTD.....	251
COCPHLB.....	252
COCPHCTD.....	252
COCLSACT.....	252
COCSERPB.....	253
COCPDANG.....	253
COCLAWTR.....	253
COCFMFPB.....	254
COCFMCTD.....	254
HERLOTTM.....	254
HERGTOVR.....	255
HERLIMIT.....	255
HERKPLMT.....	255
HERNDMOR.....	255
HERLSEFX.....	256
HERCUTDN.....	256
HERCUTEV.....	256
HERCUT1X.....	256
HERWD3SX.....	257
HERWDSMT.....	257
HEREMOPB.....	258
HEREMCTD.....	258
HERPHLB.....	258
HERPHCTD.....	258
HERLSACT.....	259
HERSERPB.....	259
HERPDANG.....	259
HERLAWTR.....	260
HERFMFPB.....	260
HERFMCTD.....	260
HALLOTTM.....	260
HALGTOVR.....	261
HALLIMIT.....	261
HALKPLMT.....	261
HALNDMOR.....	261
HALLSEFX.....	262
HALCUTDN.....	262
HALCUTEV.....	262
HALEMOPB.....	262
HALEMCTD.....	263
HALPHLB.....	263

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
-----	-----
HALPHCTD.....	263
HALLSACT.....	263
HALSERPB.....	264
HALPDANG.....	264
HALLAWTR.....	264
HALFMFPB.....	265
HALFMCTD.....	265
INHLOTTM.....	265
INHGTOVR.....	266
INHLIMIT.....	266
INHKPLMT.....	266
INHNDMOR.....	266
INHLSEFX.....	267
INHCUTDN.....	267
INHCUTEV.....	267
INHEMOPB.....	267
INHEMCTD.....	268
INHPHLPB.....	268
INHPHCTD.....	268
INHLSACT.....	268
INHSERPB.....	269
INHPDANG.....	269
INHLAWTR.....	269
INHFMFPB.....	270
INHFMCTD.....	270
ANLLOTTM.....	270
ANLGTOVR.....	271
ANLLLIMIT.....	271
ANLKPLMT.....	271
ANLNDMOR.....	271
ANLLSEFX.....	272
ANLCUTDN.....	272
ANLCUTEV.....	272
ANLCUT1X.....	272
ANLWD3SX.....	273
ANLWD3MT.....	273
ANLEMOPB.....	274
ANLEMCTD.....	274
ANLPHLPB.....	274
ANLPHCTD.....	275
ANLLSACT.....	275
ANLSERPB.....	275
ANLPDANG.....	276
ANLLAWTR.....	276
ANLFMFPB.....	276

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
ANLFMCTD.....	277
TRNLOTTM.....	277
TRNGTOVR.....	277
TRNLIMIT.....	278
TRNKPLMT.....	278
TRNNNDMOR.....	278
TRNLSEFX.....	278
TRNCUTDN.....	279
TRNCUTEV.....	279
TRNEMOPB.....	279
TRNEMCTD.....	280
TRNPHLPB.....	280
TRNPHTCD.....	280
TRNLSACT.....	281
TRNSERPB.....	281
TRNPDANG.....	282
TRNLAWTR.....	282
TRNFMFPB.....	282
TRNFMCTD.....	282
STMLOTTM.....	283
STMGTOVR.....	283
STMLIMIT.....	283
STMKPLMT.....	284
STMNDMOR.....	284
STMLSEFX.....	284
STMCUTDN.....	284
STMCUTEV.....	285
STMCUT1X.....	285
STMFLBLU.....	285
STMWD2SX.....	286
STMWDSMT.....	286
STMEMOPB.....	287
STMEMCTD.....	287
STMPHLPB.....	287
STMPHCTD.....	288
STMLSACT.....	288
STMSERPB.....	288
STMPDANG.....	289
STMLAWTR.....	289
STMFMFNB.....	289
STMFMCID.....	290
SEDLOTTM.....	290
SEDGTOVR.....	290
SEDLIMIT.....	291
SEDKPLMT.....	291

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
-----	-----
SEDNDMOR.....	291
SEDLSEFX.....	291
SEDCUTDN.....	292
SEDCUTEV.....	292
SEDCUT1X.....	292
SEDWD1SX.....	293
SEDWDSMT.....	293
SEDEMOPB.....	294
SEDEMCTD.....	294
SEDPHLPB.....	294
SEDPHCTD.....	295
SEDLASACT.....	295
SEDSERPB.....	295
SEDPDANG.....	296
SEDLAWTR.....	296
SEDFMFPB.....	296
SEDFMCTD.....	297
IRCGIRTB.....	298
IICGIRTB.....	298
IRCGCRV.....	298
IICGCRV.....	298
IRCGCRGP.....	298
IICGCRGP.....	298
IRCGNCTL.....	299
IICGNCTL.....	299
IRCGAVD.....	299
IICGAVD.....	299
IRCGPLN.....	299
IICGPLN.....	299
IRCGROUT.....	299
IICGROUT.....	299
IRCGRGDY.....	300
IICGRGDY.....	300
IRCGRGWK.....	300
IICGRGWK.....	300
IRCGRGNM.....	300
IICGRGNM.....	300
IRCGNCG.....	300
IICGNCG.....	300
IRCGSLHR.....	301
IICGSLHR.....	301
IRCGINFL.....	301
IICGINFL.....	301
IRCGNINF.....	301
IICGNINF.....	301

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
-----	-----
IRCGINCR.....	301
IICGINCR.....	301
IRCGSAT.....	302
IICGSAT.....	302
IRCGLMR.....	302
IICGLMR.....	302
NDSSANSP.....	303
NDSSDNP.....	303
FTNDDNSP.....	303
DNICNSP.....	303
DEPNDALC.....	304
DEPN DANL.....	305
DEPN DCC.....	305
DEPN DHAL.....	305
DEPN DHER.....	305
DEPN DINH.....	305
DEPN DMRJ.....	305
DEPN DSED.....	305
DEPN DSTM.....	305
DEPN DTRN.....	305
DEPN DILL.....	305
DEPN DIEM.....	306
DEPN DXMJ.....	306
DEPN DPSY.....	306
DPILLALC.....	306
DPILANAL.....	306
ABUSEALC.....	307
ABUSEANL.....	307
ABUSECOC.....	307
ABUSEHAL.....	307
ABUSEHER.....	307
ABUSEINH.....	308
ABUSEMRJ.....	308
ABUSESED.....	308
ABUSESTM.....	308
ABUSETRN.....	308
ABUSEILL.....	308
ABUSEIEM.....	308
ABUSEXMJ.....	308
ABUSEPSY.....	309
ABILLALC.....	309
ABILANAL.....	309
ABODALC.....	309
ABODANL.....	309
ABODCOC.....	309

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
ABODHAL.....	309
ABODHER.....	309
ABODINH.....	309
ABODMRJ.....	309
ABODSED.....	309
ABODSTM.....	310
ABODTRN.....	310
ABODILL.....	310
ABODIEM.....	310
ABODPSY.....	310
ABODILAL.....	310
ABDILAAL.....	310
BOOKED.....	311
NOBOOKY2.....	311
BKMVTHFT.....	311
BKLARCNY.....	312
BKBURGL.....	312
BKAGASLT.....	312
BKSMASLT.....	312
BKRORB.....	313
BKRAPE.....	313
BKMURDER.....	313
BKARSON.....	313
BKDRVINF.....	314
BKDRUNK.....	314
BKPOSTOB.....	314
BKDRUG.....	314
BKPROS.....	315
BKSEXOFF.....	315
BKFRAUD.....	315
BKOTH.....	316
BKOOTHOF2.....	317
PROBATON.....	317
PAROLREL.....	317
DRVALDR.....	318
DRVAONLY.....	318
DRVONLY.....	318
DRIVALC2.....	319
DRIVDRG2.....	319
DRIVALD2.....	319
PAROL.....	319
PROB.....	319
MMGETMJ.....	320
MMBTREC1.....	320
MMBTPYR.....	320

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
-----	-----
MMBTREC2.....	320
MMBT30DY.....	321
MMJNTLOO.....	321
MMJNTNUM.....	321
MMJNPCTB.....	321
MMJNPCT.....	322
MMLSUNIT.....	322
MMLSGMS.....	322
MMLS10GM.....	323
MMLSOZS.....	323
MMLSLBS.....	323
MMLS5LBS.....	323
MMLSPCTB.....	324
MMLSPCAT.....	325
MMBUYWHO.....	326
MMBPLACE.....	326
MMBATJOB.....	326
MMBCLOSE.....	326
MMBSELL.....	327
MMBGIVE.....	327
MMTRADE.....	327
MMTRD30D.....	327
MMTRDREC.....	328
MMT30FRQ.....	328
MMTJNTLS.....	328
MMTJNTNM.....	328
MMTWRCB.....	329
MMTJWRTH.....	329
MMTLUNIT.....	329
MMTLGMS.....	330
MMTLOZS.....	330
MMTLWRCB.....	330
MMTLWRTH.....	331
MMTRDWHO.....	331
MMTPPLACE.....	332
MMTCLOSE.....	332
MMTKEEP.....	332
MMTSELL.....	332
MMTGIVE.....	333
MMGKEEP.....	333
MMGSELL.....	333
MMGGIVE.....	333
MMFREWHO.....	334
MMFPPLACE.....	334
MMFCLOSE.....	334

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
MMFKEEP.....	334
MMFSELL.....	335
MMFGIVE.....	335
MJPGOT.....	336
MJPBTFRM.....	336
MJPBTPLC.....	336
MJPFREGT.....	337
MJPFREPL.....	337
MRJYRBFR.....	339
MRJAGLST.....	339
MRJYLU.....	339
MRJMLU.....	340
CIGAGLST.....	340
CIGYLU.....	340
CIGMLU.....	341
CIGDLLST.....	341
CIGDLYLU.....	341
CIGDLMLU.....	342
SNFAGLST.....	342
SNUFYLU.....	342
SNUFMLU.....	343
CHWAGLST.....	343
CHEWYLU.....	343
CHEWMLU.....	344
CGRAGLST.....	344
CIGARYLU.....	344
CIGARMLU.....	345
ALCAGLST.....	345
ALCYLU.....	345
ALCMLU.....	346
COCAGLST.....	346
COCYLU.....	346
COCMLU.....	347
CRKAGLST.....	347
CRKYLU.....	347
CRKMLU.....	348
HERAGLST.....	348
HERYLU.....	348
HERMLU.....	349
HALAGLST.....	349
HALYLU.....	349
HALMLU.....	350
LSDAGLST.....	350
LSDYLU.....	350
LSDMLU.....	351

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
PCPAGLST.....	351
PCPYLU.....	351
PCPMLU.....	352
ECSAGLST.....	352
ECSYLU.....	352
ECSMLU.....	353
INHAGLST.....	353
INHYLU.....	353
INHMLU.....	354
ANLAGLST.....	354
ANALYLU.....	354
ANALMLU.....	355
OXYAGLST.....	355
OXYCYLU.....	355
OXYCMLU.....	356
TRNAGLST.....	356
TRANYLU.....	356
TRANMLU.....	357
STMAGLST.....	357
STIMYLU.....	357
STIMMLU.....	358
MTHAGLST.....	358
METHYLU.....	358
METHMLU.....	359
SEDAGLST.....	359
SEDYLU.....	359
SEDMLU.....	360
USEALCG.....	360
USEMJCG.....	361
USEALMJ.....	361
USEACM.....	362
USENEXT.....	362
MJPRIOR.....	363
MJPRIYR.....	363
MJPRNOYR.....	363
TXEVER.....	364
TXYREVER.....	364
TXYRADG.....	365
TXYRHOSP.....	365
TXYRHPAD.....	365
TXYRRFIN.....	366
TXYRINAD.....	366
TXYRRFCOP.....	366
TXYRPOAD.....	367
TXYRMHC.....	367

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
-----	-----
TXYRMHAD.....	367
TXYRTXER.....	368
TXYRERAD.....	368
TXYRDOC.....	368
TXYRDCAD.....	368
TXYRJAIL.....	369
TXYRJLAD.....	369
TXYRSHG.....	369
TXYRGAD.....	369
TXYRSOP.....	370
TXYROTS2.....	370
TXYROTAD.....	371
TXYRVSER.....	371
TXYRNME2.....	371
TXRCVNOW.....	371
NDTXNEDR.....	372
NDTXMORE.....	372
NDTMRALC.....	373
NDTMRMJ.....	373
NDTMRCC.....	373
NDTMRHER.....	373
NDTMRHAL.....	373
NDTMRINH.....	373
NDTMRANL.....	374
NDTMRTRN.....	374
NDTMRSTM.....	374
NDTMRSED.....	374
NDTMROTH.....	374
NDTXALCR.....	374
NDTXMJR.....	375
NDTXCOCR.....	375
NDTXHERR.....	375
NDTXHALR.....	376
NDTXINHR.....	376
NDTXANLR.....	376
NDTXTRNR.....	377
NDTXSTM.....	377
NDTXSEDR.....	377
NDTXSODR.....	378
NDTXDG1R.....	378
NDTXDG2R.....	378
NDTXDG3R.....	378
NDTXDG4R.....	379
NDTXDG5R.....	379
NDTXEFT.....	379

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
-----	-----
NDTXNHCV.....	379
NDTXLMCV.....	380
NDTXNTSP.....	380
NDTXTYPE.....	380
NDTXREDY.....	380
NDTXOPEN.....	380
NDTXWHER.....	381
NDTXNBR.....	381
NDTXJOB.....	381
NDTXNOND.....	381
NDTXHNDL.....	382
NDTXNHLP.....	382
NDTXBUSY.....	382
NDTXFOUT.....	382
NDT XSOR.....	382
NDTMREFT.....	383
NDMRNHCV.....	383
NDMRLMCV.....	383
NDMRNTSP.....	383
NDMRTYPE.....	383
NDMRREADY.....	384
NDMROPEN.....	384
NDMRWHER.....	384
NDMRNBR.....	384
NDMRJOB.....	384
NDMRNOND.....	384
NDMRHNDL.....	385
NDMRNHLP.....	385
NDMRBUSY.....	385
NDMRFOUT.....	385
NDMRSOR.....	385
TXLASREC.....	386
TXLTYMN2.....	387
TXLTYALC.....	388
TXLTYMJ.....	388
TXLTYCOC.....	389
TXLTYHER.....	389
TXLTYHAL.....	389
TXLTYINH.....	390
TXLTYANL.....	390
TXLTYTRN.....	391
TXLTYSTM.....	391
TXLTYSRD.....	392
TXLTYSOD.....	392
TXLTYOU2.....	393

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
TXLTYDU2.....	394
TXPYINS.....	395
TXPYCARE.....	395
TXPYCAID.....	395
TXPYPUBP.....	396
TXPYSAVE.....	396
TXPYFMLY.....	397
TXPYCORT.....	397
TXPYMILC.....	398
TXPYEMPL.....	398
TXPYSOS.....	399
TXPYSP2.....	399
TXPYFRE.....	400
TXENROLL.....	400
TXYRDTXO.....	400
TXALONEV.....	401
TXALONAG.....	401
TXDRONEV.....	402
TXDRONAG.....	402
TXALCDEV.....	403
TXALCDAG.....	403
TXDRGAEV.....	404
TXDRAAG.....	404
TXYALAGE.....	404
TXYALDRG.....	405
TXYALDAG.....	405
TXYDRAGE.....	405
TXYDRAALC.....	405
TXYDRAAG.....	406
TXYADAAG.....	406
TXYADDAG.....	406
TXFGALAG.....	406
TXFGDGAG.....	407
TXFGADAG.....	407
TXILALEV.....	408
ALCTRMT.....	408
ILLTRMT.....	408
TXILLALC.....	408
TXILANAL.....	408
TXLTALC2.....	408
TXLTMJ2.....	408
TXLTCOC2.....	408
TXLTHER2.....	408
TXLTHAL2.....	408
TXLTINH2.....	408

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
-----	-----
TXLTANL2.....	408
TXLTTRN2.....	409
TXLTSTM2.....	409
TXLTSED2.....	409
TXLTILL2.....	409
TXPINS2.....	409
TXPCARE2.....	409
TXPCAID2.....	409
TXPPUBP2.....	409
TXPSAVE2.....	409
TXPFMLY2.....	409
TXPCORT2.....	409
TXPMILC2.....	409
TXPEMPL2.....	409
ALCPINS.....	410
ALCPCARE.....	410
ALCPCAID.....	410
ALCPPUBP.....	410
ALCPSAVE.....	410
ALCPFMLY.....	410
ALCPCORT.....	410
ALCPMILC.....	410
ALCPEMPL.....	410
ILLPINS.....	410
ILLPCARE.....	410
ILLPCAID.....	410
ILLPPUBP.....	410
ILLPSAVE.....	410
ILLPFMLY.....	411
ILLPCORT.....	411
ILLPMILC.....	411
ILLPEMPL.....	411
SPECTALC.....	411
SPECTILL.....	412
SPILLALC.....	412
SPILANAL.....	412
LASTTXSP.....	412
TXSPALC.....	412
TXSPMRJ.....	412
TXSPCOC.....	412
TXSPHER.....	413
TXSPHAL.....	413
TXSPINH.....	413
TXSPANL.....	413
TXSPTRN.....	413

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
TXSPSTM.....	413
TXSPSED.....	413
ALCHOSP.....	413
ALCRFIN.....	413
ALCRFOP.....	413
ALCMHC.....	413
ALCTXER.....	413
ALCDOC.....	413
ALCJAILE.....	413
ALCSHG.....	414
DRGHOSP.....	414
DRGRFIN.....	414
DRGRFOP.....	414
DRGMHC.....	414
DRGTXER.....	414
DRGDOC.....	414
DRGJAIL.....	414
DRGSHG.....	414
LOCHOSP.....	414
LOCRFIN.....	414
LOCRFOP.....	414
LOCMHC.....	414
LOCTXER.....	414
LOCDOC.....	414
LOCJAIL.....	415
LOCSHG.....	415
TXNEDALC.....	415
ILLNEED.....	415
TXNDILAL.....	415
NDTXALC2.....	416
NDTXMRJ2.....	416
NDTXCOC2.....	416
NDTXHER2.....	416
NDTXHAL2.....	416
NDTXINH2.....	416
NDTXANL2.....	416
NDTXTRN2.....	416
NDTXSTM2.....	416
NDTXSED2.....	416
FLTNDALE.....	417
FLTNMDRJ.....	417
FLTNDCOC.....	417
FLTNDHER.....	417
FLTNDHAL.....	417
FLTNDDINH.....	417

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
FLTNDAKL.....	417
FLTNDRN.....	417
FLTNDSM.....	417
FLTNSED.....	417
FLTNILL.....	418
FLNDILAL.....	418
NDEFALC.....	419
NDEFMRJ.....	419
NDEFCC.....	419
NDEFHER.....	419
NDEFHAL.....	419
NDEFINH.....	419
NDEFANL.....	420
NDEFTRN.....	420
NDEFSTM.....	420
NDEFSED.....	420
NDEFIL.....	420
NDEFIA.....	420
TXGAPALC.....	421
TXNOSPEC.....	421
TXGPILAL.....	421
TXGPALLC.....	421
TXGPMJLC.....	421
TXGPCOLC.....	421
TXGPHELC.....	421
TXGPHALC.....	421
TXGPINLC.....	421
TXGPANLC.....	421
TXGPTRLC.....	421
TXGPSTLC.....	422
TXGPSEL.....	422
TXRNNHCV.....	422
TXRNLMCV.....	422
TXRNNITSP.....	422
TXRNNTYPE.....	422
TXRNNSTP.....	422
TXRNOPEN.....	422
TXRNWHER.....	422
TXRNNBR.....	422
TXRNJOB.....	422
TXRNNOND.....	423
TXRNHndl.....	423
TXRNNHLP.....	423
TXRNBUSY.....	423
TXRNFOOUT.....	423

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
-----	-----
TXRNSTIG.....	423
TXRNHDPR.....	424
TXDANOTX.....	424
TXNOTXDA.....	424
TXDANOSP.....	424
TXNOSPDA.....	425
PREGNANT.....	426
NMERTMT2.....	426
INHOSPYR.....	426
NMNNGTHS2.....	426
DOMOSTYR.....	426
PBLMWORK.....	427
LIMITWRK.....	427
TYPEPBLM.....	427
PREG.....	428
PREG2.....	428
TRIMEST.....	428
AUINPYR.....	429
AUINPSYH.....	429
AUINPGEN.....	429
AUINMEDU.....	429
AUINAHSP.....	430
AUINRESD.....	430
AUINSFAC.....	430
AUNMPSY2.....	430
AUNMPGE2.....	430
AUNMMED2.....	431
AUNMAHS2.....	431
AUNMRES2.....	431
AUNMSFA2.....	431
AUPINSLF.....	432
AUPINOFM.....	432
AUPINPHI.....	432
AUPINMCR.....	432
AUPINMCD.....	432
AUPINREH.....	432
AUPINEMP.....	432
AUPINMIL.....	433
AUPINPUB.....	433
AUPINPRV.....	433
AUPINFRE.....	433
AUPINFM2.....	433
AUOPTYR.....	434
AUOPMENT.....	434
AUOPOTHER.....	434

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
AUOPDOC.....	435
AUOPCLNC.....	435
AUOPDTMT.....	435
AUOPTOP.....	435
AUOPYRS2.....	436
AUNMMEN2.....	436
AUNMTH2.....	436
AUNMDOC2.....	437
AUNMCLN2.....	437
AUNMDTM2.....	437
AUNMOTO2.....	437
AUPOPSLF.....	437
AUPOPOFM.....	438
AUPOPPHI.....	438
AUPOPMCR.....	438
AUPOPMCD.....	438
AUPOPREH.....	438
AUPOPEMP.....	438
AUPOPMIL.....	438
AUPOPPUB.....	439
AUPOPPRV.....	439
AUPOPFR.....	439
AUPOPMOS.....	439
AUPOPAMT.....	440
AURXYR.....	440
AUUNMTYR.....	440
AUUNCOST.....	441
AUUNNBR.....	441
AUUNJOB.....	441
AUUNNCOV.....	441
AUUNENUF.....	441
AUUNWHER.....	441
AUUNCfid.....	442
AUUNCmit.....	442
AUUNNOND.....	442
AUUNHndl.....	442
AUUNNHLP.....	442
AUUNBUSY.....	442
AUUNFOUT.....	443
AUUNNTSP.....	443
AUUNSOR.....	443
AUUNRIM2.....	444
AUALTYR.....	445
AUALACUP.....	445
AUALCHIR.....	445

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
AUALHERB.....	445
AUALGRP.....	446
AUALINET.....	446
AUALRELG.....	446
AUALHLIN.....	446
AUALMASG.....	446
AUALOTH.....	446
AUALOTS2.....	447
AUMOTVYR.....	447
AMHINP2.....	448
AMHOUTP3.....	448
AMHRX2.....	448
AMHTXRC3.....	448
AMHTXND2.....	448
MHLMNT2.....	449
MHLTHER2.....	449
MHLDODC2.....	449
MHLCLN2.....	449
MHLDTM2.....	449
MHLSCHL2.....	450
MHLOTH2.....	451
MHPDSL2.....	451
MHPDOFM2.....	452
MHPDPHI2.....	452
MHPDMCR2.....	452
MHPDMCD2.....	452
MHPDREH2.....	452
MHPDEMP2.....	452
MHPDMIL2.....	452
MHPDPUB2.....	452
MHPDPRV2.....	452
MHPDFRE2.....	452
MHRCOST2.....	453
MHRNBRS2.....	453
MHRJOBS2.....	453
MHRNCOV2.....	453
MHRENUF2.....	453
MHRWHER2.....	454
MHRCFID2.....	454
MHRCMIT2.....	454
MHRNOND2.....	454
MHRHAND2.....	454
MHRNOHP2.....	454
MHRTIME2.....	454
MHRFOUT2.....	454

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
MHRTRAN2.....	454
MHRSOTH2.....	455
MHRCIN2.....	455
MHRNNHN2.....	455
MHRSTIG2.....	456
MHROTHC2.....	456
MHOSPTR2.....	457
MHNSPTR2.....	457
NMHSPTR2.....	457
MHASPTR2.....	457
MHALTYR.....	457
MHALACUP.....	458
MHALCHIR.....	458
MHALHERB.....	458
MHALSGRP.....	458
MHALINET.....	458
MHALRELG.....	458
MHALHLIN.....	458
MHALMASG.....	458
MHALOTH.....	459
AMHALTX.....	459
SNPCKNIT.....	460
SNPWLHLP.....	460
SNPNALNG.....	461
SNPDFVAL.....	461
SNPTRUST.....	461
SNNHGOUT.....	462
SNNGRFTI.....	462
SNNSCOLD.....	462
SNNBRKUP.....	463
SNNORGNZ.....	463
SNMOV5Y2.....	463
SNYSELL.....	464
SNYSTOLE.....	464
SNYATTAK.....	464
SNFAMJEV.....	465
SNRLGSVC.....	465
SNRLGIMP.....	465
SNRLDCSN.....	466
SNRLFRND.....	466
YEMOV5Y2.....	467
YEATNDYR.....	467
YEHMSLYR.....	467
YESCHFLT.....	467
YESCHWRK.....	468

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
YESCHIMP.....	468
YESCHINT.....	468
YETCGJOB.....	468
YELSTGRD.....	469
YESTSCIG.....	469
YESTSMJ.....	469
YESTSALC.....	469
YESTSDNK.....	470
YPECHKHW.....	470
YPEHLPHW.....	470
YPECHORE.....	470
YEPLMTTV.....	471
YEPLMTSN.....	471
YPEGDJOB.....	471
YEPPROUD.....	471
YEYARGUP.....	472
YEYFGTWS.....	472
YEYFGTGP.....	472
YEYHGUN.....	472
YEYSELL.....	473
YEYSTOLE.....	473
YEYATTAK.....	473
YEPPKCIG.....	473
YEPMJEV.....	474
YEPMJMO.....	474
YEPALDLY.....	474
YEGPKCIG.....	474
YEGMJEVR.....	475
YEGMJMO.....	475
YEGALDLY.....	475
YEFPKCIG.....	475
YEFMJEVR.....	476
YEFMJMO.....	476
YEFALDLY.....	476
YETLKNON.....	476
YETLKPAR.....	477
YETLKBGF.....	477
YETLKOTA.....	477
YETLKSOP.....	477
YEPRTDNG.....	477
YEPRBSLV.....	478
YEVIOPRV.....	478
YEDGPRGP.....	478
YESLFHLP.....	478
YEPRGSTD.....	479

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
YESCHACT.....	479
YECOMACT.....	479
YEFAIACT.....	479
YEOTHACT.....	480
YEDECLAS.....	480
YEDEGLR.....	480
YEDESPCL.....	480
YEPVNTRY.....	481
YERLGSC.....	481
YERLGIMP.....	481
YERLDCSN.....	482
YERLFRND.....	482
MVINSYR2.....	483
SCHFELT.....	483
SCHWORK.....	483
SCHIMPT.....	483
SCHINTST.....	483
TCHGJOB.....	483
AVGGRADE.....	483
STNDSCIG.....	483
STNDSMJ.....	483
STNDALC.....	483
STNDDNK.....	484
PARCHKHW.....	484
PARHLPHW.....	484
PRCHORE2.....	484
PRLMTTV2.....	484
PARLMTSN.....	484
PRGDJOB2.....	484
PRPROUD2.....	484
ARGUPAR.....	484
YOFIGHT2.....	484
YOGRPFT2.....	484
YOHGUN2.....	484
YOSELL2.....	485
YOSTOLE2.....	485
YOATTAK2.....	485
PRPKCIG2.....	485
PRMJEVR2.....	485
PRMJMO.....	485
PRALDLY2.....	485
YFLPKCG2.....	485
YFLTMRJ2.....	485
YFLMJMO.....	485
YFLADLY2.....	485

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
FRDPCIG2.....	485
FRDMEVR2.....	486
FRDMJMON.....	486
FRDADLY2.....	486
TALKPROB.....	486
PRTALK3.....	486
PRBSOLV2.....	486
PREVIOL2.....	486
PRVDRG02.....	486
GRPCNSL2.....	486
PREGPGM2.....	487
YTHACT2.....	487
DGSPCLS2.....	487
DGRGCLS2.....	487
DRGLECT2.....	487
DRPRVME3.....	487
ANYEDUC3.....	487
RLGATTD.....	487
RLGIMPT.....	487
RLGDCSN.....	488
RLGFRND.....	488
ADLTSAMP.....	489
PANATAK.....	489
PANREAC.....	489
PANATKN2.....	490
MDEDP2WK.....	490
MDEDPWKR.....	491
MDEDAYFQ.....	491
MDEDAYLN.....	492
MDECHNGS.....	492
MDELOSIN.....	492
MDELIWK2.....	493
MDELIFQ.....	493
MDELLLN.....	493
MDELICHG.....	494
MNCHYPER.....	494
MNCNOSLP.....	494
MNCSPWRS.....	494
MNCEVER.....	495
MNCMEDS.....	495
PHBSOCL.....	495
PHBLEVEL.....	496
PHBAVOID.....	496
PHBINTFR.....	496
PHBCRWDS.....	496

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
PHBPUBPL.....	497
PHBTRAVL.....	497
PHBAWYHM.....	497
PHBWRSFR.....	497
PHBWRSST.....	498
PHBWRSAV.....	498
PHBWRSIN.....	498
GADWORMR.....	498
GADWORLT.....	499
GADNRVOS.....	499
GADNRVLT.....	499
GADWKS2.....	500
GADNMWCR.....	500
GADSTRON.....	501
GADOPROB.....	501
PTSEVER.....	501
PTSPYEAR.....	502
PTSWRSFQ.....	502
PTSWKS2.....	502
MHSEEDR.....	503
MHHOSPOV.....	503
MHOPNUM2.....	503
MHMEDS.....	504
MHMEDWK2.....	504
DSTNRVOS.....	505
DSTNCALM.....	505
DSTTIRE.....	505
DSTHOPLS.....	506
DSTRSTLS.....	506
DSTSITST.....	506
DSTDEPRS.....	507
DSTCHEER.....	507
DSTEFFRT.....	507
DSTNGOOD.....	508
IMPTHINK.....	508
IMPUNDST.....	508
IMPREMBR.....	509
IMPCONC.....	509
IMPMONY.....	509
IMPMONYM.....	510
IMPLERN.....	510
IMPLERNM.....	510
IMPWASH.....	510
IMPWASHM.....	511
IMPGO.....	511

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
-----	-----
IMPGOM.....	511
IMPDLPP.....	511
IMPDLPPM.....	512
IMPSOCL.....	512
IMPSOCLM.....	512
IMPGTALG.....	512
IMPCTRL.....	513
IMPRELAX.....	513
IMPHRSP.....	513
IMPHRSPM.....	514
IMPDLRSP.....	514
IMPDLWRK.....	514
IMPWKS2.....	515
IMPDAYFQ.....	515
MHSVCHLP.....	515
SPD_USCR.....	516
SPD_UADJ.....	517
SPD_ASCR.....	517
SPD_ADJ.....	517
SPD_RSCR.....	517
SPD_RADJ.....	517
MHSVHP.....	518
SPDODPAU.....	518
SPDADPAU.....	518
NSPNPDAU.....	518
SPDNPDAU.....	518
NSPDDPAU.....	519
NSPDDPAB.....	519
ADDPREV.....	521
ADDSEEV.....	521
ADLOSEV.....	521
ADDPDISC.....	521
ADDPLSIN.....	522
ADDLSIN.....	522
ADLSI2WK.....	522
ADDPR2WK.....	522
ADWRHRS.....	523
ADWRDST.....	523
ADWRCHR.....	523
ADWRIMP.....	524
ADDPPROB.....	524
ADWRPROB.....	525
ADWRAGE.....	525
ADWRDEPR.....	525
ADWRDISC.....	526

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
ADWRRLSIN.....	526
ADWRPLSR.....	526
ADWRELES.....	526
ADWREMOR.....	527
ADWRGAIN.....	527
ADWRGROW.....	527
ADWRPREG.....	527
ADWRGNL2.....	527
ADWRLOSE.....	528
ADWRDIET.....	528
ADWRSLSL2.....	528
ADWRSLEP.....	528
ADWRSMOR.....	528
ADWRENRG.....	529
ADWRSLOW.....	529
ADWRSLNO.....	529
ADWRJITT.....	529
ADWRJINO.....	529
ADWRTHOT.....	530
ADWRCONC.....	530
ADWRDCSN.....	530
ADWRNOGD.....	530
ADWRWRTH.....	530
ADWRDLCT.....	531
ADWRDBTR.....	531
ADWRSTHK.....	531
ADWRSPLN.....	531
ADWRSATP.....	531
AD_MDEA1.....	532
AD_MDEA2.....	532
AD_MDEA3.....	532
AD_MDEA4.....	532
AD_MDEA5.....	532
AD_MDEA6.....	532
AD_MDEA7.....	532
AD_MDEA8.....	533
AD_MDEA9.....	533
ADSMMDEA.....	533
ADPBINTF.....	533
ADPBDLYA.....	533
ADPBRMBR.....	534
ADPBAGE.....	534
ADPBNUM.....	534
ADPB2WK.....	534
ADPSHMGMT.....	535

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
ADPSWORK.....	535
ADPSRELS.....	536
ADPSSOC.....	536
ADPSDAYS.....	537
ADSEEDOC.....	537
ADFAMDOC.....	537
ADOOTHDOC.....	538
ADPSYCH.....	538
ADPSYMD.....	538
ADSOCWRK.....	538
ADCOUNS.....	538
ADOTHMHP.....	538
ADNURSE.....	538
ADRELIG.....	539
ADHERBAL.....	539
ADOTHHLIP.....	539
ADTMTNOW.....	539
ADRX12MO.....	539
ADRXNOW.....	539
ADRXHLP.....	540
ADTMTHLP.....	540
ASDSHOME.....	541
ASDSWRK.....	541
ASDSREL.....	541
ASDSSOC.....	541
ASDSOVRL.....	541
ASDSDAYS.....	542
YUHOSPYR.....	543
YUHOSPN2.....	543
YUHOSUIC.....	543
YUHODEPR.....	543
YUHOFEAR.....	544
YUHOBKRU.....	544
YUHOBATP.....	544
YUHOSOR.....	544
YUSPEDYR.....	544
YUSHCNYR.....	545
YUSHSUIC.....	545
YUSHDEPR.....	545
YUSHFEAR.....	545
YUSHBKRU.....	545
YUSHEATP.....	546
YUSHSOR.....	546
YUJAILEV.....	546
YUFCAREV.....	546

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
YURSIDYR.....	546
YURSIDN2.....	547
YURSSUIC.....	547
YURSDEPR.....	547
YURSFEAR.....	547
YURSBKRU.....	547
YURSEATP.....	548
YURSSOR.....	548
YUFCAHYR.....	548
YUFCAHN2.....	548
YUFCSUIC.....	548
YUFCDDEPR.....	549
YUFCFEAR.....	549
YUFCBKRU.....	549
YUFCEATP.....	549
YUFCSR.....	549
YUDYTXYR.....	549
YUDYTXN2.....	550
YUDYSUIC.....	550
YUDYDDEPR.....	550
YUDYFEAR.....	550
YUDYBKRU.....	550
YUDYEATP.....	551
YUDYSOR.....	551
YUMHCRYR.....	551
YUMHCRN2.....	551
YUMHSUIC.....	551
YUMHDEPR.....	552
YUMHFEAR.....	552
YUMHBKRU.....	552
YUMHEATP.....	552
YUMHSOR.....	552
YUTPSTYR.....	552
YUTPSTN2.....	553
YUTPSUIC.....	553
YUTPDDEPR.....	553
YUTPFEAR.....	553
YUTPBKRU.....	553
YUTPEATP.....	554
YUTPSOR.....	554
YUIHTPYR.....	554
YUIHTPN2.....	554
YUIHSUIC.....	554
YUIHDEPR.....	555
YUIHFEAR.....	555

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
YUIHBKRU.....	555
YUIHEATP.....	555
YUIHSOR.....	555
YUFDOCYR.....	555
YUFDOCN2.....	556
YUFDSUIC.....	556
YUFDDEPR.....	556
YUFDFEAR.....	556
YUFDBKRU.....	556
YUFDEATP.....	557
YUFDSOR.....	557
YHOSP.....	558
YRESID.....	558
YFOST.....	558
YDAYTRT.....	558
YCLIN.....	558
YTHER.....	558
YHOME.....	558
YPED.....	558
YSPED.....	558
YSCHL.....	559
ANYTRT10.....	559
ANYTRT9.....	560
ANYMHIN.....	561
ANYMHOUT.....	561
ANYSMH.....	562
ANYMHED.....	562
ANYSMHPS.....	563
REASSUIC.....	564
REASDEPR.....	565
REASFEAR.....	565
REASBRAK.....	565
RELEASEATP.....	566
REASFAM.....	566
REASSOC.....	566
REASSCH.....	566
REASMEN.....	566
REASOTH.....	567
YODPREV.....	568
YODSCEV.....	569
YOLOSEV.....	569
YODPDISC.....	569
YODPLSIN.....	569
YODSL SIN.....	570
YOLSI2WK.....	570

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
YODPR2WK.....	570
YOWRHRS.....	570
YOWRDST.....	571
YOWRCHR.....	571
YOWRIMP.....	571
YODPPROB.....	572
YOWRPROB.....	572
YOWRAGE.....	572
YOWRDEPR.....	573
YOWRDISC.....	573
YOWRLSIN.....	573
YOWRPLSR.....	573
YOWRELES.....	574
YOWREMOR.....	574
YOWRGAIN.....	574
YOWRGROW.....	574
YOWRPREG.....	574
YOWRGNL2.....	575
YOWRLOSE.....	575
YOWRDIET.....	575
YOWRLSL2.....	575
YOWRSLEP.....	576
YOWRSMOR.....	576
YOWRENRG.....	576
YOWRSLOW.....	576
YOWRSLNO.....	577
YOWRJITT.....	577
YOWRJINO.....	577
YOWRTHOT.....	577
YOWRCONC.....	578
YOWRDCSN.....	578
YOWRNQGD.....	578
YOWRRWRTH.....	578
YOWRDLCT.....	578
YOWRDBTR.....	579
YOWRSTHK.....	579
YOWRSPLN.....	579
YOWRSATP.....	579
YO_MDEA1.....	579
YO_MDEA2.....	579
YO_MDEA3.....	580
YO_MDEA4.....	580
YO_MDEA5.....	580
YO_MDEA6.....	580
YO_MDEA7.....	580

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
-----	-----
YO_MDEA8.....	580
YO_MDEA9.....	580
YODSMMDE.....	581
YOPBINTF.....	581
YOPBDLYA.....	581
YOPBRMBR.....	581
YOPBAGE.....	582
YOPBNUM.....	582
YOPB2WK.....	582
YOPSHMGT.....	583
YOPSWORK.....	583
YOPSRELS.....	584
YOPSSOC.....	584
YOPSDAYS.....	585
YOSEEDOC.....	585
YOFAMDOC.....	585
YOOTHDOC.....	586
YOPSYCH.....	586
YOPSYM.....	586
YOSOCWRK.....	586
YOCOUNS.....	586
YOOTHMHP.....	586
YONURSE.....	586
YORELIG.....	587
YOHERBAL.....	587
YOOTHHLP.....	587
YOTMTNOW.....	587
YORX12MO.....	587
YORXNOW.....	587
YORXHLP.....	588
YOTMTHLP.....	588
YSDSHOME.....	589
YSDSWRK.....	589
YSDSREL.....	589
YSDSSOC.....	589
YSDSOVRL.....	589
YSDSDAYS.....	590
MDELT.....	592
MDEYR.....	592
TXMDEYR.....	592
RXMDEYR.....	592
MDETXRX.....	592
MDETXARX.....	592
MDETXO.....	592
MDERXO.....	592

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
DOCMDE	593
OMDMDE	593
PSY1MDE	593
PSY2MDE	594
SOCMDE	594
COUNMDE	594
OMHMDE	595
NURSMDE	595
RELMDE	596
HBCHMDE	596
OTHMDE	596
TXHPMDE	596
RXHPMDE	597
EDFAM18	598
IMOTHER	598
IFATHER	598
NRCH17_2	598
IRHHSIZ2	598
IIHHSIZ2	598
IRK117_2	598
IIKI17_2	598
IRHH65_2	598
IIHHS65_2	599
IRFAMSZ2	599
IIIFAMSZ2	599
IRKIDFA2	599
IIKIDFA2	599
PRXYDATA	600
IRPSOC	600
IIPSOC	600
IRFAMSOC	600
IIIFAMSOC	600
IRPSSI	600
IIPSSI	600
IRFAMSSI	600
IIIFAMSSI	600
IRPWAG	601
IIPWAG	601
IRFAMWAG	601
IIIFAMWAG	601
IRFSTAMP	601
IIFSTAMP	601
IRPPMT	601
IIIPPMT	601
IRFAMPMT	601

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
IIFAMPMT.....	601
IRPSVC.....	601
IIPSVC.....	601
IRFAMSVC.....	601
IIFAMSVC.....	601
IRWELMOS.....	601
IIWELMOS.....	602
IRPINT.....	602
IIPINT.....	602
IRFAMINT.....	602
IIFAMINT.....	602
IRPCHD.....	602
IIPCHD.....	602
IRFAMCHD.....	602
IIFAMCHD.....	602
IRPOTH.....	602
IIPOTH.....	602
IRFAMOTH.....	602
IIFAMOTH.....	602
IRPINC3.....	603
IIPINC3.....	603
IRFAMIN3.....	603
IIFAMIN3.....	603
MEDICARE.....	603
CAIDCHIP.....	604
CHAMPUS.....	604
PRVHLTIN.....	604
GRPHLTIN.....	605
HLTINALC.....	605
HLTINDRG.....	605
HTINMMNT.....	605
HTINNCS.....	605
HLCNOTYR.....	606
HLCNOTMO.....	606
HLCLAST.....	606
HLLOSRSN.....	607
HLNVCOST.....	607
HLNVOFFR.....	607
HLNVREF.....	607
HLNVNEED.....	607
HLNVSOR.....	608
IRPINSUR.....	608
IIPINSUR.....	608
IRINSUR.....	608
IIINSUR.....	608

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
IRINSUR3.....	609
IIINSUR3.....	609
IRMCDCHP.....	610
IIMCDCHP.....	610
IRMEDICR.....	610
IIMEDICR.....	610
IRCHMPUS.....	610
IICHMPUS.....	610
IRPRVHLT.....	610
IIPRVHLT.....	610
IROTHHLT.....	611
IIOTHHLT.....	611
GOVTPROG.....	612
INCOME.....	612
POVERTY.....	612
HLCALLFG.....	612
HLCALL99.....	613
ANYHLTI2.....	613
IRINSUR4.....	613
IIINSUR4.....	613
OTHINS.....	613
LANGVER.....	614
QUARTER.....	614
GQTYPE.....	614
AGE2.....	615
NOMARR2.....	615
SERVICE.....	615
MILSTAT.....	616
HEALTH.....	616
IRSEX.....	617
IRMARIT.....	617
IIMARIT.....	617
IREDUC2.....	617
IIEDUC2.....	617
CATAGE.....	618
CATAG2.....	618
CATAG3.....	618
CATAG7.....	618
PREGAGE2.....	618
SEXAGE.....	618
NEWRACE2.....	618
SEXRACE.....	619
EDUCCAT2.....	619
EDUCATHP.....	619
HEALTH2.....	619

Codebook Creation Date: September 20, 2012

VARIABLE NAME	PAGE
MOVESPY2.....	620
SCHENRL.....	620
EDUCATN2.....	621
SCHTYPE.....	621
SCHRELGS.....	621
SCHLOGRD.....	622
SCHHIGRD.....	623
SDNTFTPT.....	623
SCHDSICK.....	624
SCHDSKIP.....	624
HSDIPLMA.....	624
HSGED.....	624
LFSCHWH2.....	625
LFTSCHA2.....	626
TELNO2.....	626
COLLENR.....	627
COLLENR2.....	627
JBSTATR2.....	628
WRKHAVJB.....	628
WRKHRSW2.....	628
WRKIDST2.....	629
WRKOCUP2.....	630
WRKBZCA2.....	630
WRKEDYR.....	631
WRKSLFEM.....	631
WRKJOBS2.....	631
WRKUNEMP.....	631
WRKUNWKS.....	631
WRKLSTY2.....	632
WRKIDSY2.....	632
WRKOCUY2.....	633
WRKBZCY2.....	633
WORKDAYS.....	634
WORKBLAH.....	634
LOCSIZE.....	634
DRGPLCY.....	634
PLCYCOV.....	635
WKDRGED.....	635
DRGPRGM.....	635
USALCTST.....	635
USDRTGTST.....	635
TSTHIRE.....	636
TSTRAND.....	636
FIRSTPOS.....	636
WRKHIRE.....	636

Codebook Creation Date: September 20, 2012

INDEX OF VARIABLE NAMES

PAGE: 763

VARIABLE NAME	PAGE
-----	-----
WORKRAND.....	637
EMPSTATY.....	638
IIEMPSTY.....	638
II2EMSTY.....	638
EMPSTAT4.....	638
IIEMPST4.....	638
II2EMST4.....	638
PDEN.....	639
PDEN00.....	639
ANALWT_C.....	640
SPDWT_C.....	640
DEPWT_C.....	640
VESTR.....	641
VEREP.....	641

APPENDIX A

Drug Codes for Open-Ended Questions

APPENDIX A

Drug Codes for Open-Ended Questions (2006 CAI NSDUH)

Numerical Listing

NOTE: Due to changes in the survey instrument in 1999,
codes for some drugs may differ from those used in prior survey years.

Code	Definition
101	Butisol
102	Buticaps
103	Amytal
104	Mebaral
105	Placidyl, Ethchlorvynol
106	Doriden
107	Noludar
108	Nembutal
109	Seconal
110	Tuinal
111	Dalmane, Flurazepam
112	Restoril, Temazepam
113	Halcion, Triazolam
114	Amobarbital
115	Phenobarbital
116	Methaqualone, Sopor, Quaalude [see also 138]
117	Chloral hydrate, Noctec
118	Pentobarbital, Pentothal, Sodium pentothal, Thiopental
119	Secobarbital
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED
121	USED SEDATIVE, DON'T KNOW NAME
122	Over-the-counter sleep aid; not specified <OTC>
123	Unisom <OTC>
124	Yellow jackets
126	Sominex <OTC>
127	Nytol <OTC>
128	Nervine <OTC>
129	Reds
130	Phenergan, Promethazine
131	Haldol, Haloperidol
132	Sleepettes <OTC>
136	Dimetapp <OTC>
137	7-14
138	Mandrax, Mandrix [see also 116]
139	Black widows

Code	Definition
140	Seldane
141	Dilantin
142	Belladonna
145	Red devil(s)
146	Bentyl, Dicyclomine
148	Actifed <OTC>
152	Eskabarbs
153	Luminal
154	Alurate
156	Sodium barbital
157	Barbiturates
159	Octanox
163	Blue meanies
164	Yellow zombies
171	NyQuil <OTC>
172	Dream Ease <OTC>
173	Wafers
174	Ambien, Zolpidem
176	Melatonin <OTC>
177	Bean
178	Quetiapine, Seroquel
179	Water tee [sic]
180	Tylenol P.M. <OTC>
181	Excedrin P.M. <OTC>
182	Melzone
183	Mysoline
184	Red and blues
186	Butalbital
187	Belladonna plant/flower/root, deadly nightshade
188	Estazolam, Prosom
189	Sonata
190	Dormin <OTC>
191	Blues
192	Promazine
193	Meclizine
194	Quiet World <OTC>
195	Lotusate, Talbutal
196	Simply Sleep <OTC>
197	Topamax, Topiramate

Code	Definition
198	Seducaps
199	Ansiovit <OTC>
201	Valium, Diazepam
202	Librium, Chlordiazepoxide HCl
203	Limbitrol [see also 276]
204	Menrium
205	Serax, Oxazepam
206	Tranxene
207	Ativan, Lorazepam, Orfidal
208	Centrax
209	Xanax, Alprazolam, Tafil, Xanax bars
210	Paxipam
211	Buscar
212	Miltown
213	Equanil
214	Deprol
215	Vistaril
216	Atarax, Hydroxyzine
217	Durrax
219	SK-Lygen
220	Meprobamate
221	OTHER Tranquilizer, NOT OTHERWISE SPECIFIED
222	USED TRANQUILIZER, DONT KNOW NAME
223	Carbacot, Marbaxin, Methocarbamol, Robaxin
224	Triavil
225	Desyrel, Trazodone hydrochloride
226	Stelazine, Trifluoperazine HCl
227	Thorazine
228	Amitriptyline, Elavil
229	Librax
230	Compazine, Prochlorperazine
232	Mellaril
233	Trilafon, Perphenazine
234	Flexeril, Cyclobenzaprine
235	Imipramine
237	Dormicum, Hypnovel, Midazolam, Versed
240	Lithium carbonate, Lithonate
241	Prozac, Fluoxetine
242	Equagesic
243	Etrafon
245	Tryptophan
246	Klonopin, Clonazepam, Diocam, Rivotril
247	Adapin, Doxepin, Sinequan
249	Asendin
250	Aventyl, Nortab, Nortriptyline, Pamelor
252	Strawberry whip cream
257	Zestril

Code	Definition
259	Desipramine, Norpramin
260	PCB
262	Prolixin
263	Vivactil
266	Verstran
267	Marezine
268	Rohypnol, Flunitrazepam, roche, roofies
270	Torzien
271	Zoloft
275	Loxitane
276	Limbitrol DS [see also 203]
278	Benzodiazepines
280	Ketaset
281	Blue ringer
282	Clozapine, Clozaril
283	Paroxetine, Paxil
284	Tofranil
285	Risperdal, Risperidol, Resperidone
288	Baclofen
289	Olanzapine, Zyprexa
290	Skelaxin
291	Celexa
292	Serzone
293	Anafranil, Clomipramine
294	Fluvoxamine, Luvox
295	Mirtazapine, Remeron
296	Novoxapam
297	Cafia
298	Acepromazine, PromAce
299	Code no longer used
301	Dexedrine
302	Dexamyl
303	Eskatrol
304	Benzedrine
305	Biphetamine
306	Desoxyn
307	Tenuate, Diethylpropion
308	Tepanil
309	Didrex
310	Plegine
311	Preludin
312	Ionamin
313	Fastin, Phentermine, Adipex-P
314	Pondimin, Fenfluramine
315	Voranil
316	Sanorex
317	Mazanor
318	Ritalin, Methylphenidate
319	Cylert
320	Dextroamphetamine

Code	Definition
321	Methedrine
322	Methamphetamine ("ice" or "crank"), Meth
323	Obedrin-L.A.
324	Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED
325	USED STIMULANT, DON'T KNOW NAME
326	White cross
327	Black beauties, black beauty
328	Pink hearts
329	Bird's eggs, robin's eggs, speckled eggs
330	Blue birds, blue jays, blue robins, speckled bird
331	Blancs, whites
332	Ephedrine
333	357 Magnum, Magnum 44 <OTC>
334	Crossroads, cross tops
335	Dexatrim <OTC> [see also 347, 378]
336	Diet pills
337	White molly
339	Amphetamines
341	Pink roses
342	Purple hearts
343	Nitroglycerine
344	Bennies
345	Black molly
346	Marax
347	Phenylpropanolamine <OTC> [see also 335, 378]
348	Crystal
349	Melfiat, Phendimetrazine
351	Cathinone, cat, khat, q'at
352	Lemons
353	No-Doz <OTC>
354	Vivarin <OTC>
355	Crystal meth
356	Dexies
357	Heart-shaped black pills
358	20/20
359	Criss cross
360	Rainbow speed
363	Bam(s)
364	Pseudoephedrine <OTC>
366	Duromine
368	Peanut butter crank
369	Artane
371	Cogentin
374	Christmas tree(s)
376	TAC
377	Albuterol, Proventil, Ventolin
378	Control <OTC> [see also 335, 347]
379	Hearts

Code	Definition
380	Pink ladies
381	P.O.T.C.
382	Footballs, pink footballs, purple footballs
383	Pre-Sate
384	Little crosses
385	Little pink ones
386	Herbal ecstasy
388	Pink lemon
390	Max Alert
393	OP 33
394	Debs
395	Black cats
396	Black RJs, RJ8
397	F-40
398	Pink crosses
401	Darvon
402	Dolene
403	SK-65
404	Wygesic
405	Levo-Dromoran
406	Percodan, Roxiprin
407	Demerol, Meperidine
408	Dilauidid, Hydromorphone
409	Tylenol with codeine, Tylenol 3, Tylenol 4
410	Phenaphen with codeine, Phenaphen 3
411	Talwin
412	Talwin NX
413	Talacen
414	Propoxyphene
415	Codeine
416	Anileridine
417	Morphine, Roxanol
418	Methadone, Dolophine
419	Stadol, Stadol NS
420	OTHER Analgesic, NOT OTHERWISE SPECIFIED
421	USED ANALGESIC, DON'T KNOW NAME
422	Motrin
423	Percocet
424	Fioricet
425	Advil <OTC>
426	Fiorinal
427	Darvocet, Darvocet-N
429	Frost 222
430	Aspirin, Ecotrin, Empirin <OTC>
431	Tylox
432	Rufen
433	Paregoric

Code	Definition
434	Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic, Lorcet-HD, Lorcet Plus, Maxidone, Norco, Zydome
435	Tylenol, Tylenol Extra-Strength <OTC>
436	Bufferin <OTC>
438	Anaprox, Naprosyn, Naproxen, Naxen
439	222, Canadian 222
442	Ibuprofen
443	Diflunisal, Dolobid
444	Aspirin with codeine, Empirin 3
445	Dolex, Norgesic Forte
447	Synalgos, Synalgos DC
450	Acetaminophen, including non-Tylenol brands <OTC>
453	Organidin with codeine
454	Novocain, Procaine
455	Fiorinal with codeine
457	T's and blues, tee's and b's, tops and bottoms
458	Finalin, Mepergan, Mepergan Fortis, Meprozine
462	Norflex
465	Fentanyl, Duragesic, Sublimaze
466	Midol <OTC>
467	Tolectin
468	Excedrin <OTC>
469	Leritine
470	Cafergot
471	Butazolidin
472	Indocin, Indomethacin
473	Pyridium
476	Duradrin, Isocom, Midrin
477	Melumbrina, Neo-Melumbrina
478	Nogirtronia
480	Robitussin AC with codeine
481	Acular, Dolac, Ketorolac tromethamine, Torradlo
487	Ariel
490	Nalbuphine, Nubain
491	PDR
495	Red cross
496	Ultram
498	Ponstel, Mefenamic acid
499	Aleve <OTC>
501	Gasoline or lighter fluids
502	Spray paints
503	Other aerosol sprays
504	Shoeshine liquid, glue, or toluene; Super Glue; rubber cement; airplane or model glue; chemical glue
505	Lacquer thinner or other paint solvents

Code	Definition
506	Amyl nitrite, "poppers," locker room odorizer, "rush," isobutyl nitrate, bolt
507	Halothane, ether, or other anesthetics; chloroform
508	Nitrous oxide, "whippets," dentist gas
509	Correction fluids, degreasers, cleaning fluids, Liquid Paper [see also 524], K2r spot remover, Typewash
510	OTHER Inhalant, NOT OTHERWISE SPECIFIED
511	Markers, felt-tip pens, ink pens, Sharpies
512	Incense
516	Freon, refrigerant
517	Toluol
518	Acetone, nail polish remover
519	Helium
520	Old paint, paint
521	Propane [see also 525, 544]
522	Liquid TV (MTV), TV tuner, TV11Y
523	Matches
524	White-Out [see also 509]
525	Butane [see also 521, 544]
526	Nail polish
527	Phenyl nitrate
528	Whipped-cream can
529	Moth balls
531	Candy, powdered candy, sugar
533	Window sealant
534	Deodorant [see also 827]
536	Fire halt
537	Boat horn
538	Condensed horn
539	ScotchGard
540	PAM
541	Binaca
542	Brasso, lens cleaner, spirits of ammonia
543	Liquid oxygen, oxygen
544	Lighter gases, not specified [see also 521, 525]
545	Car tailpipe exhaust fumes, CO, gasoline motor exhaust fumes
546	Leather protector, suede protector
548	Cologne, isopropanol vapors, rubbing alcohol
550	Methyl chloride
551	Oven cleaner
553	Pixie sticks
554	Raid
555	Chillers
556	Energine
557	Hagwash [sic], Hogwash
558	Kool Aid

Code	Definition
559	LOLOY
560	Dishwashing detergent, laundry detergent, soap
561	Amputee gas cleanser
562	Ban apple gas
563	Acetylene
564	Electric contact cleaner
565	Trichloroethane
566	Smoked tea from Lipton tea bag
567	Pertussin spray
568	Tally
569	Peganento
571	Black jack
572	Etam
573	Furniture polish
574	Tornado
576	C.A.T.
577	Rave runners
580	Medusa
582	WD-40
585	TCL
586	Carbon from empty soft drink bottle
587	Mineral ice
588	Antifreeze
589	Tire shine
590	Canned air, compressed air
591	Air brush propellant
592	Computer air duster, computer cleaner, dust-off, dust X
594	Starting fluid
595	Chlorine
596	Femo clay
597	Trichloronitrate
598	Ethylene dichloride
599	Potpourri
601	LSD ("acid") [see also 618]
602	Peyote
603	Mescaline
604	Psilocybin (mushrooms), shrooms
605	PCP ("angel dust," phencyclidine)
606	"Ecstasy" (MDMA), X-TC, "X"
607	OTHER Hallucinogen, NOT OTHERWISE SPECIFIED
609	Jimson weed
610	Crystal T
611	Greens
612	Happy stick, sherm, sherman, shermstick
613	Duckweed
614	MDA, Methylenedioxy amphetamine
615	Homemade drugs
616	DET, Dimethyltryptamine, DMT

Code	Definition
617	Morning glory seeds, morning glory tendrils, ricea
618	Acid paper, blotter (acid) [see also 601]
619	Tic
620	Blue dragon
621	Red dragon
622	Microdot(s), green microdot, purple microdot
623	Mickey, mickey mouse club, mickey mousers
624	Orange sunshine, sunshine, yellow sunshine
625	Window, window pane, 4-way pane
626	Jet fuel
627	Hawaiian wood rose, Hawaiian Woodrose seeds
628	Hawaiian rosebud seed tea
629	Rocket Fuel
630	Black Owsley
631	Purple Owsley
633	Mr. Natural
634	Unicorn
635	Ginseng seeds, ginseng weed
636	DOM, STP
637	Purple haze
639	Nutmeg, Mace
640	Purple pyramid
642	Pink Floyd
643	Mount queen, queen
645	Thai stick
648	Designer drugs
650	Datura stramonium, daytura, thorn apple
651	Mellow Yellow
652	ALD-52
653	Cricket, cricketshit
654	Eve
655	Flying elephant
656	Mars
657	Orange barrel
658	Special K, Ketamine
659	Boat
660	Toad, toad licking
662	Kanepolin
663	Animal tranquilizer, horse tranquilizer
664	Purple fingers
665	Paniolis
666	Zonick
668	Yellow tiny pills
669	Stropharia
670	Monkey dust
672	Suncrush
673	Orange

Code	Definition
674	Pee-pope
677	Skunk II
678	Banana peels
679	Hell bells
681	Lovely
682	Kif
683	Yage
686	Spider in my feet
687	Spray
688	AMP
690	RID
691	Maximum impact
693	Lemon drops
695	Angel's trumpet
698	2C-B Nexus
699	BOHA-49B
701	OTHER Opiates, NOT OTHERWISE SPECIFIED
702	Heroin
703	Opium
704	Dope
705	Speedball (heroin + cocaine)
706	Smack
707	Black tar heroin
709	Poppy
710	Laudanum
801	OTHER Drugs, NOT OTHERWISE SPECIFIED
802	THC, cannabinol, marinol
803	Marijuana, MarrJane [sic], Mary Jane, MJ, pot, weed, hemp
804	Hashish
805	Cocaine, coca, cocaPna, coke
806	Crack, rock
807	Alcohol, beer, ethanol, EtOH, pink champagne
808	All of the ones I've tried
809	Pills
810	Freebase
812	Cigars
813	Cigarettes, tobacco (type unspecified)
814	Caffeine <OTC>
815	Coffee <OTC>
816	Smokeless tobacco, snuff, chewing tobacco
817	Hard stuff
818	Nicotine
819	Inderal, Propranolol
820	Penicillin
821	Amoxicillin, Ampicillin, Pentrexyl

Code	Definition
822	Rabbit tobacco
824	Steroids
825	Theo-Dur
826	Alupent
827	Aluminum chloride [see also 534]
828	Tetracycline
829	Robitussin DM <OTC>
830	Mad bull
831	Honey oil
832	Primo
833	Bone
834	Loveboat
836	Antabuse
837	Paris 400
840	Over-the-counter cough medicine (contents unspecified) <OTC>
841	Allerest <OTC>, Contac <OTC>
843	Antihistamine, cold medicine, cold tablets <OTC>
844	Blood pressure medication
846	Erythromycin
847	GHB, NSC
848	Liquid vitamin, vitamin pills <OTC>
849	Monosodium glutamate (MSG) <OTC>
850	Slack
852	Formaldehyde, wak [sic], whack (embalming fluid)
854	Juice
857	Wicki stick
858	Antibiotic
865	Diuretics, water pills
866	Boomers
867	Boron
873	Contraceptives, Feratal, Mircette, Ortho Novum,
874	Premarin
875	Buds
876	Glass
877	Methazolamide
880	Frios
881	YLOALE
883	Dextromethorphan Hydrobromide <OTC>
884	Snow
885	Drixoral <OTC>
886	Spanish fly
891	Famotidine, Pepcid
892	Carafate, Sucralfate
893	Estrogen
894	Depakene, Depakote, Valproic Acid
895	Tagamet, Cimetidine
896	Catapres, Clonidine
897	Synthroid, Levothyroxine

Code	Definition
898	Propylene
899	Bromophen
900	Not a drug
900	Non-drug reason given for a drug
1001	Benadryl, Diphenhydramine <OTC>
1002	Dimenhydrinate, Dramamine, sea/motion sickness pill <OTC>
1003	Donnatal
1004	Valerian <OTC>
1005	Imovane, Zopiclone
1006	Oxcarbazepine, Trileptal
1007	Robitussin P.M. <OTC>
1008	Rohr 714, Rorer 714
1009	Mogadon, Nitrazepam
1010	Diprivan, Propofol
1011	Lunesta
1012	Brevital, Methohexital
1013	Ambien CR
1014	Tylenol Flu Nighttime <OTC>
1015	Wild lettuce
1016	Phenazepam
2001	Sanoma, Soma, Carisoprodol
2002	Muscle relaxers
2003	Zanies, zannies, zans, zany bars
2004	Bromazepam, Lexillium, Lexomil, Lexotan
2005	Insidon, Opipramol
2006	Chlorzoxazone
2007	R2
2008	747
2009	Droperidol, Inapsine
2010	Buscopan
2011	Lexapro
2012	Geodon, Ziprasidone
2013	Hyoscyamine, Levsin
2014	Methoxisal, Robaxisal
2015	Flexodin
2016	Xanax XR
3001	Brown and clear
3002	Pep ups
3003	Primatene tablets <OTC>
3004	Black Cadillac
3005	Methylandlanamine
3006	Green amps
3007	Nasal inhalant
3008	Miniwhites
3009	Ephedrone, Methcathinone
3010	KOOD12

Code	Definition
3011	Escalation
3012	Stud 100, stud the rock
3013	Tweek
3014	Uptime
3015	Fen-Phen (fenfluramine and phentermine)
3017	Dayquil <OTC>
3018	Up-johns
3019	Peppies
3020	White powder
3021	Blue balls
3023	Adderall
3024	Yohimbe
3025	Moles [sic]
3026	Bupropion, Wellbutrin, Zyban
3027	Energy pills
3028	Blackbirds
3029	Soccerballs
3030	Red hearts
3031	Brethine, Bricanyl, Terbutaline
3032	Heads up
3033	Metabolife <OTC>
3034	Speckleberry
3035	Blacks
3036	Ripped fuel <OTC>
3037	Effexor
3038	Obenil
3039	Theophed
3040	Hyper pills
3041	Desbutal
3042	30-30
3043	Brown bodies
3044	Caffeine pills <OTC>
3045	Stay awakes <OTC>
3047	Sudafed <OTC>
3048	Diet Pep <OTC>
3049	Truck driver's speed
3050	Mini thins
3051	Betel nut, beetlenut
3052	Speed; otherwise unspecified
3053	Maxair, Pirbuterol
3054	Up you(r) gas
3055	Clenbuterol
3056	Xenadrine <OTC>
3057	Diet Fuel <OTC>
3058	Metabolift <OTC>
3059	Metabolize and Save <OTC>
3060	Hydroxycut <OTC>
3061	Metab-O-Lite <OTC>
3062	Homemade Stimulants
3063	Dymetadrine <OTC>
3064	Ephedra, Ma Huang

Code	Definition
3065	MA-300 <OTC>
3066	Alert Blue and Clear <OTC>
3067	Spancap
3068	Mini Two-way Action <OTC>
3069	DextroStat
3070	Synatan
3071	Adipokinetix <OTC>
3072	Purple Blast <OTC>
3073	Over-the-counter diet pill; otherwise unspecified <OTC>
3074	Stay Trim <OTC>
3075	Inibex
3076	Norephedrine <OTC>
3077	Concerta
3078	Blue and clears
3079	Orlistat, Xenical
3080	Meridia, Sibutramine
3081	P2P, Phenyl-2-propanone
3082	Fat burner; not otherwise specified
3083	Redotex
3084	Cartwheels
3085	Thermo Carb <OTC>
3086	Adderall XR
3087	Strattera
3088	Super Stingers <OTC>
3089	Christina, Tina
3090	Modafinil, Provigil
3091	Black bombers
3092	Metadate CD
3093	Supercaps
3094	Dexmethylphenidate, Focalin
3095	LoCarb Turbo <OTC>
3096	Yaba
3097	Bamadex
3098	Zantrex 3 <OTC>
3099	Asenlix, Clobenzorex
3100	Over-the-counter stimulant; not otherwise specified <OTC>
3101	Dexitac Stay Alert Stimulant. <OTC>
3102	Methylin
3103	RedLine. <OTC>
3104	Slimquick. <OTC>
3105	Affinato
3106	Sedalmerck
3107	Guarana. <OTC>
3187	Greenies
3188	Anorex, Leptoprin <OTC>
3189	BetaLean <OTC>
3190	Primatene Mist <OTC>
4001	Actron, Ketoprofen, Orudis, Oruvail
4002	Imitrex, Sumatriptan

Code	Definition
4005	Etodolac, Lodine
4007	Happy pills
4008	Brown gel pills
4009	Smilies
4011	Atretol, Carbamazepine, Carbatrol, Epitol, Tegretol
4013	Fenoprofen, Nalfron
4014	Akineton, Biperiden
4018	Nuprin <OTC>
4022	Buprenex
4023	Pamprin <OTC>
4024	Reynol [sic]
4025	Viserol [sic]
4026	Ventrex [sic]
4027	Rorer
4028	Arthrotec
4029	Feldine, Piroxicam
4030	Triple "S"
4031	Cough medicine with codeine
4032	Flarex
4033	Vicoprofen
4034	Lilly red
4035	Nabumetone, Relafin
4036	Stagesic
4037	Kadian, MS Contin
4038	Propacet
4039	Daypro, Oxyprozin
4040	Ridaura
4041	Maxalt
4042	M-33
4043	Tramadol
4044	Hydrocodone
4045	Dolgil, Phrenilin Forte
4046	Oxycodone or unspecified oxycodone products
4047	Roxicet
4049	Headache power <OTC>
4050	Percogesic <OTC>
4051	Celebrex
4052	Endocet
4053	Codydramol
4054	Zomax
4055	Vioxx
4056	Cataflam, Diclofenac
4057	Mejoral
4058	Totem poles
4059	Zomig, Zolmitriptan
4060	Ansaid, Flurbiprophen
4061	Oramorph SR
4062	Iophen-C Liquid
4063	Naprelan
4064	Epidrin

Code	Definition
4065	Roxicodone
4066	Suprax
4067	OxyContin
4068	Roxilox
4069	Benflogin
4070	Flexagen <OTC>
4071	Syncol
4072	Oxycet
4073	Temgesic
4074	Provil <OTC>
4075	Disalcid, Salflex, Salsalate
4076	Over-the-counter pain reliever; not otherwise specified <OTC>
4077	Tee's
4078	Spasmoproxyn
4079	Anbesol <OTC>
4080	Morphidex
4081	Avamigran
4082	Analgin, Dipyrone, Metamizol, Metamizole, Prodolina
4083	Ultracet
4084	Aktren
4085	Advil Migraine <OTC>
4086	Parafon Forte
4087	Butorphanol tartrate, Torbutrol
4088	Synthetic heroin
4089	Brompton's solution/mixture
4090	Dorixina
4091	K4
4092	Pain reliever lotion, rub; not specified
4093	Tylex, Solpadeine
4094	Tombstones
4095	Dihydrocodeine
4096	Bextra, Valdecoxib
4097	Tussionex
4098	Banamine
4099	Anacin <OTC>
4100	Excedrin Migraine <OTC>
4101	Myprodol
4102	Meloxicam, Mobic
4103	Terpin Hydrate with codeine
4104	Dolo-Neurobion
4105	Hydrocodone with APAP; otherwise unspecified
4106	Atroveran
4107	Panlor
4108	Homemade analgesics
4109	Suboxone
4110	Avinza
4111	Clinoril
4112	Saridone
4113	Cosanyl

Code	Definition
4114	Nimesulide
4115	Pantopon
4116	Phenergan with codeine, promethazine with codeine
4117	Oxy-IR
4118	Sufenta
4119	Buprenorphine
5001	Bleach
5003	Methane
5004	Ink print, paper
5005	Cobra rush
5006	Brake fluid
5007	Fly nap
5008	R-R
5011	Ozone
5012	Negros
5013	Lebel 12
5014	Spray O Buzz
5015	MCH
5016	Masking tape, tape adhesive
5017	Oil, lubricant; otherwise unspecified
5018	B-12 (Spanish)
5019	Melted plastic
5020	Wet cement
5021	Octane booster
5022	Carbon dioxide, CO ₂ , dry ice hits
5023	Double eagle
5024	Candle, citronella candle
5025	Lime salt
5026	Silly putty
5027	Benzene
5028	Carburetor cleaner, engine cleaner
5029	Floor wax
5030	Polyurethane spray
5031	Naphtha
5032	Nitrogen
5033	Sur-noxem
5034	Hippie crack
5035	Brake cleaner
5036	Wart remover
5037	Wood filler, wood putty
5038	Tywall
5039	Acetate
5040	Methanol, wood alcohol
5042	Fuels other than gasoline
5043	Carbona
5044	Powdered cleansers; e.g. Ajax, Comet, Borax
5045	Cleaner; not otherwise specified
5046	Glass/window cleaner
5047	Tetrafluoroethylene

Code	Definition
5048	MEK, Methyl ethyl ketone
5049	Hand sanitizer; contents unspecified
5050	Burned rubber
5051	Hair chemicals
5052	Silly String
5053	Electronics cleaner
5054	Gum freezer, gum remover
5055	PVC
5056	Eucalyptus oil
5057	Argon
5058	Sealers/sealants; type unspecified
5059	Transmission fluid
5060	Crayons
5061	Lip balm, lip gloss
5062	Amazing Elastic Plastic
5063	Drano
5064	Erasers
5065	Nail polish dryer, quick drying treatment for nails
5066	Simply Green
5067	Wet Ones wipes
5068	Smoke from a fire
5069	Febreze
5070	Silicone
5071	Purell
5072	Air blast
5073	Goof off
5074	Floor wax stripper
5075	Pine-sol
5076	Water repellant; type unspecified
5077	Resistol
5078	Axe body spray
5079	Shellac
5080	Tetrachloroethene
5081	Photographic development fluid
5082	Chalk dust
5083	Ethyl chloride
5084	Dry cleaning fluid/solvent
5085	Toilet bowl hook-ons
5086	Dry Fab
5087	Tennis balls
5088	Jungle juice
5089	Tattoo Goo Color Guard Spray
5090	PVC Cleaner
5091	Germ-X
5092	Burning/ignited permanent marker
5093	Goo Gone
5094	Scotch Brite
5095	"The Works" shower cleaner
5096	Hemp rope
5169	Baking soda
5170	Baby powder

Code	Definition
5171	Mouthwash
5172	Shampoo
5173	Tire inflator
5174	Belt dressing
5175	Acetylene chloride
6001	Collapsing little birds
6003	Cocahina
6004	Hallucinogen seeds
6005	Sassafras tea
6006	Super X
6007	Bathtub
6008	8-Ball
6010	Atrepabelladona (flower)
6012	Cloud 9, cloud 13
6013	Lion's tail
6014	Indo
6015	Crysta
6016	Nas
6017	Meesha
6018	Air horn
6019	Black dust, black duct [sic]
6021	Snake bite kit (anti-venom)
6022	Tequila worm, agave worm
6023	Euphoria
6024	Blue Jesus
6025	Yellow jell
6026	KJ
6027	Judyfly
6028	Laced flower
6029	DXM
6030	Root
6031	Strychnine
6032	TSP
6033	Ramstein
6034	Pigface
6035	Campana (flower)
6036	Coco weed
6037	Fry
6038	Triplets, trips
6039	Blue Hawaii
6040	Dank
6041	Leaky leak
6042	Super K
6043	Diviner's sage, Salvia divinorum
6044	Gel caps, gel tabs
6045	Blackboards
6046	Aquafoot
6047	Water
6048	Dex
6049	Locoseeds, locoweed seeds
6050	High roller

Code	Definition
6051	Tryptamine, not otherwise specified
6052	Acrylic resin
6053	Toothpicks
6054	Spiny apples
6055	Liberty caps
6056	Wet
6057	Silk
6058	Purple life
6059	Satan flower
6060	Ololiuhqui
6061	5-MeO-DMT
6062	Madderwort, wormwood
6063	Foxglove
6064	Marigold buttons
6065	3CPO
6066	Purple rain
6067	Venus
6068	Blue ice
6069	Peach
6070	DTP
6071	Sinicuichi
6072	JUNO
6073	Rolls
6074	LSA
6075	Trinity
6076	Lemon 714
6077	San Pedro
6078	Trumpet flowers
6079	Sugar cubes
6080	Purple passion
6081	Shabu
6083	CCC, "Triple C," C3 <OTC>
6084	Devil dust
6085	Dips
6086	Flakes
6087	Ibogaine
6088	Brugmansia
6089	Cake
6090	Heaven
6091	Ergot, rye mold
6092	TCP
6093	Mitsubishi
6094	Mushrooms, specifically not psilocybin
6095	Super cool, super kool
6096	Bananadine
6097	Banana slug slime
6098	Dust; not otherwise specified
6099	Kathmandu Temple Kiff
6100	2C-T-7, T7
6101	Alice in Wonderland
6102	Absinthe
6103	Ayahuasca

Code	Definition
6104	Tish
6105	Alpha-methyltryptamine, AMT, IT-290, 3-IT
6106	Paramethoxyamphetamine, PMA
6107	Ambrosia
6108	Gorilla biscuits
6109	2, 5-Dimethoxyamphetamine, DMA
6110	Mad dog
6111	Syrian rue
6112	2C-T-2
6113	Candy flip
6114	Molly; not otherwise specified
6115	Foxy
6116	Nepenthes
6117	Dragon (with color; not blue/red)
6118	Adrenochrome
6119	Scoop
6120	Lucky seven
6121	Cactus; specifically not peyote
6122	MMDA
6123	Mighty Quinn
6124	Mormon tea
6125	MDEA
6126	2,5-Dimethoxy-4-iodophenethylamine, 2C-I
6127	Skittles
6128	Henbane
6129	Beaner
6130	5-MeO-DiPT, foxy methoxy
6131	Mandrakes
6132	Amanita mushrooms, fly agaric
6133	Acorus calamus, sweet flag
6134	Anadenanthrea colubrina, cohoba, vilca, yopo
6135	5-MeO-AMT
6136	Spook
6137	Harmaline
6138	2,5-Dimethoxy-4-ethyl-phenethylamine, 2C-E
6139	2,5-Dimethoxy-4-chlorophenethylamine, 2c-c
6140	MIPT, N-Methyl-N-isopropyltryptamine
6141	Dipropyltryptamine, DPT
6142	Snake venom
6143	2C-X
6144	Di-isopropyl-tryptamine, DiPT
6145	Scooby snacks
6146	5-MeO; otherwise unspecified
6147	Phenethylamines; otherwise unspecified
6148	Mimosa tree bark
6149	Tiletamine
6150	Mantis root

Code	Definition
6151	Matrix
6152	Cigarette dipped in embalming fluid
6153	Asthmador
6154	2,5-Dimethoxy-4-methylphenethylamine, 2C-D
6155	5-MeO-T, 5-Methoxytryptamine
6156	TMA, Trimethoxyamphetamine
6157	Taters
6158	Mulberry seeds/plant
8001	Robitussin elixir
8002	Zantac
8003	Yesca
8004	Guaifenesin
8005	Imodium AD <OTC>
8006	Laxative <OTC>
8007	Gabapentin, Neurontin
8008	Antidepressant; type unspecified
8009	Allergy pills/antihistamine; type unspecified
8010	Zyrtec, cetirizine
8011	Herb, flower, plant; type unspecified
8012	Coricidin <OTC>
8013	Maalox <OTC>
8014	Throat spray/lozenge; type unspecified <OTC>
8015	Bengay <OTC>
8016	Icy Hot <OTC>
8017	Buscapina
8018	Claritromicina
8019	Azithromycin, Z-pack, Zithromax
8020	Allegra, Altiva
8021	Cipro, Ciprofloxacin, Cliloxam
8022	Creatine <OTC>
8023	Myoflex <OTC>
8024	Asthma inhaler, asthma medication, bronchial dilators
8025	Claritin, Claritin D <OTC>
8026	Powder
8027	Loradine
8028	Bactine <OTC>
8029	Flexall <OTC>
8030	Tums <OTC>
8031	Sugar pills
8032	Prilosec
8033	Heart medication; type unspecified
8034	Nutri-calm <OTC>
8035	Prednisone
8036	Norvasc
8037	Thermochrome 5000 <OTC>
8038	Coldact
8039	Kaopectate <OTC>
8040	Trioxsalen

Code	Definition
8041	Garlic, garlic oil, garlic tablets <OTC>
8042	Alka Seltzer <OTC>
8043	Accolate
8044	Cephalexin, Keflex
8045	Gax-X <OTC>
8046	Slim Fast <OTC>
8047	Pepcid AC <OTC>
8048	Theophylline
8049	Sorbitol
8050	Tavist D <OTC>
8051	Sinex <OTC>
8052	Bactrim, Septra
8053	Dristan <OTC>
8054	Beclovent, Beconase
8055	Flonase
8056	Vicks VapoRub <OTC>
8057	Natacyn, Natamycin ophthalmic
8058	Cough medicine/syrup; type unspecified
8059	Peroxyl <OTC>
8060	Blue nitro
8061	Entex LA
8062	Mylanta <OTC>
8063	Heparin
8064	Triaminic <OTC>
8065	Tylenol Cold Medication <OTC>
8066	Viagra
8067	Testosterone
8068	Hemorrhoid cream
8069	Decadron, Dexamethasone
8070	Advil Cold and Sinus <OTC>
8071	Augmentin
8072	Deca-Durabolin, Nandrolone Decanoate
8073	Deconamine
8074	Fansidar
8075	Effergin <OTC>
8076	Sanzolol, Stanozolol, Winstrol
8077	Azmacort
8078	Vitamin K
8079	Insulin
8080	Depotrone
8081	Primobolan
8082	Robinul
8083	Testosterone Cypronate
8084	Methadrostanol <OTC>
8085	Anti-psychotics/schizophrenic; type unspecified
8086	Provera
8087	Benzocaine
8088	Dianabol
8089	Sustanol <OTC>

Code	Definition
8090	Sustanon, Sostenon
8091	Benzedrex <OTC>
8092	Decaderm
8093	Stacker 2, Stacker 3, <OTC>
8094	Pepto Bismol <OTC>
8095	Over-the-counter asthma pills; not specified <OTC>
8096	Thermicore <OTC>
8097	Zanaflex
8098	Potassium chloride
8099	Somatech
8100	Kava Kava <OTC>
8101	Colace <OTC>
8102	Nasacort, Triamcinolone
8103	Testosterona 200
8104	Thermadrene <OTC>
8105	Sustiva
8106	Methoxy-7 <OTC>
8107	Diovan, Valsartan
8108	Atenonol
8109	Apple cider and vinegar pills <OTC>
8110	Over-the-counter drug/pills; type unspecified <OTC>
8111	Silver chloride
8112	hCG, Human Chorionic Gonadotropin
8113	Test 250 <OTC>
8114	Lidocaine
8115	Vicks 44 <OTC>
8116	Herbal Ease <OTC>
8117	Hydrocortisone
8118	Smoking; not otherwise specified
8119	Regal medicated oil
8120	Difulcan
8121	Invitase
8122	Trenbol
8123	Tylenol Sinus <OTC>
8124	Deca-diabolin
8125	Comtrex <OTC>
8126	Valtrex
8127	Damiana <OTC>
8128	Glucosamine <OTC>
8129	Equipoise, Equipoise
8130	Zantac 75 <OTC>
8131	Acacia Gum, carbisol <OTC>
8132	D-bol, Liquid D-bol
8133	Mega Teen <OTC>
8134	Glucophage, Metformin
8135	Verapamil
8136	Montekulast, Singulair
8137	5-HTP, 5-Hydroxytryptophan <OTC>
8138	Chlorphenamine maleate, Chlorpheniramine maleate, Piriton <OTC>

Code	Definition
8139	Chloroquine, Nivaquine
8140	Anamine
8141	Gamma Butyrolactone, GBL
8142	Conex Plus
8143	Mycelex
8144	Clarinex, Desloratadine
8145	Cooking extracts (vanilla, lemon, etc.) <OTC>
8146	Tabcin <OTC>
8147	Tylenol Flu <OTC>
8148	Met-Rx <OTC>
8149	Desenfriol <OTC>
8150	Biolex wound gel <OTC>
8151	Flu shot; otherwise unspecified
8152	Thermogenics; otherwise unspecified <OTC>
8153	Nexium
8154	Beta Blocker; otherwise unspecified
8155	Telithromycin
8156	Flumethasone
8157	Colirio
8158	Lipitor
8159	Loperamide
8160	Eprosartan, Teveten
8161	Echinacea <OTC>
8162	Prevacid
8163	Ditropan
8164	Testosterone propionate
8165	Anavar
8166	White girl
8167	T3, Tri-iodothyronine
8168	Fluoride
8169	TheraFlu <OTC>
8170	Muscle stimulator spray; contents unspecified
8171	Dietary supplements; otherwise unspecified
8172	Cortisone
8173	Chlorhexidine, Exidine
8174	Betadine, Efodine, Iodine <OTC>
8175	CortiSlim <OTC>
8176	TrimSpa <OTC>
8177	Face/body cleanser; contents unspecified
8178	Norateen
8179	Artemesia
8180	Avonex
8181	Corgard
8182	Clindamycin
8183	St. John's Wort <OTC>
8184	Zofran
8185	Pro Plus <OTC>
8186	Lomotil

Code	Definition
8187	Xylocaine
8188	Anadrol
8189	Furosemide, Lasix
8190	Benegal
8191	L-Dopa
8192	Delsym <OTC>
8193	Pertussin <OTC>
8194	Afrin <OTC>
8195	Anti-seizures; type unspecified
8196	Hirudoid
8197	Chronic
8198	Handle bars
8199	Neurobion
8200	Dan(s), Dan Dan(s); no other information
8201	Watson(s); no other information
8202	Intal
8203	Bar; otherwise unspecified
8204	Phloroglucinol, Spasfon
8205	Tylenol Allergy <OTC>
8206	Delatestryl, Testosterone Enanthate
8207	Terpin hydrate
8208	Romilar, form unspecified
8209	Red Bull Energy Drink <OTC>
8210	Mylan(s); no other information
8211	Precose
8212	Finaplix Gold, Trembolona QV75, Trenbolone
8213	Ranitidine
8214	Robo
8215	Yager's liniment <OTC>
8216	Red Dawn GHR Release <OTC>
8217	Anti-diarrhea medication; type unspecified
8218	Attention deficit disorder meds; type unspecified
8219	A & D ointment <OTC>
8220	Lavender <OTC>
8221	Omnadren
8222	Protein-based weight gain product, type unspecified
8223	Chocolate

Alphabetical Listing

NOTE: Due to changes in the NSDUH instrument in 1999,
codes for some drugs may differ from those used in prior survey years.

Definition	Code
100, Stud	3012
12 (Spanish), B-	5018
12, Lebel	5013
13, Cloud	6012
2, Stacker <OTC>	8093
2,5-Dimethoxy-4-chlorophenethylamine	6139
2,5-Dimethoxy-4-ethyl-phenethylamine	6138
2,5-Dimethoxy-4-iodophenethylamine	6126
2,5-Dimethoxy-4-methylphenethylamine	6154
2,5-Dimethoxyamphetamine	6109
20/20	358
200, Testosterona	8103
222	439
222, Canadian	439
222, Frost	429
250, Test <OTC>	8113
2C-B	698
2c-c	6139
2C-D	6154
2C-E	6138
2C-I	6126
2C-T-2	6112
2C-T-7	6100
2C-X	6143
3, Empirin	444
3, Phenaphen	410
3, Stacker <OTC>	8093
3, Tylenol	409
3, Zantrex <OTC>	3098
300, AM-<OTC>	3065
30-30	3042
33, OP	393
357 Magnum <OTC>	333
3CPO	6065
3-IT	6105
4, Tylenol	409
40, F-	397
400, Paris	837
44, Magnum <OTC>	333
44, Vicks <OTC>	8115
4-Chlorophenethylamine, 2,5-dimethoxy-	6139
4-Ethyl-phenethylamine, 2,5-dimethoxy-	6138
4-Iodophenethylamine, 2,5-dimethoxy-	6126

Definition	Code
4-Methylphenethylamine, 2,5-dimethoxy-	6154
4-way pane	625
5000, Thermochrome <OTC>	8037
52, ALD-	652
5-Dimethoxy-4-chlorophenethylamine, 2,	6139
5-Dimethoxy-4-ethyl-phenethylamine, 2,	6138
5-Dimethoxy-4-iodophenethylamine, 2,	6126
5-Dimethoxy-4-methylphenethylamine, 2,	6154
5-Dimethoxyamphetamine, 2,	6109
5-HTP <OTC>	8137
5-Hydroxytryptophan <OTC>	8137
5-MeO; otherwise unspecified	6146
5-MeO-AMT	6135
5-MeO-DiPT	6130
5-MeO-DMT	6061
5-MeO-T	6155
5-Methoxytryptamine	6155
7-14	137
714, Lemon	6076
714, Rohr	1008
714, Rorer	1008
747	2008
75, Zantac <OTC>	8130
8-Ball	6008
9, Cloud	6012
A & D ointment <OTC>	8219
Absinthe	6102
Acacia Gum	8131
Accolate	8043
Acepromazine	298
Acetaminophen <OTC>	450
Acetate	5039
Acetone	518
Acetylene	563
Acetylene chloride	5175
Acid	601
Acid paper	618
Acid, Blotter	618
Acid, Mefenamic	498
Acid, Valproic	894
Acorus calamus	6133

Definition	Code
Acrylic resin	6052
Actifed <OTC>	148
Action, Mini Two-way <OTC>	3068
Actron	4001
Acular	481
AD, Imodium <OTC>	8005
Adapin	247
Adderall	3023
Adderall XR	3086
Adhesive tape	5016
Adipex-P	313
Adipokinetix <OTC>	3071
Adrenalin	3046
Adrenochrome	6118
Advil <OTC>	425
Advil Cold and Sinus <OTC>	8070
Advil Migraine <OTC>	4085
Aerosol sprays other than spray paints	503
Affinato	3105
Afrin <OTC>	8194
Agaric, Fly	6132
Agave worm	6022
Aid, Kool	558
Aid; not specified <OTC>, Over-the-counter Sleep	122
Air blast	5072
Air brush propellant	591
Air duster, Computer	592
Air horn	6018
Air, Canned	590
Air, Compressed	590
Airplane glue	504
Akineton	4014
Aktren	4084
Albuterol	377
Alcohol	807
Alcohol, Rubbing	548
Alcohol, Wood	5040
ALD-52	652
Alert Blue and clear <OTC>	3066
Alert Stimulant, Dexitac Stay <OTC>	3101
Alert, Max	390
Aleve <OTC>	499
Alice in Wonderland	6101
Alka Seltzer <OTC>	8042
All of the ones I've tried	808
Allegra	8020
Allerest <OTC>	841
Allergy pills/antihistamine; type unspecified	8009
Allergy, Tylenol <OTC>	8205
Alpha-methyltryptamine	6105

Definition	Code
Alprazolam	209
Altiva	8020
Aluminum chloride	827
Alupent	826
Alurate	154
AM-300 <OTC>	3065
Amanita mushrooms	6132
Amazing Elastic Plastic	5062
Ambien	174
Ambien CR	1013
Ambrosia	6107
Amitriptyline	228
Ammonia, Spirits of	542
Amobarbital	114
Amoxicillin	821
AMP	688
Amphetamine, Methylenedioxy	614
Amphetamines	339
Ampicillin	821
Amps, Green	3006
Amputee gas cleanser	561
AMT	6105
AMT, 5-MeO	6135
Amyl nitrite	506
Amytal	103
Anacin <OTC>	4099
Anadenantherea colubrina	6134
Anadrol	8188
Anafranil	293
Analgesics, Homemade	4108
Analgin	4082
Anamine	8140
Anaprox	438
Anavar	8165
Anbesol <OTC>	4079
Anesthetics other than halothane and ether	507
Anexsia	434
Angel dust	605
Angel's trumpet	695
Anileridine	416
Animal tranquilizer	663
Anorex <OTC>	3188
Ansaid	4060
Ansiovit <OTC>	199
Antabuse	836
Antibiotic	858
Antidepressant; type unspecified	8008
Anti-diarrhea medication; type unspecified	8217
Antifreeze	588
Antihistamine	843

Definition	Code
Antihistamine, Allergy pills/; type unspecified	8009
Antipsychotics/schizophrenic; type unspecified	8085
Anti-seizures; type unspecified	8195
Apple cider and vinegar pills <OTC>	8109
Apple gas, Ban	562
Apple, Thorn	650
Apples, Spiny	6054
Aquafoot	6046
Argon	5057
Ariel	487
Artane	369
Artemesia	8179
Arthrotec	4028
Asendin	249
Asenlix	3099
Aspirin <OTC>	430
Aspirin with codeine	444
Asthma inhaler	8024
Asthma medication	8024
Asthma pills, Over-the-counter; not otherwise specified <OTC>	8095
Asthmador	6153
Atarax	216
Atenonol	8108
Ativan	207
Atrepabelladona (flower)	6010
Atretol	4011
Atroveran	4106
Attention deficit disorder meds; type unspecified	8218
Augmentin	8071
Avamigran	4081
Aventyl	250
Avinza	4110
Avonex	8180
Awakes, Stay <OTC>	3045
Axe body spray	5078
Ayahuasca	6103
Azithromycin	8019
Azmacort	8077
B-12 (Spanish)	5018
Baby powder	5170
Baclofen	288
Bactine <OTC>	8028
Bactrim	8052
Baking soda	5169
Ball, 8-	6008
Balls, Blue	3021
Balls, Moth	529
Balls, Tennis	5087

Definition	Code
Balm, Lip	5061
Bam(s)	363
Bamadex	3097
Ban apple gas	562
Banamine	4098
Banana peels	678
Banana slug slime	6097
Bananadine	6096
Bar; otherwise unspecified	8203
Barbital, Sodium	156
Barbiturates	157
Bark, Mimosa tree	6148
Barrel, Orange	657
Bars, Handle	8198
Bars, Xanax	209
Bars, Zany	2003
Bathtub	6007
Bean	177
Beaner	6129
Beauties, Black	327
Beauty, Black	327
Beclovent	8054
Beconase	8054
Beer	807
Beetlenut	3051
Belladonna	142
Belladonna flower	187
Belladonna plant	187
Belladonna root	187
Bells, Hell	679
Belt dressing	5174
Benadryl	1001
Benegal	8190
Benflogin	4069
Bengay <OTC>	8015
Bennies	344
Bentyl	146
Benzedrex <OTC>	8091
Benzedrine	304
Benzene	5027
Benzocaine	8087
Benzodiazepines	278
Beta Blocker; otherwise unspecified	8154
Betadine <OTC>	8174
BetaLean <OTC>	3189
Betel nut	3051
Bextra	4096
Binaca	541
Biolex wound gel <OTC>	8150
Biperiden	4014
Biphetamine	305
Bird eggs	329

Definition	Code
Bird, Speckled	330
Birds, Blue	330
Birds, Collapsing little	6001
Biscuits, Gorilla	6108
Bismol, Pepto <OTC>	8094
Bite kit, Snake	6021
Black beauties	327
Black beauty	327
Black bombers	3091
Black Cadillac	3004
Black cats	395
Black duct [sic]	6019
Black dust	6019
Black jack	571
Black molly	345
Black Owsley	630
Black pills, Heart-shaped	357
Black RJs	396
Black tar heroin	707
Black widows	139
Blackbirds	3028
Blackboards	6045
Blacks	3035
Blancs	331
Blast, Air	5072
Blast, Purple <OTC>	3072
Bleach	5001
Blocker, Beta; otherwise unspecified	8154
Blood pressure medication	844
Blotter (acid)	618
Blue and Clear, Alert <OTC>	3066
Blue and clears	3078
Blue balls	3021
Blue birds	330
Blue dragon	620
Blue Hawaii	6039
Blue ice	6068
Blue jays	330
Blue Jesus	6024
Blue meanies	163
Blue nitro	8060
Blue ringer	281
Blue robins	330
Blues	191
Blues, Red and	184
Blues, T's and	457
Boat	659
Boat horn	537
Bodies, Brown	3043
Body cleanser; contents unspecified, Face/	8177
Body spray, Axe	5078

Definition	Code
BOHA-49B	699
Bolt	506
Bombers, Black	3091
Bone	833
Boomers	866
Booster, Octane	5021
Boron	867
Bottle, Carbon from empty soft drink	586
Bottoms, Tops and	457
Bowl hook-ons, Toilet	5085
Brake cleaner	5035
Brake fluid	5006
Brasso	542
Brethnine	3031
Brevital	1012
Bricanyl	3031
Brite, Scotch	5094
Bromazepam	2004
Bromophen	899
Brompton's solution/mixture	4089
Bronchial dilators	8024
Brown and clear	3001
Brown bodies	3043
Brown gel pills	4008
Brugmansia	6088
Brush propellant, Air	591
B's, Tee's and	457
Buds	875
Bufferin <OTC>	436
Bull Energy Drink, Red <OTC>	8209
Bull, Mad	830
Buprenex	4022
Buprenorphine	4119
Bupropion	3026
Burned rubber	5050
Burner; not otherwise specified, Fat	3082
Burning/ignited permanent marker	5092
Buscapina	8017
Buscopan	2010
Buspar	211
Butalbital	186
Butane	525
Butazolidin	471
Buticaps	102
Butisol	101
Butorphanol tartrate	4087
Butter crank, Peanut	368
Butyrolactone, Gamma	8141
Cataflam	4056
Catapres	896
Cats, Black	395

Definition	Code
CCC	6083
CD, Metadate	3092
Celebrex	4051
Celexa	291
Cement, Rubber	504
Cement, Wet	5020
Centrax	208
Cephalexin	8044
Cetirizine	8010
Chalk dust	5082
Champagne, Pink	807
Chemical glue	504
Chemicals, Hair	5051
Chewing tobacco	816
Chillers	555
Chloral hydrate	117
Chlordiazepoxide	202
Chlorhexidine	8173
Chloride, Acetylene	5175
Chloride, Aluminum	827
Chloride, Ethyl	5083
Chloride, Methyl	550
Chloride, Potassium	8098
Chloride, Silver	8111
Chlorine	595
Chloroform	507
Chlorophenethylamine, 2-5-dimethoxy-4-	6139
Chloroquine	8139
Chlorphenamine maleate	8138
Chlorpheniramine maleate	8138
Chlorzoxazone	2006
Chocolate	8223
Chorionic Gonadotropin, Human	8112
Christina	3089
Christmas tree(s)	374
Chronic	8197
Cider and vinegar pills, Apple <OTC>	8109
Cigarette dipped in embalming fluid	6152
Cigarettes, (type unspecified)	813
Cigars	812
Ciloxan	8021
Cimetidine	895
Cipro	8021
Ciprofloxacin	8022
Citronella candle	5024
Clarinex	8144
Claritin <OTC>	8025
Claritin D <OTC>	8025
Claritromicina	8018
Clay, Femo	596
Cleaner, "The Works" shower	5095

Definition	Code
Cleaner, Brake	5035
Cleaner, Carburetor	5028
Cleaner, Computer	592
Cleaner, Electronics	5053
Cleaner, Engine	5028
Cleaner, Glass/window	5046
Cleaner, Lens	542
Cleaner, not otherwise specified	5045
Cleaner, Oven	551
Cleaner, PVC	5090
Cleaning fluid/solvent, Dry	5084
Cleaning fluids	509
Cleanser; contents unspecified, Face/body	8177
Cleansers; e.g. Ajax, Comet, borax, Powdered	5044
Clear, Alert Blue and <OTC>	3066
Clear, Brown and	3001
Clears, Blue and	3078
Clenbuterol	3053
Clindamycin	8182
Clinoril	4111
Clobenzorex	3099
Clomipramine	293
Clonazepam	246
Clonidine	896
Cloud 13	6012
Cloud 9	6012
Cloves	639
Clozapine	282
Clozaril	282
Club, Mickey Mouse	623
CO	545
CO ₂	5022
Cobra rush	5005
CocaPna	805
Cocahina	6003
Cocaine	805
Coco weed	6036
Codeine	415
Codeine, Aspirin with	444
Codeine, Cough medicine with	4031
Codeine, Fiorinal with	455
Codeine, Organidin with	453
Codeine, Phenaphen with	410
Codeine, Promethazine with	4116
Codeine, Robitussin AC with	480
Codeine, Terpin Hydrate with	4103
Codeine, Tylenol with	409
Codydramol	4053
Coffee <OTC>	815
Cogentin	371

Definition	Code
Co-Gesic	434
Cohoba	6134
Coke	805
Colace <OTC>	8101
Cold and Sinus, Advil <OTC>	8070
Cold Medication, Tylenol <OTC>	8065
Cold medicine <OTC>	843
Cold tablets <OTC>	843
Coldact	8038
Colirio	8157
Collapsing little birds	6001
Cologne	548
Color Guard Spray, Tattoo Goo	5089
Colubrina, Anadenanthrea	6134
Compazine	230
Compressed air	590
Computer air duster	592
Computer cleaner	592
Comtrex <OTC>	8125
Concerta	3077
Condensed horn	538
Conex Plus	8142
Contac <OTC>	841
Contact cleaner, Electric	564
Contin, MS	4037
Contraceptives	873
Control	378
Cooking extracts (vanilla, lemon, etc.) <OTC>	8145
Cool, Super	6095
Corgard	8181
Coricidin <OTC>	8012
Correction fluids	509
CortiSlim <OTC>	8175
Cortisone	8172
Cosanyl	4113
Cough medicine with codeine	4031
Cough medicine, over-the-counter (contents unspecified) <OTC>	840
Cough medicine/syrup; type unspecified	8058
CR, Ambien	1013
Crack	806
Crack, Hippie	5034
Crank	322
Crank, Peanut butter	368
Crayons	5060
Cream, Hemorrhoid	8068
Cream, Strawberry whip	252
Creatine <OTC>	8022
Cricket	653
Cricketshit	653
Criss Cross	359

Definition	Code
Cross tops	334
Cross, Criss	359
Cross, Red	495
Cross, White	326
Crosses, Little	384
Crosses, Pink	398
Crossroads	334
Crysta	6015
Crystal	348
Crystal meth	355
Crystal T	610
Cubes, Sugar	6079
Cyclobenzaprine	234
Cylert	319
Cypronate, Testosterone	8083
D, Claritin <OTC>	8025
D, Tavist <OTC>	8050
Dalmane	111
Damiana <OTC>	8127
Dan Dan(s); no other information	8200
Dan(s)	8200
Darvocet	427
Darvocet-N	427
Darvon	401
Datura stramonium	650
Dawn GHR Release, Red <OTC>	8216
Daypro	4039
Dayquil <OTC>	3017
Daytura	650
D-bol	8132
D-bol, Liquid	8132
DC, Synalgos	447
Deadly nightshade	187
Debs	394
Decaderm	8092
Deca-diabolin	8124
Decadron	8069
Deca-Durabolin	8072
Deconamine	8073
Deconate, Nandrolone	8072
Deconate, Nondrolone	8072
Deficit disorder meds; type unspecified; Attention	8218
Degreasers	509
Delatestryl	8206
Delsym <OTC>	8192
Demerol	407
Dentist gas	508
Deodorant	534
Depakene	894
Depakote	894

Definition	Code
Depotrone	8080
Deprol	214
Desbutal	3041
Desenfriol <OTC>	8149
Designer drugs	648
Desipramine	259
Desloratadine	8144
Desoxyn	306
Desyrel	225
DET	616
Detergent, Dishwashing	560
Detergent, Laundry	560
Development fluid, Photographic	5081
Devil dust	6084
Devil(s), Red	145
Dex	6048
Dexamethasone	8069
Dexamyl	302
Dexatrim <OTC>	335
Dexedrine	301
Dexies	356
Dexitac Stay Alert Stimulant <OTC>	3101
Dexmethylphenidate	3094
Dextroamphetamine	320
Dextromethorphan Hydrobromide <OTC>	883
DextroStat	3069
Dianabol	8088
Diarrhea medication; type unspecified, Anti-	8217
Dichloride, Ethylene	598
Diclofenac	4056
Dicyclomine	146
Didrex	309
Diet Fuel <OTC>	3057
Diet Pep <OTC>	3048
Diet pill, Over-the-counter; not otherwise specified <OTC>	3073
Diet pills	336
Dietary supplements; otherwise unspecified	8171
Diethylpropion	307
Diflunisal	443
Difulcan	8120
Dihydrocodeine	4095
Di-isopropyl-tryptamine	6144
Dilantin	141
Dilators, Bronchial	8024
Dilaudid	408
Dimenhydrinate <OTC>	1002
Dimetapp <OTC>	136
Dimethoxy-4-chlorophenethylamine, 2-5-	6139

Definition	Code
Dimethoxy-4-ethyl-phenethylamine, 2-5-	6138
Dimethoxy-4-methylphenethylamine, 2,5-	6154
Dimethoxyamphetamine, 2,5-	6109
Dimethyltryptamine	616
Diocam	246
Diovan	8107
Diphenhydramine <OTC>	1001
Dipped in embalming fluid, Cigarette	6152
Diprivan	1010
Dipropyltryptamine	6141
Dips	6085
DiPT	6144
Dipyrone	4082
Disalcid	4075
Dishwashing detergent	560
Disorder meds; type unspecified; Attention deficit	8218
Ditropan	8163
Diuretics	865
Diviner's sage	6043
Divinorum, Salvia	6043
DMA	6109
DMT	616
DMT, 5-MeO-	6061
Dog, Mad	6110
Dolac	481
Dolene	402
Dolex	445
Dolobic	4045
Dolobid	443
Dolo-Neurobion	4104
Dolophine	418
DOM	636
Donnatal	1003
Dopa, L-	8191
Dope	704
Doriden	106
Dorixina	4090
Dormicum	237
Dormin <OTC>	190
Double eagle	5023
Downers	120
Doxepin	247
DPT	6141
Dragon (with color; not blue/red)	6117
Dragon, Blue	620
Dragon, Red	621
Dramamine <OTC>	1002
Drano	5063
Dream Ease <OTC>	172

Definition	Code
Dressing, Belt	5174
Drink, Red Bull Energy <OTC>	8209
Dristan <OTC>	8053
Driver's speed, Truck	3049
Drixoral <OTC>	885
Droperidol	2009
Drops, Lemon	693
Drug/pills, Over-the-counter; type unspecified <OTC>	8110
Drugs, Designer	648
Drugs, Homemade	615
Dry cleaning fluid/solvent	5084
Dry ice hits	5022
Dryer, Nail polish	5065
Drying treatment for nails, quick	5065
DTP	6070
Duckweed	613
Duct, Black [sic]	6019
Durabolin, Deca-	8072
Duradin	476
Duragesic	465
Duromine	366
Durrax	217
Dust, Angel	605
Dust, Black	6019
Dust, Chalk	5082
Dust, Devil	6084
Dust, Monkey	670
Dust; not otherwise specified	6098
Duster, Computer air	592
DXM	6029
Dymetadrine <OTC>	3063
Eagle, Double	5023
Ease, Dream <OTC>	172
Ease, Herbal <OTC>	8116
Echinacea <OTC>	8161
Ecotrin <OTC>	430
Ecstasy	606
Ecstasy, Herbal	386
Effergin <OTC>	8075
Effexor	3037
Efodine <OTC>	8174
Eggs, Bird	329
Eggs, Robin's	329
Eggs, Speckled	329
Elastic Plastic, Amazing	5062
Electric contact cleaner	564
Electronics cleaner	5053
Elephant, Flying	655
Elixir, Robitussin	8001
Embalming fluid	852

Definition	Code
Embalming fluid, Cigarette dipped in	6152
Empirin <OTC>	430
Empirin 3	444
Empty soft drink bottle, Carbon from	586
Enanthate, Testosterone	8206
Endocet	4052
Energine	556
Energy Drink, Red Bull <OTC>	8209
Energy pills	3027
Engine cleaner	5028
Entex LA	8061
Ephedra	3064
Ephedrine	332
Ephedrone	3009
Epidrin	4064
Epinephrine	3046
Epitol	4011
Eprosartan	8160
Equagesic	242
Equanil	213
Equipoise	8129
Equipose	8129
Erasers	5064
Ergot	6091
Erythromycin	846
Escalation	3011
Eskabarb	152
Eskatrol	303
Estazolam	188
Estrogen	893
Etam	572
Ethanol	807
Ethchlorvynol	105
Ether	507
Ethyl chloride	5083
Ethyl ketone, Methyl	5048
Ethylene dichloride	598
Ethyl-phenethylamine, 2-5-dimethoxy-4-	6138
Etodolac	4005
EtOH	807
Etrafon	243
Eucalyptus oil	5056
Euphoria	6023
Eve	654
Excedrin <OTC>	468
Excedrin Migraine <OTC>	4100
Excedrin P.M. <OTC>	181
Exhaust fumes, Car tailpipe	545
Exhaust fumes, Gasoline motor	545
Exidine	8173

Definition	Code
Extracts, Cooking (vanilla, lemon, etc.) <OTC>	8145
Extra-Strength, Tylenol <OTC>	435
F-40	397
Fab, Dry	5086
Face/body cleanser; contents unspecified	8177
Famotidine	891
Fansidar	8074
Fast, Slim <OTC>	8046
Fastin	313
Fat burner; not otherwise specified	3082
Febreze	5069
Feet, Spider in my	686
Feldine	4029
Felt-tip pens	511
Femo clay	596
Fenfluramine	314
Fenfluramine and phentermine, Fen-Phen	3015
Fenoprofen	4013
Fen-Phen (fenfluramine and phentermine)	3015
Fentanyl	465
Ferutal	873
Filler, Wood	5037
Finalin	458
Finaplex Gold	8212
Fingers, Purple	664
Fioricet	424
Fiorinal	426
Fiorinal with codeine	455
Fire halt	536
Fire, Smoke from a	5068
Flag, Sweet	6133
Flakes	6086
Flarex	4032
Flexagen <OTC>	4070
Flexall <OTC>	8029
Flexeril	234
Flexodin	2015
Flip, Candy	6113
Flonase	8055
Floor wax	5029
Floor wax stripper	5074
Flower, Atrepabelladona	6010
Flower, Belladonna	187
Flower, Campana	6035
Flower, Laced	6028
Flower, plant; type unspecified, Herb	8011
Flower, Satan	6059
Flowers, Trumpet	6078

Definition	Code
Floyd, Pink	642
Flu Nighttime, Tylenol <OTC>	1014
Flu shot; otherwise unspecified	8151
Flu, Tylenol <OTC>	8147
Fluid), Whack (embalming	852
Fluid, Brake	5006
Fluid, Cigarette dipped in embalming	6152
Fluid, Photographic development	5081
Fluid, Starting	594
Fluid, Transmission	5059
Fluid/Solvent, Dry cleaning	5084
Fluids, Cleaning	509
Fluids, Correction	509
Fluids, Lighter	501
Flumethasone	8156
Flunitrazepam	268
Fluoride	8168
Fluoxetine	241
Flurazepam	111
Flurbiprophen	4060
Fluvoxamine	294
Fly agaric	6132
Fly, Spanish	886
Flying elephant	655
Flynap	5007
Focalin	3094
Football, Pink	382
Footballs	382
Footballs, Purple	382
Formaldehyde	852
Forte, Norgesic	445
Forte, Parafon	4086
Forte, Phrenilin	4045
Fortis, Mepergan	458
Foxglove	6063
Foxy	6115
Foxy methoxy	6130
Freebase	810
Freezer, Gum	5054
Freon	516
Frios	880
Frost 222	429
Fry	6037
Fuel, Diet <OTC>	3057
Fuel, Jet	626
Fuel, Ripped <OTC>	3036
Fuel, Rocket	629
Fuels other than gasoline	5042
Fumes, Car tailpipe exhaust	545
Fumes, Gasoline motor exhaust	545
Furniture polish	573
Furosemide	8189

Definition	Code
Gabapentin	8007
Gain product, type unspecified; Protein-based weight	8222
Gamma Butyrolactone	8141
Garlic <OTC>	8041
Garlic oil <OTC>	8041
Garlic tablets <OTC>	8041
Gas, Apple Ban	562
Gas, Dentist	508
Gas, Up you(r) <OTC>	3054
Gases; not specified, Lighter	544
Gasoline	501
Gasoline motor exhaust fumes	545
Gasoline, Fuels other than	5042
Gas-X <OTC>	8045
GBL	8141
Gel caps	6044
Gel pills, Brown	4008
Gel tabs	6044
Gel, Biolex wound <OTC>	8150
Geodon	2012
Germ-X	5091
GHB	847
GHR Release, Red Dawn <OTC>	8216
Ginseng seeds	635
Ginseng weed	635
Girl, White	8166
Glass	876
Glass/window cleaner	5046
Glory seeds, Morning	617
Glory tendrils, Morning	617
Gloss, Lip	5061
Glucophage	8134
Glucosamine <OTC>	8128
Glue	504
Glue, Airplane	504
Glue, Chemical	504
Glue, Model	504
Glue, Super	504
Glutamate (MSG), Monosodium <OTC>	849
Gold, Finaplix	8212
Gonadotropin, Human Chorionic	8112
Gone, Goo	5093
Goo Color Guard Spray, Tattoo	5089
Goo Gone	5093
Goof off	5073
Gorilla biscuits	6108
Green amps	3006
Green microdot	622
Green, Simply	5066

Definition	Code
Greenies	3187
Greens	611
Guaifenesin	8004
Guarana <OTC>	3107
Guard Spray, Tattoo Goo Color	5089
Gum freezer	5054
Gum remover	5054
Gum, Acacia	8131
Hagwash [sic]	557
Hair chemicals	5051
Halcion	113
Haldol	131
Hallucinogen seeds	6004
Haloperidol	131
Halothane	507
Halt, Fire	536
Hand sanitizer; contents unspecified	5049
Handle bars	8198
Happy pills	4007
Happy stick	612
Hard stuff	817
Harmaline	6137
Hashish	804
Hawaii, Blue	6039
Hawaiian rosebud seed tea	628
Hawaiian wood rose	627
Hawaiian Woodrose seeds	627
Haze, Purple	637
hCG	8112
HCl, Trifluoperazine	226
HD, Lorcet-	434
Headache powder <OTC>	4049
Heads up	3032
Hearts	379
Hearts, Pink	328
Hearts, Purple	342
Hearts, Red	3030
Heart-shaped black pills	357
Heaven	6090
Helium	519
Hell bells	679
Hemorrhoid cream	8068
Hemp rope	5096
Henbane	6128
Heparin	8063
Herb, flower, plant; type unspecified	8011
Herb, Natural	6011
Herbal Ease <OTC>	8116
Herbal ecstasy	386
Heroin	702
Heroin, Black tar	707

Definition	Code
Heroin, Synthetic	4088
High roller	6050
Hippie crack	5034
Hits, Dry ice	5022
Hogwash	557
Homemade analgesics	4108
Homemade drugs	615
Homemade stimulants	3062
Honey oil	831
Hook-ons, Toilet bowl	5085
Horn, Air	6018
Horn, Boat	537
Horn, Condensed	538
Horse tranquilizer	663
Hot, Icy <OTC>	8016
Huang, Ma	3064
Human Chorionic Gonadotropin	8112
Hydrate with codeine, Terpin	4103
Hydrate, Chloral	117
Hydrate, Terpin	8207
Hydrobromide, Dextromethorphan <OTC>	883
Hydrochloride, Trazodone	225
Hydrocodone	4044
Hydrocodone with APAP; otherwise unspecified	4105
Hydrocortisone	8117
Hydromorphone	408
Hydroxycut <OTC>	3060
Hydroxyzine	216
Hyoscyamine	2013
Hyper pills	3040
Hypnovel	237
Ibogaine	6087
Ibuprofen	442
Ice	322
Ice hits, Dry	5022
Ice, Blue	6068
Ice, Mineral	587
Icy Hot <OTC>	8016
Imipramine	235
Imitrex	4002
Imodium AD <OTC>	8005
Imovane	1005
Impact, Maximum	691
In my feet, Spider	686
Inapsine	2009
Incense	512
Inderal	819
Indo	6014
Indocin	472

Definition	Code
Indomethacin	472
Inflator, Tire	5173
Inhalant, Nasal	3007
Inhaler, Asthma	8024
Inibex	3075
Ink pens	511
Ink print	5004
Insidon	2005
Insulin	8079
Intal	8202
Invitase	8121
Iodine <OTC>	8174
Ionamin	312
Iophen-C Liquid	4062
Isobutyl nitrate	506
Isocom	476
Isopropanol vapors	548
Isopropyl-tryptamine, Di-	6144
Isopropyltryptamine, N-methyl-N-	6140
IT-290	6105
Jack, Black	571
Jackets, Yellow	124
Jays, Blue	330
Jell, Yellow	6025
Jesus, Blue	6024
Jet Fuel	626
Jimson weed	609
John's Wort, St. <OTC>	8183
Judyfly	6027
Juice	854
Juice, Jungle	5088
Jungle juice	5088
JUNO	6072
K, Special	658
K, Super	6042
K, Vitamin	8078
K2r spot remover	509
K4	4091
Kadian	4037
Kanepolin	662
Kaopectate <OTC>	8039
Kathmandu Temple Kiff	6099
Kava Kava <OTC>	8100
Keflex	8044
Ketamine	658
Ketaset	280
Ketone, Methyl ethyl	5048
Ketoprofen	4001
Ketorolac tromethamine	481
Khat	351

Definition	Code
Kief [sic]	682
Kif	682
Kiff, Kathmandu Temple	6099
Kit, Snake bite	6021
KJ	6026
Klonopin	246
KOOD12	3010
Kool Aid	558
Kool, Super	6095
LA, Entex	8061
Laced flower	6028
Lacquer thinner	505
Ladies, Pink	380
Lasix	8189
Laudanum	710
Laundry detergent	560
Lavendar <OTC>	8220
Laxative <OTC>	8006
Leak, Leaky	6041
Leaky leak	6041
Leather protector	546
Lebel 12	5013
Lemon 714	6076
Lemon Drops	693
Lemon), Cooking extracts (vanilla, etc. <OTC>	8145
Lemon, Pink	388
Lemons	352
Lens cleaner	542
Leptoprin <OTC>	3188
Leritine	469
Lettuce, Wild	1015
Levo-Dromoran	405
Levothyroxine	897
Levsin	2012
Lexapro	2011
Lexillium	2004
Lexomil	2004
Lexotan	2004
Liberty caps	6055
Librax	229
Librium	202
Lidocaine	8114
Life, Purple	6058
Lighter fluids	501
Lighter gases, not specified	544
Lilly red	4034
Limbitrol [see also 276]	203
Limbitrol DS [see also 203]	276
Lime salt	5025
Liniment, Yager's	8215

Definition	Code
Lion's tail	6013
Lip balm	5061
Lip gloss	5061
Lipitor	8158
Lipton tea bag, Smoked tea from	566
Liquid D-bol	8132
Liquid oxygen	543
Liquid Paper [see also 524]	509
Liquid TV (MTV)	522
Liquid vitamin <OTC>	848
Liquid, Iophen-C	4062
Liquid, Shoeshine	504
Lithium carbonate	240
Lithonate	240
Little birds, Collapsing	6001
Little crosses	384
Little pink ones	385
LoCarb Turbo <OTC>	3095
Locker room odorizer	506
Locoweed seeds	6049
Locoweeds	6049
Lodine	4005
LOLOY	559
Lomotil	8186
Loperamide	8159
Loradine	8027
Lorazepam	207
Lorcet Plus	434
Lorcet-HD	434
Lotion, rub, Pain reliever; not specified	4092
Lotusate	195
Loveboat	834
Lovely	681
Loxitane	275
Lozenge; type unspecified, Throat spray <OTC>	8014
LSA	6074
LSD	601
Lubricant, Oil; otherwise unspecified	5017
Lucky seven	6120
Luminal	153
Lunesta	1011
Luvox	294
M-33	4042
Ma Huang	3064
Maalox <OTC>	8013
Mad Bull	830
Mad dog	6110
Madderwort	6062
Magnum 44 <OTC>	333
Magnum, 357 <OTC>	333

Definition	Code
Maleate, Chlorphenamine	8138
Maleate, Chlorpheniramine	8138
Mandrakes	6131
Mandrax [see also 116]	138
Mandrix [see also 116]	138
Mantis root	6150
Marax	346
Marbaxin	223
Marezine	267
Marigold buttons	6064
Marijuana	803
Marinol	802
Marker, Burning/ignited permanent	5092
Markers	511
MarrJane [sic]	803
Mars	656
Mary Jane	803
Masking tape	5016
Matches	523
Matrix	6151
Max Alert	390
Maxair	3053
Maxalt	4041
Maxidone	434
Maximum impact	691
Mazanor	317
MCH	5015
MDA	614
MDEA	6125
MDMA	606
Meanies, Blue	163
Mebral	104
Meclizine	193
Medicated oil, Regal	8119
Medication, Asthma	8024
Medication, Blood pressure	844
Medication, Tylenol Cold <OTC>	8065
Medication; type unspecified; Anti-diarrhea	8217
Medicine with codeine, Cough	4031
Medicine, Cold <OTC>	843
Medicine, over-the-counter cough (contents unspecified) <OTC>	840
Medicine/syrup; type unspecified, Cough	8058
Meds; type unspecified; Attention deficit disorder	8218
Medusa	580
Meesha	6017
Mefenamic acid	498
Mega Teen <OTC>	8133
Mejoral	4057
MEK	5048

Definition	Code
Melatonin <OTC>	176
Melfiat	349
Mellaril	232
Mellow Yellow	651
Meloxicam	4102
Melted plastic	5019
Melumbrina	477
Melzone	182
Menrium	204
MeO-AMT, 5-	6135
Mepergan	458
Mepergan Fortis	458
Meperidine	407
Meprobamate	220
Meprozine	458
Meridia	3080
Mescaline	603
Metabolife <OTC>	3033
Metabolift <OTC>	3058
Metab-O-Lite <OTC>	3061
Metabolize and Save <OTC>	3059
Metamizol	4082
Metamizole	4082
Metformin	8134
Meth	322
Meth, Crystal	355
Methadone	418
Methadrostenol <OTC>	8084
Methamphetamine	322
Methane	5003
Methanol	5040
Methaqualone [see also 138]	116
Methazolamide	877
Methcathinone	3009
Methedrine	321
Methocarbamol	223
Methohexital	1012
Methoxisal	2014
Methoxy, Foxy	6130
Methoxy-7 <OTC>	8106
Methyl chloride	550
Methyl ethyl ketone	5048
Methylandlanamine	3005
Methylenedioxy amphetamine	614
Methylin	3102
Methyl-N-isopropyltryptamine, N-	6140
Methylphenethylamine, 2,5-dimethoxy-4-	6154
Methylphenidate	318
Methyltryptamine, Alpha-	6105
Met-Rx <OTC>	8148
Mickey	623

Definition	Code
Mickey Mouse club	623
Mickey mousers	623
Microdot(s)	622
Microdot, Green	622
Microdot, Purple	622
Midazolam	237
Midol <OTC>	466
Midrin	476
Mighty Quinn	6123
Migraine, Advil <OTC>	4085
Migraine, Excedrin <OTC>	4100
Miltown	212
Mimosa tree bark	6148
Mineral ice	587
Mini Thins	3050
Mini Two-way action <OTC>	3060
Miniwhties	3008
MIPT	6140
Mircette	873
Mirtazapine	295
Mist, Primatene <OTC>	3190
Mitsubishi	6093
Mixture, Brompton's solution/	4089
MJ	803
MMDA	6122
Mobic	4102
Modafinil	3090
Model glue	504
Mogadon	1009
Mold, Rye	6091
Moles [sic]	3025
Molly, Black	345
Molly, White	337
Molly; not otherwise specified	6114
Monkey dust	670
Monosodium glutamate (MSG) <OTC>	849
Montekulast	8136
Mormon tea	6124
Morning glory seeds	617
Morning glory tendrils	617
Morphidex	4080
Morphine	417
Moth balls	529
Motion sickness pill <OTC>	1002
Motor exhaust fumes, Gasoline	545
Motrin	422
Motrin IB <OTC>	4048
Mount queen	643
Mouse club, Mickey	623
Mousers, Mickey	623
Mouthwash	5171
Mr. Natural	633

Definition	Code
MS Contin	4037
MSG, Monosodium glutamate <OTC>	849
MTV, Liquid TV	522
Mulberry seeds/plant	6158
Muscle relaxers	2002
Muscle stimulator spray; contents unspecified	8170
Mushrooms	604
Mushrooms, Amanita	6132
Mushrooms, specifically not psilocybin	6094
My feet, Spider in	686
Mycelex	8143
Mylan(s); no other information	8210
Mylanta <OTC>	8062
Myoflex <OTC>	8023
Myprodol	4101
Mysoline	183
N, Darvocet-	427
Nabumetone	4035
Nail polish	526
Nail polish dryer	5065
Nail polish remover	518
Nails, Quick drying treatment for	5065
Nalbuphine	490
Nalfron	4013
Nandrolone Decanoate	8072
Nap, Fly	5007
Naphtha	5031
Naprelan	4063
Naprosyn	438
Naproxen	438
Nas	6016
Nasacort	8102
Nasal Inhalant	3007
Natacyn	8057
Natamycin ophthalmic	8057
Natural, Mr.	633
Naxen	438
Negros	5012
Nembutal	108
Neo-Melumbrina	477
Nepenthes	6116
Nervine <OTC>	128
Neurobion	8199
Neurobion, Dolo-	4104
Neurontin	8007
Nexium	8153
Nexus	698
Nicotine	818
Nightshade, Deadly	187
Nighttime, Tylenol Flu <OTC>	1014

Definition	Code
Nimesulide	4114
N-isopropyltryptamine, N-methyl-	6140
Nitrate, Isobutyl	506
Nitrate, Phenyl	527
Nitrazepam	1009
Nitrite, Amyl	506
Nitro, Blue	8060
Nitrogen	5032
Nitroglycerine	343
Nitrous oxide	508
Nivaquine	8139
N-methyl-N-isopropyltryptamine	6140
Noctec	117
No-Doz <OTC>	353
Nogirtronia	478
Noludar	107
Norateen	8178
Norco	434
Norephedrine <OTC>	3076
Norflex	462
Norgesic Forte	445
Norpramin	259
Nortab	250
Nortriptyline	250
Norvasc	8036
Novocain	454
Novoxapam	296
NS, Stadol	419
NSC	847
Nubain	490
Nuprin <OTC>	4018
Nut, Betel	3051
Nutmeg	639
Nutri-calm <OTC>	8034
NyQuil <OTC>	171
Nytol <OTC>	127
Obesin-L.A.	323
Obenil	3038
Octane booster	5021
Octanox	159
Odorizer, Locker room	506
Off, Goof	5073
Oil, Eucalyptus	5056
Oil, Honey	831
Oil, lubricant; otherwise unspecified	5017
Oil, Regal medicated	8119
Ointment, A & D <OTC>	8219
Olanzapine	289
Old paint	520
Ololiuhqui	6060
Omnadren	8221

Definition	Code
Ones wipes, Wet	5067
Ones, Little pink	385
Ons, Toilet bowl hook-	5085
OP 33	393
Opipramol	2005
Opium	703
Oramorph SR	4061
Orange	673
Orange barrel	657
Orange sunshine	624
Orfidal	207
Organidin with codeine	453
Orlistat	3079
Ortho Novum	873
Orudis	4001
Oruvail	4001
Other aerosol sprays besides spray paints	503
Other anesthetics besides halothane and ether	507
Other paint solvents besides lacquer thinner	505
Oven cleaner	551
Over-the-counter asthma pills; not otherwise specified <OTC>	8095
Over-the-counter cough medicine (contents unspecified) <OTC>	840
Over-the-counter diet pill; not otherwise specified <OTC>	3073
Over-the-counter drug/pills; type unspecified <OTC>	8110
Over-the-counter pain reliever; not otherwise specified <OTC>	4076
Over-the-counter stimulant; not otherwise specified <OTC>	3100
Owsley, Black	630
Owsley, Purple	631
Oxazepam	205
Oxcarbazepine	1006
Oxide, Nitrous	508
Oxycet	4072
Oxycodone or unspecified oxycodone products	4046
OxyContin	4067
Oxygen	543
Oxygen, Liquid	543
Oxy-IR	4117
Oxyprozin	4039
Ozone	5011
P.M., Excedrin <OTC>	181
P.M., Robitussin <OTC>	1007
P.M., Tylenol <OTC>	180

Definition	Code
P.O.T.C.	381
P2P	3081
Pack, Z-	8019
Pain reliever lotion, rub; not specified	4092
Pain reliever, Over-the-counter; not otherwise specified <OTC>	4076
Paint	520
Paint solvents other than lacquer thinner	505
Paint, Old	520
Paints, Spray	502
PAM	540
Pamelor	250
Pamprin <OTC>	4023
Pane, 4-way	625
Pane, Window	625
Paniolis	665
Panlor	4107
Pantopon	4115
Paper	5004
Paper, Acid	618
Paper, Liquid	509
Parafon Forte	4086
Paramethoxyamphetamine	6106
Paregoric	433
Paris 400	837
Paroxetine	283
Passion, Purple	6080
Paxil	283
Paxipam	210
PCB	260
PCP	605
PDR	491
Peach	6069
Peanut butter crank	368
Pedro, San	6078
Peels, Banana	678
Pee-pope	674
Peganento	569
Penicillin	820
Pens, Felt-tip	511
Pens, Ink	511
Pentobarbital	118
Pentothal	118
Pentothal, Sodium	118
Pentrexyl	821
Pep ups	3002
Pep, Diet <OTC>	3048
Pepcid	891
Pepcid AC <OTC>	8047
Peppies	3019
Pepto Bismol <OTC>	8094
Percocet	423

Definition	Code
Percodan	406
Percogesic <OTC>	4050
Permanent marker, Burning/ignited	5992
Peroxyl <OTC>	8059
Perphenazine	233
Pertussin spray	567
Peyote	602
Phen, Fen (fenfluramine and phentermine)	3015
Phenaphen 3	410
Phenaphen with codeine	410
Phenazepam	1016
Phencyclidine	605
Phendimetrazine	349
Phenergan	130
Phenergan with codeine	4116
Phenethylamine, 2-5-dimethoxy-4-ethyl-	6138
Phenethylamines; otherwise unspecified	6147
Phenobarbital	115
Phentemetrazine	349
Phentermine	313
Phentermine and fenfluramine, Fen-Phen	3015
Phenyl nitrate	527
Phenyl-2-propanone	3081
Phenylpropanolamine	347
Phloroglucinol	8204
Photographic development fluid	5081
Phrenilin Forte	4045
Pigface	6034
Pill, Over-the-counter diet; not otherwise specified <OTC>	3073
Pill, Sea/motion sickness pill <OTC>	1002
Pills	809
Pills, Apple cider and vinegar <OTC>	8109
Pills, Brown gel	4008
Pills, Caffeine <OTC>	3044
Pills, Diet	336
Pills, Energy	3027
Pills, Happy	4007
Pills, Heart-shaped black	357
Pills, Hyper	3040
Pills, Over-the-counter asthma; not otherwise specified <OTC>	8095
Pills, Sugar	8032
Pills, Vitamin <OTC>	848
Pills, Yellow tiny	668
Pills/antihistamine, Allergy; type unspecified	8009
Pills; Over-the-counter drug/; type unspecified <OTC>	8110
Pine-sol	5075

Definition	Code
Pink champagne	807
Pink crosses	398
Pink Floyd	642
Pink football	382
Pink hearts	328
Pink ladies	380
Pink lemon	388
Pink ones, Little	385
Pink roses	341
Pirbuterol	3053
Piriton <OTC>	8138
Piroxicam	4029
Pixie sticks	553
Placidyl	105
Plant, Belladonna	187
Plant; type unspecified, Herb, flower,	8011
Plastic, Amazing Elastic	5062
Plastic, Melted	5019
Plegine	310
Plus, Conex	8142
Plus, Lorcet	434
Plus, Pro <OTC>	8185
PMA	6106
Poles, Totem	4058
Polish dryer, Nail	5065
Polish remover, Nail	518
Polish, Furniture	573
Polish, Nail	526
Polyurethane spray	5030
Pondimin	314
Ponstel	498
Poppers	506
Pot	803
Potassium chloride	8098
Potpourri	599
Powder	8026
Powder, Baby	5170
Powder, Headache <OTC>	4049
Powder, White	3020
Powdered candy	531
Powdered cleansers; e.g. Ajax, Comet, Borax	5044
Precose	8211
Prednisone	8035
Preludin	311
Premarin	874
Pre-Sate	383
Pressure medication, Blood	844
Prevacid	8162
Prilosec	8032
Primatene Mist <OTC>	3190
Primatene tablets <OTC>	3003

Definition	Code
Primo	832
Primobolan	8081
Print, Ink	5004
Pro Plus <OTC>	8185
Procaine	454
Prochlorperazine	230
Prodolina	4082
Product, type unspecified; Protein-based weight gain	8222
Prolixin	262
PromAce	298
Promazine	192
Promethazine	130
Promethazine with codeine	4116
Propacet	4038
Propane	521
Propellant, Air brush	591
Propionate, Testosterone	8164
Propofol	1010
Propoxyphene	414
Propranolol	819
Propylene	898
Prosom	188
Protector, Leather	546
Protector, Suede	546
Protein-based weight gain product, type unspecified	8222
Proventil	377
Provera	8086
Provigil	3090
Provil <OTC>	4074
Prozac	241
Pseudoephedrine <OTC>	364
Psilocybin	604
Purell	5071
Purple Blast <OTC>	3072
Purple fingers	664
Purple footballs	382
Purple haze	637
Purple hearts	342
Purple life	6058
Purple microdot	622
Purple Owsley	631
Purple passion	6080
Purple pyramid	640
Purple rain	6066
Putty, Silly	5026
Putty, Wood	5037
PVC	5055
PVC Cleaner	5090
Pyramid, Purple	640
Pyridium	473

Definition	Code
Q'at	351
Quaalude [see also 138]	116
Queen	643
Queen, Mount	643
Quetiapine	178
Quick drying treatment for nails	5065
Quiet World <OTC>	194
Quinn, Mighty	6123
QV75, Trembolona	8212
R2	2007
Rabbit tobacco	822
Raid	554
Rain, Purple	6066
Rainbow speed	360
Ramstein	6033
Ranitidine	8213
Rave runners	577
Red and blues	184
Red Bull Energy Drink <OTC>	8209
Red cross	495
Red Dawn GHR Release <OTC>	8216
Red devil(s)	145
Red dragon	621
Red hearts	3030
Red, Lilly	4034
RedLine <OTC>	3103
Redotex	3083
Reds	129
Refrigerant	516
Regal medicated oil	8119
Relafin	4035
Relaxers, Muscle	2002
Release, Red Dawn GHR <OTC>	8216
Reliever lotion, rub, Pain; not specified	4092
Reliever, Over-the-counter pain; not otherwise specified <OTC>	4076
Remeron	295
Remover, Gum	5054
Remover, K2R Spot	509
Remover, Nail polish	518
Remover, Wart	5036
Repellant; type unspecified, Water	5076
Resin, Acrylic	6052
Resistol	5077
Resperidone	285
Restoril	112
Reynol [sic]	4024
Ricea	617
RID	690
Ridaura	4040

Definition	Code
Ringer, blue	281
Ripped fuel <OTC>	3036
Risperdal	285
Risperadol	285
Ritalin	318
Rivotril	246
RJ8	396
RJs, Black	396
Robaxin	223
Robaxisal	2014
Robin's eggs	329
Robins, Blue	330
Robinul	8082
Robitussin AC with codeine	480
Robitussin DM <OTC>	829
Robitussin Elixir	8001
Robitussin P.M. <OTC>	1007
Robo	8214
Robomol	223
Roche	268
Rock	806
Rock, Stud the	3012
Rocket fuel	629
Rohr 714	1008
Rohypnol	268
Roller, High	6050
Rolls	6073
Romilar, form unspecified	8208
Roofies	268
Room odorizer, Locker	506
Root	6030
Root, Belladonna	187
Root, Mantis	6150
Rope, Hemp	5096
Rorer	4027
Rorer 714	1008
Rose, Hawaiian wood	627
Rosebud seed tea, Hawaiian	628
Roses, Pink	341
Roxanol	417
Roxicet	4047
Roxicodone	4065
Roxilox	4068
Roxiprin	406
R-R	5008
Rub, Pain reliever lotion; not specified	4092
Rubber cement	504
Rubber, Burned	5050
Rubbing alcohol	548
Rue, Syrian	6111
Rufen	432
Runners, Rave	577

Definition	Code
Rush	506
Rush, Cobra	5005
Rx, Met- <OTC>	8148
Rye mold	6091
Sage, Diviner's	6043
Salflex	4075
Salsalate	4075
Salt, Lime	5025
Salvia divinorum	6043
San Pedro	6077
Sanitizer, Hand; contents unspecified	5049
Sanoma	2001
Sanorex	316
Sanzolol	8076
Saridone	4112
Sassafras tea	6005
Satan flower	6059
Save, Metabolize and <OTC>	3059
Schizophrenic; type unspecified; Anti-psychotics/	8085
Scooby snacks	6145
Scoop	6119
Scotch Brite	5094
ScotchGard	539
Sealant, Window	533
Sealants, Sealers/; type unspecified	5058
Sealers/sealants; type unspecified	5058
Seasickness pill <OTC>	1002
Secobarbital	119
Seconal	109
Sedalmerk	3106
Seducaps	198
Seed tea, Hawaiian rosebud	628
Seeds, Ginseng	635
Seeds, Hallucinogen	6004
Seeds, Hawaiian Woodrose	627
Seeds, Locoweed	6049
Seeds, Morning glory	617
Seeds/plant, Mulberry	6158
Seizures; type unspecified, Anti-	8195
Seldane	140
Seltzer, Alka <OTC>	8042
Separ-a	8052
Serax	205
Seroquel	178
Serzone	292
Seven, Lucky	6120
Shabu	6081
Shampoo	5172
Sharpies	511
Shellac	5079

Definition	Code
Sherm	612
Sherman	612
Shermstick	612
Shine, Tire	589
Shoeshine liquid	504
Shot, Flu; otherwise unspecified	8151
Shower cleaner, "The Works"	5095
Shrooms	604
Sibutramine	3080
Sickness pill, Sea/Motion <OTC>	1002
Silicone	5070
Silk	6057
Silly putty	5026
Silly String	5052
Silver chloride	8111
Simply Green	5066
Simply Sleep <OTC>	196
Sinequan	247
Sinex <OTC>	8051
Singulair	8136
Sinicuchi	6071
Sinus, Advil Cold and <OTC>	8070
Sinus, Tylenol <OTC>	8123
SK-65	403
Skelaxin	290
Skittles	6127
SK-Lygen	219
Skunk II	677
Slack	850
Sleep aid, Over-the-counter; not specified <OTC>	122
Sleep, Simply <OTC>	196
Sleepettes <OTC>	132
Slim Fast <OTC>	8046
Slime, Banana slug	6097
Slimquick <OTC>	3104
Slug slime, Banana	6097
Smack	706
Smilies	4009
Smoke from a fire	5068
Smoked tea from Lipton tea bag	566
Smokeless tobacco	816
Smoking; not otherwise specified	8118
Snacks, Scooby	6145
Snake bite kit	6021
Snake venom	6142
Snow	884
Snuff	816
Soap	560
Soccerballs	3029
Soda, Baking	5169
Sodium barbital	156

Definition	Code
Sodium pentothal	118
Soft drink bottle, Carbon from empty	586
Sol, Pine	5075
Solpadeine	4093
Solution/mixture, Brompton's	4089
Solvent, Dry cleaning fluid/	5084
Solvents, Paint, other than lacquer thinner	505
Soma	2001
Somatech	8099
Sominex <OTC>	126
Sonata	189
Sopor [see also 138]	116
Sorbitol	8049
Sostenon	8090
Spancap	3067
Spanish fly	886
Spasfon	8204
Spasmoproxyn	4078
Special K	658
Speckleberry	3034
Speckled birds	330
Speckled eggs	329
Speed, Rainbow	360
Speed, Truck driver's	3049
Speed; otherwise unspecified	3052
Speedball (heroin + cocaine)	705
Spider in my feet	686
Spiny apples	6054
Spirits of ammonia	542
Spook	6136
Spot remover, K2r	509
Spray	687
Spray O Buzz	5014
Spray paints	502
Spray, Axe body	5078
Spray, Pertussin	567
Spray, Polyurethane	5030
Spray, Tattoo Goo Color Guard	5089
Spray/lozenge, Throat; type unspecified <OTC>	8014
Spray; contents unspecified, Muscle stimulator	8170
Sprays, other than spray paints, Aerosol	503
SR, Oramorph	4061
St. John's Wort <OTC>	8183
Stacker 2 <OTC>	8093
Stacker 3 <OTC>	8093
Stadol	419
Stadol NS	419
Stagesic	4036
Stanozolol	8076

Definition	Code
Starting fluid	594
Stay Alert Stimulant, Dexitac <OTC>	3101
Stay awakes <OTC>	3045
Stay Trim <OTC>	3074
Stelazine	226
Steroids	824
Stick, Happy	612
Stick, Thai	645
Stick, Wicki	857
Sticks, Pixie	553
Stimulant, Dexitac Stay Alert <OTC>	3101
Stimulant; not otherwise specified, Over-the-counter <OTC>	3100
Stimulants, Homemade	3062
Stimulator spray, Muscle; contents unspecified	8170
Stingers, Super <OTC>	3088
STP	636
Stramonium, Datura	650
Straterra	3087
Strawberry whip cream	252
String, Silly	5052
Stripper, Floor wax	5074
Stropharia	669
Strychnine	6031
Stud 100	3012
Stud the rock	3012
Stuff, Hard	817
Sublimaze	465
Suboxone	4109
Sucralfate	892
Sudafed <OTC>	3047
Suede protector	546
Sufenta	4118
Sugar	531
Sugar cubes	6079
Sugar pills	8031
Sumatriptan	4002
Suncrush	672
Sunshine	624
Sunshine, Orange	624
Sunshine, Yellow	624
Super cool	6095
Super Glue	504
Super K	6042
Super kool	6095
Super Stingers <OTC>	3088
Super X	6006
Supercaps	3093
Supplements, Dietary; otherwise unspecified	8171
Suprax	4066

Definition	Code
Sur-noxem	5033
Sustanol	8089
Sustanon	8090
Sustiva	8105
Sweet flag	6133
Synalgos	447
Synalgos DC	447
Synatan	3070
Syncol	4071
Synthetic heroin	4088
Synthroid	897
Syrian rue	6111
Syrup; type unspecified, Cough medicine/	8058
T3	8167
T7	6100
Tabcin <OTC>	8146
Tablets, Cold	843
Tablets, garlic <OTC>	8041
Tablets, Primateine <OTC>	3003
Tabs, Gel	6044
TAC	376
Tafil	209
Tagamet	895
Tail, Lion's	6013
Tailpipe exhaust fumes, Car	545
Talacen	413
Talbutal	195
Tally	568
Talwin	411
Talwin NX	412
Tape, Adhesive	5016
Tape, Masking	5016
Tar heroin, Black	707
Tartrate, Butorphanol	4087
Taters	6157
Tattoo Goo Color Guard Spray	5089
Tavist D <OTC>	8050
TCL	585
TCP	6092
Tea, Hawaiian rosebud seed	628
Tea, Mormon	6124
Tea, Sassafras	6005
Tee [sic], Water	179
Teen, Mega <OTC>	8133
Tee's	4077
Tee's and b's	457
Tegretol	4011
Telithromycin	8155
Temazepam	112
Temgesic	4073

Definition	Code
Temple, Kiff Kathmandu	6099
Tendrils, Morning glory	617
Tennis balls	5087
Tenuate	307
Tepanil	308
Tequila worm	6022
Terbutaline	3031
Terpin hydrate	8207
Terpin Hydrate with codeine	4103
Test 250 <OTC>	8113
Testosterona 200	8103
Testosterone	8067
Testosterone Cypronate	8083
Testosterone Enanthate	8206
Testosterone Propionate	8164
Tetrachloroethene	5080
Tetracycline	828
Tetrafluoroethylene	5047
Teveten	8160
Thai stick	645
THC	802
The Works shower cleaner	5095
Theo-Dur	825
Theophed	3039
Theophylline	8048
TheraFlu <OTC>	8169
Thermadrene <OTC>	8104
Thermicore <OTC>	8096
Thermo Carb <OTC>	3085
Thermochrome 5000 <OTC>	8037
Thermogenics; otherwise unspecified <OTC>	8152
Thinner, Lacquer	505
Thins, Mini	3050
Thiopental	118
Thorazine	227
Thorn apple	650
Throat spray/lozenge; type unspecified <OTC>	8014
Tic	619
Tiletamine	6149
Tina	3089
Tiny pills, Yellow	668
Tire inflator	5173
Tire shine	589
Tish	6104
TMA	6156
Toad	660
Toad licking	660
Tobacco, Chewing	816
Tobacco, Rabbit	822
Tobacco, Smokeless	816

Definition	Code
Tobacco, type unspecified	813
Tofranil	284
Toilet bowl hook-ons	5085
Tolectin	467
Toluene	504
Toluol	517
Tombstones	4094
Toothpicks	6053
Topamax	197
Topiramate	197
Tops and bottoms	457
Tops, Cross	334
Toradol	481
Torbutrol	4087
Tornado	574
Torzien	270
Totem poles	4058
Tramadol	4043
Tranquilizer, Animal	663
Tranquilizer, Horse	663
Transmission fluid	5059
Tranxene	206
Trazodone hydrochloride	225
Treatment for nails, quick drying	5065
Tree bark, Mimosa	6148
Tree(s), Christmas	374
Trembolona QV75	8212
Trenbol	8122
Trenbolone	8212
Triamcinolone	8102
Triaminic <OTC>	8064
Triavil	224
Triazolam	113
Trichloroethane	565
Trichloronitrate	597
Trifluoperazine HCl	226
Tri-iodothyronine	8167
Trilafon	233
Trileptal	1006
Trim, Stay <OTC>	3074
Trimethoxyamphetamine	6156
TrimSpa <OTC>	8176
Trinity	6075
Trioxsalen	8040
Triple "S"	4030
Triple C <OTC>	6083
Triplets	6038
Trips	6038
Triptaneve [sic]	6051
Truck driver's speed	3049
Trumpet flowers	6078
Trumpets, Angel	695

Definition	Code
Tryptamine, Di-isopropyl-	6144
Tryptamine, not otherwise specified	6051
Tryptophan	245
T's and blues	457
TSP	6032
Tuinal	110
Tums <OTC>	8030
Tuner, TV	522
Turbo, LoCarb <OTC>	3095
Tussionex	4097
TV (MTV), Liquid	522
TV Tuner	522
TV11Y	522
Tweek	3013
Two-way Action, Mini <OTC>	3068
Tylenol <OTC>	435
Tylenol 3	409
Tylenol 4	409
Tylenol Allergy <OTC>	8205
Tylenol Cold Medication <OTC>	8065
Tylenol Extra-Strength <OTC>	435
Tylenol Flu <OTC>	8146
Tylenol Flu Nighttime <OTC>	1014
Tylenol P.M. <OTC>	180
Tylenol Sinus <OTC>	8123
Tylenol with codeine	409
Tylex	4093
Tylox	431
Typewash	509
Tywall	5038
Ultracet	4083
Ultram	496
Unicorn	634
Unisom <OTC>	123
Up You(r) Gas	3054
Up, Heads	3032
Up-johns	3018
Uppers	324
Ups, Head	3032
Ups, Pep	3002
Uptime	3014
Valdecoxib	4096
Valerian <OTC>	1004
Valium	201
Valproic acid	894
Valsartan	8107
Valtrex	8126
Vanilla), Cooking extracts (lemon, etc. <OTC>	8145
Vapors, Isopropanol	548

Definition	Code
VapoRub, Vicks <OTC>	8056
Venom, Snake	6142
Ventolin	377
Ventrex [sic]	4026
Venus	6067
Verapamil	8135
Versed	237
Verstran	266
Viagra	8066
Vicks 44 <OTC>	8115
Vicks VapoRub <OTC>	8056
Vicodin	434
Vicoprofen	4033
Vilca	6134
Vinegar pills, Apple cider and <OTC>	8109
Vioxx	4055
Viserol [sic]	4025
Vistaril	215
Vitamin K	8078
Vitamin pills <OTC>	848
Vitamin, Liquid <OTC>	848
Vivactil	263
Vivarin <OTC>	354
Voranil	315
Wafers	173
Wak [sic]	852
Wart remover	5036
Water	6047
Water pills	865
Water repellant; type unspecified	5076
Water tee [sic]	179
Watson(s); no other information	8201
Wax, Floor	5029
Way pane, 4-	625
WD-40	582
Weed	803
Weed, Ginseng	635
Weight gain product, type unspecified; Protein-based	8222
Wellbutrin	3026
Wet	6056
Wet cement	5020
Wet Ones wipes	5067
Whack	852
Whip cream, Strawberry	252
Whipped-cream can	528
Whippets	508
White cross	326
White girl	8166
White molly	337
White powder	3020

Definition	Code
White-Out	524
Whites	331
Wicki stick	857
Widows, Black	139
Wild lettuce	1015
Window	625
Window cleaner, Glass/	5046
Window pane	625
Window sealant	533
Winstrol	8076
Wipes, Wet Ones	5067
Wonderland, Alice in	6101
Wood alcohol	5040
Wood filler	5037
Wood putty	5037
Wood rose, Hawaiian	627
Woodrose seeds, Hawaiian	627
Works" shower cleaner, "The	5095
World, Quiet <OTC>	194
Worm, Agave	6022
Worm, Tequila	6022
Wormwood	6062
Wort, St. John's <OTC>	8183
Wound gel, Biolex <OTC>	8150
Wygesic	404
X	606
X, 2C-	6143
X, Super	6006
Xanax	209
Xanax bars	209
Xanax XR	2016
Xenadrine <OTC>	3056
Xenical	3079
XR, Adderall	3086
XR, Xanax	2016
XR, Zanax	2016
X-TC	606
Xylocaine	8187
Yaba	3096
Yage	683
Yager's liniment <OTC>	8215
Yellow jackets	124
Yellow jell	6025
Yellow sunshine	624
Yellow tiny pills	668
Yellow zombies	164
Yellow, Mellow	651
Yesca	8003
YLOALE	881
Yohimbe	3023

Definition	Code
Yopo	6134
You(r) Gas, Up	3054
Zanaflex	8097
Zanies	2003
Zannies	2003
Zans	2003
Zantac	8002
Zantac 75 <OTC>	8130
Zany bars	2003
Zentro [sic]	3025
Zestril	257
Ziprasidone	2012
Zithromax	8019
Zofran	8184
Zolmitriptan	4059
Zoloft	271
Zolpidem	174
Zomax	4054
Zombies, yellow	164
Zomig	4059
Zonick	666
Zopiclone	1005
Z-pack	8019
Zyban	3026
Zydome	434
Zyprexa	289
Zyrtec	8010

APPENDIX B

Consolidated Drug Other Specify Tables

Tabulation of OVERALL Drug Other Specifies

**Drug Codes for Open-Ended Questions
(2006 NSDUH)**

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
103	Amytal	1	0.02
105	Placidyl, Ethchlorvynol	4	0.08
106	Doriden	2	0.04
108	Nembutal	1	0.02
109	Seconal	6	0.13
110	Tuinal	6	0.13
111	Dalmane, Flurazepam	1	0.02
112	Restoril, Temazepam	2	0.04
113	Halcion, Triazolam	2	0.04
115	Phenobarbital	5	0.11
116	Methaqualone, Sopor, Quaalude	44	0.93
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	11	0.23
121	USED SEDATIVE, DON'T KNOW NAME	1	0.02
123	Unisom <OTC>	2	0.04
124	Yellow jackets	7	0.15
126	Sominex <OTC>	1	0.02
129	Reds	7	0.15
130	Phenergan, Promethazine	3	0.06
131	Haldol, Haloperidol	1	0.02
142	Belladonna	3	0.06
157	Barbiturates	3	0.06
171	NyQuil <OTC>	10	0.21
174	Ambien, Zolpidem	127	2.69
178	Quetiapine, Seroquel	40	0.85
180	Tylenol P.M. <OTC>	10	0.21
196	Simply Sleep <OTC>	2	0.04
197	Topamax, Topiramate	2	0.04
201	Valium, Diazepam	121	2.57
202	Librium, Chlordiazepoxide HCl	5	0.11
206	Tranxene	1	0.02
207	Ativan, Lorazepam, Orfidal	15	0.32
209	Xanax, Alprazolam, Tafil, Xanax bars	207	4.39

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
211	Buspar	3	0.06
216	Atarax, Hydroxyzine	1	0.02
221	OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	8	0.17
223	Carbacot, Marbaxin, Methocarbamol, Robaxin	6	0.13
225	Desyrel, Trazodone hydrochloride	27	0.57
227	Thorazine	6	0.13
228	Amitriptyline, Elavil	10	0.21
230	Compazine, Prochlorperazine	1	0.02
232	Mellaril	1	0.02
234	Flexeril, Cyclobenzaprine	33	0.70
237	Dormicum, Hypnovel, Midazolam, Versed	1	0.02
240	Lithium carbonate, Lithonate	3	0.06
241	Prozac, Fluoxetine	4	0.08
246	Clonazepam, Diocam, Klonopin, Rivotril	37	0.78
250	Aventyl, Nortab, Nortriptyline, Pamelor	1	0.02
267	Marezine	1	0.02
268	Rohypnol, Flunitrazepam, roche, roofies	7	0.15
271	Zoloft	14	0.30
280	Ketaset	2	0.04
283	Paroxetine, Paxil	2	0.04
285	Risperdal, Risperidol, Resperidone	2	0.04
289	Olanzapine, Zyprexa	1	0.02
290	Skelaxin	3	0.06
291	Celexa	2	0.04
295	Mirtazapine, Remeron	2	0.04
301	Dexedrine	3	0.06
304	Benzedrine	2	0.04
307	Tenuate, Diethylpropion	2	0.04
311	Preludin	3	0.06
312	Ionamin	2	0.04
313	Fastin, Phentermine, Adipex-P	13	0.28
318	Ritalin, Methylphenidate	37	0.78
320	Dextroamphetamine	3	0.06
322	Methamphetamine ('ice' or 'crank'), Meth	122	2.59

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
324	Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	19	0.40
326	White cross	15	0.32
327	Black beauties, black beauty	16	0.34
328	Pink hearts	2	0.04
329	Bird's eggs, robin's eggs, speckled eggs	6	0.13
330	Blue birds, blue jays, blue robins, speckled bird	1	0.02
331	Blancs, whites	4	0.08
332	Ephedrine	12	0.25
333	357 Magnum, Magnum 44 <OTC>	1	0.02
334	Crossroads, cross tops	11	0.23
335	Dexatrim <OTC>	3	0.06
336	Diet pills	3	0.06
339	Amphetamines	2	0.04
344	Bennies	1	0.02
348	Crystal	9	0.19
351	Cathinone, cat, khat, Q'at	2	0.04
353	No-Doz <OTC>	5	0.11
355	Crystal meth	17	0.36
374	Christmas tree(s)	1	0.02
377	Albuterol, Proventil, Ventolin	5	0.11
382	Footballs, purple footballs	1	0.02
401	Darvon	3	0.06
406	Percodan, Roxiprin	2	0.04
407	Demerol, Meperidine	10	0.21
408	Dilaudid, Hydromorphone	23	0.49
409	Tylenol with codeine, Tylenol 3, Tylenol 4	15	0.32
410	Phenaphen with codeine, Phenaphen 3	1	0.02
411	Talwin	3	0.06
412	Talwin NX	1	0.02
414	Propoxyphene	1	0.02
415	Codeine	25	0.53
417	Morphine, Roxanol	47	1.00
418	Methadone, Dolophine	22	0.47
419	Stadol, Stadol NS	1	0.02

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
420	OTHER Analgesic, NOT OTHERWISE SPECIFIED	52	1.10
421	USED ANALGESIC, DON'T KNOW NAME	1	0.02
422	Motrin	48	1.02
423	Percocet	37	0.78
424	Fioricet	1	0.02
425	Advil <OTC>	109	2.31
427	Darvocet, Davocet-N	7	0.15
430	Aspirin, Ecotrin, Empirin <OTC>	26	0.55
431	Tylox	8	0.17
434	Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	146	3.10
435	Tylenol, Tylenol Extra-Strength <OTC>	92	1.95
438	Anaprox, Naprosyn, Naproxen, Naxen	16	0.34
439	222, Canadian 222	1	0.02
442	Ibuprofen	90	1.91
444	Aspirin with codeine, Empirin 3	2	0.04
450	Acetaminophen <OTC>	6	0.13
457	T's and blues, tee's and b's, tops and bottoms	1	0.02
458	Finalin, Mepergan, Mepergan Fortis, Meprozine	4	0.08
465	Fentanyl, Duragesic, Sublimaze	19	0.40
466	Midol <OTC>	9	0.19
468	Excedrin <OTC>	8	0.17
476	Duradrin, Isocom, Midrin	3	0.06
477	Melumbrina, Neo-Melumbrina	2	0.04
481	Acular, Dolac, Ketorolac tromethamine, Toradol	1	0.02
490	Nalbuphine, Nubain	6	0.13
496	Ultram	5	0.11
499	Aleve <OTC>	15	0.32
501	Gasoline or lighter fluids	16	0.34
502	Spray paints	7	0.15
503	Other aerosol sprays	50	1.06
504	Shoeshine liquid, glue, or toluene	19	0.40
505	Lacquer thinner or other paint solvents	3	0.06
506	Amyl nitrite,'poppers,'locker room odorizer,'rush'	9	0.19
507	Halothane, ether, or other anesthetics; chloroform	3	0.06

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
508	Nitrous oxide, 'whippets,' dentist gas	25	0.53
509	Correction fluids, degreasers, cleaning fluids	3	0.06
510	OTHER Inhalant, NOT OTHERWISE SPECIFIED	17	0.36
511	Markers, felt-tip pens, ink pens	167	3.54
516	Freon, refrigerant	27	0.57
518	Acetone, nail polish remover	15	0.32
519	Helium	26	0.55
520	Old paint, paint	2	0.04
521	Propane	1	0.02
524	White-Out	33	0.70
525	Butane	1	0.02
526	Nail polish	24	0.51
528	Whipped-cream can	20	0.42
531	Candy, powdered candy, sugar	1	0.02
534	Deodorant	2	0.04
539	Scotch-Gard	2	0.04
540	PAM	4	0.08
542	Brasso, lens cleaner, spirits of ammonia	2	0.04
543	Liquid oxygen, oxygen	1	0.02
545	Car tailpipe exhaust fumes, CO	2	0.04
548	Cologne, isopropanol vapors, rubbing alcohol	8	0.17
560	Diswashing detergent, laundry detergent, soap	1	0.02
582	WD-40	1	0.02
586	Carbon from empty soft drink bottle	1	0.02
590	Canned air, compressed air	4	0.08
591	Air brush propellant	1	0.02
592	Computer air duster, computer cleaner, dust-off	100	2.12
594	Starting fluid	2	0.04
599	Potpourri	2	0.04
601	LSD ('acid')	83	1.76
602	Peyote	1	0.02
603	Mescaline	8	0.17
604	Psilocybin (mushrooms), shrooms	56	1.19
605	PCP ('angel dust,' phencyclidine)	7	0.15

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
606	'Ecstasy' (MDMA), X-TC, 'X'	13	0.28
607	OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	50	1.06
609	Jimson weed	8	0.17
611	Greens	1	0.02
612	Happy stick, sherm, sherman, shermstick	4	0.08
614	MDA, Methylenedioxy amphetamine	10	0.21
616	DET, Dimethyltryptamine, DMT	27	0.57
617	Morning glory seeds, morning glory tendrils, ricea	9	0.19
618	Acid paper, blotter (acid)	7	0.15
622	Microdot(s), green microdot, purple microdot	12	0.25
624	Orange sunshine, sunshine, yellow sunshine	3	0.06
625	Window, window pane, 4-way pane	5	0.11
627	Hawaiian wood rose, Hawaiian Woodrow seeds	4	0.08
636	DOM, STP	1	0.02
637	Purple haze	1	0.02
639	Nutmeg, Mace	6	0.13
645	Thai stick	2	0.04
650	Datura stramonium, daytura, thorn apple	6	0.13
658	Special K, Ketamine	78	1.65
663	Animal tranquilizer, horse tranquilizer	5	0.11
678	Banana peels	1	0.02
679	Hell bells	1	0.02
695	Angel's trumpet	5	0.11
698	2-CB, Nexus	11	0.23
701	OTHER Opiates, NOT OTHERWISE SPECIFIED	1	0.02
702	Heroin	29	0.62
703	Opium	16	0.34
704	Dope	3	0.06
705	Speed Ball (heroin + cocaine)	3	0.06
707	Black tar heroin	2	0.04
709	Poppy	1	0.02
801	OTHER Drugs, NOT OTHERWISE SPECIFIED	12	0.25
802	THC, cannabinol, marinol	5	0.11
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	48	1.02

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
804	Hashish	2	0.04
805	Cocaine, coca, cocaina, coke	51	1.08
806	Crack, rock	19	0.40
807	Alcohol, beer, ethanol, EtOH, pink champagne	20	0.42
809	Pills	1	0.02
813	Cigarettes, tobacco (type unspecified)	5	0.11
814	Caffeine <OTC>	3	0.06
816	Smokeless tobacco, snuff, chewing tobacco	1	0.02
820	Penicillin	5	0.11
821	Amoxicillin, Ampicillin, Pentrexly	4	0.08
824	Steroids	22	0.47
829	Robitussin DM <OTC>	27	0.57
840	Over-the-counter-cough med(contnts unspec) <OTC>	2	0.04
841	Allerest <OTC>, Contac <OTC>	1	0.02
843	Cold medicine, cold tablets <OTC>	3	0.06
847	GHB, NSC	5	0.11
848	Liquid vitamin, vitamin pills <OTC>	3	0.06
852	Formaldehyde, wak, whack (embalming fluid)	2	0.04
858	Antibiotic	1	0.02
876	Glass	1	0.02
883	Dextromethorphan Hydrobromide <OTC>	12	0.25
896	Catapres, Clonidine	4	0.08
900	Not a drug	3	0.06
1001	Benadryl, Diphenhydramine <OTC>	12	0.25
1002	Dimenhydrinate,Dramamine,sea/motion sickness <OTC>	37	0.78
1004	Valerian <OTC>	1	0.02
1006	Trileptal, Oxcarbazepine	1	0.02
1011	Lunesta	14	0.30
1013	Ambien CR	4	0.08
1014	Tylenol Flu Nighttime <OTC>	1	0.02
1016	Phenazepam	1	0.02
2001	Sanoma, Soma, Carisoprodol	42	0.89
2002	Muscle relaxers	19	0.40
2003	Zanies, zannies, zans, zany bars	4	0.08

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
2011	Lexapro	6	0.13
2016	Xanax XR	3	0.06
3017	Dayquil <OTC>	2	0.04
3023	Adderall	368	7.80
3026	Bupropion, Wellbutrin, Zyban	5	0.11
3033	Metabolife <OTC>	1	0.02
3036	Ripped fuel <OTC>	1	0.02
3044	Caffeine pills <OTC>	2	0.04
3047	Sudafed <OTC>	4	0.08
3052	Speed; otherwise unspecified	31	0.66
3055	Clenbuterol	2	0.04
3056	Xenadrine <OTC>	2	0.04
3060	Hydroxycut <OTC>	5	0.11
3064	Ephedra, Ma Huang	2	0.04
3077	Concerta	15	0.32
3087	Strattera	2	0.04
3089	Christina, Tina	1	0.02
3094	Dexmethylphenidate, Focalin	3	0.06
3098	Zantrex 3 <OTC>	1	0.02
3101	Dexitac Stay Alert Stimulant <OTC>	1	0.02
3102	Methylin	1	0.02
3103	RedLine <OTC>	1	0.02
3104	Slimquick <OTC>	1	0.02
3105	Affinato	2	0.04
3106	Sedalmerk	1	0.02
3107	Guarana <OTC>	1	0.02
4002	Imitrex, Sumatriptan	4	0.08
4005	Etodolac, Lodine	1	0.02
4023	Pamprin <OTC>	1	0.02
4024	Reynol	1	0.02
4031	Cough medicine with codeine	6	0.13
4033	Vicoprofen	4	0.08
4035	Nabumetone, Relafin	3	0.06
4037	Kadian, MS Contin	2	0.04

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
4039	Daypro	1	0.02
4041	Maxalt	1	0.02
4043	Tramadol	6	0.13
4044	Hydrocodone	41	0.87
4045	Dolgic, Phrenillin Forte	1	0.02
4046	Oxycodone or unspecified oxycodone products	25	0.53
4047	Roxicet	9	0.19
4049	Headache power <OTC>	2	0.04
4051	Celebrex	4	0.08
4055	Vioxx	5	0.11
4056	Cataflam, Diclofenac	6	0.13
4057	Mejoral	1	0.02
4058	Totem poles	3	0.06
4065	Roxicodone	3	0.06
4067	OxyContin	87	1.85
4076	OTC Pain reliever; not otherwise specified <OTC>	2	0.04
4083	Ultracet	6	0.13
4088	Synthetic heroin	1	0.02
4093	Tylex, Solpadeine	1	0.02
4096	Bextra, Valdecoxib	1	0.02
4099	Anacin <OTC>	1	0.02
4105	Hydrocodone with APAP; otherwise unspecified	1	0.02
4109	Suboxone	5	0.11
4111	Clinoril	1	0.02
4112	Saridone	1	0.02
4114	Nimesulide	1	0.02
4115	Pantopon	1	0.02
4117	Oxy-IR	1	0.02
4118	Sufenta	1	0.02
4119	Buprenorphine	1	0.02
5004	Ink print, paper	1	0.02
5020	Wet cement	1	0.02
5021	Octane booster	1	0.02
5022	Carbon dioxide, CO2, dry ice hits	2	0.04

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
5024	Candle, citronella candle	1	0.02
5028	Carburetor cleaner, engine cleaner	3	0.06
5032	Nitrogen	1	0.02
5036	Wart remover	1	0.02
5037	Wood filler, wood putty	1	0.02
5044	Powdered cleansers; e.g. Ajax, Comet, Borax	1	0.02
5045	Cleaner; not otherwise specified	1	0.02
5049	Hand sanitizer; contents unspecified	4	0.08
5051	Hair chemicals	1	0.02
5052	Silly String	1	0.02
5053	Electronics cleaner	2	0.04
5054	Gum freezer, gum remover	1	0.02
5077	Resistol	2	0.04
5078	Axe body spray	3	0.06
5088	Jungle juice	2	0.04
5089	Tattoo Goo Color Guard Spray	1	0.02
5090	PVC Cleaner	1	0.02
5091	Germ-X	1	0.02
5093	Goo Gone	1	0.02
5095	'The Works' shower cleaner	1	0.02
6010	Atrepabelladona (flower)	1	0.02
6029	DXM	46	0.98
6043	Diviner's sage, Salvia divinorum	125	2.65
6044	Gel caps, gel tabs	7	0.15
6047	Water	1	0.02
6048	Dex	2	0.04
6051	Tryptamine, not otherwise specified	1	0.02
6056	Wet	1	0.02
6061	5-MeO-DMT	5	0.11
6062	Madderwort, wormwood	2	0.04
6074	LSA	12	0.25
6076	Lemon 714	1	0.02
6077	San Pedro	2	0.04
6079	Sugar cubes	1	0.02

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
6083	CCC, 'Triple C,' C3 <OTC>	17	0.36
6096	Bananadine	1	0.02
6100	2C-T-7, T7	4	0.08
6102	Absinthe	11	0.23
6103	Ayahuasca	4	0.08
6105	Alpha-methyltryptamine, AMT, IT-290, 3-IT	7	0.15
6106	Paramethoxyamphetamine, PMA	1	0.02
6112	2C-T-2	2	0.04
6114	Molly; not otherwise specified	1	0.02
6115	Foxy	3	0.06
6126	2,5-Dimethoxy-4-Iodophenethylamine, 2C-I	17	0.36
6127	Skittles	2	0.04
6130	5-MeO-DiPT, foxy methoxy	2	0.04
6132	Amanita mushrooms, fly agaric	1	0.02
6135	5-MeO-AMT	1	0.02
6138	2C-E, 2-5-dimethoxy-4-ethyl-phenethylamine	5	0.11
6141	DPT, Dipropyltryptamine	1	0.02
6144	DiPT, Di-isopropyl-tryptamine	1	0.02
6149	Tiletamine	1	0.02
6153	Asthmador	1	0.02
6154	2,5-Dimethoxy-4-Methylphenethylamine, 2C-D	1	0.02
6155	5-MeO-T, 5-methoxytryptamine	1	0.02
6156	TMA, Trimethoxyamphetamine	1	0.02
6157	Taters	1	0.02
6158	Mulberry seeds/plant	1	0.02
8002	Zantac	9	0.19
8007	Gabapentin, Neurontin	1	0.02
8008	Antidepressant; type unspecified	2	0.04
8009	Allergy pills/antihistamine; type unspecified	4	0.08
8010	Zyrtec, cetirizine	3	0.06
8011	Herb, flower, plant; type unspecified	6	0.13
8012	Coricidien <OTC>	47	1.00
8014	Throat spray/lozenge; type unspecified <OTC>	1	0.02
8020	Allegra, Altiva	2	0.04

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
8024	Asthma inhaler,asthma medication,bronchial dilator	15	0.32
8025	Claritin, Claritin D <OTC>	1	0.02
8026	Powder	1	0.02
8030	Tums <OTC>	1	0.02
8041	Garlic, garlic oil, garlic tablets <OTC>	1	0.02
8042	Alka Seltzer <OTC>	2	0.04
8044	Cephalexin, Keflex	1	0.02
8056	Vicks VapoRub <OTC>	2	0.04
8058	Cough medicine/syrup; type unspecified	14	0.30
8061	Entex LA	1	0.02
8067	Testosterone	4	0.08
8072	Deca-Durabolin, Nandrolone Decanoate	2	0.04
8075	Effergin <OTC>	1	0.02
8081	Primobolan	1	0.02
8085	Anti-psychotics/schizophrenic; type unspcfcd	2	0.04
8088	Dianabol	1	0.02
8093	Stacker 2/Stacker 3 <OTC>	6	0.13
8094	Pepto Bismol <OTC>	4	0.08
8100	Kava Kava <OTC>	1	0.02
8110	Over-the-counter drug/pills; type unspecified<OTC>	3	0.06
8113	Test 250 <OTC>	1	0.02
8114	Lidocaine	1	0.02
8118	Smoking; not otherwise specified	1	0.02
8135	Verapamil	1	0.02
8151	Flu shot; otherwise unspecified	1	0.02
8164	Testosterone propionate	1	0.02
8176	TrimSpa <OTC>	2	0.04
8186	Lomotil	1	0.02
8192	Delsym <OTC>	1	0.02
8197	Chronic	1	0.02
8198	Handle bars, handlebars	2	0.04
8200	Dan(s), Dan Dan(s); no other information	2	0.04
8201	Watson(s); no other information	3	0.06
8202	Intal, Nasalcrom	1	0.02

Tabulation of OVERALL Drug Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All Drugs Specified
8203	Bar; otherwise unspecified	4	0.08
8206	Delatestryl, Testosterone Enanthate	1	0.02
8209	Red Bull Energy Drink <OTC>	1	0.02
8210	Mylan(s); no other information	3	0.06
8211	Precose	2	0.04
8212	Finaplix Gold, Trembolona QV75, Trenbolone	1	0.02
8213	Ranitidine	1	0.02
8216	Red Dawn GHR Release <OTC>	1	0.02
8217	Anti-diarrhea medication; type unspecified	1	0.02
8218	Attention deficit disorder meds; type unspcfcd	1	0.02
8221	Omnadren	1	0.02
8223	Chocolate	1	0.02

Tabulation of INHALANT Other Species

Drug Code	Drug Name	Number of Times Mentioned in Other Species	% Of All INHALANT Drugs Specified
209	Xanax, Alprazolam, Tafil, Xanax bars	1	0.17
377	Albuterol, Proventil, Ventolin	4	0.69
435	Tylenol, Tylenol Extra-Strength <OTC>	1	0.17
501	Gasoline or lighter fluids	4	0.69
503	Other aerosol sprays	47	8.15
504	Shoeshine liquid, glue, or toluene	12	2.08
505	Lacquer thinner or other paint solvents	2	0.35
506	Amyl nitrite,'poppers,'locker room odorizer,'rush'	8	1.39
508	Nitrous oxide, 'whippets,' dentist gas	7	1.21
509	Correction fluids, degreasers, cleaning fluids	3	0.52
510	OTHER Inhalant, NOT OTHERWISE SPECIFIED	11	1.91
511	Markers, felt-tip pens, ink pens	164	28.42
516	Freon, refrigerant	25	4.33
518	Acetone, nail polish remover	14	2.43
519	Helium	24	4.16
521	Propane	1	0.17
524	White-Out	30	5.20
526	Nail polish	23	3.99
528	Whipped-cream can	18	3.12
531	Candy, powdered candy, sugar	1	0.17
534	Deodorant	2	0.35
539	Scotch-Gard	2	0.35
540	PAM	4	0.69
542	Brasso, lens cleaner, spirits of ammonia	2	0.35
543	Liquid oxygen, oxygen	1	0.17
545	Car tailpipe exhaust fumes, CO	2	0.35
548	Cologne, isopropanol vapors, rubbing alcohol	6	1.04
560	Diswashing detergent, laundry detergent, soap	1	0.17
582	WD-40	1	0.17
586	Carbon from empty soft drink bottle	1	0.17
590	Canned air, compressed air	4	0.69
591	Air brush propellant	1	0.17
592	Computer air duster, computer cleaner, dust-off	92	15.94
594	Starting fluid	2	0.35

Tabulation of INHALANT Other Species

Drug Code	Drug Name	Number of Times Mentioned in Other Species	% Of All INHALANT Drugs Specified
599	Potpourri	2	0.35
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.17
805	Cocaine, coca, cocaina, coke	1	0.17
807	Alcohol, beer, ethanol, EtOH, pink champagne	1	0.17
829	Robitussin DM <OTC>	1	0.17
852	Formaldehyde, wak, whack (embalming fluid)	1	0.17
5004	Ink print, paper	1	0.17
5020	Wet cement	1	0.17
5021	Octane booster	1	0.17
5022	Carbon dioxide, CO2, dry ice hits	2	0.35
5024	Candle, citronella candle	1	0.17
5028	Carburetor cleaner, engine cleaner	2	0.35
5032	Nitrogen	1	0.17
5036	Wart remover	1	0.17
5037	Wood filler, wood putty	1	0.17
5044	Powdered cleansers; e.g. Ajax, Comet, Borax	1	0.17
5045	Cleaner; not otherwise specified	1	0.17
5049	Hand sanitizer; contents unspecified	4	0.69
5051	Hair chemicals	1	0.17
5052	Silly String	1	0.17
5053	Electronics cleaner	2	0.35
5054	Gum freezer, gum remover	1	0.17
5078	Axe body spray	2	0.35
5088	Jungle juice	2	0.35
5089	Tattoo Goo Color Guard Spray	1	0.17
5090	PVC Cleaner	1	0.17
5091	Germ-X	1	0.17
5093	Goo Gone	1	0.17
5095	'The Works' shower cleaner	1	0.17
8024	Asthma inhaler, asthma medication, bronchial dilator	14	2.43
8056	Vicks VapoRub <OTC>	2	0.35
8118	Smoking; not otherwise specified	1	0.17
8202	Intal, Nasalcrom	1	0.17

Tabulation of HALLUCINOGEN Other Species

Drug Code	Drug Name	Number of Times Mentioned in Other Species	% Of All HALLUCINOGEN Drugs Specified
116	Methaqualone, Sopor, Quaalude	1	0.10
123	Unisom <OTC>	1	0.10
142	Belladonna	3	0.30
157	Barbiturates	1	0.10
171	NyQuil <OTC>	2	0.20
174	Ambien, Zolpidem	4	0.40
178	Quetiapine, Seroquel	1	0.10
201	Valium, Diazepam	1	0.10
206	Tranxene	1	0.10
209	Xanax, Alprazolam, Tafil, Xanax bars	6	0.61
246	Clonazepam, Diocam, Klonopin, Rivotril	1	0.10
267	Marezine	1	0.10
280	Ketaset	1	0.10
318	Ritalin, Methylphenidate	2	0.20
322	Methamphetamine ('ice' or 'crank'), Meth	24	2.43
348	Crystal	3	0.30
351	Cathinone, cat, khat, Q'at	1	0.10
355	Crystal meth	7	0.71
408	Dilaudid, Hydromorphone	1	0.10
409	Tylenol with codeine, Tylenol 3, Tylenol 4	2	0.20
415	Codeine	1	0.10
417	Morphine, Roxanol	2	0.20
418	Methadone, Dolophine	2	0.20
420	OTHER Analgesic, NOT OTHERWISE SPECIFIED	3	0.30
434	Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	4	0.40
465	Fentanyl, Duragesic, Sublimaze	1	0.10
501	Gasoline or lighter fluids	12	1.21
502	Spray paints	7	0.71
503	Other aerosol sprays	3	0.30
504	Shoeshine liquid, glue, or toluene	7	0.71
505	Lacquer thinner or other paint solvents	1	0.10
506	Amyl nitrite,'poppers,'locker room odorizer,'rush'	1	0.10
507	Halothane, ether, or other anesthetics; chloroform	3	0.30
508	Nitrous oxide, 'whippets,' dentist gas	18	1.82

Tabulation of HALLUCINOGEN Other Species

Drug Code	Drug Name	Number of Times Mentioned in Other Species	% Of All HALLUCINOGEN Drugs Specified
510	OTHER Inhalant, NOT OTHERWISE SPECIFIED	6	0.61
511	Markers, felt-tip pens, ink pens	3	0.30
516	Freon, refrigerant	2	0.20
518	Acetone, nail polish remover	1	0.10
519	Helium	2	0.20
520	Old paint, paint	2	0.20
524	White-Out	3	0.30
525	Butane	1	0.10
526	Nail polish	1	0.10
528	Whipped-cream can	2	0.20
548	Cologne, isopropanol vapors, rubbing alcohol	2	0.20
592	Computer air duster, computer cleaner, dust-off	8	0.81
601	LSD ('acid')	78	7.89
602	Peyote	1	0.10
603	Mescaline	8	0.81
604	Psilocybin (mushrooms), shrooms	54	5.47
605	PCP ('angel dust,' phencyclidine)	1	0.10
606	'Ecstasy' (MDMA), X-TC, 'X'	6	0.61
607	OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	49	4.96
609	Jimson weed	8	0.81
611	Greens	1	0.10
612	Happy stick, sherm, sherman, shermstick	4	0.40
614	MDA, Methylenedioxymethamphetamine	9	0.91
616	DET, Dimethyltryptamine, DMT	27	2.73
617	Morning glory seeds, morning glory tendrils, ricea	9	0.91
618	Acid paper, blotter (acid)	7	0.71
622	Microdot(s), green microdot, purple microdot	12	1.21
624	Orange sunshine, sunshine, yellow sunshine	3	0.30
625	Window, window pane, 4-way pane	5	0.51
627	Hawaiian wood rose, Hawaiian Woodrow seeds	4	0.40
636	DOM, STP	1	0.10
637	Purple haze	1	0.10
639	Nutmeg, Mace	6	0.61
645	Thai stick	2	0.20

Tabulation of HALLUCINOGEN Other Species

Drug Code	Drug Name	Number of Times Mentioned in Other Species	% Of All HALLUCINOGEN Drugs Specified
650	Datura stramonium, daytura, thorn apple	6	0.61
658	Special K, Ketamine	32	3.24
663	Animal tranquilizer, horse tranquilizer	1	0.10
678	Banana peels	1	0.10
679	Hell bells	1	0.10
695	Angel's trumpet	5	0.51
698	2-CB, Nexus	11	1.11
703	Opium	15	1.52
705	Speed Ball (heroin + cocaine)	1	0.10
707	Black tar heroin	1	0.10
709	Poppy	1	0.10
802	THC, cannabinol, marinol	4	0.40
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	10	1.01
804	Hashish	2	0.20
829	Robitussin DM <OTC>	21	2.13
840	Over-the-counter-cough med(contnts unspec) <OTC>	2	0.20
843	Cold medicine, cold tablets <OTC>	3	0.30
847	GHB, NSC	5	0.51
852	Formaldehyde, wak, whack (embalming fluid)	1	0.10
876	Glass	1	0.10
883	Dextromethorphan Hydrobromide <OTC>	11	1.11
1001	Benadryl, Diphenhydramine <OTC>	2	0.20
1002	Dimenhydrinate,Dramamine,sea/motion sickness <OTC>	28	2.83
3023	Adderall	2	0.20
3052	Speed; otherwise unspecified	8	0.81
3089	Christina, Tina	1	0.10
3107	Guarana <OTC>	1	0.10
4043	Tramadol	1	0.10
4044	Hydrocodone	4	0.40
4046	Oxycodone or unspecified oxycodone products	1	0.10
4067	OxyContin	5	0.51
5028	Carburetor cleaner, engine cleaner	1	0.10
5077	Resistol	2	0.20
5078	Axe body spray	1	0.10

Tabulation of HALLUCINOGEN Other Species

Drug Code	Drug Name	Number of Times Mentioned in Other Species	% Of All HALLUCINOGEN Drugs Specified
6010	Atrepabelladona (flower)	1	0.10
6029	DXM	45	4.55
6043	Diviner's sage, Salvia divinorum	125	12.65
6044	Gel caps, gel tabs	6	0.61
6047	Water	1	0.10
6048	Dex	1	0.10
6051	Tryptamine, not otherwise specified	1	0.10
6056	Wet	1	0.10
6061	5-MeO-DMT	5	0.51
6062	Madderwort, wormwood	2	0.20
6074	LSA	12	1.21
6077	San Pedro	2	0.20
6079	Sugar cubes	1	0.10
6083	CCC, 'Triple C,' C3 <OTC>	11	1.11
6096	Bananadine	1	0.10
6100	2C-T-7, T7	4	0.40
6102	Absinthe	11	1.11
6103	Ayahuasca	4	0.40
6105	Alpha-methyltryptamine, AMT, IT-290, 3-IT	7	0.71
6106	Paramethoxyamphetamine, PMA	1	0.10
6112	2C-T-2	2	0.20
6114	Molly; not otherwise specified	1	0.10
6115	Foxy	3	0.30
6126	2,5-Dimethoxy-4-Iodophenethylamine, 2C-I	17	1.72
6127	Skittles	1	0.10
6130	5-MeO-DiPT, foxy methoxy	2	0.20
6132	Amanita mushrooms, fly agaric	1	0.10
6135	5-MeO-AMT	1	0.10
6138	2C-E, 2-5-dimethoxy-4-ethyl-phenethylamine	5	0.51
6141	DPT, Dipropyltryptamine	1	0.10
6144	DiPT, Di-isopropyl-tryptamine	1	0.10
6153	Asthmador	1	0.10
6154	2,5-Dimethoxy-4-Methylphenethylamine, 2C-D	1	0.10
6155	5-MeO-T, 5-methoxytryptamine	1	0.10

Tabulation of HALLUCINOGEN Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All HALLUCINOGEN Drugs Specified
6156	TMA, Trimethoxyamphetamine	1	0.10
6157	Taters	1	0.10
6158	Mulberry seeds/plant	1	0.10
8009	Allergy pills/antihistamine; type unspecified	1	0.10
8011	Herb, flower, plant; type unspecified	6	0.61
8012	Coriciden <OTC>	29	2.94
8058	Cough medicine/syrup; type unspecified	12	1.21
8085	Anti-psychotics/schizophrenic; type unspcfd	1	0.10
8100	Kava Kava <OTC>	1	0.10
8192	Delsym <OTC>	1	0.10
8197	Chronic	1	0.10
8203	Bar; otherwise unspecified	1	0.10
8216	Red Dawn GHR Release <OTC>	1	0.10
8223	Chocolate	1	0.10

Tabulation of PAIN RELIEVER Other Species

Drug Code	Drug Name	Number of Times Mentioned in Other Species	% Of All PAIN RELIEVER Drugs Specified
105	Placidyl, Ethchlorvynol	2	0.13
108	Nembutal	1	0.06
109	Seconal	3	0.19
110	Tuinal	3	0.19
113	Halcion, Triazolam	1	0.06
115	Phenobarbital	1	0.06
116	Methaqualone, Sopor, Quaalude	26	1.65
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	4	0.25
124	Yellow jackets	2	0.13
129	Reds	3	0.19
130	Phenergan, Promethazine	2	0.13
171	NyQuil <OTC>	3	0.19
174	Ambien, Zolpidem	12	0.76
178	Quetiapine, Seroquel	3	0.19
180	Tylenol P.M. <OTC>	4	0.25
197	Topamax, Topiramate	2	0.13
201	Valium, Diazepam	94	5.98
202	Librium, Chlordiazepoxide HCl	2	0.13
207	Ativan, Lorazepam, Orfidal	9	0.57
209	Xanax, Alprazolam, Tafil, Xanax bars	173	11.00
211	Buspar	2	0.13
221	OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	1	0.06
223	Carbacot, Marbaxin, Methocarbamol, Robaxin	4	0.25
225	Desyrel, Trazodone hydrochloride	2	0.13
227	Thorazine	1	0.06
228	Amitriptyline, Elavil	2	0.13
230	Compazine, Prochlorperazine	1	0.06
234	Flexeril, Cyclobenzaprine	27	1.72
240	Lithium carbonate, Lithonate	2	0.13
241	Prozac, Fluoxetine	3	0.19
246	Clonazepam, Diocam, Klonopin, Rivotril	26	1.65
250	Aventyl, Nortab, Nortriptyline, Pamelor	1	0.06
268	Rohypnol, Flunitrazepam, roche, roofies	4	0.25
271	Zoloft	5	0.32

Tabulation of PAIN RELIEVER Other Species

Drug Code	Drug Name	Number of Times Mentioned in Other Species	% Of All PAIN RELIEVER Drugs Specified
283	Paroxetine, Paxil	1	0.06
290	Skelaxin	1	0.06
291	Celexa	2	0.13
301	Dexedrine	2	0.13
304	Benzedrine	1	0.06
307	Tenuate, Diethylpropion	1	0.06
313	Fastin, Phentermine, Adipex-P	1	0.06
318	Ritalin, Methylphenidate	22	1.40
322	Methamphetamine ('ice' or 'crank'), Meth	1	0.06
327	Black beauties, black beauty	2	0.13
332	Ephedrine	1	0.06
382	Footballs, purple footballs	1	0.06
401	Darvon	3	0.19
406	Percodan, Roxiprin	1	0.06
407	Demerol, Meperidine	5	0.32
408	Dilaudid, Hydromorphone	5	0.32
409	Tylenol with codeine, Tylenol 3, Tylenol 4	13	0.83
410	Phenaphen with codeine, Phenaphen 3	1	0.06
411	Talwin	1	0.06
412	Talwin NX	1	0.06
414	Propoxyphene	1	0.06
415	Codeine	21	1.34
417	Morphine, Roxanol	18	1.14
418	Methadone, Dolophine	12	0.76
420	OTHER Analgesic, NOT OTHERWISE SPECIFIED	45	2.86
421	USED ANALGESIC, DON'T KNOW NAME	1	0.06
422	Motrin	45	2.86
423	Percocet	34	2.16
424	Fioricet	1	0.06
425	Advil <OTC>	98	6.23
427	Darvocet, Davocet-N	7	0.45
430	Aspirin, Ecotrin, Empirin <OTC>	23	1.46
431	Tylox	6	0.38
434	Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	135	8.58

Tabulation of PAIN RELIEVER Other Species

Drug Code	Drug Name	Number of Times Mentioned in Other Species	% Of All PAIN RELIEVER Drugs Specified
435	Tylenol, Tylenol Extra-Strength <OTC>	82	5.21
438	Anaprox, Naprosyn, Naproxen, Naxen	14	0.89
439	222, Canadian 222	1	0.06
442	Ibuprofen	89	5.66
444	Aspirin with codeine, Empirin 3	2	0.13
450	Acetaminophen <OTC>	6	0.38
458	Finalin, Mepergan, Mepergan Fortis, Meprozine	4	0.25
465	Fentanyl, Duragesic, Sublimaze	16	1.02
466	Midol <OTC>	9	0.57
468	Excedrin <OTC>	7	0.45
476	Duradrin, Isocom, Midrin	3	0.19
477	Melumbrina, Neo-Melumbrina	2	0.13
481	Acular, Dolac, Ketorolac tromethamine, Toradol	1	0.06
490	Nalbuphine, Nubain	2	0.13
496	Ultram	5	0.32
499	Aleve <OTC>	15	0.95
606	'Ecstasy' (MDMA), X-TC, 'X'	1	0.06
663	Animal tranquilizer, horse tranquilizer	1	0.06
703	Opium	1	0.06
704	Dope	1	0.06
802	THC, cannabinol, marinol	1	0.06
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.06
820	Penicillin	5	0.32
821	Amoxicillin, Ampicillin, Pentrexly	3	0.19
829	Robitussin DM <OTC>	4	0.25
841	Allerest <OTC>, Contac <OTC>	1	0.06
848	Liquid vitamin, vitamin pills <OTC>	1	0.06
858	Antibiotic	1	0.06
896	Catapres, Clonidine	2	0.13
1001	Benadryl, Diphenhydramine <OTC>	4	0.25
1002	Dimenhydrinate,Dramamine,sea/motion sickness <OTC>	2	0.13
1016	Phenazepam	1	0.06
2001	Sanoma, Soma, Carisoprodol	34	2.16
2002	Muscle relaxers	18	1.14

Tabulation of PAIN RELIEVER Other Species

Drug Code	Drug Name	Number of Times Mentioned in Other Species	% Of All PAIN RELIEVER Drugs Specified
2003	Zanies, zannies, zans, zany bars	4	0.25
2011	Lexapro	1	0.06
2016	Xanax XR	3	0.19
3017	Dayquil <OTC>	2	0.13
3023	Adderall	42	2.67
3026	Bupropion, Wellbutrin, Zyban	3	0.19
3047	Sudafed <OTC>	1	0.06
3052	Speed; otherwise unspecified	1	0.06
3060	Hydroxycut <OTC>	1	0.06
3087	Strattera	1	0.06
4002	Imitrex, Sumatriptan	3	0.19
4005	Etodolac, Lodine	1	0.06
4023	Pamprin <OTC>	1	0.06
4031	Cough medicine with codeine	4	0.25
4033	Vicoprofen	4	0.25
4035	Nabumetone, Relafin	3	0.19
4037	Kadian, MS Contin	1	0.06
4039	Daypro	1	0.06
4041	Maxalt	1	0.06
4043	Tramadol	4	0.25
4044	Hydrocodone	35	2.23
4046	Oxycodone or unspecified oxycodone products	23	1.46
4047	Roxicet	9	0.57
4049	Headache power <OTC>	2	0.13
4051	Celebrex	4	0.25
4055	Vioxx	5	0.32
4056	Cataflam, Diclofenac	6	0.38
4058	Totem poles	2	0.13
4065	Roxicodone	2	0.13
4067	OxyContin	34	2.16
4076	OTC Pain reliever; not otherwise specified <OTC>	1	0.06
4083	Ultracet	6	0.38
4088	Synthetic heroin	1	0.06
4093	Tylex, Solpadeine	1	0.06

Tabulation of PAIN RELIEVER Other Species

Drug Code	Drug Name	Number of Times Mentioned in Other Species	% Of All PAIN RELIEVER Drugs Specified
4096	Bextra, Valdecoxib	1	0.06
4099	Anacin <OTC>	1	0.06
4105	Hydrocodone with APAP; otherwise unspecified	1	0.06
4109	Suboxone	4	0.25
4111	Clinoril	1	0.06
4114	Nimesulide	1	0.06
4115	Pantopon	1	0.06
4117	Oxy-IR	1	0.06
4118	Sufenta	1	0.06
4119	Buprenorphine	1	0.06
6083	CCC, 'Triple C,' C3 <OTC>	5	0.32
6127	Skittles	1	0.06
8002	Zantac	8	0.51
8008	Antidepressant; type unspecified	1	0.06
8009	Allergy pills/antihistamine; type unspecified	1	0.06
8010	Zyrtec, cetirizine	3	0.19
8012	Coricidin <OTC>	10	0.64
8014	Throat spray/lozenge; type unspecified <OTC>	1	0.06
8020	Allegra, Altiva	2	0.13
8024	Asthma inhaler, asthma medication, bronchial dilator	1	0.06
8025	Claritin, Claritin D <OTC>	1	0.06
8030	Tums <OTC>	1	0.06
8041	Garlic, garlic oil, garlic tablets <OTC>	1	0.06
8042	Alka Seltzer <OTC>	2	0.13
8044	Cephalexin, Keflex	1	0.06
8058	Cough medicine/syrup; type unspecified	2	0.13
8075	Effergin <OTC>	1	0.06
8085	Anti-psychotics/schizophrenic; type unspcfd	1	0.06
8094	Pepto Bismol <OTC>	4	0.25
8114	Lidocaine	1	0.06
8135	Verapamil	1	0.06
8186	Lomotil	1	0.06
8198	Handle bars, handlebars	2	0.13
8200	Dan(s), Dan Dan(s); no other information	2	0.13

Tabulation of PAIN RELIEVER Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All PAIN RELIEVER Drugs Specified
8201	Watson(s); no other information	3	0.19
8203	Bar; otherwise unspecified	2	0.13
8210	Mylan(s); no other information	2	0.13
8217	Anti-diarrhea medication; type unspecified	1	0.06
8218	Attention deficit disorder meds; type unspcfd	1	0.06

Tabulation of STIMULANT Other Species

Drug Code	Drug Name	Number of Times Mentioned in Other Species	% Of All STIMULANT Drugs Specified
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	1	0.18
124	Yellow jackets	5	0.89
129	Reds	1	0.18
174	Ambien, Zolpidem	1	0.18
209	Xanax, Alprazolam, Tafil, Xanax bars	3	0.54
234	Flexeril, Cyclobenzaprine	1	0.18
240	Lithium carbonate, Lithonate	1	0.18
271	Zoloft	2	0.36
290	Skelaxin	1	0.18
301	Dexedrine	1	0.18
304	Benzedrine	1	0.18
307	Tenuate, Diethylpropion	1	0.18
311	Preludin	1	0.18
312	Ionamin	2	0.36
313	Fastin, Phentermine, Adipex-P	12	2.14
318	Ritalin, Methylphenidate	11	1.96
320	Dextroamphetamine	3	0.54
322	Methamphetamine ('ice' or 'crank'), Meth	8	1.43
324	Uppers; OTHER Stimulant, NOT OTHERWISE SPECIFIED	19	3.39
326	White cross	15	2.68
327	Black beauties, black beauty	13	2.32
328	Pink hearts	2	0.36
329	Bird's eggs, robin's eggs, speckled eggs	6	1.07
330	Blue birds, blue jays, blue robins, speckled bird	1	0.18
331	Blancs, whites	3	0.54
332	Ephedrine	10	1.79
333	357 Magnum, Magnum 44 <OTC>	1	0.18
334	Crossroads, cross tops	11	1.96
335	Dexatrim <OTC>	2	0.36
336	Diet pills	3	0.54
339	Amphetamines	2	0.36
344	Bennies	1	0.18
348	Crystal	1	0.18
351	Cathinone, cat, khat, Q'at	1	0.18

Tabulation of STIMULANT Other Species

Drug Code	Drug Name	Number of Times Mentioned in Other Species	% Of All STIMULANT Drugs Specified
353	No-Doz <OTC>	4	0.71
355	Crystal meth	1	0.18
374	Christmas tree(s)	1	0.18
377	Albuterol, Proventil, Ventolin	1	0.18
415	Codeine	1	0.18
419	Stadol, Stadol NS	1	0.18
420	OTHER Analgesic, NOT OTHERWISE SPECIFIED	1	0.18
430	Aspirin, Ecotrin, Empirin <OTC>	1	0.18
434	Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	2	0.36
435	Tylenol, Tylenol Extra-Strength <OTC>	3	0.54
442	Ibuprofen	1	0.18
468	Excedrin <OTC>	1	0.18
805	Cocaine, coca, cocaina, coke	1	0.18
806	Crack, rock	1	0.18
814	Caffeine <OTC>	2	0.36
1013	Ambien CR	1	0.18
3023	Adderall	317	56.61
3033	Metabolife <OTC>	1	0.18
3036	Ripped fuel <OTC>	1	0.18
3044	Caffeine pills <OTC>	2	0.36
3047	Sudafed <OTC>	3	0.54
3052	Speed; otherwise unspecified	12	2.14
3055	Clenbuterol	2	0.36
3056	Xenadrine <OTC>	2	0.36
3060	Hydroxycut <OTC>	4	0.71
3064	Ephedra, Ma Huang	2	0.36
3077	Concerta	15	2.68
3087	Strattera	1	0.18
3094	Dexmethylphenidate, Focalin	3	0.54
3098	Zantrex 3 <OTC>	1	0.18
3101	Dexitac Stay Alert Stimulant <OTC>	1	0.18
3102	Methylin	1	0.18
3103	RedLine <OTC>	1	0.18
3104	Slimquick <OTC>	1	0.18

Tabulation of STIMULANT Other Species

Drug Code	Drug Name	Number of Times Mentioned in Other Species	% Of All STIMULANT Drugs Specified
3105	Affinato	2	0.36
4057	Mejoral	1	0.18
6048	Dex	1	0.18
8002	Zantac	1	0.18
8009	Allergy pills/antihistamine; type unspecified	1	0.18
8012	Coriciden <OTC>	4	0.71
8061	Entex LA	1	0.18
8093	Stacker 2/Stacker 3 <OTC>	6	1.07
8176	TrimSpa <OTC>	2	0.36
8209	Red Bull Energy Drink <OTC>	1	0.18

Tabulation of SEDATIVE Other Species

Drug Code	Drug Name	Number of Times Mentioned in Other Species	% Of All SEDATIVE Drugs Specified
103	Amytal	1	0.40
106	Doriden	2	0.79
109	Seconal	1	0.40
110	Tuinal	1	0.40
111	Dalmane, Flurazepam	1	0.40
113	Halcion, Triazolam	1	0.40
115	Phenobarbital	4	1.59
116	Methaqualone, Sopor, Quaalude	2	0.79
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	5	1.98
121	USED SEDATIVE, DON'T KNOW NAME	1	0.40
123	Unisom <OTC>	1	0.40
126	Sominex <OTC>	1	0.40
130	Phenergan, Promethazine	1	0.40
171	NyQuil <OTC>	3	1.19
174	Ambien, Zolpidem	102	40.48
178	Quetiapine, Seroquel	25	9.92
180	Tylenol P.M. <OTC>	6	2.38
196	Simply Sleep <OTC>	1	0.40
201	Valium, Diazepam	2	0.79
207	Ativan, Lorazepam, Orfidal	1	0.40
209	Xanax, Alprazolam, Tafil, Xanax bars	4	1.59
225	Desyrel, Trazodone hydrochloride	18	7.14
227	Thorazine	1	0.40
228	Amitriptyline, Elavil	5	1.98
234	Flexeril, Cyclobenzaprine	1	0.40
246	Clonazepam, Diocam, Klonopin, Rivotril	2	0.79
268	Rohypnol, Flunitrazepam, roche, roofies	1	0.40
295	Mirtazapine, Remeron	1	0.40
327	Black beauties, black beauty	1	0.40
353	No-Doz <OTC>	1	0.40
415	Codeine	2	0.79
417	Morphine, Roxanol	1	0.40
420	OTHER Analgesic, NOT OTHERWISE SPECIFIED	1	0.40
425	Advil <OTC>	4	1.59

Tabulation of SEDATIVE Other Species

Drug Code	Drug Name	Number of Times Mentioned in Other Species	% Of All SEDATIVE Drugs Specified
435	Tylenol, Tylenol Extra-Strength <OTC>	2	0.79
658	Special K, Ketamine	2	0.79
848	Liquid vitamin, vitamin pills <OTC>	1	0.40
896	Catapres, Clonidine	1	0.40
1001	Benadryl, Diphenhydramine <OTC>	5	1.98
1002	Dimenhydrinate,Dramamine,sea/motion sickness <OTC>	6	2.38
1011	Lunesta	13	5.16
1013	Ambien CR	3	1.19
2001	Sanoma, Soma, Carisoprodol	1	0.40
3026	Bupropion, Wellbutrin, Zyban	1	0.40
3106	Sedalmerk	1	0.40
4031	Cough medicine with codeine	2	0.79
4044	Hydrocodone	2	0.79
4045	Dolgic, Phrenillin Forte	1	0.40
4112	Saridone	1	0.40
6029	DXM	1	0.40
8012	Coricidin <OTC>	1	0.40
8211	Precose	2	0.79
8213	Ranitidine	1	0.40

Tabulation of SPECIAL DRUGS Other Species

Drug Code	Drug Name	Number of Times Mentioned in Other Species	% Of All SPECIAL DRUGS Drugs Specified
105	Placidyl, Ethchlorvynol	1	0.31
109	Seconal	1	0.31
110	Tuinal	2	0.63
157	Barbiturates	1	0.31
201	Valium, Diazepam	4	1.25
207	Ativan, Lorazepam, Orfidal	2	0.63
209	Xanax, Alprazolam, Tafil, Xanax bars	3	0.94
211	Buspar	1	0.31
216	Atarax, Hydroxyzine	1	0.31
237	Dormicum, Hypnovel, Midazolam, Versed	1	0.31
246	Clonazepam, Diocam, Klonopin, Rivotril	2	0.63
311	Preludin	2	0.63
318	Ritalin, Methylphenidate	2	0.63
322	Methamphetamine ('ice' or 'crank'), Meth	28	8.78
331	Blancs, whites	1	0.31
332	Ephedrine	1	0.31
335	Dexatrim <OTC>	1	0.31
348	Crystal	3	0.94
355	Crystal meth	3	0.94
406	Percodan, Roxiprin	1	0.31
407	Demerol, Meperidine	4	1.25
408	Dilaudid, Hydromorphone	17	5.33
411	Talwin	2	0.63
417	Morphine, Roxanol	25	7.84
418	Methadone, Dolophine	7	2.19
423	Percocet	2	0.63
431	Tylox	1	0.31
457	T's and blues, tee's and b's, tops and bottoms	1	0.31
465	Fentanyl, Duragesic, Sublimaze	2	0.63
490	Nalbuphine, Nubain	4	1.25
601	LSD ('acid')	3	0.94
605	PCP ('angel dust,' phencyclidine)	3	0.94
606	'Ecstasy' (MDMA), X-TC, 'X'	3	0.94
614	MDA, Methylenedioxy amphetamine	1	0.31

Tabulation of SPECIAL DRUGS Other Specifies

Drug Code	Drug Name	Number of Times Mentioned in Other Specifies	% Of All SPECIAL DRUGS Drugs Specified
658	Special K, Ketamine	5	1.57
702	Heroin	25	7.84
705	Speed Ball (heroin + cocaine)	2	0.63
707	Black tar heroin	1	0.31
801	OTHER Drugs, NOT OTHERWISE SPECIFIED	6	1.88
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.31
805	Cocaine, coca, cocaina, coke	36	11.29
806	Crack, rock	7	2.19
809	Pills	1	0.31
814	Caffeine <OTC>	1	0.31
816	Smokeless tobacco, snuff, chewing tobacco	1	0.31
824	Steroids	22	6.90
848	Liquid vitamin, vitamin pills <OTC>	1	0.31
1001	Benadryl, Diphenhydramine <OTC>	1	0.31
3052	Speed; otherwise unspecified	7	2.19
4002	Imitrex, Sumatriptan	1	0.31
4037	Kadian, MS Contin	1	0.31
4043	Tramadol	1	0.31
4046	Oxycodone or unspecified oxycodone products	1	0.31
4065	Roxicodone	1	0.31
4067	OxyContin	44	13.79
4109	Suboxone	1	0.31
8009	Allergy pills/antihistamine; type unspecified	1	0.31
8026	Powder	1	0.31
8067	Testosterone	4	1.25
8072	Deca-Durabolin, Nandrolone Decanoate	2	0.63
8081	Primobolan	1	0.31
8088	Dianabol	1	0.31
8113	Test 250 <OTC>	1	0.31
8151	Flu shot; otherwise unspecified	1	0.31
8164	Testosterone propionate	1	0.31
8206	Delatestryl, Testosterone Enanthate	1	0.31
8212	Finaplix Gold, Trembolona QV75, Trenbolone	1	0.31
8221	Omnadren	1	0.31

Tabulation of TRANQUILIZER Other Species

Drug Code	Drug Name	Number of Times Mentioned in Other Species	% Of All TRANQUILIZER Drugs Specified
105	Placidyl, Ethchlorvynol	1	0.43
109	Seconal	1	0.43
112	Restoril, Temazepam	2	0.85
116	Methaqualone, Sopor, Quaalude	15	6.38
120	Downers; OTHER Sedative, NOT OTHERWISE SPECIFIED	1	0.43
129	Reds	3	1.28
131	Haldol, Haloperidol	1	0.43
157	Barbiturates	1	0.43
171	NyQuil <OTC>	2	0.85
174	Ambien, Zolpidem	8	3.40
178	Quetiapine, Seroquel	11	4.68
196	Simply Sleep <OTC>	1	0.43
201	Valium, Diazepam	19	8.09
202	Librium, Chlordiazepoxide HCl	3	1.28
207	Ativan, Lorazepam, Orfidal	3	1.28
209	Xanax, Alprazolam, Tafil, Xanax bars	15	6.38
221	OTHER Tranquilizer, NOT OTHERWISE SPECIFIED	7	2.98
223	Carbacot, Marbaxin, Methocarbamol, Robaxin	2	0.85
225	Desyrel, Trazodone hydrochloride	7	2.98
227	Thorazine	4	1.70
228	Amitriptyline, Elavil	3	1.28
232	Mellaril	1	0.43
234	Flexeril, Cyclobenzaprine	4	1.70
241	Prozac, Fluoxetine	1	0.43
246	Clonazepam, Diocam, Klonopin, Rivotril	5	2.13
268	Rohypnol, Flunitrazepam, roche, roofies	2	0.85
271	Zoloft	6	2.55
280	Ketaset	1	0.43
283	Paroxetine, Paxil	1	0.43
285	Risperdal, Risperadol, Resperidone	2	0.85
290	Skelaxin	1	0.43
295	Mirtazapine, Remeron	1	0.43
407	Demerol, Meperidine	1	0.43
417	Morphine, Roxanol	1	0.43

Tabulation of TRANQUILIZER Other Species

Drug Code	Drug Name	Number of Times Mentioned in Other Species	% Of All TRANQUILIZER Drugs Specified
422	Motrin	3	1.28
423	Percocet	1	0.43
425	Advil <OTC>	7	2.98
430	Aspirin, Ecotrin, Empirin <OTC>	2	0.85
431	Tylox	1	0.43
434	Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	1	0.43
435	Tylenol, Tylenol Extra-Strength <OTC>	4	1.70
438	Anaprox, Naprosyn, Naproxen, Naxen	2	0.85
658	Special K, Ketamine	38	16.17
663	Animal tranquilizer, horse tranquilizer	3	1.28
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	1	0.43
821	Amoxicillin, Ampicillin, Pentrexly	1	0.43
896	Catapres, Clonidine	1	0.43
1004	Valerian <OTC>	1	0.43
1006	Trileptal, Oxcarbazepine	1	0.43
1011	Lunesta	1	0.43
1014	Tylenol Flu Nighttime <OTC>	1	0.43
2001	Sanoma, Soma, Carisoprodol	7	2.98
2011	Lexapro	4	1.70
3023	Adderall	7	2.98
3026	Bupropion, Wellbutrin, Zyban	1	0.43
4024	Reynol	1	0.43
4058	Totem poles	1	0.43
6076	Lemon 714	1	0.43
6083	CCC, 'Triple C,' C3 <OTC>	1	0.43
6149	Tiletamine	1	0.43
8007	Gabapentin, Neurontin	1	0.43
8008	Antidepressant; type unspecified	1	0.43
8012	Coricidien <OTC>	1	0.43
8203	Bar; otherwise unspecified	1	0.43
8210	Mylan(s); no other information	1	0.43

Tabulation of TRANQUILIZER Other Species

Drug Code	Drug Name	Number of Times Mentioned in Other Species	% Of All TREATMENT Drugs Specified
201	Valium, Diazepam	1	0.47
209	Xanax, Alprazolam, Tafil, Xanax bars	2	0.95
246	Clonazepam, Diocam, Klonopin, Rivotril	1	0.47
271	Zoloft	1	0.47
289	Olanzapine, Zyprexa	1	0.47
322	Methamphetamine ('ice' or 'crank'), Meth	61	28.91
348	Crystal	2	0.95
355	Crystal meth	6	2.84
418	Methadone, Dolophine	1	0.47
420	OTHER Analgesic, NOT OTHERWISE SPECIFIED	2	0.95
434	Vicodin, Lortab, Lorcet, Anexsia, Co-Gesic	4	1.90
601	LSD ('acid')	2	0.95
604	Psilocybin (mushrooms), shrooms	2	0.95
605	PCP ('angel dust,' phencyclidine)	3	1.42
606	'Ecstasy' (MDMA), X-TC, 'X'	3	1.42
607	OTHER Hallucinogen, NOT OTHERWISE SPECIFIED	1	0.47
658	Special K, Ketamine	1	0.47
701	OTHER Opiates, NOT OTHERWISE SPECIFIED	1	0.47
702	Heroin	4	1.90
704	Dope	2	0.95
801	OTHER Drugs, NOT OTHERWISE SPECIFIED	6	2.84
803	Marijuana, MarrJane, Mary Jane, MJ, pot, weed	34	16.11
805	Cocaine, coca, cocaina, coke	13	6.16
806	Crack, rock	11	5.21
807	Alcohol, beer, ethanol, EtOH, pink champagne	19	9.00
813	Cigarettes, tobacco (type unspecified)	5	2.37
829	Robitussin DM <OTC>	1	0.47
883	Dextromethorphan Hydrobromide <OTC>	1	0.47
900	Not a drug	3	1.42
1002	Dimenhydrinate,Dramamine,sea/motion sickness <OTC>	1	0.47
2002	Muscle relaxers	1	0.47
2011	Lexapro	1	0.47
3052	Speed; otherwise unspecified	3	1.42
4067	OxyContin	4	1.90

Tabulation of TRANQUILIZER Other Species

Drug Code	Drug Name	Number of Times Mentioned in Other Species	% Of All TREATMENT Drugs Specified
4076	OTC Pain reliever; not otherwise specified <OTC>	1	0.47
6044	Gel caps, gel tabs	1	0.47
8012	Coriciden <OTC>	2	0.95
8110	Over-the-counter drug/pills; type unspecified<OTC>	3	1.42

APPENDIX C

Tobacco Brand Codes for Open-Ended Questions

The final tobacco brand codes were created from listings of brands that appeared on the computer screen(s) corresponding to that particular type of tobacco, or from answers that respondents specified, if they indicated use of "a brand not on this list." For each tobacco product (cigarettes, chewing tobacco, snuff, and cigars), the available responses in the contiguous order of appearance on the screen (based on the 1999 through 2004 CAI instruments) were used to initially create each tobacco product group. Although the tobacco brands that appeared on the screens for respondents changed beginning in 2005 for cigarettes, snuff, and cigars, the editing and coding procedures in this survey year continued to use existing codes that had been developed prior to 2005. For example, American Spirit cigarettes became the first brand on the screen for question CG11 in 2005 ("The next questions are about the brand of cigarettes you smoke -- the brand is the name that is on the pack. During the past 30 days, what brand of cigarettes did you smoke most often?"). For consistency with prior years, however, mention of American Spirit cigarettes continues to retain a code of 161, even though CG11=1 (with this answer verified in question CG13) would indicate that the respondent smoked American Spirit cigarettes most often in the past 30 days.

Tobacco brand codes 100-199 and 1000-1999 represent cigarette brands, codes 200-299 and 2000-2999 represent chewing tobacco brands, codes 300-399 and 3000-3999 represent snuff brands, and codes 400-499 and 4000-4999 represent cigar brands. Additional codes were added to each group list as needed. Miscellaneous tobacco and non-tobacco groups are represented by the 500-599, 600-699, 700-799, and 800-899 series.

For tobacco brands that respondents could choose from a list, no distinction was made in the coding between situations where respondents chose that particular brand from the list, and those where respondents reported use of "a brand not on this list" and then specified use of that brand. In addition, there was no distinction between particulars such as menthol, light, or full-flavor varieties in the coding. In addition, the coding took into account situations where respondents might specify a brand that corresponded to a different type of tobacco. For example, if a snuff brand was specified as a brand of "chewing tobacco," then the reported brand of "chewing tobacco" was assigned a code in the 300 series, corresponding to snuff.

APPENDIX C

Tobacco Brand Codes for Open-Ended Questions (2006 CAI NSDUH)

Numerical Listing

Code	Definition
Cigarette Brands	
101	Basic
102	Benson & Hedges
103	Cambridge
104	Camel
105	Capri
106	Carlton
107	Doral
108	Forsyth
109	GPC
110	Kent
111	Kool
112	Marlboro
113	Merit
114	Misty
115	Monarch
116	Montclair
117	More
118	Newport
119	Pall Mall
120	Parliament
121	Private Label
122	Salem
123	Vantage
124	Viceroy
125	Virginia Slims
126	Winston
127	Alpine
128	Barclay
129	Belair
130	Best Value
131	Bristol
132	Bugler (roll-your-own)
133	Century
134	Chesterfield
135	Commander
136	Covington
137	Eve
138	Harley Davidson
139	Jasmine
140	Lark
141	L & M

Code	Definition
142	Lucky Strike
143	Magna
144	Maverick
145	Max
146	Now
147	Old Gold
148	Players
149	Pyramid
150	Raleigh
151	Richland
152	Saratoga
153	Satin
154	State Express
155	Sterling
156	Style
157	Tareyton
158	Top (roll-your-own)
159	Triumph
160	True
161	American Spirit
162	Austin
163	Bali Hai
164	Bali-Shag (roll-your-own)
165	Best Buy cigarettes
166	Bidis; brand unspecified
167	Black Death
168	Brandon
169	Bronson
170	Cartier
171	Checkers
172	Cimarron
173	Clove; brand unspecified
174	Dave's
175	Djarum cigarettes
176	Drum (roll-your-own)
177	Du Maurier
178	Dunhill cigarettes
179	Eagle
180	Export A
181	Fiesta
182	First Choice
183	First Class

Code	Definition
184	Gauloises
185	Generic cigarettes; brand unspecified
186	Gold Coast
187	Gudang Guram
188	Gunsmoke
189	Hi-Value
190	Jacks
191	Jester (roll-your-own)
192	Kailas Bidis
193	Kamel Red
194	Legend
195	Malibu
196	Mainstreet
197	Marker
198	Medallion
199	Meridian
1001	Nat Sherman cigarettes
1002	Omaha
1003	Piel Roja
1004	Planet
1005	Private Stock
1006	Quality Smokes
1007	Rally
1008	Rave
1009	Rollrich (roll-your-own)
1010	Rothman
1011	Sampoerna
1012	Seven Stars/Mild Sevens
1013	Slim Price
1014	Sobranie
1015	Springwater Vanilla
1016	Summit
1017	Sundance
1018	USA Gold
1019	Vegas cigarettes
1020	Waves
1021	Yours
1022	Bailey
1023	Sport
1024	Prime
1025	Ultra Buy
1026	Bull Durham
1027	Mustang
1028	Value; brand unspecified
1029	Tourney
1030	BV Bonus Value
1031	House Blend
1032	American Spirit rolling tobacco
1033	Hollywood
1034	Cardinal
1035	Cherokee
1036	Courier

Code	Definition
1037	DTC
1038	Samson (roll-your-own)
1039	Lewiston
1040	Smokin Joes cigarettes
1041	Sonoma
1042	Tall
1043	Tempo
1044	Worth
1045	Turkish Specials
1046	Delicados cigarettes
1047	New York New York cigarettes
1048	Carnival
1049	Honey B's cigarettes
1050	USA
1051	Belmont
1052	Premium One
1053	Wills
1054	Omar Sharif
1055	Geronimo
1056	Black Clove
1057	Sovereign
1058	Gitanes
1059	Krakatoa Kretek
1060	Kuta Kretek
1061	Signature
1062	Sincerely Yours
1063	Fantasia
1064	Seneca; company brand unspecified
1065	Splash
1066	John Player
1067	Amsterdam Shag (roll-your-own)
1068	Superkings
1069	Zig-Zag (roll-your-own)
1070	Value Time
1071	Value & Quality
1072	Chaparral
1073	Grand
1074	Khrong Thip
1075	Star cigarettes
1076	Highway
1077	Prince (Denmark)
1078	Brentwood
1079	Amsterdamer (roll-your-own)
1080	Monaco
1081	Sebring
1082	Tahoe
1083	Liggett Select
1084	Image
1085	Special
1086	Smoker Friendly cigarettes
1087	Virginian
1088	Marlin

Code	Definition
1089	Grand Prix
1090	Gold
1091	Dreams
1092	Native
1093	Roger
1094	Shield
1095	Patriot
1096	Sweet Afton
1097	Winner
1098	Sher Bidi
1099	Pilot
1100	Kite (roll-your-own)
1101	Jakarta
1102	Impala
1103	Popular
1104	Canyon
1105	Sixty-1
1106	Niagara
1107	Palace cigarettes
1108	Nobel
1109	Boots
1110	Eclipse
1111	Epic
1112	Kentucky's Best
1113	Sweet Dreams
1114	Scotch Buy
1115	Montana
1116	Revenge
1117	American
1118	Kingsport
1119	Express 555
1120	Durant
1121	Quality
1122	Boston
1123	CT
1124	Focus
1125	Silk Cut
1126	GT-One
1127	Amazone Guarana
1128	Double Diamond
1129	Goldlight
1130	Class A
1131	Alas
1132	Natural Blend
1133	Golden Lights
1134	Bronco
1135	Silva Thins
1136	Bonus Value
1137	Craven "A"
1138	Tucson
1139	305's
1140	Golden Virginia (roll-your-own)

Code	Definition
1141	Market
1142	Move
1143	Putter
1144	Arbo (roll-your-own)
1145	Coronas cigarettes
1146	Optiva
1147	Westport
1148	Chocolate Dreams
1149	Victory
1150	Parisiennes
1151	Faros
1152	X-tra
1153	Marathon
1154	Carlyle
1155	Capitol
1156	Chancellor
1157	Matinee
1158	Maxim
1159	Mundail
1160	Nise
1161	Point
1162	Tough Guy
1163	Backard
1164	Dynamic
1165	Scenic 101
1166	Davidoff cigarettes
1167	Sago
1168	Jade
1169	Omni
1170	McClintock (roll-your-own)
1171	Astra
1172	Campton
1173	Lobo
1174	Unify
1175	Caster
1176	Cowboys
1177	Silvers
1178	Charter
1179	Quest
1180	Berkeley
1181	Darshan
1182	Golden Beach
1183	Redbull (roll-your-own)
1184	Sky Dancer
1185	Esquire
1186	Always Save
1187	Old Holborn (roll-your-own)
1188	Silverton
1189	A-One Bidi
1190	Beacon
1191	Derby
1192	Old Hillside (roll-your-own)

Code	Definition
1193	MVP
1194	Infinity
1195	White Rhino
1196	Generals cigarettes
1197	Columbus Classic
1198	Homer
1199	Larson
1200	Old Kentucky
1201	All Star
1202	Competidora
1203	Kingsley
1204	American Diamond
1205	First USA/First US
1206	Stoker's (roll-your-own)
1207	Canadian Natural (roll-your-own)
1208	Havana cigarettes
1209	Lookout (roll-your-own)
1210	Colt cigarettes
1211	Echo
1212	Euro
1213	Iceberg (roll-your-own)
1214	Midnight Special (roll-your-own)
1215	Ridgeway
1216	Romy
1217	Smokers Warehouse (roll-your-own)
1218	G-Smoke
1219	Brave, The
1220	GP Club
1221	Cheyenne cigarettes
1222	Gold Crest
1223	Axis
1224	Primo
1225	Bridgeport
1226	Citation
1227	Gambler (roll-your-own)
1228	Circle Z
1229	Goldflake
1230	Peter Stuyvesant
1231	MCD
1232	Sandia
1233	Ronhill
1234	Opal
1235	Farmer's Gold (roll-your-own)
1236	Bao-dao
1237	Omar
1238	Way
1239	Nova
1240	Gold Rush cigarettes
1241	Bison
1242	10/20
1243	Liberty
1244	Liberty Gold

Code	Definition
1245	Smoke 1
1246	Southern Classics
1247	Buffalo
1248	Desert Sun
1249	Classic Canadian (roll-your-own)
1250	Hava Club
1251	Kingston
1252	Lotto
1253	Montego
1254	Tracker
1255	Value Pride
1256	Black Diamond
1257	Rex, company brand unspecified
1258	SingleStick (roll-your-own)
1259	Tex
1260	Nevada
1261	Poker
1262	Bishop
1263	Storm
1264	Knights
1265	Exact
1266	Claremont
1267	Cobra
1268	Decade
1269	D Best One
1270	Southern Cross
1271	Fred
1272	Royals cigarettes
1273	Philip Morris cigarette; brand unspecified
1274	Classic
1275	Kentucky Smooth (roll-your-own)
1276	Fortuna
1277	Berley
1278	Bracar
1279	Business Club
1281	Dimitrino Shepherds Hotel
1282	Sonic
1283	Golden Harvest (roll-your-own)
1284	Honor
1285	Baisha
1286	Lakes
1287	Wild Horse
1288	Yukon
1289	4Aces (roll-your-own)
1290	Peter Jackson
1998	Roll-your-own cigarette; brand otherwise unspecified
1999	Cigarette; brand otherwise unspecified

Code	Definition
Chewing Tobacco Brands	
201	Beech-Nut
202	Chattanooga Chew
203	Day's Work
204	Granger
205	H.B. Scott
206	Levi Garrett
207	Red Fox
208	Red Man
209	Taylor's Pride
210	Totems
211	Work Horse
212	Apple Jack
213	Ball Park
214	Best Buy chewing tobacco
215	Big Leaf
216	Blackbull
217	Bowie
218	Cannonball
219	Durango
220	Lancaster
221	Mail Pouch
222	Morgan's
223	Peachy Big Leaf
224	Rough Country
225	Trophy
226	WB
227	Havana Blossom
228	Southern Pride
229	Union Workman
230	Stoker chewing tobacco
231	Cottonboll
232	Apple Plug tobacco
233	Bloodhound Thick Plug
234	Red Horse
235	King B
236	J. D. Blend
237	Our Pride
238	Big Red
239	Tinsley
240	Amish
241	Tennessee Chew
242	Black Maria
243	Mammoth Cave
244	Oliver Twist
245	Warren County
246	Kuber Khaini
247	Cumberland Twist
248	Star chewing tobacco
249	Good Bite
250	Tulsi

Code	Definition
251	Wild Duck twist
2998	Homemade chewing tobacco
2999	Chewing tobacco; brand otherwise unspecified
Snuff Brands	
301	Copenhagen
302	Gold River
303	Happy Days
304	Hawken
305	Kodiak
306	Redwood
307	Silver Creek
308	Skoal
309	Timber Wolf
310	Bruton
311	Cooper
312	Cougar
313	Dental
314	Honey Bee snuff
315	Navy
316	Red Seal
317	Rooster
318	Square
319	Tops snuff
320	Tube Rose
321	Garrett snuff
322	Peach
323	Mint Snuff
324	Ralph's snuff
325	Renegades
326	Kayak
327	CC Sweet
328	Ozona
329	Dean Swift
330	Extreme
331	Sequoia
332	Grizzly
333	President
334	Honest Scotch
335	McChrystals
336	Wilsons
337	General snuff
338	Longhorn
339	Dr. Rumney's
340	Stonewall
341	Husky
342	Manikchand
343	Baba 120
344	Railroad Mills
345	Revel
346	Samuel Gawith

Code	Definition
347	Skruf
348	Taboka
3998	Homemade snuff/smokeless tobacco
3999	Snuff; brand otherwise unspecified
Cigar Brands	
401	Antonio y Cleopatra
402	Backwoods
403	Bering
404	Black & Mild
405	Captain Black
406	Casa Silva
407	Cuesta-Rey
408	Dutch Masters
409	El Producto
410	Erik Filter
411	Garcia y Vega
412	Havatampa
413	King Edward
414	La Corona
415	Little Nippers
416	Macanudos
417	Muriel
418	Partagas
419	Phillies
420	Rigoletto
421	Robert Burns
422	Roi-Tan
423	Swisher Sweets
424	Tijuana Smalls
425	Universal
426	White Owl
427	William Penn
428	Winchester
429	Al Capone
430	Arango Sportsman
431	Arturo Fuente
432	Ashton
433	Astral
434	Baccarat
435	Balmoral
436	Ben Franklin
437	Blackstone
438	Blair
439	Blunts; brand unspecified
440	Butera
441	Cherry Blend
442	Churchill; brand unspecified
443	Cohiba
444	Cojimar
445	Corona; brand unspecified
446	Cortina

Code	Definition
447	Cremosa Cubanos
448	Cuban; brand unspecified
449	Cubana; brand unspecified
450	Dannemann
451	Davidoff cigars
452	Don Diego
453	Don Jose
454	Don Lino
455	Don Rene
456	Don Sebastian
457	Don Thomas
458	Dunhill cigars
459	Dutch Treats
460	El Rey del Mundo
461	Fonseca
462	Grenadiers
463	Griffin's
464	H. Upmann
465	Habana/Havana; brand unspecified
466	Habana Gold
467	Henry Clay
468	Hobo
469	Hoya De Monterrey
470	Hugo Cassar
471	Infiesta
472	Joya De Nicaragua
473	Jr Ultimate
474	King
475	La Aurora
476	La Gloria Cubana
477	La Tradicion
478	La Unica
479	La Flor Dominicana
480	Las Cabrillas
481	Lone Wolf
482	Martinez y Cia
483	Mi Cubano
484	Middleton Cherry Blend
485	Monero
486	Montecristo
487	Oliveros
488	Optimo
489	Opus X
490	Padron
491	Parodi Cellar
492	Primetime little cigars
493	Prince Albert cigars
494	Punch
495	Puros Indios
496	Romeo y Julieta
497	Royal Jamaica
498	Schimmelpennick

Code	Definition
499	Stag
4001	Sweets; brand unspecified
4002	Tampa; brand unspecified
4003	Te Amo
4004	Temple Hall
4005	Thompson
4006	Tiparillo
4007	Wolf Brothers
4008	Lars Tetens
4009	Bahia
4010	Big Butt
4011	Tobacco Place
4012	Five Star
4013	Cubita
4014	Avanti
4015	Windsor
4016	Dominican; brand unspecified
4017	Rum Runner
4018	Nat Sherman cigars
4019	J.R. Tobacco
4020	Onyx
4021	Credo; brand unspecified
4022	Excalibur
4023	John T's
4024	Sierra Sweets
4025	Middleton Gold and Mild
4026	Habana Black and Gold
4027	Nicaraguan; brand unspecified
4028	Casa Blanca
4029	Celestino Vega
4030	Felipe Gregorio
4031	Playboy
4032	Montesino
4033	Diamond Crown
4034	La Fontana
4035	Muniemaker
4036	La Finca
4037	V Centennial
4038	Flor de Oliva Grand Cameroon
4039	Palace cigars
4040	Reas
4041	Miami Suites
4042	R & J Famous
4043	Rosa Cuba
4044	Zino
4045	Havana Honey
4046	Monte Carlo
4047	Delicados cigars
4048	Travis Club
4049	Purofino
4050	Fuente
4051	Avo

Code	Definition
4052	Carl Upmann
4053	Bolivar
4054	Acid
4055	La Diva
4056	Thomas Hinds
4057	Perfecto Garcia
4058	Denobili
4059	VM Santana
4060	Honduran; brand unspecified
4061	Jamaican; brand unspecified
4062	Ducados
4063	Topper
4064	Djarum cigarillos
4065	Franco
4066	New York cigars
4067	United States; brand unspecified
4068	Caribbean Rounds
4069	Leon Jimenes
4070	Montecruz
4071	Miflin's Choice
4072	Gurkha
4073	Dos Reinas
4074	Arizona
4075	Napa
4076	Key West
4077	Caoba
4078	Flor Cabana
4079	Montoya
4080	Quirantes
4081	Royales
4082	Papayo
4083	C.A.O. Moontrance
4084	Tatiana
4085	Supre Sweets
4086	Dos Hombres
4087	El Cordoba
4088	Don Guillermo
4089	Las Vegas
4090	Caribbean Petites
4091	Tamayo & Pareto
4092	Hemingway
4093	Cabanias
4094	Canaria D'Oro
4095	Ben Bay Crystals
4096	Black Jack
4097	Cusano
4098	La Primadora
4099	Meharis
4100	Madrigal Habana
4101	Ornelas
4102	Tamboril
4103	Keep Moving

Code	Definition
4104	Villiger
4105	Belinda
4106	Habanos
4107	Por Larranaga
4108	Don Antonio
4109	Don Pablo
4110	Drew Estates
4111	Joya del Rey
4112	Maria Mancini
4113	Olor
4114	Plasencia
4115	Porfirio
4116	Sosa
4117	Robusto; type unspecified
4118	Vegas cigars
4119	Marsh Wheeling
4120	Alternativos
4121	Columbian; type unspecified
4122	George Burns
4123	Cameo
4124	Panetella; type unspecified
4125	Carinos
4126	Don Mateo
4127	Hamiltons
4128	Panter
4129	Hoja
4130	Smokin Joes cigars
4131	Moyorga
4132	El Gozo
4133	De Graaff
4134	John Hay
4135	Sinatra
4136	Markers Mark
4137	Luiz Martinez
4138	Havana Blend
4139	La Paloma
4140	Saint Luis Rey
4141	Carbonell
4142	Caballeros
4143	La Palma de Oro
4144	Hula girl
4145	Calixto Lopez
4146	Argos
4147	Aurora
4148	Brazilian cigars; type unspecified
4149	Jose Marti
4150	Quintero
4151	Ramrod
4152	Reveria
4153	Mendez y Lopez
4154	New Orleans
4155	Smoker Friendly cigars

Code	Definition
4156	Ritemeester
4157	Victor Sinclair
4158	Island Collection
4159	Don Alberto
4160	Santa Damiana
4161	Craftsman's Bench
4162	Don Yeyo
4163	Romero
4164	Vega Fina
4165	Cinco Vegas
4166	Dona Flora
4167	La Guardia
4168	National
4169	Alcazar
4170	OneOff
4171	Camacho
4172	J.T.
4173	La Surina
4174	Natural cigars
4175	Perdomo
4176	Primo Del Rey
4177	Heather Phillips
4178	Royal Blunt EZ Tube
4179	Colt cigars
4180	Matacan
4181	Cuban Bullet
4182	Farias
4183	Sancho Panza
4184	Helix
4185	El Toro
4186	Remedios
4187	1886 Queens
4188	898
4189	Memoria de Cuba
4190	Little Havana
4191	Havana Gold
4192	Smoker's Choice
4193	Belmondo
4194	La Floridita
4195	Double Corona, brand unspecified
4196	San Andres
4197	Blender's Gold
4198	Cifuentes
4199	Cuban Delights
4200	El Rico Habano
4201	Gonzalez y Martinez
4202	Hacienda
4203	Omega
4204	Tres Hermanos
4205	Viajante, brand unspecified
4206	Demitasse, brand unspecified
4207	Racer little cigars

Code	Definition
4208	Habano Primero
4209	Heaven
4210	Occidental
4211	Black Pete Ibold
4212	Diesel
4213	Mantequilla
4214	Sir Elliot's
4215	Bauza
4216	Carlos Torano
4217	Roly
4218	Jad
4219	Gold Rush
4220	Old Port cigarillos
4221	Cordova
4222	Dirt
4223	La Perla Habana
4224	Jose Benito
4225	Tueros
4226	Crystal
4227	El Dente
4228	FX Smith
4229	Indian Tabac
4230	Candlelight
4231	Jose Girbes
4232	Sweet Outlaws
4233	Castros Cuban
4234	Don Juan
4235	Natural Root
4236	Hats Off
4237	Rocky Patel's
4238	Royal Cubans
4239	Lauro's
4240	Little Cigar Factory
4241	Guantanamera
4242	Pom Pom cigarillos
4243	Dean's Lil' Cigars
4244	Diablo
4245	Oliva O
4246	Fink
4247	Don Kiki
4248	Hector Hernandez
4249	Mexican cigar; brand unspecified
4250	La Aroma de Cuba
4251	Murillo
4252	Don Rex
4253	Rushmore
4254	Spirit of Cuba
4255	Sweet Daddies
4256	Wise Guys
4257	Phillip & King - Cuban rejects
4258	Don Elliott
4259	Alvaro

Code	Definition
4260	Don Elias
4261	Joya del Jefe Centennial Reserve
4262	El Presidente
4263	Torano Exodus
4264	Costa Rican; brand unspecified
4265	Cheyenne little cigars
4266	Java
4267	Don Lugo
4268	EverMore
4269	Trinidad
4270	Don Augusto
4271	Don Dominguez
4272	Jose Gener
4273	Dominico
4274	Dutch Delights
4275	Mr. B
4276	Holland cigars; brand unspecified
4277	Licenciados
4278	Gispert
4279	Randello X
4280	Graycliff
4281	Roughneck
4282	Vendetta little cigars
4283	Supreme Blend little cigars
4284	Muriel Sweets little cigars
4285	Royal Hawaiian
4286	Casillas
4287	Dark Horse little cigars
4288	Boaz little cigars
4289	Cupido
4290	Moonshine Crooks
4291	M1 cigars
4292	Derringer little cigars
4997	Little cigars; brand otherwise unspecified
4998	Homemade cigars
4999	Cigar/Cigarillo; brand otherwise unspecified

Pipe Tobacco or Miscellaneous Tobacco

501	Prince Albert tobacco
502	Sir Walter Raleigh tobacco
503	Velvet tobacco
504	Bighorn tobacco
505	Hookah tobacco/tobacco in hookah
5999	Pipe tobacco; brand otherwise unspecified

Miscellaneous Classifications

601	Homegrown
701	Marijuana
702	Cocaine

Code	Definition
703	Coca leaves
704	Betel nut
705	Permanent marker
706	Aerosol spray
707	Carburetor cleaner
708	Heroin
801	Nicorette
802	Honey Rose herbal cigarettes
803	Herbal cigarette, not otherwise specified
804	Ecstacy herbal cigarettes
805	Smokey Mountain herbal snuff
806	Herbal Gold herbal cigarettes
807	Ariva tobacco lozenge
808	Herbal Dreams cigarettes

Alphabetical Listing

Definition	Code
1, Smoke	1245
10/20	1242
101, Scenic	1165
120, Baba	343
1886 Queens	4187
305's	1139
4Aces (roll-your-own)	1289
898	4188
A, Class	1130
A, Craven	1137
A, Export	180
Acid	4054
Aerosol spray	706
Afton, Sweet	1096
Al Capone	429
Alas	1131
Albert cigars, Prince	493
Albert tobacco, Prince	501
Alberto, Don	4159
Alcazar	4169
All Star	1201
Alpine	127
Alternativos	4120
Alvaro	4259
Always Save	1186
Amazone Guarana	1127
American	1117
American Diamond	1204
American Spirit	161
American Spirit rolling tobacco	1032
Amish	240
Amo, Te	4003
Amsterdam Shag (roll-your-own)	1067
Amsterdamer (roll-your-won)	1079
Andres, San	4196
Antonio y Cleopatra	401
Antonio, Don	4108
A-One Bidi	1189
Apple Jack	212
Apple Plug tobacco	232
Arango Sportsman	430
Arbo (roll-your-own)	1144
Argos	4146
Ariva tobacco lozenge	807
Arizona	4074
Aroma de Cuba, La	4250
Arturo Fuente	431
Ashton	432

Definition	Code
Astra	1171
Astral	433
Augusto, Don	4270
Aurora	4147
Aurora, La	475
Austin	162
Avanti	4014
Avo	4051
Axis	1223
B, King	235
B, Mr.	4275
Baba 120	343
Baccarat	434
Backard	1163
Backwoods	402
Bahia	4009
Bailey	1022
Baisha	1285
Bali Hai	163
Bali-Shag (roll-your-own)	164
Ball Park	213
Balmoral	435
Bao-dao	1236
Barclay	128
Basic	101
Bauza	4215
Bay Crystals, Ben	4095
Beach, Golden	1182
Beacon	1190
Bee snuff, Honey	314
Beech-Nut	201
Belair	129
Belinda	4105
Belmondo	4193
Belmont	1051
Ben Bay Crystals	4095
Ben Franklin	436
Bench, Craftsman's	4161
Benito, Jose	4224
Benson & Hedges	102
Bering	403
Berkeley	1180
Berley	1277
Best Buy chewing tobacco	214
Best Buy cigarettes	165
Best One, D	1269
Best Value	130
Best, Kentucky's	1112

Definition	Code
Betel nut	704
Bidi, A-One	1189
Bidi, Sher	1098
Bidis, Kailas	192
Bidis; brand unspecified	166
Big Butt	4010
Big Leaf	215
Big Leaf, Peachy	223
Big Red	238
Bighorn tobacco	504
Bishop	1262
Bison	1241
Bite, Good	249
Black & Mild	404
Black and Gold, Habana	4026
Black Clove	1056
Black Death	167
Black Diamond	1256
Black Jack	4096
Black Maria	242
Black Pete Ibold	4211
Black, Captain	405
Blackbull	216
Blackstone	437
Blair	438
Blanca, Casa	4028
Blend little cigars, Supreme	4283
Blend, Cherry	441
Blend, Havana	4138
Blend, House	1031
Blend, J.D.	236
Blend, Middleton Cherry	484
Blend, Natural	1132
Blender's Gold	4197
Bloodhound Thick Plug	233
Blossom, Havana	227
Blunt EZ Tube, Royal	4178
Blunts; brand unspecified	439
Boaz little cigars	4288
Bolivar	4053
Bonus Value	1136
Bonus Value, BV	1030
Boots	1109
Boston	1122
Bowie	217
Bracar	1278
Brandon	168
Brave, The	1219
Brazilian cigars; type unspecified	4148
Brentwood	1078
Bridgeport	1225
Bristol	131

Definition	Code
Bronco	1134
Bronson	169
Brothers, Wolf	4007
Bruton	310
B's cigarettes, Honey	1049
Buffalo	1247
Bugler (roll-your-own)	132
Bull Durham	1026
Bullet, Cuban	4181
Burns, George	4122
Burns, Robert	421
Business Club	1279
Butera	440
Butt, Big	4010
Buy chewing tobacco, Best	214
Buy cigarettes, Best	165
Buy, Scotch	1114
Buy, Ultra	1025
BV Bonus Value	1030
C.A.O. Moontrance	4083
Caballeros	4142
Cabana, Flor	4078
Cabanas	4093
Cabrillas, Las	480
Calixto Lopez	4145
Camacho	4171
Cambridge	103
Camel	104
Cameo	4123
Campton	1172
Canadian Natural (roll-your-own)	1207
Canadian, Classic (roll-your-own)	1249
Canaria D'Oro	4094
Candlelight	4230
Cannonball	218
Canyon	1104
Caoba	4077
Capitol	1155
Capone, Al	429
Capri	105
Captain Black	405
Carbonell	4141
Carburetor cleaner	707
Cardinal	1034
Caribbean Petites	4090
Caribbean Rounds	4068
Carinos	4125
Carl Upmann	4052
Carlo, Monte	4046
Carlos Torano	4216
Carlton	106

Definition	Code
Carlyle	1154
Carnival	1048
Cartier	170
Casa Blanca	4028
Casa Silva	406
Casillas	4286
Cassar, Hugo	470
Caster	1175
Castros Cuban	4233
Cave, Mammoth	243
CC Sweet	327
Celestino Vega	4029
Cella, Parodi	491
Centennial Reserve, Joya del Jefe	4261
Centennial, V	4037
Century	133
Chancellor	1156
Chaparral	1072
Charter	1178
Chattanooga Chew	202
Checkers	171
Cherokee	1035
Cherry Blend	441
Cherry Blend, Middleton	484
Chesterfield	134
Chew, Chattanooga	202
Chew, Tennessee	241
Chewing tobacco, Homemade	2998
Chewing tobacco, Star	248
Chewing tobacco; brand unspecified	2999
Cheyenne cigarettes	1221
Cheyenne little cigars	4265
Chocolate Dreams	1148
Choice, First	182
Choice, Miflin's	4071
Choice, Smoker's	4192
Churchill; brand unspecified	442
Cia, Martinez y	482
Cifuentes	4198
Cigar Factory, Little	4240
Cigar/Cigarillo; brand unspecified	4999
Cigarette, Herbal; not otherwise specified	803
Cigarette; brand unspecified	1999
Cigarette; brand unspecified, Philip Morris	1273
Cigarettes, Cheyenne	1221
Cigarettes, Colt	1210
Cigarettes, Coronas	1145
Cigarettes, Davidoff	1166
Cigarettes, Generals	1196
Cigarettes, Generic; brand unspecified	185

Definition	Code
Cigarettes, Gold Rush	1240
Cigarettes, Havana	1208
Cigarettes, Herbal Dreams	808
Cigarettes, Honey Rose herbal	802
Cigarettes, Royals	1272
Cigarettes, Smoker Friendly	1086
Cigarettes, Star	1075
Cigarillos, Old Port	4220
Cigarillos, Pom Pom	4242
Cigars, Boaz little	4288
Cigars, Cheyenne little	4265
Cigars, Colt	4179
Cigars, Dark Horse little	4287
Cigars, Dean's Lil'	4243
Cigars, Derringer little	4292
Cigars, Gold Rush	4219
Cigars, Little; brand unspecified	4997
Cigars, M1	4291
Cigars, Muriel Sweets little	4284
Cigars, Natural	4174
Cigars, Primetime little	492
Cigars, Racer little	4207
Cigars, Smoker Friendly	4155
Cigars, Supreme Blend little	4283
Cigars, Vendetta little	4282
Cigars; brand unspecified, Holland	4276
Cigars; type unspecified, Brazilian	4148
Cimarron	172
Cinco Vegas	4165
Circle Z	1228
Citation	1226
Claremont	1266
Class A	1130
Class, First	183
Classic	1274
Classic Canadian (roll-your-own)	1249
Classic, Columbus	1197
Classics, Southern	1246
Clay, Henry	467
Cleaner, Carburetor	707
Cleopatra, Antonio y	401
Clove, Black	1056
Clove; brand unspecified	173
Club, Business	1279
Club, GP	1220
Club, Hava	1250
Club, Travis	4048
Coast, Gold	186
Cobra	1267
Coca leaves	703
Cocaine	702
Cohiba	443

Definition	Code
Cojimar	444
Collection, Island	4158
Colt cigarettes	1210
Colt cigars	4179
Columbian; type unspecified	4121
Columbus Classic	1197
Commander	135
Competidora	1202
Cooper	311
Copenhagen	301
Cordoba, El	4087
Cordova	4221
Corona, Double; brand unspecified	4195
Corona, La	414
Corona; brand unspecified	445
Coronas cigarettes	1145
Cortina	446
Costa Rican; brand unspecified	4264
Cottonboll	231
Cougar	312
Country, Rough	224
County, Warren	245
Courier	1036
Covington	136
Cowboys	1176
Craftsman's Bench	4161
Craven "A"	1137
Credo; brand unspecified	4021
Creek, Silver	307
Cremosa Cubanos	447
Crest, Gold	1222
Crooks, Moonshine	4290
Cross, Southern	1270
Crown, Diamond	4033
Crystal	4226
Crystals, Ben Bay	4095
CT	1123
Cuba, La Aroma de	4250
Cuba, Memoria de	4189
Cuba, Rosa	4043
Cuba, Spirit of	4254
Cuban Bullet	4181
Cuban Delights	4199
Cuban rejects, Phillip & King -	4257
Cuban, Castros	4233
Cuban; brand unspecified	448
Cubana, La Gloria	476
Cubana; brand unspecified	449
Cubano, Mi	483
Cubanos, Cremosa	447
Cubans, Royal	4238
Cubita	4013

Definition	Code
Cuesta-Rey	407
Cumberland Twist	247
Cupido	4289
Cusano	4097
Cut, Silk	1125
D Best One	1269
Daddies, Sweet	4255
Damiana, Santa	4160
Dancer, Sky	1184
Dannemann	450
Dao, Bao-	1236
Dark Horse little cigars	4287
Darshan	1181
Dave's	174
Davidoff cigarettes	1166
Davidoff cigars	451
Davidson, Harley	138
Day's Work	203
Days, Happy	303
De Cuba, La Aroma	4250
De Cuba, Memoria	4189
De Graaff	4133
De Monterrey, Hoya	469
De Nicaragua, Joya	472
De Oliva Grand Cameroon, Flor	4038
De Oro, La Palma	4143
Dean Swift	329
Dean's Lil' cigars	4243
Death, Black	167
Decade	1268
Del Mundo, El Rey	460
Del Rey, Joya	4111
Del Rey, Primo	4176
Delicados cigarettes	1046
Delicados cigars	4047
Delights, Cuban	4199
Delights, Dutch	4274
Demitasse, brand unspecified	4206
Denobili	4058
Dental	313
Dente, El	4227
Derby	1191
Derringer little cigars	4292
Desert Sun	1248
Diablo	4244
Diamond Crown	4033
Diamond, American	1204
Diamond, Black	1256
Diamond, Double	1128
Diego, Don	452
Diesel	4212

Definition	Code
Dimitrino Shepherds Hotel	1281
Dirt	4222
Diva, La	4055
Djarum cigarettes	175
Djarum cigarillos	4064
Dominguez, Don	4271
Dominican; brand unspecified	4016
Dominicana, La Flor	479
Dominico	4273
Don Alberto	4159
Don Antonio	4108
Don Augusto	4270
Don Diego	452
Don Dominguez	4271
Don Elias	4260
Don Elliott	4258
Don Guillermo	4088
Don Jose	453
Don Juan	4234
Don Kiki	4247
Don Lino	454
Don Lugo	4267
Don Mateo	4126
Don Pablo	4109
Don Rene	455
Don Rex	4252
Don Sebastian	456
Don Thomas	457
Don Yeyo	4162
Dona Flora	4166
Doral	107
D'Oro, Canaria	4094
Dos Hombres	4086
Dos Reinas	4073
Double Corona, brand unspecified	4195
Double Diamond	1128
Dr. Rumney's	339
Dreams	1091
Dreams cigarettes, Herbal	808
Dreams, Chocolate	1148
Dreams, Sweet	1113
Drew Estates	4110
Drum (roll-your-own)	176
DTC	1037
Du Maurier	177
Ducados	4062
Duck twist, Wild	251
Dunhill cigarettes	178
Dunhill cigars	458
Durango	219
Durant	1120
Durham, Bull	1026

Definition	Code
Dutch Delights	4274
Dutch Masters	408
Dutch Treats	459
Dynamic	1164
Eagle	179
Echo	1211
Eclipse	1110
Ecstacy herbal cigarettes	804
Edward, King	413
El Cordoba	4087
El Dente	4227
El Gozo	4132
El Presidente	4262
El Producto	409
El Rey del Mundo	460
El Rico Habano	4200
El Toro	4185
Elias, Don	4260
Elliot's, Sir	4214
Elliott, Don	4258
Epic	1111
Erik Filter	410
Esquire	1185
Estates, Drew	4110
Euro	1212
Eve	137
EverMore	4268
Exact	1265
Excalibur	4022
Exodus, Torano	4263
Export A	180
Express 555	1119
Express, State	154
Extreme	330
EZ Tube, Royal Blunt	4178
Factory, Little Cigar	4240
Famous, R & J	4042
Fantasia	1063
Farias	4182
Farmer's Gold (roll-your-own)	1235
Faros	1151
Felipe Gregorio	4030
Fiesta	181
Filter, Erik	410
Fina, Vega	4164
Finca, La	4036
Fink	4246
First Choice	182
First Class	183
First US	1205

Definition	Code
First USA	1205
Five Star	4012
Flor Cabana	4078
Flor de Oliva Grand Cameroon	4038
Flora, Dona	4166
Floridita, La	4194
Focus	1124
Fonseca	461
Fontana, La	4034
Forsyth	108
Fortuna	1276
Fox, Red	207
Franco	4065
Franklin, Ben	436
Fred	1271
Friendly cigarettes, Smoker	1086
Friendly cigars, Smoker	4155
Fuente	4050
Fuente, Arturo	431
FX Smith	4228
Gambler (roll-your-own)	1227
Garcia y Vega	411
Garcia, Perfecto	4057
Garrett snuff	321
Garrett, Levi	206
Gauloises	184
Gawith, Samuel	346
Gener, Jose	4272
General snuff	337
Generals cigarettes	1196
Generic cigarettes; brand unspecified	185
George Burns	4122
Geronimo	1055
Girbes, Jose	4231
Girl, Hula	4144
Gispert	4278
Gitane	1058
Gloria Cubana, La	476
Gold	1090
Gold and Mild, Middleton	4025
Gold Coast	186
Gold Crest	1222
Gold herbal cigarettes, Herbal	806
Gold River	302
Gold Rush cigarettes	1240
Gold Rush cigars	4219
Gold, Blender's	4197
Gold, Farmer's (roll-your-own)	1235
Gold, Habana	466
Gold, Habana Black and	4026
Gold, Havana	4191

Definition	Code
Gold, Liberty	1244
Gold, Old	147
Gold, USA	1018
Golden Beach	1182
Golden Harvest (roll-your-own)	1283
Golden Lights	1133
Golden Virginia (roll-your-own)	1140
Goldflake	1229
Goldlight	1129
Gonzalez y Martinez	4201
Good Bite	249
Gozo, El	4132
GP Club	1220
GPC	109
Graaff, De	4133
Grand	1073
Grand Prix	1089
Granger	204
Graycliff	4280
Gregorio, Felipe	4030
Grenadiers	462
Griffin's	463
Grizzly	332
G-Smoke	1218
GT-One	1126
Guantanamera	4241
Guarana, Amazone	1127
Guardia, La	4167
Gudang Guram	187
Guillermo, Don	4088
Gunsmoke	188
Guram, Gudang	187
Gurkha	4072
Guy, Tough	1162
Guys, Wise	4256
H. Upmann	464
H.B. Scott	205
Habana Black and Gold	4026
Habana Gold	466
Habana, La Perla	4223
Habana, Madrigal	4100
Habana/Havana; brand unspecified	465
Habano Primero	4208
Habano, El Rico	4200
Habanos	4106
Hacienda	4202
Hai, Bali	163
Hall, Temple	4004
Hamiltons	4127
Happy Days	303
Harley Davidson	138

Definition	Code
Harvest (roll-your-own), Golden	1283
Hats Off	4236
Hava Club	1250
Havana Blend	4138
Havana Blossom	227
Havana cigarettes	1208
Havana Gold	4191
Havana Honey	4045
Havana, Habana/; brand unspecified,	465
Havana, Little	4190
Havatampa	412
Hawaiian, Royal	4285
Hawken	304
Hay, John	4134
Heather Phillips	4177
Heaven	4209
Hector Hernandez	4248
Hedges, Benson &	102
Helix	4184
Hemingway	4092
Henry Clay	467
Herbal cigarette, not otherwise specified	803
Herbal cigarettes, Ecstasy	804
Herbal cigarettes, Herbal Gold	806
Herbal cigarettes, Honey Rose	802
Herbal Dreams cigarettes	808
Herbal Gold herbal cigarettes	806
Herbal snuff, Smokey Mountain	805
Hermanos, Tres	4204
Hernandez, Hector	4248
Heroin	708
Highway	1076
Hillside, Old (roll-your-own)	1192
Hinds, Thomas	4056
Hi-Value	189
Hobo	468
Hoja	4129
Holborn, Old (roll-your-own)	1187
Holland cigars; brand unspecified	4276
Hollywood	1033
Hombres, Dos	4086
Homegrown	601
Homemade chewing tobacco	2998
Homemade cigars	4998
Homemade snuff/smokeless tobacco	3998
Homer	1198
Honduran; brand unspecified	4060
Honest Scotch	334
Honey Bee snuff	314
Honey B's cigarettes	1049
Honey Rose herbal cigarettes	802

Definition	Code
Honey, Havana	4045
Honor	1284
Hookah tobacco/tobacco in hookah	505
Horse little cigars, Dark	4287
Horse, Red	234
Horse, Wild	1287
Horse, Work	211
Hotel, Dimitrino Shepherds	1281
House Blend	1031
Hoya De Monterrey	469
Hugo Cassar	470
Hula girl	4144
Husky	341
Ibold, Black Pete	4211
Iceberg (roll-your-own)	1213
Image	1084
Impala	1102
Indian Tabac	4229
Indios, Puros	495
Infiesta	471
Infinity	1194
Island Collection	4158
J Famous, R &	4042
J.D. Blend	236
J.R. Tobacco	4019
J.T.	4172
Jack, Apple	212
Jack, Black	4096
Jacks	190
Jackson, Peter	1290
Jad	4218
Jade	1168
Jakarta	1101
Jamaica, Royal	497
Jamaican; brand unspecified	4061
Jasmine	139
Java	4266
Jefe Centennial Reserve, Joya del	4261
Jester (roll-your-own)	191
Jimenes, Leon	4069
Joes cigarettes, Smokin	1040
Joes cigars, Smokin	4130
John Hay	4134
John Player	1066
John T's	4023
Jose Benito	4224
Jose Gener	4272
Jose Girbes	4231
Jose Marti	4149
Jose, Don	453

Definition	Code
Joya De Nicaragua	472
Joya del Jefe Centennial Reserve	4261
Joya del Rey	4111
Jr Ultimate	473
Juan, Don	4234
Julietta, Romeo y	496
Kailas Bidis	192
Kamel Red	193
Kayak	326
Keep Moving	4103
Kent	110
Kentucky Smooth (roll-your-own)	1275
Kentucky, Old	1200
Kentucky's Best	1112
Key West	4076
Khaini, Kuber	246
Kiki, Don	4247
King	474
King - Cuban rejects, Phillip &	4257
King B	235
King Edward	413
Kingsley	1203
Kingsport	1118
Kingston	1251
Kite (roll-your-own)	1100
Knights	1264
Kodiak	305
Kool	111
Krakatoa Kretek	1059
Kretek, Kuta	1060
Krong Thip	1074
Kuber Khaini	246
Kuta Kretek	1060
L & M	141
La Aroma de Cuba	4250
La Aurora	475
La Corona	414
La Diva	4055
La Finca	4036
La Flor Dominicana	479
La Floridita	4194
La Fontana	4034
La Gloria Cubana	476
La Guardia	4167
La Palma de Oro	4143
La Paloma	4139
La Perla Habana	4223
La Primadonna	4098
La Surina	4173
La Tradicion	477

Definition	Code
La Unica	478
Label, Private	121
Lakes	1286
Lancaster	220
Lark	140
Larranaga, Por	4107
Lars Tetens	4008
Larson	1199
Las Cabrillas	480
Las Vegas	4089
Lauro's	4239
Leaf, Big	215
Leaf, Peachy Big	223
Leaves, Coca	703
Legend	194
Leon Jimenes	4069
Levi Garrett	206
Lewiston	1039
Liberty	1243
Liberty Gold	1244
Licenciados	4277
Liggett Select	1083
Lights, Golden	1133
Lil' Cigars, Dean's	4243
Lino, Don	454
Little Cigar Factory	4240
Little cigars, Boaz	4288
Little cigars, Cheyenne	4265
Little cigars, Dark Horse	4287
Little cigars, Derringer	4292
Little cigars, Muriel Sweets	4284
Little cigars, Primetime	492
Little cigars, Racer	4207
Little cigars, Supreme Blend	4283
Little cigars, Vendetta	4282
Little cigars; brand unspecified	4997
Little Havana	4190
Little Nippers	415
Lobo	1173
Lone Wolf	481
Longhorn	338
Lookout (roll-your-own)	1209
Lopez, Calixto	4145
Lopez, Mendez y	4153
Lotto	1252
Lozenge, Ariva tobacco	807
Lucky Strike	142
Lugo, Don	4267
Luis Rey, Sanit	4140
Luiz Martinez	4137

Definition	Code
M Santana, V	4059
M1 cigars	4291
Macanudos	416
Madrigal Habana	4100
Magna	143
Mail Pouch	221
Mainstreet	196
Malibu	195
Mall, Pall	119
Mammoth Cave	243
Man, Red	208
Mancini, Maria	4112
Manikchand	342
Mantequilla	4213
Marathon	1153
Maria Mancini	4112
Maria, Black	242
Marijuana	701
Mark, Markers	4136
Marker	197
Marker, Permanent	705
Markers Mark	4136
Market	1141
Marlboro	112
Marlin	1088
Marsh Wheeling	4119
Marti, Jose	4149
Martinez y Cia	482
Martinez, Gonzalez y	4201
Martinez, Luiz	4137
Masters, Dutch	408
Matacan	4180
Mateo, Don	4126
Matinee	1157
Maurier, Du	177
Maverick	144
Max	145
Maxim	1158
McChrystals	335
McClintock (roll-your-own)	1170
MCD	1231
Medallion	198
Meharis	4099
Memoria de Cuba	4189
Mendez y Lopez	4153
Meridian	199
Merit	113
Meth, Methamphetamine ("ice" or "crank")	709
Mexican cigar; brand unspecified	4249
Mi Cubano	483
Miami Suites	4041

Definition	Code
Middleton Cherry Blend	484
Middleton Gold and Mild	4025
Midnight Special (roll-your-own)	1214
Miflin's Choice	4071
Mild Sevens, Seven Stars/	1012
Mild, Black &	404
Mild, Middleton Gold and	4025
Mills, Railroad	344
Mint Snuff	323
Misty	114
Monaco	1080
Monarch	115
Monero	485
Montana	1115
Montclair	116
Monte Carlo	4046
Montecristo	486
Montecruz	4070
Montego	1253
Monterrey, Hoya De	469
Montesino	4032
Montoya	4079
Moonshine Crooks	4290
Moontrance, C.A.O.	4083
More	117
Morgan's	222
Morris cigarette; brand unspecified, Philip	1273
Mountain herbal snuff, Smokey	805
Move	1142
Moving, Keep	4103
Moyorga	4131
Mr. B	4275
Mundail	1159
Mundo, El Rey del	460
Muniemaker	4035
Muriel	417
Muriel Sweets little cigars	4284
Murillo	4251
Mustang	1027
MVP	1193
Napa	4075
Nat Sherman cigarettes	1001
Nat Sherman cigars	4018
National	4168
Native	1092
Natural Blend	1132
Natural cigar	4174
Natural Root	4235
Natural, Canadian (roll-your-own)	1207
Navy	315

Definition	Code
Nevada	1260
New Orleans	4154
New York cigars	4066
New York New York cigarettes	1047
Newport	118
Niagara	1106
Nicaragua, Joya De	472
Nicaraguan; brand unspecified	4027
Nicorette	801
Nippers, Little	415
Nise	1160
Nobel	1108
Nova	1239
Now	146
Nut, Betel	704
O, Oliva	4245
Occidental	4210
Off, Hats	4236
Old Gold	147
Old Hillside (roll-your-own)	1192
Old Holborn (roll-your-own)	1187
Old Kentucky	1200
Old Port cigarillos	4220
Oliva Grand Cameroon, Flor de	4038
Oliva O	4245
Oliver Twist	244
Oliveros	487
Olor	4113
Omaha	1002
Omar	1237
Omar Sharif	1054
Omega	4203
Omni	1169
One, Bidi, A-	1189
One, D Best	1269
One, Premium	1052
OneOff	4170
Onyx	4020
Opal	1234
Optimo	488
Optiva	1146
Opus X	489
Orleans, New	4154
Ornelas	4101
Oro, La Palma de	4143
Our Pride	237
Outlaws, Sweet	4232
Owl, White	426
Ozona	328

Definition	Code
Pablo, Don	4109
Padron	490
Palace cigarettes	1107
Palace cigars	4039
Pall Mall	119
Palma de Oro, La	4143
Paloma, La	4139
Panetella; type unspecified	4124
Panter	4128
Panza, Sancho	4183
Papayo	4082
Pareto, Tamayo &	4091
Parisiennes	1150
Park, Ball	213
Parliament	120
Parodi Cella	491
Partagas	418
Patels, Rocky	4237
Patriot	1095
Peach	322
Peachy Big Leaf	223
Penn, William	427
Perdomo	4175
Perfecto Garcia	4057
Perla Habana, La	4223
Permanent marker	705
Pete Ibold, Black	4211
Peter Jackson	1290
Peter Stuyvesant	1230
Petites, Caribbean	4090
Philip Morris cigarette; brand unspecified	1273
Phillies	419
Phillip & King - Cuban rejects	4257
Phillips, Heather	4177
Piel Roja	1003
Pilot	1099
Pipe tobacco; brand unspecified	5999
Place, Tobacco	4011
Planet	1004
Plasencia	4114
Playboy	4031
Player, John	1066
Players	148
Plug tobacco, Apple	232
Plug, Bloodhound Thick	233
Point	1161
Poker	1261
Pom Pom cigarillos	4242
Popular	1103
Por Larranaga	4107
Porfirio	4115

Definition	Code
Port cigarillos, Old	4220
Pouch, Mail	221
Premium One	1052
President	333
Price, Slim	1013
Pride, Our	237
Pride, Southern	228
Pride, Taylor's	209
Pride, Value	1255
Primadora, La	4098
Prime	1024
Primero, Habano	4208
Primetime little cigars	492
Primo	1224
Primo Del Rey	4176
Prince (Denmark)	1077
Prince Albert cigars	493
Prince Albert tobacco	501
Private Label	121
Private Stock	1005
Prix, Grand	1089
Producto, El	409
Punch	494
Purofino	4049
Puros Indios	495
Putter	1143
Pyramid	149
Quality	1121
Quality Smokes	1006
Quality, Value &	1071
Queens, 1886	4187
Quest	1179
Quintero	4150
Quirantes	4080
R & J Famous	4042
Racer little cigars	4207
Railroad Mills	344
Raleigh	150
Raleigh tobacco, Sir Walter	502
Rally	1007
Ralph's snuff	324
Ramrod	4151
Randelllo X	4279
Rave	1008
Reas	4040
Red Fox	207
Red Horse	234
Red Man	208
Red Seal	316
Red, Big	238

Definition	Code
Red, Kamel	193
Redbull (roll-your-own)	1183
Redwood	306
Reinas, Dos	4073
Rejects, Phillip & King - Cuban	4257
Remedios	4186
Rene, Don	455
Renegades	325
Reserve, Joya del Jefe Centennial	4261
Revel	345
Revenge	1116
Reveria	4152
Rex, company brand unspecified	1257
Rex, Don	4252
Rey del Mundo, El	460
Rey, Cuesta-	407
Rey, Joya del	4111
Rey, Primo Del	4176
Rey, Saint Luis	4140
Rhino, White	1195
Rican cigar, Costa; brand unspecified;	4264
Richland	151
Rico Habano, El	4200
Ridgeway	1215
Rigoletto	420
Ritemeester	4156
River, Gold	302
Robert Burns	421
Robusto; type unspecified	4117
Rocky Patels	4237
Roger	1093
Roi-Tan	422
Roja, Piel	1003
Rolling tobacco, American Spirit	1032
Rollrich (roll-your-own)	1009
Roll-your-own cigarette; brand unspecified	1998
Roly	4217
Romeo y Julieta	496
Romero	4163
Romy	1216
Ronhill	1233
Rooster	317
Root, Natural	4235
Root, Natural	4235
Rosa Cuba	4043
Rose herbal cigarettes, Honey	802
Rose, Tube	320
Rothman	1010
Rough Country	224
Roughneck	4281
Rounds, Caribbean	4068

Definition	Code
Royal Blunt EZ Tube	4178
Royal Cubans	4238
Royal Hawaiian	4285
Royal Jamaica	497
Royales	4081
Royals cigarettes	1272
Rum Runner	4017
Rumney's, Dr.	339
Runner, Rum	4017
Rush cigarettes, Gold	1240
Rush cigars, Gold	4219
Rushmore	4253
Sago	1167
Saint Luis Rey	4140
Salem	122
Sampoerna	1011
Samson (roll-your-own)	1038
Samuel Gawith	346
San Andres	4196
Sancho Panza	4183
Sandia	1232
Santa Damiana	4160
Santana, VM	4059
Saratoga	152
Satin	153
Save, Always	1186
Scenic 101	1165
Schimmelpennick	498
Scotch Buy	1114
Scotch, Honest	334
Scott, H.B.	205
Seal, Red	316
Sebastian, Don	456
Sebring	1081
Select, Liggett	1083
Seneca; company brand unspecified	1064
Sequoia	331
Seven Stars/Mild Sevens	1012
Sevens, Seven Stars/Mild	1012
Shag, Amsterdam (roll-your-own)	1067
Shag, Bali- (roll-your-own)	164
Sharif, Omar	1054
Shepherds Hotel, Dimitrino	1281
Sher Bidi	1098
Sherman cigarettes, Nat	1001
Sherman cigars, Nat	4018
Shield	1094
Sierra Sweets	4024
Signature	1061
Silk Cut	1125
Silva Thins	1135

Definition	Code
Silva, Casa	406
Silver Creek	307
Silvers	1177
Silverton	1188
Sinatra	4135
Sincerely Yours	1062
Sinclair, Victor	4157
SingleStick (roll-your-own)	1258
Sir Elliot's	4214
Sir Walter Raleigh tobacco	502
Sixty-1	1105
Skoal	308
Skruf	347
Sky Dancer	1184
Slim Price	1013
Slims, Virginia	125
Smalls, Tijuana	424
Smith, FX	4228
Smoke 1	1245
Smoke, G-	1218
Smoker Friendly cigarettes	1086
Smoker Friendly cigars	4155
Smoker's Choice	4192
Smokers Warehouse (roll-your-own)	1217
Smokes, Quality	1006
Smokey Mountain herbal snuff	805
Smokin Joes cigarettes	1040
Smokin Joes cigars	4130
Smooth (roll-your-own), Kentucky	1275
Snuff, General	337
Snuff, Ralph's	324
Snuff, Smokey Mountain herbal	805
Snuff/smokeless tobacco, Homemade	3998
Snuff; brand unspecified	3999
Sobranie	1014
Sonic	1282
Sonoma	1041
Sosa	4116
Southern Classics	1246
Southern Cross	1270
Southern Pride	228
Sovereign	1057
Special	1085
Special, Midnight (roll-your-own)	1214
Specials, Turkish	1045
Spirit of Cuba	4254
Spirit rolling tobacco, American	1032
Spirit, American	161
Splash	1065
Sport	1023
Sportsman, Arango	430
Spray, Aerosol	706

Definition	Code
Springwater Vanilla	1015
Square	318
Stag	499
Star chewing tobacco	248
Star cigarettes	1075
Star, All	1201
Star, Five	4012
Stars/Mild Sevens, Seven	1012
State Express	154
States, United; brand unspecified	4067
Sterling	155
Stock, Private	1005
Stoker chewing tobacco	230
Stoker's (roll-your-own)	1206
Stonewall	340
Storm	1263
Strike, Lucky	142
Stuyvesant, Peter	1230
Style	156
Suites, Miami	4041
Summit	1016
Sun, Desert	1248
Sundance	1017
Superkings	1068
Supre Sweets	4085
Supreme Blend little cigars	4283
Surina, La	4173
Sweet Afton	1096
Sweet Daddies	4255
Sweet Dreams	1113
Sweet Outlaws	4232
Sweet, CC	327
Sweets little cigars, Muriel	4282
Sweets, Sierra	4024
Sweets, Supre	4085
Sweets, Swisher	423
Sweets; brand unspecified	4001
Swift, Dean	329
Swisher Sweets	423
Tabac, Indian	4229
Taboka	348
Tahoe	1082
Tall	1042
Tamayo & Pareto	4091
Tamboril	4102
Tampa; brand unspecified	4002
Tan, Roi-	422
Tareyton	157
Tatiana	4084
Taylor's Pride	209
Te Amo	4003

Definition	Code
Temple Hall	4004
Tempo	1043
Tennessee Chew	241
Tetens, Lars	4008
Tex	1259
The Game cigars, Baccarat	434
Thick Plug, Bloodhound	233
Thins, Silva	1135
Thip, Khrong	1074
Thomas Hinds	4056
Thomas, Don	457
Thompson	4005
Tijuana Smalls	424
Timber Wolf	309
Time, Value	1070
Tinsley	239
Tiparillo	4006
Tobacco in hookah, Hookah tobacco/	505
Tobacco lozenge, Ariva	807
Tobacco Place	4011
Tobacco, American Spirit rolling	1032
Tobacco, Apple Plug	232
Tobacco, Bighorn	504
Tobacco, Homemade chewing	2998
Tobacco, Homemade snuff/smokeless	3998
Tobacco, Pipe; brand unspecified	5999
Tobacco, Prince Albert	501
Tobacco, R.J.	4019
Tobacco, Sir Walter Raleigh	502
Tobacco, Star chewing	248
Tobacco/tobacco in hookah, Hookah	505
Top (roll-your-own)	158
Topper	4063
Tops snuff	319
Torano, Carlos	4216
Torano, Exodus	4263
Toro, El	4185
Totems	210
Tough Guy	1162
Tourney	1029
Tracker	1254
Tradicion, La	477
Travis Club	4048
Treats, Dutch	459
Tres Hermanos	4204
Trinidad	4269
Triumph	159
Trophy	225
True	160
T's, John	4023
Tube Rose	320
Tube, Royal Blunt EZ	4178

Definition	Code
Tucson	1138
Tueros	4225
Tulsi	250
Turkish Specials	1045
Twist, Cumberland	247
Twist, Oliver	244
Twist, Wild Duck	251
Ultimate, Jr	473
Ultra Buy	1025
Unica, La	478
Unify	1174
Union Workman	229
United States; brand unspecified	4067
Universal	425
Upmann, Carl	4052
Upmann, H.	464
US, First	1205
USA	1050
USA Gold	1018
USA, First	1205
V Centennial	4037
Value & Quality	1071
Value Pride	1255
Value Time	1070
Value, Best	130
Value, Bonus	1136
Value, BV Bonus	1030
Value, Hi-	189
Value; brand unspecified	1028
Vanilla, Springwater	1015
Vantage	123
Vega Fina	4164
Vega, Celestino	4029
Vega, Garcia y	411
Vegas cigarettes	1019
Vegas cigars	4118
Vegas, Cinco	4165
Vegas, Las	4089
Velvet	503
Vendetta little cigars	4282
Viajante, brand unspecified	4205
Viceroy	124
Victor Sinclair	4157
Victory	1149
Villiger	4104
Virginia Slims	125
Virginia, Golden (roll-your-own)	1140
Virginian	1087
VM Santana	4059

Definition	Code
Walter Raleigh tobacco, Sir	502
Warehouse, Smokers (roll-your-own)	1217
Warren County	245
Waves	1020
Way	1238
WB	226
West, Key	4076
Westport	1147
Wheeling, Marsh	4119
White Owl	426
White Rhino	1195
Wild Duck twist	251
Wild Horse	1287
William Penn	427
Wills	1053
Wilsons	336
Winchester	428
Windsor	4015
Winner	1097
Winston	126
Wise Guys	4256
Wolf Brothers	4007
Wolf, Lone	481
Wolf, Timber	309
Work Horse	211
Work, Day's	203
Workman, Union	229
Worth	1044
X, Opus	489
X, Randelllo	4279
X-tra	1152
Yeyo, Don	4162
York cigarettes, New York New	1047
York cigars, New	4066
Yours	1021
Yours, Sincerely	1062
Yukon	1288
Z, Circle	1228
Zig-Zag (roll-your-own)	1069
Zino	4044

APPENDIX D

Recoded Substance Dependence and Abuse Variable Documentation

The 2006 National Survey on Drug Use and Health (NSDUH) computer-assisted interviewing (CAI) instrumentation included questions that were designed to measure dependence and abuse of illicit drugs, alcohol, and dependence on nicotine (cigarettes). For nicotine (cigarettes), questions pertaining to dependence were based on criteria from the Nicotine Dependence Syndrome Scale (NDSS; Shiffman, Hickcox, Gnys, Paty, & Kassel, 1995; Shiffman, Waters, & Hickcox, 2004) and the Fagerstrom Test of Nicotine Dependence (FTND; Fagerstrom, 1978; Heatherton, Kozlowski, Frecker, & Fagerstrom, 1991). The above-mentioned criteria were first used to measure nicotine dependence in NSDUH in 2003. For substances other than nicotine (cigarettes), which include alcohol, cocaine, heroin, pain relievers, sedatives, marijuana, tranquilizers, stimulants, hallucinogens, and inhalants, dependence and abuse questions were based on the criteria in the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*, 4th edition (American Psychiatric Association [APA], 1994). Due to the complexity of defining the dependence and abuse variables, additional details regarding the creation of these variables are included in this appendix.

Given the current editing and imputation procedures, along with the use of both core and noncore questions to determine whether a respondent was asked the dependence and abuse questions, users should be aware of the possible inconsistencies that may exist between the dependence and abuse variables and the imputed substance use and frequency of use variables for selected substances.

Responses from core substance use, frequency of substance use, and noncore substance use questions were used as criteria to determine whether a respondent was asked the alcohol and/or illicit drug dependence and abuse questions. Unknown responses to the core substance use and frequency of substance use questions were imputed. However, the imputation process did not take into account data reported in the noncore CAI modules. Therefore, responses to the dependence and abuse questions that were inconsistent with responses to the imputed substance use or frequency of use questions could exist. These inconsistent responses remained in the edited data and were not excluded in the creation of the dependence and abuse recodes. Since different sets of criteria were used as skip logic for each substance, different types of inconsistencies between the dependence and abuse variables and the imputed substance use and frequency of substance use variables could occur by substance. These inconsistencies are discussed in further detail in the appropriate sections on each substance.

Differences also exist between the methodologies used for determining dependence on nicotine (cigarettes) and for determining dependence on other substances. For example, to classify as nicotine (cigarette) dependent, a respondent must be a past month user of cigarettes. However, to classify as dependent on one of the other substances by *DSM-IV* criteria, a respondent must be a past year user of that substance. A second difference is that the Nicotine Dependence Syndrome Scale (NDSS) questions are imputed in order to optimize the number of respondents who may be classified for nicotine (cigarette) dependence, unlike the *DSM-IV* dependence questions that are used in the nonimputed, edited form.

Nicotine (Cigarette) Dependence

The 2006 NSDUH CAI questions designed to assess nicotine (cigarette) dependence were based on the NDSS and the FTND. To identify patterns of nicotine (cigarette) dependence within the 2006 NSDUH data, variable indicators were created to measure dependence on nicotine through the use of cigarettes. A respondent was defined as being dependent if he or she met either the NDSS or the FTND criteria for dependence.

Nicotine Dependence Syndrome Scale (NDSS):

The conceptual roots of the NDSS are similar to those behind the *DSM-IV* concept of dependence (Edwards & Gross, 1976). NSDUH contains 19 NDSS questions that address five aspects of dependence:

1. Smoking drive (compulsion to smoke driven by nicotine craving and withdrawal)
 - a. After not smoking for a while, you need to smoke in order to feel less restless and irritable (IRCGIRTB)
 - b. When you don't smoke for a few hours, you start to crave cigarettes (IRCGCRV)
 - c. You sometimes have strong cravings for a cigarette where it feels like you're in the grip of a force you can't control (IRCGCRGP)
 - d. You feel a sense of control over your smoking - that is, you can "take it or leave it" at any time (IRCGNCTL)
 - e. You sometimes worry that you will run out of cigarettes (IRCGROUT).
2. Nicotine tolerance
 - a. Since you started smoking, the amount you smoke has increased (IRCGINCR)
 - b. Compared to when you first started smoking, you need to smoke a lot more now in order to be satisfied (IRCGSAT)
 - c. Compared to when you first started smoking, you can smoke much, much more now before you start to feel anything (IRCGLMR).
3. Continuous smoking
 - a. You smoke cigarettes fairly regularly throughout the day (IRCGRGDY)
 - b. You smoke about the same amount on weekends as on weekdays (IRCGRGWK)
 - c. You smoke just about the same number of cigarettes from day to day (IRCGRGNM)
 - d. It's hard to say how many cigarettes you smoke per day because the number often changes (IRCGNCG)
 - e. It's normal for you to smoke several cigarettes in an hour, then not have another one until hours later (IRCGSLHR).
4. Behavioral priority (preferring smoking over other reinforcing activities)
 - a. You tend to avoid places that don't allow smoking, even if you would otherwise enjoy them (IRCGAVD)
 - b. There are times when you choose not to be around your friends who don't smoke because they won't like it if you smoke (friends question - CIGFNLKE)
 - c. Even if you're traveling a long distance, you'd rather not travel by airplane because you wouldn't be allowed to smoke (IRCGPLN).
5. Stereotypy (fixed patterns of smoking)
 - a. Do you have any friends who do not smoke cigarettes (friends question - CIGFNSMK)

- b. The number of cigarettes you smoke per day is often influenced by other things - how you're feeling, or what you're doing, for example (IRCGINFL)
- c. Your smoking is not affected much by other things. For example, you smoke about the same amount whether you're relaxing or working, happy or sad, alone or with others (IRCGNINF).

Each of these five domains can be assessed by a separate measure, but an average score across all domains also can be obtained for overall nicotine dependence (Shiffman et al., 2004). The NDSS algorithm for calculating this average score was based on the respondent's answers to 17 of the 19 questions listed above. The items regarding nonsmoking friends (CIGFNSMK and CIGFNLKE) were excluded due to frequent missing data.

For respondents who answered 16 of the 17 NDSS nicotine (cigarette) dependence questions used in the NDSS algorithm, imputation using the 16 answered NDSS items as covariates in a weighted least squares regression model was implemented (Ault et al., 2008).

Responses to items IRCGIRTB, IRCGCRV, IRCGCRGP, IRGAVD, IRCGPLN, IRCGROUT, IRCGRGDY, IRCGRGWK, IRCGRGNM, IRCGNINF, IRGGINCR, IRGSAT, and IRGGLMR were coded from 1 to 5 where

- 1= Not at all true of me
- 2= Sometimes true of me
- 3= Moderately true of me
- 4= Very true of me
- 5= Extremely true of me.

Responses to items IRGNCNTL, IRGNCNG, IRGSLHR, and IRGGINFL were reverse coded from 5 to 1 where

- 5= Not at all true of me
- 4= Sometimes true of me
- 3= Moderately true of me
- 2= Very true of me
- 1= Extremely true of me.

For respondents who reported smoking cigarettes in the past month, the NDSS score, NDSSANSP, was calculated as the sum of the responses to the previous questions divided by 17. The NDSS score was calculated only for those who had responses to all 17 questions after imputation. If a respondent did not have valid responses to all 17 questions, then his or her NDSS score was defined as missing.

A respondent was defined as nicotine dependent based on the NDSS, NDSSDNSP, if the NDSS score was greater than or equal to 2.75. If the NDSS score was less than 2.75 or missing, then the respondent was determined to be nondependent based on the NDSS. The threshold of 2.75 was derived by examining the distribution of scores in other samples of smokers who were administered the NDSS, including a contrast of scores obtained for nondependent smokers (chippers) versus heavy smokers (Shiffman, Paty, Kassel, Gnys, & Zettler-Segal, 1994).

Fagerstrom Test of Nicotine Dependence (FTND):

The FTND is a multi-item measure of dependence, but much of its ability to discriminate dependent smokers derives from a single item assessing how soon after waking smokers have their first cigarette (Heatherton, Kozlowski, Frecker, Rickert, & Robinson, 1989). Because most nicotine is cleared from the bloodstream overnight, smokers typically wake in nicotine deprivation, and rapid movement to smoke is considered a sign of dependence. A respondent who reported smoking cigarettes in the past month was defined as nicotine dependent based on the FTND, FTNDDNSP, if the first cigarette smoked was within 30 minutes of waking up on the days he or she smoked (CIGWAKE=1 or 2).

Nicotine (Cigarette) Dependence:

Using both the NDSS and the FTND, a respondent was defined as having nicotine (cigarette) dependence in the past month, DNICNSP, if he or she met either the NDSS (NDSSDNSP=1) or FTND (FTNDDNSP=1) criteria for dependence.

DSM-IV Dependence and Abuse

The 2006 NSDUH CAI questions designed to assess substance dependence and abuse were based on the criteria for dependence and abuse in the *DSM-IV* (APA, 1994). To identify patterns of substance abuse in the 2006 NSDUH data, variable indicators were created to measure dependence on and abuse of illicit drugs and/or alcohol. For marijuana, inhalants, hallucinogens, and tranquilizers, a respondent was defined as having dependence if he or she met three or more of six standard dependence criteria. A seventh withdrawal criterion was added for alcohol, pain relievers, cocaine, heroin, sedatives, and stimulants. A respondent was defined as having dependence if he or she met three or more of seven dependence criteria. For each illicit drug and alcohol, a respondent was defined as having abused that substance if he or she met one or more of four abuse criteria and was determined not to be dependent upon the substance of interest.

For alcohol and marijuana, the criteria used to determine whether a respondent was asked the dependence and abuse questions included past year use of the respective substance and reported use of the respective substance on more than 5 days in the past year. Because respondents were asked the dependence and abuse questions if they reported substance use in the past year, regardless of whether they reported their frequency of substance use in the past year, inconsistencies could occur where the imputed frequency of use variable indicated less frequent use than required for respondents to be asked the dependence and abuse questions originally.

For stimulants, heroin, and cocaine, the criteria included reporting past year use in a core drug module or past year use in the noncore special drugs module. Inconsistencies could occur when a core substance use variable indicated no use in the past year but a dependence and abuse variable indicated substance dependence or abuse.

For hallucinogens, pain relievers, tranquilizers, inhalants, and sedatives, the only criteria used was that the respondent reported past year use of the respective substance. Thus, no inconsistencies could occur where the respondent was considered a nonuser of the substance but was dependent on or abusing the substance.

In 2005 and 2006, new questions were added to the noncore special drugs module to identify respondents who had used methamphetamine but had failed to report it in the core prescription stimulant module because they did not think of methamphetamine as a prescription drug. Persons identified as methamphetamine users in these new questions were administered the stimulant dependence and abuse questions as if they had reported methamphetamine use in the core stimulant module. Based on the decisions made during the methamphetamine analysis, respondents who met the criteria for stimulant dependence or abuse but had reported past year methamphetamine use only on the new special drug use questions (i.e., did not indicate methamphetamine use from the core drug module or other questions in the special drugs module) were categorized as NOT having past year stimulant dependence or abuse. Furthermore, if these same respondents were categorized as not having past year dependence on or abuse of any other substance (e.g., pain relievers, tranquilizers, or sedatives for the psychotherapeutic drug grouping), then they were categorized as NOT having past year dependence on or abuse of psychotherapeutics, illicit drugs, illicit drugs or alcohol, and illicit drugs and alcohol. Further details are provided in Section B.4.6 of Appendix B of the *Results from the 2006 National Survey on Drug Use and Health: National Findings* (Office of Applied Studies [OAS], 2007).

A respondent might have provided ambiguous information about past year use of any individual substance, in which case these respondents were not asked the dependence and abuse questions for that substance. Subsequently, these respondents could be imputed to be past year users of the respective substance. In this situation, the dependence and abuse data were unknown. Thus, these respondents were classified as not dependent on or abusing the respective substance, without ever having been asked the dependence and abuse questions.

Listed below are the definitions used for each of the individual dependence and abuse measures, as well as specific notes about inconsistency issues for each measure. Additional variables were created using a combination of these individual dependence and abuse measures and are listed in the main part of the codebook.

Substance Dependence Recodes Defined with Withdrawal Criteria

ALCOHOL:

To be defined with alcohol dependence, DEPNDALC, a respondent must have met three or more of these alcohol dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of alcohol (ALCLOTTM=1 or ALCGTOVR=1)
- (2) Used alcohol more often than intended or was unable to keep set limits on alcohol use (ALCKPLMT=2)
- (3) Needed to use alcohol more than before to get desired effects or noticed that same amount of alcohol use had less effect than before (ALCNDMOR=1 or ALCLSEFX=1)
- (4) Inability to cut down or stop using alcohol every time tried or wanted to (ALCCUTEV=2)
- (5) Continued to use alcohol even though it was causing problems with emotions, nerves, mental health, or physical problems (ALCEMCTD=1 or ALCPHCTD=1)
- (6) Alcohol use reduced or eliminated involvement or participation in important activities (ALCLSACT=1)
- (7) Reported experiencing two or more alcohol withdrawal symptoms at the same time that lasted longer than a day after alcohol use was cut back or stopped. Symptoms include (i) sweating or feeling that heart was beating fast, (ii) having hands tremble, (iii) having trouble sleeping, (iv) vomiting or feeling nauseous, (v) seeing, hearing, or feeling things that were not really there, (vi) feeling like could not sit still, (vii) feeling anxious, and (viii) having seizures or fits. (ALCWDSMT=1).

Note: A respondent could answer the dependence questions if he or she reported using alcohol in the past year, regardless of whether he or she reported the frequency of days in which he or she drank an alcoholic beverage. Thus, cases may exist where a respondent was classified as dependent on alcohol but drank an alcoholic beverage less than 6 days in the past year according to the imputed frequency of use variable (IRALCFY).

COCAINE:

To be defined with cocaine dependence, DEPNDCOC, a respondent must have met three or more of these cocaine dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of cocaine (COCLLOTTM=1 or COCGTOVR=1)
- (2) Used cocaine more often than intended or was unable to keep set limits on cocaine use (COCKPLMT=2)
- (3) Needed to use cocaine more than before to get desired effects or noticed that same amount of cocaine use had less effect than before (COCNDMOR=1 or COCLSEFX=1)
- (4) Inability to cut down or stop using cocaine every time tried or wanted to (COCCUTEV=2)
- (5) Continued to use cocaine even though it was causing problems with emotions, nerves, mental health, or physical problems (COCEMCTD=1 or COCPHCTD=1)
- (6) Cocaine use reduced or eliminated involvement or participation in important activities (COCLSACT=1)

- (7) Reported feeling blue or down when trying to stop or cut down using cocaine (COCFLBLU=1) as well as experiencing two or more additional cocaine withdrawal symptoms at the same time that lasted longer than a day after cocaine use was cut back or stopped. Symptoms include (i) feeling tired or exhausted, (ii) having bad dreams, (iii) having trouble sleeping or sleeping more than normal, (iv) feeling hungry more often, and (v) feeling either very slowed down or could not sit still. (COCWDSMT=1).

Note: A respondent could answer the dependence questions if he or she reported injecting cocaine with a needle in the past year, even if he or she reported not using cocaine in the past year. Thus, cases may exist where a respondent was classified as being dependent on cocaine, even though he or she had not used cocaine in the past year according to the imputed recency variable (COCYR).

HEROIN:

To be defined with heroin dependence, DEPNDHER, a respondent must have met three or more of these heroin dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of heroin (HERLOTTM=1 or HERGTOVR=1)
- (2) Used heroin more often than intended or was unable to keep set limits on heroin use (HERKPLMT=2)
- (3) Needed to use heroin more than before to get desired effects or noticed that same amount of heroin use had less effect than before (HERNDMOR=1 or HERLSEFX=1)
- (4) Inability to cut down or stop using heroin every time tried or wanted to (HERCUTEV=2)
- (5) Continued to use heroin even though it was causing problems with emotions, nerves, mental health, or physical problems (HEREMCTD=1 or HERPHCTD=1)
- (6) Heroin use reduced or eliminated involvement or participation in important activities (HERLSACT=1)
- (7) Reported experiencing three or more heroin withdrawal symptoms at the same time that lasted longer than a day after heroin use was cut back or stopped. Symptoms include (i) feeling kind of blue or down, (ii) vomiting or feeling nauseous, (iii) having cramps or muscle aches, (iv) having teary eyes or a runny nose, (v) feeling sweaty, having enlarged eye pupils, or having body hair standing up on skin, (vi) having diarrhea, (vii) yawning, (viii) having a fever, and (ix) having trouble sleeping. (HERWDSMT=1).

Note: A respondent could answer the dependence questions if he or she reported injecting with a needle, sniffing, or snorting heroin in the past year, even if he or she reported not using heroin in the past year. Thus, cases may exist where a respondent was classified as dependent on heroin, even though he or she had not used heroin in the past year according to the imputed recency variable (HERYR).

PAIN RELIEVERS:

To be defined with pain reliever dependence, DEPNDANL, a respondent must have met three or more of these pain reliever dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of pain relievers (ANLLOTTM=1 or ANLGTOVR=1)

- (2) Used pain relievers more often than intended or was unable to keep set limits on pain reliever use (ANLKPLMT=2)
- (3) Needed to use pain relievers more than before to get desired effects or noticed that same amount of pain reliever use had less effect than before (ANLNDMOR=1 or ANLLSEFX=1)
- (4) Inability to cut down or stop using pain relievers every time tried or wanted to (ANLCUTEV=2)
- (5) Continued to use pain relievers even though they were causing problems with emotions, nerves, mental health, or physical problems (ANLEMCTD=1 or ANLPHCTD=1)
- (6) Pain reliever use reduced or eliminated involvement or participation in important activities (ANLLSACT=1)
- (7) Reported experiencing three or more pain reliever withdrawal symptoms at the same time that lasted longer than a day after pain reliever use was cut back or stopped. Symptoms include (i) feeling kind of blue or down, (ii) vomiting or feeling nauseous, (iii) having cramps or muscle aches, (iv) having teary eyes or a runny nose, (v) feeling sweaty, having enlarged pupils, or having body hair standing up on skin, (vi) having diarrhea, (vii) yawning, (viii) having a fever, and (ix) having trouble sleeping. (ANLWDSMT=1).

SEDATIVES:

To be defined with sedative dependence, DEPNDSED, a respondent must have met three or more of these sedative dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of sedatives (SEDLOTTM=1 or SEDGTOVR=1)
- (2) Used sedatives more often than intended or was unable to keep set limits on sedative use (SEDKPLMT=2)
- (3) Needed to use sedatives more than before to get desired effects or noticed that same amount of sedative use had less effect than before (SEDNDMOR=1 or SEDLSEFX=1)
- (4) Inability to cut down or stop using sedatives every time tried or wanted to (SEDCUTEV=2)
- (5) Continued to use sedatives even though they were causing problems with emotions, nerves, mental health, or physical problems (SEDEMCTD=1 or SEDPHCTD=1)
- (6) Sedative use reduced or eliminated involvement or participation in important activities (SEDLSACT=1)
- (7) Reported experiencing two or more sedative withdrawal symptoms at the same time that lasted longer than a day after sedative use was cut back or stopped. Symptoms include (i) sweating or feeling that heart was beating fast, (ii) having hands tremble, (iii) having trouble sleeping or sleeping more than normal, (iv) vomiting or feeling nauseous, (v) seeing, hearing, or feeling things that were not really there, (vi) feeling like could not sit still, (vii) feeling anxious, and (viii) having seizures or fits. (SEDWDSMT=1).

STIMULANTS:

To be defined with stimulant dependence, DEPNDSTM, a respondent must have been routed to the dependence and abuse questions in 2006 based on variables that existed in 2005 (STMDAFLG=98) and must have met three or more of these stimulant dependence criteria (i.e., respondents who did not indicate methamphetamine use or other stimulant use from the core

drug module or questions in the special drugs module other than the two new 2005 special drug use questions and the new 2006 special drug consistency check questions mentioned above and who met three or more of these stimulant dependence criteria were categorized as NOT having past year stimulant dependence):

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of stimulants (STMLOTTM=1 or STMGTOVR=1)
- (2) Used stimulants more often than intended or was unable to keep set limits on stimulant use (STMKPLMT=2)
- (3) Needed to use stimulants more than before to get desired effects or noticed that same amount of stimulant use had less effect than before (STMNDMOR=1 or STMLSEFX=1)
- (4) Inability to cut down or stop using stimulants every time tried or wanted to (STMCUTEV=2)
- (5) Continued to use stimulants even though they were causing problems with emotions, nerves, mental health, or physical problems (STMEMCTD=1 or STMPHCTD=1)
- (6) Stimulant use reduced or eliminated involvement or participation in important activities (STMLSACT=1)
- (7) Reported feeling blue or down when trying to stop or cut down using stimulants (STMFLBLU=1) as well as experiencing two or more additional stimulant withdrawal symptoms at the same time that lasted longer than a day after stimulant use was cut back or stopped. Symptoms include (i) feeling tired or exhausted, (ii) having bad dreams, (iii) having trouble sleeping or sleeping more than normal, (iv) feeling hungry more often, and (v) feeling either very slowed down or like could not sit still. (STMWDSMT=1).

Note: A respondent could answer the dependence questions if he or she reported injecting stimulants with a needle in the past year, even if he or she reported not using stimulants in the past year. Thus, cases may exist where a respondent was classified as being dependent on stimulants, even though he or she had not used stimulants in the past year according to the imputed recency variable (STMYR).

Substance Dependence Recodes Defined without Withdrawal Criteria

HALLUCINOGENS:

To be defined with hallucinogen dependence, DEPNDHAL, a respondent must have met three or more of these hallucinogen dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of hallucinogens (HALLOTTM=1 or HALGTOVR=1)
- (2) Used hallucinogens more often than intended or was unable to keep set limits on hallucinogen use (HALKPLMT=2)
- (3) Needed to use hallucinogens more than before to get desired effects or noticed that same amount of hallucinogen use had less effect than before (HALNDMOR=1 or HALLSEFX=1)
- (4) Inability to cut down or stop using hallucinogens every time tried or wanted to (HALCUTEV=2)
- (5) Continued to use hallucinogens even though they were causing problems with emotions, nerves, mental health, or physical problems (HALEMCTD=1 or HALPHCTD=1)
- (6) Hallucinogen use reduced or eliminated involvement or participation in important activities (HALLSACT=1).

INHALANTS:

To be defined with inhalant dependence, DEPNDINH, a respondent must have met three or more of these inhalant dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of inhalants (INHLOTTM=1 or INHGTOVR=1)
- (2) Used inhalants more often than intended or was unable to keep set limits on inhalant use (INHKPLMT=2)
- (3) Needed to use inhalants more than before to get desired effects or noticed that same amount of inhalant use had less effect than before (INHNDMOR=1 or INHLSEFX=1)
- (4) Inability to cut down or stop using inhalants every time tried or wanted to (INHCUTEV=2)
- (5) Continued to use inhalants even though they were causing problems with emotions, nerves, mental health, or physical problems (INHEMCTD=1 or INHPHCTD=1)
- (6) Inhalant use reduced or eliminated involvement or participation in important activities (INHLSACT=1).

MARIJUANA:

To be defined with marijuana dependence, DEPNDMRJ, a respondent must have met three or more of these marijuana dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of marijuana (MRJLOTTM=1 or MRJGTOVR=1)
- (2) Used marijuana more often than intended or was unable to keep set limits on marijuana use (MRJKPLMT=2)

- (3) Needed to use marijuana more than before to get desired effects or noticed that same amount of marijuana use had less effect than before (MRJNDMOR=1 or MRJLSEFX=1)
- (4) Inability to cut down or stop using marijuana every time tried or wanted to (MRJCUTEV=2)
- (5) Continued to use marijuana even though it was causing problems with emotions, nerves, mental health, or physical problems (MRJEMCTD=1 or MRJPHCTD=1)
- (6) Marijuana use reduced or eliminated involvement or participation in important activities (MRJLSACT=1).

Note: A respondent could answer the dependence questions if he or she reported using marijuana in the past year, regardless of whether he or she reported the frequency of days in which he or she used marijuana. Thus, cases may exist where a respondent was classified as dependent on marijuana but used marijuana less than 6 days in the past year according to the imputed frequency of use variable (IRMJFY).

TRANQUILIZERS:

To be defined with tranquilizer dependence, DEPNDTRN, a respondent must have met three or more of these tranquilizer dependence criteria:

- (1) Spent a great deal of time over a period of a month getting, using, or getting over the effects of tranquilizers (TRNLOTTM=1 or TRNGTOVR=1)
- (2) Used tranquilizers more often than intended or was unable to keep set limits on tranquilizer use (TRNKPLMT=2)
- (3) Needed to use tranquilizers more than before to get desired effects or noticed that same amount of tranquilizer use had less effect than before (TRNNDMOR=1 or TRNLSEFX=1)
- (4) Inability to cut down or stop using tranquilizers every time tried or wanted to (TRNCUTEV=2)
- (5) Continued to use tranquilizers even though they were causing problems with emotions, nerves, mental health, or physical problems (TRNEMCTD=1 or TRNPHTCD=1)
- (6) Tranquilizer use reduced or eliminated involvement or participation in important activities (TRNLSACT=1).

Substance Abuse Recodes

ALCOHOL:

To be defined with abuse of alcohol, ABUSEALC, a respondent must have met one or more of these alcohol abuse criteria in the past year and must not have been dependent upon alcohol in the past year (DEPNDALC=0):

- (1) Serious problems at home, work, or school caused by using alcohol, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(ALCSERPB=1)
- (2) Used alcohol regularly and then did something that might have put you in physical danger (ALCPDANG=1)
- (3) Use of alcohol caused you to do things that repeatedly got you in trouble with the law (ALCLAWTR=1)
- (4) Problems with family or friends that were probably caused by using alcohol (ALCFMFPB=1) and continued to use alcohol even though you thought using alcohol caused these problems (ALCFMCTD=1).

Note: A respondent could answer the abuse questions if he or she reported using alcohol in the past year, regardless of whether he or she reported the frequency of days in which he or she drank an alcoholic beverage. Thus, cases may exist where a respondent was classified to have abused alcohol but drank an alcoholic beverage less than 6 days in the past year according to the imputed frequency of use variable (IRALCFY).

COCAINE:

To be defined with abuse of cocaine, ABUSECOC, a respondent must have met one or more of these cocaine abuse criteria in the past year and must not have been dependent upon cocaine in the past year (DEPNDCCOC=0):

- (1) Serious problems at home, work, or school caused by using cocaine, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(COCSERPB=1)
- (2) Used cocaine regularly and then did something that might have put you in physical danger (COCPDANG=1)
- (3) Use of cocaine caused you to do things that repeatedly got you in trouble with the law (COCLAWTR=1)
- (4) Problems with family or friends probably caused by using cocaine (COCFMFPB=1) and continued to use cocaine even though you thought using cocaine caused these problems (COCFMCTD=1).

Note: A respondent could answer the abuse questions if he or she reported injecting cocaine with a needle in the past year, even if he or she reported not using cocaine in the past year. Thus, cases may exist where a respondent was classified to have abused cocaine, even though he or she had not used cocaine in the past year according to the imputed recency variable (COCYR).

HALLUCINOGENS:

To be defined with abuse of hallucinogens, ABUSEHAL, a respondent must have met one or more of these hallucinogen abuse criteria in the past year and must not have been dependent upon hallucinogens in the past year (DEPNDHAL=0):

- (1) Serious problems at home, work, or school caused by using hallucinogens, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(HALSERPB=1)
- (2) Used hallucinogens regularly and then did something that might have put you in physical danger (HALPDANG=1)
- (3) Use of hallucinogens caused you to do things that repeatedly got you in trouble with the law (HALLAWTR=1)
- (4) Problems with family or friends caused by using hallucinogens (HALFMFPB=1) and continued to use hallucinogens even though you thought using hallucinogens caused these problems (HALFMCTD=1).

HEROIN:

To be defined with abuse of heroin, ABUSEHER, a respondent must have met one or more of these heroin abuse criteria in the past year and must not have been dependent upon heroin in the past year (DEPNDHER=0):

- (1) Serious problems at home, work, or school caused by using heroin, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(HERSERPB=1)
- (2) Used heroin regularly and then did something that might have put you in physical danger (HERPDANG=1)
- (3) Use of heroin caused you to do things that repeatedly got you in trouble with the law (HERLAWTR=1)
- (4) Problems with family or friends probably caused by using heroin (HERFMFPB=1) and continued to use heroin even though you thought using heroin caused these problems (HERFMCTD=1).

Note: A respondent could answer the abuse questions if he or she reported injecting with a needle, sniffing, or snorting heroin in the past year, even if he or she reported not using heroin in the past year. Thus, cases may exist where a respondent was classified to have abused heroin, even though he or she had not used heroin in the past year according to the imputed recency variable (HERYR).

INHALANTS:

To be defined with abuse of inhalants, ABUSEINH, a respondent must have met one or more of these inhalant abuse criteria in the past year and must not have been dependent upon inhalants in the past year (DEPNDINH=0):

- (1) Serious problems at home, work, or school caused by using inhalants, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(INHSERPB=1)
- (2) Used inhalants regularly and then did something that might have put you in physical danger (INHPDANG=1)
- (3) Use of inhalants caused you to do things that repeatedly got you in trouble with the law (INHLAWTR=1)
- (4) Problems with family or friends caused by using inhalants (INHFMFPB=1) and continued to use inhalants even though you thought using inhalants caused these problems (INHFMCTD=1).

MARIJUANA:

To be defined with abuse of marijuana, ABUSEMRJ, a respondent must have met one or more of these marijuana abuse criteria in the past year and must not have been dependent upon marijuana in the past year (DEPNDMRJ=0):

- (1) Serious problems at home, work, or school caused by using marijuana, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(MRJSERPB=1)
- (2) Used marijuana regularly and then did something that might have put you in physical danger (MRJPDANG=1)
- (3) Use of marijuana caused you to do things that repeatedly got you in trouble with the law (MRJLAWTR=1)
- (4) Problems with family or friends caused by using marijuana (MRJFMFPB=1) and continued to use marijuana even though you thought using marijuana caused these problems (MRJFMCTD=1).

Note: A respondent could answer the abuse questions if he or she reported using marijuana in the past year, regardless of whether he or she reported the frequency of days in which he or she used marijuana. Thus, cases may exist where a respondent was classified to have abused marijuana but used marijuana less than 6 days in the past year according to the imputed frequency of use variable (IRMJFY).

PAIN RELIEVERS:

To be defined with abuse of pain relievers, ABUSEANL, a respondent must have met one or more of these pain reliever abuse criteria in the past year and must not have been dependent upon pain relievers in the past year (DEPNDANL=0):

- (1) Serious problems at home, work, or school caused by using pain relievers, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(ANLSERP=1)
- (2) Used pain relievers regularly and then did something that might have put you in physical danger (ANLPDANG=1)
- (3) Use of pain relievers caused you to do things that repeatedly got you in trouble with the law (ANLLAWTR=1)
- (4) Problems with family or friends probably caused by using pain relievers (ANLFMFPB=1) and continued to use pain relievers even though you thought using pain relievers caused these problems (ANLFMCTD=1).

SEDATIVES:

To be defined with abuse of sedatives, ABUSESED, a respondent must have met one or more of these sedative abuse criteria in the past year and must not have been dependent upon sedatives in the past year (DEPNDSED=0):

- (1) Serious problems at home, work, or school caused by using sedatives, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(SEDSERP=1)
- (2) Used sedatives regularly and then did something that might have put you in physical danger (SEDPDANG=1)
- (3) Use of sedatives caused you to do things that repeatedly got you in trouble with the law (SEDLAWTR=1)
- (4) Problems with family or friends probably caused by using sedatives (SEDFMFPB=1) and continued to use sedatives even though you thought using sedatives caused these problems (SEDFMCTD=1).

STIMULANTS:

To be defined with abuse of stimulants, ABUSESTM, a respondent must have been routed to the dependence and abuse questions in 2006 based on variables that existed in 2005 (STMDAFLG=98), must have met one or more of these stimulant abuse criteria in the past year (i.e., respondents who did not indicate methamphetamine use or other stimulant use from the core drug module or questions in the special drugs module other than the two new 2005 special drug use questions and the new 2006 special drug consistency check questions mentioned above and who met one or more of these stimulant abuse criteria were categorized as NOT having

abused stimulants in the past year), and must not have been dependent upon stimulants in the past year (DEPNDSTM=0):

- (1) Serious problems at home, work, or school caused by using stimulants, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(STMSERPB=1)
- (2) Used stimulants regularly and then did something that might have put you in physical danger (STMPDANG=1)
- (3) Use of stimulants caused you to do things that repeatedly got you in trouble with the law (STMLAWTR=1)
- (4) Problems with family or friends probably caused by using stimulants (STMFMFNB=1) and continued to use stimulants even though you thought that using stimulants caused these problems (STMFMCND=1).

Note: A respondent could answer the abuse questions if he or she reported injecting stimulants with a needle in the past year, even if he or she reported not using stimulants in the past year. Thus, cases may exist where a respondent was classified to have abused stimulants, even though he or she had not used stimulants in the past year according to the imputed recency variable (STMYR).

TRANQUILIZERS:

To be defined with abuse of tranquilizers, ABUSETRN, a respondent must have met one or more of these tranquilizer abuse criteria in the past year and must not have been dependent upon tranquilizers in the past year (DEPNDTRN=0):

- (1) Serious problems at home, work, or school caused by using tranquilizers, such as
 - neglecting their children
 - missing work or school
 - doing a poor job at work or school
 - losing a job or dropping out of school(TRNSERPB=1)
- (2) Used tranquilizers regularly and then did something that might have put you in physical danger (TRNPDANG=1)
- (3) Use of tranquilizers caused you to do things that repeatedly got you in trouble with the law (TRNLAWTR=1)
- (4) Problems with family or friends caused by using tranquilizers (TRNFMFNB=1) and continued to use tranquilizers even though you thought using tranquilizers caused these problems (TRNFMCND=1).

References

- American Psychiatric Association. (1994). *Diagnostic and statistical manual of mental disorders (DSM-IV)* (4th ed.). Washington, DC: Author.
- Ault, K., Aldworth, J., Barnett-Walker, K., Carpenter, L., Copello, E., Frechtel, P., Liu, B., & Martin, P. (2008, February). Imputation report. In *2006 National Survey on Drug Use and Health: Methodological resource book* (Section 11, prepared for the Substance Abuse and Mental Health Services Administration, Office of Applied Studies, under Contract No. 283-2004-00022, Deliverable No. 39, RTI/0209009.277.007). Research Triangle Park, NC: RTI International.
- Edwards, G., & Gross, M. M. (1976). Alcohol dependence: Provisional description of a clinical syndrome. *British Medical Journal*, 1(6017), 1058-1061.
- Fagerstrom, K. O. (1978). Measuring degree of physical dependence to tobacco smoking with reference to individualization of treatment. *Addictive Behaviors*, 3, 235-241.
- Heatherton, T. F., Kozlowski, L. T., Frecker, R. C., & Fagerstrom, K. O. (1991). The Fagerstrom Test for Nicotine Dependence: A revision of the Fagerstrom Tolerance Questionnaire. *British Journal of Addiction*, 86, 1119-1127.
- Heatherton, T. F., Kozlowski, L. T., Frecker, R. C., Rickert, W., & Robinson, J. (1989). Measuring the heaviness of smoking: Using self-reported time to the first cigarette of the day and number of cigarettes smoked per day. *British Journal of Addiction*, 84, 791-799.
- Office of Applied Studies. (2007). *Results from the 2006 National Survey on Drug Use and Health: National findings* (DHHS Publication No. SMA 07-4293, NSDUH Series H-32). Rockville, MD: Substance Abuse and Mental Health Services Administration. [Available at <http://oas.samhsa.gov/nsduh/reports.htm>]
- Shiffman, S., Hickcox, M., Gnys, M., Paty, J. A., & Kassel, J. D. (1995, March). *The Nicotine Dependence Syndrome Scale: Development of a new measure*. Poster presented at the annual meeting of the Society for Research on Nicotine and Tobacco, San Diego, CA.
- Shiffman, S., Paty, J. A., Kassel, J. D., Gnys, M., & Zettler-Segal, M. (1994). Smoking behavior and smoking history of tobacco chippers. *Experimental and Clinical Psychopharmacology*, 2, 126-142.
- Shiffman, S., Waters, A. J., & Hickcox, M. (2004). The Nicotine Dependence Syndrome Scale: A multidimensional measure of nicotine dependence. *Nicotine & Tobacco Research*, 6, 327-348.

APPENDIX E

Recoded Serious Psychological Distress Variable Documentation

For the 2006 National Survey on Drug Use and Health (NSDUH), serious psychological distress (SPD) was measured using the K6 screening instrument for nonspecific psychological distress (Furukawa, Kessler, Slade, & Andrews, 2003; Kessler et al., 2003). The six items of the K6 scale gather information regarding how frequently a respondent experienced symptoms of psychological distress during the one month in the past year when he or she was at his or her worst emotionally. These six items are referred to as the adult short-form module and compose the Psychological Distress module in the 2006 NSDUH questionnaire, which was named the Serious Mental Illness module in the 2005 NSDUH questionnaire.

In NSDUH reports prior to 2004, the K6 scale was used to measure serious mental illness (SMI). For a detailed discussion of the reasons that the K6 was used to measure SPD instead of SMI for the 2004 and later NSDUH reports, as well as details on a methodological history of SPD, see Section B.4.4 of Appendix B in the *Results from the 2004 National Survey on Drug Use and Health: National Findings* (Office of Applied Studies [OAS], 2005).

Changes to the 2008 questionnaire resulted in the retroactive creation of adjusted variables for 2005 in order to allow multiyear analyses. The Mental Health module in the 2008 questionnaire (referred to as the Psychological Distress module in 2006) was revised to include questions related to two functional impairment scales. See Aldworth, Kott, Yu, Mosquin, and Barnett-Walker (2010) for more details. In addition, the K6 questions were revised to ask about two reference periods: (1) the past 30 days and (2) the month in the past 12 months when the distress was the worst (if different than the past 30 days). This change allowed for both past year and past month measures of SPD to be developed. The 2008 past year SPD measure (SPDYR) was created by combining both responses from past month and worst month in the past year K6 items. Due to these changes in the questionnaire, the 2008 past year SPD variable was not comparable with the past year SPD variable from the 2004 through 2007 NSDUHs (SPD_UADJ) and was therefore renamed. Because of the lack of comparability in the past year SPD measure and the fact that the past month measure of SPD more closely corresponds with SPD reference periods reported in other surveys, such as the National Health Interview Survey and the Behavioral Risk Factor Surveillance System, only past month SPD was presented in the 2008 and 2009 mental health detailed tables (OAS, 2009; Center for Behavioral Health Statistics and Quality, 2010).

A study was implemented to assess the possibility of generating adjusted past year SPD variables for 2004 through 2007, which could be compared with past year variables from 2008 and later NSDUHs. Results of this study suggested that adjusted past year SPD variables for 2004 through 2007 were comparable with past year SPD variables from 2008 and later NSDUHs. Therefore, a statistically adjusted version of past year SPD was created for 2005 through 2007, which is described in more detail later in this appendix. Adjusted variables were not created for 2004, because the 2004 estimates were subject to a higher degree of sampling fluctuation due to the split-sample design.

Listed below are the K6 questions for both reference periods (the past 30 days and the month in the past 12 months when the distress was the worst), their associated edited variable names, and possible response categories for each question. Note that the questions regarding the past 30 days (DSTxxx30) and the question asking whether there was a worse month in the past 12 months than the past 30 days (DSTWORST) were not asked in 2006, because they were not

added to the questionnaire until 2008. Also note that the wording of the questions regarding the worst month (DSTxxxx) is from the 2006 questionnaire. However, there were minor wording changes beginning in 2008 to account for the additional questions.

The following seven questions are from the 2008 questionnaire. These questions were not asked in 2006, but they are included here as a reference because statistically adjusted 2006 past year SPD variables were created to be comparable with those from 2008.

DSTNRV30 During the past 30 days, how often did you feel nervous?

- 1 All of the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time
- DK/REF

Response categories are the same for the next five questions:

DSTHOP30 During the past 30 days, how often did you feel hopeless?

DSTRST30 During the past 30 days, how often did you feel restless or fidgety?

DSTCHR30 During the past 30 days, how often did you feel so sad or depressed that nothing could cheer you up?

DSTEFF30 During the past 30 days, how often did you feel that everything was an effort?

DSTNGD30 During the past 30 days, how often did you feel down on yourself or, no good, or worthless?

DSTWORST The last questions asked about how you have been feeling in the past 30 days. Now think about the past 12 months. Was there a month in the past 12 months when you felt more depressed, anxious, or emotionally stressed than you felt during the past 30 days?

- 1=Yes
- 2=No

The following six questions are from the 2006 questionnaire. Slightly modified versions of these questions were asked in 2008 of respondents with DSTWORST=1.

DSTNRVOS Most people have periods when they are not at their best emotionally. Think of one month in the past 12 months when you were the most depressed, anxious, or emotionally stressed. If there was no month like this, think of a typical month.

During that month, how often did you feel nervous?

- 1 All of the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time
- DK/REF

Response categories are the same for the following questions:

DSTHOPLS	During that same month when you were at your worst emotionally . . . how often did you feel hopeless?
DSTRSTLS	During that same month when you were at your worst emotionally . . . how often did you feel restless or fidgety?
DSTCHEER	During that same month when you were at your worst emotionally . . . how often did you feel so sad or depressed that nothing could cheer you up?
DSTEFFRT	During that same month when you were at your worst emotionally . . . how often did you feel that everything was an effort?
DSTNGOOD	During that same month when you were at your worst emotionally . . . how often did you feel down on yourself, no good, or worthless?

Based on the K6 questions above, two sets of recoded SPD variables are available on the data file. The first set, referred to as unadjusted SPD, is based only on the K6 questions found in the 2006 questionnaire, referencing the worst month during the past 12 months. The unadjusted variables are used in the 2006 detailed tables (OAS, 2007). The second set, referred to as adjusted SPD, is statistically adjusted to be comparable with recodes in 2008 and later NSDUHs that take into account both reference periods (i.e., past 30 days and worst month during the past 12 months). Below are details on how each set of recoded SPD variables is defined and how to implement multiyear comparisons.

Unadjusted SPD

In 2006, based on the six worst month items of the K6 scale (DSTNRVOS, DSTHOPLS, DSTRSTLS, DSTCHEER, DSTEFFRT, and DSTNGOOD), an SPD score variable (SPD_USCR) was created for adult respondents (persons aged 18 or older) by transforming the reported response category for each of the six questions so that "all of the time" was coded 4, "most of the time" was coded 3, "some of the time" was coded 2, "a little of the time" was coded 1, and "none of the time" was coded 0, along with response options of "don't know," refusals, bad data, blanks, and legitimate skips. The SPD score variable was calculated by summing these assigned values across all six variables and had values from 0 to 24. Exceptions included youths aged 12 to 17 who were assigned the standard SAS missing code (SPD_USCR=.) because the K6 scale was not administered to respondents younger than 18.

The final analysis variable (SPD_UADJ) is based on the SPD score variable (SPD_USCR) and indicates whether each adult respondent has been classified as having SPD. Adults were classified as having past year SPD (SPD_UADJ=1) if their SPD score was 13 or greater (SPD_USCR \geq 13), and they were classified as not having past year SPD (SPD_UADJ=0) if their SPD score was less than 13 (SPD_USCR<13). This cut point was chosen to equalize false positives and false negatives (Kessler et al., 2003). Exceptions included youths aged 12 to 17 who were assigned the standard SAS missing code (SPD_UADJ=.) because the K6 scale was not administered to respondents younger than 18.

To do multiyear trend (or multi-year pooled data) analyses for SPD that include the 2004 NSDUH data, refer to the 2005 documentation for details on how to use and compare data for these measures, including necessary weight adjustments.

Adjusted SPD

For 2008 and later years, each of the two sets of K6 questions listed above were given a score between 0 and 24 using the same scoring procedures as those described above for SPD_USCR. A worst K6 total score variable (K6SCMAX) was created that takes on the higher of the two K6 total scores for the past 30 days or past 12 months, and a respondent is considered to have past year SPD (SPDYR) if $K6SCMAX \geq 13$. Due to these changes in 2008, the K6 total score (K6SCMAX) and past year SPD (SPDYR) variables are not comparable with corresponding variables for 2005 through 2007 (SPD_USCR and SPD_UADJ) and thus have different variable names.

In order to be able to make SPD comparisons across survey years starting with 2005, adjusted versions of worst K6 total score (K6SMXADJ) and past year SPD (SPDYRADJ) variables were created. Because the past 30-day questions did not exist for 2005 through 2007, a statistical adjustment was applied to yield scores comparable with those from 2008 and later NSDUHs. See Aldworth et al. (2010) for details regarding the adjustment method. A respondent is considered to have past year SPD (SPDYRADJ) if $K6SMXADJ \geq 13$.

For the analyses of trends across time using these adjusted recodes starting with the 2005 data, revised variables should be created that take on the values of the adjusted variables K6SMXADJ and SPDYRADJ, respectively for 2005 through 2007, and the values of K6SCMAX and SPDYR, respectively for 2008 and later NSDUHs. Both sets of variables are based on the full sample of data, so the standard analysis weight (ANALWT_C) should be used.

References

- Aldworth, J., Kott, P., Yu, F., Mosquin, P., & Barnett-Walker, K. (2010, December). Analysis of effects of 2008 NSDUH questionnaire changes: Methods to adjust adult MDE and SPD estimates and to estimate SMI in 2005-2007 (prepared for the Substance Abuse and Mental Health Services Administration, Office of Applied Studies, under Contract No. 283-2004-00022, RTI/0209009.486.024). Research Triangle Park, NC: RTI International.
- Center for Behavioral Health Statistics and Quality. (2010). *Results from the 2009 National Survey on Drug Use and Health: Mental health detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Furukawa, T. A., Kessler, R. C., Slade, T., & Andrews, G. (2003). The performance of the K6 and K10 screening scales for psychological distress in the Australian National Survey of Mental Health and Well-Being. *Psychological Medicine*, 33, 357-362.
- Kessler, R. C., Barker, P. R., Colpe, L. J., Epstein, J. F., Gfroerer, J. C., Hiripi, E., Howes, M. J., Normand, S. L., Manderscheid, R. W., Walters, E. E., & Zaslavsky, A. M. (2003). Screening for serious mental illness in the general population. *Archives of General Psychiatry*, 60, 184-189.
- Office of Applied Studies. (2005). *Results from the 2004 National Survey on Drug Use and Health: National findings* (DHHS Publication No. SMA 05-4062, NSDUH Series H-28). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Office of Applied Studies. (2007). *Results from the 2006 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Office of Applied Studies. (2009). *Results from the 2008 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.

APPENDIX F

Recoded Depression Variable Documentation

The 2006 National Survey on Drug Use and Health (NSDUH) computer-assisted interviewing (CAI) instrumentation included two modules, the adult depression module and the adolescent depression module, which were designed to measure whether or not respondents had experienced a major depressive episode (MDE) in their lifetime and past year. Additional questions to assess impairment levels caused by MDE and treatment received for depression were included at the end of each MDE module.

This appendix provides details about the questions designed to assess MDE, comparability issues across survey years, development of adjusted lifetime and past year MDE variables, variable naming conventions, and analysis and weighting information. Variable specifications for lifetime and past year MDE as well as MDE with severe impairment are also provided.

The NSDUH CAI questions designed to assess MDE symptoms were based on the criteria in the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), 4th edition (American Psychiatric Association, 1994). More specifically, MDE questions for adults were adapted from the depression section of the National Comorbidity Survey-Replication (NCS-R; Harvard School of Medicine, 2005), and those for adolescents (youths) were adapted from the depression section of the National Comorbidity Survey-Adolescent (NCS-A; Harvard School of Medicine, 2005). To make the modules developmentally appropriate for youths, there are minor wording differences in a few questions between the adult and youth modules. A person was defined as having had a lifetime MDE if he or she had five or more of nine symptoms for MDE in the same 2-week period in his or her lifetime, in which at least one of the symptoms was a depressed mood or loss of interest or pleasure in daily activities. A person was defined as having MDE in the past year if he or she had a lifetime MDE and a period of time in the past 12 months when he or she felt depressed or lost interest or pleasure in daily activities for 2 weeks or longer, while also having some of the other symptoms for lifetime MDE.

When the depression modules were first introduced in 2004, all youth respondents, but only half of adult respondents, received the questions because of a split-sample design. Further details on the 2004 split sample are provided in Appendix A of the 2004 national findings report (Office of Applied Studies [OAS], 2005b). Starting with the 2005 NSDUH, all youth and adult respondents received the questions in their respective depression modules. In the 2008 NSDUH, the adult mental health module (known as the psychological distress module in 2006) was updated. This module precedes the adult depression module in the questionnaire, which remained unchanged. In this revised 2008 mental health module, the K6 questions on nonspecific psychological distress were asked about two reference periods, the past 30 days and the month in the past 12 months when the distress was the worst. In addition, adult respondents were administered the mental health module through a split-sample design consisting of one of two impairment scales, an abbreviated World Health Organization Disability Assessment Schedule (WHODAS) or the Sheehan Disability Scale (SDS), to measure impairment due to emotions, nerves, or mental health. See the 2008 Recoded Mental Health Variable Documentation codebook appendix for further details. Starting in 2009, the split sample was removed, and the CAI instrument included only the WHODAS questions.

These changes and the fact that this revised mental health module precedes the adult depression module within the questionnaire could have influenced the adult respondent's answers

to subsequent depression-related items. This type of influence is referred to as a context effect. A detailed analysis was conducted to examine potential context effects on MDE variables based on the changes in the mental health module. It was determined that MDE estimates for adults aged 18 or older from 2008 could not be compared with the 2007 and prior year estimates. Two subsamples (i.e., WHODAS and SDS) also were examined to determine whether the MDE data from the two 2008 subsamples were comparable. Because of differences in MDE estimates between the two samples, combining the SDS and WHODAS half-samples to produce an overall 2008 adult MDE estimate is not recommended. This applies to all adult MDE-related estimates (treatment/counseling for MDE, MDE-related impairment, etc.). See Appendix B, Section B.4.7, in the 2008 national findings report (OAS, 2009) for further details on the decisions on the 2008 analyses.

Starting with the 2009 NSDUH, the mental health module includes only the WHODAS questions; therefore, the estimates for adult MDE from 2009 onward can be compared with the WHODAS half-sample from 2008. See Appendix B, Section B.4.2, in the 2009 mental health findings report (Center for Behavioral Health Statistics and Quality [CBHSQ], 2010) for details on the 2009 analyses.

In order to be able to use the full sample of 2008 data and also to make adult MDE comparisons across survey years starting with 2005 and continuing through 2008 and later years, adjusted versions of adult lifetime MDE (AJAMDELT) and adult past year MDE (AJAMDEYR) variables were created retroactively for the years 2005 through 2008. These adjusted variables were created to make MDE estimates from the SDS half-sample in 2008 and all adult respondents for 2005 through 2007 comparable with the MDE estimates based on the WHODAS half-sample in 2008 and all adult respondents in later years. In the 2008 data, the values of the adjusted MDE variables are identical to the values of the unadjusted MDE variables for respondents in the WHODAS subsample. Lifetime and past year MDE status variables for respondents in the SDS subsample were adjusted by a two-step process in which the adjustment procedure was first applied at an individual level to the past year MDE indicator variable, and then to the lifetime indicator variable. The adjustment was done in such a way that consistency was enforced between past year and lifetime MDE; that is, a respondent with past year MDE could not be adjusted to have no lifetime MDE. Specifically, a weighted logistic regression was fit for the NSDUH data from 2005 to 2009 with past year MDE as the binary dependent variable. Independent variables in this model controlled for the questionnaire differences between NSDUHs from 2005 to 2007 and NSDUHs from 2008 and 2009, as well as for the context effects associated with the SDS half sample in 2008. This model was used to compute predicted probabilities of past year MDE for each respondent. The predicted probabilities, which can have any value between 0 and 1, then were dichotomized such that each respondent was specified as having or not having MDE in the past year. Adjusted lifetime MDE estimates were similarly constructed, with the additional condition that respondents reporting past year MDE were assumed to have lifetime MDE. No adjusted variables were created for the adult impairment or depression treatment variables. Details about the adjustment of the adult MDE data for 2005 to 2008 can be found in a report describing these procedures (Aldworth, Kott, Yu, Mosquin, & Barnett-Walker, 2012).

For adolescents aged 12 to 17, MDE estimates are comparable throughout all years beginning with 2004. No changes were made to the 2008 questionnaire that would affect the

responses to youth depression items. Changes in 2009 to the youth mental health service utilization (YMHSU) module, which precedes the adolescent depression module in the questionnaire, were also found to not affect comparability of the youth depression variables for 2009 and prior years. These changes included the replacement of five questions that asked about receipt of special education services and school counseling and time spent in jail or foster care with questions that asked about receipt of mental health services in the education and justice system sectors. For more information on the 2009 youth analyses results, see Appendix B, Section B.4.2, in the 2009 mental health findings report (CBHSQ, 2010).

Naming Conventions

In the 2004-2007 NSDUHs, MDE data from both the adult and youth modules were used to create single, combined recoded lifetime (MDELT) and past year (MDEYR) MDE variables, even though adult and youth data were not comparable because of wording differences between the modules. For example, the lifetime MDE variable in the datasets prior to 2008 contained both adolescent lifetime MDE created using data from the adolescent section and adult lifetime MDE created using data from the adult section. In the 2004-2007 detailed tables, analyses using combined variables were subset to the age group of interest to present estimates separately for adults and youths (OAS, 2005a; 2006; 2007; 2008). Note that in the 2004 detailed tables only, estimates were also presented for adults and youths combined, but producing combined estimates is no longer recommended.

Starting with the 2008 NSDUH, the MDE variables were renamed, and a separate set of variables was created each for adults and for youths. The new variable names have continued to be used in the 2009 and later NSDUHs. Under the new naming convention, adult MDE variables begin with "A" and youth MDE variables begin with "Y" (e.g., AMDEYR, YMDEYR). Variables where youth and adult data were not combined into a single variable prior to 2008 were not renamed for adolescents (i.e., YSDSHOME, YSDSWRK, YSDSREL, YSDSSOC, YSDSOVRL, and MDEIMPY), since there was no change in variable construction or comparability. In addition, prior to 2008, the combined set of MDE variables was located in the Recoded Adult and Adolescent Depression section of the codebook. Currently, all adult and youth MDE variables are now located in either the Recoded Adult Depression or Recoded Adolescent Depression sections, respectively.

For adults, the 2008 variable name change denotes a break in the trend for the estimates due to the context effects noted earlier. To address the break in the trend, an adjustment was applied to the 2005-2008 adult MDE data, and the resulting new variables have retroactively been added to the respective data files. These adjusted adult MDE variables begin with the abbreviation "AJ" for "adjusted" (i.e., AJAMDEYR, AJAMDELT). With the addition of the adjusted adult MDE variables, the documentation for the existing adult MDE variables has been retroactively revised to refer to the existing variables as unadjusted adult MDE variables.

In summary, for adults, the new variable names indicate that the MDE data from 2008 or later should not be compared or combined with unadjusted variables from 2004 to 2007. However, adjusted variables were later added for 2005 through 2008 to allow comparisons across years from 2005 onward. Adjusted adult MDE variables are not available for 2004. The adjusted variables for 2005 through 2008 can be renamed to match the adult past year MDE

(AMDEYR) and adult lifetime MDE (AMDELT) variables for 2009 and subsequent years to produce comparable estimates across years, as seen in the 2010 mental health detailed tables (CBHSQ, 2012).

New variable names indicate changes that may or may not impact comparability with prior years. As described above, the 2008 adult MDE estimates are not considered comparable with 2007 and prior years. For adolescents, despite the new variable names, the MDE data from 2008 or later can be compared or combined with MDE data from 2004 to 2007 since there was no change to the youth modules. But in order to do so, either the original or new set of youth MDE variables should be renamed to match the other so that the data can be combined. See the 2008 Recoded Depression Variable Documentation codebook appendix for sample code on how to rename the 2008 variables back to prior year names. In addition, a summary of variable names and comparability across years is presented in Table 1 for both adult and youth lifetime and past year MDE. All variables in a column are comparable for the time periods specified despite nonidentical variable names.

Table 1. Lifetime and Past Year Major Depressive Episode (MDE) Variable Comparability: 2004 NSDUH and Later Survey Years

NSDUH Survey Year	Adult MDE			Youth MDE
	Comparable Variables 2004-2007	Comparable Variables 2008 and Later Years Unadjusted Data	Comparable Variables 2005 and Later Years Adjusted Data	Comparable Variables 2004 and Later Years
2004	MDELT, MDEYR ¹			MDELT, MDEYR ¹
2005-2007	MDELT, MDEYR ¹		AJAMDELT, AJAMDEYR	MDELT, MDEYR ¹
2008		AMDELT, AMDEYR ²	AJAMDELT, AJAMDEYR	YMDELT, YMDEYR
2009 and Later Years		AMDELT, AMDEYR	AMDELT, AMDEYR	YMDELT, YMDEYR

NOTE: All the variables within the same column are comparable across years, once the variables have been renamed to match.

¹ To use these lifetime and past year MDE variables in comparisons, the data must be subset to adults or youths depending on the analysis of interest. Presenting estimates using combined adult and youth data is not recommended due to wording differences between the adult and youth modules.

² To use these lifetime and past year MDE variables in comparisons, the data must be subset to the WHODAS subsample (MHSAMP08=1).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2004 and later.

Weights

Analyses using unadjusted 2005 and 2006 MDE variables for adults or youths, such as those in the 2006 detailed tables (OAS, 2007), should be weighted using the standard analysis weight (ANALWT_C). A select group of trend tables within the 2006 detailed tables show MDE estimates back to 2004, when a split-sample design occurred in the adult depression module. For details on how to generate adult trend estimates from 2004 to 2006, see the 2005 codebook documentation. Analyses using MDE variables for youths across all years should be weighted by the standard analysis weight (ANALWT_C).

To analyze the 2005-2008 adjusted adult MDE variables in conjunction with the 2009 and subsequent year adult MDE variables (e.g., the MDE multiyear trend analyses published in the 2010 mental health detailed tables [CBHSQ, 2012]), the standard analysis weight (ANALWT_C) should be used across all years.

Furthermore, when creating estimates based on more than a single year of data, the appropriate weight for each year should be divided by the number of years of data that are combined to correctly estimate weighted population totals. For example, if a user combines 2005-2008 data to generate an annual average using the adjusted adult MDE variables, users should divide ANALWT_C by 4.

MDE Variable Specifications

The 2006 NSDUH measures the nine attributes (symptoms) associated with MDE from the questions below. The following questions are the adult versions of the questions used to define the lifetime MDE variable recode (MDELT) found in the Recoded Adult and Adolescent Depression section of the codebook. Similar questions were asked of youth respondents.

The questions below, shown with their associated question indicator from the CAI specifications, refer to the worst period of time the respondent has had that stands out in his or her mind; or, if he or she does not recall a worst period of time, the questions refer to the most recent period of time when the respondent experienced any or all of the following: sadness, discouragement, or lack of interest in most things. **It should be noted that no exclusions were made for MDE caused by medical illness, bereavement, or substance use disorders.**

During that [worst/most recent] period of time...

1. Depressed mood most of the day

- a. ... did you feel sad, empty, or depressed **most of the day nearly every day?** (AD24A)
- b. ... did you feel discouraged about how things were going in your life **most of the day nearly every day?** (AD24C)

A respondent was assigned a positive response to this symptom (D_MDEA1=1) if he or she answered "yes" to either of the above questions.

2. Markedly diminished interest of pleasure in all or almost all activities most of the day

- a. ... did you lose interest in almost all things like work and hobbies and things you like to do for fun? (AD24E)
- b. ... did you lose the ability to take pleasure in having good things happen to you, like winning something or being praised or complimented? (AD24F)

A respondent was assigned a positive response to this symptom (D_MDEA2=1) if he or she answered "yes" to either of the above questions.

A respondent must have answered yes to either "a" or "b" for at least one of the items under 1 or 2 above in order to be asked the additional questions below.

3. Weight

- a. Did you have a much smaller appetite than usual nearly every day during that time? (AD26A)
- b. Did you have a much **larger** appetite than usual nearly every day? (AD26B)
- c. Did you gain weight without trying to during that [worst/most recent] period of time? (AD26C)
 - i. ... because you were growing? (AD26C1)
 - ii. ... because you were pregnant? (AD26C2)
- d. How many pounds did you gain? (AD26D)
- e. Did you lose weight without trying to? (AD26E)
 - i. ... because you were sick or on a diet? (AD26E1)
- f. How many pounds did you lose? (AD26F)

A respondent was assigned a positive response to this symptom (D_MDEA3=1) if he or she answered "yes" to questions "a" or "b" above, or the answer to either question "d" or "f" was greater than or equal to 10. (Note that "d" was asked only if " c_i " and " c_{ii} " were not "yes," and "f" was asked only if " e_i " was not "yes.")

4. Insomnia or hypersomnia

- a. Did you have a lot more trouble than usual falling asleep, staying asleep, or waking too early nearly every night during that [worst/most recent] period of time? (AD26G)
- b. During that [worst/most recent] period of time, did you sleep a lot more than usual nearly every night? (AD26H)

A respondent was assigned a positive response to this symptom (D_MDEA4=1) if he or she answered "yes" to either of the above questions.

5. Psychomotor agitation or retardation

- a. Did you talk or move more slowly than is normal for you nearly every day? (AD26L)
 - i. (if AD26L=1) Did anyone else notice that you were talking or moving slowly? (AD26M)
- b. Were you so restless or jittery nearly every day that you paced up and down or couldn't sit still? (AD26N)
 - i. (if AD26N=1) Did anyone else notice that you were restless? (AD26O)

A respondent was assigned a positive response to this symptom (D_MDEA5=1) if he or she answered "yes" to either of the above " a_i " or " b_i " questions.

6. Fatigue or loss of energy

- a. During that [worst/most recent] period of time, did you feel tired or low in energy nearly every day even when you had not been working very hard? (AD26J)

A respondent was assigned a positive response to this symptom (D_MDEA6=1) if he or she answered "yes" to the above question.

7. Feelings of worthlessness

- a. Did you feel that you were not as good as other people nearly every day? (AD26U)
- b. Did you feel totally worthless nearly every day? (AD26V)

A respondent was assigned a positive response to this symptom (D_MDEA7=1) if he or she answered "yes" to question "b" above.

8. Diminished ability to think or concentrate or indecisiveness

- a. During that [worst/most recent] time period, did your thoughts come much more slowly than usual or seem confused nearly every day? (AD26P)
- b. Did you have a lot more trouble concentrating than usual nearly every day? (AD26R)
- c. Were you unable to make decisions about things you ordinarily have no trouble deciding about? (AD26S)

A respondent was assigned a positive response to this symptom (D_MDEA8=1) if he or she answered yes to any of the above questions.

9. Recurrent thoughts of death or recurrent suicidal ideation

- a. Did you often think about death, either your own, someone else's, or death in general? (AD26AA)
- b. During that period, did you ever think it would be better if you were dead? (AD26BB)
- c. Did you think about committing suicide? (AD26CC)
 - i. Did you make a suicide plan? (AD26DD)
 - ii. Did you make a suicide attempt? (AD26EE)

A respondent was assigned a positive response to this symptom (D_MDEA9=1) if he or she answered "yes" to any of the above questions.

Respondents were classified with lifetime MDE if they had five of the nine above attributes. Respondents who have had MDE in their lifetime (MDELT=1 for both adults and youths) and who have reported that they had a period of depression lasting 2 weeks or longer, while also having some of the symptoms mentioned during the past 12 months (ADPB2WK=1 for adults and YOPB2WK=1 for youths), were classified as having past year depression (MDEYR=1 for both adults and youths).

Respondents with lifetime MDE and respondents with recurrent thoughts of death or recurrent suicide ideation (D_MDEA9=1 for adults and D_MDEA9Y=1 for youths), regardless of MDE classification, were guided through the remainder of the questionnaire. Note that because of this second criterion, variables for treatment of depression may have values for respondents who were not classified as having lifetime MDE. If the subpopulation of interest is respondents with lifetime MDE or past year MDE, these restrictions should be implemented in the analysis using the appropriate variables.

MDE with Severe Impairment Variable Specifications

Respondents defined as having had MDE in the past year then were asked questions from the SDS to measure the level of functional impairment in major life activities reported to be caused by the MDE in the past 12 months (Leon, Olfson, Portera, Farber, & Sheehan, 1997).


The SDS measures mental health-related impairment in four major life activities or role domains. These four domains are defined separately for adults aged 18 or older and youths aged 12 to 17 to reflect the different roles associated with the two age groups. Each module consists of four questions that are assessed on a 0 to 10 visual analog scale with categories of "none" (0), "mild" (1-3), "moderate" (4-6), "severe" (7-9), and "very severe" (10).

A maximum impairment score (ASDSOVRL for adults and YSDSOVRL for youths) is then defined as the single highest severity level of role impairment across the four SDS role domains. The four SDS role domain variables were recoded so that no interference = 1, mild = 2, moderate = 3, severe = 4, and very severe = 5. A maximum level of interference over all four domains was then defined (ASDSOVRL or YSDSOVRL). Ratings greater than or equal to 7 on the scale (ASDSOVRL or YSDSOVRL=4, 5) were considered severe impairment. The 2006 detailed tables (OAS, 2007) present estimates of treatment for MDE but do not present any estimates of MDE with role impairment using the SDS. However, estimates of MDE with role impairment using the SDS (MDEIMPA=1 for adults and MDEIMPY=1 for youths) for 2006 and 2007 are included in the 2007 detailed tables (OAS, 2008). The 2006 and 2007 adult MDE with severe impairment data are not comparable with 2008 and later years for the reason discussed previously. Youth MDE with severe impairment data are comparable from 2006 onward. Estimates for role impairment were calculated separately for youths and adults because the four domains are slightly different for the two groups. The questions pertaining to the four domains are listed below for both adults and youths.

Adult Depression Module: Functional Impairment

AD66a Think about the time in the past 12 months when these problems with your mood were **most severe**.

Using the 0 to 10 scale shown below, where 0 means **no** interference and 10 means **very severe** interference, select the number that describes how much these problems interfered with each of the following activities during that period. You can use any number between 0 and 10 to answer. If this activity doesn't apply to you, type 95.



How much did your [depression symptoms] interfere with your home management, like cleaning, shopping, and working around the house, apartment, or yard?

AD66b During the time in the past 12 months when your [depression symptoms] were most severe, how much did this interfere with your ability to work?


AD66c How much did your [depression symptoms] interfere with your ability to form and maintain **close** relationships with other people during that period of time?

AD66d How much did [depression symptoms] interfere with your social life during that period of time?

Adolescent Depression Module: Functional Impairment

YD66a Think about the time in the past 12 months when these problems with your mood were the **worst**.

Using the 0 to 10 scale shown below, where 0 means **no** problems and 10 means **very severe** problems, select the number that describes how much your [depression symptoms] caused problems with each of the following activities during that time. You can use any number between 0 and 10 to answer. If this activity doesn't apply to you, type 95.



How much did your [depression symptoms] cause problems with your chores at home?

YD66b During the time in the past 12 months when your [depression symptoms] were worst, how much did this cause problems with your ability to do well at school or work?

YD66c How much did your [depression symptoms] cause problems with your ability to get along with your family during that time?

YD66d How much did your [depression symptoms] cause problems with your social life during that time?

References

- Aldworth, J., Kott, P., Yu, F., Mosquin, P., & Barnett-Walker, K. (2012). Analysis of effects of 2008 NSDUH questionnaire changes: Methods to adjust adult MDE and SPD estimates and to estimate SMI in the 2005-2009 surveys. In *2010 National Survey on Drug Use and Health: Methodological resource book* (Section 16b, prepared for the Substance Abuse and Mental Health Services Administration, Contract No. HHSS283200800004C, RTI/0211838.108.006.024). Research Triangle Park, NC: RTI International.
- American Psychiatric Association. (1994). *Diagnostic and statistical manual of mental disorders* (DSM-IV) (4th ed.). Washington, DC: American Psychiatric Association.
- Center for Behavioral Health Statistics and Quality. (2010). *Results from the 2009 National Survey on Drug Use and Health: Mental health findings* (HHS Publication No. SMA 10-4609, NSDUH Series H-39). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Center for Behavioral Health Statistics and Quality. (2012). *Results from the 2010 National Survey on Drug Use and Health: Mental health detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Harvard School of Medicine. (2005). *Home page: National Comorbidity Survey (NCS)*. Retrieved March 5, 2009, from <http://www.hcp.med.harvard.edu/ncs/>
- Leon, A. C., Olfson, M., Portera, L., Farber, L., & Sheehan, D. V. (1997). Assessing psychiatric impairment in primary care with the Sheehan Disability Scale. *International Journal of Psychiatry in Medicine*, 27(2), 93-105.
- Office of Applied Studies. (2005a). *Results from the 2004 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Office of Applied Studies. (2005b). *Results from the 2004 National Survey on Drug Use and Health: National findings* (DHHS Publication No. SMA 05-4062, NSDUH Series H-28). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Office of Applied Studies. (2006). *Results from the 2005 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Office of Applied Studies. (2007). *Results from the 2006 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Office of Applied Studies. (2008). *Results from the 2007 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration.

Office of Applied Studies. (2009). *Results from the 2008 National Survey on Drug Use and Health: National findings* (HHS Publication No. SMA 09-4434, NSDUH Series H-36). Rockville, MD: Substance Abuse and Mental Health Services Administration.

APPENDIX G

Occupational Classification System for Analytic Recodes

2003 Census Code	Occupation category	2003 Census Code	Occupation category
1	Executive, Administrative, and Managerial Occupations	4	Tax Preparers Financial Specialists, All Other
	Chief Executives General and Operations Managers Legislators Advertising and Promotions Managers Marketing and Sales Managers Public Relations Managers Administrative Services Managers Computer and Information Systems Managers Financial Managers Human Resources Managers Industrial Production Managers Purchasing Managers Transportation, Storage, and Distribution Managers Farm, Ranch, and Other Agricultural Managers Farmers and Ranchers Construction Managers Education Administrators Engineering Managers Food Service Managers Funeral Directors Gaming Managers Lodging Managers Medical and Health Services Managers Natural Sciences Managers Postmasters and Mail Superintendents Property, Real Estate, and Community Association Managers Social and Community Service Managers Managers, All Other		Computer Scientists and Systems Analysts Computer Programmers Computer Software Engineers Computer Support Specialists Database Administrators Network and Computer Systems Administrators Network Systems and Data Communications Analysts Actuaries Mathematicians Operations Research Analysts Statisticians Miscellaneous Mathematical Occupations
2	Management Related Occupations	5	Engineers, Architects, and Surveyors
	Agents and Business Managers of Artists, Performers, and Athletes Purchasing Agents and Buyers, Farm Products Wholesale and Retail Buyers, Except Farm Products Purchasing Agents, Except Wholesale, Retail, and Farm Products Claims Adjusters, Appraisers, Examiners, and Investigators Compliance Officers, Except Agriculture, Construction, Health and Safety, and Transportation Cost Estimators Human Resources, Training, and Labor Relations Specialists Logisticians Management Analysts Meeting and Convention Planners Other Business Operations Specialists		Architects, Except Naval Surveyors, Cartographers, and Photogrammetrists Aerospace Engineers Agriculture Engineers Biomedical Engineers Chemical Engineers Civil Engineers Computer Hardware Engineers Electrical and Electronics Engineers Environmental Engineers Industrial Engineers, Including Health and Safety Marine Engineers and Naval Architects Materials Engineers Mechanical Engineers Mining and Geological Engineers, Including Mining Safety Engineers Nuclear Engineers Petroleum Engineers Engineers, All Other
3	Financial Related Occupations	6	Engineering and Related Technicians
	Accountants and Auditors Appraisers and Assessors of Real Estate Budget Analysts Credit Analysts Financial Analysts Personal Finance Advisors Insurance Underwriters Financial Examiners Loan Counselors and Officers Tax Examiners, Collectors, and Revenue Agents		Drafters Engineering Technicians, Except Drafters Surveying and Mapping Technicians
8		7	Physical Scientists
			Agricultural and Food Scientists Biological Scientists Conservation Scientists and Foresters Medical Scientists Astronomers and Physicists Atmospheric and Space Scientists Chemists and Materials Scientists Environmental Scientists and Geoscientists Physical Scientists, All Other
9			Social Scientists and Related Workers
			Economists Market and Survey Researchers Psychologists Sociologists Urban and Regional Planners Miscellaneous Social Scientists and Related Workers
			Life, Physical, and Social Science Technicians

2003 Census Code	Occupation category	2003 Census Code	Occupation category
	Agriculture and Foods Science Technicians Biological Technicians Chemical Technicians Geological and Petroleum Technicians Nuclear Technicians Other Life, Physical, and Social Science Technicians		Media and Communication Equipment Workers, All Other
10	Counselors, Social, and Religious Workers	16	Health Diagnosing and Treating Practitioners
	Counselors Social Workers Miscellaneous Community and Social Service Specialists Clergy Directors, Religious Activities and Education Religious Workers, All Other		Chiropractors Dentists Dietitians and Nutritionists Optometrists Pharmacists Physicians and Surgeons Physician Assistants Podiatrists Registered Nurses Audiologists Occupational Therapists Physical Therapists Radiation Therapists Recreational Therapists Respiratory Therapists Speech-Language Pathologists Therapists, All Other Veterinarians Health Diagnosing and Treating Practitioners, All Other
11	Lawyers, Judges, and Legal Support Workers	17	Health Care Technical and Support Occupations
	Lawyers Judges, Magistrates, and Other Judicial Workers Paralegals and Legal Assistants Miscellaneous Legal Support Workers		Clinical Laboratory Technologists and Technicians Dental Hygienists Diagnostic Related Technologists and Technicians Emergency Medical Technicians and Paramedics Health Diagnosing and Treating Practitioner Support Technicians Licensed Practical and Licensed Vocational Nurses Medical Records and Health Information Technicians Opticians, Dispensing Miscellaneous Health Technologists and Technicians Other Healthcare Practitioners and Technical Occupations Nursing, Psychiatric, and Home Health Aides Occupational Therapist Assistants and Aides Physical Therapist Assistants and Aides Massage Therapists Dental Assistants Medical Assistants and Other Healthcare Support Occupations
12	Teachers	18	Protective Service Occupations
	Postsecondary Teachers Preschool and Kindergarten Teachers Elementary and Middle School Teachers Secondary School Teachers Special Education Teachers Other Teachers and Instructors		First-Line Supervisors/Managers of Correctional Officers First-Line Supervisors/Managers of Police and Detectives First-Line Supervisors/Managers of Fire Fighting and Prevention Workers Supervisors, Protective Service Workers, All Other Fire Fighters Fire Inspectors Bailiffs, Correctional Officers, and Jailers Detectives and Criminal Investigators Fish and Game Wardens Parking Enforcement Workers Police and Sheriff's Patrol Officers Transit and Railroad Police
13	Education, Training, and Library Workers		
	Archivists, Curators, and Museum Technicians Librarians Library Technicians Teacher Assistants Other Education, Training, and Library Workers		
14	Entertainers and Performers, Sports and Related Workers		
	Artists and Related Workers Designers Actors Producers and Directors Athletes, Coaches, Umpires, and Related Workers Dancers and Choreographers Musicians, Singers, and Related Workers Entertainers and Performers, Sports and Related Workers, All Other		
15	Media and Communication Workers		
	Announcers News Analysts, Reporters and Correspondents Public Relations Specialists Editors Technical Writers Writers and Authors Miscellaneous Media and Communication Workers Broadcast and Sound Engineering Technicians and Radio Operators Photographers Television, Video, and Motion Picture Camera Operators and Editors		

2003 Census Code	Occupation category	2003 Census Code	Occupation category
	Animal Control Workers Private Detectives and Investigators Security Guards and Gaming Surveillance Officers Crossing Guards Lifeguards and Other Protective Service Workers	23	Sales and Related Workers First-Line Supervisors/Managers of Retail Sales Workers First-Line Supervisors/Managers of Non-Retail Sales Workers Cashiers Counter and Rental Clerks Parts Salespersons Retail Salespersons Advertising Sales Agents Insurance Sales Agents Securities, Commodities, and Financial Services Sales Agents Travel Agents Sales Representatives, Services, All Other Sales Representatives, Wholesale and Manufacturing Models, Demonstrators, and Product Promoters Real Estate Brokers and Sales Agents Sales Engineers Telemarketers Door-To-Door Sales Workers, News and Street Vendors, and Related Workers Sales and Related Workers, All Other
19	Food Preparation and Serving Related Occupations Chefs and Head Cooks First-Line Supervisors/Managers of Food Preparation and Serving Workers Cooks Food Preparation Workers Bartenders Combined Food Preparation and Serving Workers, Including Fast Food Counter Attendants, Cafeteria, Food Concession, and Coffee Shop Waiters and Waitresses Food Servers, Nonrestaurant Dining Room and Cafeteria Attendants and Bartender Helpers Dishwashers Hosts and Hostesses, Restaurant, Lounge, and Coffee Shop Food Preparation and Serving Related Workers, All Other	24	Office and Administrative Support Workers (5000-5930) First-Line Supervisors/Managers of Office and Administrative Support Workers Switchboard Operators, Including Answering Service Telephone Operators Communications Equipment Operators, All Other Bill and Account Collectors Billing and Posting Clerks and Machine Operators Bookkeeping, Accounting, and Auditing Clerks Gaming Cage Workers Payroll and Timekeeping Clerks Procurement Clerks Tellers Brokerage Clerks Correspondence Clerks Court, Municipal, and License Clerks Credit Authorizers, Checkers, and Clerks Customer Service Representatives Eligibility Interviewers, Government Programs File Clerks Hotel, Motel, and Resort Desk Clerks Interviewers, Except Eligibility and Loan Library Assistants, Clerical Loan Interviewers and Clerks New Accounts Clerks Order Clerks Human Resources Assistants, Except Payroll and Timekeeping Receptionists and Information Clerks Reservation and Transportation Ticket Agents and Travel Clerks Information and Record Clerks, All Other Cargo and Freight Agents Couriers and Messengers Dispatchers Meter Readers, Utilities Postal Service Clerks Postal Service Mail Carriers
20	Cleaning and Building Service Occupations First-Line Supervisors/Managers of Housekeeping and Janitorial Workers First-Line Supervisors/Managers of Landscaping, Lawn Service, and Groundskeeping Janitors and Building Cleaners Maids and Housekeeping Cleaners Pest Control Workers Grounds Maintenance Workers		
21	Entertainment Attendants and Related Workers First-Line Supervisors/Managers of Gaming Workers First-Line Supervisors/Managers of Personal Service Workers Animal Trainers Nonfarm Animal Caretakers Gaming Services Workers Motion Picture Projectionists Ushers, Lobby Attendants, and Ticket Takers Miscellaneous Entertainment Attendants and Related Workers		
22	Funeral Related Occupations and Personal Care and Service Workers Funeral Service Workers Barbers Hairdressers, Hairstylists, and Cosmetologists Miscellaneous Personal Appearance Workers Baggage Porters, Bellhops, and Concierges Tour and Travel Guides Transportation Attendants Child Care Workers Personal and Home Care Aides Recreation and Fitness Workers Residential Advisors Personal Care and Service Workers, All Other		

2003 Census Code	Occupation category	2003 Census Code	Occupation category
	Postal Service Mail Sorters, Processors, and Processing Machine Operators Production, Planning, and Expediting Clerks Shipping, Receiving, and Traffic Clerks Stock Clerks and Order Fillers Weighers, Measurers, Checkers, and Samplers, Recordkeeping Secretaries and Administrative Assistants Computer Operators Data Entry Keyers Word Processors and Typists Desktop Publishers Insurance Claims and Policy Processing Clerks Mail Clerks and Mail Machine Operators, Except Postal Service Office Clerks, General Office Machine Operators, Except Computer Proofreaders and Copy Markers Statistical Assistants Office and Administrative Support Workers, All Other		Elevator Installers and Repairers Fence Erectors Hazardous Materials Removal Workers Highway Maintenance Workers Rail-Track Laying and Maintenance Equipment Operators Septic Tank Servicers and Sewer Pipe Cleaners Miscellaneous Constructions and Related Workers Derrick, Rotary Drill, and Service Unit Operators, Oil, Gas, and Mining Earth Drillers, Except Oil and Gas Explosives Workers, Ordnance Handling Experts, and Blasters Mining Machine Operators Roof Bolters, Mining Roustabouts, Oil and Gas Helpers – Extraction Workers Other Extraction Workers
25	Farming, Fishing, and Forestry Occupations (6000-6130)	27	Installation, Maintenance, and Repair's Workers
	First-Line Supervisors/Managers/Contractors of Farming, Fishing, and Forestry Workers Agricultural Inspectors Animal Breeders Graders and Sorters, Agricultural Products Other Agricultural Workers Fishers and Related Fishing Workers Hunters and Trappers Forest and Conservation Workers Logging Workers		First-Line Supervisors/Managers of Mechanics, Installers, and Repairers Computer, Automated Teller, and Office Machine Repairers Radio and Telecommunications Equipment Installers and Repairers Avionics Technicians Electric Motor, Power Tool, and Related Repairers Electrical and Electronics Installers and Repairers, Transportation Equipment Electrical and Electronics Repairers, Industrial and Utility Electronic Equipment Installers and Repairers, Motor Vehicles Electronic Home Entertainment Equipment Installers and Repairers Security and Fire Alarm Systems Installers Aircraft Mechanics and Service Technicians Automotive Body and Related Repairers Automotive Glass Installers and Repairers Automotive Service Technicians and Mechanics Bus and Truck Mechanics and Diesel Engine Specialists Heavy Vehicle and Mobile Equipment Service Technicians and Mechanics Small Engine Mechanics Miscellaneous Vehicle and Mobile Equipment Mechanics, Installers, and Repairers Control and Valve Installers and Repairers Heating, Air Conditioning, and Refrigeration Mechanics and Installers Home Appliance Repairers Industrial and Refractory Machinery Mechanics Maintenance and Repair Workers, General Maintenance Workers, Machinery Millwrights Electrical Power-Line Installers and Repairers Telecommunications Line Installers and Repairers Precision Instrument and Equipment Repairers Coin, Vending, and Amusement Machine Servicers and Repairers Commercial Divers Locksmiths and Safe Repairers Manufactured Building and Mobile Home Installers Riggers Signal and Track Switch Repairers
26	Construction Trades and Extraction Workers (6200-6940)		
	First-Line Supervisor/Managers of Construction Trades and Extraction Workers Boilermakers Brickmasons, Blockmasons, and Stonemasons Carpenters Carpet, Floor, and Tile Installers and Finishers Cement Masons, Concrete Finishers, and Terrazzo Workers Construction Laborers Paving, Surfacing, and Tamping Equipment Operations Pile-Driver Operators Operating Engineers and Other Construction Equipment Operators Drywall Installers, Ceiling Tile Installers, and Tapers Electricians Glaziers Insulation Workers Painters, Construction and Maintenance Paperhangers Pipeliners, Plumbers, Pipefitters, and Steamfitters Plasterers and Stucco Masons Reinforcing Iron and Rebar Workers Roofers Sheet Metal Workers Structural Iron and Steel Workers Helpers, Construction Trades Construction and Building Inspectors		

2003 Census Code	Occupation category	2003 Census Code	Occupation category
	Helpers – Installation, Maintenance, and Repair Workers Other Installation, Maintenance, and Repair Workers		Pressers, Textile, Garment, and Related Materials Sewing Machine Operator Shoe and Leather Workers and Repairers Shoe Machine Operators and Tenders Tailors, Dressmakers, and Sewers Textile Bleaching and Dyeing Machine Operators and Tenders Textile Cutting Machine Setters, Operators, and Tenders Textile Knitting and Weaving Machine Setters, Operators, and Tenders Textile Winding, Twisting, and Drawing Out Machine Setters, Operators, and Tenders Extruding and Forming Machine Setters, Operators, and Tenders, Synthetic and Glass Fibers Fabric and Apparel Patternmakers Upholsters
28	Production and Operating Workers		Textile, Apparel, and Furnishings Workers, All Other Cabinetmakers and Bench Carpenters Furniture Finishers Model Makers and Patternmakers, Wood Sawing Machine Setters, Operators, and Tenders, Wood Woodworking Machine Setters, Operators, and Tenders, Except Sawing Woodworkers, All Other Power Plant Operators Stationary Engineers and Boiler Operators Water and Liquid Waste Treatment Plant and System Operators Miscellaneous Plant and System Chemical Processing Machine Setters, Operators, and Tenders Crushing, Grinding, Polishing, Mixing, and Blending Workers Cutting Workers Extruding, Forming, Pressing, and Compacting Machine Setters, Operators, and Tenders Furnace, Kiln, Oven, Drier, and Kettle Operators and Tenders Inspectors, Testers, Sorters, Samplers, and Weighers Jewelers and Precious Stone and Metal Workers Medical, Dental, and Ophthalmic Laboratory Technicians Packaging and Filling Machine Operators and Tenders Painting Workers Photographic Process Workers and Processing Machine Operators Semiconductor Processors Cementing and Gluing Machine Operators and Tenders Cleaning, Washing, and Metal Pickling Equipment Operators and Tenders Cooling and Freezing Equipment Operators and Tenders Etchers and Engravers Molders, Shapers, and Casters, Except Metal and Plastic Paper Goods Machine Setters, Operators, and Tenders Tire Builders Helpers – Production Workers
29	Food Preparation Occupations		
	Bakers Butchers and Other Meat, Poultry, and Fish Processing Workers Food and Tobacco Roasting, Baking, and Drying Machine Operators and Tenders Food Batchmakers Food Cooking Machine Operators and Tenders		
30	Setter, Operators, and Tenders		
	Computer Control Programmers and Operators Extruding and Drawing Machine Setters, Operators, and Tenders, Metal and Plastic Forging Machine Setters, Operators, and Tenders, Metal and Plastic Rolling Machine Setters, Operators, and Tenders, Metal and Plastic Cutting, Punching, and Press Machine Setters, Operators, and Tenders, Metal and Plastic Drilling and Boring Machine Tool Setters, Operators, and Tenders, Metal and Plastic Grinding, Lapping, Polishing, and Buffing Machine Tool Setters, Operators, and Tenders, Metal and Plastic Lathe and Turning Machine Tool Setters, Operators and Tenders, Metal and Plastic Milling and Planing Machine Setters, Operators, and Tenders, Metal and Plastic Machinists Metal Furnace and Kiln Operators and Tenders Model Makers and Patternmakers, Metal and Plastic Molders and Molding Machine Setters, Operators, and Tenders, Metal and Plastic Multiple Machine Tool Setters, Operators, and Tenders, Metal and Plastic Tool and Die Makers Welding, Soldering, and Brazing Workers Heat Treating Equipment Setters, Operators, and Tenders, Metal and Plastic Lay-Out Workers, Metal and Plastic Plating and Coating Machine Setters, Operators, and Tenders, Metal and Plastic Tool Grinders, Filers, and Sharpeners Metalworkers and Plastic Workers, All Other Bookbinders and Bindery Workers Job Printers Prepress Technicians and Workers Printing Machine Operators Laundry and Dry-Cleaning Workers		

2003**Census Occupation category
Code**

Production Workers, All Other

31 Transportation and Material Moving Workers

Supervisors, Transportation and Material Moving Workers
Aircraft Pilots and Flight Engineers
Air Traffic Controllers and Airfield Operations Specialists
Ambulance Drivers and Attendants, Except Emergency Medical Technicians
Bus Drivers
Driver/Sales Workers and Truck Drivers
Taxi Drivers and Chauffeurs
Motor Vehicle Operators, All Other
Locomotive Engineers and Operators
Railroad Brake, Signal, and Switch Operators
Railroad Conductors and Yardmasters
Subway, Streetcar, and Other Rail Transportation Workers
Sailors and Marine Oilers
Ship and Boat Captains and Operators
Ship Engineers
Bridge and Lock Tenders
Parking Lot Attendants
Service Station Attendants
Transportation Inspectors
Other Transportation Workers
Conveyor Operators and Tenders
Crane and Tower Operators
Dredge, Excavating, and Loading Machine Operators
Hoist and Winch Operators
Industrial Truck and Tractor Operators
Cleaners of Vehicles and Equipment
Laborers and Freight, Stock, and Material Movers, Hand
Machine Feeders and Offbearers
Packers and Packagers, Hand
Pumping Station Operators
Refuse and Recyclable Material Collectors
Shuttle Car Operators
Tank Car, Truck, and Ship Loaders
Material Moving Workers, All Other

32 Armed Forces (for CPS)

Armed Forces

33 CPS Special Codes

Problem Referral
Not Reported (Includes Refused, Classified, Blank and all other noncodable)

34 Military Specific Occupations (for ACS)

Military officer special and tactical operations leaders/managers
First-line enlisted military supervisor/managers
Military enlisted tactical operations and air/weapons specialists and crew members
Military, rank not specified

35 ACS Special Codes

Not in Labor Force
Retired
Problem Referral
Uncodable (includes Refused or Classified)

APPENDIX H

Industry Classification System
for Analytic Recodes

2003 Census Code	Industry category	2003 Census Code	Industry category
1	Agriculture, Forestry, Fishing and Hunting		
	Crop production		Printing and related support activities
	Animal production		Petroleum and Coal Products Manufacturing
	Forestry except Logging		Petroleum refining
	Logging		Miscellaneous petroleum and coal products
	Fishing, hunting, and trapping		Chemical Manufacturing
	Support activities for agriculture and forestry		Resin, synthetic rubber and fibers, and filaments
2	Mining		Agricultural chemicals
	Oil and gas extraction		Pharmaceuticals and medicines
	Coal mining		Paint, coating, and adhesives
	Metal ore mining		Soap, cleaning compound, and cosmetics
	Nonmetallic mineral mining and quarrying		Industrial and miscellaneous chemicals
	Not specified type of mining		Plastics and Rubber Product Manufacturing
	Support activities for mining		Plastics products
3	Utilities		Tires
	Electric power generation, transmission and distribution		Rubber products, except tires
	Natural gas distribution		
	Electric and gas, and other combinations		
	Water, steam, air conditioning, and irrigation systems		
	Sewage treatment facilities		
	Not specified utilities		
4	Construction	6	Durable Goods
	Constructions (Includes the cleaning of buildings and dwellings is incidental during construction and immediately after construction)		Nonmetallic Mineral Product Manufacturing
			Pottery, ceramics, and related products
			Structural clay products
			Glass and glass products
			Cement, concrete, lime, and gypsum products
			Miscellaneous nonmetallic mineral products
			Metal Industries
			Iron and steel mills and steel products
			Aluminum production and processing
			Nonferrous metal, except aluminum, production and processing
			Foundries
			Metal forgings and stampings
			Cutlery and hand tools
			Structural metals, and tank and shipping containers
			Machine shops; turned products; screws, nuts and bolts
			Coating, engraving, heat treating and allied activities
			Ordnance
			Miscellaneous fabricated metal products
			Not specified metal industries
			Machinery Manufacturing
			Agricultural implements
			Construction mining and oil field machinery
			Commercial and service industry machinery
			Metalworking machinery
			Engines, turbines, and power transmission equipment
			Machinery
			Not specified machinery
			Computer and Electronic Product Manufacturing
			Computer and peripheral equipment
			Communications, audio, and video equipment
			Navigational, measuring, electrometrical, and control instruments
			Electronic components and products
			Electrical Equipment, Appliances, and Component Manufacturing
			Household appliances
			Electrical machinery, equipment, and supplies
			Transportation Equipment Manufacturing
			Motor vehicles and motor vehicle equipment
			Aircraft and parts
			Aerospace products and parts
			Railroad rolling stock
			Ship and boat building
			Other transportation equipment

2003 Census Code	Industry category	2003 Census Code	Industry category
	Wood Products, including Furniture, Manufacturing Sawmills and wood preservation Veneer, plywood, and engineered wood products Prefabricated wood buildings and mobile homes Miscellaneous wood products Furniture and fixtures Miscellaneous Manufacturing Medical equipment and supplies Toys, amusement, and sporting goods Miscellaneous manufacturing Not specified industries		Miscellaneous general merchandise stores Retail florists Office supplies and stationary stores Used merchandise stores Gift, novelty, and souvenir shops Miscellaneous stores Electronic shopping Electronic auctions Mail order houses Vending machine operators Fuel dealers Other direct selling establishments Not specified trade
	WHOLESALE TRADE		
7	Durable Goods, Wholesalers	10	Transportation and Warehousing
	Motor vehicles, parts and supplies Furniture and home furnishing Lumber and other construction materials Professional and commercial equipment and supplies Metals and minerals, except petroleum Electrical goods Hardware, plumbing and heating equipment, and supplies Machinery, equipment, and supplies Recyclable materials Miscellaneous durable goods		Air transportation Rail transportation Water transportation Truck transportation Bus service and urban transit Taxi and limousine service Pipeline transportation Scenic and sightseeing transportation Services incidental to transportation Postal Service Couriers and messengers Warehousing and storage
8	Nondurable Goods, Wholesalers	11	Information And Communication
	Paper and paper products Drugs, sundries, and chemical and allied products Apparel, fabrics, and notions Groceries and related products Farm product raw materials Petroleum and petroleum products Alcoholic beverages Farm supplies Miscellaneous nondurable goods Wholesale electronic markets, agents, and brokers Not specified trade		Publishing Industries Newspaper publishers Publishing, except newspapers and software Software publishing Motion pictures and video industries Sound recording industries Broadcasting and Telecommunications Radio and television broadcasting and cable Internet and publishing and broadcasting Wired telecommunications carriers Other telecommunication services Internet service providers Data processing, hosting, and related services Information Services and Data Processing Services Libraries and archives Other information services
9	Retail Trade	12	Finance, Insurance, Real Estate, And Rental And Leasing
	Automobile dealers Other motor vehicle dealers Auto parts, accessories, and tire stores Furniture and home furnishings stores Household appliance stores Radio, TV, and computer stores Building material and supplies dealers Hardware stores Lawn and garden equipment and supplies stores Grocery stores Specialty food stores Beer, wine, and liquor stores Pharmacies and drug stores Health and personal care, except drug Gasoline stations Clothing and accessories, except shoe Shoe stores Jewelry, luggage, and leather goods stores Sporting goods, camera, and hobby and toy stores Sewing, needlework and piece goods stores Music stores Book stores and news dealers Department stores and Discount stores		Finance and Insurance Banking and related activities Savings institutions, including credit unions Non-depository credit and related activities Securities, commodities, funds, trusts, and other financial investments Insurance carriers and related activities Real Estate and Rental and Leasing Real estate Automotive equipment rental and leasing Video tape and disk rental Other consumer goods rental Commercial, industrial, and other intangible assets rental and leasing

2003 Census Code	Industry category	2003 Census Code	Industry category
13	Professional, Scientific, Management, Administrative, And Waste Management Services		
	Professional, Scientific, and Technical Services		Other amusement, gambling, and recreation industries
	Legal services		Accommodations and Food Services
	Accounting, tax preparation, bookkeeping and payroll services		Traveler accommodation
	Architectural, engineering, and related services		Recreational vehicle parks and camps, and rooming and boarding houses
	Specialized design services		Restaurants and other food services
	Computer systems design and related services		Drinking places, alcohol beverages
	Management, scientific and technical consulting services		
	Scientific research and development services		16 Other Services (Except Public Administration)
	Advertising and related services		Repair and Maintenance
	Veterinary services		Automotive repair and maintenance
	Other professional, scientific and technical services		Car washes
	Management, Administrative and Support, and Waste Management Services		Electronic and precision equipment repair and maintenance
	Management of companies and enterprises		Commercial and industrial machinery and equipment repair and maintenance
	Employment services		Personal and household goods repair and maintenance
	Business support services		Footwear and leather goods repair
	Travel arrangements and reservation services		Personal and Laundry Services
	Investigation and security services		Barber shops
	Services to buildings and dwellings (except cleaning during construction and immediately after construction)		Beauty salons
	Landscaping services		Nail salons and other personal care services
	Other administrative, and other support services		Dry cleaning and laundry services
	Waste management and remediation services		Funeral homes, cemeteries and crematories
14	Educational, Health And Social Services		Other personal services
	Educational Services		Religious, Grantmaking, Civic, Business, and Similar Organizations
	Elementary and secondary school		Religious organizations
	Colleges, including junior colleges, and universities		Civic, social, advocacy organizations and grantmaking and giving services
	Business, technical, and trade schools and training		Labor unions
	other schools, instruction and educational services		Business, professional, political and similar organizations
	Health Care		Private Households
	Offices of physicians		
	Offices of dentists		17 Public Administration
	Office of chiropractors		Executive offices and legislative bodies
	Offices of optometrists		Public finance activities
	Offices of other health practitioners		Other general government and support
	Outpatient care centers		Justice, public order, and safety activities
	Home health care services		Administration of human resource programs
	Other health care services		Administration of environmental quality and housing programs
	Hospitals		Administration of economic programs and space research
	Nursing care facilities		National security and international affairs
	Residential care facilities, without nursing		
	Social Assistance		
	Individual and family services		18 Armed Forces (for CPS only)
	Community food and housing, and emergency services		Armed Forces
	Vocational rehabilitation services		CPS Special Codes
	Child day care services		Problem Referral
15	Arts, Entertainment, Recreation, Accomodations, And Food Services		Uncodable (includes Refused, Retired, reported Classified, or Not in Labor Force)
	Arts, Entertainment, and Recreation		Active Duty Military (for Census and ACS)
	Independent artists, performing arts, spectator sports and related industries		U.S. Army
	Museums, art galleries, historical sites, and similar institutions		U.S. Air Force
	Bowling centers		U.S. Navy
			U.S. Marines
			U.S. Coast Guard
			U.S. Armed Forces, Branch Not Specified
			Military Reserves or National Guard

APPENDIX I

Key Mental Health Variables

Several changes were made to the 2004 and 2008 National Survey on Drug Use and Health (NSDUH) questionnaires that affected mental health measures such as serious mental illness (SMI), serious psychological distress (SPD), and lifetime and past year major depressive episode (MDE). For several of these measures, these changes resulted in noncomparable measures that caused breaks in the trends. For some of these variables, adjusted measures were created that allowed comparisons of estimates across the years where the changes were made. Refer to Aldworth, Kott, Yu, Mosquin, and Barnett-Walker (in press) for further details.

Starting with the 2010 NSDUH, this appendix was included in the codebook to aid users when considering mental health measures across time. It provides several tables that list a set of the most commonly used mental health measures and their availability from 2002 to 2010. These tables also show whether there are comparable or adjusted measures available for the years indicated. Table 1 lists key mental health measures for youths aged 12 to 17, Table 2 lists key mental health measures for adults aged 18 or older, and Table 3 lists the mental health measures that have adjusted versions that allow for the comparisons of estimates across the years where changes were made. These tables may be updated and included in 2011 or subsequent NSDUH codebooks as other comparable measures are developed.

Table 1. Key Mental Health Measures for Persons Aged 12 to 17: 2002-2010

Mental Health Measure (Variable Name)	Years Available							
	2002	2003	2004	2005	2006	2007	2008	2009-2010
Lifetime Major Depressive Episode (MDELT, YMDELT)			*	*	*	*	X	X
Past Year Major Depressive Episode (MDEYR, YMDEYR)			*	*	*	*	X	X
MDE with Severe Role Impairment (MDEIMPY)					X	X	X	X
Received Treatment for MDE from MD in Past Year (TXMDEYR, YTXMDEYR)			*	*	*	*	X	X
Received Treatment for MDE from Prescription Drugs in Past Year (RXMDEYR, YRXMDEYR)			*	*	*	*	X	X
Received Treatment for MDE from Either MD or Prescription Drugs in Past Year (MDETXRX, YMDETXRX)			*	*	*	*	X	X
Received Treatment for MDE from MD Only (MDETXO, YMDETXO)			*	*	*	*	X	X
Received Treatment for MDE from Prescription Drugs Only (MDERXO, YMDERXO)			*	*	*	*	X	X
Received Treatment in Inpatient Specialty Mental Health Setting (ANYMHIN)	X	X	X	X	X	X	X	X
Received Treatment in Outpatient Specialty Mental Health Setting (ANYMHOUT)	X	X	X	X	X	X	X	X
Received Treatment in Specialty Mental Health Setting (ANYSMH)	X	X	X	X	X	X	X	X
Received Treatment in Education Setting (ANYMHED, ANYMHED2)	-	-	-	-	-	-	-	X
Received Treatment in General Medical Setting (YPED)	X	X	X	X	X	X	X	X
Received Treatment in Juvenile Justice Setting (YJAIL)								X
Number of Visits for Inpatient Specialty MH Services (SPINVST)					X	X	X	X
Number of Visits for Outpatient Specialty MH Services (SPOUTVST)					X	X	X	X
Number of Visits for Specialty MH Services (SMHVST)					X	X	X	X
Received Specialty MH Services for Feeling Depressed (SMHDPR)					X	X	X	X
Received Specialty MH Services because of Problems with Home or Family (SMHFMLY)					X	X	X	X
Received Specialty MH Services because of Breaking Rules (SMHBRK)					X	X	X	X

Table 1. Key Mental Health Measures for Persons Aged 12 to 17: 2002-2010 (continued)

Mental Health Measure (Variable Name)	Years Available							
	2002	2003	2004	2005	2006	2007	2008	2009-2010
Received Specialty MH Services because Thought about or Attempted Suicide (SMHSUI)					X	X	X	X
Received Specialty MH Services because Felt Very Afraid and Tense (SMHFEA)					X	X	X	X
Received Specialty MH Services because of Problems at School (SMHSCHL)					X	X	X	X
Received Specialty MH Services because of Trouble Controlling Anger (SMHANGR)					X	X	X	X
Received Specialty MH Services because of Problems with Friends (SMHFRND)					X	X	X	X
Received Specialty MH Services because of Problems with Other People (SMHOTPP)					X	X	X	X
Received Specialty MH Services because of Eating Problems (SMHEAT)					X	X	X	X
Received Specialty MH Services because of Getting into Physical Fights (SMHFITE)					X	X	X	X
Received Specialty MH Services because of Diagnosed Mental Disorder (SMHMEND)					X	X	X	X

MD = medical doctor, MDE = major depressive episode, MH = mental health.

NOTE: The letter X indicates that the measure is available for the year(s) shown. An asterisk (*) indicates that a comparable measure to 2008 and later years is available for the year(s) shown. An en dash (–) indicates that a comparable measure to 2008 and later years is not available, but this measure can be used for the previous year(s) shown. An empty cell indicates that the measure is not available.

NOTE: The standard analysis weight, ANALWT_C, should be used for all measures and years.

NOTE: This table lists only the most commonly used mental health measures; it does not constitute a comprehensive list.

NOTE: This table was finalized on September 22, 2011.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2010.

Table 2. Key Mental Health Measures for Persons Aged 18 or Older: 2002-2010

Mental Health Measure (Variable Name)	Years Available							
	2002	2003	2004	2005	2006	2007	2008	2009-2010
Received Treatment for MDE from MD in Past Year (TXMDEYR, ATXMDEYR)			—	—	—	—	X	X
Received Treatment for MDE from Prescription Drugs in Past Year (RXMDEYR, ARXMDEYR)			—	—	—	—	X	X
Received Treatment for MDE from Either MD or Prescription Drugs in Past Year (MDETXRX, AMDETXRX)			—	—	—	—	X	X
Received Treatment for MDE from MD Only (MDETO, AMDETZO)			—	—	—	—	X	X
Received Treatment for MDE from Prescription Drugs Only (MDERZO, AMDERZO)			—	—	—	—	X	X
Received Treatment for MDE from General Practitioner (DOCMDE, ADOCMDDE)			—	—	—	—	X	X
Received Treatment for MDE from Other MD (OMDMDE, AOMDMDE)			—	—	—	—	X	X
Received Treatment for MDE from Psychologist (PSY1MDE, APSY1MDE)			—	—	—	—	X	X
Received Treatment for MDE from Psychiatrist (PSY2MDE, APSY2MDE)			—	—	—	—	X	X
Received Treatment for MDE from Social Worker (SOCMDE, ASOCMDE)			—	—	—	—	X	X
Received Treatment for MDE from Counselor (COUNMDE, ACOUNMDE)			—	—	—	—	X	X
Received Treatment for MDE from Other MH Professional (OMHMDE, AOMHMDE)			—	—	—	—	X	X
Received Treatment for MDE from Nurse/Occupational Therapist (NURSMDE, ANURSMDE)			—	—	—	—	X	X
Received Treatment for MDE from Religious Advisor (RELMDE, ARELMDE)			—	—	—	—	X	X
Received Treatment for MDE from Another Healer (HBCHMDE, AHBCMHMDE)			—	—	—	—	X	X
Received Treatment for MDE from Other Professional (OTHMDE, AOOTHMDE)			—	—	—	—	X	X

Table 2. Key Mental Health Measures for Persons Aged 18 or Older: 2002-2010 (continued)

Mental Health Measure (Variable Name)	Years Available							
	2002	2003	2004	2005	2006	2007	2008	2009-2010
Received Any Mental Health Treatment in Past Year (AMHTXRC3)	X	X	X	X	X	X	X	X
Received Inpatient MH Treatment in Past Year (AMHINP2)	X	X	X	X	X	X	X	X
Received Outpatient MH Treatment in Past Year (AMHOUTP3)	X	X	X	X	X	X	X	X
Received Prescription Meds MH Treatment in Past Year (AMHRX2)	X	X	X	X	X	X	X	X
Perceived Need but Did Not Receive MH Treatment in Past Year (AMHTXND2)	X	X	X	X	X	X	X	X
Received Outpatient MH Treatment at MH Clinic/Center in Past Year (MHLMNT2, MHLMNT3) ¹		*	*	*	*	*	*	X
Received Outpatient MH Treatment from Private Therapist in Past Year (MHLTHER2, MHLTHER3) ¹		*	*	*	*	*	*	X
Received Outpatient MH Treatment from Non-Clinic Doctor's Office in Past Year (MHLDODC2, MHLDODC3) ¹		*	*	*	*	*	*	X
Received Outpatient MH Treatment from Medical Clinic in Past Year (MHLCNCC2, MHLCNCC3) ¹		*	*	*	*	*	*	X
Respondent or Other Family Member Paid for Outpatient MH Treatment in Past Year (MHPDSL2)		X	X	X	X	X	X	X
Private Health Insurance Paid for Outpatient MH Treatment in Past Year (MHPDPHI2)		X	X	X	X	X	X	X
Medicare Paid for Outpatient MH Treatment in Past Year (MHPDMCR2)		X	X	X	X	X	X	X
Medicaid Paid for Outpatient MH Treatment in Past Year (MHPDMCD2)		X	X	X	X	X	X	X
Employer Paid for Outpatient MH Treatment in Past Year (MHPDEMP2)		X	X	X	X	X	X	X
Did Not Receive MH Treatment because Could Not Afford Cost (MHRCOST2)		X	X	X	X	X	X	X
Did Not Receive MH Treatment because Thought Could Handle Problem without Treatment (MHRHAND2)		X	X	X	X	X	X	X
Did Not Receive MH Treatment because Did Not Know Where To Go (MHRWHER2)		X	X	X	X	X	X	X
Did Not Receive MH Treatment because Did Not Have Time (MHRTIME2)		X	X	X	X	X	X	X

Table 2. Key Mental Health Measures for Persons Aged 18 or Older: 2002-2010 (continued)

Mental Health Measure (Variable Name)	Years Available							
	2002	2003	2004	2005	2006	2007	2008	2009-2010
Did Not Receive MH Treatment because Did Not Think Treatment Would Help (MHRNOHP2)		X	X	X	X	X	X	X
Did Not Receive MH Treatment because of Concerns about Confidentiality (MHRCFID2)		X	X	X	X	X	X	X
Did Not Receive MH Treatment because Insurance Did Not Pay Enough (MHRENUF2)		X	X	X	X	X	X	X
Did Not Receive MH Treatment because Did Not Think Treatment Was Needed (MHRNOND2)		X	X	X	X	X	X	X
Did Not Receive MH Treatment because Fear of Neighbors Negative Opinion (MHRNBRS2)		X	X	X	X	X	X	X
Did Not Receive MH Treatment because Fear of Being Committed (MHRCMIT2)		X	X	X	X	X	X	X
Suicidal Thoughts in Past Year (MHSUITHK)							X	X
Suicidal Plans in Past Year (MHSUIPLN)							X	X
Suicidal Attempts in Past Year (MHSUITRY)							X	X
K6 Total Score in Past Month (K6SCMON)							X	X
Past Month Serious Psychological Distress Indicator (SPDMON)							X	X
K6 Total Score in Worst Month of Past Year (K6SCYR)							X	X
Alternative Worst K6 Total Score (WSPDSC2)							X	X
WHODAS Total Score (WHODASC2)							X	X
Alternative WHODAS Total Score (WHODASC3)							X	X
Predicted Serious Mental Illness Probability (SMIPP)							X	X
Serious Mental Illness in Past Year (SMIYR)							X	X
Any Mental Illness in Past Year (AMIYR)							X	X
Mild Mental Illness Indicator (LMIYR)							X	X

Table 2. Key Mental Health Measures for Persons Aged 18 or Older: 2002-2010 (continued)

Mental Health Measure (Variable Name)	Years Available							
	2002	2003	2004	2005	2006	2007	2008	2009-2010
Moderate Mental Illness Indicator (MMIYR)							X	X
Serious or Moderate Mental Illness Indicator (SMMIYR)							X	X
Categorical Mental Illness Indicator (MI_CAT)							X	X

K6 = six-item nonspecific psychological distress scale, MD = medical doctor, MDE = major depressive episode, MH = mental health, WHODAS = abbreviated eight-item World Health Organization Disability Assessment Schedule.

NOTE: The letter X indicates that the measure is available for the year(s) shown; an italicized letter X indicates the measure's current exclusion from the public use file (PUF) for the year(s) indicated (however, excluded variables are expected to be present in future updates of the data files). An asterisk (*) indicates that a comparable measure with 2008 and later years is available for the year(s) shown. An en dash (–) indicates that a comparable measure with 2008 and later years is not available, but this measure can be used for the previous year(s) shown. An empty cell indicates that the measure is not available.

NOTE: The standard analysis weight, ANALWT_C, should be used for all measures and years, with the following exceptions: For AMIYR, SMMIYR, MMIYR, and LMIYR in 2008, the mental health half-sample analysis weight, MHSAWT_C, should be used in conjunction with the sample indicator that subsets to the 2008 WHODAS half-sample data (MHSAMP08=1).

NOTE: This table lists only the most commonly used mental health measures; it does not constitute a comprehensive list.

NOTE: This table was finalized on September 22, 2011.

¹ Respondents who reported receiving no outpatient mental health treatment are coded as No for 2009, but are coded as missing for previous years.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2010.

Table 3. Comparable Versions of Key Mental Health Measures for Persons Aged 18 or Older: 2002-2010

Mental Health Measure	Years Available				
	2002-2003	2004	2005-2007	2008	2009-2010
Lifetime Major Depressive Episode			AJAMDELT	AJAMDELT	AMDELT
Past Year Major Depressive Episode			AJAMDEYR	AJAMDEYR	AMDEYR
K6 Total Score in Worst Month of Past Year Based on Long Form Module	SMI_SUM	SPD_ASCR			
K6 Total Score in Worst Month of Past Year Based on Short Form Module		SPD_RSCR	SPD_USCR		
Worst K6 Total Score in Past Year ¹			K6SMXADJ	K6SCMAX	K6SCMAX
Past Year Serious Psychological Distress ² Indicator Based on Long Form Module	SMI	SPD_ADJ, SPD_UADJ ³			
Past Year Serious Psychological Distress Indicator Based on Short Form Module		SPD_RADJ	SPD_UADJ		
Past Year Serious Psychological Distress Indicator Based on Worst K6 Total Score			SPDYRADJ	SPDYR	SPDYR

K6 = six-item nonspecific psychological distress scale.

NOTE: All variables within a row are comparable across the years indicated, even if they have different names.

NOTE: The standard analysis weight, ANALWT_C, should be used for all measures and years, except as indicated in footnote 3 below.

NOTE: This table lists only the mental health measures with adjusted versions for comparability across years.

NOTE: This table was finalized on September 22, 2011.

¹ Worst K6 Total Score in Past Year is the maximum of K6 Total Score in Past Month (K6SCMON) and K6 Total Score in Worst Month of Past Year (K6SCYR).

² In the 2002 and 2003 NSDUHs, serious psychological distress was referred to as serious mental illness.

³ SPD_UADJ, restricted to the 2004 Sample A (Long Form), was used in the 2004 NSDUH detailed tables (Office of Applied Studies, 2005). SPD_ADJ was created so that comparisons of serious psychological distress based on the long form can be made between 2002, 2003, and the full 2004 sample. The standard analysis weight, ANALWT_C, should be used for SPD_ADJ, but for SPD_UADJ in 2004, the Sample A analysis weight, SPDWT_C, should be used in conjunction with the sample indicator that subsets to the 2004 Sample A data (ADLTSAMP=1).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2010.

References

- Aldworth, J., Kott, P., Yu, F., Mosquin, P., & Barnett-Walker, K. (in press). Analysis of effects of 2008 NSDUH questionnaire changes: Methods to adjust adult MDE and SPD estimates and to estimate SMI in the 2005-2009 surveys. In *2010 National Survey on Drug Use and Health: Methodological resource book* (Section 16b, prepared for the Substance Abuse and Mental Health Services Administration, Center for Behavioral Health Statistics and Quality, under Contract No. HHSS283200800004C, RTI/0211838.108.005).
- Office of Applied Studies. (2005, September). *Results from the 2004 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. [Available at <http://oas.samhsa.gov/WebOnly.htm>]

