

How big a Sample to take?



How big a Sample to take?

 A pollster wanting to make a prediction about a particular candidate's vote share in the US presidential election.



How big a Sample to take?

- A pollster wanting to make a prediction about a particular candidate's vote share in the US presidential election.
- A quality control manager at a battery manufacturer wanting to estimate the average number of defective batteries contained in a box shipped by the company.



How big a Sample to take?

- A pollster wanting to make a prediction about a particular candidate's vote share in the US presidential election.
- A quality control manager at a battery manufacturer wanting to estimate the average number of defective batteries contained in a box shipped by the company.

Different industries may have different rule of thumb strategies for sample size selection.



Sample Size Calculation the Statistics behind it

Typically we are interested in,

- the Population Mean
- the *Population Proportion*

... and we build confidence intervals for these unknown quantities



Sample Size Calculation the Statistics behind it

Typically we are interested in,

- the Population Mean
- the Population Proportion

... and we build confidence intervals for these unknown quantities

The pollster may want to have a *margin of error* +/- 3% with a *confidence* level of 95%



Sample Size Calculation the Statistics behind it

Typically we are interested in,

- the Population Mean
- the Population Proportion

... and we build confidence intervals for these unknown quantities

The pollster may want to have a *margin of error* +/- 3% with a *confidence* level of 95%

The quality control manager may want to assess the average number of defectives in a box with a *margin of error* of plus minus 0.3 batteries and a *confidence level* of 95%



A quality control manager at a battery manufacturer wants to estimate the average number of defective batteries contained in a box shipped by the company.

How many boxes does she need to open to figure out the average number of defective batteries contained in a box?



A quality control manager at a battery manufacturer wants to estimate the average number of defective batteries contained in a box shipped by the company.

How many boxes does she need to open to figure out the average number of defective batteries contained in a box?

Margin of error: +/- 0.3 batteries

Confidence level: 95%



A quality control manager at a battery manufacturer wants to estimate the average number of defective batteries contained in a box shipped by the company.

How many boxes does she need to open to figure out the average number of defective batteries contained in a box?

Margin of error: +/- 0.3 batteries

Confidence level: 95%

Population std deviation:



A quality control manager at a battery manufacturer wants to estimate the average number of defective batteries contained in a box shipped by the company.

How many boxes does she need to open to figure out the average number of defective batteries contained in a box?

Margin of error: +/- 0.3 batteries

Confidence level: 95%

Population std deviation:

A number for the population std deviation is needed



A quality control manager at a battery manufacturer wants to estimate the average number of defective batteries contained in a box shipped by the company.

How many boxes does she need to open to figure out the average number of defective batteries contained in a box?

Margin of error: +/- 0.3 batteries

Confidence level: 95%

Population std deviation: 0.9 batteries



$$\overline{x} - \langle |z_{\alpha/2}| \frac{\sigma}{\sqrt{n}} \rangle < \mu < \overline{x} + |z_{\alpha/2}| \frac{\sigma}{\sqrt{n}}$$

Margin of error = 0.3

$$\overline{x} - (|z_{\alpha/2}| \frac{\sigma}{\sqrt{n}}) < \mu < \overline{x} + |z_{\alpha/2}| \frac{\sigma}{\sqrt{n}}$$

Margin of error = 0.3 = $|z_{\alpha/2}| \frac{\sigma}{\sqrt{n}}$

$$\overline{x} - (|z_{\alpha/2}| \frac{\sigma}{\sqrt{n}}) < \mu < \overline{x} + |z_{\alpha/2}| \frac{\sigma}{\sqrt{n}}$$

$$\text{Margin of error = 0.3 = } |z_{\alpha/2}| \frac{\sigma}{\sqrt{n}}$$

$$0.3 = |\text{NORM.INV}(0.05/2, 0, 1)| \times \frac{\sigma}{\sqrt{n}}$$

$$\overline{x} - (|z_{\alpha/2}| \frac{\sigma}{\sqrt{n}}) < \mu < \overline{x} + |z_{\alpha/2}| \frac{\sigma}{\sqrt{n}}$$

$$\text{Margin of error} = 0.3 = |z_{\alpha/2}| \frac{\sigma}{\sqrt{n}}$$

$$0.3 = |\text{NORM.INV}(0.05/2, 0, 1)| \times \frac{\sigma}{\sqrt{n}}$$

$$0.3 = 1.96 \times \frac{\sigma}{\sqrt{n}}$$

$$\overline{x} - (|z_{\alpha/2}| \frac{\sigma}{\sqrt{n}}) < \mu < \overline{x} + |z_{\alpha/2}| \frac{\sigma}{\sqrt{n}}$$

$$\text{Margin of error} = 0.3 = |z_{\alpha/2}| \frac{\sigma}{\sqrt{n}}$$

$$0.3 = |\text{NORM.INV}(0.05/2, 0, 1)| \times \frac{\sigma}{\sqrt{n}}$$

$$0.3 = 1.96 \times \frac{\sigma}{\sqrt{n}}$$

$$0.3 = 1.96 \times \frac{0.9}{\sqrt{n}}$$

$$\overline{x} - (\overline{z_{\alpha/2}} | \frac{\sigma}{\sqrt{n}}) < \mu < \overline{x} + |z_{\alpha/2}| \frac{\sigma}{\sqrt{n}}$$

$$\text{Margin of error} = 0.3 = |z_{\alpha/2}| \frac{\sigma}{\sqrt{n}}$$

$$0.3 = |\text{NORM.INV}(0.05/2, 0, 1)| \times \frac{\sigma}{\sqrt{n}}$$

$$0.3 = 1.96 \times \frac{\sigma}{\sqrt{n}}$$

$$0.3 = 1.96 \times \frac{0.9}{\sqrt{n}}$$

$$\sqrt{n} = 1.96 \times \frac{0.9}{0.3} = 5.88$$

$$\overline{x} - (|z_{\alpha/2}| \frac{\sigma}{\sqrt{n}}) < \mu < \overline{x} + |z_{\alpha/2}| \frac{\sigma}{\sqrt{n}}$$

Margin of error = 0.3 = $|z_{\alpha/2}| \frac{\sigma}{\sqrt{n}}$

0.3 = $|NORM.INV(0.05/2, 0, 1)| \times \frac{\sigma}{\sqrt{n}}$

0.3 = 1.96 $\times \frac{\sigma}{\sqrt{n}}$

0.3 = 1.96 $\times \frac{0.9}{\sqrt{n}}$
 $\sqrt{n} = 1.96 \times \frac{0.9}{0.3} = 5.88$
 $n = (5.88)^2 = 34.6 \approx 35$