

Normal Distribution

Standard Notation



Normal Distribution

Standard Notation

```
Random variable typically denoted by X, Y or Z ... or
```

... more meaningful terms such as Height, Weight, Earnings etc.



Normal Distribution

Standard Notation

Random variable typically denoted by \mathbf{X} , \mathbf{Y} or \mathbf{Z} ... or

... more meaningful terms such as Height, Weight, Earnings etc.

Height ~ Normal(mean, std)





Example



Example

A bread producing company produces whole wheat loaves of bread in its factory.



Example

A bread producing company produces whole wheat loaves of bread in its factory.

It observes that on average every day 85 loaves of bread get discarded on account of being defective.



Example

A bread producing company produces whole wheat loaves of bread in its factory.

It observes that on average every day 85 loaves of bread get discarded on account of being defective.

The standard deviation of number of defectives is 9 loaves.



Example

A bread producing company produces whole wheat loaves of bread in its factory.

It observes that on average every day 85 loaves of bread get discarded on account of being defective.

The standard deviation of number of defectives is 9 loaves.

Predict probability that less than 70 loaves of bread will get discarded on being defective?



Example

A bread producing company produces whole wheat loaves of bread in its factory.

It observes that on average every day 85 loaves of bread get discarded on account of being defective.

The standard deviation of number of defectives is 9 loaves.

Predict probability that less than 70 loaves of bread will get discarded on being defective?

Defective ~ Normal(85, 9)



Example

A bread producing company produces whole wheat loaves of bread in its factory.

It observes that on average every day 85 loaves of bread get discarded on account of being defective.


The standard deviation of number of defectives is 9 loaves.

Predict probability that less than 70 loaves of bread will get discarded on being defective?


Defective ~ Normal(85, 9)

Prob(Defective < 70) = ?











Syntax:

=NORM.DIST(x, mean, std, TRUE)



Syntax:

```
=NORM.DIST(x, mean, std, TRUE)
```

=NORM.DIST(70, 85, 9, TRUE)

Syntax:

=NORM.DIST(x, mean, std, TRUE)

=NORM.DIST(70, 85, 9, TRUE)







