Week 1

Getting Started with Cassandra

Cassandra Workshop Series

Your path to becoming a Cassandra expert!

The Crew



Your hosts

David Jones-Gilardi 🇺🇸

Developer Advocate

Bettina Swynnerton 🇬🇧

Community Engineer

Jack Fryer 🇬🇧

Community Manager



Cédrick Lunven 🇫🇷

Developer Advocate

Aleksandr Volochnev 🇷🇺

Developer Advocate

Developer Workshop Series

- ➔ Bootstrapping
- ➔ Apache Cassandra™ Why, What & When
- ➔ Read and Write path
- ➔ Uber High Level Data Modeling
- ➔ What's NEXT?

Developer Workshop Series

- ➔ Bootstrapping
- ➔ Apache Cassandra™ Why, What & When
- ➔ Read and Write path
- ➔ Uber High Level Data Modeling
- ➔ What's NEXT?

Overview


YOUR LAPTOP
Browser
WebConf
cassandra
DATASTAX
ASTRA
DataStax
Studio
Github

Get your hands on Discord



- What you need to know
- List of resources available for you
- How to ask questions
- How to get the exercises
- How to mark the Exercises done

Exercise

Bootstrap your environment



1. Clone or download repository material

https://github.com/DataStax-Academy/cassandra-workshop-online

2. Get your FREE certification voucher

https://bit.ly/cassandra-cert-FREE

Introducing Astra



Eliminate Operations

everything from provisioning to backups is fully automated

Secure Your Data

with the most advanced security available for Cassandra

Simplify App Development

with auto-configured developer tools that deploy with a click

Simplify Application Development

DATASTAX ASTRA

Familiar Language

```
INSERT INTO mytable
(id,name,address) VALUES
(1,'Bob Smith','1 Main
Street')
SELECT * FROM mytable
WHERE id=1
UPDATE mytable SET
name='Tom Smith' WHERE
id=1
DELETE FROM mytable WHERE
id=1
```

Easy Dev Tools



Great Drivers

Exercise

Creating your Astra instance



Developer Workshop Series

- ➔ Bootstrapping
- ➔ Apache Cassandra™ Why, What & When
- ➔ Read and Write path
- ➔ Uber High Level Data Modeling
- ➔ What's NEXT?

Apache Cassandra™ = NoSQL Distributed Database



1 Installation = 1 NODE
- ✔ Capacity: ± 1TB
- ✔ Throughput: 3000 Tx/sec/core

DataCenter | Ring

Communication:
- ✔ Gossiping

Scales Linearly

- Need more capacity?
- Need more throughput?
- Add nodes!



Horizontal vs. Vertical Scaling

- Vertical scaling requires one large expensive machine
- Horizontal scaling requires multiple less-expensive commodity hardware



100,000 transactions/second



200,000 transactions/second



400,000 transactions/second

Data is Distributed

Country	City	Population
USA	New York	8.000.000
USA	Los Angeles	4.000.000
FR	Paris	2.230.000
DE	Berlin	3.350.000
UK	London	9.200.000
AU	Sydney	4.900.000
DE	Nuremberg	500.000
CA	Toronto	6.200.000
CA	Montreal	4.200.000
FR	Toulouse	1.100.000
JP	Tokyo	37.430.000
IN	Mumbai	20.200.000

Partition Key

Data is Distributed

USA	New York	8.000.000
USA	Los Angeles	4.000.000



Country	City	Population
FR	Paris	2.230.000
DE	Berlin	3.350.000
UK	London	9.200.000
AU	Sydney	4.900.000
DE	Nuremberg	500.000
CA	Toronto	6.200.000
CA	Montreal	4.200.000
FR	Toulouse	1.100.000
JP	Tokyo	37.430.000
IN	Mumbai	20.200.000

Partition Key

Data is Distributed



Country	City	Population
DE	Berlin	3.350.000
UK	London	9.200.000
AU	Sydney	4.900.000
DE	Nuremberg	500.000
CA	Toronto	6.200.000
CA	Montreal	4.200.000
FR	Toulouse	1.100.000
JP	Tokyo	37.430.000
IN	Mumbai	20.200.000

Partition Key

Data is Distributed



Country	City	Population
UK	London	9.200.000
AU	Sydney	4.900.000
DE	Nuremberg	500.000
CA	Toronto	6.200.000
CA	Montreal	4.200.000
FR	Toulouse	1.100.000
JP	Tokyo	37.430.000
IN	Mumbai	20.200.000

Partition Key

Data is Distributed



Country	City	Population
AU	Sydney	4.900.000
DE	Nuremberg	500.000
CA	Toronto	6.200.000
CA	Montreal	4.200.000
FR	Toulouse	1.100.000
JP	Tokyo	37.430.000
IN	Mumbai	20.200.000

Partition Key

Data is Distributed



Country	City	Population

DE	Nuremberg	500.000
CA	Toronto	6.200.000
CA	Montreal	4.200.000
FR	Toulouse	1.100.000
JP	Tokyo	37.430.000
IN	Mumbai	20.200.000

Partition Key

Data is Distributed



Country	City	Population
CA	Toronto	6.200.000
CA	Montreal	4.200.000
FR	Toulouse	1.100.000
JP	Tokyo	37.430.000
IN	Mumbai	20.200.000

Partition Key

Data is Distributed



Data is Distributed



Data is Distributed



Data is Distributed



How the Ring Works



How the Ring Works



How the Ring Works



Replication within the Ring

RF = 2



Replication within the Ring

RF = 2



Replication within the Ring

RF = 2



Replication within the Ring

RF = 3



Replication within the Ring

RF = 3



Replication within the Ring

RF = 3



Node Failure

RF = 3



Node Failure

RF = 3



Node Failure

RF = 3



Node Failure – Recovered!

RF = 3



Data Distributed Everywhere

- Geographic Distribution



- Hybrid-Cloud and Multi-Cloud



Cap Theorem


Consistency
Availability
Partition
Tolerance
cassandra
Can configure
C* default


DON'T
WORRY
JUST
BE
AP

Consistency Levels



Consistency Levels



Consistency Levels



Immediate Consistency

$$CL_{read} + CL_{write} > RF$$

Immediate Consistency – One Way



Immediate Consistency – A Better Way



Weak(er) Consistency



Understanding Use Cases



Exercise

DataStax Studio





Developer Workshop Series

- ➔ Bootstrapping
- ➔ Apache Cassandra™ Why, What & When
- ➔ Read and Write path
- ➔ Uber High Level Data Modeling
- ➔ What's NEXT?

Write Path

Write Path



Write Path


MemTable
1 Dev Awesome TX Houston
RAM
Commit Log
1 Dev Awesome TX Houston
HDD

Write Path


1 Dev Awesome TX Houston
MemTable
RAM
ACK
Commit Log
1 Dev Awesome TX Houston
HDD

Write Path


MemTable
RAM
1 Dev Awesome TX Houston
2 Come To Cassandra TX Dallas
Commit Log
HDD
1 Dev Awesome TX Houston

Write Path


MemTable
RAM
2 Come To Cassandra TX Dallas
1 Dev Awesome TX Houston
ACK
Commit Log
HDD
1 Dev Awesome TX Houston
2 Come To Cassandra TX Dallas

Write Path


MemTable
RAM
2 Come To Cassandra TX Dallas
1 Dev Awesome TX Houston
3 Lone Node TX Snyder
Commit Log
HDD
1 Dev Awesome TX Houston
2 Come To Cassandra TX Dallas

Write Path

MemTable

RAM

2	Come To Cassandra	TX	Dallas
1	Dev Awesome	TX	Houston
3	Lone Node	TX	Snyder

ACK

Commit Log

HDD

1	Dev Awesome	TX	Houston
2	Come To Cassandra	TX	Dallas
3	Lone Node	TX	Snyder

Write Path


MemTable
RAM
2 Come To Cassandra TX Dallas
1 Dev Awesome TX Houston
3 Lone Node TX Snyder
4 IgotUr Data TX Austin
Commit Log
HDD
1 Dev Awesome TX Houston
2 Come To Cassandra TX Dallas
3 Lone Node TX Snyder

Write Path


MemTable
RAM
4 IgotUr Data TX Austin
2 Come To Cassandra TX Dallas
1 Dev Awesome TX Houston
3 Lone Node TX Snyder
ACK
Commit Log
HDD
1 Dev Awesome TX Houston
2 Come To Cassandra TX Dallas
3 Lone Node TX Snyder
4 IgotUr Data TX Austin

Write Path


MemTable
RAM
4 IgotUr Data TX Austin
2 Come To Cassandra TX Dallas
1 Dev Awesome TX Houston
3 Lone Node TX Snyder
5 Lone Star TX El Paso
Commit Log
HDD
1 Dev Awesome TX Houston
2 Come To Cassandra TX Dallas
3 Lone Node TX Snyder
4 IgotUr Data TX Austin

Write Path


MemTable
RAM
4 IgotUr Data TX Austin
2 Come To Cassandra TX Dallas
5 Lone Star TX El Paso
1 Dev Awesome TX Houston
3 Lone Node TX Snyder
ACK
Commit Log
HDD
1 Dev Awesome TX Houston
2 Come To Cassandra TX Dallas
3 Lone Node TX Snyder
4 IgotUr Data TX Austin
5 Lone Star TX El Paso

Write Path


MemTable
RAM
4 IgotUr Data TX Austin
2 Come To Cassa TX Dallas
5 Lone Star TX El Paso
1 Dev Awesome TX Houston
3 Lone Node TX Snyder
FLUSH
Commit Log
HDD
1 Dev Awesome TX Houston
2 Come To Cassandra TX Dallas
3 Lone Node TX Snyder
4 IgotUr Data TX Austin
5 Lone Star TX El Paso
SSTABLE
4 IgotUr Data TX Austin
2 Come To Cassandra TX Dallas
5 Lone Star TX El Paso
1 Dev Awesome TX Houston
3 Lone Node TX Snyder

Write Path

MemTable

RAM

Commit Log

HDD

1	Dev Awesome	TX	Houston
2	Come To Cassandra		Dallas
3	Lone Node		Snyder
4	IgotUr Data		Austin
5	Lone Star	TX	El Paso



SSTABLE

4	IgotUr Data	TX	Austin
2	Come To Cassandra	TX	Dallas
5	Lone Star	TX	El Paso
1	Dev Awesome	TX	Houston
3	Lone Node	TX	Snyder

Write Path

MemTable

RAM

HDD

SSTABLE (IMMUTABLE)

4	IgotUr Data	TX	Austin
2	Come To Cassandra	TX	Dallas
5	Lone Star	TX	El Paso
1	Dev Awesome	TX	Houston
3	Lone Node	TX	Snyder

Reading Data



Reading a MemTable



Reading a MemTable



Reading a SSTable



- A SSTable holds ordered partitions
- A partition can be split in multiple SSTables
- We can mark offset of each partition

Partition Index (on Disk)

Token	Byte Offset
7	0
13	1,120
18	3,528
21	4,392
36	6,224
58	7,192
92	9,120

58?



...but a SSTABLE is ...



Partition Summary (RAM)

Token	Byte Offset
	0
	24
56 - 100	40

58?

	Token	Byte Offset
0 →	7	0
	13	1,120
	18	3,528
24 →	21	4,392
	36	6,224
40 →	58	7,192
	92	9,120



Key Cache (RAM)

Token	Byte Offset
	0
	24
	40

Token	Byte Offset
7	0
13	1,120
18	3,528
21	4,392
36	6,224
58	7,192
92	9,120

58?

Token	Byte Offset
58	7192



Bloom Filter



Developer Workshop Series

- ➔ Bootstrapping
- ➔ Apache Cassandra™ Why, What & When
- ➔ Read and Write path
- ➔ Uber High Level Data Modeling
- ➔ What's NEXT?

Cassandra Structure - Partition



- Tabular data model, with one twist
- *Keyspaces* contain *tables*
- *Tables* are organized in *rows* and *columns*
- Groups of related rows called *partitions* are stored together on the same node (or nodes)
- Each row contains a *partition key*
  - One or more columns that are hashed to determine which node(s) store that data

Example Data – Users organized by city



City	Last Name	First Name	Address	Email
Phoenix	Hellson	Kevin	23 Jackson St.	kevin@gmail.com
	Lastfall	Norda	3 Stone St	dino@gmail.com
	Smith	Jana	3 Stone St	wilm@gmail.com
Seattle	Franklin	George	2 Star St	gjet@gmail.com
	Jackson	Jane	2 Star St	jane@gmail.com
	Jasons	Judy	2 StarSt	judy@gmail.com

Tables Hold Many Partitions

City	Last Name	First Name	Address	Email
Phoenix	Hellson	Kevin	23 Jackson St.	kevin@gmail.com
	Lastfall	Norda	3 Stone St	dino@gmail.com
	Smith	Jana	3 Stone St	wilm@gmail.com

Table *users_by_city*

Tables Hold Many Partitions

City	Last Name	First Name	Address	Email
Seattle	Franklin	George	2 Star St	gjet@gmail.com
	Jackson	Jane	2 Star St	jane@gmail.com
	Jasons	Judy	2 StarSt	judy@gmail.com

Table *users_by_city*

City	Last Name	First Name	Address	Email
Phoenix	----	----	----	----
	----	----	----	----
	----	----	----	----

Tables Hold Many Partitions

City	Last Name	First Name	Address	Email
Charlotte	Azrael	Chris	5 Blue St	chris@gmail.com
	Stilson	Brainy	7 Azure ln	brain@gmail.com
	Smith	Cristina	4 Teal Cir	clu@gmail.com
	Sage	Grant	9 Royal St	grant@gmail.com
	Seterson	Peter	2 Navy Ct	peter@gmail.com

Table *users_by_city*

City	Last Name	First Name	Address	Email
Phoenix	----	----	----	----
	----	----	----	----
	----	----	----	----

Seattle	----	----	----	----
	----	----	----	----
	----	----	----	----

Tables Hold Many Partitions

Table *users_by_city*

City	Last Name	First Name	Address	Email
Phoenix	----	----	----	----
	----	----	----	----
	----	----	----	----
Seattle	----	----	----	----
	----	----	----	----
	----	----	----	----
Charlotte	----	----	----	----
	----	----	----	----
	----	----	----	----
	----	----	----	----
	----	----	----	----

Creating a Keyspace in CQL



Creating a Table in CQL



Exercise

Working with CQL



Developer Workshop Series

- ➔ Bootstrapping
- ➔ Apache Cassandra™ Why, What & When
- ➔ Read and Write path
- ➔ Uber High Level Data Modeling
- ➔ What's NEXT?

Developer Resources

LEARN

Join academy.datastax.com
https://academy.datastax.com/resources/cassandra-developer-workshop
Free online courses - Cassandra certifications

ASK/SHARE

Join community.datastax.com
Ask/answer community user questions - share your expertise

CONNECT

Follow us
We are on Twitter - Twitch!

REVIEW

Slides and code for this course are available at
https://github.com/DataStax-Academy/online-Cassandra-workshop

Training Courses at DataStax Academy

- Free self-paced DSE 6 courses
  - DS201: DataStax Enterprise 6 Foundations of Apache Cassandra™

KillrVideo Reference Application

- ➔ Reference application for learning how to use Apache Cassandra and DataStax Enterprise
  - ◆ DataStax Drivers
  - ◆ Docker images
- ➔ Source code freely available
  - ◆ https://github.com/killrvideo
- ➔ Live version
  - ◆ http://killrvideo.com
- ➔ Download, test, modify, contribute!







Upcoming events

Date	Time	Content	Type
5/13	11am EDT	Cassandra Kubernetes Operator	WORKSHOP = HANDS-ON
5/18	12pm IST	Cassandra Developer Workshop (SAME)	WORKSHOP = HANDS-ON
5/20	12pm PT	Astra BetterBoz	WORKSHOP = HANDS-ON
5/27	12pm EDT	OSS Fallout	WORKSHOP = HANDS-ON
6/3	12pm EDT	NoSQLBench : Benchmark Your Data Models	WORKSHOP = HANDS-ON

DATASTAX®

Thank You

Week

DATASTAX + Apache Cassandra

Cassandra Workshop Series

Your path to becoming a Cassandra expert!


What we will
cover:

Exercise