
수온(Water Temperature)

관측소명:울릉도 위도:N 37° 29′ 29.00″ 경도:E 130° 54′ 49.00″ 설치 일자: 단위:℃



10-1	an Fe	b Ma	r A	pr I	Мау	Jun	Jul	Aug	Sep	Oc	t N	lov	Dec
일자	구분	1월	2월	3월	4월	52	6월	7월	8월	9월	10월	11월	12월
01	최대 평균	13.30 13.14	11.20 11.18	11.30 10.73	13.00 12.75	14.80 14.75	16.63 16.46	22.06 21.52	27.83 26.90	24.64 24.25	23.24	19.12 18.57	16.22 15.78 15.29
	최소 최대	13.00 13.30	10.90 11.20	10.50 11.30	12.50 13.10	14.70 14.90	16.40 17.54	21.01 22.25	26.50 28.04	23.91 23.98	22.83	18.12 19.24	15.43
02	평균 최소	13.06 12.90	11.13	11.14	12.80 12.30	14.79 14.60	16.80 16.43	21.98 21.70	27.82 27.36	23.91 23.86	23.14	19.02 18.62	15.33 15.24
03	최대 평균	13.30 13.23 13.10	11.10 10.94 10.80	11.10 10.88 10.80	14.10 13.52 13.10	14.90 14.90 14.80	17.57 17.36 17.16	22.18 21.86 21.59	27.37 27.12 26.94	24.06 23.94 23.86	23.40 23.16 22.93	19.14 19.09 19.05	15.45 15.33 14.79
04	최소 최대	13.20	10.90 10.71	10.80 10.72	14.20 13.80	15.00 14.91	17.46	21.97 21.86	28.56	24.16	23.29 23.15	19.08 18.96	15.42 15.26
04	평균 최소	13.11 12.90	10.30	10.60	13.30	14.90	17.00 16.65	21.69	27.77 27.18	24.06 23.98	23.11	18.43	15.13
05	최대 평균	13.20 13.06 12.40	10.90 10.66 9.90	10.70 10.61 10.50	13.70 13.49 13.20	14.90 14.83 14.80	17.67 17.19 16.77	22.16 21.95 21.76	29.61 28.75 28.21	24.19 24.11 24.06	23.55 23.19 23.11	18.99 18.48 18.23	15.51 15.36 14.83
06	최소 최대	13.90 13.82	10.50 10.27	10.70	13.40 13.23	15.50	18.76	21.99 21.70	29.55	24.09 23.91	23.39	19.02 18.86	15.40 15.00
06	평균 최소	13.20	9.80	10.55 10.10	13.10	15.03 14.80	17.89 17.35	21.58	29.30 29.09	23.81	23.31	18.62	14.21
07	최대 평균	13.80 13.20 12.50	10.90 10.61 10.20	10.70 10.61 10.50	13.50 13.32 13.00	15.40 15.26 15.10	19.04 18.49 18.17	21.69 21.61 21.55	29.32 28.94 28.55	23.81 23.62 23.43	23.35 23.24 23.18	19.01 18.82 18.17	15.63 15.15 13.91
08	최소 최대	13.20 12.83	10.90 10.56	10.70 10.61	13.80 13.52	15.50 15.29	19.41 18.84	21.65 21.52	28.92 28.48	23.45 23.39	23.32 23.22	18.86 18.76	15.40
l "°	평균 최소	12.60	8.90	10.30	13.30	15.10	18.45	21.41	28.14	23.31	23.10	18.69	15.25 15.15
09	최대 평균	12.60 12.46 12.30	10.50 10.49 10.40	10.60 10.34 10.10	14.10 13.82 13.50	15.60 15.41 15.30	19.39 19.00 18.68	21.73 21.53 21.37	28.14 27.17 26.15	23.73 23.42 23.26	23.31 23.25 23.21	18.70 18.52 18.19	15.39 15.18 15.07
10	최소 최대	12.30	10.50	10.60	14.10	15.50	19.37	21.75	26.16	23.68	23.42	18.58	15.49
10	평균 최소	12.22 12.10	10.36	10.41 9.80	14.01 13.90	15.31 15.10	19.00 18.45	21.63 21.45	25.43 25.01	23.55	23.27	18.47 18.22	15.34 14.86
11	최대 평균	12.10 12.04	10.40 10.33	10.70 10.41	14.00 13.91	15.50 15.23	19.35 18.81	23.13 22.21	25.82 25.15	24.01 23.55	23.32	18.63 18.41	15.41 15.00 14.85
10	최소 최대	11.90 12.00	10.10	10.10 10.60	13.80	15.10 15.70	18.33 19.50	21.66 23.69	24.59 26.66	23.15 23.86	22.51 22.52	18.24 18.36	15.36
12	평균 최소	11.65 10.40	10.45 10.30	10.51 10.40	13.92 13.80	15.52 15.40	18.68 18.19	23.05 22.47	26.10 24.78	23.58 23.14	22.27 21.92	18.28 18.22	15.18 14.76
13	최대 평균	11.80 11.00	10.70 10.52	10.60 10.51	13.90 13.71	16.60 16.00	19.48 19.15	23.76 23.58	26.66 26.54	23.79 23.62	22.23	18.34 18.28	15.42 14.76
١.,	최소 최대	10.10	10.30	10.50 10.50	13.50 14.00	15.50 16.60	18.93 19.98	23.32 24.38	26.38 26.38	23.54 23.59	21.53	18.22 18.51	14.37 14.59
14	평균 최소	11.29 10.80	10.58 10.30	10.50 10.50	13.97 13.70	16.53 16.30	19.41 18.99	23.60 22.77	26.20 26.00	23.55 23.50	21.99 21.64	18.39 18.19	14.47 14.36
15	최대 평균	11.90 11.84 11.40	10.80 10.75 10.70	11.00 10.64 10.50	14.30 14.11 14.00	16.80 16.55 16.20	20.05 19.86 19.62	25.06 24.45 24.14	26.12 26.04 25.99	23.57 23.49 23.43	22.17 22.04 21.69	18.51 18.04 17.32	14.57 14.48 14.43
	최소 최대	11.90	10.80	11.00	14.20	16.60	19.62	25.34	26.65	23.55	21.97	18.42	14.52
16	평균 최소	11.71 11.20	10.75 10.70	10.90 10.80	14.05 13.90	16.19 15.80	19.09 18.78	24.87 24.40	26.16 25.94	23.50 23.46	21.81	17.96 16.95	14.43 14.21
17	최대 평균	12.00 11.89 11.80	10.70 10.63 10.50	11.30 11.19 10.80	14.20 13.87 13.40	16.20 15.91 15.80	19.36 19.19 19.09	25.97 25.34 24.94	26.02 25.89 25.70	23.53 23.46 23.28	21.73 21.30 21.12	18.22 18.04 17.12	14.65 14.40 14.23
18	최소 최대	11.80 11.76	10.50 10.50	11.20 11.11	13.90 13.68	16.20 15.95	19.39 19.12	26.70 25.94	25.70	23.30 23.27	21.18	17.84 17.14	14.36
'°	평균 최소	11.60	10.50	11.00	13.20	15.80	18.98	25.44	25.56 25.42	23.22	20.85	16.56	13.96 13.78
19	최대 평균	11.70 11.62 11.60	10.50 10.50 10.50	11.90 11.38 11.00	13.90 13.83 13.80	16.90 16.28 16.00	19.99 19.43 18.98	26.48 25.82 25.18	25.59 25.40 25.17	23.56 23.35 23.22	21.08 20.67 20.12	17.89 17.42 16.71	13.84 13.79 13.77
20	최소 최대	11.60 11.57	10.50 10.41	12.00 11.76	14.20 14.01	16.90 16.54	19.97 19.52	26.96 26.01	25.95 25.12	23.58 23.38	20.68 20.24	17.87 17.50	13.85 13.81
20	평균 최소	11.50	10.40	11.60	13.90	16.00	19.11	25.26	24.68	23.30	19.71	17.41	13.74
21	최대 평균	11.60 11.26 11.00	10.40 10.35 10.30	11.60 11.45 11.30	14.90 14.44 14.20	16.30 16.24 16.00	19.43 18.98 18.30	27.00 26.58 26.27	25.98 25.72 25.51	23.43 23.37 23.31	20.06 19.98 19.69	17.42 17.36 17.28	13.74 13.57 13.23
22	최소 최대	11.40	10.50	11.40	15.20	16.40	20.19	27.04	25.53	23.46	20.00	17.34	14.20
	평균 최소	11.19	10.35 10.10	11.19 10.90	14.78 14.60 15.00	16.00 15.80	19.40	26.58 25.93	25.47 25.42 25.45	23.36 23.28	19.82 19.66	17.26 17.04	14.05 13.41
23	최대 평균	11.60 11.57 11.10	10.70 10.52 10.00	11.60 11.43 11.40	14.75 14.50	(16.10) (15.90) (15.80)	20.19 20.08 19.97	27.14 26.64 26.30	25.45 25.08 24.46	23.40 23.20 23.09	19.66 19.24 18.84	17.32 17.21 17.04	14.29 14.17 14.09
24	최소 최대	11.70 11.66	10.70 10.54	11.60 11.48	15.20 14.89	(17.00) (16.65)	20.34 20.08	27.00 26.50	25.29 24.52	23.30 23.22	19.40 19.04	17.04 17.06 17.01	14.29 14.22
24	평균 최소	11.60	10.30	11.40	14.60	(16.40)	19.95	25.64	24.01	23.02	18.76	16.94	14.10
25	최대 평균 최소	11.80 11.31 10.50	11.00 10.89 10.70	11.90 11.41 10.80	15.10 14.96 14.90	16.90 16.54 16.40	20.92 20.29 20.07	27.44 26.79 25.96	24.14 24.06 23.98	23.03 22.88 22.82	19.66 19.21 18.86	16.96 16.87 16.65	14.10 13.83 13.70
26	최대	11.70 11.44	11.00 10.87	12.20 11.92	15.10 14.96	16.40 16.33	20.65 20.53	28.15 27.26	24.18 24.14	23.05 22.94	19.54 18.72	16.77 16.60	13.77 13.61
20	평균 최소	11.20	10.80	11.60	14.70	16.20	20.38	26.36	24.07	22.88	17.96	16.24	13.51
27	최대 평균	11.50 10.91 10.00	10.80 10.69 10.60	12.10 11.84 11.60	15.20 14.98 14.90	16.70 16.36 16.20	21.66 20.76 20.31	28.08 27.69 27.35	24.37 24.25 24.12	23.07 22.89 22.60	19.31 18.84 18.37	16.24 15.93 15.74	13.63 13.57 13.52
28	최소 최대 평고	11.50	10.60	12.30	15.30	16.70	21.83	27.98	24.42	(23.46) (23.14)	19.60	15.85	13.54 13.50
	평균 최소	11.27 11.00	10.60 10.60	12.09 11.60	15.10 15.00	16.47 16.30	21.55 21.36	27.02 26.22	24.31 24.19	(22.97)	19.12 18.70	15.79 15.74	13.44
29	최대 평균	11.40 11.28 11.20		12.90 12.32 12.20	15.00 14.85 14.60	(16.50) (16.39) (16.30)	22.27 22.00 21.78	27.70 27.29 26.62	24.40 24.21 23.95	23.24 23.14 23.06	19.60 19.15 18.42	15.89 15.82 15.57	13.45 13.25 12.84
	최소 최대	11.30		13.30	14.60 14.80	(10.00)	22.06	27.88	24.62	23.29	19.40	16.08	13.38
30	평균 최소	11.28 11.20		12.76 12.40	14.79 14.70	(10.00)	21.48 21.21	27.53 27.26	24.19 23.93	23.13 23.03	19.28 19.01	15.81 15.26	13.31 13.17
31	최대 평균	11.20 11.18		13.30 12.75		(16.60) (16.41)		27.79 27.07 26.80	24.70 24.49		19.25 19.04		13.30 13.04
TOT*:	최소 최대	11.10 13.90	11.20	12.30	15.30	(16.40) 17.00	22.27	26.80 28.15	24.32 29.61	24.64	18.70 23.55	19.24	12.73 16.22
TOTAL	평균 최소	12.00 10.00	10.60 8.90	11.20 9.80	14.10 12.30	15.80 14.60	19.20 16.40	24.50 21.01	26.00 23.93	23.50 22.60	21.30 17.96	17.80 15.26	14.40 12.73