수온(Water Temperature)

관측소명: 거제도 위도: N 34° 48′ 5.00″ 경도: E 128° 41′ 57.00″ 설치 일자: 단위: ℃



일자	구분	1월	2월	3월	4월	5월	6월	7월	8월	9월	10월	11월	12월
01	최대	13.30	13.60	13.00	13.90	15.30	17.60	19.30	22.90	26.40	22.70	18.80	16.20
01	평균 최소	13.20 13.00	13.42 13.30	12.70 12.50	13.69 13.50	14.97 14.70	16.86 16.20	18.56 17.30	21.44 20.40	25.73 25.20	22.34 22.10	18.52 18.20	15.60 15.30
02	최대	13.50 13.29	13.60 13.43	12.90 12.76	14.10 13.77	15.80 15.26	17.10 16.69	19.10 18.57	23.50 21.81	27.10 26.22	22.70 22.36	18.60 18.36	16.10 15.72
02	평균 최소	13.00	13.30	12.60	13.50	14.90	16.30	17.40	21.10	25.80	22.10	18.10	15.30
03	최대	13.50 13.45	13.60 13.41	12.80 12.69	14.20 13.86	16.10 15.43	17.40 16.98	18.90 18.23	22.50 21.25	26.80 26.72	23.10 22.46	18.50 18.08	15.80 15.68
"	평균 최소	13.30	13.20	12.60	13.60	15.00	16.20	17.80	20.30	26.60	22.20	17.70	15.60
04	최대 평균	14.00 13.62	13.90 13.52	12.90 12.69	14.20 13.94	15.70 14.92	17.40 16.96	19.30 18.49	22.10 20.64	26.90 26.43	22.60 22.38	18.10 17.68	15.60 15.40
•,	최소	13.20	13.20	12.30	13.80	14.30	16.10	17.80	19.10	25.70	22.10	17.40	15.20
05	최대 평균	14.00 13.79	13.60 13.33	12.90 12.56	(14.30) (13.84)	15.30 15.00	17.40 16.84	20.30 18.97	21.20 20.26	26.50 25.07	22.40 21.83	17.80 17.58	15.40 15.21
	최소	13.60	13.10	12.30	(13.60)	14.60	16.10	18.20	18.30	23.90	21.30	17.20	14.90
06	최대 평균	14.00 13.81	13.30 13.10	13.00 12.68	(14.50) (13.96)	15.10 14.78	17.50 16.97	19.50 18.89	21.00 20.72	25.20 24.11	21.90 21.50	17.80 17.65	15.40 15.19
	최소	13.70	12.80	12.40	(13.70)	14.40	16.40	18.20	20.10	23.70	21.00	17.40	14.90
07	최대 평균	14.40 14.12	13.20 12.96	12.80 12.70	14.70 14.03	15.00 14.69	17.90 17.03	18.90 18.67	21.00 19.73	24.00 23.68	21.70 21.48	18.00 17.86	15.30 15.08
	최소	13.80	12.70	12.60	13.90	14.40 15.50	16.20	18.40	18.20	23.50	21.30	17.80	15.00
08	최대 평균	14.40 14.14	(13.00) (12.79)	13.20 12.75	14.40 13.98	14.84	17.70 17.21	19.10 18.55	20.20 19.90	23.80 23.50	21.40 21.24	17.80 17.74	15.10 14.88
	최소	13.90 14.00	(12.50) 12.90	12.50	13.70	14.40 15.40	16.80	17.70 19.10	19.50	23.00	21.00	17.40	14.60
09	최대 평균	13.86	12.70	12.90 12.75	14.40 14.01	15.13	18.00 17.56	18.85	20.60 20.13	23.60 23.26	21.10 21.00	17.40 17.35	14.90 14.74
	최소	13.70 14.40	12.40 12.90	12.60	13.90	15.00	17.20	18.40	19.50	22.80	20.80	17.10	14.60 14.70
10	최대 평균	13.88	12.67	12.80 12.64	14.10 13.91	15.50 15.05	18.50 17.91	19.80 19.11	21.90 20.99	23.90 23.34	21.20 21.02	17.50 17.32	14.60
	최소	13.50 14.30	12.50 13.10	12.60 12.80	13.80 (13.90)	14.80 15.90	17.30 18.70	18.70 19.90	20.40 22.10	22.60 23.60	20.90 21.10	17.10 17.30	14.60 14.80
11	최대 평균	14.00	12.74	12.49	(13.82)	15.27	18.15	19.31	21.62	23.40	20.97	17.15	14.54
l	최소 최대	13.80 14.10	12.50 13.00	12.20 13.00	(13.70)	14.90 15.90	17.40 18.70	18.90 19.20	20.20 22.10	23.20 23.60	20.80 21.40	16.90 17.30	14.40 14.60
12	최대 평균	13.92	12.90	12.54		15.62	18.30	19.05	21.25	23.35	21.05	17.08	14.49
	최소 최대	13.70 14.10	12.80 13.10	12.20 13.10	(13.70)	15.10 15.70	17.80 18.80	18.80 19.40	20.40 22.50	23.10 23.30	20.90 21.20	16.70 17.40	14.40 14.50
13	평균	13.88	12.99	12.65	(13.64)	15.48	18.20	19.15	21.65	23.25	21.08	17.09	14.27
	최소 최대	13.70 14.00	12.90 13.30	12.40 12.80	(13.50) 14.30	15.00 16.10	17.00 19.00	19.00 20.20	20.60 23.20	23.20 23.50	20.90 21.10	16.80 17.20	14.10 14.30
14	평균	13.77	13.04	12.69	13.82	15.58	18.64	19.80	22.47	23.25	20.91	16.89	13.94
	최소 최대	13.60 13.90	12.80 13.30	12.50 12.70	13.50 14.50	15.30 16.20	18.00 19.00	19.30 20.30	21.90 23.00	23.00 24.00	20.70 21.20	16.70 17.30	13.70 14.00
15	평균	13.69	13.22	12.60	14.26	15.92	18.32	20.09	21.79	23.55	20.83	16.85	13.59
	최소 최대	13.40 13.90	13.10 13.30	12.30 12.80	14.00 14.50	15.80 (16.30)	17.50 19.50	19.80 20.70	19.70 23.30	23.30 23.70	20.60 20.90	16.50 17.10	13.30 13.60
16	평균	13.62 13.40	13.23 13.00	12.46 12.30	14.30 14.10	(15.71) (15.10)	18.96 17.90	20.21 19.80	22.47 21.70	23.57 23.30	20.56 20.40	16.90 16.80	13.46 13.20
	최소 최대	13.70	13.00	12.70	14.10	16.30	(20.40)	21.70	22.80	23.60	(20.70)	17.10	13.50
17	평균 최소	13.54 13.40	12.88 12.50	12.52 12.40	14.15 13.90	15.89 15.40	(19.57) (19.10)	20.73 20.30	21.31 19.70	23.32 23.00	(20.36) (20.10)	16.89 16.70	13.28 13.10
	최대	13.50	12.70	13.00	14.60	16.20	20.00	21.50	22.80	23.40	(20.10)	17.20	13.50
18	평균 최소	13.41 13.20	12.48 12.30	12.73 12.60	14.13 13.80	15.79 15.40	18.95 17.70	20.88 20.50	20.06 17.50	23.04 22.70		17.07 17.00	13.26 13.20
	최대	13.40	13.00	13.10	14.40	15.70	19.80	21.20	22.10	23.10	(20.40)	17.20	13.40
19	평균 최소	13.23 13.00	12.68 12.40	12.87 12.70	14.29 14.10	15.42 15.20	18.89 18.00	20.85 20.40	19.66 18.60	22.61 22.30	(20.15) (20.00)	17.15 17.00	13.05 12.90
	최대	13.30	13.10	13.30	14.70	16.20	20.50	22.10	20.80	22.80	20.30	17.30	13.10
20	평균 최소	13.13 12.80	12.75 12.60	12.88 12.70	14.20 13.90	15.64 15.30	19.76 19.30	21.45 20.90	19.81 18.70	22.35 21.50	20.06 19.80	17.11 16.80	12.82 12.50
l	최대	13.50	13.20	13.50	14.70	16.10	(19.90)	21.70	21.30	22.60	20.10	16.90	13.20
21	평균 최소	13.24 12.90	12.83 12.60	12.97 12.80	14.33 14.20	15.83 15.50	(19.90) (19.80)	20.71 19.50	19.75 18.90	22.03 21.30	19.95 19.70	16.73 16.50	12.96 12.80
	최대	13.70	13.20	13.70	(14.40)	15.90	(21.20)	20.90	22.00	22.30	20.00	16.70	13.00
22	평균 최소	13.45 13.30	12.99 12.90	13.27 13.00	(14.12) (14.00)	15.75 15.50	(20.19) (19.90)	20.10 19.40	20.63 19.60	22.06 21.80	19.85 19.60	16.66 16.50	12.92 12.80
	최대	14.10	(12.90)	13.60	(14.20)	(16.70)	21.60	20.30	23.70	22.30	19.80	16.60	13.00
23	평균 최소	13.43 13.30	(12.81) (12.70)	13.22 13.10	(14.01) (13.70)	(15.79) (15.40)	20.48 20.10	19.78 19.10	21.57 20.50	22.13 22.00	19.70 19.40	16.46 16.30	12.83 12.80
24	최대	14.20 13.89	(13.20) (12.95)	13.80	14.20 13.85		21.10 20.53	20.20 19.98	24.10 22.99	22.30 22.03	(19.60) (19.39)	16.50 16.36	13.20
"	평균 최소	13.50	(12.80)	13.36 13.20	13.50		19.90	19.70	21.60	21.90	(19.00)	16.00	12.93 12.80
25	최대 평균	14.10 13.89	13.20 13.13	14.00 13.34	14.00 13.89	(17.00) (16.44)	20.40 20.19	20.30 19.80	24.20 23.75	22.40 22.15	19.60 19.32	16.40 16.22	14.30 13.44
l	최소	13.80	12.90	13.10	13.70	(16.00)	19.80	18.90	22.90	21.90	19.00	16.00	12.70
26	최대 평균	13.90 13.73	13.30 13.11	13.80 13.49	14.80 14.12	16.90 16.45	20.40 19.79	20.10 19.65	24.50 23.92	22.50 22.22	19.40 19.31	16.20 15.99	15.10 14.44
] -	최소	13.70	13.00	13.20	13.90	15.90	18.90	18.50	23.40	22.00	19.10	15.70	13.70
27	최대 평균	13.80 13.61	13.10 12.96	13.90 13.45	14.30 14.20	16.90 16.41	(20.10) (19.43)	20.50 19.93	25.10 24.90	22.70 22.31	19.80 19.40	16.20 15.99	14.90 14.47
l '	최소	13.50	12.80	13.20	14.10	16.00	(18.80)	18.90	24.40	22.10	19.10	15.80	13.90
28	최대 평균	13.80 13.57	12.90 12.79	13.60 13.25	14.50 14.37	16.90 16.59	20.10 19.37	21.20 20.82	25.20 24.69	22.60 22.31	19.40 19.34	16.20 15.79	14.80 14.43
	최소	13.50	12.70	13.00	14.20	16.20	18.70	20.20	23.80	22.10	19.20	15.60	14.10
29	최대 평균	13.60 13.52	12.80 12.74	13.30 13.05	14.80 14.49	17.20 16.77	19.80 19.55	21.50 21.16	25.20 24.55	22.70 22.34	19.40 19.05	16.40 16.01	14.60 14.40
	최소	13.50	12.60	12.70	14.30	16.20	18.70	20.80	23.90	22.00	18.80	15.70	14.20
30	최대 평균	13.70 13.53		13.70 13.23	15.10 14.69	16.90 16.68	19.60 19.29	21.50 21.18	24.80 23.89	22.80 22.38	19.20 18.78	16.00 15.78	14.20 13.87
	최소	13.40 13.50		12.90 13.90	14.50	16.40 17.00	19.10	20.80 22.00	22.40 26.20	22.10	18.50 18.80	15.60	13.50 13.70
31	최대 평균	13.36		13.50		16.66		21.31	24.86		18.52		13.32
l	최소	13.20 14.40	13.90	13.20 14.00	15.10	16.40 17.20	21.60	21.10 22.10	23.70 26.20	27.10	18.20 23.10	18.80	13.10 16.20
TOTAL	최대 평균	13.60	13.00	12.90	14.10	15.70	18.60	19.80	21.80	23.40	20.50	17.00	14.20
	최소	12.80	12.30	12.20	13.50	14.30	16.10	17.30	17.50	21.30	18.20	15.60	12.50