
수온(Water Temperature)

관측소명:군산 위도:N 35°58′32.00″ 경도:E 126°33′47.00″ 설치일자: 단위:℃



	an Fe	b Mar	А	pr	May	Jún	Jül	Aug	Sep	O'c	t I	Nov	Dec
일자	구분	1월 4.90	2월	3월 5.40	4월 9.00	5월 13.20	6월 19.10	7월 22.80	8월 26.20	9월 26.20	10월 23.30	11월 18.10	12월 11.30
01	최대 평균 최소	4.82 4.60	4.25 4.00	5.40 5.16 5.00	8.77 8.50	12.73 12.40	18.14 17.80	22.12 21.90	25.26 24.80	26.20 26.08 25.90	22.88 22.70	17.92 17.70	11.21 11.10
02	최도 최대 평균	4.80 4.68	4.30 4.26	5.40 5.24	9.20 8.67	13.50 12.73	19.00 18.34	23.20 22.31	26.90 25.80	26.20 26.02	22.80 22.61	17.90 17.79	11.20 10.86
OL.	최소	4.50 4.70	4.10	5.10 5.80	8.40 9.20	12.50 14.20	18.10 19.30	22.00	25.40 26.80	25.90 26.00	22.40	17.60 17.80	10.40
03	최대 평균 최소	4.63 4.50	4.37 4.30	5.44 5.20	8.67 8.50	13.11 12.80	18.63 18.40	22.66 22.30	26.10 25.80	25.80 25.70	22.41 22.30	17.79 17.70	10.55 10.40
04	최고 최대 평균	4.70 4.58	4.50 4.43	5.90 5.64	9.20 8.87	14.10 13.44	19.70 19.02	23.70 22.86	27.10 26.40	25.80 25.64	(22.60) (22.49)	17.80 17.75	10.60 10.42
04	최소	4.40 4.60	4.30	5.50 6.20	8.70 9.50	13.20	18.70 19.80	22.50 23.60	26.00 27.50	25.50 25.90	(22.40)	17.60 17.70	10.20
05	최대 평균 최소	4.41 4.20	4.45 4.40	5.85 5.80	9.11 8.90	13.83 13.60	19.38 19.10	22.96 22.60	26.67 26.20	25.68 25.60	(22.53) (22.40)	17.69 17.60	10.34 10.00
06	최대	4.40 4.25	4.70 4.50	6.50 6.03	9.70 9.32	14.70 14.29	19.80 19.50	23.50 23.00	27.80 26.88	25.70 25.55	22.50 22.41	17.70 17.61	10.30
00	평균 최소	4.10 4.30	4.40 4.90	5.90 6.60	9.10 10.10	14.00	19.30 20.10	22.60 23.50	26.40 27.40	25.40 25.70	22.30	17.60 17.60	9.60 9.70
07	최대 평균	4.13 4.00	4.63 4.50	6.31 6.10	9.57 9.30	14.44 14.20	19.57 19.20	23.08 22.80	26.92 26.60	25.43 24.60	22.32 22.30	17.39 17.10	9.64 9.60
08	최소 최대	4.10 3.96	4.50 4.38	6.80 6.49	10.20 9.74	15.00 14.63	20.40 19.35	23.40 23.09	27.50 27.02	25.00 24.65	22.30 22.11	17.30 17.04	9.60 9.49
06	평균 최소	3.80	4.20	6.20	9.50	14.50	19.00	22.70	26.80	24.20	21.60	16.90	9.30
09	최대 평균	3.90 3.81 3.70	4.30 4.08 4.00	7.00 6.69 6.60	10.20 9.93 9.80	(15.00) (14.70) (14.60)	20.30 19.51 19.20	23.70 23.17 22.90	27.80 27.20 27.00	24.30 24.19	22.10 21.91 21.70	16.90 16.68 16.60	9.40 9.28 9.20
	최소 최대	3.80	4.00	7.20	10.10	(15.10)	20.10	23.40	27.20	24.10	21.70	16.60	9.20
10	평균 최소	3.80 3.80	3.96 3.90	6.88	9.91 9.80	(14.94) (14.70)	19.51 19.20	22.95 22.70	27.02 26.70	24.13 24.00	21.64	16.40 16.20	9.11
11	최대 평균	4.00 3.85	4.10 3.86	7.10 6.89	10.00 9.80	15.30 15.01	19.80 19.41	23.20 22.84	27.00 26.79	24.90 24.36	21.60 21.47	16.30 16.02	9.20 9.13
40	최소 최대	3.80 4.10	3.80 4.00	6.80 7.10	9.70 10.00	14.80 15.60	19.20 20.40	22.70 23.00	26.60 26.90	24.10 24.50	(21.50)	15.80 15.90	9.00 9.00
12	평균 최소	4.01 4.00	3.83 3.80	6.91 6.70	9.83 9.70	15.15 14.90	19.57 19.20	22.71 22.40	26.65 26.50	24.45 24.40	(21.28) (20.90)	15.76 15.70	8.75 8.60
13	최대 평균	4.20 4.13	4.00 3.83	7.00 6.80	10.20 10.00	16.00 15.36	(19.80) (19.59)	23.20 22.70	27.10 26.49	24.60 24.31		15.70 15.58	8.60 8.35
	최소 최대	4.10 4.30	3.80	6.60 7.00	9.90 10.50	15.00 16.10	(19.40) (20.50)	22.40 24.00	26.20 27.90	24.20 24.50		15.00 15.30	7.90 8.30
14	평균 최소	4.26 4.10	3.79 3.70	6.83 6.70	10.14 9.90	15.54 15.30	(20.03) (19.90)	23.02 22.60	26.85 26.30	24.40 24.30		14.72 13.80	8.21 8.10
15	최대 평균	4.40 4.31	3.80 3.76	7.20 6.95	10.80 10.33	17.30 15.95	21.00 20.20	23.80 23.21	27.60 26.86	24.80 24.56	(20.30) (20.19)	14.70 14.49	8.30 8.18
	최소 최대	4.10 4.30	3.70 3.80	6.80 7.20	10.10 11.00	15.50 17.00	19.90 21.00	23.00 24.00	26.40 27.20	24.40 25.10	(20.00) 20.30	14.20 14.70	8.10 8.50
16	평균 최소	4.24 4.10	3.75 3.60	7.01 6.90	10.45 10.20	16.10 15.70	20.44 20.20	23.38 23.20	26.61 26.40	24.76 24.60	20.18 20.00	14.56 14.40	8.27 8.20
17	최대 평균	4.30 4.20	4.10 3.80	7.40 7.10	11.90 10.85	16.90 16.30	21.10 20.61	24.20 23.65	27.20 26.79	25.00 24.87	20.10 20.04	14.80 14.66	8.50 8.38
	최소 최대	4.10 4.50	3.60 4.00	6.90 7.70	10.60 11.90	16.00 16.90	20.40 21.20	23.50 24.40	26.60 27.10	24.40 25.10	19.90 19.90	14.50 14.70	8.30 8.50
18	평균 최소	4.30 4.10	3.78 3.70	7.34 7.10	11.19 10.90	16.52 16.20	20.82 20.60	23.90 23.60	26.90 26.70	24.85 24.40	19.76 19.40	14.27 13.30	8.32 8.30
19	최대 평균	4.50 4.38	4.00 3.79	7.80 7.45	12.20 11.59	17.20 16.77	21.50 21.04	24.20 23.76	27.20 27.00	24.80 24.61	19.80 19.72	14.00 13.68	8.30 8.13
	최소 최대	4.30 4.40	3.70 4.00	7.30 7.90	11.30 12.40	16.50 17.60	20.80 21.60	23.50 24.10	26.80 27.40	24.40 24.60	19.60 19.80	13.10 13.90	8.10 8.20
20	평균 최소	4.34 4.20	3.85 3.70	7.68 7.60	11.88 11.60	17.06 16.50	21.26 21.00	23.77 23.60	27.13 26.90	24.40 24.20	19.78 19.70	13.72 13.40	8.08 7.90
21	최대 평균	4.30 4.17	4.10 3.98	8.30 7.93	12.80 12.23	17.70 17.15	21.90 21.46	24.10 23.63	27.50 27.27	24.30 24.02	19.90 19.81	13.70 13.63	8.30 8.10
	최소 최대	4.10 4.30	3.80 4.30	7.70 8.30	11.80 12.90	16.80 17.70	21.20 22.10	23.40 24.40	27.10 27.70	23.70 23.80	19.70 19.80	13.40 13.60	8.00 8.10
22	평균 최소	4.14 4.10	4.12 4.00	7.92 7.70	12.49 12.00	17.25 17.00	21.63 21.40	23.78 23.50	27.41 27.30	23.21 22.70	19.80 19.80	13.53 13.40	8.01 7.90
23	최대 평균	4.40 4.28	4.80 4.33	8.20 7.91	13.20 12.76	17.90 17.37	22.20 21.68	24.40 23.71	27.60 27.40	22.70 22.40	19.80 19.78	13.50 13.35	8.10 7.95
	최소 최대	4.20 4.40	4.10 5.10	7.70 8.30	12.40 13.30	17.10 18.10	21.40 22.30	23.30 24.10	27.20 27.40	22.20 22.60	19.70 19.80	13.30 13.60	7.90 (7.90)
24	평균 최소	4.25 4.10	4.55 4.40	7.82 7.60	12.84 12.60	17.38 17.10	21.87 21.60	23.79 23.50	27.19 26.90	22.46 22.30	19.70 19.60	13.36 13.30	(7.82) (7.70)
25	최대 평균	4.40 4.30	5.10 4.79	8.20 7.87	13.30 12.94	18.00 17.42	22.60 22.00 21.70	24.20 23.83 23.50	27.10 26.94	22.60 22.56	19.70 19.58	13.30 12.96	7.70 7.63 7.50
	최소 최대	4.20 4.30	4.70 5.20	7.70 8.70	12.80 13.20	17.20 17.70	22.50	24.30	26.70 27.00	22.50 22.60	19.50 19.50	12.70 12.80	7.70
26	평균 최소	4.11 3.90	4.90 4.70	8.07 7.90	12.87 12.70	17.26 17.00	22.08 21.90	23.82 23.50	26.86 26.70	22.55 22.50	19.10 18.70	12.56 12.30	7.56 7.40
27	최대 평균	4.30 4.11	5.10 5.00	8.50 8.24	12.90 12.70	17.60 17.31	22.70 22.10	23.90 23.52	26.90 26.84	22.80 22.52	19.00 18.68	12.40 12.12	7.40 7.21
	최소 최대	4.00 4.40	4.90 5.20	8.10 8.70	12.60 12.90	17.10 17.70	21.90 22.50	23.10 25.00	26.70 26.90	22.40 23.10	18.40 18.60	11.60 12.00	7.10 7.20
28	평균 최소	4.21 4.00	5.03 5.00	8.49 8.40	12.71 12.50	17.33 17.00	22.04 21.80	23.42 23.00	26.62 26.50	22.71 22.60	18.46 18.20	11.78 11.50	7.05 6.60
29	최대 평균	4.30 4.22		9.00 8.61	12.80 12.61	17.60 17.18	22.30 22.01	24.90 23.67	26.60 26.44	23.00 22.84	18.30 18.17	11.70 11.42	7.10 7.03
	최소 최대	4.10 4.40		8.40 9.40	12.40 13.20	17.00 18.10	21.80 22.60	23.30 25.40	26.30 26.50	22.70 23.20	17.90 18.10	11.00 11.40	6.80 7.20
30	평균 최소	4.30 4.20		8.91 8.50	12.57 12.30	17.35 17.00	22.11 21.90	24.19 23.50	26.22 26.00	22.86 22.60	17.97 17.80	11.28 11.10	7.01 6.80
31	최대 평균	4.50 4.40		9.30 9.00		18.90 17.75		25.60 24.72	26.30 26.04		18.00 17.89		6.80 6.42
	최소 최대	4.30 4.90	5.20	8.70 9.40	13.30	17.40 18.90	22.70	24.20 25.60	25.90 27.90	26.20	17.80 23.30	18.10	6.10
TOTAL	평균 최소	4.20 3.70	4.20 3.60	7.10 5.00	10.80 8.40	15.80 12.40	20.43 17.80	23.30 21.90	26.70 24.80	24.20 22.20	20.50 17.80	14.90 11.00	11.30 8.60 6.10
TOTAL	죄내 평균 최소	4.20	4.20	7.10	10.80	15.80	20.43	23.30	26.70	24.20	20.50	14.90	8. 6.