
수온(Water Temperature)

관측소명: 제주 위도: N 33° 31′ 39.00″ 경도: E 126° 32′ 35.00″ 설치 일자: 단위: ℃



	an Fe	Б М	ar /	Apr	May	Jun	Jul	Aug	Sep	O'c	t 1	4ov	Dec
일자	구분	1월	2월	3월	4월	5월	6월	7월	8월	9월	10월	11월	12월
01	최대 평균	14.80 14.66	(13.90) (13.81)	13.10 13.05	14.10 14.01	15.00 14.94	16.70 16.47	19.00 18.39	24.80 24.33	24.80 24.04	22.60 22.15	20.70 20.53	18.80 18.53
	최소 최대	14.50 14.60	(13.60) (13.90)	12.90 13.00	14.00 14.00	14.90 15.50	16.40 16.70	17.90 19.60	23.70 24.30	23.50 24.40	21.70 22.80	20.40 20.50	18.40 18.60
02	평균 최소	14.28 13.90	(13.75) (13.60)	12.97 12.80	13.89 13.80	15.12 14.90	16.51 16.40	19.01 18.70	23.68 23.10	23.58 23.20	22.71 22.50	19.67 19.10	18.44 18.20
03	최대	14.60 14.42	(13.80) (13.80)	13.00 12.97	13.90 13.79	15.90 15.50	16.80 16.59	20.50 19.97	23.80 23.11	25.00 24.63	22.80 22.53	20.20 19.76	18.40 18.13
"	평균 최소	14.20	(13.80)	12.80	13.70	14.90	16.40	19.50	22.70	23.60	22.00	19.50	17.60
04	최대 평균	14.60 14.46	13.80 13.73	13.00 13.00	13.80 13.65	16.40 16.07	17.10 16.80	20.70 20.25	24.20 23.01	24.90 24.70	22.60 21.91	20.30 20.12	17.80 17.53
	최소 최대	14.30 14.80	13.50 13.70	13.00 13.00	13.50 13.60	15.80 16.50	16.40 17.10	19.30 19.90	22.40 25.50	24.60 24.70	21.40 (22.20)	19.90 20.30	17.30 18.00
05	평균 최소	14.60 14.40	13.65 13.50	12.93 12.80	13.54 13.50	16.18 16.00	16.79 16.40	19.39 18.70	24.24 23.60	24.53 24.30	(22.06) (21.90)	20.28 20.20	17.46 17.10
06	최대	14.90 14.78	13.70 13.58	13.00 12.91	13.60 13.50	16.30 15.92	17.30 16.57	19.60 18.76	25.10 24.52	24.60 24.05	22.10 21.93	20.40	17.70 17.52
"	평균 최소	14.50	13.30	12.80	13.40	15.30	16.30	18.40	23.90	23.40	21.20	20.20	17.20
07	최대 평균	14.70 14.63	13.60 13.42	12.90 12.86	13.50 13.41	16.30 15.51	16.90 16.57	18.80 18.48	(24.50) (23.61)	23.90 23.56	22.10 21.97	20.40 20.38	17.60 17.49
	최소 최대	14.60 (14.60)	13.30 13.40	12.80	13.40 13.50	15.10 15.70	16.30 16.70	18.30 19.60	(23.30)	23.30 23.60	21.90 22.10	20.30 20.40	17.40 17.70
08	평균 최소	(14.53) (14.30)	13.28 13.10		13.45 13.40	15.44 15.30	16.59 16.40	18.67 18.30		23.41 23.10	22.07 21.90	20.21 20.10	17.25 16.70
	최대	(14.50)	13.30 13.14	(12.90)	13.50 13.49	16.10	16.80 16.48	19.90	(24.80)	23.80 23.29	22.10	20.10	17.40
09	평균 최소	(14.44) (14.30)	12.80	(12.70) (12.60)	13.40	15.55 15.30	16.30	19.69 19.40	(24.20) (23.10)	23.20	21.95 21.80	20.08 20.00	17.08 16.70
10	최대 평균	14.50 14.29	13.20 12.60	12.70 12.59	13.60 13.53	15.70 15.54	17.30 16.81	19.60 19.26	25.10 24.88	24.70 24.12	22.00 21.91	20.30 20.14	17.30 17.04
	최소 최대	14.10 14.40	12.20 12.80	12.50 12.60	13.50 (13.60)	15.30 15.60	16.50 17.50	19.00 19.00	24.50 25.70	23.80 25.10	21.80 22.10	20.00 20.30	16.70 17.20
11	평균	14.13 14.00	12.64 12.40	12.27 11.90	(13.57) (13.50)	15.35 15.20	17.37 17.20	18.68 18.50	25.36 25.10	24.96 24.70	21.80 21.40	20.28 20.20	16.92 16.50
۱	최소 최대	14.20	12.80	12.30	(13.60)	15.90	19.00	20.00	25.60	25.10	21.70	20.30	17.10
12	평균 최소	14.19 14.10	12.69 12.60	12.08 11.60	(13.60) (13.60)	15.53 15.30	18.16 17.30	19.09 18.60	25.35 25.20	25.00 24.80	21.61 21.30	20.29 20.20	16.95 16.80
13	최대 평균	14.30 14.22	12.80 12.62	12.30 12.23	13.60 13.60	16.00 15.74	19.20 19.03	21.10 20.82	25.50 25.17	25.00 24.87	21.70 21.54	20.30 20.23	17.40 17.25
	최소	14.20 14.40	12.40 13.00	12.10 12.20	13.60 13.60	15.50 15.90	18.80 19.30	20.00 (21.10)	24.80 25.70	24.80 24.90	21.40 21.70	20.10 20.20	17.00 17.40
14	최대 평균	14.31 14.10	12.70 12.50	12.18 12.10	13.58 13.50	15.77 15.70	18.97 18.70	(20.99) (20.80)	25.14 24.80	24.83 24.50	21.52 21.20	20.02 19.70	17.37 17.20
l	최소 최대	14.40	13.30	12.20	13.70	15.80	19.10	(21.70)	25.50	24.80	21.70	19.70	17.40
15	평균 최소	14.17 14.00	12.97 12.50	12.15 12.10	13.53 13.50	15.72 15.70	18.74 18.30	(21.47) (21.20)	24.96 24.30	24.30 24.00	21.38 21.10	19.50 19.40	17.23 16.90
16	최대 평균	(14.10) (14.07)	13.50 13.23	12.20 12.19	14.00 13.75	16.10 15.75	19.40 18.94	21.30 20.71	25.10 24.27	24.00 23.81	21.60 21.22	19.70 19.58	17.10 16.68
	최소	(13.90) (14.10)	12.60 13.50	12.10 12.50	13.50 14.00	15.70 15.80	18.50 19.10	20.10	23.10 24.10	23.50 23.70	20.90	19.30 19.60	16.10 16.90
17	최대 평균	(14.10) (14.08) (13.90)	13.24 12.80	12.33 12.20	13.91 13.80	15.68 15.50	18.66 17.80	20.58 20.10	23.17 22.40	23.32 22.90	21.22 21.00	19.42 19.30	16.80 16.70
l	최소 최대	14.20	13.20	13.00	13.90	15.70	18.50	22.00	23.60	23.50	21.40	19.60	16.90
18	평균 최소	14.07 13.90	13.12 12.90	12.61 12.40	13.88 13.80	15.57 15.50	17.74 17.00	21.51 20.50	23.19 22.40	23.19 23.00	21.25 21.20	19.48 19.40	16.63 16.00
19	최대 평균	14.20 14.05	13.20 13.08	13.00 12.82	13.90 13.87	15.70 15.59	17.80 17.14	21.70 21.21	23.50 23.09	23.70 23.49	21.40 21.25	19.80 19.73	16.60 16.46
	최소	13.90 14.10	12.90 13.20	12.80 13.10	13.80 14.00	15.50 16.20	16.80 17.50	20.60 21.10	22.80 23.90	23.40 24.00	21.10 21.20	19.60 19.90	16.20 16.50
20	최대 평균	14.07 13.90	13.08 12.80	12.86 12.80	13.97 13.90	15.74 15.50	16.95 16.80	20.62 20.40	23.17 22.80	23.74 23.60	21.16	19.89 19.80	16.20 16.00
l	최소 최대	14.20	13.20	13.20	14.20	16.80	19.00	21.30	25.70	24.00	21.10	19.90	16.50
21	평균 최소	14.10 14.00	13.09 12.90	13.07 12.80	13.98 13.90	16.12 15.80	17.64 16.80	20.72 20.40	24.39 23.90	23.95 23.90	21.08 20.90	19.81 19.80	16.04 15.90
22	최대 평균	14.20 14.09	13.20 13.03	13.30 13.18	14.60 14.08	16.70 16.47	19.00 18.66	22.30 21.75	25.70 25.36	24.00 23.83	21.10 20.93		(16.00) (15.99)
	최소	13.90 14.10	13.00 13.10	13.10 13.40	13.90 14.60	16.00 16.70	18.40 18.90	21.30 23.30	25.10 25.40	23.70 23.90	20.70 21.20	(19.80)	(15.90) 16.10
23	최대 평균	14.05 13.90	13.06 12.90	13.25 13.20	14.10 14.00	16.60 16.50	18.71 18.30	22.63 22.20	25.24 25.10	23.53 23.30	21.10	(19.77) (19.70)	16.01 15.90
l	최소 최대	14.10	13.20	13.50	14.90	16.90	18.70	23.90	25.30	23.50	21.40	19.80	16.20
24	평균 최소	14.01 13.90	13.10 13.00	13.30 13.20	14.27 14.00	16.51 16.40	18.32 17.90	23.60 23.30	25.20 25.00	23.35 23.20	21.16 21.10	19.77 19.70	16.07 16.00
25	최대 평균	14.10 14.06	13.30 13.18	13.60 13.34	15.30 14.62	17.20 16.75	18.30 17.78	24.20 23.89	25.10 24.27	23.50 23.22	21.50 21.40	19.80 19.69	16.20 16.05
	최소 최대	13.90 14.20	13.10 13.30	13.20 13.60	14.20 15.10	16.60 17.20	17.50 20.00	23.80 24.20	22.90 24.00	23.00	21.30	19.40 (19.60)	15.90 16.20
26	평균	14.10	13.21	13.40	14.87	16.96	18.36	24.06	23.41	23.45	21.30	(19.44)	15.96
I	최소 최대	14.00 14.20	13.10 13.20	13.30 13.70	14.70 15.40	16.80 17.10	17.50 20.30	24.00 24.20	23.00 25.10	23.10 23.80	21.10 21.40	(19.00) (19.60)	15.60 16.10
27	평균 최소	14.10 14.10	13.17 13.10	13.48 13.40	14.96 14.60	16.77 16.60	20.16 20.00	24.01 23.90	24.42 24.00	23.66 23.50	21.06 20.60	(19.21) (18.70)	15.92 15.80
28	최대 평균	14.10 14.05	13.10 13.10	13.80 13.55	15.30 15.00	16.80 16.67	20.30 19.77	24.70 24.32	25.80 25.34	23.50 23.26	21.20 20.87	19.30 18.97	15.90 15.81
I	최소	13.90 14.10	13.10	13.40 13.80	14.80 15.30	16.60 16.70	19.00 19.60	24.10 24.90	24.70 (25.90)	22.90 23.20	20.70	18.30 19.10	15.70 15.90
29	최대 평균	14.10 14.00 13.90		13.66	15.00	16.51	18.69	24.61	(25.70)	22.78 22.50	20.96	18.91	15.66 15.50
l	최소 최대	14.00		13.60 14.10	14.80 15.10	16.40 16.60	18.10 19.50	24.20 25.20	(25.50) 25.60	22.80	20.90	18.60 18.90	15.70
30	평균 최소	13.91 13.70		13.78 13.60	15.07 15.00	16.47 16.30	18.07 17.60	24.91 24.70	25.37 25.00	22.58 22.40	20.72 20.30	18.73 18.50	15.47 15.30
31	최대 평균	13.90 13.79		(14.10) (14.08)		16.60 16.40		25.20 24.85	25.30 24.74		20.70 20.58		15.40 15.24
I -	최소	13.70	12.00	(14.00)	15 40	16.20	20.20	24.40	23.90	25 10	20.40	20.70	15.10
TOTAL	최대 평균	14.90 14.20	13.90 13.20	14.10 12.90	15.40 14.00	17.20 15.90	20.30 17.80	25.20 21.20	25.90 24.40	25.10 23.80	22.80 21.50	20.70 19.80	18.80 16.70
	최소	13.70	12.20	11.60	13.40	14.90	16.30	17.90	22.40	22.40	20.30	18.30	15.10