수온(Water Temperature)

관측소명:거제도 위도:N 34° 48′ 5.00″ 경도:E 128° 41′ 57.00″ 설치 일자: 단위:℃

25							ń				
								i			
							Ų	Ų			
22											
21											
20											
19						Ų			Y		
										Α.	
					M						
17				- P	Y					Т	
16											
15											
	ė.	4	4								
13			!	i							

	an Fe	b Mar	·	pr	May	Jun	Jul	Aug	Sep	Oc	t i	Nov	Dec
일자	구분	1월 13.40	2월 12.10	3월 14.40	4월 13.60	5월 14.90	6월 17.10	7월 20.80	8월 23.90	9월 23.60	10월 22.60	11월 (19.60)	12월 16.60
01	최대 평균 최소	13.20 13.00	11.92 11.80	13.88	13.37 13.10	14.41 14.20	16.52 16.10	20.42 19.80	22.70 21.40	22.24 21.00	22.30 21.90	(19.39) (19.20)	16.45 16.30
02	최대 평균	13.00 12.84	12.10 11.80	14.30 14.02	13.80 13.36	15.40 14.86	17.30 16.74	20.40 19.68	23.10 21.65	23.90 22.71	22.30 21.93	19.60 19.41	16.30 16.17
	최소 최대	12.70 13.20	11.60 12.30	13.70 14.10	13.10 13.80	14.50 16.00	16.40 17.60	18.50 19.90	19.50 22.30	21.50 24.60	21.50 22.30	19.20 19.60	16.00 16.00
03	평균 최소	12.94 12.40	12.02 11.80	14.00 13.90	13.32 13.00	15.26 14.80	16.68 16.00	19.02 17.60	21.37 19.80	24.04 23.20	22.11 21.90	19.51 19.40	15.87 15.70
04	최대 평균	13.10 12.84	12.30 12.07	14.40 14.02	13.80 13.33	16.40 15.46	17.80 16.79	20.10 18.81	23.10 21.56	25.50 24.41	(22.90)	19.50 19.32	15.90 15.78
05	최소 최대	12.70 13.10	11.90	13.80	13.10 13.70	14.90 16.50	16.10 17.50	17.90 19.40 18.94	20.10 22.70	24.00 25.10	(22.00) 23.20 22.73	19.10 19.60	15.60 15.70
"	평균 최소	12.96 12.90 13.20	12.09 11.70 13.00	14.22 13.90 14.50	13.41 13.10 14.10	15.71 15.20 16.20	17.01 16.60 17.80	18.20 19.50	22.00 20.50 23.60	24.66 24.20 24.90	22.40	19.29 19.00 19.60	15.49 15.20 15.30
06	최대 평균 최소	12.98 12.80	12.37 12.10	14.33 14.10	13.51 13.30	15.56 15.00	17.26 16.70	18.77 18.00	22.23 21.30	24.68 24.40	22.35 21.80	19.41 19.20	14.98 14.60
07	최대 평균	13.20 13.03	12.80 12.58	14.40 14.23	13.80 13.65	15.70 14.98		20.30 19.48	25.40 23.92	24.90 24.79	22.20 21.93	19.40 19.24	15.70 15.24
	최소 최대	12.90 13.20	12.40 12.70	14.10 (14.70)	13.50 14.00	14.40 15.50		19.00 20.70	22.60 26.00	24.60 25.00	21.60 22.30	19.00 19.50	14.40 15.70
08	평균 최소	12.97 12.80	12.43 12.30	(14.29) (14.10)	13.63 13.40	15.18 14.90		20.15 19.80	24.55 23.80	24.65 24.10	22.06 21.70	19.03 18.80	15.46 15.30
09	최대 평균	12.90 12.72	12.70 12.46	14.70 14.34	13.80 13.58	15.50 15.31		20.70 20.45	26.60 25.54	25.50 24.91	22.30 21.96	19.00 18.78	15.50 15.27
	최소 최대	12.60 12.70	12.30 12.80	14.20 14.50	13.40 13.50	15.00 15.80	(18.10)	20.20 20.80	24.90 27.00	24.20 25.30	21.50	18.50 19.00	15.10 15.60
10	평균 최소	12.53 12.40	12.44	14.34	13.25 13.10	15.34 15.00	(18.01) (17.80)	20.62 20.50	26.49 26.00	24.88 24.60	21.63	18.72 18.40	15.30 15.10
11	최대 평균 최소	13.10 12.40 12.10	12.80 12.60 12.50	14.30 14.22 14.10	13.40 13.19 12.90	15.90 15.49 15.10	18.70 18.16 17.80	21.60 20.98 20.60	27.30 26.82 26.50	25.70 25.06 24.20	(22.20) (21.85) (21.50)	18.80 18.61 18.40	15.70 15.50 15.20
12	최도 최대 평균	(13.20) (12.91)	12.60 12.47	14.20 14.18	13.50 13.32	16.10 15.72	19.20 18.52	22.40 21.72	27.80 27.26	24.70 24.10	(21.90) (21.54)	18.70 18.28	15.60 15.34
	최소 최대	(12.60)	12.20 13.20	14.10 14.20	13.20 13.90	15.10 15.60	18.20 19.40	21.40 22.30	26.90 28.30	23.90 24.20	(21.40) 21.50	18.00 18.40	15.30 15.50
13	평균 최소		12.70 12.40	14.03 13.70	13.64 13.40	15.36 15.00	18.90 18.60	21.89 21.70	27.79 27.30	23.86 23.50	21.19 21.00	18.01 17.80	15.27 15.10
14	최대 평균	(13.40) (13.36)	13.50 13.19	14.10 13.87	13.90 13.67	16.10 15.65	19.10 18.96	22.30 21.75	28.00 27.58	24.40 23.88	21.50 21.08	18.20 17.44	15.30 15.14
	최소 최대	(13.30) 13.50	12.70	13.70 13.90	13.50 13.90	15.40 16.50	18.80 19.70	21.40 22.60	27.20 27.50	23.50 24.70	(21.00)	17.00 17.60	15.00 15.10
15	평균 최소	13.30 13.00	13.60	13.75 13.40	13.58 13.40	16.04 15.70	18.80 18.30	21.93 21.60	27.07 26.80	24.14 23.70	(20.91)	17.05 16.60	14.94 14.80
16	최대 평균	13.10 12.92 12.50	13.90 13.52 13.20	13.90 13.62 13.40	14.10 13.66 13.50	(17.20) (16.40) (16.00)	20.00 19.34 19.00	22.80 22.16 21.80	(27.30) (27.17) (26.90)	24.50 24.07 23.70	21.20 20.81 20.50	17.20 16.88 16.60	15.00 14.87 14.60
17	최소 최대 평균	12.90 12.73	13.60 13.31	14.10 13.65	14.50 14.04	17.30 16.49	20.40 19.72	22.60 22.15	27.30 27.12	24.10 23.78	21.00 20.87	17.10 16.87	15.00 14.89
	최소 최대	12.50 12.80	13.10 13.50	13.40	13.70 14.20	15.90 16.70	19.30 19.90	21.90 22.30	26.70 (27.30)	23.60 24.00	20.60	16.70 17.00	14.80 14.90
18	평균 최소	12.56 12.40	13.28 13.00	13.68 13.50	13.92 13.50	15.82 15.30	19.52 18.30	22.15 22.00	(27.03) (26.70)	23.66 23.20	20.76 20.60	16.90 16.60	14.79 14.60
19	최대 평균	12.70 12.64	13.50 13.29	14.30 13.82	14.10 13.91	16.00 15.66	19.60 18.90	22.10 22.00	(26.70) (25.94)	23.90 23.60	21.00 20.75	16.70 16.50	14.70 14.56
	최소 최대	12.60 12.90	13.10	13.60 14.40	13.80 14.50	15.30 (16.20)	18.10 19.80	21.90 22.10	(25.20) 26.40	23.40	20.50	16.20 16.50	14.20 14.60
20	평균 최소	12.63 12.60	13.18	14.00 13.90	13.82 13.30	(16.05) (15.90)	19.01 18.50	21.61 21.20	25.89 25.20	23.37 23.20	20.74	16.25 15.80	14.41 14.20
21	최대 평균 최소	12.70 12.42 12.10	13.40 13.09 12.70	14.20 14.02 13.90	14.70 14.10 13.90	16.40 15.96 15.50	19.80 18.99 18.10	22.30 21.70 21.40	26.40 26.20 26.00	23.40 23.17 23.00	20.90 20.75 20.60	16.30 16.08 15.80	14.40 14.25 14.00
22	최고 최대 평균	12.50 12.29	13.30 13.10	(14.20) (13.69)	14.70 14.34	17.00 16.27	19.70 19.01	22.80 21.73	26.50 26.39	23.00 22.67	20.80	16.50 16.17	14.20 14.10
	최소 최대	12.10 12.30	12.90 13.20	(13.40) 13.90	14.20 14.40	15.80 17.30	18.00 19.90	21.00 22.80	26.10 26.30	22.30 22.60	20.50 20.60	15.70 16.60	13.90 14.30
23	평균 최소	12.17 11.90	13.03 12.80	13.46 13.20	14.11 13.80	16.58 16.00	19.31 19.00	22.23 21.10	25.89 25.30	22.47 22.30	20.50 20.40	16.32 16.00	14.13 13.90
24	최대 평균	12.30 12.19	13.30 13.06	13.50 13.29	14.20 14.02	17.30 16.85	20.50 19.78	23.00 21.99	(25.80) (25.49)	22.90 22.53	20.60	16.50 16.41	14.60 14.21
05	최소 최대	12.00 12.40	12.80	13.10	13.90 14.30	16.30 (17.30)	19.40 20.90	21.00 22.80	(25.10) 25.40	22.30 22.80	20.30	16.40 16.40	13.80 14.90
25	평균 최소 최대	12.21 12.00 12.10	13.31 13.10 13.60	13.21 13.00 13.30	14.15 13.90 14.10	(16.68) (16.00) 17.30	20.31 19.80 20.60	21.77 21.10 22.20	25.12 24.70 25.30	22.64 22.40 22.90	20.48 20.20 20.50	16.21 16.00 16.40	14.37 14.10 14.40
26	최대 평균 최소	11.98 11.80	13.41 13.20	13.13 12.90	13.94 13.70	16.95 16.50	20.80 20.35 20.10	21.75 21.00	25.04 24.70	22.56 22.30	20.36 20.20	16.01 15.80	14.40 14.34 14.20
27	최대 평균	12.20 11.90	13.50 13.37	13.40 13.28	14.40 14.01	17.40 16.78	20.90 20.41	22.50 22.02	25.30 25.18	22.70	(20.50) (20.09)	16.20 15.92	14.20 13.94
	최소 최대	11.70 12.10	13.30 13.90	13.10 13.70	13.60 14.30	16.00 17.00	20.10 20.90	21.40 23.20	25.10 25.20	22.52 22.40 22.80	(19.90) (20.20)	15.80 15.90	13.80 14.00
28	평균 최소	11.93 11.80	13.54 13.30	13.48 13.30	14.14 14.00	16.72 16.10	20.63 20.10	22.51 22.20	24.91 24.60	22.52 22.40	(19.93) (19.70)	15.78 15.70	13.79 13.50
29	최대 평균	12.20 11.92		13.80 13.62	14.10 14.04	17.10 16.73	20.60 20.47	24.40 22.94	24.90 24.29	23.00 22.47	(20.10) (19.86)	17.30 16.57	13.90 13.76
30	최소 최대	11.70 12.60		13.50	13.90 14.40	16.30 17.40	20.30	21.80 24.20	23.40 24.50	22.30	(19.70) 19.90	15.60 16.70	13.60 13.80
30	평균 최소 최대	12.40 12.10		13.80 13.60	14.02 13.70	16.97 16.60 17.00	20.50 20.20	23.29 22.40 24.80	23.58 22.70 24.10	22.41 21.90	19.63 19.20 (19.80)	16.54 16.40	13.76 13.70 13.70
31	최대 평균 최소	12.40 12.24 12.00		13.90 13.69 13.50		16.55 16.00		24.80 23.17 21.40	22.96 21.70		(19.80) (19.50) (19.20)		13.70 13.50 13.30
TOTAL	최도 최대 평균	13.50 12.60	13.90 12.80	14.70 13.80	14.70 13.70	17.40 15.90	20.90 18.80	24.80 21.30	28.30 25.10	25.70 23.60	23.20 21.10	19.60 17.60	16.60
	최소	11.70	11.60	12.90	12.90	14.20	16.00	17.60	19.50	21.00	19.20	15.60	14.80 13.30