
Wave_유의파고(SOMWR_Hm0)

관측소명: 용진소청초 위도: N 37° 25′ 23.00″ 경도: E 124° 44′ 17.00″ 설치 일자: 단위: m



3	Jan F	еь ма	ar A	pr	May	Jun	Jul	Aug	Sep	Oct	t N	ov	Dec
일자	구분	1월	2월	3월	4월	5월	6월	7월	8월	9월	10월	11월	12월
01	최대 평균 최소	0.01 0.01 0.01	0.01 0.01 0.01	0.02 0.01 0.01	0.02 0.01 0.00	0.01 0.01 0.01	0.01 0.01 0.00	0.01 0.01 0.00	0.01 0.01 0.00	0.01 0.00 0.00	0.01 0.01 0.00	0.01 0.01 0.01	0.01 0.01 0.00
02	최 대 평 균	0.01 0.01	0.01	0.02	0.01	0.01	0.02	0.01	0.01	0.01	0.02	0.01	0.01
03	최소 최대	0.01	0.00	0.01	0.00	0.01	0.01	0.00	0.01	0.00 0.02	0.00	0.00	0.00
	평균 최소	0.01 0.00	0.01 0.01	0.01 0.00	0.01 0.00	0.01 0.01	0.01 0.01	0.00 0.00	0.01 0.01	0.01 0.01	0.01	0.01 0.01	0.01 0.00
04	최대 평균	0.01 0.01	0.02 0.01	0.03 0.02	0.03 0.02	0.02 0.01	(0.01) (0.01)	0.01 0.00	0.02 0.01	0.02 0.01	0.01 0.01	0.02 0.01	0.01 0.01
	최소 최대	0.01	0.00	0.01	0.01	0.01	(0.00)	0.00	0.01 0.02	0.01	0.00	0.00	0.00
05	평균 최소	0.01	0.02 0.01	0.02	0.02	0.01	0.00	0.00	0.02 0.01	0.01	0.01	0.01	0.01
06	최대 평균 최소	0.02 0.01 0.00	0.01 0.01 0.00	0.01 0.01 0.00	0.01 0.01 0.00	0.00 0.00 0.00	0.01 0.00 0.00	0.01 0.00 0.00	0.03 0.02 0.01	0.01 0.01 0.00	0.01 0.01 0.00	0.01 0.01 0.01	0.01 0.01 0.00
07	최대 평균	0.03 0.02	0.01 0.01	0.01 0.01	0.01 0.01	0.01 0.01	0.01 0.00	0.01 0.01	0.01 0.01	0.03 0.01	0.01 0.01	0.02 0.01	0.02 0.01
	최소 최대	0.01 0.05	0.00 0.01	0.00 0.01	0.00 0.01	0.00 0.01	0.00 0.01	0.00 0.01	0.00 0.01	0.01 0.02	0.00	0.01 0.03	0.01
80	평균 최소	0.04 0.02	0.01 0.01	0.00 0.00	0.01 0.01	0.00 0.00	0.01 0.00	0.01 0.00	0.01 0.00	0.01 0.01	0.01 0.00	0.02 0.01	0.01 0.00
09	최대 평균	0.03 0.02	0.01 0.01	0.01	0.01 0.01	0.02 0.01	0.01	0.01	0.01 0.01	0.01	0.01 0.01	0.02 0.01	0.01
10	최소 최대	0.01 0.01	0.00 0.01	0.00	0.00	0.01	0.00	0.00	0.01 0.01	0.00	0.01	0.01	0.00
10	평균 최소	0.01 0.00 0.02	0.01 0.01 0.01	0.01 0.01 0.03	0.01 0.00 0.01	0.01 0.01 0.01	0.00 0.00 0.01	0.00 0.00 0.01	0.01 0.01 0.01	0.01 0.00 0.01	0.01 0.00 0.01	0.01 0.00 0.01	0.01 0.00 0.01
11	최대 평균 최소	0.01 0.01	0.01 0.01	0.01 0.00	0.00	0.01 0.00	0.01 0.00	0.00	0.01 0.00	0.00	0.00	0.00	0.01
12	최대 평균	0.02 0.02	0.01	0.02	0.01	0.01	0.01	0.01	0.01 0.01	0.01	0.02	0.01	0.01
	최소 최대	0.01 0.02	0.01 0.01	0.01 0.02	0.00 0.01	0.00 0.01	0.00 0.01	0.00	0.01 0.01	0.00 0.01	0.00 0.02	0.00 0.01	0.00
13	평균 최소	0.01 0.01	0.01 0.00	0.02 0.01	0.00 0.00	0.01 0.01	0.00 0.00	0.02 0.01	0.01 0.01	0.01 0.00	0.01 0.01	0.01 0.00	0.02 0.00
14	최대 평균	0.01 0.01	0.01	0.02 0.01	0.00	0.01	0.01	0.02 0.01	0.01 0.01	0.01	0.01	0.02 0.01	0.03
15	최소 최대	0.00 0.01 0.01	0.00 0.03 0.01	0.01 0.04 0.02	0.00 0.01 0.00	0.01 0.02 0.01	0.00 0.01 0.01	0.01 0.01 0.00	0.01 0.01 0.01	0.00	0.01 0.01 0.01	0.00 0.01 0.00	0.02 0.03 0.02
15	평균 최소	0.01 0.01 0.01	0.00	0.02	0.00	0.01 0.01	0.01	0.00	0.01 0.01 0.01	0.00 0.00 0.01	0.00	0.00	0.01
16	최대 평균 최소	0.01 0.00	0.03 0.02	0.04 0.01 0.01	0.01	0.01 0.00	0.01 0.00	0.00	0.01 0.01 0.01	0.01 0.00	0.00	0.00	0.03 0.02 0.01
17	최대 평균	0.01 0.01	0.05 0.04	0.02 0.01	0.02 0.02	0.01 0.01	0.01 0.00	0.01	0.01 0.01	0.01 0.01	0.01	(0.01)	0.02
	최소 최대	0.01 0.01	0.03 0.04	0.01 0.02	0.01 0.01	0.00 0.02	0.00 0.01	0.00 0.01	0.01 0.01	0.01 0.01	0.00 0.01	(0.00) (0.03)	0.00
18	평균 최소	0.01 0.01	0.02 0.00	0.01 0.01	0.01 0.00	0.01 0.01	0.00 0.00	0.00 0.00	0.01 0.01	0.01 0.01	0.01 0.00	(0.02) (0.02)	0.02 0.01
19	최대 평균	0.02 0.01	0.01 0.01	0.03	0.01	0.03 0.02	0.01	0.02 0.01	0.01 0.01	0.01 0.01	0.01	0.04	0.03
20	최소 최대	0.01 0.02 0.02	0.00 0.01 0.01	0.02 0.02 0.01	0.00 0.01 0.01	0.01 0.01 0.01	0.00 0.01 0.00	0.01 0.02 0.02	0.01 0.01 0.01	0.01 0.01 0.00	0.00 0.00 0.00	0.02 0.03 0.02	0.01 0.02 0.01
20	평균 최소 최대	0.01 0.02	0.00	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.02	0.01
21	의내 평균 최소	0.01 0.00	0.01 0.00	0.01 0.01	0.01 0.01	0.00	0.00	0.01 0.01	0.00	0.00	0.01	0.01	0.01
22	최대 평균	0.01 0.00	0.02 0.02	0.01 0.01	0.02 0.01	0.01 0.01	0.01 0.00	0.01 0.00	0.00 0.00	0.01 0.01	0.03 0.02	0.03 0.02	0.01 0.01
	최소 최대	0.00 0.01	0.01 0.02	0.00 0.01	0.01 0.01	0.00 0.01	0.00 0.01	0.00 0.03	0.00	0.00 0.01	0.01 0.03	0.00	0.01 0.01
23	평균 최소	0.01	0.01	0.01	0.01	0.01 0.01	0.00	0.01	0.00	0.01	0.02	0.02	0.01
24	최대 평균 최소	0.02 0.02 0.01	0.02 0.01 0.01	0.01 0.00 0.00	0.02 0.01 0.01	0.01 0.01 0.01	0.03 0.02 0.01	0.02 0.02 0.01	0.01 0.01 0.00	0.02 0.01 0.00	0.03 0.02 0.01	0.01 0.00 0.00	0.02 0.02 0.01
25	최도 최대 평균	0.01 0.01	0.01 0.01	0.01 0.00	0.02 0.02	0.01	0.01 0.01	0.01 0.01	0.02 0.01	0.01 0.01	0.02	0.01 0.00	0.03
25	최소 최대	0.01	0.01	0.00	0.01	0.00	0.01	0.00	0.01 0.02	0.01	0.00	0.00	0.01
26	평균 최소	0.01 0.01	0.01 0.00	0.01	0.01 0.00	0.00	0.01 0.00	0.00	0.01 0.01	0.01 0.00	0.00	0.01	0.02 0.01 0.00
27	최대 평균	0.02 0.01	0.02 0.01	0.04 0.03	0.01 0.00	0.00 0.00	0.01 0.01	0.01 0.00	0.06 0.03	0.01 0.01	0.01 0.00	0.04 0.02	0.01 0.01
	최소 최대	0.01 (0.01)	0.00	0.01	0.00	0.00	0.00	0.00	0.01 0.01	0.00	0.00	0.01 0.04	0.01
28	평균 최소	(0.01) (0.01)	0.00	0.02 0.01	0.00	0.00	0.01	0.00	0.01 0.01	0.00	0.01	0.02	0.00
29	최대 평균	0.01 0.01 0.00	0.01 0.01 0.00	0.01 0.01 0.00	0.01 0.01 0.01	0.01 0.00 0.00	0.01 0.01 0.00	(0.00) (0.00) (0.00)	0.01 0.00 0.00	0.01 0.00 0.00	0.02 0.01	0.02 0.01 0.01	0.04 0.02 0.00
30	최소 최대 편그	0.00 0.01 0.01	0.00	0.00 0.01 0.00	0.01 0.01 0.01	0.00 0.01 0.00	0.00 0.02 0.01	0.00) 0.01 0.00	0.00 0.01 0.00	0.00 0.02 0.01	0.01 0.01 0.01	0.01 0.02 0.01	0.05
30	평균 최소 최대	0.01 0.01 0.01		0.00	0.01	0.00	0.01	0.00 0.00 0.01	0.00 0.00 0.01	0.01	0.00	0.01	0.04 0.03 0.03
31	최대 평균 최소	0.01 0.01 0.01		0.00		0.00		0.00	0.00		0.01		0.03 0.02 0.01
TOTAL	최대 평균	0.05 0.01	0.05 0.01	0.04	0.03 0.01	0.03	0.03 0.01	0.03 0.01	0.06	0.03 0.01	0.03 0.01	0.04 0.01	0.05
	최소	0.00	0.00	0.01 0.00	0.01 0.00	0.01 0.00	0.00	0.00	0.01 0.00	0.00	0.00	0.01 0.00	0.00