

Percentiles and linear recursion

Wigner Summer Camp

Data and Compute Intensive Sciences Research Group

Balázs, Paszkál, Vince, Levente,
Antal
Éva, Hajni

7–11 July 2025



Table of Contents

Percentiles

Linear Recursions

Percentiles

What are Percentiles?

- ▶ A percentile indicates the value below which a given percentage of observations fall.
- ▶ For example, the 25th percentile (Q1) is the value below which 25% of the data fall.
- ▶ Common percentiles: 25th (Q1), 50th (median), 75th (Q3).

Numerical Example

Given the data: 1, 3, 4, 7, 8, 10, 12.

- ▶ 25th percentile \Rightarrow 3.5 (using linear interpolation, see next slide).
- ▶ 50th percentile (median) \Rightarrow 7.
- ▶ 75th percentile \Rightarrow 9.

Calculating Percentiles in PyTorch

```
1 torch.quantile(tensor, q=0.25,  
2                 interpolation='linear')
```

- ▶ To compute the quantile, we map $q \in [0, 1]$ to a quantile index $i_q = q \cdot (n - 1)$, where n is the number of data points.
- ▶ Let $i = \lfloor i_q \rfloor$, $j = \lceil i_q \rceil$, with sorted data values $a = x_i$ and $b = x_j$.
- ▶ Define $f = i_q - i$, the fractional part.
- ▶ Result is then computed as:
 - ▶ Linear: $a + (b - a) \cdot f$.
 - ▶ Lower: a .
 - ▶ Higher: b .
 - ▶ Nearest: a or b , whichever index is closer to i_q (rounding down at 0.5).
 - ▶ Midpoint: $(a + b)/2$.

Interpolation Methods: Example

Data: 10, 20, 30, 40. Then

- ▶ 25th percentile lies between 10 and 20.
 - ▶ Linear: $10 + (20 - 10) \cdot 0.25 = 12.5$.
 - ▶ Lower: 10.
 - ▶ Higher: 20.
 - ▶ Nearest: 10.
 - ▶ Midpoint: $(10 + 20)/2 = 15$.

Exercise 1: Skewed Toward Low Values

Given the data: 1, 1, 1, 2, 3, 4, 10

- ▶ Calculate the 25th, 50th, and 75th percentiles.

Solution to Exercise 1

Sorted data: 1, 1, 1, 2, 3, 4, 10

- ▶ 25th percentile: Between 1 and 1 $\Rightarrow 1$
- ▶ 50th percentile: Middle value = 2
- ▶ 75th percentile: Between 4 and 10
 $\Rightarrow 4 + 0.25 \cdot (10 - 4) = 5.5$

Exercise 2: Skewed Toward High Values

Given the data: 1, 6, 7, 8, 9, 9, 9

- ▶ Calculate the 25th, 50th, and 75th percentiles.

Solution to Exercise 2

Sorted data: 1, 6, 7, 8, 9, 9, 9

- ▶ 25th percentile: Between 1 and 6 $\Rightarrow 1 + 0.5 \cdot (6 - 1) = 3.5$
- ▶ 50th percentile: Middle value = 8
- ▶ 75th percentile: Between 9 and 9 $\Rightarrow 9$

Exercise 3: Values Near Zero

Given the data: 0, 0, 0, 1, 1, 2, 3

- ▶ Calculate the 25th, 50th, and 75th percentiles.

Solution to Exercise 3

Sorted data: 0, 0, 0, 1, 1, 2, 3

- ▶ 25th percentile: Between 0 and 0 $\Rightarrow 0$
- ▶ 50th percentile: Middle value = 1
- ▶ 75th percentile: Between 1 and 2 $\Rightarrow 1 + 0.25 \cdot (2 - 1) = 1.25$

Linear Recursions

What is a Linear Recursion?

- ▶ A sequence where each element is a linear combination of previous elements.
- ▶ General form:

$$x_n = w_1x_{n-1} + w_2x_{n-2} + \cdots + w_kx_{n-k}. \quad (1)$$

- ▶ Requires initial values x_0, \dots, x_{k-1} .
- ▶ Typically, $x_n, w_i \in \mathbb{R}$ (real numbers), but $x_n \in \mathbb{Z}$ or complex values are also common in specific applications.

Famous Examples

- ▶ Fibonacci sequence:

$$x_n = x_{n-1} + x_{n-2}, \quad x_0 = 0, \quad x_1 = 1. \quad (2)$$

- ▶ Exponential growth: $x_n = ax_{n-1}, a > 1$.
- ▶ Weighted average: $x_n = 0.8x_{n-1} + 0.2x_{n-2}$.

Effect of Weights and Initial Values

- ▶ Weights determine how past values influence the future.
- ▶ Initial values can lead to different growth or oscillation patterns.
- ▶ Some sequences stabilize, others diverge.

Recursions and Discretizing Functions

- ▶ Recursions can approximate continuous functions.

Summary

- ▶ **Percentiles** help understand the distribution of data, identifying values below which a given percentage of data falls.
 - ▶ Different interpolation methods influence the computed percentile value.
 - ▶ PyTorch supports flexible percentile computations.
- ▶ **Linear recursions** generate sequences based on weighted combinations of previous values.
 - ▶ Used to model growth, oscillations, or smooth approximations.
 - ▶ Provide a bridge between discrete sequences and continuous functions.