Python For Data Science *Cheat Sheet*

NumPy Basics

Learn Python for Data Science Interactively at www.DataCamp.com

NumPy

The NumPy library is the core library for scientific computing in Python. It provides a high-performance multidimensional array object, and tools for working with these arrays.

Use the following import convention:

```
>>> import numpy as np
```

NumPy Arrays



Creating Arrays

```
>>> a = np.array([1,2,3])
>>> b = np.array([(1.5,2,3), (4,5,6)], dtype = float)
>>> c = np.array([[(1.5,2,3), (4,5,6)], [(3,2,1), (4,5,6)]],
                 dtype = float)
```

Initial Placeholders

```
>>> np.zeros((3,4))                  Create an array of zeros
>>> np.ones((2,3,4),dtype=np.int16)  Create an array of ones
>>> d = np.arange(10,25,5)           Create an array of evenly
                                     spaced values (step value)
>>> np.linspace(0,2,9)               Create an array of evenly
                                     spaced values (number of samples)
>>> e = np.full((2,2),7)             Create a constant array
>>> f = np.eye(2)                    Create a 2X2 identity matrix
>>> np.random.random((2,2))          Create an array with random values
>>> np.empty((3,2))                  Create an empty array
```

I/O

Saving & Loading On Disk

```
>>> np.save('my_array', a)
>>> np.savez('array.npz', a, b)
>>> np.load('my_array.npy')
```

Saving & Loading Text Files

```
>>> np.loadtxt("myfile.txt")
>>> np.genfromtxt("my_file.csv", delimiter=',')
>>> np.savetxt("myarray.txt", a, delimiter=" ")
```

Data Types

```
>>> np.int64       Signed 64-bit integer types
>>> np.float32     Standard double-precision floating point
>>> np.complex     Complex numbers represented by 128 floats
>>> np.bool        Boolean type storing TRUE and FALSE values
>>> np.object      Python object type
>>> np.string_     Fixed-length string type
>>> np.unicode_    Fixed-length unicode type
```

Inspecting Your Array

```
>>> a.shape          Array dimensions
>>> len(a)           Length of array
>>> b.ndim           Number of array dimensions
>>> e.size           Number of array elements
>>> b.dtype          Data type of array elements
>>> b.dtype.name     Name of data type
>>> b.astype(int)    Convert an array to a different type
```

Asking For Help

```
>>> np.info(np.ndarray.dtype)
```

Array Mathematics

Arithmetic Operations

```
>>> g = a - b                        Subtraction
  array([[-0.5,  0. ,  0. ],
         [-3. , -3. , -3. ]])
>>> np.subtract(a,b)                 Subtraction
>>> b + a                            Addition
  array([[ 2.5,  4. ,  6. ],
         [ 5. ,  7. ,  9. ]])
>>> np.add(b,a)                      Addition
>>> a / b                            Division
  array([[ 0.66666667,  1.        ,  1.        ],
         [ 0.25      ,  0.4       ,  0.5       ]])
>>> np.divide(a,b)                   Division
>>> a * b                            Multiplication
  array([[  1.5,   4. ,   9. ],
         [  4. ,  10. ,  18. ]])
>>> np.multiply(a,b)                 Multiplication
>>> np.exp(b)                        Exponentiation
>>> np.sqrt(b)                       Square root
>>> np.sin(a)                        Print sines of an array
>>> np.cos(b)                        Element-wise cosine
>>> np.log(a)                        Element-wise natural logarithm
>>> e.dot(f)                         Dot product
  array([[ 7.,  7.],
         [ 7.,  7.]])
```

Comparison

```
>>> a == b                           Element-wise comparison
  array([[False,  True,  True],
         [False, False, False]], dtype=bool)
>>> a < 2                            Element-wise comparison
  array([True, False, False], dtype=bool)
>>> np.array_equal(a, b)             Array-wise comparison
```

Aggregate Functions

```
>>> a.sum()                          Array-wise sum
>>> a.min()                          Array-wise minimum value
>>> b.max(axis=0)                    Maximum value of an array row
>>> b.cumsum(axis=1)                 Cumulative sum of the elements
>>> a.mean()                         Mean
>>> b.median()                       Median
>>> a.corrcoef()                     Correlation coefficient
>>> np.std(b)                        Standard deviation
```

Copying Arrays

```
>>> h = a.view()          Create a view of the array with the same data
>>> np.copy(a)            Create a copy of the array
>>> h = a.copy()          Create a deep copy of the array
```

Sorting Arrays

```
>>> a.sort()              Sort an array
>>> c.sort(axis=0)        Sort the elements of an array's axis
```

Subsetting, Slicing, Indexing

Also see Lists

Subsetting

```
>>> a[2]                  Select the element at the 2nd index
  3
>>> b[1,2]                Select the element at row 1 column 2
  6.0                     (equivalent to b[1][2])
```

Slicing

```
>>> a[0:2]                Select items at index 0 and 1
  array([1, 2])
>>> b[0:2,1]              Select items at rows 0 and 1 in column 1
  array([ 2.,  5.])
>>> b[:1]                 Select all items at row 0
  array([[1.5, 2., 3.]])  (equivalent to b[0:1, :])
>>> c[1,...]              Same as [1, :, :]
  array([[[ 3.,  2.,  1.],
          [ 4.,  5.,  6.]]])
>>> a[ : :-1]             Reversed array a
  array([3, 2, 1])
```

Boolean Indexing

```
>>> a[a<2]                Select elements from a less than 2
  array([1])
```

Fancy Indexing

```
>>> b[[1, 0, 1, 0],[0, 1, 2, 0]]   Select elements (1,0),(0,1),(1,2) and (0,0)
  array([ 4. , 2. , 6. , 1.5])
>>> b[[1, 0, 1, 0]][:,[0,1,2,0]]   Select a subset of the matrix's rows
  array([[ 4. , 5. , 6. , 4. ],     and columns
         [ 1.5, 2. , 3. , 1.5],
         [ 4. , 5. , 6. , 4. ],
         [ 1.5, 2. , 3. , 1.5]])
```

Array Manipulation

Transposing Array

```
>>> i = np.transpose(b)   Permute array dimensions
>>> i.T                   Permute array dimensions
```

Changing Array Shape

```
>>> b.ravel()             Flatten the array
>>> g.reshape(3,-2)       Reshape, but don't change data
```

Adding/Removing Elements

```
>>> h.resize((2,6))       Return a new array with shape (2,6)
>>> np.append(h,g)        Append items to an array
>>> np.insert(a, 1, 5)    Insert items in an array
>>> np.delete(a,[1])      Delete items from an array
```

Combining Arrays

```
>>> np.concatenate((a,d),axis=0)   Concatenate arrays
  array([ 1,  2,  3, 10, 15, 20])
>>> np.vstack((a,b))               Stack arrays vertically (row-wise)
  array([[ 1. ,  2. ,  3. ],
         [ 1.5,  2. ,  3. ],
         [ 4. ,  5. ,  6. ]])
>>> np.r_[e,f]                     Stack arrays vertically (row-wise)
>>> np.hstack((e,f))               Stack arrays horizontally (column-wise)
  array([[ 7.,  7.,  1.,  0.],
         [ 7.,  7.,  0.,  1.]])
>>> np.column_stack((a,d))         Create stacked column-wise arrays
  array([[ 1, 10],
         [ 2, 15],
         [ 3, 20]])
>>> np.c_[a,d]                     Create stacked column-wise arrays
```

Splitting Arrays

```
>>> np.hsplit(a,3)                 Split the array horizontally at the 3rd
  [array([1]),array([2]),array([3])] index
>>> np.vsplit(c,2)                 Split the array vertically at the 2nd index
[array([[[ 1.5,  2. ,  1. ],
         [ 4. ,  5. ,  6. ]]]),
 array([[[ 3.,  2.,  3.],
         [ 4.,  5.,  6.]]])]
```