

1. Let has block scope?

- A. True
- B. False

Ans:- True

2. what does <aside> tag in html do?

Ans : aside the content of the page

3. Which of the following class in Bootstrap is used to provide a responsive fixed width container?

Ans : .Container

4. Which of the following is the correct syntax of creating a standard navigation tab?

Ans : <ul class="nav nav-tabs">

5. In Bootstrap, the class .img-circle is used to turn an image into a circle.

6. In Java, which of these class types supports sequential and parallel processing of data?

Ans : Streams

7. What is the replacement for PermGen space in Java 8?

Ans : Metaspace

8. Java Functional Interface can be defined as ____.

Ans : Single Abstract Method

9. Where in an HTML document is the correct place to refer to an external style sheet?

Ans : Head section

10. Which of the following represents the correct way to implement a functional interface in Java?

Ans : interface MyFunctionalInterface { }

11. In javascript const declares block scoped?

Ans : true

12. What is React in MVC?

Ans : Controller

13. How can you access the state of a component from inside of a member function in React?

Ans : this.getState()

14. Which of the following API is a MUST for every React component?

Ans : renderComponent

15. MongoDB database can be accessed using Spring Data.

Ans : True

16. Which of the following stands true for Spring beans?

- i. Spring beans are managed by the Spring IoC container.
- ii. Spring beans are instantiated, assembled, and otherwise managed by a Spring IoC container.
- iii. Spring beans are simple POJOs.

Ans : All of the Above

17. What is true about <list> collection configuration elements?

Ans : wiring list of values and allowing duplicates.

18. What is default scope of bean in Spring framework?

Ans : Singleton

19. REST service endpoint comprises of which address?

Ans : Starts with http:// and may end with ?

20. What tag is used to get a bulleted list?

**Ans: **

21. What tag is used to get an ordered list?

**Ans: **

22. React is service side rendering. True or False.

Ans: not sure

23. What are the different types of autowire?

Ans: bytype, byname, constructor, autodetect

24. After you initialize a new Git repository and create a file named git-quiz.html, which of the following commands will NOT work if issued?

- A. git add git-quiz.html
- B. git status
- C. git add .
- D. git commit -m "git quiz web file added"

ANS : D

25. Which event occurs when the user clicks on the HTML element?

- A. onmouseover
- B. onchange
- C. onmouseclick
- D. onclick

ANS : D

26. Which of the below API Calls provides you the security information?

1. HttpServletRequest.isUserInRole()
2. HttpServletRequest.getUserPrincipal()
 - A. Only 1
 - B. Only 2
 - C. Both i and ii

ANS:- C

27. What is used to dispatch requests to the WEB Application?

- i. DispatcherServlet.
- ii. ViewHandler.
- iii. ViewResolver.

ANS:A

28. By default, a bean is lazily loaded in Spring.

29. True

30. False

ANS : B

31. Which one is NOT a spring data MongoDB annotation?

- A. @Document
- B. @Field
- C. @Entity
- D. @Query

ANS : C @Entity

32. Service discovery tools help by reducing the problem of how processes and services in a cluster can find and talk to one another.

- A. True
- B. False

ANS :- A -> True

33. In Angular, one can create local HTML reference or HTML tag using variable which starts with character ____

- A. @
- B. #
- C. “
- D. &

ANS :- B

34. How to add search bar using bootstrap?

Ans Option A - <class= “gly.. Gly..”>

35. React is two-way binding? True/False

Ans : (Longest option)

36. Q)Line can be break using

**Ans :
**

37. Q.)Overriding can be done in?

Poly

Abstr

Inher

Encaps

Ans. polymorphism

38. What theorem or principal MongoDB follows?

Ans : capped-->opn D

39. What method is used to remove a single item from a MongoDB collection?

Ans : deleteOne()

40. Which of these Angular services can be injected in your component to the dynamic mode navigation?

A. Routing

B. RouterService

C. RoutingService

D. Router

ANS :- D

41. Q) which method is used to add/ remove items?

Ans. splice()

42. The __ Javascript method is like the mathematical “for all” quantifier

A. every()

B. some()

C. all()

D. forall()

Ans. every()

43. What is the command line tool introduced for the JS engine in Java 8?

A. jjs

B. jss

C. jfs

D. jbd

ANS : A

44. In MongoDB, which of the following methods return one document?

A. findOne()

- B. findOne1()
- C. selectOne()

Ans. opn A

45. What is the output of the Java Code Snippet?

- (A-B-C)
- (A)-(B)-(C)
- (-A-)(-B-)(-C-)

ANS : A

46. Which of the following media queries would apply to a tablet reporting a screen width of 768px?

- A. @media only screen and (min-width: 1140px){}
- B. @media only screen and (min-width: 641px){}
- C. @media only screen and (max-width: 1140px){}

ANS :- B

47. Which of the following rules allows users to import style rules from other style sheets?

- A. @media
- B. @important
- C. @import
- D. @style

ANS : C

48. Which class indicates a dropdown menu?

- a) .dropdown-list
- b) .select
- c) .dropdown

Ans: C

49. What is the relationship between JavaScript and ECMAScript?

- A. ECMAScript is a standard that JavaScript implements.
- B. They are different terms for the same thing.
- C. JavaScript is a standard that ECMAScript implements.
- D. JavaScript is an old term for what is now called ECMAScript.

ANS: A

50. What syntax allows for a variable number of arguments to a function where the arguments are passed as an array?

51. function([]numbers) { }

52. function(*numbers) { }

53. function(...numbers) { }

54. `function(numbers[]) { }`

ANS : C

55. The `__` attribute of a React form is called when the main action button inside the form is pressed.

- A. `onSubmit`
- B. `onChange`
- C. `onComplete`

ANS : A

56. Behavior is shared between components using

- A. `propTypes`
- B. `state`
- C. `mixins`
- D. `props`

ANS : C

57. The function that creates React components is

- A. `React.component.extend`
- B. `React.createComponent`
- C. `React.renderComponent`
- D. `React.createClass`

ANS : D

58. correct annotation

`transaction, transactions, transactional`

Ans : transaction

59. Annotation used to indicate a field has to have a minimum of 2 characters.

- a) `@NotNull`
- b) `@Size`
- c) `@MaxSize`
- d) `@size`

Answer: b

60. Views that cannot be resolved by `InternalResourceViewResolver`.

- a) `redirect`
- b) `redirect:prefix`
- c) `redirect:suffix`
- d) all of the mentioned

ans: a

61. Alternative way to resolve locales.

- a) `AcceptHeaderLocale`

- b) AcceptHeader
- c) AcceptHeaderLocaleResolver
- d) SessionLocaleResolver

ans: d

62. General-purpose class that allows a response to be rendered using a marshaller.

- a) MarshallingView
- b) Marshaling
- c) View
- d) All of the mentioned

Answer: a

63. Using JdbcTemplate, what is the Spring provided class you will use for result set parsing and merging rows into a single object?

- a. ResultSetExtractor
- b. RowMapper
- c. RowCallbackHandler
- d. ResultSetMapper

ans: B

64. Which of the following classes can be used to call Stored Procedures in spring?

- A - SPHelper
- B - JdbcTemplateCall
- C - JdbcTemplate
- D - SimpleJdbcCall

Answer : D

65. How to handle shut down of IoC containers?

- A - Using shutdownHook()
- B - Using shutdownHandler()
- C - Using registerHook()
- D - Using registerShutdownHook()

Answer:D