

```

class Vehicle:

    def __init__(self, make, model, year):

        self.make = make

        self.model = model

        self.year = year

    def display(self):

        print(f"Vehicle Make: {self.make}")

        print(f"Vehicle Model: {self.model}")

        print(f"Year: {self.year}")

class Car(Vehicle):

    def __init__(self, make, model, year, doors, trunk_capacity):

        Vehicle.__init__(self,make, model, year)

        self.doors = doors

        self.trunk_capacity = trunk_capacity

    def disp(self):

        self.display()

        print(f"Number of Doors: {self.doors}")

        print(f"Trunk Capacity: {self.trunk_capacity} liters")

class Truck(Vehicle):

    def __init__(self, make, model, year, cargo_capacity, axles):

        super().__init__(make, model, year)

        self.cargo_capacity = cargo_capacity

        self.axles = axles

    def info(self):

        self.display()

        print(f"Cargo Capacity: {self.cargo_capacity} tons")

        print(f"Number of Axles: {self.axles}")

class PickupTruck(Car, Truck):

    def __init__(self, make, model, year, doors, trunk_capacity, cargo_capacity, axles):

        Car.__init__(self, make, model, year, doors, trunk_capacity)

```

```

    Truck.__init__(self, make, model, year, cargo_capacity, axles)
def show(self):
    self.disp()
    print(f"Cargo Capacity: {self.cargo_capacity} tons")
    print(f"Number of Axles: {self.axles}")
make=input()
model=input()
year=int(input())
doors=int(input())
trunk_capacity=int(input())
cargo_capacity=int(input())
axles=int(input())
pickup = PickupTruck(make, model, year, doors, trunk_capacity, cargo_capacity, axles)
pickup.show()

```

```

class Product:
    def __init__(self, product_id, name, price):
        self.product_id = product_id
        self.name = name
        self.price = price
    def info(self):
        print(f"Product ID: {self.product_id}")
        print(f"Product Name: {self.name}")
        print(f"Price: {self.price} USD")
class Electronics(Product):
    def __init__(self, product_id, name, price, warranty_period, brand):
        super().__init__(product_id, name, price)
        self.warranty_period = warranty_period
        self.brand = brand
    def show(self):

```

```
        self.info()

        print(f"Warranty Period: {self.warranty_period} years")

        print(f"Brand: {self.brand}")

class Clothing(Product):

    def __init__(self, product_id, name, price, size, material):

        super().__init__(product_id, name, price)

        self.size = size

        self.material = material

    def display_info(self):

        self.info()

        print(f"Size: {self.size}")

        print(f"Material: {self.material}")

laptop = Electronics("E101", "Laptop", 1500, 2, "Dell")

print("Electronics Details:")

laptop.show()


print("\n")

shirt = Clothing("C202", "Shirt", 25, "L", "Cotton")

print("Clothing Details:")

shirt.display_info()
```