JOBS

All Contests > Apr 2021 : CCC SRM KTR : CPS01 : Python Practice > List Comprehensions

List Comprehensions

Problem

Submissions

Let's learn about list comprehensions! You are given three integers x, y and z representing the dimensions of a cuboid along with an integer n. Print a list of all possible coordinates given by (i, j, k) on a 3D grid where the sum of i + j + k is not equal to n. Here, $0 \le i \le x$; $0 \le j \le y$; $0 \le k \le z$. Please use list comprehensions rather than multiple loops, as a learning exercise.

Example

 $x = \dot{1}$

y = 1

z = 2

n = 3

All permutations of [i, j, k] are:

[[0,0,0],[0,0,1],[0,0,2],[0,1,0],[0,1,1],[0,1,2],[1,0,0],[1,0,1],[1,0,2],[1,1,0],[1,1,1],[1,1,2]]

Print an array of the elements that do not sum to n=3.

$$[[0,0,0],[0,0,1],[0,0,2],[0,1,0],[0,1,1],[1,0,0],[1,0,1],[1,1,0],[1,1,2]]$$

Input Format

Four integers x, y, z and n, each on a separate line.

Constraints

Print the list in lexicographic increasing order.

Sample Input 0

```
1
1
1
2
```

Sample Output 0

```
[[0, 0, 0], [0, 0, 1], [0, 1, 0], [1, 0, 0], [1, 1, 1]]
```

Explanation 0


Each variable x,y and z will have values of 0 or 1. All permutations of lists in the form [i,j,k]=[[0,0,0],[0,0,1],[0,1,0],[0,1,1],[1,0,0],[1,0,1],[1,1,0],[1,1,1]]. Remove all arrays that sum to n=2 to leave only the valid permutations.


Sample Input 1

2 2 2 2 2

Sample Output 1

[[0, 0, 0], [0, 0, 1], [0, 1, 0], [0, 1, 2], [0, 2, 1], [0, 2, 2], [1, 0, 0], [1, 0, 2], [1, 1, 1], [1, 1, 2], [1, 2, 0], [1, 2, 1], [1, 2, 2], [2, 0, 1], [2, 0, 2], [2, 1, 0], [2, 1, 1], [2, 1, 2], [2, 2, 0], [2, 2, 1], [2, 2, 2]]





Contest Calendar | Interview Prep | Blog | Scoring | Environment | FAQ | About Us | Support | Careers | Terms Of Service | Privacy Policy | Request a Feature