


Configuration of JDK:-











Installation Of Maven:












Installation Of Jenkins:-



Thank you for downloading Windows installer

Download hasn't started? Click this link

Changing boot configuration

By default, your Jenkins runs at https://localhost:8080/. This can be changed by editing jenkins.xml, which is located in your installation directory. This file is also the place to change other boot configuration parameters, such as JVM options, HTTPS setup, etc.

Starting/stopping the service


Jenkins is installed as a Windows service, and it is configured to start automatically upon boot. To start/stop them manually, use the service manager from the control panel, or the sc


Inheriting your existing Jenkins installation


If you'd like your new installation to take over your existing Jenkins data, copy your old data directory into the new JENKINS_HOME directory.


See Also

- Running Jenkins behind Internet Information Server (IIS)
- Running Jenkins behind nginx
- Running Jenkins behind Apache















chinmay2598
Keep me signed in
Sign in

Creation Of Job In Jenkins:-











Credentials









v ~	A TO THE IMPLEMENTATION OF THE VIEW Y 1 ***		
	Readme X +		
File	Edit View		
This	is sample file for jenkins demo		
ni Λ Ln 1,	This project is parameterised ?	100%	Windows (CRLF)
	Execute concurrent builds if necessary ?		
	Advanced ^ // Edited		
	Quiet period ?		
	Retry Count ?		
	Block build when upstream project is building ?		
	Block build when downstream project is building ? Use custom workspace ?		
	Directory		
	D:\jenkins		
	Display Name ?		
	Keep the build logs of dependencies ?		
	Save Apply		