

Leveraging Procedural Generation to Benchmark Reinforcement Learning ProcGen

Sungkwon On
11 – July – 2022

Abstract

- Generalization is a fundamental challenge in DRL.
- Classic ALE(atari) environments have high diversity across the games but low diversity within a single game. → Overfitting may occur due to agents experiencing near-identical states.
- Do agents learn robust skills or simply memorize trajectories?
- Procgen environments fulfill both needs. High diversity across the games and within a single game.
- Procgen is ideal for generalization!
 - Distinct train and test sets may be generated.
- Procgen is also well-suited to evaluate sample-efficiency.
 - Environments provide diverse and compelling tasks.

Procgen

- High Diversity
- Fast Evaluation
 - Optimised to perform thousands of steps per sec on a single CPU (including rendering)
- Tunable Difficulty
 - Provides Easy and Hard modes
 - Differences in level distribution
 - Easy takes 1/8 resources of Hard
- Level Solvability
 - Greater than 99% of levels are believed to be solvable.
- Emphasis on Visual Recognition and Motor Control
 - Similar to Atari & Gym Retro, Procgen requires critical assets to be recognized in observation.



Procgen

- Shared Action and Observation Space
 - 15 discrete action space
 - 64x64x3(RGB) observation space
- Tunable Dependence on Exploration
 - On some games, training performance increase with the size of training sets
→ exploration becomes less bottleneck
 - But on 8 games, specific seeds introduce the difficulty of exploration.
- Tunable Dependence on Memory
 - Designed to require minimal use of memory.
 - 6 games include variants that do test the use of memory.



Experimental Protocols

- By default, PPO is used.
- Hard difficulty – Training for 200M timesteps.
 - 24 GPU-hrs and 60 CPU-hrs
- Easy difficulty – Training for 25M timesteps.
 - 3 GPU-hrs
- Sample efficiency Evaluation
 - Train and Test on the full distribution of levels
- Generalization Evaluation
 - Train on a finite set (500 if not specified) of levels and Test on the full distribution
 - Easy mode – 200 Levels for Training
- Rewards normalized when representing the mean for all games.
- Hyperparameters are tuned minimally and work well across Atari games as well as Procgen.
- No frame Staking, No LSTM → Experimentally found that the impact is minimal
- IMPALA CNN is used. (Nature CNN (DQN architecture) hardly performs)



PPO review

A traditional on-policy actor-critic method.

Probability ratio clipping prevents the policy from changing too much for one update.

$$L^{CLIP}(\theta) = \hat{\mathbb{E}}_t \left[\min(r_t(\theta) \hat{A}_t, \text{clip}(r_t(\theta), 1 - \epsilon, 1 + \epsilon) \hat{A}_t) \right]$$

$$r_t(\theta) = \frac{\pi_{\theta}(a_t | s_t)}{\pi_{\theta_{\text{old}}}(a_t | s_t)}$$




Generalization Experiment

Protocol

- Train on different sets of levels ranging from 100 to 100,000
- Test on the full distribution of levels.

Results

- Overfitting for small training sets
- Generalization well learned from 10,000 training sets.
- Some games show an increase in performance above a certain threshold of the training set (opposite to supervised learning). → A sign of generalization.



Generalization Experiment


Ablation study with Deterministic Levels

Protocol

- Train on a fixed sequence of levels. Starting from level 1.
- Easy difficulty used.
- Test on a sequence of levels chosen at random.

Results

- Agents hardly performs during Test.
- Important to train and testing on diverse environment distribution.



Generalization Experiment



500 Level Generalization

Protocol

- Train on a 500-level set.
- Test on the full distribution of levels.

Results

- High overfitting in most of the games.
- Some games show less generalization gap but only due to poor performance.





Scaling Model Size

Protocol


- Train and Test on different Network Architectures
- Scaled number of convolutional channels by 2 and 4. (reducing learning rate by the root of the scaling factor)
- Other hyperparameters unchanged.

Results

- Deep IMPALA networks performs the best.
- Nature CNN fails to perform any good.



PPO VS Rainbow DQN



Questions?

