

[Skip to main content](#)> [cs](#) > arXiv:1903.07571

quick links

- [Login](#)
- [Help Pages](#)
- [About](#)

Computer Science > Machine Learning


arXiv:1903.07571 (cs)

[Submitted on 18 Mar 2019 ([v1](#)), last revised 10 Oct 2020 (this version, v2)]

Two models of double descent for weak features


[Mikhail Belkin](#), [Daniel Hsu](#), [Ji Xu](#)[Download PDF](#)

The "double descent" risk curve was proposed to qualitatively describe the out-of-sample prediction accuracy of variably-parameterized machine learning models. This article provides a precise mathematical analysis for the shape of this curve in two simple data models with the least squares/least norm predictor. Specifically, it is shown that the risk peaks when the number of features p is close to the sample size n , but also that the risk decreases towards its minimum as p increases beyond n . This behavior is contrasted with that of "prescient" models that select features in an a priori optimal order.

Subjects: **Machine Learning (cs.LG)**; Machine Learning (stat.ML)Cite as: [arXiv:1903.07571](#) [cs.LG]
(or [arXiv:1903.07571v2](#) [cs.LG] for this version)
<https://doi.org/10.48550/arXiv.1903.07571> Focus to learn more

arXiv-issued DOI via DataCite

Journal reference: SIAM Journal on Mathematics of Data Science, 2(4):1167-1180, 2020

Related DOI: <https://doi.org/10.1137/20M1336072> Focus to learn more

DOI(s) linking to related resources

Submission history

From: Daniel Hsu [[view email](#)]

[\[v1\]](#) Mon, 18 Mar 2019 17:09:08 UTC (139 KB)

[\[v2\]](#) Sat, 10 Oct 2020 02:18:32 UTC (148 KB)

☐ Bibliographic Tools

Bibliographic and Citation Tools

☐ Bibliographic Explorer Toggle

Bibliographic Explorer ([What is the Explorer?](#))

☐ Litmaps Toggle

Litmaps ([What is Litmaps?](#))

☐ scite.ai Toggle

scite Smart Citations ([What are Smart Citations?](#))

☒ Code, Data, Media

Code, Data and Media Associated with this Article

☐ Links to Code Toggle

CatalyzeX Code Finder for Papers ([What is CatalyzeX?](#))

☐ DagsHub Toggle

DagsHub ([What is DagsHub?](#))

☐ Links to Code Toggle

Papers with Code ([What is Papers with Code?](#))

☐ ScienceCast Toggle

ScienceCast ([What is ScienceCast?](#))

☐ Demos

Demos

☐ Replicate Toggle

Replicate ([What is Replicate?](#))

☐ Spaces Toggle

Hugging Face Spaces ([What is Spaces?](#))

☐ Related Papers

Recommenders and Search Tools

☐ Link to Influence Flower

Influence Flower ([What are Influence Flowers?](#))

☐ Connected Papers Toggle

Connected Papers ([What is Connected Papers?](#))

☐ Core recommender toggle

CORE Recommender ([What is CORE?](#))

☐ IArxiv recommender toggle

IArxiv Recommender ([What is IArxiv?](#))


○ About arXivLabs

arXivLabs: experimental projects with community collaborators

arXivLabs is a framework that allows collaborators to develop and share new arXiv features directly on our website.

Both individuals and organizations that work with arXivLabs have embraced and accepted our values of openness, community, excellence, and user data privacy. arXiv is committed to these values and only works with partners that adhere to them.

Have an idea for a project that will add value for arXiv's community? [Learn more about arXivLabs](#).



[Which authors of this paper are endorsers?](#) | [Disable MathJax](#) ([What is MathJax?](#))