

Quantum walks

Dauliac, Julien

I INTRODUCTION

Markov chains are a mathematical tool describing probabilistic dynamic systems [1]. They play an important role in randomized algorithms (e.g., continuous approximation algorithms and other difficult problems, and volume estimation) Random walks are an example of Markov processes, in which future behaviour is independent of past history

Quantum walks are their equivalents in the quantum world. They share many properties but are also remarkable for some particularities.

Principle	Markov	Quantum
1: State representation	Probability distribution	Amplitude distribution
2: State evolution	Transition operator	Unitary operator
3: Rate of change	Kolmogorov equation	Schrödinger equation
4: Dynamic operators	Intensity operator	Hamiltonian operator
5: Response Selection	Measurement operator	Measurement operator

Fig. 1: Comparative table of the main dynamics underlying markov chains walkers and quantum walkers models. Fig 1 from [2]

The walkers in the markov chains move according to a random distribution of one node at a time in each iteration. They ultimately occupy a unique place at each time. The unobserved quantum walkers, not being in a defined state, move following an amplitude probability or "simultaneously" according to their statistical distribution to all possible next nodes:




Fig. 2: Illustration opposing the two walk systems. Inspired by Figure 2 from [2]

II APPLICATIONS

Quantum walks have many applications. They are both inherited from markov chains but also have new uses.

II.A Continuous walks

Quantum walkers are able to describe discrete displacements like their classical counterparts. However, they are also able to easily describe continuous walks, and this

by exploiting their intrinsic physical properties [3]. Let's assume superposed quantum walkers:

$$\alpha|0\rangle + \beta|1\rangle$$

Qbits can change smoothly from a probability of 0 to 1 or anything in between. Their value is naturally statistical and therefore continuous and suitable for this purpose.

II.B Algorithmes

II.B.1 Search

Search is one of the big families of problems in computer science and markov chains offer a framework to address them.

Quantum walks are also capable of addressing them, but they offer higher quadratic complexity than classical algorithms [4].

II.B.1.1 Grover search algorithm: The algorithms for searching in unordered graphs are very efficient. For example We can look at a walk variant of the Grover search algorithm [4]. We consider two search algorithms based on some ergodic and symmetric chain. For a number of node n , in the normal world, the search cost is

$$cost_c = O\left(\frac{1}{n}\right)$$

. In the quantum world, if we consider the setup and verification cost at $S + C = O(1)$. Then we can set search cost to be

$$cost_q = \frac{1}{\sqrt{n}}$$

We can observe the quadratic difference in cost from one algorithm to another

$$cost_q < cost_n$$

II.B.2 Simulations

Another interesting use of quantum walks is the simulation of physical elements.

For example, we could simulate economic models [5] or physical particles, like neutrinos [6] or photons [7].

Chemical simulations could also be performed thanks to quantum walks [8]. Since these simulations have a high computational complexity due to the number of combinations to be tested, quantum systems could help to reduce this complexity in order to make these calculations affordable.

It is also possible using the QFold algorithm to combine quantum computing with deep learning methods to predict the 3D structure of proteins [9]

III DETAIL AND COMPARISON OF A DISCRETE WALK

In this part we will take the example of the random exploration of a graph to highlight the properties of quantum walks. The quantum walk processes are not so different from those concerning walks on Markov chains. As we will see the biggest difference is in the observed results

III.A Setup

The studied graph will be cyclic. It has 8 nodes and the probabilities of joining one node or another will be equivalent.

$$p = \frac{1}{2}$$

. It is possible to represent the walker on n bits or qbit. In our example, we will use 6 bits to represent the 64 nodes: $2^6 = 64$.




Fig. 3: Here is an example representing a quantum walker on a graph of 4 nodes encoded in 2 bits

We will use 2 logic gates incrementing and decrementing our bit in order to choose if we go forward or backward. This is our unitary operator.




Fig. 4: Here is an example representing a quantum walker on a graph of 4 nodes encoded in 2 bits

We will use a coin to decide which direction to take on our graph. This coin being a random draw in the normal world. In the quantum world we will use the most used gate for the quantum walk pieces: Hadamard's gate.

$$\begin{aligned} H &= \frac{1}{\sqrt{2}} \begin{pmatrix} 1 & 1 \\ 1 & -1 \end{pmatrix} \Rightarrow H|\uparrow\rangle \\ &= \frac{|\uparrow\rangle + |\downarrow\rangle}{\sqrt{2}} \Rightarrow H|\downarrow\rangle \\ &= \frac{|\uparrow\rangle - |\downarrow\rangle}{\sqrt{2}} \end{aligned}$$

IV RUNTIME

If the initial state of our part before throwing is $|n, \uparrow\rangle$.

It will be after throwing of

$$\frac{1}{\sqrt{2}}|n, \uparrow\rangle + \frac{1}{\sqrt{2}}|n, \downarrow\rangle$$

The result of the first two steps is quite similar. If, after the second step, we measure a state $n = -2$ (heads on the previous move) and $n = 2$ (tails on the previous move) with probability $\frac{1}{4}$ and $n = 0$ with probability $\frac{1}{2}$. This is exactly what we would have obtained in a classic march. The third step is different. In the coin flip step, the state:

$$\frac{1}{2}|0, \downarrow\rangle + \frac{1}{2}|0, \uparrow\rangle$$

is transformed into $|10\rangle$:

$$\frac{1}{\sqrt{2}}|0, \uparrow\rangle$$

In a classical random walk, we choose the left and right direction with probabilities $\frac{1}{2}$ each. In the quantum case, because of the quantum interference and the initial state of the coin qbit, we choose to go left with the full probability amplitude $|11\rangle$.




Fig. 5: Illustration of interference cases in the context of quantum walks. Inspired by [12]

If we simulate a classical random walker, we will obtain a normal distribution of the type: We use 7 qbits instead




Fig. 6: Normal distribution [13]

of 3 to have better graphic representation.

In the case of our quantum walker we will get the following distribution. It is important to note that the graphs will only have even or odd data points, depending on the initial position of the walker. and the number of steps taken.

The central collapse being due to the quantum interferences evoked in the unwinding part 4 We will obtain




Fig. 7: Quantum biased distrubution [13]

the inverse state if our qbit is initialized in the $|\uparrow\rangle$ to note that the graphs will only have even or odd data points, depending on the initial position of the walker. and the number of steps taken. The central collapse being due to the quantum interferences evoked in the part 4. We will obtain the inverse state if our qbit is initialized in $|\downarrow\rangle$ state.




Fig. 8: Quantum biased distrubution 2 [13]

If we initialize our corner qbit to a "balanced" state, interference should not bias our distribution:

$$|i\rangle = \frac{|\uparrow\rangle + i|\downarrow\rangle}{\sqrt{2}}$$

We proceed by applying a hadamar gate S then a phase gate S on our qbit [14].

We will therefore obtain the following unbiased result [15] [16]: In the case of a classical random walk, we can




Fig. 9: Quantum distrubution [13]

observe $\sigma^2 \sim T$ where σ is the standard deviation and is the number of time steps. In the case of a quantum walk $\sigma^2 \sim T^2$. This means that the standard deviation in the case of a quantum walker grows quadratically faster. The quantum walker explores, spreads quadratically faster than the classical one.

V CONCLUSION

In conclusion, quantum walks are a computing tool with extremely powerful exploitable physical characteristics. It is theoretically possible to put them to work on a number

of problems, whether to optimize existing algorithms, or to discover new ones opening new perspectives.

REFERENCES

- [1] R. Motwani and P. Raghavan, *Randomized algorithms*. Cambridge university press, 1995.
- [2] J. R. Busemeyer, P. D. Kvam, and T. J. Pleskac, "Comparison of markov versus quantum dynamical models of human decision making," *Wiley Interdisciplinary Reviews: Cognitive Science*, vol. 11, no. 4, p. e1526, 2020.
- [3] V. Kendon, "How to compute using quantum walks," *arXiv preprint arXiv:2004.01329*, 2020.
- [4] M. Santha, "Quantum walk based search algorithms," in *International Conference on Theory and Applications of Models of Computation*. Springer, 2008, pp. 31–46.
- [5] D. Orrell, "A quantum walk model of financial options," *Wilmott*, vol. 2021, no. 112, pp. 62–69, 2021.
- [6] G. Di Molfetta and A. Pérez, "Quantum walks as simulators of neutrino oscillations in a vacuum and matter," *New Journal of Physics*, vol. 18, no. 10, p. 103038, 2016.
- [7] A. Aspuru-Guzik and P. Walther, "Photonic quantum simulators," *Nature physics*, vol. 8, no. 4, pp. 285–291, 2012.
- [8] I. Kassal, J. D. Whitfield, A. Perdomo-Ortiz, M.-H. Yung, and A. Aspuru-Guzik, "Simulating chemistry using quantum computers," *Annual review of physical chemistry*, vol. 62, pp. 185–207, 2011.
- [9] P. A. M. Casares, R. Campos, and M. A. Martin-Delgado, "Qfold: quantum walks and deep learning to solve protein folding," *Quantum Science and Technology*, vol. 7, no. 2, p. 025013, 2022.
- [10] A. Ambainis, "Quantum walks and their algorithmic applications," *International Journal of Quantum Information*, vol. 1, no. 04, pp. 507–518, 2003.
- [11] P. L. Knight, E. Roldán, and J. E. Sipe, "Quantum walk on the line as an interference phenomenon," *Physical Review A*, vol. 68, p. 020301, 2003.
- [12] Q. Economics and Finance. Youtube, Mar 2021. [Online]. Available: <https://www.youtube.com/watch?v=mRljRbIQyE4t=291s>
- [13] Dauliac, "Quantum walk ue bordeaux."
- [14] A. Morvan, V. Ramasesh, M. Blok, J. Kreikebaum, K. O'Brien, L. Chen, B. Mitchell, R. Naik, D. Santiago, and I. Siddiqi, "Qutrit randomized benchmarking," *Physical review letters*, vol. 126, no. 21, p. 210504, 2021.
- [15] J. Kempe, "Quantum random walks: an introductory overview," *Contemporary Physics*, vol. 44, no. 4, pp. 307–327, 2003.
- [16] Google, "Quantum walk."