DB lab 6

1.

Query History | Query

```
1  SELECT flight_id, flight_no FROM flights
2  WHERE airline_id = 1;
```

Data Output | Messages | Notifications

	flight_id [PK] integer	flight_no character varying (50)
1	13	BR-PE
2	33	MZ-G
3	36	AU-NT
4	73	FR-K
5	78	US-VT
6	143	PH-BUK
7	170	SD-01
8	175	PA-8
9	185	NA-KU
10	221	US-CT
11	222	RU-CU

2.

Query History | Query

```
1  SELECT flight_id, flight_no, airport_name
2  FROM flights
3  LEFT JOIN airport ON flights.departure_airport_id = airport.airport_id;
```

Data Output | Messages | Notifications

Showing rows:

	flight_id integer	flight_no character varying (50)	airport_name character varying (50)
1	1	US-CT	Elorza Airport
2	2	US-NM	Figari Sud-Corse Airport
3	3	FI-OL	Darchula Airport
4	4	RU-KR	Lime Acres Finsch Mine Airport
5	5	RO-DJ	Hana Airport
6	6	CA-SK	Darchula Airport
7	7	AU-TAS	Ocean Falls Seaplane Base
8	8	US-AZ	Figari Sud-Corse Airport

3.

Query History | Query

```
1  SELECT airline.airline_id, airline_name, scheduled_departure
2  FROM flights
3  INNER JOIN airline ON flights.airline_id = airline.airline_id
4  WHERE flights.scheduled_departure < CURRENT_TIMESTAMP + INTERVAL '1 MONTH'
5  OR flights.scheduled_departure < CURRENT_TIMESTAMP + INTERVAL '1 MONTH'
6  ORDER BY scheduled_departure DESC
```

Data Output | Messages | Notifications

Showing rows: 1

	airline_id integer	airline_name character varying (50)	scheduled_departure date
1	4	KHS	2024-03-17
2	16	DUC	2024-03-17
3	11	IVA	2024-03-17
4	35	PIO	2024-03-17
5	37	HOU	2024-03-17
6	16	DUC	2024-03-17
7	49	PQS	2024-03-17
8	27	KKL	2024-03-16

4.

Query History Query

```sql
SELECT passengers.first_name, passengers.last_name, flights.flight_id, flights.flight_no
FROM passengers
INNER JOIN booking ON passengers.passenger_id = booking.passenger_id
INNER JOIN booking_flight ON booking.booking_id = booking_flight.booking_id
INNER JOIN flights ON booking_flight.flight_id = flights.flight_id
WHERE flights.flight_id = 350;
```

Data Output Messages Notifications

Showing rows: 1 to 5

	first_name character varying (50)	last_name character varying (50)	flight_id integer	flight_no character varying (50)
1	Aimee	Iglesias	350	CN-41
2	Bettye	Berkley	350	CN-41
3	Rock	Manuaud	350	CN-41
4	Alaric	Danilov	350	CN-41
5	Sanders	Biddles	350	CN-41

5.

Query History Query

```sql
SELECT flights.flight_id, flights.flight_no, AVG(booking.price) AS average_price,
    SUM(booking.price) AS total_money,
    MAX(booking.price) AS max_price,
    MIN(booking.price) AS min_price
FROM flights
INNER JOIN booking_flight ON booking_flight.flight_id = flights.flight_id
INNER JOIN booking ON booking.booking_id = booking_flight.booking_id
GROUP BY flights.flight_id;
```

Data Output Messages Notifications

Showing rows: 1 to 614

	flight_id [PK] integer	flight_no character varying (50)	average_price numeric	total_money numeric	max_price numeric	min_price numeric
1	273	AU-WA	8929.2000000000000000	8929.20	8929.20	8929.20
2	951	PG-MPL	3034.5400000000000000	6069.08	5888.12	180.96
3	70	MY-12	683.2700000000000000	683.27	683.27	683.27
4	350	CN-41	5936.7680000000000000	29683.84	9792.28	2520.04
5	539	FR-F	5874.0900000000000000	17622.27	7927.75	3116.63
6	874	CA-MB	4901.8866666666666667	14705.66	7822.69	1839.80
7	176	AZ-YE	6895.9500000000000000	13791.90	9849.54	3942.36
8	292	VN-U-A	4500.8800000000000000	4500.88	4500.88	4500.88
9	663	UG-212	4316.5200000000000000	4316.52	4316.52	4316.52

6.

Query History Query

```sql
SELECT flights.flight_no, airline.airline_name, airport.airport_name, country
FROM flights
INNER JOIN airport ON flights.arrival_airport_id = airport.airport_id
INNER JOIN airline ON flights.airline_id = airline.airline_id
WHERE airport.country = 'China';
```

Data Output Messages Notifications

Showing rows: 1 to 238

	flight_no character varying (50)	airline_name character varying (50)	airport_name character varying (50)	country character varying (50)
1	FI-OL	SMM	Elorza Airport	China
2	IN-OR	IFH	Pitalito Airport	China
3	BR-PE	IPC	Melilla Airport	China
4	US-IN	QIG	Lime Acres Finsch Mine Airp...	China
5	CN-65	YLP	Lime Acres Finsch Mine Airp...	China
6	BR-TO	CSC	Pitalito Airport	China
7	MZ-P	PQS	Elorza Airport	China
8	US-AK	DNU	Lime Acres Finsch Mine Airp...	China
9	PG-MPL	SJS	Elorza Airport	China

7.

Query History Query

```
SELECT passengers.passenger_id,
    passengers.first_name,
    passengers.last_name
FROM passengers
LEFT JOIN booking ON passengers.passenger_id = booking.passenger_id
INNER JOIN booking_flight ON booking.booking_id = booking_flight.booking_id
WHERE AGE(CURRENT_TIMESTAMP, passengers.date_of_birth) < INTERVAL '18 YEAR';
```

Data Output Messages Notifications

Showing rows: 1 to

	passenger_id [PK] integer	first_name character varying (50)	last_name character varying (50)
1	170	Ynez	Bortoloni
2	41	Cleve	Edgeler
3	184	Ronnica	Laybourn
4	159	Vivyan	Mallabone
5	41	Cleve	Edgeler
6	41	Cleve	Edgeler
7	159	Vivyan	Mallabone
8	67	Bernie	Michal
9	184	Ronnica	Laybourn
10	159	Vivyan	Mallabone

8.

airport_db/postgres@PostgreSQL 18

No limit

Query History Query

```
SELECT CONCAT(p.first_name, ' ', p.last_name), p.passport_number,
    date_trunc('minute', f.scheduled_arrival) AS arrival_at
FROM flights f
INNER JOIN booking_flight b_f ON f.flight_id = b_f.flight_id
INNER JOIN booking b ON b_f.booking_id = b.booking_id
INNER JOIN passengers p ON b.passenger_id = p.passenger_id
WHERE CURRENT_TIMESTAMP >= f.actual_departure
    AND CURRENT_TIMESTAMP < f.scheduled_arrival;
```

Data Output Messages Notifications

Showing rows: 1 to 1000

	concat text	passport_number character varying (50)	arrival_at timestamp with time zone
1	Muhammad Fass	109932770-9	2023-10-18 00:00:00+05
2	Trevar Broun	788025864-7	2023-05-08 00:00:00+05
3	Auria Breffit	570537341-4	2023-11-03 00:00:00+05
4	Archie Toffel	677556708-1	2023-05-18 00:00:00+05
5	Sanders Biddles	514546405-3	2023-05-24 00:00:00+05
6	Sanders Biddles	514546405-3	2023-11-08 00:00:00+05
7	Remington Piggot	470074456-1	2023-06-28 00:00:00+05
8	Glynis Marle	209933120-0	2023-10-17 00:00:00+05
9	Cesaro McGennis	364900190-X	2023-08-22 00:00:00+05
10	Con Borrel	837859465-3	2024-01-23 00:00:00+05
11	Lorianna Robbie	435354132-3	2023-11-29 00:00:00+05

9.

Query History Query

```
SELECT flights.flight_id, flights.flight_no, airline.airline_code,
    airline.airline_country, airport.country
FROM flights
INNER JOIN airline ON flights.airline_id = airline.airline_id
INNER JOIN airport ON flights.departure_airport_id = airport.airport_id
WHERE airport.country = airline.airline_country;
```

Data Output Messages Notifications

Showing rows: 1 to 74

	flight_id integer	flight_no character varying (50)	airline_code character varying (50)	airline_country character varying (50)	country character varying (50)
1	1	US-CT	SLGY	China	China
2	37	ID-MU	AYRA	China	China
3	39	PG-MPL	SLJE	China	China
4	48	OM-ZA	VNJP	China	China
5	69	ZW-MN	SLGY	China	China
6	88	AU-WA	SLJE	China	China
7	90	CL-AN	LFKS	Indonesia	Indonesia
8	132	IN-MP	SKSL	China	China
9	141	SB-WE	YPDA	Brazil	Brazil
10	155	TH-21	CYEK	China	China
11	165	US-FL	EDCK	Russia	Russia

10.

Query History Query

```
SELECT f.flight_no, a.airline_name, d_a.airport_name, a_a.airport_name
FROM flights f
INNER JOIN airline a ON f.airline_id = a.airline_id
LEFT JOIN airport d_a ON f.departure_airport_id = d_a.airport_id
LEFT JOIN airport a_a ON f.arrival_airport_id = a_a.airport_id;
```

Data Output Messages Notifications

Showing rows: 1 to 1000

	flight_no character varying (50)	airline_name character varying (50)	airport_name character varying (50)	airport_name character varying (50)
1	US-CT	GYA	Elorza Airport	Ocean Falls Seaplane Base
2	US-NM	SMM	Figari Sud-Corse Airport	Zephyrhills Municipal Airport
3	FI-OL	SMM	Darchula Airport	Elorza Airport
4	RU-KR	BLD	Lime Acres Finsch Mine Airport	Longana Airport
5	RO-DJ	PIR	Hana Airport	Alert Bay Airport
6	CA-SK	SMM	Darchula Airport	Akunaq Heliport
7	AU-TAS	SOZ	Ocean Falls Seaplane Base	Darchula Airport
8	US-AZ	KOQ	Figari Sud-Corse Airport	Hana Airport
9	IN-OR	IFH	Hana Airport	Pitalito Airport
10	AU-NT	NHT	Longana Airport	Zephyrhills Municipal Airport
11	TH-57	YBQ	Delta County Airport	Delta County Airport

11.

Query History Query

```
SELECT al.airline_name, p.first_name, p.last_name, f.flight_no
FROM flights f
INNER JOIN airline al ON f.airline_id = al.airline_id
INNER JOIN booking_flight bf ON f.flight_id = bf.flight_id
INNER JOIN booking b ON bf.booking_id = b.booking_id
INNER JOIN passengers p ON b.passenger_id = p.passenger_id
WHERE al.airline_id = 1;
```

Data Output Messages Notifications

Showing rows: 1 to 37

	airline_name character varying (50)	first_name character varying (50)	last_name character varying (50)	flight_no character varying (50)
1	IPC	Jodi	Ramm	ID-RI
2	IPC	Sheela	Roux	AU-NT
3	IPC	Cesaro	McGennis	FR-F
4	IPC	Rock	Manuaud	US-TX
5	IPC	Hayward	Keeler	US-MS
6	IPC	Brad	Apperley	US-MS
7	IPC	Marillin	Jewess	CA-BC
8	IPC	Karlens	Mitro	US-IN
9	IPC	Samaria	Carletto	KH-9
10	IPC	Sanders	Biddles	AE-AZ
11	IPC	Paquito	Dunrige	US-VT
12	IPC	Maryellen	MacGilmartin	IN-RJ

12.

Query History Query

```
SELECT f.flight_no, ap.country AS arrival_country, COUNT(b.passenger_id) AS count_passengers
FROM passengers p
JOIN booking b ON b.passenger_id = p.passenger_id
JOIN booking_flight bf ON bf.booking_id = b.booking_id
RIGHT JOIN flights f ON f.flight_id = bf.flight_id
JOIN airport ap ON ap.airport_id = f.arrival_airport_id
GROUP BY f.flight_id, ap.country
ORDER BY f.flight_id;
```

Data Output Messages Notifications

Showing rows: 1 to 1000 Page No:

	flight_no character varying (50)	arrival_country character varying (50)	count_passengers bigint
1	US-CT	Philippines	1
2	US-NM	Slovenia	1
3	FI-OL	China	1
4	RU-KR	Afghanistan	1
5	RO-DJ	Croatia	3
6	CA-SK	Russia	1
7	AU-TAS	Philippines	1
8	US-AZ	United States	0
9	IN-OR	China	1
10	AU-NT	Slovenia	0
11	TH-57	Greece	3

13.

Query History | Query

```sql
SELECT p.first_name, p.last_name
FROM passengers p
LEFT JOIN booking b ON b.passenger_id = p.passenger_id
GROUP BY p.passenger_id
HAVING count(booking_id) = 0;
```

Data Output | Messages | Notifications

Showing rows: 1 to 16

	first_name character varying (50)	last_name character varying (50)
1	Rudiger	Leith-Harvey
2	Orrin	Billingham
3	Andrew	Longmore
4	Fairfax	Brahmer
5	Boote	Laurisch
6	Ade	Goolden
7	Weylin	Dubery
8	Orville	Cable
9	Miquela	Tattersfield
10	Luigi	Stove
11	Artur	Leap
12	Conn	Philipps

14.

Query History Query

```
1  SELECT al.airline_name, count(f.flight_id) AS count_flights
2  FROM airline al
3  LEFT JOIN flights f ON f.airline_id = al.airline_id
4  GROUP BY al.airline_id
5  ORDER BY count(f.flight_id);
```

Data Output Messages Notifications

SQL Showing rows: 1 to 50

	airline_name character varying (50)	count_flights bigint
1	YLQ	10
2	HGZ	11
3	KHS	13
4	SJS	14
5	PDN	14
6	RUG	14
7	KIQ	15
8	YBQ	15
9	KLE	15
10	GYA	16
11	RBR	16
12	BLD	16
13	BYH	17

15.

Query History | Query

```sql
SELECT f.airline_id, al.airline_name, f.flight_no, ap.city
FROM flights f
LEFT JOIN airline al ON al.airline_id = f.airline_id
LEFT JOIN airport ap ON ap.airport_id = f.departure_airport_id
WHERE ap.airport_id = 1;
```

Data Output | Messages | Notifications

SQL | Showi

	airline_id integer	airline_name character varying (50)	flight_no character varying (50)	city character varying (50)
1	16	DUC	ML-2	Stupino
2	49	PQS	TW-TTT	Stupino
3	7	0	CN-51	Stupino
4	10	SOZ	AU-WA	Stupino
5	27	KKL	SL-N	Stupino
6	48	MXW	US-OK	Stupino
7	7	0	CA-BC	Stupino
8	12	KOQ	US-FL	Stupino
9	12	KOQ	IL-D	Stupino
10	10	SOZ	PH-BAS	Stupino
11	6	NGL	NA-ON	Stupino
12	11	IVA	US-WA	Stupino
13	37	HOU	AR-R	Stupino