LAB COMMAND

LabCommand.com

WEB THREAT ANALYSIS REPORT

Log Coverage: March 7 – March 11, 2026

Report Generated: March 11, 2026

Last Updated: October 16, 2026

1. Executive Summary

10,000 web log entries from labcommand.com were analyzed covering March 7–11, 2026. The analysis identified 12 distinct threat actors across four attack categories, with multiple persistent campaigns active across the entire log window. The most significant finding is a coordinated webshell C2 probing campaign across 6+ IPs on various infrastructures, generating over 400 combined HTTP 200 responses to wp-load.php, consistent with webshell C2 checks or systematic exploitation testing; no compromise was found.

Total Log Entries	Threat Actors	Attack Categories	Log Window
10,000	12 distinct IPs/clusters	4 (Webshell, XML-RPC, Recon, Scan)	Mar 7–11, 2026 (5 days)

CRITICAL	HIGH	MEDIUM	LOW
2 threats	**6 threats**	**3 threats**	**1 threat**

2. Methodology

Source: WAF and web application logs for labcommand.com, exported as CSV from the hosting dashboard for March 7-11, 2026. Timestamps are in UTC as recorded in the logs.

Coverage: The export contained 10,000 entries. This may reflect an export cap, so all hit counts in this report should be read as lower bounds, and true request volume may have been higher.

Analysis: Logs were triaged in Google Sheets. Administrator IPs, platform infrastructure, and verified crawlers were filtered out, and the remaining IPs were grouped by behavior. IPs were enriched manually using AbuseIPDB, VirusTotal, Shodan, GreyNoise, and urlscan.io. No automated pipeline was used.

Limitations: Logs do not include request bodies, so POST payloads could not be inspected. Attribution is based on observed behavior and shared indicators only, not confirmed intent.

3. Immediate Action Items

#	IP / Target	Action	Status
1	xxx.xxx.61.105	Block in WAF. 83 wp-load.php hits, all returning 200	✔ DONE
2	xxx.xxx.0.0/16 (T-02 range)	Block subnet in WAF. 5+ IPs in coordinated wp-load.php campaign	✔ DONE
3	xxx.xxx.136.36 / xxx.xxx.128.204 (T-03, hosting provider, CA)	Block in WAF	✔ DONE
4	xxx.xxx.200.197 (mobile carrier, AF)	Submit AbuseIPDB report	✔ DONE
5	xxx.xxx.181.149 (ISP, RS)	Submit AbuseIPDB report for xmlrpc.php attacks (37 hits)	✔ DONE
6	xxx.xxx.108.223 (New)	Block in WAF + AbuseIPDB report (12 xmlrpc hits)	✔ DONE
7	Webshell scan verification	Run a full malware scan. 400+ wp-load.php 200 responses warrant verification	✔ DONE

4. Threat Actor Details

T-01 [CRITICAL] wp-load.php Webshell C2 Probe

IP Address(es)	**xxx.xxx.61.105**
Origin / ASN	US (network redacted)
Total Hits	83
HTTP Status	200 (83/83)
Active Window	Mar 7 – Mar 11
User-Agent	*Chrome/104.0.5112.97 (Win10 x64)*
Analysis	Persistent campaign POSTing randomized query strings to wp-load.php (e.g. /wp-load.php?XXXXX=XXXXX). All 83 requests returned HTTP 200. The pattern is consistent with webshell/C2 checks; no compromise was found after a malware scan. 83 hits across 5 days indicates automated tooling on a schedule.
IOC Pattern	/wp-load.php?[hex6]=[int5]
Action Taken	**Blocked in WAF. Reported to AbuseIPDB (category 21 - Web App Attack). Malware scan completed.**

T-02 [CRITICAL] wp-load.php Webshell C2 Probe Cluster

IP Address(es)	**xxx.xxx.250.15 / xxx.xxx.201.188 / xxx.xxx.44.164 / xxx.xxx.106.94 / xxx.xxx.52.234**
Origin / ASN	DE (hosting provider, redacted). Same /16 as prior actor xxx.xxx.177.123
Total Hits	339
HTTP Status	200 (~98%)
Active Window	Mar 7 – Mar 11
User-Agent	*Chrome/104.0.5112.97 (Win10 x64) — identical to T-01*
Analysis	Five distinct IPs, all using the same User-Agent string as T-01 and xxx.xxx.177.123 (prior known threat). Combined 339 hits on wp-load.php with randomized query strings. Identical UA and URL pattern across 6+ IPs strongly indicates a single automated campaign rotating IPs within one infrastructure. xxx.xxx.177.123 was flagged in the prior incident; this activity is consistent with the same campaign.
IOC Pattern	Shared /16 + /wp-load.php?[hex]=[int] + Chrome/104
Action Taken	**Blocked the entire xxx.xxx.0.0/16 subnet (T-02 range) in WAF. Reporting optional for all IPs (AbuseIPDB).**

T-03 [HIGH] wp-load.php Webshell C2 Probe

IP Address(es)	**xxx.xxx.136.36 / xxx.xxx.128.204**
Origin / ASN	CA (hosting provider, redacted)
Total Hits	113
HTTP Status	200 (113/113)
Active Window	Mar 7 – Mar 11
User-Agent	*Chrome/104.0.5112.97 (Win10 x64) — same campaign fingerprint*
Analysis	Two IPs following the exact same wp-load.php pattern as the T-02 cluster. 113 combined hits, 100% HTTP 200.
IOC Pattern	Shared /16 + wp-load.php
Action Taken	**Blocked in WAF. Reporting optional (AbuseIPDB).**

T-04 [HIGH] XML-RPC Brute Force

IP Address(es)	**xxx.xxx.181.149**
Origin / ASN	RS (ISP, redacted). Carry-over from prior incident
Total Hits	37
HTTP Status	200 (37/37)
Active Window	Mar 8, 10:04–11:42 UTC
User-Agent	*Firefox spoof (Windows NT 6.3 x86 — outdated)*

Analysis	Continued XML-RPC attack from prior incident. All 37 requests to /xmlrpc.php returned 200. The spoofed outdated UA (Windows 6.3/x86) is a classic attacker fingerprint. This IP was previously unreported and has since been reported to AbuseIPDB.
IOC Pattern	/xmlrpc.php, 37 hits, NT 6.3 x86 UA
Action Taken	**Reported to AbuseIPDB.**

T-05 [HIGH] XML-RPC Brute Force

IP Address(es)	**xxx.xxx.108.223**
Origin / ASN	Unknown. New actor
Total Hits	12
HTTP Status	200 (12/12)
Active Window	Mar 8, 16:34–17:16 UTC
User-Agent	*Firefox/Windows NT 10.0 x64 spoof*
Analysis	New IP not seen in prior incidents. 12 xmlrpc.php requests over 42 minutes, all returning 200. Possible credential stuffing or multicall attack. Pattern mirrors xxx.xxx.181.149 behavior.
IOC Pattern	/xmlrpc.php, 12 hits
Action Taken	**Blocked in WAF. Reported to AbuseIPDB (categories 18 + 21).**

T-06 [HIGH] XML-RPC Brute Force

IP Address(es)	**xxx.xxx.200.197**
Origin / ASN	AF (mobile carrier, redacted). Carry-over from prior incident
Total Hits	10
HTTP Status	200 (10/10)
Active Window	Mar 9, 02:01–02:21 UTC
User-Agent	*Chrome/Ubuntu x64 spoof*
Analysis	Persistent actor from prior incident. OTX, ThreatFox, and AbuseIPDB submissions were completed.
IOC Pattern	/xmlrpc.php, 10 hits
Action Taken	**Reported to AbuseIPDB.**

T-07 [HIGH] WordPress Path Traversal / Webshell Scan

IP Address(es)	**xxx.xxx.201.163**
Origin / ASN	JP region (cloud-hosted, redacted)

Total Hits	63
HTTP Status	403 (60/63)
Active Window	Mar 10, 11:03 UTC (13-second burst)
User-Agent	*Chrome/Win10 x64*
Analysis	Burst scan within 13 seconds probing multiple unusual paths: /xmlrpc.php, /wp-themes.php (non-existent), /wp-includes/style-engine/, /wp-includes/js/dist/script-modules/block-library/search/about.php (webshell path injection), /wp-includes/images/wp-login.php. The attempted path injection into wp-includes subdirectories is consistent with a webshell access attempt. 60 of 63 requests returned 403 (WAF block).
IOC Pattern	/wp-includes/[...]/about.php, /wp-includes/images/wp-login.php
Action Taken	**60 of 63 requests blocked by WAF. Reported to AbuseIPDB (category 21).**

T-08 [HIGH] WordPress Author Enumeration

IP Address(es)	**xxx.xxx.137.13**
Origin / ASN	CN (network redacted). Carry-over
Total Hits	20
HTTP Status	429 (20/20) — rate limited
Active Window	Mar 8, 18:39 UTC (6-second burst)
User-Agent	*Apache-HttpClient/4.5.2 (Java/1.8.0_151) — automated tool*
Analysis	Systematic enumeration of /?author=1 through /?author=20 using the Apache HttpClient Java library. This is username harvesting: attackers use author IDs to map real WordPress usernames for credential attacks. The platform rate-limited all 20 requests (429). However, the responses may have been enough to confirm the site runs WordPress.
IOC Pattern	/?author=[1-20], Apache-HttpClient UA
Action Taken	**Rate-limited by the platform (429). Reported to AbuseIPDB.**

T-09 [MEDIUM] PHP Info / Configuration Probe

IP Address(es)	**xxx.xxx.251.255**
Origin / ASN	EU (cloud-hosted, redacted)
Total Hits	7
HTTP Status	403 (7/7)
Active Window	Single session
User-Agent	*Chrome/Win10 x64*

Analysis	Sequential probe of common PHP diagnostic paths: /phpinfo, /info.php, /index.php, /_profiler/phpinfo, /test.php, /phpinfo.php, /. All blocked with 403. Classic recon to identify PHP version, configuration, and installed extensions. Cloud-hosted instances are frequently used for automated scanning.
IOC Pattern	/phpinfo, /info.php, /_profiler/phpinfo
Action Taken	**Blocked by WAF. Reported to AbuseIPDB (category 21).**

T-10 [MEDIUM] Webshell Access Attempt (fix/up.php)

IP Address(es)	**xxx.xxx.189.34**
Origin / ASN	Unknown
Total Hits	1
HTTP Status	403
Active Window	Single request
User-Agent	*Chrome/85.0 (Win10)*
Analysis	Single GET request for //wp-content/plugins/fix/up.php, a known webshell path associated with a fake 'fix' plugin dropper. Double-slash prefix is used to confuse path normalization. Blocked 403 by WAF. The specific path /plugins/fix/up.php indicates the attacker has a list of webshell implant locations and is checking if a previous compromise is accessible.
IOC Pattern	//wp-content/plugins/fix/up.php
Action Taken	**Blocked by WAF. Reporting optional (AbuseIPDB).**

T-11 [MEDIUM] Windows Live Writer Manifest Probe

IP Address(es)	**xxx.xxx.49.63**
Origin / ASN	Unknown
Total Hits	13
HTTP Status	429 (13/13)
Active Window	Not recorded
User-Agent	*Various*
Analysis	Repeated requests for //test/wp-includes/wlwmanifest.xml, a file used by Windows Live Writer that reveals WordPress installation details. The double-slash and /test/ prefix are obfuscation attempts. The platform rate-limited all requests.
IOC Pattern	//test/wp-includes/wlwmanifest.xml
Action Taken	**Rate-limited by the platform (429).**

T-12 [LOW] Crypto/Finance Platform Fingerprinting

IP Address(es)	**Six IPs (redacted)**
Origin / ASN	CN (multiple ASNs)
Total Hits	36 each (216 total)
HTTP Status	404 (all)
Active Window	Distributed
User-Agent	*Chrome/120 Win10 x64 (identical across all IPs)*
Analysis	Six IPs from Chinese networks, all with identical UA strings, requesting the exact same 36 URLs in identical order: /img/logo_512.png, /assets/index/kuailian/image/favicon.ico, /imgs/logox.png, /theme/Bob-Theme-Argon/favicon.ico, /favicon.png, etc. The /kuailian/ path may reference a crypto platform. This looks like a botnet performing platform fingerprinting, scanning for a specific web application across many hosts. Not WordPress-targeted, but indicative of botnet traffic.
IOC Pattern	/assets/index/kuailian/, identical 36-URL pattern across 6 IPs
Action Taken	**Low priority; all returned 404. No action required. Logged as a botnet fingerprinting campaign.**

5. Infrastructure & Legitimate Traffic Notes

The following high-volume sources were confirmed as legitimate and do not require action:

- **Administrator IPs (whitelisted), 4,009 requests:** Normal browsing and admin activity.
- **Hosting platform cron system, 1,342 requests:** Legitimate POSTs to /wp-cron.php on schedule.
- **Platform uptime monitor, 581 requests:** Expected ~10-minute intervals.
- **Platform REST API backup and sync calls:** All showing correct auth token usage.
- **HTTP client, 157 requests (/_jb_static/ paths):** Developer browsing/scraping content, not a threat.
- **Microsoft Bing crawler:** Legitimate.
- **OpenAI GPTBot and ChatGPT-User crawlers (various IPs):** Legitimate AI indexing.
- **WellKnownBot:** Checking /security.txt and /trust.txt. Legitimate security scanner.

Note: One source (109 requests, HeadlessChrome UA) appears to be a content aggregator scraping article pages and plugin JS files. Activity is benign but worth monitoring.

6. AbuseIPDB Reporting Queue

IP Address	Hits	Category	Priority	Notes
xxx.xxx.200.197	10	18, 21	**HIGH**	Carry-over from prior incident
xxx.xxx.181.149	37	18, 21	**HIGH**	37 xmlrpc hits, Mar 8 burst
xxx.xxx.177.123	58	21	**HIGH**	wp-load.php cluster leader (T-02 range)
xxx.xxx.61.105	83	21	**HIGH**	wp-load.php, 83 hits, all 200

xxx.xxx.108.223	12	18, 21	**MEDIUM**	New xmlrpc attacker, Mar 8
xxx.xxx.201.163	63	21	**MEDIUM**	Cloud-hosted path traversal, 60 of 63 blocked (403)
xxx.xxx.137.13	20	21	**MEDIUM**	Author enumeration /?author=1-20, all 429
xxx.xxx.251.255	7	21	**LOW**	Cloud-hosted phpinfo probe, all 403

Queue reflects IPs prioritized for reporting at the time. Not all observed IPs were reported.

7. Defense Performance

The current security stack performed well during this log window:

- The WAF returned 403 for nearly all path traversal, phpinfo, and webshell access attempts from xxx.xxx.201.163 (60 of 63 requests), xxx.xxx.251.255, and xxx.xxx.189.34.
- Rate limiting (429) caught the author enumeration sweep from xxx.xxx.137.13 and the wlwmanifest probe from xxx.xxx.49.63.
- **Remediated:** 400+ HTTP 200 responses to wp-load.php from the main clusters were investigated. HTTP 200 does not confirm webshell execution. Randomized-parameter POST requests to wp-load.php are now blocked.
- **Remediated:** xmlrpc.php returned 200 to known malicious IPs (xxx.xxx.181.149, xxx.xxx.200.197, xxx.xxx.108.223). The platform or WAF now blocks authentication attempts, not just the connection.

8. Incident Documentation Status

Documentation status (Dauun-LC/LabCommand-Threat-Reports):

- GitHub incident report write-up for this March 7–11 log window: ✔ DONE (published in this repository)
- OTX pulse for xxx.xxx.181.149: ✔ DONE
- DMARC DNS TXT record addition: ✔ DONE

AbuseIPDB: reporting privilege active. The Section 5 queue was processed before the 60-day window closed (earliest attack: Mar 7, window expired May 6, 2026). IPs not listed in the queue were not reported.